

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1949

Broj : 60168 Stanica :TRGAJ Kota "0" = 92.35
Nacin osmat.: limnigraf Rijeka :CIJEVNA km od usca = 20.40
Pocetak rada: 1958 Sliv :MORACE Pov.sliva = 357.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.33	2.45	2.94	9.39	24.5	14.5	8.98	1.65	1.33	.980	4.61	60.8
2	36.9	2.30	4.61	8.58	22.3	14.0	9.80	1.49	1.27	.980	5.16	42.5
3	34.7	2.14	4.33	8.98	20.8	13.6	10.6	1.33	1.27	10.2	5.72	34.4
4	29.7	2.14	2.94	9.80	22.3	14.0	10.6	1.33	1.21	17.8	8.98	32.6
5	28.0	2.14	2.62	11.9	26.2	14.0	9.80	1.33	1.21	9.80	11.9	27.4
6	27.4	1.97	2.45	23.4	29.7	14.0	8.17	1.27	1.15	5.72	16.8	23.4
7	22.3	1.97	2.45	17.8	24.5	13.2	6.94	1.27	1.15	5.72	94.9	21.8
8	9.80	1.97	2.14	14.0	20.3	12.7	6.13	1.27	1.15	5.16	11.4	19.7
9	8.17	1.81	1.97	13.2	14.5	12.3	5.44	1.21	1.15	4.33	61.4	18.7
10	8.98	1.81	1.97	18.7	14.0	11.1	4.98	1.21	1.10	4.05	35.5	110
11	9.39	2.94	1.97	14.0	14.9	8.98	4.33	1.15	1.15	4.05	24.5	94.9
12	17.8	2.45	1.97	11.9	15.4	16.8	4.05	1.15	1.15	3.77	19.2	53.2
13	15.9	2.14	4.33	16.8	14.5	20.8	3.50	1.21	1.15	3.22	16.8	58.2
14	14.9	2.14	5.71	23.4	15.9	22.9	3.50	1.33	1.10	2.78	10.6	262
15	14.0	2.14	9.39	30.4	21.3	21.8	2.94	1.33	1.21	2.45	22.3	83.4
16	13.2	1.97	18.7	28.0	17.8	21.3	2.78	1.33	1.15	2.30	55.7	135
17	11.1	1.97	14.9	27.4	16.4	21.3	2.62	1.33	1.15	2.14	34.0	77.7
18	8.98	1.97	15.9	19.2	16.4	22.9	2.45	1.33	1.33	2.14	149	49.0
19	6.94	2.14	14.9	16.8	15.4	25.6	2.30	2.62	1.49	2.30	66.3	36.9
20	5.72	2.14	22.3	22.9	19.2	25.1	2.30	9.80	1.49	2.30	52.4	32.6
21	4.89	2.30	44.9	26.8	34.7	23.9	2.14	8.98	1.33	2.14	40.1	28.0
22	4.61	2.45	29.7	18.2	61.6	19.2	1.97	5.72	1.21	2.14	30.4	19.2
23	3.77	2.30	18.7	22.3	70.6	18.7	1.97	5.44	1.21	1.97	25.6	21.8
24	3.50	2.45	13.6	28.5	81.5	14.5	1.97	3.22	1.15	1.81	139	19.2
25	2.94	2.62	13.2	29.7	60.8	13.6	1.81	2.78	1.15	1.81	78.6	17.8
26	2.94	2.45	11.5	28.5	45.7	13.6	1.65	2.45	1.10	1.65	71.0	15.9
27	2.78	2.45	11.1	49.0	34.7	11.1	1.65	2.30	1.10	1.33	59.9	14.0
28	2.78	2.45	11.5	53.2	27.4	11.5	2.14	1.97	1.04	1.33	166	13.6
29	2.78		10.6	29.7	23.4	9.80	2.30	1.81	1.04	1.33	280	12.7
30	2.62		10.2	29.7	20.3	8.17	1.97	1.81	1.04	1.33	144	12.3
31	2.62		9.80		18.2		1.81	2.78		1.65		11.5
SD1	20.7	2.07	2.84	13.6	21.9	13.3	8.14	1.34	1.20	6.47	25.6	39.1
SD2	11.8	2.20	11.0	21.1	16.7	20.7	3.08	2.26	1.24	2.74	45.1	88.3
SD3	3.29	2.43	16.8	31.6	43.5	14.4	1.94	3.57	1.14	1.68	103	16.9
MAX	36.9	2.94	44.9	53.2	81.5	25.6	10.6	9.80	1.33	17.8	280	262
DAT	2	6	21	28	24	19	3	20	1	4	29	14
SR	11.7	2.22	10.4	22.1	27.9	16.2	4.31	2.43	1.19	3.57	58.1	47.1
MIN	1.33	1.81	1.97	8.58	14.0	8.17	1.65	1.15	1.04	.980	4.61	11.5
DAT	1	9	9	2	10	30	26	11	28	1	1	31
		GMIN =	.980			SRGOD=	17.3			GMAX =	280	
		DATUM	1 10							DATUM	29 11	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1950

Broj : 60168 Stanica :TRGAJ Kota "0" = 92.35
Nacin osmat.: limnigraf Rijeka :CIJEVNA km od usca = 20.40
Pocetak rada: 1958 Sliv :MORACE Pov.sliva = 357.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	12.7	12.7	29.1	37.7	34.7	13.6	3.22	1.33	.860	2.14	81.5	29.1	
2	11.1	11.1	21.8	26.2	34.0	13.2	3.22	1.21	1.27	2.62	49.9	22.9	
3	10.2	10.6	20.3	24.5	36.9	12.3	3.22	1.21	5.16	4.89	34.7	18.7	
4	9.80	9.39	19.7	40.1	32.6	11.9	3.22	1.15	11.5	4.05	53.2	30.4	
5	9.39	8.58	17.8	30.4	28.5	11.1	2.94	1.21	6.53	3.22	166	47.4	
6	8.58	7.76	16.4	26.2	26.8	10.6	2.94	1.21	4.61	2.78	61.6	126	
7	18.7	9.80	15.4	22.3	26.8	9.80	2.94	1.21	3.50	2.45	69.1	65.4	
8	18.7	25.1	15.4	20.3	26.8	7.35	2.78	1.15	2.94	2.14	44.9	47.4	
9	17.8	19.7	15.4	20.3	26.2	9.39	2.30	1.15	2.45	1.97	37.7	45.7	
10	13.6	20.8	15.9	20.3	26.2	9.39	2.45	1.10	1.97	1.65	31.9	99.6	
11	12.7	16.4	16.8	20.8	26.2	8.98	2.14	1.10	1.65	1.49	26.8	67.2	
12	12.3	25.6	15.4	20.8	25.1	8.98	2.14	1.10	1.49	1.33	22.9	83.4	
13	10.2	45.7	14.0	29.1	21.8	8.58	1.97	1.10	1.33	1.33	21.3	280	
14	9.80	31.9	13.6	42.5	20.8	8.58	2.14	1.04	1.27	1.27	19.7	108	
15	8.58	23.9	13.2	45.7	19.2	8.17	2.14	1.04	1.21	1.21	30.4	110	
16	8.17	22.9	14.5	58.2	18.2	7.76	2.14	1.04	1.15	1.21	30.4	99.6	
17	7.76	20.3	14.9	65.4	20.8	7.76	2.14	1.04	2.78	1.21	36.9	99.6	
18	14.0	19.2	15.9	54.9	21.8	7.35	1.97	1.04	1.65	1.10	150	107	
19	30.4	18.2	16.8	35.5	20.8	6.94	2.45	1.10	1.65	1.04	54.9	102	
20	27.4	17.8	16.8	49.9	20.3	6.13	2.14	1.10	1.33	1.04	53.2	67.2	
21	21.3	17.3	16.4	54.9	18.7	5.72	1.97	1.04	1.97	1.04	39.3	48.2	
22	18.2	16.8	15.9	56.6	17.3	5.44	1.81	.980	2.62	.980	60.8	41.7	
23	13.6	16.4	15.4	87.3	18.2	5.16	1.65	.980	2.62	.980	43.3	36.9	
24	11.9	13.6	14.9	59.9	18.2	4.61	1.49	.980	2.45	.980	33.3	35.5	
25	11.1	12.3	13.6	139	17.8	4.61	1.33	.980	2.30	1.10	33.3	41.7	
26	10.2	11.9	12.7	109	17.8	4.33	1.33	.980	1.97	60.8	32.6	41.7	
27	9.39	182	11.5	65.4	17.8	4.77	1.33	.980	1.81	160	32.6	36.2	
28	9.39	64.4	10.2	59.1	17.3	3.50	1.27	.980	1.97	84.4	27.4	30.4	
29	9.39		11.1	49.9	18.7	3.50	1.21	.920	1.97	42.5	22.9	26.8	
30	9.39		12.3	39.3	16.4	3.50	1.21	.920	1.97	114	19.7	22.9	
31	9.39		31.1		14.5		1.33	.920		88.3		20.8	
SD1	13.1	13.6	18.7	26.8	30.0	10.9	2.92	1.19	4.08	2.79	63.1	53.3	
SD2	14.1	24.2	15.2	42.3	21.5	7.92	2.14	1.07	1.55	1.22	44.7	112	
SD3	12.1	41.8	15.0	72.0	17.5	4.51	1.45	.969	2.16	50.5	34.5	34.8	
MAX	30.4	182	31.1	139	36.9	13.6	3.22	1.33	11.5	160	166	280	
DAT	19	27	31	25	3	1	1	1	4	27	5	13	
SR	13.1	25.4	16.3	47.1	22.8	7.77	2.15	1.07	2.60	19.2	47.4	65.8	
MIN	7.76	7.76	10.2	20.3	14.5	3.50	1.21	.920	.860	.980	19.7	18.7	
DAT	17	6	28	8	31	28	29	29	1	22	14	3	
		GMIN =	.860			SRGOD=	22.5			GMAX =	280		
		DATUM	1 9							DATUM	13 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1951

Broj : 60168 Stanica :TRGAJ Kota "0" = 92.35
Nacin osmat.: limnigraf Rijeka :CIJEVNA km od usca = 20.40
Pocetak rada: 1958 Sliv :MORACE Pov.sliva = 357.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	18.7	13.6	39.3	30.4	44.9	44.9	14.0	3.77	2.30	9.80	8.17	10.6	
2	18.7	13.2	30.4	41.7	46.6	41.7	14.0	3.77	2.30	10.6	90.2	9.80	
3	17.8	12.3	26.2	32.6	57.5	39.3	16.4	3.50	1.97	11.5	54.9	8.90	
4	16.8	11.5	22.9	36.9	46.6	32.6	12.7	3.50	1.97	11.5	29.7	8.90	
5	16.4	14.0	20.3	46.6	44.1	29.1	13.2	3.50	1.97	10.6	20.3	8.17	
6	14.9	22.9	18.7	39.3	31.1	36.2	12.3	3.22	1.97	8.98	16.8	7.35	
7	14.0	26.2	20.7	31.9	20.8	44.9	11.5	3.22	1.97	5.72	14.0	6.94	
8	13.6	20.8	43.3	31.9	25.6	39.3	10.2	3.22	2.14	4.61	11.9	6.53	
9	13.2	17.3	158	36.2	43.3	59.1	10.2	3.22	2.30	4.33	14.9	20.3	
10	12.3	16.4	84.4	40.1	92.6	72.0	10.2	2.94	2.62	3.50	49.0	36.9	
11	11.5	14.9	53.2	40.1	106	49.0	10.2	2.94	2.62	3.50	30.4	39.3	
12	11.5	14.0	38.5	84.4	150	36.9	9.80	2.94	2.30	3.50	72.0	31.9	
13	11.5	14.0	157	106	109	36.9	8.98	2.94	2.30	4.61	142	24.5	
14	11.5	20.8	80.5	76.7	78.6	31.1	8.58	2.62	1.97	4.89	140	17.8	
15	11.9	21.3	70.7	61.6	54.0	29.7	8.17	2.62	1.97	4.89	126	15.9	
16	11.1	21.3	58.2	44.9	49.9	28.0	8.17	2.62	1.97	4.05	67.2	13.2	
17	10.6	20.8	45.7	38.5	65.4	26.8	8.17	2.45	1.81	3.77	44.1	12.3	
18	9.80	19.7	34.7	38.5	54.0	25.6	8.17	2.30	1.81	3.77	32.6	10.6	
19	11.1	18.7	33.3	40.1	51.5	23.9	6.53	2.30	2.30	2.78	26.8	9.80	
20	10.2	136	69.1	37.7	53.2	23.4	6.13	2.30	2.62	2.94	22.9	8.17	
21	9.39	61.6	65.4	41.7	61.6	25.1	5.72	2.14	2.62	3.50	20.8	7.35	
22	8.98	174	44.1	48.2	60.8	22.3	5.44	2.14	2.30	3.50	18.7	6.53	
23	8.17	74.8	31.1	44.1	54.9	21.3	5.44	1.97	2.30	4.05	21.8	6.13	
24	7.35	46.6	26.8	41.7	54.9	19.7	5.16	2.30	1.97	5.72	23.4	5.72	
25	7.35	51.5	26.2	40.9	55.7	20.8	4.89	2.62	1.97	7.76	21.8	5.72	
26	7.35	52.4	25.6	40.1	54.0	20.3	4.89	2.30	1.97	21.8	18.7	5.72	
27	14.5	55.7	24.5	40.1	54.9	19.7	4.61	2.14	3.77	19.7	14.9	6.94	
28	14.5	53.2	22.3	40.1	54.9	17.8	4.33	1.97	8.98	17.3	13.2	7.76	
29	14.0		21.3	40.1	54.9	15.9	4.05	1.97	8.58	11.9	12.3	13.6	
30	13.6		20.3	45.7	47.4	14.9	4.05	1.97	8.58	9.80	11.1	23.9	
31	14.0		20.3		45.7		3.77	1.97		8.58		17.8	
SD1	15.6	16.8	46.4	36.8	45.3	43.9	12.5	3.39	2.15	8.11	31.0	12.4	
SD2	11.1	30.1	64.1	56.8	77.2	31.1	8.29	2.60	2.17	3.87	70.4	18.3	
SD3	10.8	71.2	29.8	42.3	54.5	19.8	4.76	2.14	4.30	10.3	17.7	9.74	
MAX	18.7	174	158	106	150	72.0	16.4	3.77	8.98	21.8	142	39.3	
DAT	1	22	9	13	12	10	3	1	28	26	13	11	
SR	12.5	37.1	46.2	45.3	58.9	31.6	8.39	2.69	2.87	7.53	39.7	13.4	
MIN	7.35	11.5	18.7	30.4	20.8	14.9	3.77	1.97	1.81	2.78	8.17	5.72	
DAT	24	4	6	1	7	30	31	23	17	19	1	24	
		GMIN = 1.81		SRGOD= 25.4		GMAX = 174							
		DATUM 17 9				DATUM 22 2							

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1952

Broj : 60168 Stanica :TRGAJ Kota "0" = 92.35
Nacin osmat.: limnigraf Rijeka :CIJEVNA km od usca = 20.40
Pocetak rada: 1958 Sliv :MORACE Pov.sliva = 357.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	17.3	27.4	9.80	76.7	44.9	22.9	8.98	2.14	1.10	19.2	93.7	61.6
2	16.4	61.6	8.98	71.0	44.9	18.7	8.58	1.97	1.10	5.72	72.0	55.7
3	14.5	45.7	8.17	68.2	43.3	22.9	4.89	1.81	1.10	5.72	54.9	180
4	18.7	29.7	8.98	55.7	43.3	23.9	5.16	1.81	1.15	12.7	37.7	192
5	23.9	28.0	8.98	44.9	44.1	23.9	5.16	1.81	1.10	19.7	29.1	209
6	18.7	20.8	9.80	34.7	45.7	22.9	4.61	1.65	1.10	9.39	26.8	115
7	13.2	17.3	11.5	28.5	44.9	21.3	4.61	1.65	1.10	5.72	25.1	73.9
8	11.1	16.4	10.2	26.2	44.1	20.3	4.33	1.33	5.16	5.72	115	54.0
9	11.1	15.4	8.98	22.9	43.3	19.7	4.05	1.33	2.62	12.3	79.6	51.5
10	12.7	14.0	8.17	23.9	42.5	18.7	4.05	1.33	2.30	23.9	53.2	93.3
11	12.7	12.7	7.76	31.1	43.3	18.2	3.50	1.33	1.65	31.9	36.9	40.1
12	72.9	12.3	7.76	36.9	44.9	18.2	3.77	1.33	1.65	356	34.0	38.5
13	186	14.9	7.76	38.5	61.6	18.2	3.77	1.33	1.33	145	36.9	36.9
14	308	39.3	7.76	38.5	51.5	15.9	3.22	1.27	1.21	53.2	36.9	221
15	230	30.4	7.35	40.1	44.9	16.4	2.94	1.27	1.21	50.7	32.6	349
16	72.0	27.4	6.53	42.5	22.9	14.9	2.94	1.27	1.21	126	161	307
17	35.5	26.2	6.53	42.5	21.3	14.5	2.94	1.27	1.15	53.2	147	117
18	23.4	23.9	6.13	41.7	18.2	16.4	2.94	1.27	1.15	40.1	103	167
19	63.5	20.3	6.53	42.5	17.3	14.0	2.94	1.27	2.56	29.7	63.5	131
20	39.3	17.8	6.94	45.7	17.3	14.0	2.45	1.21	31.1	28.0	61.6	82.4
21	27.4	15.4	7.76	51.5	20.8	13.2	1.97	1.21	19.2	23.9	71.0	63.5
22	26.2	15.4	8.98	50.7	21.8	12.3	1.81	1.21	9.39	23.9	78.6	53.2
23	25.6	13.2	8.17	50.7	22.9	11.9	1.81	1.21	8.58	114	62.5	43.3
24	19.2	13.2	8.98	49.9	22.3	10.2	1.81	1.15	6.53	91.4	49.9	35.5
25	17.3	13.6	12.3	49.9	21.8	8.98	1.81	1.15	5.72	63.5	45.7	31.7
26	63.5	12.7	23.9	50.7	21.8	8.17	2.45	1.15	5.16	43.3	44.1	30.4
27	44.9	11.5	53.2	51.5	21.8	6.94	2.45	1.15	5.72	36.9	359	30.4
28	143	10.6	52.4	51.5	21.8	6.94	2.30	1.15	172	44.9	160	145
29	94.9	10.2	61.6	53.2	21.8	8.98	2.30	1.15	72.0	39.3	115	322
30	46.6		76.7	50.7	21.8	8.98	2.30	1.15	36.9	31.9	78.6	154
31	34.0		91.4		22.9		2.14	1.15		26.8		127
SD1	15.8	27.6	9.36	45.3	44.1	21.5	5.44	1.68	1.78	12.0	58.7	109
SD2	104	22.5	7.11	40.0	34.3	16.1	3.14	1.28	4.42	91.4	71.3	149
SD3	49.3	12.9	36.9	51.0	22.0	9.66	2.10	1.17	34.1	49.1	106	94.2
MAX	308	61.6	91.4	76.7	61.6	23.9	8.98	2.14	172	356	359	349
DAT	14	2	31	1	13	4	1	1	28	12	27	15
SR	56.2	21.3	18.4	45.4	33.1	15.7	3.52	1.37	13.4	50.8	78.8	117
MIN	11.1	10.2	6.13	22.9	17.3	6.94	1.81	1.15	1.10	5.72	25.1	30.4
DAT	8	29	18	9	19	27	22	24	1	2	7	26
GMIN =			1.10	SRGOD=			38.0	GMAX =			359	
DATUM			1 9					DATUM			27 11	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1953

Broj : 60168 Stanica :TRGAJ Kota "0" = 92.35
Nacin osmat.: limnigraf Rijeka :CIJEVNA km od usca = 20.40
Pocetak rada: 1958 Sliv :MORACE Pov.sliva = 357.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	102	12.3	18.2	28.5	52.4	49.0	21.8	7.35	6.53	5.16	2.78	2.14
2	125	20.8	16.8	31.9	53.2	55.7	20.3	6.94	5.72	4.89	2.78	1.97
3	102	17.8	15.9	34.0	50.7	180	18.7	6.94	5.44	4.61	2.78	1.97
4	63.5	14.9	15.4	36.9	48.2	98.5	19.2	6.53	4.89	4.61	2.78	1.97
5	51.5	14.0	14.9	36.9	46.6	76.7	23.9	6.53	4.33	4.61	2.78	1.97
6	54.9	14.0	14.0	36.9	46.6	49.9	23.9	6.53	4.33	4.33	2.78	1.97
7	52.4	15.9	13.6	39.3	46.6	49.0	29.1	6.13	4.05	4.05	2.78	1.97
8	43.3	17.8	13.2	98.2	60.8	50.7	25.6	5.72	4.05	3.77	2.78	1.97
9	36.9	15.9	12.3	49.9	78.6	51.5	22.3	5.44	4.05	3.50	2.78	1.97
10	34.0	14.0	11.9	49.9	55.5	44.9	20.3	5.44	4.05	3.50	2.45	1.97
11	29.7	19.2	11.9	63.5	67.2	40.1	18.2	5.16	4.61	3.50	2.62	1.97
12	27.4	107	11.5	51.5	73.9	43.3	17.3	5.16	5.72	3.50	2.62	1.97
13	25.6	53.2	11.5	39.3	71.0	46.6	16.8	4.89	18.2	3.50	2.62	1.97
14	23.9	37.7	11.1	36.9	64.4	44.1	16.4	4.61	14.5	3.22	2.62	1.97
15	22.3	35.5	10.6	31.9	59.1	39.3	14.5	4.61	12.3	3.22	2.62	1.97
16	21.8	65.4	11.1	36.9	59.9	49.9	14.0	4.33	9.80	3.22	2.62	1.97
17	20.3	61.6	11.1	36.2	61.6	41.7	13.6	4.33	8.98	3.22	2.62	1.97
18	18.7	45.7	11.5	31.1	71.0	37.7	13.6	4.33	8.17	3.22	2.45	1.97
19	18.2	29.1	12.3	34.0	75.7	34.0	13.6	4.33	6.94	3.22	2.45	1.97
20	18.7	26.2	13.2	30.4	77.7	34.0	12.7	4.33	6.13	3.22	2.45	1.97
21	17.8	23.9	14.0	32.6	60.8	33.3	11.9	4.33	5.72	3.22	2.45	1.97
22	16.4	23.9	14.5	34.7	55.7	33.3	11.9	4.33	9.80	2.94	2.45	2.14
23	15.4	23.4	15.4	35.5	53.2	30.4	11.9	14.5	9.39	2.78	2.30	2.14
24	14.5	23.4	15.9	35.5	55.5	27.4	11.9	12.7	8.98	2.78	2.30	1.81
25	14.0	23.4	16.8	35.5	71.0	26.2	9.80	9.80	8.17	2.94	2.30	1.81
26	14.0	21.8	19.7	36.9	64.4	23.9	9.80	9.39	7.76	2.94	2.30	1.81
27	13.6	19.7	21.8	45.7	62.5	22.9	9.80	9.39	6.97	2.94	2.30	1.81
28	13.2	18.7	22.9	318	59.1	22.3	9.80	8.58	6.13	2.62	2.30	1.81
29	12.7		23.9	153	47.4	22.3	9.39	7.76	5.72	2.62	2.14	2.14
30	12.3		25.6	51.5	43.3	22.3	8.58	7.76	5.44	2.62	2.14	2.94
31	12.3		26.8		51.5		8.17	7.35		2.78		1.81
SD1	66.6	15.7	14.6	44.2	53.9	70.6	22.5	6.36	4.74	4.30	2.75	1.99
SD2	22.7	48.1	11.6	39.2	68.2	41.1	15.1	4.61	9.53	3.30	2.57	1.97
SD3	14.2	22.3	19.8	77.9	56.8	26.4	10.3	8.72	7.41	2.83	2.30	2.02
MAX	125	107	26.8	318	77.7	180	29.1	14.5	18.2	5.16	2.62	2.94
DAT	2	12	31	28	20	3	7	23	13	1	11	30
SR	33.8	29.2	15.5	53.8	59.5	46.0	15.8	6.63	7.23	3.46	2.54	1.99
MIN	12.3	12.3	10.6	28.5	43.3	22.3	8.17	4.33	4.05	2.62	2.14	1.81
DAT	30	1	15	1	30	28	31	16	7	28	29	24

GMIN =			1.81	SRGOD=			22.8	GMAX =			318	
DATUM			24 12					DATUM			28 4	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1954

Broj : 60168 Stanica :TRGAJ Kota "0" = 92.35
Nacin osmat.: limnigraf Rijeka :CIJEVNA km od usca = 20.40
Pocetak rada: 1958 Sliv :MORACE Pov.sliva = 357.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	1.97	23.4	25.6	49.0	78.6	45.7	14.9	4.05	2.94	13.2	9.80	34.7	
2	1.81	21.8	140	51.5	67.2	47.4	14.5	4.05	2.78	9.39	8.98	25.6	
3	1.81	18.2	129	49.0	65.4	44.9	14.0	3.77	2.78	9.39	5.72	20.8	
4	1.81	12.7	115	44.9	79.6	42.5	12.3	3.77	2.62	6.13	23.4	18.7	
5	1.97	14.0	93.7	40.1	97.3	40.9	11.9	3.77	2.62	5.72	44.1	17.3	
6	2.94	13.2	75.7	51.5	85.4	39.3	10.2	3.50	2.45	5.16	26.8	17.3	
7	15.4	12.3	72.0	46.6	78.6	37.7	8.98	3.22	2.45	4.61	23.4	17.3	
8	9.39	15.4	55.7	40.1	58.2	34.7	8.98	3.22	2.45	36.9	19.2	34.7	
9	4.61	19.2	34.7	44.9	54.0	34.7	8.58	3.22	2.45	27.4	16.8	36.2	
10	4.05	14.0	30.4	41.7	50.7	31.9	8.58	3.22	2.45	19.7	41.7	26.2	
11	2.94	12.7	27.4	29.7	49.9	31.9	8.17	2.94	2.45	18.7	30.4	42.5	
12	2.78	10.2	26.8	29.7	48.2	31.9	7.76	2.94	2.45	20.3	27.4	55.7	
13	2.62	10.6	26.8	29.1	51.5	31.9	7.76	2.94	2.45	47.4	23.4	94.9	
14	2.62	11.5	26.8	28.5	54.9	30.4	7.35	2.94	2.45	36.9	20.3	78.6	
15	2.78	11.5	34.0	28.5	52.4	28.0	6.53	2.94	2.45	28.0	28.0	55.7	
16	3.22	12.7	34.0	27.4	49.9	28.0	6.53	2.94	2.45	23.4	34.0	34.0	
17	3.50	38.5	33.3	26.2	55.7	28.0	6.13	2.94	2.30	21.3	25.6	28.5	
18	3.50	36.2	31.9	25.6	85.4	28.0	6.13	3.22	2.14	19.7	21.8	25.6	
19	3.50	21.3	28.0	24.5	89.2	26.2	5.44	3.22	2.14	18.2	18.7	23.2	
20	3.50	18.2	28.0	23.4	97.3	24.5	5.44	2.94	2.14	16.4	17.3	19.7	
21	3.22	15.4	27.4	22.9	97.3	22.3	5.44	2.94	2.14	14.9	14.9	19.7	
22	2.94	11.9	27.4	21.8	72.9	20.3	4.89	2.94	2.14	13.2	14.0	19.2	
23	2.94	11.5	27.4	21.3	57.4	19.2	4.89	2.78	2.78	11.1	12.7	19.2	
24	2.94	11.1	23.9	20.3	51.5	18.7	4.89	2.78	5.16	8.98	12.3	19.2	
25	2.94	9.80	90.2	18.7	47.4	18.7	4.61	2.78	5.16	6.53	11.1	18.2	
26	2.94	8.58	54.0	18.7	50.7	18.7	4.61	2.78	4.61	6.53	10.6	18.2	
27	2.78	8.98	34.0	21.8	51.5	16.8	4.61	3.22	4.33	40.9	10.2	15.4	
28	2.62	9.80	136	41.7	50.7	16.8	4.61	3.50	4.05	22.3	9.80	13.6	
29	2.94		85.4	88.3	49.9	15.9	4.33	3.50	5.44	14.0	28.0	13.2	
30	3.05		63.5	82.4	46.6	15.4	4.33	3.22	5.44	13.2	46.6	13.2	
31	72.9		54.0		44.9		4.05	3.22		11.1		12.7	
SD1	4.58	16.4	77.2	45.9	71.5	40.0	11.3	3.58	2.60	13.8	22.0	24.9	
SD2	3.10	18.3	29.7	27.3	63.4	28.9	6.72	3.00	2.34	25.0	24.7	45.8	
SD3	9.29	10.9	56.7	35.8	56.4	18.3	4.66	3.06	4.13	14.8	17.0	16.5	
MAX	72.9	38.5	140	88.3	97.3	47.4	14.9	4.05	5.44	47.4	46.6	94.9	
DAT	31	17	2	29	5	2	1	1	9	13	30	13	
SR	5.77	15.5	54.6	36.3	63.6	29.0	7.47	3.21	3.02	17.8	21.2	28.7	
MIN	1.81	8.58	23.9	18.7	44.9	15.4	4.05	2.78	2.14	4.61	5.72	12.7	
DAT	2	26	24	25	31	30	31	23	18	7	3	31	
		GMIN =	1.81			SRGOD=	23.9			GMAX =	140		
		DATUM	2 1							DATUM	2 3		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1955

Broj : 60168 Stanica :TRGAJ Kota "0" = 92.35
Nacin osmat.: limnigraf Rijeka :CIJEVNA km od usca = 20.40
Pocetak rada: 1958 Sliv :MORACE Pov.sliva = 357.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	11.1	15.9	49.9	67.2	36.9	18.7	7.35	7.76	2.84	32.6	157	14.0
2	10.6	14.0	38.5	58.2	42.5	17.8	7.35	6.53	4.05	25.6	230	13.2
3	9.39	16.8	33.3	36.9	44.9	16.4	7.35	5.44	4.05	21.8	106	12.7
4	17.8	17.3	29.1	31.1	46.6	15.9	6.13	4.61	4.05	19.2	147	12.3
5	17.8	16.4	25.6	27.4	29.7	14.5	5.72	4.33	4.05	17.3	49.9	13.2
6	17.8	15.4	23.9	23.9	29.7	14.0	5.72	4.05	4.05	15.9	38.5	13.6
7	28.5	74.8	21.3	22.3	29.7	14.9	34.0	9.80	4.05	15.4	31.9	13.6
8	58.2	102	19.7	20.8	32.6	16.8	27.4	9.80	3.50	49.9	28.5	14.0
9	48.2	55.7	18.7	20.3	34.0	16.4	20.3	20.8	3.50	59.1	24.5	13.2
10	34.7	41.7	19.2	20.3	44.1	15.4	15.9	21.8	3.50	35.5	21.8	12.3
11	26.8	33.3	21.3	20.3	33.3	14.5	13.6	13.6	3.50	28.5	20.8	11.9
12	36.2	27.4	18.2	20.3	33.3	13.6	12.3	12.3	38.5	25.1	22.9	15.9
13	65.4	15.4	17.8	18.2	33.3	13.2	11.5	10.2	18.7	23.2	25.6	15.4
14	61.6	102	17.3	16.8	34.0	12.7	9.80	8.58	53.2	19.2	104	14.9
15	318	73.9	16.4	16.8	31.9	12.7	9.80	6.94	44.9	16.8	102	22.3
16	97.3	43.3	14.9	15.4	30.4	11.9	9.80	6.13	178	15.9	58.2	110
17	315	38.5	14.0	14.9	29.7	11.1	10.6	5.72	178	15.4	44.1	120
18	183	128	14.0	14.9	29.1	11.1	9.80	5.16	63.5	14.9	34.0	136
19	318	149	14.0	14.9	28.5	11.1	7.35	4.61	54.0	183	28.0	61.6
20	131	132	14.9	14.0	26.8	10.6	6.53	4.05	40.1	170	25.1	174
21	69.1	107	14.0	12.7	25.6	10.6	5.72	5.44	23.9	65.4	24.5	121
22	49.0	61.6	14.0	12.7	23.9	10.6	5.16	4.61	20.3	66.3	23.9	97.3
23	40.1	50.7	107	18.2	21.3	10.6	4.61	4.61	18.2	61.6	22.3	58.2
24	31.9	114	64.4	21.8	20.8	10.6	4.33	3.50	15.4	67.2	20.8	44.1
25	27.4	104	36.9	18.2	20.8	9.80	4.33	3.50	13.6	180	20.8	34.7
26	23.4	120	34.7	30.4	20.8	8.17	4.33	3.50	12.3	116	19.7	29.1
27	21.3	117	36.9	23.4	20.8	7.76	4.33	2.94	10.2	67.2	18.2	25.6
28	19.7	65.4	39.3	25.6	19.7	7.35	4.89	2.78	17.3	49.9	17.3	22.9
29	18.7		42.5	34.0	19.7	7.35	5.72	2.78	124	41.7	15.9	20.8
30	16.8		51.5	36.9	19.7	7.35	6.94	2.78	46.6	44.1	14.9	18.7
31	15.4		61.6		19.7		8.98	2.78		36.9		38.5
SD1	25.4	37.0	27.9	32.8	37.1	16.1	13.7	9.49	3.76	29.2	83.5	13.2
SD2	155	74.3	16.3	16.6	31.0	12.2	10.1	7.73	67.2	51.2	46.5	68.2
SD3	30.3	92.5	45.7	23.4	21.2	9.02	5.39	3.57	30.2	72.4	19.8	46.4
MAX	318	149	107	67.2	46.6	18.7	34.0	21.8	178	180	230	174
DAT	19	19	23	1	4	1	7	10	16	19	2	20
SR	69.0	66.2	30.5	24.3	29.5	12.4	9.60	6.82	33.7	51.6	49.9	42.7
MIN	9.39	14.0	14.0	12.7	19.7	7.35	4.33	2.78	2.84	14.9	14.9	11.9
DAT	3	2	17	21	28	28	24	28	1	18	30	11

GMIN = 2.78			SRGOD= 35.3					GMAX = 318				
DATUM 28 8								DATUM 19 1				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1956

Broj : 60168 Stanica :TRGAJ Kota "0" = 92.35
Nacin osmat.: limnigraf Rijeka :CIJEVNA km od usca = 20.40
Pocetak rada: 1958 Sliv :MORACE Pov.sliva = 357.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	147	22.3	18.7	25.6	112	37.7	11.9	3.22	1.65	1.27	58.2	91.4	
2	92.6	20.3	18.2	26.8	75.7	53.2	11.5	3.22	1.65	1.27	60.8	53.2	
3	58.2	18.2	17.8	27.4	54.9	35.5	11.5	2.94	1.65	1.27	107	39.3	
4	44.1	16.4	16.4	28.5	40.1	32.6	11.5	2.94	1.65	1.27	59.1	31.9	
5	33.3	14.9	15.9	28.0	40.9	34.0	11.5	2.94	1.65	1.27	45.7	29.1	
6	28.5	14.0	29.1	27.4	43.3	32.6	9.39	2.94	1.65	1.27	29.1	25.6	
7	26.2	13.2	22.9	26.8	46.6	30.4	8.58	2.78	1.65	1.27	23.9	22.9	
8	23.4	12.3	18.7	25.1	48.2	28.5	8.58	2.62	1.65	1.33	18.2	20.8	
9	21.3	11.1	15.9	23.4	49.9	26.2	8.58	2.62	1.27	1.33	16.4	19.2	
10	19.7	10.2	14.5	21.3	51.1	24.5	8.17	2.62	1.27	1.81	14.0	17.8	
11	18.2	9.80	14.0	21.3	52.4	23.4	7.76	2.45	1.27	1.65	13.2	15.9	
12	17.3	11.1	13.2	21.8	73.9	22.9	7.76	2.45	1.27	1.65	12.3	14.0	
13	16.8	29.1	12.7	21.8	43.3	22.9	6.94	2.30	1.27	1.49	12.3	13.2	
14	15.9	22.9	12.3	22.9	41.7	22.9	6.53	2.30	1.27	1.33	18.2	11.9	
15	14.0	21.3	11.5	29.1	44.1	21.3	6.53	2.30	1.27	1.33	44.1	11.5	
16	14.0	19.2	10.6	31.9	34.0	19.7	6.13	2.30	1.27	1.33	76.7	10.2	
17	14.0	17.3	10.6	36.2	35.5	18.7	6.13	2.30	1.27	1.33	107	9.80	
18	14.0	18.2	10.6	41.7	41.7	17.8	5.72	2.14	1.27	1.33	59.9	8.98	
19	51.5	58.2	11.1	44.1	35.5	17.3	5.16	2.14	1.27	1.33	41.7	7.35	
20	107	49.9	14.0	48.2	39.3	16.4	5.16	1.97	1.27	1.33	40.1	7.35	
21	56.6	31.1	11.9	49.0	46.6	16.4	4.89	1.97	1.27	1.33	41.7	7.35	
22	41.7	24.5	18.7	52.4	43.3	21.8	4.61	1.97	1.27	1.33	41.7	6.94	
23	47.4	19.7	19.7	55.7	43.3	20.3	4.33	1.97	1.27	1.33	119	12.7	
24	43.3	18.2	19.7	61.6	43.3	22.9	4.33	2.14	1.27	1.33	56.6	33.3	
25	142	16.4	23.4	92.6	44.1	16.4	4.33	1.97	1.27	1.27	42.5	28.5	
26	58.2	15.4	22.9	56.6	42.5	15.4	4.33	1.97	1.27	1.27	31.9	20.3	
27	51.5	22.9	23.9	56.6	40.9	14.5	4.33	1.97	1.27	1.81	28.5	14.0	
28	45.7	22.3	25.1	67.2	37.7	14.0	4.05	1.97	1.27	61.6	25.8	12.3	
29	32.6	20.3	24.5	67.2	34.0	12.7	3.50	1.97	1.27	37.7	58.2	11.5	
30	25.6		23.4	86.3	34.0	12.3	3.22	1.81	1.27	47.4	119	10.1	
31	24.5		24.5		35.5		3.22	1.65		54.0		9.80	
SD1	49.4	15.3	18.8	26.0	56.3	33.5	10.1	2.88	1.57	1.34	43.2	35.1	
SD2	28.3	25.7	12.1	31.9	44.1	20.3	6.38	2.26	1.27	1.41	42.5	11.0	
SD3	51.7	21.2	21.6	64.5	40.5	16.7	4.10	1.94	1.27	19.1	56.5	15.2	
MAX	147	58.2	29.1	92.6	112	53.2	11.9	3.22	1.65	61.6	119	91.4	
DAT	1	19	6	25	1	2	1	1	1	28	30	1	
SR	43.4	20.7	17.6	40.8	46.8	23.5	6.78	2.35	1.37	7.67	47.4	20.3	
MIN	14.0	9.80	10.6	21.3	34.0	12.3	3.22	1.65	1.27	1.27	12.3	6.94	
DAT	15	11	16	10	16	30	30	31	9	1	12	22	
		GMIN =	1.27			SRGOD=	23.2			GMAX =	147		
		DATUM	9 9							DATUM	1 1		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1957

Broj : 60168 Stanica :TRGAJ Kota "0" = 92.35
Nacin osmat.: limnigraf Rijeka :CIJEVNA km od usca = 20.40
Pocetak rada: 1958 Sliv :MORACE Pov.sliva = 357.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	10.4	8.62	23.9	20.8	41.8	38.8	9.80	6.30	2.71	2.94	9.20	5.14
2	18.0	8.04	21.5	22.2	43.8	32.3	9.80	5.14	2.71	82.7	9.80	5.72
3	15.9	7.46	19.4	23.0	46.9	37.2	9.80	5.14	2.71	91.3	11.6	5.14
4	12.8	8.04	18.0	23.9	66.8	37.2	16.6	5.14	2.71	208	10.4	5.14
5	11.6	8.62	17.3	24.7	61.6	26.3	15.9	4.56	2.94	85.9	9.20	4.56
6	11.1	9.20	16.6	26.3	59.5	24.7	11.6	4.56	2.94	61.6	8.04	4.56
7	10.4	9.20	14.6	26.3	85.9	22.2	9.20	3.98	2.71	82.7	6.88	4.56
8	9.80	9.20	14.6	24.7	80.5	22.2	8.62	3.98	2.25	52.1	40.7	3.98
9	9.20	9.20	18.0	24.7	57.4	21.5	8.04	3.40	2.71	43.8	92.4	3.17
10	9.20	9.20	16.6	27.2	39.7	21.5	8.04	3.40	2.94	26.3	68.9	23.0
11	8.62	10.4	15.9	66.8	39.7	20.8	8.04	3.40	2.94	24.7	90.2	72.1
12	7.46	14.8	14.6	63.7	38.8	20.1	8.62	3.40	2.71	20.8	55.3	92.4
13	6.88	14.6	14.0	54.2	38.8	18.7	9.20	3.17	18.0	18.0	42.8	121
14	14.6	14.6	14.0	66.8	39.7	18.0	9.20	2.94	13.4	15.9	35.1	306
15	36.9	87.0	14.6	65.8	39.7	18.0	9.20	2.94	50.0	14.6	27.2	230
16	21.5	147	17.3	52.1	41.8	16.6	8.04	2.94	50.0	11.6	23.0	81.6
17	14.6	458	17.3	40.7	41.8	15.9	8.04	2.94	35.1	11.6	20.1	66.8
18	11.6	268	17.3	31.4	42.8	14.6	7.46	2.94	28.8	11.6	19.4	64.7
19	9.80	117	19.4	28.8	42.8	14.6	6.30	2.94	19.4	10.4	20.8	54.2
20	9.20	71.0	22.2	26.3	44.9	14.6	5.72	2.94	16.6	9.20	14.6	39.7
21	9.20	62.6	24.7	26.3	46.9	14.0	14.6	5.14	14.0	8.04	14.6	37.9
22	8.04	56.3	29.7	27.2	45.9	12.8	14.6	4.56	12.2	32.3	11.6	37.2
23	8.04	46.9	31.4	28.8	43.8	12.8	15.2	3.40	11.6	49.0	11.6	23.0
24	8.04	38.8	29.7	30.5	40.7	12.2	15.2	3.40	10.4	30.5	10.4	20.1
25	6.88	34.2	31.4	33.3	39.7	11.6	14.0	3.40	9.20	22.2	9.20	16.6
26	9.20	31.4	27.2	39.7	40.7	11.6	13.4	3.17	8.62	19.4	8.62	11.6
27	20.8	28.8	27.2	41.8	41.8	10.4	12.2	3.17	8.04	16.6	8.04	7.46
28	14.6	26.3	27.2	41.8	39.7	10.4	11.6	3.17	3.17	14.6	7.46	5.14
29	14.6		26.3	41.8	41.8	10.4	8.04	2.94	2.94	12.8	6.30	26.3
30	18.0		23.9	41.8	42.8	9.80	7.46	2.94	2.94	11.6	5.72	35.1
31	9.80		23.0		39.7		6.30	2.94		10.4		59.5
SD1	11.8	8.68	18.1	24.4	58.4	28.4	10.7	4.56	2.73	73.7	26.7	6.50
SD2	14.1	120	16.7	49.7	41.1	17.2	7.98	3.06	23.7	14.8	34.8	113
SD3	11.6	40.7	27.4	35.3	42.1	11.6	12.1	3.48	8.31	20.7	9.35	25.4
MAX	36.9	458	31.4	66.8	85.9	38.8	16.6	6.30	50.0	208	92.4	306
DAT	15	17	23	11	7	1	4	1	16	4	9	14
SR	12.5	57.7	20.9	36.4	47.0	19.1	10.3	3.69	11.6	35.9	23.6	47.5
MIN	6.88	7.46	14.0	20.8	38.8	9.80	5.72	2.94	2.25	2.94	5.72	3.17
DAT	13	3	13	1	12	30	20	14	8	1	30	9
	GMIN =	2.25			SRGOD=	27.0			GMAX =	458		
	DATUM	8 9							DATUM	17 2		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1958

Broj : 60168 Stanica :TRGAJ Kota "0" = 92.35
Nacin osmat.: limnigraf Rijeka :CIJEVNA km od usca = 20.40
Pocetak rada: 1958 Sliv :MORACE Pov.sliva = 357.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	36.9	12.2	56.3	66.8	34.2	41.8	19.4	3.40	1.56	1.10	6.88	9.20	
2	26.3	11.6	41.8	45.9	32.3	41.8	18.8	3.40	1.56	.960	9.20	8.04	
3	23.0	11.1	32.3	39.7	37.9	39.7	16.6	3.40	1.56	32.3	157	8.04	
4	19.4	10.4	25.3	36.0	38.8	39.7	15.2	3.40	1.56	15.2	64.7	6.88	
5	18.7	9.80	22.2	45.9	42.8	36.0	16.6	5.72	1.56	10.4	97.0	6.88	
6	17.3	9.20	20.1	94.7	47.9	34.2	15.2	3.40	1.56	8.04	60.5	6.88	
7	20.8	11.1	18.7	60.5	46.9	32.3	14.0	3.40	1.56	5.72	36.0	6.88	
8	92.4	10.4	17.3	62.6	62.6	30.5	12.8	2.94	1.56	4.56	62.6	5.72	
9	41.8	12.2	46.9	44.9	67.9	28.8	12.8	3.40	1.10	3.40	62.6	4.56	
10	22.2	12.2	27.2	35.1	77.4	27.2	11.6	3.40	1.10	3.40	66.8	5.72	
11	36.0	11.6	25.5	28.8	85.9	27.2	11.6	2.94	1.10	2.94	81.6	81.6	
12	91.3	11.6	51.0	25.4	81.6	92.4	10.4	2.94	1.10	2.94	43.8	39.7	
13	73.1	12.2	29.7	23.0	87.0	50.0	9.20	3.40	1.56	2.48	43.8	81.6	
14	44.9	12.2	22.2	23.9	85.9	39.7	9.20	3.40	1.56	16.6	79.5	60.5	
15	35.1	14.0	24.7	38.8	81.4	39.7	9.20	4.56	1.56	8.04	71.0	200	
16	29.7	17.3	21.5	85.9	78.4	30.5	8.62	3.40	1.56	6.88	52.1	104	
17	27.2	17.3	18.7	73.1	58.9	27.2	8.04	3.40	1.56	43.8	39.7	88.1	
18	20.8	27.2	18.7	58.4	68.9	22.2	9.20	3.40	1.10	18.0	32.3	102	
19	19.4	158	37.9	45.9	71.0	22.2	9.20	2.94	1.10	12.8	27.7	81.6	
20	18.0	121	30.5	35.1	85.9	22.2	8.04	2.48	1.10	10.4	23.9	79.5	
21	17.3	58.4	24.7	30.5	94.7	20.8	6.88	2.48	1.10	8.04	19.4	60.5	
22	55.3	39.7	51.0	30.5	71.0	20.8	6.88	2.48	1.10	6.88	18.0	149	
23	36.0	38.8	28.8	32.3	64.7	20.8	6.30	2.48	1.10	37.9	16.6	107	
24	28.8	27.2	23.9	34.2	73.1	20.8	6.30	2.48	1.10	23.9	15.2	66.8	
25	22.2	25.5	20.1	75.2	60.5	22.2	6.30	2.48	1.10	16.6	14.0	92.4	
26	20.8	41.8	18.7	52.1	62.5	19.4	5.72	2.02	1.10	14.0	12.8	79.5	
27	18.7	35.1	64.7	45.9	64.7	18.0	5.72	2.02	1.10	12.8	11.6	54.2	
28	16.6	57.4	58.4	50.0	66.8	41.8	4.56	2.02	1.10	11.6	11.6	41.8	
29	14.6		65.8	66.8	60.5	32.3	4.56	2.02	1.10	10.4	10.4	39.7	
30	13.4		52.1	44.9	58.4	23.0	4.56	2.02	1.10	9.20	9.20	30.5	
31	12.8		52.1		50.0		3.40	1.56		8.04		27.2	
SD1	31.9	11.0	30.8	53.2	48.9	35.2	15.3	3.59	1.47	8.51	62.3	6.88	
SD2	39.5	40.2	28.0	43.8	78.5	37.3	9.27	3.29	1.33	12.5	49.5	91.9	
SD3	23.3	40.5	41.8	46.2	66.1	24.0	5.56	2.19	1.10	14.5	13.9	68.1	
MAX	92.4	158	65.8	94.7	94.7	92.4	19.4	5.72	1.56	43.8	157	200	
DAT	8	19	29	6	21	12	1	5	1	17	3	15	
SR	31.3	29.9	33.8	47.8	64.5	32.2	9.90	2.99	1.30	11.9	41.9	56.0	
MIN	12.8	9.20	17.3	23.0	32.3	18.0	3.40	1.56	1.10	.960	6.88	4.56	
DAT	31	6	8	13	2	27	31	31	9	2	1	9	
		GMIN =	.960			SRGOD=	30.3			GMAX =	200		
		DATUM	2 10							DATUM	15 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1959

Broj : 60168 Stanica :TRGAJ Kota "0" = 92.35
Nacin osmat.: limnigraf Rijeka :CIJEVNA km od usca = 20.40
Pocetak rada: 1958 Sliv :MORACE Pov.sliva = 357.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII		
1	23.9	14.0	12.8	39.7	22.2	52.1	30.5	4.56	14.0	4.56	58.4	23.0		
2	20.8	30.5	16.6	40.7	83.8	41.8	27.2	10.4	9.80	3.98	44.9	70.0		
3	19.4	32.3	15.2	32.3	45.9	32.3	28.8	7.46	9.20	3.40	29.7	49.0		
4	25.1	22.2	15.2	23.9	40.7	29.8	23.9	7.46	8.04	3.40	27.2	47.9		
5	28.8	19.4	15.2	22.2	35.1	24.7	20.8	6.88	7.46	3.17	22.2	35.1		
6	19.4	18.0	15.2	23.0	33.3	22.2	18.0	6.30	7.46	3.17	23.9	53.2		
7	19.4	16.6	18.0	22.2	33.3	19.4	16.6	5.72	56.3	2.94	52.1	47.9		
8	20.8	15.2	24.7	52.1	35.1	19.4	15.2	5.14	28.8	2.94	58.4	37.9		
9	45.9	14.0	46.9	40.7	34.2	18.7	15.2	6.30	19.4	2.94	42.8	123		
10	47.9	14.0	33.3	41.8	32.3	18.0	14.0	4.56	16.6	2.71	29.7	65.8		
11	32.3	12.8	27.0	60.5	36.0	62.6	12.8	3.98	13.4	2.71	33.9	44.9		
12	25.1	11.6	44.9	36.0	34.2	43.8	12.8	3.40	11.6	2.71	20.8	46.9		
13	60.1	11.6	34.2	29.8	35.1	42.8	11.6	6.30	10.4	2.48	24.4	81.6		
14	30.5	11.6	28.0	29.8	34.2	30.5	10.4	12.8	9.80	2.48	28.0	81.6		
15	32.3	10.4	23.9	33.3	32.3	31.4	10.4	9.80	9.20	2.48	23.0	109		
16	71.0	10.4	20.8	30.5	30.5	27.2	9.80	10.4	8.04	2.48	68.9	68.9		
17	120	9.20	19.4	26.3	29.8	23.0	9.20	20.8	7.46	2.48	65.8	49.0		
18	60.5	9.20	18.4	40.7	30.5	23.9	8.62	15.9	6.88	2.48	39.7	36.9		
19	41.8	9.20	16.6	36.9	27.2	20.8	9.20	14.0	6.30	2.48	28.0	30.5		
20	32.3	9.20	15.9	36.0	28.0	19.4	8.04	18.7	5.14	2.25	24.4	24.7		
21	27.2	9.20	17.3	30.5	29.8	18.0	8.04	14.0	4.56	2.25	22.2	22.2		
22	23.9	9.20	20.1	25.1	25.1	16.6	7.46	12.2	4.56	2.25	20.1	20.8		
23	22.2	9.20	20.8	22.2	24.7	15.9	6.88	10.4	3.98	2.25	18.0	37.9		
24	20.8	9.20	20.8	19.4	27.2	15.2	6.88	9.20	3.40	2.25	16.6	39.7		
25	20.8	8.04	23.0	18.0	25.1	15.9	6.88	8.62	3.40	2.25	15.2	71.0		
26	19.4	8.04	23.9	16.6	24.8	16.6	6.30	8.04	3.40	2.02	14.0	40.7		
27	16.6	8.04	22.2	16.6	25.1	15.2	5.72	6.88	3.40	2.02	15.2	35.1		
28	15.2	11.6	10.8	16.6	23.9	22.2	5.72	5.72	4.56	2.02	15.2	123		
29	15.2		22.2	16.6	23.9	23.9	5.72	4.56	6.30	2.48	15.2	130		
30	14.2		22.2	21.5	45.9	19.4	5.14	4.56	5.14	26.3	17.3	60.5		
31	14.0		43.8		85.9		4.56	9.20		85.2		42.8		
SD1	27.1	19.6	21.3	33.9	39.6	27.8	21.0	6.48	17.7	3.32	38.9	55.3		
SD2	50.6	10.5	24.9	36.0	31.8	32.5	10.3	11.6	8.82	2.50	35.7	57.4		
SD3	19.0	9.07	22.5	20.3	32.9	17.9	6.30	8.49	4.27	11.9	16.9	56.7		
MAX	120	32.3	46.9	60.5	85.9	62.6	32.5	20.8	56.3	85.2	68.9	130		
DAT	17	3	9	11	31	11	1	17	7	31	16	29		
SR	31.8	13.4	22.9	30.0	34.7	26.1	12.3	8.85	10.3	6.11	30.5	56.5		
MIN	14.0	8.04	10.8	16.6	22.2	15.2	4.56	3.40	3.40	2.02	14.0	20.8		
DAT	31	25	28	26	1	24	31	12	24	26	26	22		

GMIN =			2.02		SRGOD=			23.7		GMAX =			130	
DATUM			26 10							DATUM			29 12	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1960

Broj : 60168 Stanica :TRGAJ Kota "0" = 92.35
Nacin osmat.: limnigraf Rijeka :CIJEVNA km od usca = 20.40
Pocetak rada: 1958 Sliv :MORACE Pov.sliva = 357.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII		
1	33.3	19.4	26.3	55.3	36.0	32.3	15.9	5.72	2.71	11.1	26.3	27.2		
2	28.8	17.3	24.7	44.9	30.5	33.3	15.2	5.72	2.71	10.4	22.2	22.2		
3	25.1	15.9	23.9	36.0	36.9	34.2	26.3	5.72	2.48	8.04	18.7	20.1		
4	22.2	15.2	23.0	32.3	33.3	32.3	20.8	5.14	2.48	6.88	17.3	18.7		
5	20.1	14.0	22.2	28.8	28.8	33.3	22.2	5.14	2.48	6.30	16.6	16.6		
6	18.7	14.0	20.8	27.2	30.5	33.3	18.0	4.56	2.48	5.72	18.7	15.2		
7	17.3	12.8	19.4	26.3	50.0	32.3	15.9	4.56	2.71	6.30	274	14.6		
8	16.6	12.2	18.7	27.2	45.9	33.3	15.2	4.56	2.71	14.0	102	14.0		
9	15.2	11.6	17.3	30.5	39.7	30.5	14.6	4.56	2.48	18.0	68.9	55.3		
10	18.7	11.6	16.6	30.5	36.0	32.3	15.2	5.14	2.25	14.6	52.1	222		
11	20.8	15.2	16.0	36.0	39.7	36.0	14.6	4.56	2.25	92.4	110	66.8		
12	19.4	14.6	25.1	37.9	40.7	36.0	14.0	4.56	2.25	71.0	60.5	50.0		
13	46.9	79.5	25.1	36.0	45.9	28.8	12.8	5.14	2.25	104	45.9	42.8		
14	39.7	37.9	24.7	44.9	50.0	27.2	12.8	6.88	2.25	85.9	50.0	44.9		
15	28.8	127	22.2	43.8	56.3	27.2	12.2	5.72	2.48	45.9	104	37.9		
16	23.9	215	28.8	40.7	59.5	27.2	11.6	4.56	2.25	138	60.5	55.3		
17	20.8	81.6	30.5	45.9	68.9	25.1	11.6	3.98	2.25	157	41.8	41.8		
18	34.2	171	36.0	36.0	62.6	23.9	11.1	3.40	2.02	60.5	32.3	52.1		
19	32.3	244	36.0	32.3	62.6	23.0	10.4	3.40	2.02	40.7	28.8	98.2		
20	23.0	200	30.5	39.7	65.8	22.2	9.80	3.40	2.25	36.9	97.0	64.7		
21	20.8	112	27.2	33.3	68.9	20.8	9.80	3.40	2.25	26.3	61.6	66.8		
22	19.4	92.4	23.9	29.8	58.4	20.8	9.80	3.40	2.71	94.7	41.8	97.0		
23	17.3	66.8	21.5	29.8	52.1	18.0	9.20	3.17	2.48	39.7	32.3	81.6		
24	15.9	84.8	20.1	29.8	46.9	16.6	9.20	3.17	2.48	32.3	27.2	61.6		
25	15.2	58.4	19.4	27.2	45.9	17.3	8.62	2.94	2.48	26.3	23.9	41.8		
26	15.2	44.9	18.7	27.2	44.9	16.6	7.46	2.94	2.25	22.2	20.8	36.0		
27	15.9	36.0	154	24.7	43.8	16.6	6.88	2.94	2.48	19.4	19.4	28.8		
28	27.2	32.3	102	52.1	35.1	17.3	6.30	2.94	2.48	18.7	17.3	27.2		
29	25.1	28.8	92.4	55.3	28.0	16.6	6.30	2.94	17.3	16.6	16.6	26.3		
30	23.0		92.4	38.8	25.1	15.9	5.72	2.94	18.7	15.9	28.8	24.7		
31	20.8		75.2		30.5		5.72	2.94		23.0		22.2		
SD1	21.6	14.4	21.3	33.9	36.8	32.7	17.9	5.08	2.55	10.1	61.7	42.6		
SD2	29.0	119	27.5	39.3	55.2	27.7	12.1	4.56	2.23	83.2	63.1	55.5		
SD3	19.6	61.8	58.8	34.8	43.6	17.6	7.73	3.07	5.56	30.5	29.0	46.7		
MAX	46.9	244	154	55.3	68.9	36.0	26.3	6.88	18.7	157	274	222		
DAT	13	19	27	29	17	11	3	14	30	17	7	10		
SR	23.3	65.0	36.6	36.0	45.1	26.0	12.4	4.20	3.45	40.9	51.2	48.2		
MIN	15.2	11.6	16.0	24.7	25.1	15.9	5.72	2.94	2.02	5.72	16.6	14.0		
DAT	9	9	11	27	30	30	30	25	18	6	5	8		

GMIN =			2.02		SRGOD=			32.6		GMAX =			274	
DATUM			18 9							DATUM			7 11	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1961

Broj : 60168 Stanica :TRGAJ Kota "0" = 92.35
Nacin osmat.: limnigraf Rijeka :CIJEVNA km od usca = 20.40
Pocetak rada: 1958 Sliv :MORACE Pov.sliva = 357.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	20.8	28.4	9.80	12.2	84.8	20.1	9.20	3.17	2.48	1.33	15.9	49.0
2	21.5	23.8	9.20	15.2	55.3	19.4	8.62	3.17	2.48	1.56	11.6	39.7
3	22.2	18.0	8.04	15.9	39.7	18.0	8.04	3.17	2.25	1.56	10.4	33.3
4	26.1	19.4	8.04	17.3	32.3	17.3	8.04	2.94	2.48	1.56	11.1	26.1
5	87.0	15.2	7.46	18.0	29.2	18.0	7.46	3.17	2.48	1.56	37.9	22.2
6	45.9	14.6	7.46	20.8	28.4	17.3	7.46	3.17	2.48	1.56	45.9	20.8
7	35.1	12.8	6.88	23.8	29.2	18.0	6.88	2.94	2.48	1.79	22.2	36.0
8	27.8	11.6	7.64	26.1	29.2	32.3	6.30	2.94	2.25	1.79	50.0	37.9
9	23.8	11.6	8.04	27.8	27.8	27.8	6.30	2.94	2.25	1.79	51.0	24.5
10	21.5	10.4	9.20	28.6	38.8	23.0	5.72	2.94	2.25	1.56	32.3	21.5
11	19.4	10.4	11.1	24.5	46.9	31.4	5.72	2.71	2.25	1.79	146	20.1
12	18.0	9.20	12.2	21.4	36.9	32.3	5.72	2.71	2.25	1.79	171	19.4
13	41.8	8.62	12.8	23.8	32.3	24.5	5.14	2.48	2.02	1.79	58.4	18.7
14	30.5	8.62	14.0	23.8	27.8	22.2	5.14	2.71	2.02	1.56	75.2	17.3
15	23.8	8.62	12.8	22.4	27.8	20.8	4.56	2.71	2.02	1.56	66.8	15.2
16	22.2	8.04	14.0	23.0	27.8	18.7	4.56	2.71	2.25	1.56	43.8	14.0
17	19.4	8.04	14.6	24.5	29.2	15.9	5.14	3.98	2.02	1.56	34.2	12.8
18	15.2	8.04	14.0	29.2	45.9	15.2	5.14	8.62	2.02	1.56	28.6	12.8
19	14.6	9.20	14.0	29.2	39.7	14.6	5.14	7.46	2.02	29.2	23.8	12.2
20	14.0	9.80	13.4	28.6	75.2	11.1	4.56	5.72	2.02	32.3	20.8	11.1
21	12.8	9.80	25.3	22.2	64.7	11.1	4.56	4.56	2.02	28.4	18.0	10.4
22	12.8	9.80	42.8	20.1	66.8	13.4	3.96	3.40	2.02	18.0	15.0	9.80
23	12.2	10.4	36.0	19.4	70.0	14.0	3.96	3.40	1.79	13.4	15.0	10.4
24	12.8	10.4	23.8	27.8	46.9	14.0	3.96	3.17	1.79	11.6	14.0	20.8
25	15.2	10.4	19.4	35.1	36.9	12.2	3.96	2.94	1.79	10.4	19.4	28.4
26	12.8	9.80	18.0	28.4	32.9	11.1	3.40	2.94	1.79	9.20	52.1	17.3
27	12.2	9.80	15.9	59.5	26.1	10.4	3.40	2.71	1.79	8.04	54.2	28.6
28	11.1	9.20	15.2	44.0	23.8	10.4	3.17	2.71	1.79	7.46	67.9	44.9
29	11.1		15.2	35.1	23.8	9.80	3.17	2.71	1.79	6.88	43.8	32.3
30	10.4		13.4	53.2	23.8	9.20	3.17	2.71	1.56	6.88	32.3	22.2
31	10.4		12.8		21.5		2.94	2.48		11.6		20.8
SD1	33.2	16.6	8.18	20.6	39.5	21.1	7.40	3.06	2.39	1.61	28.8	31.1
SD2	21.9	8.86	13.3	25.0	39.0	20.7	5.08	4.18	2.09	7.47	66.9	15.4
SD3	12.2	9.95	21.6	34.5	39.7	11.6	3.60	3.07	1.81	12.0	33.2	22.4
MAX	87.0	28.4	42.8	59.5	84.8	32.3	9.20	8.62	2.48	32.3	171	49.0
DAT	5	1	22	27	1	8	1	18	1	20	12	1
SR	22.1	11.9	14.6	26.7	39.4	17.8	5.31	3.42	2.10	7.18	43.0	22.9
MIN	10.4	8.04	6.88	12.2	21.5	9.20	2.94	2.48	1.56	1.33	10.4	9.80
DAT	30	16	7	1	31	30	31	13	30	1	3	22
GMIN =			1.33	SRGOD=			18.0	GMAX =			171	
DATUM			1 10					DATUM			12 11	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1962

Broj : 60168 Stanica :TRGAJ Kota "0" = 92.35
Nacin osmat.: limnigraf Rijeka :CIJEVNA km od usca = 20.40
Pocetak rada: 1958 Sliv :MORACE Pov.sliva = 357.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	19.4	9.20	30.5	172	92.4	36.0	17.3	6.88	2.94	5.72	32.3	45.9
2	18.0	9.20	31.4	102	56.3	36.9	18.0	6.88	2.94	5.14	61.6	34.2
3	18.0	8.62	33.3	76.3	44.9	34.2	18.0	6.30	2.94	4.56	37.9	28.4
4	18.7	8.04	99.4	57.4	39.7	30.5	15.2	6.30	2.94	4.56	25.3	23.8
5	16.6	8.04	108	125	36.9	25.3	14.0	5.72	2.94	3.98	20.8	21.5
6	15.2	8.04	160	110	37.9	22.2	15.2	5.72	2.71	3.40	20.8	19.4
7	15.9	8.04	135	66.8	44.9	20.1	15.2	5.72	2.71	3.40	18.0	17.3
8	13.4	8.04	135	50.0	47.9	18.0	14.0	5.14	2.71	3.40	15.9	15.9
9	12.2	8.04	67.9	40.7	55.3	18.0	12.8	5.14	2.71	3.17	15.2	15.2
10	11.6	9.80	35.1	37.9	63.7	17.3	12.2	5.14	2.48	3.17	47.9	15.2
11	11.1	11.6	32.3	49.0	65.8	16.6	12.2	5.14	2.48	2.98	35.1	15.2
12	12.8	11.6	78.4	50.0	61.6	16.6	11.6	5.14	2.48	2.98	43.8	14.6
13	24.5	11.1	44.9	43.8	59.5	15.9	11.6	5.14	2.48	2.98	35.1	15.2
14	34.2	112	40.7	44.9	68.9	16.6	11.1	5.14	2.48	2.98	35.1	25.3
15	40.7	53.2	37.9	38.8	101	17.3	11.1	5.14	2.48	2.98	32.3	27.8
16	85.9	31.4	30.5	36.9	70.0	18.7	9.20	4.56	2.48	5.72	39.7	68.9
17	49.0	23.8	27.8	37.9	52.1	21.5	9.20	4.56	2.71	22.9	50.0	117
18	32.3	20.8	23.0	35.1	50.0	20.1	11.1	4.56	2.71	18.0	36.9	54.2
19	27.8	18.7	20.8	37.9	49.0	19.4	11.6	4.56	2.94	14.6	82.7	37.9
20	23.0	16.6	19.4	44.9	54.2	19.4	10.4	3.98	3.40	15.2	160	29.2
21	20.1	15.2	20.1	47.9	50.0	18.7	9.80	3.98	5.14	14.6	147	24.5
22	18.0	14.0	31.4	44.9	43.8	18.0	9.80	3.98	3.98	12.2	74.2	21.5
23	17.3	13.4	40.7	41.8	39.7	18.0	9.20	3.98	3.40	10.4	63.7	18.7
24	15.9	12.2	37.7	42.8	38.8	16.6	8.62	3.98	3.40	9.20	105	18.0
25	15.2	11.6	45.9	43.8	38.8	16.6	8.62	3.40	3.40	8.62	95.9	18.0
26	14.0	11.1	74.2	44.9	38.8	20.8	8.04	3.40	3.40	8.04	58.4	16.6
27	12.8	11.1	49.0	45.9	37.9	20.1	7.46	3.40	3.40	7.46	33.3	28.4
28	12.2	11.1	38.8	45.9	36.9	18.7	7.46	3.40	3.40	6.88	38.8	22.2
29	11.6		37.9	42.8	35.1	18.0	7.46	3.40	5.14	6.88	46.9	18.0
30	10.4		30.5	161	35.1	17.3	7.46	3.40	5.72	8.04	52.1	77.4
31	9.80		77.4		35.1		6.88	3.17		9.20		212
SD1	15.9	8.51	83.6	83.8	52.0	25.9	15.2	5.89	2.80	4.05	29.6	23.7
SD2	34.1	31.1	35.6	41.9	63.2	18.2	10.9	4.79	2.66	9.13	55.1	40.5
SD3	14.3	12.5	44.0	56.2	39.1	18.3	8.25	3.59	4.04	9.23	71.5	43.2
MAX	85.9	112	160	172	101	36.9	18.0	6.88	5.72	22.9	160	212
DAT	16	14	6	1	15	2	2	1	30	17	20	31
SR	21.2	17.7	54.0	60.6	51.0	20.8	11.3	4.72	3.17	7.53	52.1	36.0
MIN	9.80	8.04	19.4	35.1	35.1	15.9	6.88	3.17	2.48	2.98	15.2	14.6
DAT	31	4	20	18	29	13	31	31	10	11	9	12

GMIN = 2.48			SRGOD= 28.4					GMAX = 212				
DATUM 10 9								DATUM 31 12				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1963

Broj : 60168 Stanica :TRGAJ Kota "0" = 92.35
Nacin osmat.: limnigraf Rijeka :CIJEVNA km od usca = 20.40
Pocetak rada: 1958 Sliv :MORACE Pov.sliva = 357.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	102	16.6	16.6	28.4	39.7	38.8	20.8	8.04	14.0	3.40	3.40	14.0
2	68.9	16.6	15.2	24.5	43.8	40.7	20.1	8.04	9.20	3.40	3.40	14.0
3	62.6	39.7	14.6	21.5	54.2	40.7	19.4	8.62	8.62	3.40	3.40	15.2
4	120	41.8	14.0	20.1	94.7	37.9	18.0	8.04	8.04	11.1	3.40	64.7
5	81.6	54.2	13.4	18.0	76.3	36.0	18.0	7.46	6.30	27.8	3.40	75.2
6	130	49.0	12.8	17.3	62.6	36.0	18.0	7.46	6.30	20.8	5.14	66.8
7	202	32.3	12.8	17.3	52.1	36.0	19.4	6.88	5.72	16.6	90.2	46.9
8	219	27.8	12.2	19.4	54.2	36.9	19.4	6.88	6.30	13.4	78.4	32.3
9	112	23.8	12.8	19.4	54.2	37.9	14.6	6.30	18.0	11.1	32.3	23.8
10	73.1	21.5	12.2	18.0	54.2	36.0	14.6	6.30	14.6	9.80	28.6	20.8
11	112	20.8	33.3	19.4	55.3	56.3	14.0	6.30	10.4	8.04	16.6	18.0
12	102	22.2	16.1	50.0	54.2	66.8	14.0	6.30	9.20	8.04	15.2	23.1
13	150	34.2	30.5	57.4	53.2	54.2	14.0	6.30	8.04	7.46	18.7	67.9
14	85.9	36.0	23.8	47.9	55.3	42.8	14.0	5.72	6.88	5.72	19.4	56.3
15	56.3	27.8	20.8	43.8	47.9	39.7	12.8	5.72	5.72	6.30	43.8	44.9
16	39.7	23.8	18.7	41.8	45.9	40.7	12.2	5.72	5.14	5.72	47.9	472
17	34.2	94.7	18.0	39.7	52.1	41.8	11.6	5.72	4.56	5.72	37.9	200
18	28.4	130	16.6	39.7	47.9	36.9	11.6	5.72	4.56	5.14	27.8	102
19	45.9	66.8	15.2	41.8	45.9	32.3	11.1	5.72	4.56	4.56	20.8	56.3
20	97.0	84.8	14.6	43.8	44.9	30.5	11.6	5.14	4.56	4.56	18.0	64.7
21	62.6	58.4	25.3	47.8	41.8	26.1	12.8	4.56	4.56	4.56	18.0	259
22	41.8	41.8	29.2	45.8	39.7	25.3	12.8	4.56	4.56	4.56	17.3	157
23	34.2	34.2	26.1	50.0	41.8	25.3	12.2	4.56	3.98	4.56	15.9	79.5
24	28.4	28.4	23.0	52.1	40.7	24.5	11.1	4.56	3.40	4.56	15.2	20.0
25	24.5	25.3	20.8	43.8	41.8	23.0	10.4	4.56	4.56	4.56	14.0	39.7
26	22.2	22.2	18.0	45.9	43.8	22.2	9.80	3.98	4.56	3.98	13.4	32.3
27	20.8	19.4	18.0	42.8	44.9	21.5	9.20	3.98	4.56	3.98	12.8	28.4
28	19.4	18.0	18.7	47.9	44.9	20.8	9.20	3.98	4.56	3.98	18.7	25.3
29	18.0		21.5	43.8	44.9	20.8	9.20	3.98	4.56	3.98	20.1	22.2
30	18.0		21.5	38.8	43.8	20.1	9.20	3.98	3.40	3.98	16.6	20.1
31	18.0		29.2		39.7		9.20	15.2		3.40		18.0
SD1	117	32.3	13.7	20.4	58.6	37.7	18.2	7.40	9.71	12.1	25.2	37.4
SD2	75.1	54.1	20.8	42.5	50.3	44.2	12.7	5.84	6.36	6.13	26.6	111
SD3	28.0	31.0	22.8	45.9	42.5	23.0	10.5	5.26	4.27	4.19	16.2	63.8
MAX	219	130	33.3	54.7	94.7	66.8	20.8	15.2	18.0	27.8	90.2	472
DAT	8	18	11	13	4	12	1	31	9	5	7	16
SR	72.0	39.7	19.2	36.3	50.2	35.0	13.7	6.14	6.78	7.36	22.7	70.3
MIN	18.0	16.6	12.2	17.3	39.7	20.1	9.20	3.98	3.40	3.40	3.40	14.0
DAT	29	1	8	6	1	30	27	26	24	1	1	1
		GMIN = 3.40			SRGOD= 31.6			GMAX = 472				
		DATUM 24 9						DATUM 16 12				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1964

Broj : 60168 Stanica :TRGAJ Kota "0" = 92.35
Nacin osmat.: limnigraf Rijeka :CIJEVNA km od usca = 20.40
Pocetak rada: 1958 Sliv :MORACE Pov.sliva = 357.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII					
1	15.2	1.56	15.2	74.0	25.3	31.6	11.0	2.71	1.10	1.10	18.0	163					
2	14.0	1.56	14.6	52.4	25.3	25.3	9.80	2.48	1.10	1.10	30.0	80.8					
3	12.8	1.56	12.2	38.2	24.5	23.8	9.20	2.25	1.10	1.10	54.5	51.3					
4	11.6	1.33	10.4	57.7	23.8	22.2	8.04	2.02	1.33	.960	33.3	84.3					
5	11.0	1.33	9.20	104	26.1	20.8	7.46	2.02	1.33	.960	31.6	52.4					
6	10.4	1.10	12.8	65.2	28.6	19.4	6.88	2.02	1.33	.960	79.7	32.5					
7	9.20	1.10	26.1	40.2	24.5	18.0	6.30	1.79	1.10	.960	46.2	26.1					
8	8.62	1.03	18.0	38.2	23.8	19.4	5.72	1.56	5.14	.960	24.1	20.8					
9	8.04	1.03	15.9	35.7	25.3	20.8	5.14	1.56	3.40	8.04	30.0	18.0					
10	7.46	1.03	15.2	29.2	25.3	19.4	4.56	2.02	2.48	22.2	42.2	16.6					
11	6.88	.960	14.6	24.5	27.8	19.3	4.56	5.14	2.25	80.8	31.6	15.2					
12	6.30	.960	13.4	22.2	30.0	16.6	18.0	5.72	1.79	76.3	26.1	14.6					
13	5.14	.960	12.8	20.8	29.2	15.9	15.9	4.56	1.56	50.3	25.3	14.0					
14	4.56	.960	12.2	20.1	28.4	15.2	12.8	3.17	1.33	83.1	23.8	13.4					
15	3.98	.960	15.2	21.5	30.8	14.0	10.4	2.94	1.10	104	21.5	12.2					
16	3.98	.960	74.0	20.8	33.3	14.0	9.20	3.40	1.03	44.2	18.0	11.6					
17	3.40	.960	64.1	20.8	24.5	14.0	8.04	3.40	.960	31.6	15.2	11.0					
18	3.17	12.8	33.3	20.8	20.8	16.6	6.88	3.17	.960	44.2	14.0	46.2					
19	3.17	60.9	27.8	22.2	20.8	17.3	5.72	2.94	.960	67.3	12.8	64.1					
20	2.97	179	33.8	21.5	24.5	14.0	4.56	3.17	.960	45.2	11.6	153					
21	2.71	60.9	24.5	21.5	28.6	13.4	3.98	3.17	.960	54.5	10.4	80.8					
22	2.71	30.8	68.4	22.2	30.0	13.4	3.40	2.71	2.02	41.2	10.4	44.2					
23	2.48	28.2	60.9	21.5	26.1	12.2	3.40	2.48	2.94	33.3	9.20	31.6					
24	2.48	19.4	58.7	23.8	23.0	13.4	3.40	2.25	2.48	43.2	8.04	25.3					
25	2.25	15.2	28.4	42.2	20.8	14.0	6.30	1.79	2.71	50.3	8.04	22.2					
26	2.25	12.8	23.8	36.6	20.8	13.4	5.14	1.56	2.71	38.2	6.88	63.0					
27	2.02	12.2	21.5	23.8	28.4	14.6	4.56	1.56	2.25	60.9	5.72	97.0					
28	2.02	11.6	22.2	21.5	28.4	12.8	3.98	1.56	2.02	42.2	5.14	64.1					
29	2.02	11.6	54.5	21.5	23.8	12.8	3.40	1.33	1.79	30.0	9.20	60.9					
30	1.79		42.2	23.0	24.5	12.8	2.94	1.10	1.56	24.5	71.8	125					
31	1.79		38.2		27.8		2.71	1.10		20.8		80.8					
SD1	10.8	1.26	15.0	53.5	25.3	22.1	7.41	2.04	1.94	3.83	39.0	54.6					
SD2	4.35	25.9	30.1	21.5	27.0	15.7	9.61	3.76	1.29	62.7	20.0	35.5					
SD3	2.23	22.5	40.3	25.8	25.7	13.3	3.93	1.87	2.14	39.9	14.5	63.2					
MAX	15.2	265	88.9	109	36.6	36.6	28.6	6.30	5.14	156	54.5	178					
DAT	1	20	16	5	15	1	12	12	8	15	3	1					
SR	5.69	16.4	28.8	33.6	26.0	17.0	6.88	2.54	1.79	35.6	24.5	51.5					
MIN	1.79	.960	9.20	20.1	20.8	12.2	2.71	1.10	.960	.960	5.14	11.0					
DAT	30	11	5	14	18	23	31	30	17	4	28	17					

GMIN =			.960			SRGOD=			20.9			GMAX =			265		
DATUM			11 2									DATUM			20 2		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1965

Broj : 60168 Stanica :TRGAJ Kota "0" = 92.35
Nacin osmat.: limnigraf Rijeka :CIJEVNA km od usca = 20.40
Pocetak rada: 1958 Sliv :MORACE Pov.sliva = 357.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	47.9	33.3	5.72	15.2	36.0	50.0	17.3	2.71	2.71	1.56	.750	221
2	36.0	44.9	93.6	14.6	30.5	47.9	16.6	2.71	2.48	1.56	.750	93.6
3	34.2	27.8	206	14.0	29.2	39.7	15.9	2.48	2.25	1.33	.750	57.4
4	36.0	21.5	78.4	14.0	29.2	34.2	15.9	2.48	2.02	1.10	.750	46.9
5	28.4	16.6	46.9	15.2	32.3	46.9	16.6	2.25	2.02	1.10	.750	43.8
6	23.8	15.2	37.9	15.2	62.6	61.6	17.3	2.25	2.02	1.10	.750	33.3
7	20.1	14.0	34.2	16.6	45.9	45.9	14.9	2.02	22.2	1.10	.670	27.8
8	17.3	12.8	29.2	19.4	32.3	34.2	13.4	2.02	12.8	1.03	.670	47.9
9	16.6	11.6	23.8	68.9	32.3	35.1	12.2	2.02	8.62	1.03	.670	138
10	15.9	10.4	20.8	133	34.2	38.8	12.2	1.79	6.88	.960	.670	146
11	14.6	9.80	18.0	62.6	37.9	43.8	11.1	1.79	5.72	.960	.820	149
12	13.4	9.20	16.6	43.8	32.3	43.8	10.4	1.79	5.14	.960	3.40	77.4
13	12.2	8.62	15.2	43.8	27.8	36.0	9.20	1.56	18.0	.960	78.4	50.0
14	11.1	8.04	14.6	57.4	24.5	34.2	9.20	1.56	15.9	.960	99.4	37.9
15	10.4	8.04	14.0	40.7	27.8	33.3	8.62	1.56	11.1	.960	50.0	30.5
16	9.80	9.20	14.0	30.5	29.2	30.5	8.62	1.56	8.62	.960	32.3	24.5
17	9.20	8.04	14.0	27.8	39.7	28.6	8.04	1.56	6.88	.860	21.5	23.0
18	9.20	8.04	14.0	23.8	52.1	35.1	8.04	1.56	5.72	.860	19.4	20.8
19	18.0	7.46	15.2	24.5	59.5	31.4	7.64	1.56	4.56	.860	60.5	18.7
20	33.3	6.88	14.6	32.3	63.7	29.2	7.64	1.79	3.98	.860	102	16.6
21	18.7	5.72	15.9	62.6	61.6	28.6	6.88	1.79	3.40	.860	77.4	16.6
22	16.6	5.14	15.9	50.0	64.6	27.8	6.88	1.79	3.17	.820	194	15.9
23	15.2	4.56	15.9	39.7	66.8	27.8	6.30	1.56	2.71	.820	104	15.2
24	14.0	4.56	23.0	33.3	52.1	27.8	6.30	1.56	2.48	.820	65.8	19.4
25	12.8	5.72	29.2	28.6	47.9	26.1	5.14	3.40	2.25	.820	42.8	37.9
26	11.6	7.46	22.2	24.5	50.0	25.3	4.56	5.72	2.02	.820	30.5	41.8
27	10.4	5.72	20.1	23.0	44.9	23.0	3.40	3.98	2.02	.820	27.8	27.8
28	9.80	5.72	17.3	25.3	44.9	21.5	3.40	3.98	1.79	.820	154	60.5
29	9.20		16.6	83.8	53.2	20.8	2.94	3.40	1.79	.820	89.2	122
30	13.4		16.6	49.0	47.9	19.4	2.94	2.94	1.56	.750	60.5	63.7
31	37.9		15.2		41.8		2.71	2.94		.750		51.0
SD1	27.6	20.8	57.7	32.6	36.4	43.4	15.2	2.27	6.40	1.19	.718	85.6
SD2	14.1	8.33	15.0	38.7	39.5	34.6	8.85	1.63	8.56	.920	46.8	44.8
SD3	15.4	5.58	18.9	42.0	52.3	24.8	4.68	3.01	2.32	.811	84.6	42.9
MAX	58.4	56.3	304	182	77.4	66.8	20.8	8.04	44.9	1.56	244	313
DAT	1	2	3	10	23	6	1	26	13	1	22	1
SR	18.9	12.0	30.1	37.8	43.1	34.3	9.43	2.33	5.76	.967	44.0	57.3
MIN	9.20	4.56	5.72	14.0	24.5	19.4	2.71	1.56	1.56	.750	.670	15.2
DAT	17	23	1	3	14	30	31	13	30	30	7	23
	GMIN =		.670		SRGOD=		24.7		GMAX =		313	
	DATUM		7 11						DATUM		1 12	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1966

Broj : 60168 Stanica :TRGAJ Kota "0" = 92.35
Nacin osmat.: limnigraf Rijeka :CIJEVNA km od usca = 20.40
Pocetak rada: 1958 Sliv :MORACE Pov.sliva = 357.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	42.8	14.0	28.4	31.4	55.3	28.6	18.7	9.80	11.6	22.2	51.0	28.8
2	34.2	13.4	26.1	23.8	51.0	36.0	17.3	8.62	12.2	18.7	41.8	44.9
3	28.4	12.8	24.5	21.5	50.0	36.9	14.6	8.04	9.80	85.9	41.8	166
4	27.8	12.2	23.8	20.8	50.0	32.3	14.0	6.88	8.62	35.1	35.1	44.9
5	23.8	12.2	24.5	19.4	50.0	32.3	13.4	6.88	6.30	18.7	84.8	59.5
6	20.8	11.6	23.0	19.4	49.0	29.2	12.8	6.88	5.14	11.6	89.2	45.9
7	19.4	11.6	20.8	20.1	47.8	28.4	12.8	6.88	4.56	11.6	54.2	39.7
8	17.3	11.1	18.7	20.8	44.9	29.2	14.0	6.30	3.98	11.6	40.7	33.3
9	15.2	10.4	17.3	22.2	36.0	30.5	12.8	5.72	3.40	11.6	32.3	25.3
10	15.2	30.5	16.6	23.8	32.3	29.2	11.6	5.72	3.17	15.2	28.6	25.3
11	15.2	77.4	16.6	68.9	51.0	29.2	11.1	5.14	2.94	20.8	24.5	25.3
12	35.9	116	15.9	47.9	41.8	32.3	10.4	4.56	2.94	15.9	54.2	27.8
13	72.1	68.9	22.2	39.7	34.2	34.0	9.80	4.56	2.24	66.8	59.5	58.6
14	36.0	76.3	27.4	36.9	34.2	32.2	9.20	4.56	2.94	38.8	55.3	126
15	28.4	60.5	21.5	37.9	38.8	29.2	9.20	4.56	2.94	24.5	38.3	63.7
16	53.2	41.8	18.7	49.0	36.0	27.4	9.20	3.98	2.94	20.8	38.3	41.8
17	68.9	34.2	16.6	125	35.1	30.5	9.20	3.98	2.94	18.0	30.5	33.3
18	50.0	50.0	15.2	68.9	35.1	31.4	9.20	3.98	2.94	15.2	65.8	28.4
19	42.8	36.9	14.6	51.0	31.4	28.6	8.62	3.98	5.72	14.0	85.9	25.3
20	34.2	32.3	13.4	45.9	29.2	26.1	8.04	3.40	2.62	12.8	76.3	21.5
21	27.8	36.0	12.8	46.9	30.5	25.3	8.62	3.40	6.88	14.6	90.2	20.1
22	21.5	32.3	12.8	50.0	35.1	26.1	9.20	3.17	6.30	19.4	59.5	19.4
23	24.5	50.0	12.2	51.0	34.2	24.5	9.20	2.94	6.30	16.6	43.8	17.3
24	31.4	123	11.6	47.9	34.2	20.8	9.20	2.94	4.56	14.0	81.6	16.6
25	24.5	65.8	12.2	46.9	35.1	19.4	11.1	2.94	3.40	12.2	98.2	16.6
26	21.5	42.8	14.6	49.0	34.2	19.4	10.4	2.94	3.17	88.1	43.8	14.6
27	18.0	34.2	15.2	49.0	35.1	18.0	9.80	3.17	2.94	191	40.7	14.0
28	16.6	31.4	15.9	47.8	85.9	16.6	9.20	3.17	2.94	153	34.2	13.4
29	15.2		75.2	45.9	54.2	15.2	12.2	3.17	2.94	122	25.3	12.3
30	14.6		80.5	50.0	36.0	20.1	12.2	3.17	2.94	136	32.3	11.1
31	14.0		41.8		28.4		10.4	3.40		74.2		11.6
SD1	24.5	14.0	22.4	22.3	46.6	31.3	14.2	7.17	6.88	24.2	50.0	51.4
SD2	43.7	59.4	18.2	57.1	36.7	30.1	9.40	4.27	3.12	24.8	52.9	45.2
SD3	20.9	51.9	27.7	48.4	40.3	20.5	10.1	3.13	4.24	76.5	55.0	15.2
MAX	136	156	108	156	109	39.7	20.8	9.80	15.2	295	160	274
DAT	12	24	30	17	29	17	1	1	2	27	25	3
SR	29.4	41.1	22.9	42.6	41.2	27.3	11.2	4.80	4.74	42.9	52.6	36.5
MIN	14.0	10.4	11.6	19.4	28.4	15.2	8.04	2.94	2.24	11.6	24.5	11.1
DAT	31	9	24	5	31	29	20	23	13	6	11	30

GMIN = 2.24			SRGOD= 29.7					GMAX = 295				
DATUM 13 9								DATUM 27 10				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1967

Broj : 60168 Stanica :TRGAJ Kota "0" = 92.35
Nacin osmat.: limnigraf Rijeka :CIJEVNA km od usca = 20.40
Pocetak rada: 1958 Sliv :MORACE Pov.sliva = 357.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	11.6	13.4	9.80	104	43.8	35.1	18.0	7.46	3.98	3.98	2.94	24.7
2	11.1	12.8	12.2	60.5	45.9	28.6	15.9	6.88	3.98	3.98	3.17	13.4
3	13.4	12.8	18.0	40.7	58.4	25.3	15.9	6.88	3.40	4.56	3.17	15.9
4	16.6	12.8	15.9	32.3	76.4	25.3	15.2	6.88	3.17	7.46	3.17	14.6
5	14.6	13.4	15.2	26.1	64.7	25.3	19.4	7.46	3.17	29.2	2.71	12.8
6	30.5	11.6	14.0	23.8	53.2	25.3	20.8	5.72	3.17	18.0	7.46	12.2
7	53.2	11.1	14.0	28.4	56.3	27.8	18.0	5.14	3.17	14.0	25.3	20.8
8	34.2	11.1	14.0	37.9	58.4	27.8	15.2	5.14	3.17	11.6	15.9	36.9
9	30.2	10.4	14.0	40.7	57.4	28.6	14.0	4.56	3.17	9.80	12.8	32.3
10	36.0	10.4	14.0	42.8	56.3	27.8	25.3	4.56	5.14	9.20	11.6	23.0
11	23.0	9.80	15.9	41.8	56.3	25.3	30.5	4.56	7.46	8.04	11.6	32.3
12	19.4	9.20	19.4	43.8	56.3	21.5	21.5	4.56	8.04	6.88	10.4	39.7
13	23.0	8.56	22.2	45.9	60.2	18.7	19.4	4.56	7.46	6.88	9.80	28.6
14	14.0	7.46	22.2	70.0	52.1	28.4	17.3	5.14	4.56	6.88	8.62	22.2
15	14.0	6.88	20.1	87.0	54.2	20.8	15.9	5.14	6.88	5.72	8.04	19.4
16	14.0	6.88	17.3	64.7	52.1	19.4	15.2	5.14	9.20	3.98	6.88	17.3
17	13.4	6.88	15.2	54.2	43.8	18.0	14.0	5.14	10.4	3.98	6.30	14.6
18	11.6	6.88	14.6	49.0	46.9	18.0	13.4	5.14	9.20	3.98	5.14	13.4
19	10.4	6.04	14.0	43.8	50.0	19.4	13.4	5.14	8.04	3.40	4.56	12.8
20	11.1	9.80	11.1	36.0	42.8	20.8	12.8	5.72	7.46	3.40	3.40	11.6
21	10.4	9.20	10.4	32.3	43.8	25.3	12.8	5.72	6.88	3.40	3.40	11.1
22	11.1	9.80	9.80	41.8	45.9	20.8	11.6	5.14	15.9	2.94	3.40	10.4
23	9.80	9.80	9.80	60.5	39.7	19.4	11.6	4.56	11.6	2.94	3.40	10.4
24	20.8	10.4	10.4	42.8	42.8	18.0	11.1	3.40	9.20	2.71	3.40	52.1
25	67.9	10.4	11.1	32.3	41.8	17.3	10.4	3.40	8.04	2.71	3.17	166
26	36.0	11.1	11.6	27.8	30.5	16.6	9.20	3.40	6.88	2.48	2.94	138
27	22.2	9.80	11.6	23.8	30.5	15.9	9.20	3.40	5.72	2.48	2.94	77.4
28	18.0	9.20	11.6	23.8	36.0	15.9	9.20	3.40	5.14	2.48	81.6	50.0
29	16.6		14.0	49.0	39.7	15.2	9.20	3.40	4.56	2.94	97.0	36.9
30	15.2		90.2	52.1	36.9	20.8	8.04	3.40	4.56	2.94	36.0	54.2
31	14.0		194		38.8		8.04	3.40		2.48		66.8
SD1	25.1	12.0	14.1	43.7	57.1	27.7	17.8	6.07	3.55	11.2	8.82	20.7
SD2	15.4	7.84	17.2	53.6	51.5	21.0	17.3	5.02	7.87	5.31	7.47	21.2
SD3	22.0	9.96	35.0	38.6	38.8	18.5	10.0	3.87	7.85	2.77	23.7	61.2
MAX	84.8	13.4	219	104	76.3	35.1	30.5	7.46	15.9	29.2	171	197
DAT	10	1	31	1	4	1	11	1	22	5	29	25
SR	20.9	9.92	22.5	45.3	48.8	22.4	14.9	4.95	6.42	6.30	13.3	35.2
MIN	9.80	6.04	9.80	23.8	30.5	15.2	8.04	3.40	3.17	2.48	2.71	10.4
DAT	23	19	1	6	26	29	30	24	4	26	5	22
GMIN =			2.48	SRGOD=			21.0	GMAX =			219	
DATUM			26 10					DATUM			31 3	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1968

Broj : 60168 Stanica :TRGAJ Kota "0" = 92.35
Nacin osmat.: limnigraf Rijeka :CIJEVNA km od usca = 20.40
Pocetak rada: 1958 Sliv :MORACE Pov.sliva = 357.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	114	11.1	19.4	37.9	63.7	35.1	13.4	2.48	19.4	2.71	10.4	18.0	
2	134	11.1	18.0	33.3	52.1	29.7	13.4	2.48	19.4	2.48	11.6	14.0	
3	75.2	11.1	16.6	34.2	46.9	23.9	12.2	2.48	15.2	2.02	4.56	13.4	
4	49.0	11.1	15.2	39.7	45.9	20.8	11.6	2.48	14.0	18.0	6.30	13.4	
5	36.0	11.6	14.0	43.8	47.9	19.4	11.6	2.48	14.6	28.0	11.6	11.1	
6	29.7	11.6	13.4	44.9	52.1	18.7	11.1	2.48	14.0	11.1	11.6	11.1	
7	55.3	11.1	14.0	49.0	52.1	17.3	10.4	2.48	13.4	9.20	12.2	11.1	
8	88.1	10.6	15.2	44.9	52.1	16.6	7.46	3.17	12.2	9.20	12.2	10.4	
9	49.0	18.0	15.9	54.2	47.9	15.9	6.88	14.6	14.6	9.20	11.6	14.0	
10	35.1	20.8	15.2	42.8	42.8	15.9	6.88	11.1	14.0	9.20	60.5	18.0	
11	28.8	43.8	16.6	32.3	40.7	19.4	6.36	14.0	14.0	9.20	63.7	16.6	
12	24.7	42.8	18.7	28.8	45.9	37.9	3.30	11.6	13.4	9.20	42.8	15.2	
13	21.5	39.7	16.6	24.7	49.0	33.3	6.30	11.6	17.3	9.20	32.3	14.0	
14	19.4	24.7	15.2	25.3	45.9	28.0	6.30	11.6	17.3	8.62	28.0	12.2	
15	17.3	29.7	19.4	35.1	40.7	55.3	5.72	14.0	16.6	8.62	25.3	11.6	
16	15.2	93.6	18.7	36.0	37.9	37.9	5.72	22.2	15.9	8.62	30.5	11.6	
17	14.6	75.2	18.7	36.9	33.3	34.2	5.72	19.4	23.9	8.62	47.9	25.5	
18	15.2	37.9	17.3	43.8	30.5	32.3	5.72	20.1	36.0	8.04	60.5	196	
19	25.3	58.4	17.3	42.8	28.8	28.8	5.72	22.2	31.4	9.20	215	369	
20	19.4	28.4	16.6	38.8	28.0	28.8	5.14	22.2	31.4	11.1	222	221	
21	17.3	25.2	32.3	38.8	25.5	24.7	4.56	22.2	22.2	11.6	191	102	
22	15.2	22.2	83.8	38.8	28.8	22.2	4.56	22.2	22.2	12.2	147	64.7	
23	14.6	20.8	90.2	37.9	28.0	20.8	5.14	22.2	17.3	11.6	97.0	41.8	
24	14.0	18.0	63.7	43.8	23.9	19.4	5.72	22.2	15.2	11.6	55.3	41.8	
25	15.2	18.7	47.9	50.0	24.7	18.0	5.14	22.2	13.4	11.6	60.5	41.8	
26	15.9	22.2	40.7	49.0	26.3	18.0	6.88	22.2	9.20	11.6	78.4	36.0	
27	14.6	22.2	39.7	47.9	25.5	16.6	6.88	22.2	7.46	12.2	71.0	28.8	
28	13.4	23.9	34.2	47.9	25.5	15.2	6.30	22.2	6.30	11.1	66.8	22.2	
29	11.6	28.0	33.3	52.1	24.7	14.0	5.72	22.2	3.40	10.4	63.7	17.3	
30	11.6		36.0	60.1	23.9	14.0	5.72	19.4	2.71	10.4	60.5	15.2	
31	11.6		36.9		28.0		5.72	19.4		10.4		14.0	
SD1	66.5	12.8	15.7	42.5	50.3	21.3	10.5	4.62	15.1	10.1	15.3	13.4	
SD2	20.1	47.4	17.5	34.4	38.1	33.6	5.60	16.9	21.7	9.04	76.8	89.3	
SD3	14.1	22.4	49.0	46.6	25.9	18.3	5.67	21.7	11.9	11.3	89.1	38.7	
MAX	134	93.6	90.2	60.5	63.7	55.3	13.4	22.2	36.0	27.8	222	447	
DAT	2	16	23	30	1	15	1	19	19	6	20	19	
SR	33.0	27.7	28.1	41.2	37.7	24.4	7.20	14.6	16.2	10.2	60.4	46.9	
MIN	11.6	10.6	13.4	24.7	23.9	14.0	3.30	2.48	2.71	2.02	4.56	10.4	
DAT	29	8	6	13	24	29	12	1	30	3	3	8	
		GMIN =	2.02			SRGOD=	28.9			GMAX =	447		
		DATUM	3 10							DATUM	19 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1969

Broj : 60168 Stanica :TRGAJ Kota "0" = 92.35
Nacin osmat.: limnigraf Rijeka :CIJEVNA km od usca = 20.40
Pocetak rada: 1958 Sliv :MORACE Pov.sliva = 357.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	12.8	22.2	26.3	18.7	53.2	37.9	11.6	1.79	12.2	11.6	.350	19.4	
2	11.6	21.5	23.0	15.9	56.3	33.3	10.4	1.79	10.4	10.4	.350	16.6	
3	11.6	19.4	19.4	16.6	58.4	31.4	9.20	2.02	9.20	9.80	.310	17.3	
4	11.6	20.1	19.4	16.6	61.6	28.8	8.04	2.94	7.46	9.20	.300	10.4	
5	11.6	20.1	18.7	17.3	68.9	43.8	5.72	2.94	6.88	9.20	.300	10.4	
6	11.1	75.2	18.7	19.4	68.9	81.6	5.72	2.48	6.88	9.20	.310	11.6	
7	10.4	51.0	16.6	20.1	68.9	81.6	5.14	2.48	19.4	9.20	.350	12.2	
8	10.4	38.8	15.2	19.4	81.6	53.2	5.14	2.48	14.0	9.20	12.8	19.4	
9	11.6	33.3	14.0	20.1	104	53.2	5.14	2.48	11.6	8.62	25.5	19.4	
10	16.6	32.3	14.0	19.4	85.9	37.9	16.6	2.48	9.20	8.04	25.5	18.7	
11	15.9	28.8	14.0	18.0	63.7	32.3	9.80	2.94	9.20	6.88	12.8	17.3	
12	12.8	25.5	14.0	18.0	67.7	25.5	7.46	2.94	9.80	6.88	6.88	21.5	
13	11.6	32.3	14.0	19.4	58.4	26.3	4.56	2.94	9.80	6.88	4.56	28.8	
14	15.9	43.8	15.9	20.8	39.7	24.7	2.94	2.94	9.20	6.88	2.94	18.0	
15	36.0	49.0	39.7	32.3	38.8	24.7	2.94	2.94	11.1	6.30	2.25	16.6	
16	45.9	56.3	52.1	20.8	39.7	23.9	2.71	2.94	16.6	5.72	2.02	17.3	
17	41.8	44.9	39.7	18.0	40.7	22.2	3.17	2.71	15.2	4.56	1.56	17.3	
18	28.8	32.3	35.1	17.3	39.7	22.2	2.25	2.71	15.2	4.56	8.04	17.3	
19	23.0	22.2	30.5	16.6	60.5	20.8	1.56	2.48	15.2	2.94	12.8	16.6	
20	20.8	27.2	26.3	15.2	63.7	22.2	1.10	2.48	23.0	2.48	5.72	16.6	
21	20.1	34.2	22.2	18.0	58.4	20.8	1.10	2.48	73.1	2.48	3.40	15.9	
22	19.4	36.0	18.7	54.2	53.2	18.0	1.33	2.02	34.2	2.48	4.56	14.0	
23	19.4	29.8	16.6	140	45.9	17.3	1.56	2.02	22.2	2.48	60.5	11.6	
24	19.4	28.0	16.6	154	40.7	17.3	1.79	2.02	18.7	2.48	52.1	16.6	
25	18.7	64.7	16.6	64.7	38.8	16.6	1.56	2.02	15.2	2.25	92.4	14.6	
26	17.3	52.1	60.5	49.0	38.8	18.0	1.56	19.4	14.0	2.48	90.2	14.0	
27	17.3	36.0	40.7	54.2	37.9	18.0	1.79	15.2	13.4	2.48	11.0	12.8	
28	16.6	28.8	26.3	62.6	33.3	15.9	2.02	71.0	11.6	1.10	2.94	11.6	
29	16.2		22.2	68.9	36.0	14.6	2.02	36.0	11.6	.750	2.94	11.6	
30	20.1		19.4	60.5	37.9	14.0	1.79	19.4	11.6	.400	7.46	11.6	
31	24.7		18.7		38.8		1.79	15.2		.350		11.6	
SD1	11.9	33.4	18.5	18.3	70.8	48.3	8.27	2.39	10.7	9.45	6.61	15.5	
SD2	25.3	36.2	28.1	19.6	51.3	24.5	3.85	2.80	13.4	5.41	5.96	18.7	
SD3	19.0	38.7	25.3	72.6	41.8	17.0	1.66	17.0	22.6	1.79	32.7	13.3	
MAX	45.9	75.2	60.5	154	104	94.7	16.6	103	94.7	11.6	94.7	28.8	
DAT	16	6	26	24	9	6	10	28	21	1	25	13	
SR	18.7	35.9	24.0	36.9	54.2	29.9	4.50	7.70	15.6	5.43	15.1	15.8	
MIN	10.4	19.4	14.0	15.2	33.3	14.0	1.10	1.79	6.88	.350	.300	10.4	
DAT	7	3	9	20	28	30	20	1	5	31	4	4	
		GMIN =	.300			SRGOD=	21.8			GMAX =	154		
		DATUM	4 11							DATUM	24 4		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1970

Broj : 60168 Stanica :TRGAJ Kota "0" = 92.35
Nacin osmat.: limnigraf Rijeka :CIJEVNA km od usca = 20.40
Pocetak rada: 1958 Sliv :MORACE Pov.sliva = 357.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	58.4	36.9	14.6	77.4	50.0	49.0	25.5	4.56	19.4	2.71	12.2	18.0	
2	77.4	22.2	13.4	125	39.7	51.0	24.7	6.88	14.0	14.6	11.6	34.2	
3	47.9	22.2	13.4	85.9	34.2	46.9	23.9	7.46	11.1	22.2	11.6	29.7	
4	37.9	23.0	13.4	65.8	30.5	36.9	23.0	7.46	9.20	37.9	9.80	23.0	
5	33.3	28.8	21.5	51.0	28.8	32.3	23.0	7.46	8.62	20.1	9.20	20.1	
6	77.4	68.9	55.3	47.9	25.5	36.0	22.2	7.46	8.04	14.0	9.20	16.6	
7	77.4	64.7	36.0	39.7	26.3	43.8	20.8	6.88	8.04	11.1	9.20	14.6	
8	81.6	60.5	26.0	125	35.1	56.3	15.2	6.88	6.88	9.80	9.20	16.6	
9	75.5	46.9	21.5	250	46.9	58.4	13.4	6.88	6.88	8.62	19.4	14.0	
10	64.7	32.3	18.7	154	62.3	58.4	13.4	6.88	6.88	6.88	26.3	14.0	
11	23.9	60.5	19.4	90.2	75.2	63.7	12.8	6.88	6.88	6.88	27.7	14.0	
12	16.6	78.4	28.0	71.0	81.6	55.3	12.2	6.88	6.88	6.88	20.1	10.4	
13	81.6	40.7	32.3	62.6	66.8	52.1	11.6	6.30	6.88	6.88	15.9	9.20	
14	72.1	62.6	31.4	114	63.7	49.0	11.1	6.30	6.88	6.88	15.9	9.20	
15	61.6	79.5	73.1	130	60.5	49.0	10.4	6.30	6.88	6.30	57.4	9.20	
16	77.4	79.5	59.5	71.0	66.8	44.9	9.80	6.30	5.72	6.30	185	9.20	
17	85.9	49.0	37.7	55.3	65.8	44.9	21.5	6.30	4.56	6.30	79.5	8.04	
18	77.4	36.0	30.5	44.9	63.7	49.0	15.2	6.30	4.56	6.88	43.8	6.88	
19	68.9	34.0	25.5	47.9	57.4	55.3	11.6	5.72	4.56	6.88	38.8	6.88	
20	56.3	35.5	24.7	61.6	59.5	47.9	11.6	5.72	4.56	6.88	61.6	4.56	
21	47.9	22.1	19.4	67.9	58.4	44.9	9.80	5.72	4.56	32.3	68.9	2.94	
22	41.8	20.8	18.7	66.8	57.4	43.9	9.20	5.72	4.56	130	179	2.94	
23	30.5	20.8	18.7	60.5	97.0	40.7	8.62	5.72	4.56	153	80.5	4.56	
24	25.5	37.4	19.4	66.5	66.8	37.9	8.62	5.72	4.56	70.0	50.0	4.56	
25	23.0	23.9	22.2	71.0	47.9	30.5	8.04	10.4	4.56	41.8	36.0	6.88	
26	22.2	20.8	25.5	74.2	44.9	32.3	8.04	6.88	4.56	30.5	28.0	20.1	
27	22.2	18.7	31.4	76.3	47.9	32.3	7.46	4.56	4.56	23.0	23.9	14.0	
28	20.5	14.0	157	73.1	47.9	29.8	6.88	4.56	3.40	20.1	20.0	41.8	
29	22.2		157	93.6	47.9	27.2	6.30	4.56	2.94	18.0	18.0	54.2	
30	23.0		75.2	73.1	47.9	27.2	6.30	4.56	2.94	15.9	15.9	151	
31	22.2		172		49.0		4.56	15.2		14.6		177	
SD1	63.2	40.6	23.4	102	37.9	46.9	20.5	6.88	9.90	14.8	12.8	20.1	
SD2	62.2	55.6	36.2	74.8	66.1	51.1	12.8	6.30	5.84	6.71	54.6	8.76	
SD3	27.4	22.3	65.1	72.3	55.7	34.7	7.62	6.69	4.12	49.9	52.0	43.6	
MAX	85.9	79.5	300	250	81.6	63.7	25.5	15.2	19.4	184	283	357	
DAT	13	15	31	9	12	11	1	31	1	23	16	31	
SR	50.1	40.7	42.3	83.1	53.3	44.2	13.4	6.63	6.62	24.7	39.8	24.8	
MIN	16.6	14.0	13.4	39.7	25.5	27.2	4.56	4.56	2.94	2.71	9.20	2.94	
DAT	12	28	2	7	6	29	31	1	29	1	5	21	
		GMIN =	2.71			SRGOD=	35.7			GMAX =	357		
		DATUM	1 10							DATUM	31 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1971

Broj : 60168 Stanica :TRGAJ Kota "0" = 92.35
Nacin osmat.: limnigraf Rijeka :CIJEVNA km od usca = 20.40
Pocetak rada: 1958 Sliv :MORACE Pov.sliva = 357.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	215	28.8	10.4	18.7	58.4	30.5	8.04	4.56	2.25	11.6	4.56	94.7	
2	109	36.9	9.80	22.2	56.3	29.7	6.88	4.56	2.25	9.80	3.98	90.2	
3	102	28.0	9.20	31.4	92.4	23.9	6.88	4.56	2.02	8.04	4.56	64.7	
4	68.9	23.0	9.80	31.4	89.2	22.2	6.88	4.56	2.02	7.46	3.98	50.0	
5	66.8	19.4	9.80	29.7	72.1	22.2	6.88	4.56	2.25	6.88	3.17	35.1	
6	64.7	16.6	9.20	87.0	58.4	21.5	6.88	4.56	2.02	6.30	2.94	28.8	
7	41.8	15.9	9.20	56.3	50.0	20.1	6.88	4.56	1.56	5.14	2.71	25.5	
8	32.3	14.6	9.20	42.8	47.8	20.1	6.88	4.56	2.02	4.56	2.94	21.5	
9	25.2	14.0	9.20	39.8	43.8	24.7	6.88	4.56	2.02	5.14	3.17	18.7	
10	22.2	14.0	10.4	38.8	46.9	21.5	6.88	4.56	2.02	3.14	2.94	16.6	
11	20.1	12.8	10.4	39.7	46.9	21.5	6.88	4.56	3.40	2.94	7.46	14.6	
12	18.0	11.6	9.80	38.8	43.8	20.1	6.40	4.56	12.2	2.94	17.3	12.8	
13	14.6	11.6	9.20	34.2	42.8	17.3	5.72	4.56	9.20	2.94	18.7	11.8	
14	14.0	11.6	9.20	22.2	40.7	14.6	5.72	4.56	9.20	2.94	37.9	12.8	
15	14.0	11.6	12.2	25.2	39.7	14.6	4.56	4.56	11.1	10.4	23.9	11.6	
16	14.0	16.6	41.8	23.9	39.7	14.0	4.56	4.56	23.9	84.8	18.7	11.6	
17	12.8	20.1	26.9	24.7	39.7	14.0	4.56	4.56	22.2	59.5	14.0	11.1	
18	12.2	18.7	36.9	28.8	39.7	12.0	5.14	4.56	12.8	25.5	11.6	9.20	
19	12.8	21.5	28.8	24.7	38.8	12.6	4.56	3.60	11.6	15.0	26.3	9.20	
20	11.6	23.0	22.2	30.5	36.6	12.2	4.56	2.94	10.4	12.8	121	9.20	
21	14.0	18.7	21.5	31.4	34.2	12.2	3.98	2.94	9.80	11.6	58.4	9.20	
22	56.3	15.9	50.0	34.2	33.3	11.6	3.98	2.94	8.04	11.6	49.0	9.20	
23	75.3	14.6	47.9	37.9	31.4	10.4	3.40	2.48	6.88	10.4	121	9.20	
24	39.7	14.0	21.5	37.9	30.5	9.80	3.40	2.48	6.88	9.20	57.4	9.80	
25	32.3	11.6	20.8	71.0	27.2	9.80	3.98	2.48	6.30	7.46	34.2	9.20	
26	36.0	11.6	20.8	53.2	24.7	9.20	3.98	2.25	4.56	6.88	39.7	8.62	
27	36.0	11.6	20.8	37.9	23.9	9.20	3.98	2.02	4.56	6.88	23.0	8.62	
28	61.6	10.4	20.1	31.4	23.9	9.20	3.98	2.02	5.14	6.88	19.4	8.04	
29	39.7		20.8	37.9	23.9	9.20	3.98	2.25	5.14	6.88	60.5	7.46	
30	30.5		20.8	47.9	23.9	9.20	3.98	2.48	15.9	5.14	93.6	7.46	
31	25.5		19.4		23.9		3.98	2.71		4.56		6.88	
SD1	74.8	21.1	9.62	39.8	61.5	23.6	7.00	4.56	2.04	6.81	3.50	44.6	
SD2	14.4	15.9	20.7	29.3	40.8	15.3	5.27	4.30	12.6	22.0	29.7	11.4	
SD3	40.6	13.5	25.9	42.1	27.3	9.98	3.87	2.46	7.32	7.95	55.6	8.52	
MAX	215	36.9	50.0	87.0	92.4	30.5	8.04	4.56	23.9	84.8	188	94.7	
DAT	1	2	22	6	3	1	1	1	16	16	23	1	
SR	43.2	17.1	19.0	37.1	42.7	16.3	5.33	3.73	7.32	12.1	29.6	21.1	
MIN	11.6	10.4	9.20	18.7	23.9	9.20	3.40	2.02	1.56	2.94	2.71	6.88	
DAT	20	28	3	1	27	26	23	27	7	11	7	31	
		GMIN =	1.56			SRGOD=	21.2			GMAX =	215		
		DATUM	7 9							DATUM	1 1		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1972

Broj : 60168 Stanica :TRGAJ Kota "0" = 92.35
Nacin osmat.: limnigraf Rijeka :CIJEVNA km od usca = 20.40
Pocetak rada: 1958 Sliv :MORACE Pov.sliva = 357.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	8.04	20.1	16.6	20.1	27.2	20.1	5.72	5.14	16.6	27.2	9.20	21.5
2	10.4	16.6	14.6	22.2	27.2	18.7	6.30	4.56	15.6	18.0	9.80	20.1
3	11.6	15.2	14.0	25.1	27.2	17.3	6.30	5.14	11.1	15.2	10.4	16.6
4	9.20	14.0	14.0	25.1	27.2	18.0	5.72	6.88	11.1	11.6	5.14	14.6
5	18.7	11.6	13.4	25.1	27.2	18.0	5.14	6.30	8.04	11.6	5.72	9.20
6	26.3	11.1	11.6	28.0	26.3	18.0	4.56	5.14	8.04	10.4	6.88	7.46
7	18.7	10.4	11.6	27.2	28.8	17.3	4.56	5.14	7.46	9.20	6.88	9.20
8	17.3	10.4	11.6	28.8	30.5	16.6	4.56	4.56	6.30	8.04	5.14	9.20
9	20.8	10.4	12.8	28.8	29.7	16.6	4.56	5.14	6.88	6.88	2.94	8.62
10	19.4	17.3	14.6	28.8	27.2	14.6	4.56	4.56	6.30	7.46	2.94	8.04
11	16.6	31.4	17.3	29.7	26.3	14.0	3.98	3.40	6.88	8.04	2.94	9.20
12	15.2	25.6	18.7	31.4	28.0	12.8	3.40	3.40	6.30	14.6	7.46	8.62
13	14.0	34.2	18.0	32.3	28.0	12.8	2.94	2.94	6.88	19.4	58.4	3.40
14	12.8	28.0	16.6	32.3	25.1	13.4	2.94	2.94	6.88	56.3	52.1	2.48
15	18.6	22.2	15.2	22.2	22.2	12.8	2.94	2.48	6.88	59.3	43.8	2.71
16	11.1	18.0	15.2	26.3	23.0	13.4	7.46	2.02	56.3	28.0	81.6	2.02
17	10.4	15.2	14.0	51.0	32.3	13.4	11.1	2.48	94.7	24.5	38.8	2.25
18	9.80	14.0	14.0	47.9	34.2	12.2	6.88	2.71	44.9	22.2	32.3	2.25
19	9.20	12.8	14.0	36.9	35.1	11.1	5.72	2.48	27.2	19.4	75.2	2.25
20	8.62	12.8	14.0	36.0	41.8	10.4	5.72	9.20	25.1	9.20	37.9	2.25
21	9.20	17.3	14.6	36.0	39.7	8.62	6.88	53.2	16.6	9.20	95.9	2.48
22	8.04	19.4	16.6	36.9	31.4	7.46	6.88	52.1	16.6	43.8	73.1	2.02
23	8.04	19.4	14.6	37.9	28.8	6.88	6.88	39.7	11.6	28.8	47.9	1.79
24	8.04	18.7	14.6	41.8	28.8	6.88	7.46	11.6	11.6	18.7	56.3	2.02
25	8.04	16.6	14.0	53.2	28.8	5.72	6.88	10.4	11.6	14.6	140	2.02
26	6.88	16.6	14.0	67.9	28.8	5.14	8.04	9.20	13.4	13.6	57.4	2.02
27	6.88	17.3	14.0	61.6	28.0	4.56	7.46	8.04	52.1	11.6	39.7	1.79
28	8.04	19.4	16.6	40.7	25.1	5.14	7.46	7.46	157	12.2	28.8	2.02
29	20.1	19.4	16.6	31.4	24.7	5.14	7.46	7.46	56.3	11.6	27.2	2.02
30	64.7		15.2	28.8	24.7	5.14	6.88	8.04	33.3	11.1	20.1	2.02
31	32.3		19.4		23.9		5.72	9.80		9.80		2.02
SD1	16.0	13.7	13.5	25.9	27.9	17.5	5.20	5.26	9.74	12.6	6.50	12.5
SD2	12.6	21.4	15.7	34.6	29.6	12.6	5.31	3.40	28.2	26.1	43.0	3.74
SD3	16.4	18.2	15.5	43.6	28.4	6.07	7.09	19.7	38.0	16.8	58.6	2.02
MAX	64.7	34.2	19.4	67.9	41.8	20.1	11.1	53.2	157	59.5	140	21.5
DAT	30	13	31	26	20	1	17	21	28	15	25	1
SR	15.1	17.8	14.9	34.7	28.6	12.1	5.91	9.79	25.3	18.4	36.1	5.94
MIN	6.88	10.4	11.6	20.1	22.2	4.56	2.94	2.02	6.30	6.88	2.94	1.79
DAT	26	7	6	1	15	27	13	16	8	9	9	23
	GMIN = 1.79			SRGOD= 18.6				GMAX = 157				
	DATUM 23 12							DATUM 28 9				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1973

Broj : 60168 Stanica :TRGAJ Kota "0" = 92.35
Nacin osmat.: limnigraf Rijeka :CIJEVNA km od usca = 20.40
Pocetak rada: 1958 Sliv :MORACE Pov.sliva = 357.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	5.36	10.0	9.52	18.0	53.6	19.6	6.09	12.5	5.12	13.2	11.8	12.5
2	5.36	12.5	8.54	20.4	55.8	18.8	6.09	10.0	5.12	12.5	10.5	10.0
3	5.36	16.5	8.54	21.2	64.3	19.6	6.09	9.52	4.88	11.2	9.52	8.05
4	5.36	16.5	9.03	22.0	71.9	22.0	5.60	9.03	4.88	10.5	9.03	8.54
5	5.36	15.2	9.03	24.4	79.7	18.8	5.36	8.54	4.64	9.52	8.54	19.6
6	5.36	10.0	9.03	18.0	87.5	18.8	5.36	8.05	4.16	9.03	8.05	19.6
7	5.36	9.52	8.05	18.0	90.1	18.8	5.60	7.56	4.16	8.54	52.4	18.0
8	5.36	9.03	9.52	18.8	83.6	18.8	5.60	6.58	4.16	7.07	125	16.5
9	5.12	8.54	27.1	19.6	74.5	18.0	5.60	5.60	4.16	7.07	54.7	35.5
10	5.12	9.52	22.8	24.4	69.3	17.2	5.36	5.36	4.16	8.05	34.5	57.0
11	5.12	28.0	18.0	77.1	44.6	14.5	5.36	5.60	3.92	7.56	28.9	35.5
12	5.12	30.8	13.8	61.9	36.5	13.8	5.36	5.36	3.92	7.07	24.4	25.2
13	5.12	22.0	14.5	40.6	45.7	13.2	5.12	5.12	3.92	11.8	21.2	21.2
14	5.12	18.8	14.5	35.5	40.6	14.5	5.12	4.88	3.92	12.5	18.0	18.8
15	4.88	36.5	14.5	30.8	35.5	14.5	5.12	4.64	3.92	22.0	15.2	18.0
16	5.12	63.1	12.5	26.1	38.5	18.0	4.64	4.44	3.92	65.6	14.5	16.5
17	13.8	71.9	11.2	22.0	37.5	17.2	4.64	4.40	3.92	57.0	13.8	15.2
18	17.2	42.6	9.52	18.8	34.5	15.2	4.40	4.16	4.16	31.7	13.2	39.6
19	133	28.0	9.03	18.0	37.5	11.2	4.40	3.92	17.2	22.8	13.8	38.5
20	112	25.2	9.52	18.8	46.8	9.03	4.40	3.68	31.7	18.8	11.2	38.5
21	52.4	22.0	8.54	22.0	44.6	8.54	4.40	4.40	18.0	15.9	11.8	38.5
22	36.5	18.8	8.05	21.2	40.6	8.05	3.92	4.16	12.5	87.5	11.2	42.6
23	31.7	15.2	8.54	20.4	39.6	8.05	3.68	4.14	38.5	130	10.0	66.8
24	24.4	15.2	9.52	22.8	40.6	7.56	3.92	4.16	41.6	53.6	9.03	49.1
25	22.0	15.9	9.52	60.7	39.6	6.58	55.8	3.92	22.0	36.5	8.54	38.1
26	20.4	14.5	9.52	45.7	31.7	6.58	63.1	3.68	15.2	28.9	11.2	38.1
27	18.8	11.8	10.0	34.5	25.2	6.58	57.0	3.68	13.8	22.0	51.3	94.0
28	17.2	10.5	10.5	43.6	23.6	6.09	29.8	3.92	35.5	17.2	33.6	58.2
29	15.9		11.2	41.6	22.8	5.60	20.4	4.88	23.6	15.2	20.4	42.6
30	10.5		16.5	42.6	22.0	5.60	17.2	4.40	17.2	13.8	15.9	37.5
31	10.0		16.5		20.4		15.2	4.88		13.2		29.8
SD1	5.31	11.7	12.1	20.5	73.0	19.0	5.67	8.27	4.54	9.67	32.4	20.5
SD2	30.6	36.7	12.7	35.0	39.8	14.1	4.86	4.62	8.05	25.7	17.4	26.7
SD3	23.6	15.5	10.8	35.5	31.9	6.92	24.9	4.20	23.8	39.4	18.3	48.7
MAX	152	84.9	28.9	120	100	22.8	77.1	13.2	57.0	273	173	111
DAT	19	17	9	11	7	4	26	1	24	23	8	23
SR	20.0	21.7	11.8	30.3	47.7	13.4	12.2	5.65	12.1	25.4	22.7	32.5
MIN	4.88	8.54	8.05	18.0	20.4	5.60	3.68	3.68	3.92	7.07	8.05	8.05
DAT	15	9	7	1	31	29	23	20	11	8	6	3
		GMIN = 3.68			SRGOD= 21.3			GMAX = 273				
		DATUM 23 7						DATUM 23 10				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1974

Broj : 60168 Stanica :TRGAJ Kota "0" = 92.35
Nacin osmat.: limnigraf Rijeka :CIJEVNA km od usca = 20.40
Pocetak rada: 1958 Sliv :MORACE Pov.sliva = 357.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	34.5	5.60	8.05	23.6	44.6	36.5	13.2	5.60	3.06	68.0	90.8	68.2
2	38.5	6.09	8.05	20.4	83.6	33.6	11.2	3.44	3.20	42.6	75.7	52.6
3	34.5	6.09	8.05	18.0	61.9	35.5	10.5	3.06	3.40	61.9	63.4	46.7
4	31.7	6.09	7.56	17.2	50.2	31.7	9.52	3.06	3.06	36.5	60.0	43.8
5	28.9	5.60	7.56	15.9	107	28.9	8.54	3.06	2.92	24.4	56.8	38.5
6	36.1	10.0	11.2	15.2	75.8	27.1	7.56	3.20	3.20	22.0	53.6	36.1
7	22.8	138	13.8	14.5	60.7	27.1	7.56	3.06	3.44	36.5	51.6	35.1
8	21.2	51.3	10.5	14.5	49.1	22.8	7.07	3.44	3.68	75.8	52.6	35.3
9	19.6	28.0	9.52	13.2	44.6	20.4	6.58	2.78	3.68	74.5	53.6	33.6
10	18.0	22.8	9.52	12.5	39.6	23.6	7.07	2.64	3.44	46.8	52.6	30.8
11	16.5	18.0	9.03	12.5	35.5	34.5	6.09	2.78	3.06	31.7	50.5	29.5
12	14.5	18.0	8.54	13.1	38.5	30.5	5.36	2.78	3.06	23.6	49.6	30.2
13	18.8	18.0	8.54	18.0	39.6	21.2	5.12	2.64	2.78	21.2	46.7	57.9
14	12.5	17.2	8.05	22.5	37.8	22.0	5.36	2.64	2.98	50.2	45.8	42.9
15	11.8	15.9	7.56	22.8	50.2	21.2	5.12	2.64	2.98	49.1	42.0	34.4
16	11.2	15.9	8.05	20.4	68.0	22.8	4.88	2.50	2.78	233	41.0	28.8
17	10.0	15.2	7.56	43.6	40.6	23.6	5.12	2.60	2.64	120	40.0	28.8
18	9.52	14.5	7.56	34.5	39.6	23.6	4.64	2.78	2.22	75.8	39.4	28.8
19	8.54	13.8	7.07	25.2	37.5	18.8	4.40	2.64	2.22	51.3	40.2	32.1
20	8.54	13.8	7.56	22.0	39.6	15.9	4.64	2.64	1.94	29.8	42.8	26.9
21	7.07	11.8	8.54	20.4	43.6	15.2	4.64	2.64	1.94	82.3	44.8	26.2
22	7.56	11.2	14.5	19.6	40.6	13.8	4.40	2.50	4.64	121	43.8	25.7
23	6.56	11.8	18.0	17.2	48.0	13.2	3.92	2.64	22.0	256	41.0	25.7
24	7.07	10.5	19.6	15.9	48.0	12.5	4.16	2.64	20.4	376	39.4	24.0
25	6.58	10.5	22.8	15.2	87.0	11.8	3.92	2.64	43.6	219	40.2	23.0
26	6.58	9.52	22.0	15.9	78.4	12.5	3.92	2.50	97.9	117	108	22.4
27	7.07	9.52	23.6	18.0	52.4	12.5	3.68	2.22	81.0	86.5	107	20.8
28	6.58	9.03	25.2	22.0	43.6	11.2	3.68	2.50	37.5	71.8	93.8	21.3
29	6.58		22.8	40.6	42.6	11.2	3.20	3.06	22.8	79.8	248	21.9
30	6.09		21.2	42.6	40.6	13.2	3.20	3.20	20.4	113	124	21.9
31	6.09		21.2		35.5		3.06	3.44		98.1		22.4
SD1	28.6	28.0	9.38	16.5	61.7	28.7	8.88	3.33	3.31	48.9	61.1	42.1
SD2	12.2	16.0	7.95	23.5	42.7	23.4	5.07	2.66	2.67	68.6	43.8	34.0
SD3	6.71	10.5	19.9	22.7	50.9	12.7	3.80	2.73	35.2	147	89.0	23.2
MAX	40.6	181	26.1	55.8	134	38.5	13.8	3.92	110	532	248	68.2
DAT	2	7	28	17	5	1	1	1	27	24	29	1
SR	15.5	18.7	12.7	20.9	51.8	21.6	5.85	2.90	13.7	90.2	64.6	32.8
MIN	6.09	5.60	7.07	12.5	35.5	11.2	3.06	2.22	1.94	21.2	39.4	20.8
DAT	30	1	19	10	11	28	31	27	20	13	18	27
	GMIN = 1.94			SRGOD= 29.3				GMAX = 532				
	DATUM 20 9							DATUM 24 10				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1975

Broj : 60168 Stanica :TRGAJ Kota "0" = 92.35
Nacin osmat.: limnigraf Rijeka :CIJEVNA km od usca = 20.40
Pocetak rada: 1958 Sliv :MORACE Pov.sliva = 357.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	14.9	14.9	14.6	73.0	20.4	12.9	5.92	3.20	2.36	2.64	8.92	11.7
2	14.9	14.9	14.6	104	20.4	12.9	5.69	3.20	2.50	2.78	8.92	11.2
3	16.0	14.6	14.6	86.5	20.4	12.9	6.36	3.20	2.64	2.78	8.92	11.2
4	16.0	14.6	14.6	54.7	19.9	12.9	6.07	2.92	2.78	2.64	7.84	10.0
5	16.0	14.6	14.6	41.0	19.9	12.9	5.56	2.92	2.78	2.64	6.84	9.46
6	16.0	14.6	14.6	32.8	19.9	12.9	10.9	2.92	2.78	2.64	6.38	8.92
7	15.6	14.6	14.6	37.7	19.9	16.3	10.9	2.92	2.78	2.64	5.92	8.92
8	15.3	14.6	14.3	42.9	19.9	16.3	7.30	2.78	2.64	2.64	5.92	7.84
9	15.3	14.6	14.3	36.1	19.9	16.3	7.30	2.78	2.64	2.64	5.92	6.84
10	15.3	14.6	14.3	31.5	25.1	16.3	6.61	2.64	2.50	2.64	5.46	6.84
11	16.0	14.6	14.3	200	25.1	8.33	5.92	2.64	2.50	2.64	6.84	6.38
12	16.0	14.6	14.3	64.6	21.9	8.33	5.92	2.64	2.64	2.78	12.3	6.15
13	16.0	14.6	14.3	41.0	21.9	8.33	6.15	2.64	5.00	14.6	11.2	5.92
14	14.6	14.6	14.3	39.4	28.8	8.33	6.15	2.64	4.64	20.8	10.0	5.92
15	14.6	14.3	32.1	26.2	28.2	8.11	5.92	2.50	4.28	34.4	10.2	6.15
16	14.6	14.9	32.5	26.2	27.5	7.57	5.00	2.36	4.46	18.1	8.92	5.92
17	14.6	15.6	28.8	26.2	27.5	8.38	4.64	2.22	3.92	14.9	24.0	6.38
18	14.6	14.6	25.1	26.2	27.5	8.11	4.64	2.36	3.33	104	110	196
19	14.6	14.6	25.1	26.2	21.9	9.46	4.46	2.36	3.20	98.1	177	52.6
20	14.6	14.6	25.1	26.2	21.9	7.57	4.46	2.36	2.92	44.8	147	28.8
21	14.6	14.6	25.1	25.1	21.9	7.57	4.28	2.36	3.06	37.7	65.8	19.9
22	14.6	14.6	24.6	24.0	21.9	6.38	3.56	2.50	2.78	34.4	41.0	16.3
23	14.6	14.6	26.2	24.0	14.9	6.38	3.56	1.80	2.78	24.0	28.8	14.9
24	14.6	14.6	26.2	24.0	14.9	6.15	3.33	2.08	2.92	19.9	21.9	12.9
25	14.6	14.6	24.0	24.0	14.9	6.38	3.92	2.22	2.78	18.1	19.9	12.9
26	14.6	14.6	24.0	24.0	12.9	6.16	3.74	2.22	2.78	16.3	16.3	11.2
27	14.6	14.6	24.0	23.0	12.9	7.57	3.56	2.36	3.06	13.6	14.9	10.0
28	14.6	14.6	24.0	21.9	16.0	6.61	3.56	2.36	2.92	13.6	13.6	9.46
29	14.3		24.0	21.9	16.0	5.92	3.38	2.36	2.92	12.3	12.9	8.92
30	14.9		20.8	20.8	20.8	5.92	3.38	2.36	2.78	11.2	12.3	8.38
31	14.9		54.7		12.9		3.38	2.36		10.0		6.84
SD1	15.5	14.7	14.5	54.0	20.6	14.3	7.26	2.95	2.64	2.67	7.10	9.29
SD2	15.0	14.7	22.6	50.2	25.2	8.25	5.33	2.47	3.69	35.5	51.7	32.0
SD3	14.6	14.6	27.1	23.3	16.4	6.50	3.60	2.27	2.88	19.2	24.7	12.0
MAX	16.0	15.6	54.7	200	28.8	16.3	10.9	3.20	5.00	104	177	196
DAT	3	17	31	11	14	7	6	1	13	18	19	18
SR	15.0	14.7	21.6	42.5	20.6	9.67	5.34	2.55	3.07	19.1	27.9	17.6
MIN	14.3	14.3	14.3	20.8	12.9	5.92	3.33	1.80	2.36	2.64	5.46	5.92
DAT	29	15	8	30	26	29	24	23	1	1	10	13

GMIN =			1.80	SRGOD=				16.6	GMAX =			200
DATUM			23 8						DATUM			11 4

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1976

Broj : 60168 Stanica :TRGAJ Kota "0" = 92.35
Nacin osmat.: limnigraf Rijeka :CIJEVNA km od usca = 20.40
Pocetak rada: 1958 Sliv :MORACE Pov.sliva = 357.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	9.52	35.1	11.0	20.0	54.0	28.7	9.52	5.19	4.96	3.14	58.0	10.6	
2	9.52	32.5	13.6	22.0	53.4	27.5	11.9	10.2	5.65	2.80	52.4	87.8	
3	9.18	21.5	14.4	25.2	85.4	39.1	10.6	10.2	9.86	2.80	40.4	126	
4	9.18	20.0	12.7	28.7	108	32.5	8.84	8.84	25.8	2.80	43.1	62.2	
5	9.18	10.5	11.5	32.5	68.6	27.5	8.16	7.14	35.1	2.54	47.2	53.2	
6	8.50	17.6	9.86	33.2	61.4	49.3	7.48	6.57	23.0	2.80	33.8	47.9	
7	8.50	16.2	10.2	33.8	60.6	64.0	6.80	6.11	14.9	4.16	46.6	43.1	
8	7.48	14.4	14.0	35.1	58.0	41.0	6.80	5.19	11.0	3.99	80.6	227	
9	7.14	13.6	13.6	50.8	54.8	33.8	9.18	4.50	8.84	3.99	47.2	134	
10	6.80	13.1	13.1	45.9	57.2	29.3	9.18	4.16	7.82	3.82	34.4	71.8	
11	6.34	12.3	12.3	33.2	55.6	25.2	8.16	5.65	6.34	3.99	27.5	84.2	
12	3.11	11.5	11.9	27.5	47.2	23.0	7.14	11.0	5.88	3.99	23.0	77.0	
13	5.65	23.0	11.0	24.0	46.6	21.5	6.34	9.18	5.65	3.65	61.4	50.0	
14	5.65	22.0	10.2	22.5	42.4	20.0	6.11	7.82	5.19	5.42	115	38.4	
15	5.42	19.5	9.52	22.0	37.7	19.0	5.88	6.34	4.73	6.57	68.6	35.1	
16	5.42	18.1	8.84	21.5	39.1	17.6	5.65	5.88	4.73	6.34	45.2	32.5	
17	5.19	16.7	9.18	22.0	41.1	17.6	5.65	5.88	5.65	78.2	33.8	59.7	
18	4.73	15.8	9.52	23.5	41.8	25.8	5.42	8.16	7.82	58.0	28.1	105	
19	4.73	14.9	11.0	25.2	39.8	18.1	4.73	8.50	6.80	34.4	57.2	58.8	
20	4.73	14.0	12.3	29.9	35.8	15.3	4.73	13.6	6.34	24.6	45.9	43.1	
21	4.73	13.6	12.7	35.1	34.4	15.3	4.73	11.9	5.65	19.0	33.8	35.1	
22	4.73	12.7	11.5	32.5	32.5	14.4	4.96	10.2	5.19	14.9	38.4	32.5	
23	4.50	12.7	9.86	33.2	30.6	14.0	4.73	11.9	4.73	12.7	34.4	29.9	
24	5.88	10.6	58.8	43.8	29.9	13.1	12.7	12.3	4.50	11.0	27.5	27.5	
25	25.2	10.2	68.6	64.8	29.3	12.3	11.9	9.86	4.33	9.52	22.0	25.2	
26	43.8	9.52	40.4	58.8	29.9	11.9	9.18	8.50	3.99	8.84	18.1	23.5	
27	95.5	10.6	30.6	45.2	27.0	11.5	7.48	7.48	3.82	7.82	15.8	22.5	
28	52.4	11.0	27.5	39.1	36.4	11.2	6.34	5.65	3.82	7.48	14.0	22.5	
29	30.6	11.0	24.0	54.0	39.8	9.86	6.11	5.19	3.65	13.6	11.9	25.2	
30	22.5		21.5	101	29.9	9.86	5.88	5.19	3.48	12.7	11.0	57.2	
31	21.0		19.5		27.0		5.42	4.73		39.1		36.4	
SD1	8.50	19.5	12.4	32.7	66.1	37.3	8.85	6.81	14.7	3.28	48.4	86.4	
SD2	5.10	16.8	10.6	25.1	42.7	20.3	5.98	8.20	5.91	22.5	50.6	58.4	
SD3	28.3	11.3	29.5	50.8	31.5	12.3	7.22	8.45	4.32	14.2	22.7	30.7	
MAX	120	41.1	137	132	155	86.6	16.7	15.8	37.1	126	168	304	
DAT	27	1	25	25	4	7	2	24	5	17	14	9	
SR	14.4	16.0	17.9	36.2	46.3	23.3	7.35	7.84	8.31	13.4	40.5	57.6	
MIN	3.11	9.52	8.84	20.0	27.0	9.86	4.73	4.16	3.48	2.54	11.0	10.6	
DAT	12	26	16	1	27	29	19	10	30	5	30	1	
		GMIN =	2.54			SRGOD=	24.1			GMAX =	304		
		DATUM	5 10							DATUM	9 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1977

Broj : 60168 Stanica :TRGAJ Kota "0" = 92.35
Nacin osmat.: limnigraf Rijeka :CIJEVNA km od usca = 20.40
Pocetak rada: 1958 Sliv :MORACE Pov.sliva = 357.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	27.5	33.2	28.1	177	37.7	27.5	9.52	5.65	6.80	7.14	5.65	25.2	
2	25.2	49.3	25.2	117	40.4	25.8	9.18	9.86	6.80	11.0	11.5	33.8	
3	23.0	34.4	22.5	91.6	39.8	21.5	8.84	9.56	6.80	45.9	14.9	35.1	
4	21.0	25.8	22.0	64.8	39.8	19.0	9.19	9.18	6.34	31.2	12.3	26.4	
5	19.5	21.0	21.0	54.0	39.8	19.0	8.84	8.16	6.11	19.5	10.2	24.0	
6	17.6	18.5	20.5	47.9	35.1	19.5	8.84	6.80	6.11	15.3	9.17	22.0	
7	17.2	16.7	20.0	45.2	33.2	18.5	8.50	6.11	5.65	12.7	8.16	31.9	
8	16.7	16.7	21.0	41.1	32.5	18.5	8.50	5.65	5.42	11.5	7.48	32.5	
9	16.7	15.8	21.0	44.5	29.9	19.0	8.16	5.19	5.19	9.86	6.80	26.4	
10	16.7	13.1	20.5	43.8	27.0	18.5	8.16	5.42	4.96	19.5	6.57	39.1	
11	53.2	106	22.5	35.1	27.5	18.1	7.48	5.65	5.19	50.0	6.11	30.6	
12	105	259	23.0	31.2	27.0	18.1	6.80	5.42	4.50	45.9	5.88	22.0	
13	60.6	210	59.7	27.2	26.4	17.6	6.34	4.96	4.33	26.4	5.42	18.5	
14	37.1	94.2	50.0	23.0	26.4	16.7	6.57	4.73	3.99	20.0	12.7	16.2	
15	53.2	64.8	37.7	29.3	24.0	16.2	6.34	4.50	3.82	17.2	19.0	14.4	
16	48.6	50.8	28.1	32.5	28.1	15.8	6.11	4.33	3.82	14.0	47.8	12.7	
17	31.2	46.6	26.4	27.0	27.8	15.3	6.11	4.33	3.99	12.3	76.0	11.5	
18	25.2	39.8	25.2	24.0	28.1	14.4	5.88	4.16	20.0	11.0	58.0	11.0	
19	19.0	34.4	23.5	23.0	32.5	13.6	5.65	4.16	26.4	10.2	43.1	10.2	
20	17.6	33.8	24.6	22.5	34.4	13.6	5.42	4.33	15.3	9.18	19.9	9.18	
21	16.2	31.2	44.5	22.0	33.2	13.1	4.96	4.33	16.7	9.18	23.5	9.18	
22	14.0	50.0	41.8	22.0	29.3	12.7	4.96	6.34	15.3	8.50	55.6	8.50	
23	12.7	50.0	39.8	21.0	29.9	12.3	4.96	22.0	14.9	7.82	149	7.82	
24	12.7	47.9	40.4	21.5	28.7	11.9	4.96	17.2	15.3	7.48	77.0	7.82	
25	12.3	43.1	41.4	27.5	28.1	11.0	4.73	19.5	14.9	6.80	47.9	7.48	
26	17.2	40.4	44.5	24.0	27.0	11.0	4.73	13.6	12.7	6.11	73.8	6.80	
27	43.8	38.4	41.8	23.5	28.1	10.6	5.19	11.0	11.0	5.42	61.4	6.34	
28	37.1	31.2	37.7	23.5	29.3	10.6	5.65	8.84	9.86	5.19	43.8	6.11	
29	37.1		50.0	27.0	30.6	10.2	5.19	7.82	8.16	5.42	33.8	51.6	
30	69.6		56.4	32.5	28.1	9.52	4.96	7.14	7.48	5.42	29.1	26.3	
31	38.4		101		27.5		4.73	6.80		5.65		108	
SD1	20.1	24.5	22.2	72.7	35.5	20.7	8.77	7.16	6.02	18.4	9.27	29.6	
SD2	45.1	93.9	32.1	27.5	28.2	15.9	6.27	4.66	9.13	21.6	29.4	15.6	
SD3	28.3	41.5	49.0	24.5	29.1	11.3	5.00	11.3	12.6	6.64	59.5	22.4	
MAX	147	345	158	208	45.9	27.5	9.52	33.2	35.8	89.0	221	298	
DAT	12	12	31	1	2	1	1	25	21	11	22	31	
SR	31.1	54.1	34.9	41.5	30.9	16.0	6.63	7.83	9.26	15.3	32.7	22.5	
MIN	12.3	13.1	20.0	21.0	24.0	9.52	4.73	4.16	3.82	5.19	5.42	6.11	
DAT	25	10	7	23	15	30	25	18	15	28	13	28	

GMIN =			3.82	SRGOD=			25.0	GMAX =			345		
DATUM			15 9					DATUM			12 2		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1978

Broj : 60168 Stanica :TRGAJ Kota "0" = 92.35
Nacin osmat.: limnigraf Rijeka :CIJEVNA km od usca = 20.40
Pocetak rada: 1958 Sliv :MORACE Pov.sliva = 357.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	55.1	29.2	59.9	23.8	45.7	38.1	15.8	6.00	27.9	31.0	5.43	7.89
2	41.6	22.1	51.2	22.7	119	37.5	15.0	6.00	14.6	55.1	5.43	7.08
3	34.2	19.1	47.3	21.5	153	36.8	14.6	6.00	13.0	45.7	5.43	6.81
4	28.5	17.9	42.2	21.5	71.7	37.5	14.2	6.00	10.8	33.5	5.24	6.54
5	25.0	16.6	40.2	21.5	50.4	36.2	13.8	6.00	9.05	30.4	5.24	6.54
6	22.1	15.4	38.8	21.5	51.2	36.2	13.4	6.00	11.8	31.0	5.24	7.08
7	20.4	14.6	36.2	21.5	69.0	36.2	13.0	6.00	47.3	23.8	4.86	6.81
8	19.6	13.4	33.5	23.2	77.6	36.2	12.6	5.81	26.7	20.4	4.47	6.54
9	18.7	12.6	31.0	29.8	57.5	36.2	12.2	5.62	18.7	18.3	4.48	6.54
10	18.7	12.2	28.5	30.4	45.7	36.2	11.8	5.62	15.4	16.6	4.10	7.35
11	18.3	11.8	26.7	29.8	40.2	36.2	11.8	5.43	13.8	15.4	4.10	7.62
12	18.3	18.3	23.8	29.8	35.5	36.2	11.5	5.43	12.6	13.8	4.10	7.62
13	17.9	68.1	21.5	38.8	32.2	36.2	11.1	5.24	31.0	13.0	4.10	28.5
14	17.9	251	18.7	116	70.8	36.2	10.8	5.24	29.8	11.5	4.10	111
15	17.9	97.2	20.4	72.7	66.5	36.2	10.5	5.05	21.5	10.8	4.10	66.5
16	17.9	54.3	39.8	66.5	46.5	41.6	10.1	4.86	16.2	9.40	4.10	36.8
17	18.3	40.9	31.6	50.4	40.9	36.8	9.40	4.67	14.6	8.70	4.10	169
18	24.2	45.7	131	37.5	40.9	33.5	9.40	4.48	13.4	7.16	4.10	201
19	23.8	68.1	85.9	31.0	41.6	31.0	9.05	4.48	11.1	7.62	4.10	102
20	20.0	186	53.5	25.0	41.6	28.5	8.70	4.29	9.75	7.62	4.10	67.3
21	18.7	99.6	56.7	22.7	43.6	27.3	8.43	4.29	13.0	7.35	4.10	53.5
22	17.9	64.8	57.5	22.7	47.3	25.0	8.16	4.29	13.0	6.81	3.93	38.8
23	17.9	53.5	40.2	22.7	155	23.8	7.89	4.10	12.2	6.54	3.93	33.5
24	17.5	49.6	38.8	22.7	81.6	21.5	7.62	4.10	11.1	6.27	3.93	27.9
25	21.0	44.3	36.8	23.2	53.5	20.0	7.35	4.10	10.1	6.00	3.93	23.2
26	12.7	61.5	31.0	58.3	46.5	18.7	6.81	4.10	9.40	6.00	4.10	21.5
27	19.6	226	27.9	61.5	42.9	18.3	6.54	4.10	8.43	5.81	4.48	21.5
28	17.0	90.1	26.7	112	55.1	17.9	6.27	4.10	21.5	5.81	13.4	20.0
29	20.4		26.1	66.5	48.0	17.0	6.27	4.10	58.3	5.62	11.1	45.7
30	66.5		25.0	47.3	41.6	16.6	6.00	4.10	32.3	5.62	8.70	66.5
31	40.5		24.4		37.5		6.00	7.35		5.62		64.8
SD1	28.4	17.3	40.9	23.7	74.1	36.7	13.6	5.90	19.5	30.6	4.99	6.92
SD2	19.5	84.1	45.3	49.7	45.7	35.2	10.2	4.92	17.4	10.5	4.10	79.7
SD3	24.5	86.2	35.6	46.0	59.3	20.6	7.03	4.43	18.9	6.13	6.16	37.9
MAX	85.9	298	247	166	241	48.8	16.2	40.2	69.0	59.9	18.3	323
DAT	30	27	18	28	23	1	1	1	29	2	28	18
SR	24.1	60.9	40.4	39.8	59.7	30.9	10.2	5.06	18.6	15.4	5.08	41.4
MIN	12.7	11.8	18.7	21.5	32.2	16.6	6.00	4.10	8.43	5.62	3.93	6.54
DAT	26	11	14	3	13	30	30	23	27	29	22	4
	GMIN = 3.93			SRGOD= 29.1				GMAX = 323				
	DATUM 22 11							DATUM 18 12				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1979

Broj : 60168 Stanica :TRGAJ Kota "0" = 92.35
Nacin osmat.: limnigraf Rijeka :CIJEVNA km od usca = 20.40
Pocetak rada: 1958 Sliv :MORACE Pov.sliva = 357.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	182	50.4	10.8	40.2	33.5	25.0	10.8	3.08	6.00	2.30	90.1	25.0
2	61.3	36.8	10.8	33.5	28.5	25.0	10.8	3.08	5.05	2.20	77.6	25.0
3	42.2	31.6	10.8	29.2	26.1	26.1	10.5	2.91	4.10	2.20	32.2	23.8
4	31.6	85.9	10.8	26.1	29.2	24.4	10.1	2.91	3.76	2.20	18.7	22.4
5	26.1	73.7	10.5	40.2	38.5	22.7	12.2	2.91	3.76	2.20	18.7	20.4
6	24.4	42.9	10.1	157	40.2	19.6	8.70	2.57	3.42	2.20	18.7	20.4
7	20.4	33.5	9.75	70.8	40.2	17.5	7.89	2.57	3.08	34.8	16.2	19.6
8	17.0	23.8	9.40	49.6	45.7	17.9	8.16	2.57	2.74	21.5	16.2	18.7
9	15.4	27.5	8.70	38.1	43.6	16.2	9.40	2.40	2.20	8.70	15.4	14.6
10	21.5	23.8	8.43	32.3	42.6	15.4	10.1	2.40	2.20	6.81	14.6	61.5
11	44.3	45.7	7.89	29.2	42.2	15.8	9.05	3.25	2.20	6.81	14.2	61.5
12	71.7	35.5	7.62	27.9	37.5	14.6	8.70	4.10	2.10	6.81	51.9	59.9
13	32.3	121	7.35	26.1	36.8	14.6	8.16	3.25	2.00	6.81	38.8	51.9
14	22.1	102	7.08	23.8	33.5	14.6	7.08	2.91	1.90	68.1	37.5	42.9
15	23.8	73.7	6.81	22.7	29.2	14.2	6.54	2.74	1.70	26.7	36.2	27.3
16	19.6	65.4	8.43	25.0	31.0	16.2	6.00	2.74	1.60	19.1	467	28.5
17	16.2	51.2	19.6	27.3	29.8	38.8	5.24	2.40	1.60	16.6	471	27.9
18	13.8	47.3	15.8	27.9	31.0	91.3	4.86	2.40	1.40	16.6	266	26.1
19	13.0	39.5	13.4	26.1	36.8	38.8	4.48	4.48	1.40	16.2	175	25.0
20	13.2	32.2	14.6	22.1	38.8	32.2	4.10	7.89	1.40	15.4	167	23.8
21	12.2	22.7	30.4	17.5	37.5	17.9	4.10	4.86	1.35	14.6	41.6	69.8
22	12.2	18.7	32.3	19.6	36.8	15.8	4.10	4.86	1.35	13.5	38.8	66.5
23	12.2	16.2	23.8	18.3	34.8	14.6	3.76	4.29	1.30	13.0	37.5	58.3
24	12.2	15.4	21.0	17.9	34.8	13.8	3.76	3.76	1.40	8.70	34.8	50.4
25	29.8	14.6	19.6	16.2	33.5	13.4	3.59	35.5	1.80	7.62	32.2	48.8
26	94.8	11.5	18.3	88.0	32.9	13.0	3.59	26.1	1.90	7.08	31.0	45.7
27	43.6	11.5	50.4	200	32.2	12.6	3.42	17.9	2.00	5.62	28.5	44.3
28	32.9	11.1	277	146	29.8	12.2	3.42	13.8	2.10	5.62	28.5	42.9
29	112		121	60.7	29.2	11.5	3.25	11.1	2.20	6.81	27.3	41.6
30	186		79.5	42.9	27.9	11.1	3.25	9.40	2.40	75.6	26.1	39.8
31	79.6		51.2		25.0		3.08	7.08		97.2		59.9
SD1	44.2	43.0	10.0	51.7	36.8	21.0	9.86	2.74	3.63	8.51	31.8	25.1
SD2	27.0	61.4	10.9	25.8	34.7	29.1	6.42	3.62	1.73	19.9	172	37.5
SD3	57.0	15.2	65.9	62.7	32.2	13.6	3.57	12.6	1.78	23.2	32.6	51.6
MAX	323	179	376	239	51.9	124	13.8	35.5	6.00	97.2	471	69.8
DAT	1	13	28	27	8	18	1	25	1	31	16	21
SR	43.2	41.6	30.1	46.7	34.5	21.2	6.52	6.52	2.38	17.4	79.0	38.5
MIN	12.2	11.1	6.81	16.2	25.0	11.1	3.08	2.40	1.30	2.20	14.2	14.6
DAT	21	28	15	25	31	30	31	9	23	2	11	9
GMIN =		1.30		SRGOD=		30.5		GMAX =		471		
DATUM		23 9						DATUM		16 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1980

Broj : 60168 Stanica :TRGAJ Kota "0" = 92.35
Nacin osmat.: limnigraf Rijeka :CIJEVNA km od usca = 20.40
Pocetak rada: 1958 Sliv :MORACE Pov.sliva = 357.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	67.2	41.9	5.93	34.1	29.9	75.7	13.7	4.56	3.31	4.76	15.6	72.0
2	51.8	86.5	5.93	31.2	39.7	62.8	12.3	4.56	3.99	4.76	14.8	46.4
3	43.3	67.6	5.93	34.1	45.9	55.6	15.7	3.59	3.72	4.76	14.8	37.8
4	34.4	53.1	6.39	33.0	50.3	50.9	15.7	3.95	3.45	4.76	16.7	34.6
5	27.5	41.9	5.66	28.2	60.9	48.1	12.3	3.95	3.31	4.76	19.6	31.2
6	26.6	43.1	5.66	24.4	111	48.1	11.6	3.95	3.19	4.76	22.5	24.0
7	24.3	41.9	6.39	21.7	137	48.1	10.9	3.95	3.19	4.76	115	43.0
8	20.1	45.8	9.60	19.1	116	46.4	10.2	3.95	3.19	4.60	84.3	46.7
9	18.1	44.4	12.9	18.2	102	48.1	10.2	3.95	3.19	5.64	51.3	40.0
10	16.4	40.5	12.1	15.9	94.2	49.5	8.87	3.95	3.19	47.6	84.3	37.4
11	15.4	37.8	10.5	14.4	90.7	62.8	8.87	3.95	3.19	36.5	83.6	34.6
12	13.6	32.7	9.60	13.6	83.6	60.9	8.87	3.95	3.19	64.3	63.7	29.0
13	12.6	29.1	9.14	12.2	76.7	52.5	8.87	3.82	3.19	194	167	24.0
14	12.1	24.5	8.68	12.2	71.9	48.9	8.87	3.82	3.19	185	314	19.2
15	13.5	22.3	8.22	12.9	71.9	46.4	8.10	3.70	3.19	116	198	17.6
16	15.4	21.3	8.22	13.6	107	45.0	7.70	3.70	2.92	66.3	115	15.9
17	14.5	19.3	8.22	16.6	141	38.9	7.70	3.57	2.92	49.6	79.8	15.1
18	12.6	17.3	7.76	20.0	119	34.7	7.33	3.57	2.92	72.6	52.9	15.1
19	12.1	15.2	7.30	22.6	88.9	34.7	6.93	3.46	2.92	89.7	52.9	15.1
20	11.0	13.3	7.76	22.6	76.7	32.2	6.93	3.46	2.87	79.4	41.7	15.1
21	9.86	12.2	22.2	34.1	68.7	28.1	6.55	3.31	2.82	66.3	35.1	15.1
22	9.86	11.6	48.2	50.4	62.5	25.2	6.55	3.31	2.82	55.6	30.4	17.6
23	9.86	11.0	81.5	41.9	59.3	24.4	6.55	3.21	2.82	46.0	27.2	19.2
24	12.1	9.84	59.8	34.1	65.7	24.4	6.55	3.21	2.82	40.0	24.8	17.6
25	47.2	10.4	25.0	29.3	67.3	23.3	6.55	3.07	2.82	38.1	22.5	15.9
26	80.0	9.24	48.2	27.1	51.9	22.1	6.15	3.07	2.82	46.0	22.5	15.1
27	54.8	9.26	49.7	25.3	56.5	19.8	5.78	2.96	2.82	42.1	78.2	15.1
28	38.3	8.68	36.1	24.4	60.9	21.0	5.78	2.96	2.82	38.1	104	15.1
29	30.0	8.10	34.0	24.4	71.9	16.4	5.78	2.82	2.92	38.1	78.2	14.3
30	25.2		36.1	23.5	70.3	15.3	5.78	2.82	2.92	34.8	88.2	12.6
31	22.0		38.2		70.3		5.78	2.82		31.6		11.0
SD1	33.0	50.7	7.65	26.0	78.7	53.3	12.1	4.04	3.37	9.12	43.9	41.3
SD2	13.3	23.3	8.54	16.1	92.7	45.7	8.02	3.70	3.05	95.3	117	20.1
SD3	30.8	10.0	43.5	31.5	64.1	22.0	6.16	3.05	2.84	43.3	51.1	15.3
MAX	80.0	86.5	81.5	50.4	141	75.7	15.7	4.56	3.99	194	314	72.0
DAT	26	2	23	22	17	1	4	1	2	13	14	1
SR	25.9	28.6	20.7	24.5	78.1	40.3	8.69	3.58	3.09	49.1	70.6	25.2
MIN	9.86	8.10	5.66	12.2	29.9	15.3	5.78	2.82	2.82	4.60	14.8	11.0
DAT	21	29	5	13	1	30	27	29	21	8	2	31

GMIN =			2.82	SRGOD=			31.5	GMAX =			314	
DATUM			29 8					DATUM			14 11	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1981

Broj : 60168 Stanica :TRGAJ Kota "0" = 92.35
Nacin osmat.: limnigraf Rijeka :CIJEVNA km od usca = 20.40
Pocetak rada: 1958 Sliv :MORACE Pov.sliva = 357.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	10.6	7.24	5.34	82.6	37.1	40.9	6.79	2.85	3.14	4.32	38.0	6.08
2	9.57	7.24	5.10	73.4	33.4	38.3	6.79	2.75	3.14	4.52	32.8	13.2
3	9.07	6.84	49.3	64.5	33.4	36.8	6.42	2.74	3.14	42.9	27.8	10.8
4	8.05	6.84	151	54.9	56.8	35.4	6.08	2.74	3.27	27.9	23.0	9.37
5	9.57	12.2	73.4	48.2	94.9	35.4	5.70	2.62	3.27	16.0	20.9	8.43
6	9.06	17.9	43.4	42.8	67.0	30.7	5.36	2.74	3.43	12.1	18.2	7.49
7	9.06	14.2	32.6	41.7	48.0	26.2	5.36	2.85	3.43	9.00	15.5	25.5
8	8.05	12.8	26.9	41.7	40.0	22.7	5.36	2.74	3.43	7.70	13.8	110
9	7.54	12.2	25.0	43.9	36.3	19.8	4.99	2.62	3.43	6.42	13.2	153
10	6.53	10.8	24.1	46.1	36.3	19.8	4.99	2.62	3.43	5.79	11.9	137
11	6.53	12.2	29.8	45.0	40.1	18.8	4.64	2.62	3.56	5.56	10.6	140
12	6.53	69.5	30.7	39.7	55.7	17.8	4.99	2.62	3.71	5.56	10.0	227
13	6.53	56.5	41.2	35.6	50.2	17.8	6.42	2.62	3.56	7.70	9.39	274
14	11.6	35.3	50.4	35.6	42.1	15.9	6.08	2.74	3.43	7.70	8.76	168
15	9.57	26.0	43.4	39.7	37.1	14.9	5.70	2.74	5.28	6.84	8.76	93.0
16	9.06	23.7	41.2	41.7	40.1	13.0	5.70	2.74	4.29	5.66	8.13	66.9
17	9.06	21.3	42.4	43.9	41.1	11.9	5.36	2.74	3.84	5.56	8.13	53.3
18	9.06	19.0	44.4	53.7	40.1	14.0	5.36	2.74	3.56	5.37	8.13	42.9
19	8.55	16.7	52.7	59.7	42.1	14.9	5.70	2.62	3.56	5.22	7.42	86.9
20	8.55	15.5	45.7	42.8	44.0	14.0	6.08	2.62	3.56	5.22	7.06	82.0
21	8.55	12.8	36.7	36.5	42.1	10.7	5.70	2.62	3.56	5.02	7.42	60.0
22	8.05	15.5	33.4	36.5	41.1	10.2	5.36	2.74	3.56	5.37	7.76	48.2
23	7.54	12.8	34.5	39.6	40.1	9.02	4.99	2.74	3.43	88.7	9.39	40.4
24	6.56	11.5	33.4	46.1	35.4	8.46	4.64	2.74	3.27	148	10.0	33.9
25	5.96	10.8	32.6	73.1	33.4	7.89	4.64	2.74	3.27	102	10.6	52.0
26	5.96	10.1	38.9	75.9	34.4	7.32	4.48	2.62	3.14	67.7	11.9	44.3
27	5.96	9.44	50.5	111	33.4	6.99	4.35	2.62	3.14	61.7	11.3	35.9
28	5.67	8.76	61.5	89.6	30.6	6.68	4.35	2.74	3.14	97.3	10.0	31.8
29	5.69		72.0	62.6	27.2	6.68	4.06	2.62	4.00	88.7	10.0	29.4
30	5.69		83.0	47.1	25.6	6.35	3.90	2.62	4.00	69.6	9.39	52.0
31	5.39		90.5		24.9		3.77	2.51		55.0		46.9
SD1	8.71	10.8	43.6	54.0	48.3	30.6	5.78	2.73	3.31	13.7	21.5	48.1
SD2	8.50	29.6	42.2	43.7	43.3	15.3	5.60	2.68	3.84	6.04	8.64	123
SD3	6.46	11.5	51.5	61.8	33.5	8.03	4.57	2.66	3.45	71.7	9.78	43.2
MAX	11.6	69.5	151	111	94.9	40.9	6.79	2.85	5.28	148	38.0	274
DAT	11	12	4	27	5	1	1	1	15	24	1	13
SR	7.84	17.7	46.0	53.2	41.4	18.0	5.29	2.69	3.53	31.8	13.3	70.6
MIN	5.39	6.84	5.10	35.6	24.9	6.35	3.77	2.51	3.14	4.32	7.06	6.08
DAT	31	3	2	13	31	30	31	31	1	1	20	1
		GMIN = 2.51		SRGOD= 26.1		GMAX = 274						
		DATUM 31 8				DATUM 13 12						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1982

Broj : 60168 Stanica :TRGAJ Kota "0" = 92.35
Nacin osmat.: limnigraf Rijeka :CIJEVNA km od usca = 20.40
Pocetak rada: 1958 Sliv :MORACE Pov.sliva = 357.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	34.0	7.36	5.56	72.6	13.1	18.1	6.64	2.59	2.87	4.01	4.37	3.69
2	47.3	6.90	5.56	52.0	11.6	16.2	6.32	2.59	2.82	4.01	4.37	3.69
3	41.7	6.44	5.56	47.6	11.6	15.3	5.97	2.59	2.77	4.01	4.29	2.62
4	34.1	5.98	5.56	42.4	10.9	13.4	5.65	2.47	2.77	4.01	4.29	3.34
5	29.4	5.71	5.56	37.2	10.9	11.4	5.31	2.47	2.77	4.01	4.29	3.23
6	25.8	5.71	5.88	34.0	12.4	10.8	5.31	2.37	2.73	4.09	4.22	3.32
7	28.6	5.46	5.88	32.1	15.2	10.3	6.98	2.33	2.73	6.63	4.22	3.32
8	24.0	5.46	5.88	31.1	21.6	9.76	6.32	2.33	2.73	6.63	4.22	3.43
9	23.1	5.46	5.88	33.2	30.8	8.67	5.65	2.29	2.73	5.79	4.22	3.69
10	23.1	5.46	5.88	34.1	36.8	8.12	5.31	2.29	2.73	5.56	4.14	4.09
11	23.1	5.46	5.88	34.1	36.8	7.58	4.97	2.29	2.73	5.56	4.14	4.72
12	51.7	5.46	6.18	33.2	41.3	7.03	4.32	2.29	2.73	5.56	4.07	5.35
13	49.4	5.19	5.88	29.4	36.1	19.9	6.32	2.29	2.73	5.79	4.07	6.28
14	34.4	5.19	5.88	32.1	32.7	34.0	5.31	2.29	2.73	5.38	4.22	61.9
15	30.2	5.19	6.18	53.1	28.0	28.4	4.98	2.29	2.73	5.15	18.0	40.9
16	26.8	5.19	6.18	61.5	26.0	21.8	4.32	2.29	2.68	5.57	9.64	25.9
17	23.1	5.19	6.50	63.8	25.1	18.1	4.17	2.29	2.68	6.63	22.3	20.2
18	20.7	5.19	7.67	72.6	25.1	15.3	4.05	2.29	2.68	6.21	26.9	37.8
19	18.3	5.19	9.88	62.6	23.4	12.5	3.78	2.29	2.68	5.98	16.2	78.0
20	16.7	4.94	10.4	49.8	23.4	11.4	3.78	2.29	2.68	5.57	11.7	51.2
21	14.5	4.67	8.78	41.3	21.6	10.3	3.78	2.29	2.68	5.57	10.1	44.2
22	13.2	4.67	8.22	33.2	20.8	9.76	3.78	2.37	2.68	5.38	9.64	52.8
23	11.8	4.67	6.80	28.5	20.1	9.21	3.70	2.59	2.68	5.15	8.63	92.3
24	10.4	4.67	6.80	25.2	20.1	8.12	3.63	2.59	2.63	5.15	7.61	69.8
25	9.09	4.67	5.88	21.8	21.6	7.03	3.63	2.47	2.63	5.15	6.59	49.8
26	8.70	4.67	5.56	18.7	21.3	6.72	3.63	2.47	2.63	4.96	6.37	37.8
27	8.30	4.67	5.56	17.1	20.1	6.42	3.63	2.47	2.63	4.73	6.37	31.5
28	7.90	4.67	6.18	15.7	19.2	6.42	3.63	2.47	2.63	4.54	6.18	25.9
29	7.51		8.22	13.7	17.5	6.42	3.50	2.37	2.63	4.47	6.18	22.4
30	7.11		37.2	13.0	16.6	6.42	3.36	2.37	2.63	4.39	6.18	18.6
31	4.71		117		15.2		3.36	2.33		4.39		15.7
SD1	31.1	5.99	5.72	41.6	17.5	12.2	5.95	2.43	2.76	4.88	4.26	3.44
SD2	29.4	5.22	7.06	49.2	29.8	17.6	4.60	2.29	2.71	5.74	12.1	33.2
SD3	9.38	4.67	19.7	22.8	19.5	7.68	3.60	2.44	2.65	4.90	7.38	41.9
MAX	51.7	7.36	177	72.6	41.3	34.0	6.98	2.59	2.87	6.63	26.9	92.3
DAT	12	1	31	1	12	14	7	1	1	7	17	23
SR	22.9	5.34	11.1	37.9	22.2	12.5	4.68	2.39	2.70	5.16	7.92	26.7
MIN	4.71	4.67	5.56	13.0	10.9	6.42	3.36	2.29	2.63	4.01	4.07	2.62
DAT	31	21	1	30	4	27	30	9	24	1	12	3
		GMIN =	2.29			SRGOD=	13.5			GMAX =	177	
		DATUM	9 8							DATUM	31 3	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1983

Broj : 60168 Stanica :TRGAJ Kota "0" = 92.35
Nacin osmat.: limnigraf Rijeka :CIJEVNA km od usca = 20.40
Pocetak rada: 1958 Sliv :MORACE Pov.sliva = 357.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	12.6	8.71	5.48	35.1	38.7	9.48	5.69	2.62	3.22	4.89	3.96	7.07
2	11.5	7.53	5.22	42.5	48.8	9.00	5.41	2.51	3.22	4.89	4.12	6.12
3	10.4	7.53	4.93	62.4	43.8	8.53	5.15	2.51	3.22	4.89	4.12	5.47
4	10.4	6.74	4.93	53.9	33.5	8.06	4.84	2.51	3.22	4.89	4.12	4.83
5	9.83	6.32	4.67	43.6	29.0	7.58	4.84	2.51	3.36	4.52	3.96	4.18
6	8.73	5.94	4.38	35.1	26.0	7.58	4.60	2.51	3.36	4.52	3.96	3.92
7	8.18	17.4	4.38	31.1	23.1	9.96	4.60	2.51	3.22	4.36	3.96	3.78
8	7.64	29.7	4.67	29.3	21.5	9.48	4.32	2.51	3.22	4.36	3.96	3.78
9	7.09	23.4	5.77	30.1	20.5	8.06	4.32	2.62	3.22	4.36	3.96	3.66
10	7.09	36.8	8.76	35.1	19.6	7.58	4.32	2.62	3.10	4.36	3.96	3.66
11	7.09	57.1	11.2	41.5	18.6	7.10	4.06	2.51	3.10	4.36	3.96	4.49
12	6.77	66.5	14.6	49.2	17.2	6.63	4.06	2.51	3.22	4.52	3.78	6.76
13	6.44	44.1	12.0	87.7	16.2	6.15	4.06	2.62	3.36	4.72	3.78	4.49
14	6.15	35.6	11.2	65.1	15.4	6.63	4.06	2.43	3.36	4.52	3.78	3.92
15	6.47	29.7	10.7	49.1	15.4	6.63	4.32	2.32	3.22	4.36	3.78	3.78
16	6.15	23.4	10.7	39.4	14.6	8.06	4.32	2.32	3.10	4.36	3.78	3.60
17	5.85	18.8	10.7	32.0	14.6	10.9	4.60	2.32	3.10	4.36	3.78	4.04
18	5.85	16.2	11.2	28.5	13.8	11.7	4.06	2.32	6.36	4.16	3.78	42.5
19	5.53	14.8	13.7	24.7	13.0	10.9	3.78	2.32	5.42	4.16	3.63	102
20	5.53	14.1	15.4	23.9	11.1	10.4	3.52	2.32	5.09	4.16	3.63	104
21	5.53	12.6	16.2	28.5	10.2	9.96	3.52	2.24	5.09	4.16	3.63	88.9
22	5.53	11.9	19.6	33.9	9.72	9.48	4.06	2.24	4.78	4.16	3.78	57.1
23	5.53	11.2	25.5	37.9	9.25	9.48	3.52	2.24	4.78	4.16	3.78	42.5
24	5.53	9.83	31.8	38.2	10.2	9.01	3.39	2.24	4.45	4.16	3.63	34.6
25	5.53	9.12	77.2	39.4	9.72	8.06	3.30	2.24	4.14	4.16	3.63	28.7
26	5.24	9.12	151	38.2	14.6	7.58	3.30	2.32	4.14	4.16	3.63	27.7
27	5.24	8.71	121	36.1	10.6	7.58	3.18	2.32	4.00	4.16	3.63	27.7
28	5.24	8.33	75.8	36.1	9.72	7.58	3.18	2.24	3.88	4.16	32.1	24.1
29	5.24		55.4	36.1	9.72	6.15	3.08	2.24	3.74	4.16	22.8	22.0
30	5.24		46.1	35.1	9.72	5.87	3.04	2.24	3.62	4.16	13.0	21.0
31	5.24		43.4		9.72		3.80	2.32		4.16		19.0
SD1	9.35	15.0	5.32	39.8	30.5	8.53	4.81	2.54	3.24	4.60	4.01	4.65
SD2	6.18	32.0	12.1	44.1	15.0	8.51	4.08	2.40	3.93	4.37	3.77	28.0
SD3	5.37	10.1	60.3	36.0	10.3	8.08	3.40	2.26	4.26	4.16	9.36	35.8
MAX	12.6	66.5	151	87.7	48.8	11.7	5.69	2.62	6.36	4.89	32.2	104
DAT	1	12	27	13	2	18	1	1	18	1	28	20
SR	6.92	19.7	27.0	40.0	18.3	8.37	4.07	2.40	3.81	4.37	5.71	23.2
MIN	5.24	5.94	4.38	23.9	9.25	5.87	3.04	2.24	3.10	4.16	3.63	3.60
DAT	26	6	6	20	23	30	30	21	10	18	19	16
	GMIN = 2.24			SRGOD= 13.6				GMAX = 151				
	DATUM 21 8							DATUM 27 3				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1984

Broj : 60168 Stanica :TRGAJ Kota "0" = 92.35
Nacin osmat.: limnigraf Rijeka :CIJEVNA km od usca = 20.40
Pocetak rada: 1958 Sliv :MORACE Pov.sliva = 357.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	20.6	17.4	13.5	30.4	34.4	70.8	10.9	3.27	5.71	23.6	6.75	19.1	
2	19.4	17.4	29.5	27.8	66.4	62.8	10.9	3.27	5.45	31.7	6.75	16.3	
3	16.1	16.5	26.1	58.5	87.9	61.0	10.9	3.27	5.23	51.5	6.75	16.3	
4	18.3	17.4	22.3	85.8	97.4	61.0	10.4	3.09	5.14	66.0	6.42	14.5	
5	39.5	20.0	17.7	59.7	104	54.3	10.4	3.09	5.14	63.5	6.42	12.6	
6	32.7	19.1	15.2	47.1	104	54.3	9.94	3.04	5.06	42.9	6.42	11.5	
7	28.9	18.3	12.7	44.8	92.6	54.3	9.94	3.04	5.06	55.1	8.38	10.4	
8	25.0	17.4	11.1	43.7	94.2	49.4	9.45	3.04	4.97	83.2	8.38	14.5	
9	38.1	15.6	10.1	40.5	87.9	41.2	8.99	3.09	4.97	81.2	7.43	9.82	
10	123	12.9	9.61	36.3	86.6	35.4	8.50	3.09	4.88	66.0	7.10	9.27	
11	61.5	11.5	9.12	35.2	94.2	32.3	8.50	3.14	4.88	53.5	7.10	8.17	
12	44.1	10.9	8.65	35.2	94.2	30.8	8.04	3.27	4.88	44.6	7.10	7.62	
13	35.4	9.90	8.16	36.3	86.3	26.8	7.09	3.27	4.88	38.3	6.75	6.76	
14	30.2	9.38	7.68	36.3	78.5	25.5	6.60	3.27	4.88	31.7	6.75	6.46	
15	28.9	9.38	6.72	35.2	65.0	23.0	6.15	3.27	4.88	27.6	6.42	6.46	
16	32.7	8.86	6.72	40.5	65.0	21.8	5.76	3.14	6.19	24.9	7.10	6.46	
17	25.0	7.81	6.23	42.6	76.9	20.5	5.76	3.14	20.8	22.2	9.58	9.27	
18	22.8	7.28	6.23	40.5	75.3	19.3	5.94	3.14	11.7	18.2	29.1	34.2	
19	21.7	6.76	7.20	36.3	66.4	16.8	5.94	3.14	9.37	16.6	43.4	37.0	
20	34.0	6.76	6.72	30.4	69.4	15.3	5.76	3.14	8.20	15.8	117	33.1	
21	38.1	6.76	6.72	27.8	151	14.6	5.76	3.14	19.8	15.0	127	28.5	
22	58.0	6.46	7.20	26.8	117	14.6	5.55	3.14	34.7	14.2	85.6	23.1	
23	101	6.46	7.68	26.0	84.7	14.6	5.55	3.14	63.2	13.4	61.2	19.1	
24	72.2	9.38	7.68	26.0	75.3	13.9	5.37	3.27	58.8	11.8	45.9	17.2	
25	51.5	9.38	8.16	26.8	60.8	16.0	5.37	3.85	139	11.0	39.1	15.4	
26	39.5	8.86	13.5	24.1	71.0	13.1	5.16	4.14	149	10.2	33.9	13.5	
27	32.7	9.38	87.3	23.3	67.8	12.4	5.16	4.29	89.9	10.2	30.1	12.0	
28	27.5	13.8	57.5	22.5	60.8	11.7	4.99	4.14	63.2	9.77	29.1	10.9	
29	25.0	13.8	42.8	21.7	52.7	10.9	4.78	4.00	48.4	9.34	25.3	10.4	
30	23.9		56.1	22.5	52.7	10.2	4.60	3.84	38.3	9.34	23.1	9.82	
31	22.8		50.7		46.1		4.60	3.56		9.34		9.27	
SD1	36.2	17.2	16.8	47.5	85.5	54.5	10.0	3.13	5.16	56.5	7.08	13.4	
SD2	33.6	8.85	7.34	36.8	77.1	23.2	6.55	3.19	8.07	29.3	24.0	15.6	
SD3	44.7	9.36	31.4	24.8	76.4	13.2	5.17	3.68	70.4	11.2	50.0	15.4	
MAX	123	20.0	87.3	85.8	151	70.8	10.9	4.29	149	83.2	127	37.0	
DAT	10	5	27	4	21	1	1	27	26	8	21	19	
SR	38.4	11.9	18.9	36.4	79.6	30.3	7.19	3.35	27.9	31.7	27.0	14.8	
MIN	16.1	6.46	6.23	21.7	34.4	10.2	4.60	3.04	4.88	9.34	6.42	6.46	
DAT	3	22	17	29	1	30	30	6	10	29	4	14	
		GMIN =	3.04			SRGOD=	27.3			GMAX =	151		
		DATUM	6 8							DATUM	21 5		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1985

Broj : 60168 Stanica :TRGAJ Kota "0" = 92.35
Nacin osmat.: limnigraf Rijeka :CIJEVNA km od usca = 20.40
Pocetak rada: 1958 Sliv :MORACE Pov.sliva = 357.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	9.34	20.7	8.60	20.7	59.4	16.1	9.53	2.87	2.87	4.21	11.9	23.1
2	9.34	17.4	8.10	20.7	47.1	14.0	8.89	2.87	2.87	4.21	12.6	20.1
3	8.67	14.4	8.60	23.9	44.8	14.0	10.8	2.76	2.82	4.21	8.58	19.1
4	8.28	13.8	9.11	28.0	80.0	12.8	8.25	2.76	2.82	4.21	6.33	20.0
5	9.34	13.1	10.6	34.6	42.9	11.6	7.88	2.76	2.82	4.21	6.33	20.9
6	10.0	12.5	11.7	39.5	66.1	11.2	7.55	2.76	2.82	4.21	9.91	20.0
7	8.67	11.8	13.4	78.9	62.5	11.0	7.16	3.22	2.82	4.21	12.6	19.1
8	8.67	11.1	16.0	78.9	59.4	9.73	7.16	3.10	2.82	4.21	7.86	17.3
9	8.28	14.4	15.1	65.2	55.6	45.4	7.16	2.87	2.82	4.21	6.70	16.5
10	7.92	144	15.1	67.6	54.4	45.5	6.82	2.76	2.82	4.21	6.34	14.7
11	7.92	217	16.9	75.0	55.6	33.1	6.82	2.63	2.76	4.21	5.95	14.7
12	7.52	139	16.9	66.4	77.2	28.3	6.44	2.63	2.76	4.21	5.95	14.7
13	7.52	74.7	17.7	51.1	66.3	22.4	6.44	2.63	2.76	4.21	5.20	13.8
14	7.16	48.9	18.6	40.5	60.6	20.3	6.10	2.53	2.76	4.21	36.0	13.8
15	7.16	42.8	19.5	34.6	53.2	17.1	6.10	2.53	2.76	4.21	25.4	12.9
16	7.16	39.8	19.5	32.6	47.1	15.1	5.72	2.49	2.76	4.21	14.6	12.0
17	7.16	37.1	20.3	30.6	42.5	14.0	5.72	2.49	2.76	4.21	24.3	12.0
18	7.16	33.0	20.3	28.0	37.9	14.0	5.38	2.49	2.76	4.21	105	10.4
19	7.16	25.2	19.5	27.2	33.6	12.2	5.38	2.44	2.76	4.21	140	9.89
20	7.16	21.9	16.9	26.5	30.6	11.0	5.00	2.44	2.76	4.21	208	9.37
21	7.16	18.9	14.2	25.6	28.8	19.2	5.00	2.40	2.76	4.21	247	8.85
22	7.92	16.2	13.4	25.6	25.8	16.1	4.66	2.40	2.76	4.21	162	8.32
23	17.7	14.4	14.3	26.5	23.1	15.1	4.50	2.40	2.76	4.21	105	7.80
24	39.2	13.8	16.0	27.2	20.6	14.0	4.37	2.36	2.76	4.21	75.3	6.76
25	80.0	12.5	23.5	28.9	19.7	13.4	4.21	2.36	2.76	4.21	62.6	6.76
26	48.4	11.8	28.6	30.6	20.6	12.8	4.07	2.36	2.76	4.21	57.0	7.80
27	39.2	11.8	26.5	42.7	16.3	12.2	3.91	2.36	2.76	4.21	53.7	16.5
28	42.0	11.1	28.6	60.4	14.9	11.0	3.78	2.36	2.76	4.21	44.8	12.9
29	35.0		36.7	105	14.9	10.3	3.78	2.36	2.76	4.21	40.1	76.0
30	28.3		31.8	75.0	13.4	9.73	3.78	2.36	2.66	4.05	34.6	126
31	24.6		28.6		11.9		3.62	2.36		4.86		196
SD1	8.85	27.3	11.6	45.8	57.2	19.1	8.12	2.87	2.83	4.21	8.92	19.1
SD2	7.31	67.9	18.6	41.3	50.5	18.7	5.91	2.53	2.76	4.21	57.0	12.4
SD3	33.6	13.8	23.8	44.8	19.1	13.4	4.15	2.37	2.75	4.25	88.2	43.1
MAX	102	242	38.8	124	88.7	127	14.6	3.56	2.87	4.86	426	197
DAT	25	11	30	29	4	9	3	6	1	31	21	31
SR	17.1	38.0	18.2	43.9	41.5	17.1	6.00	2.58	2.78	4.23	51.4	25.4
MIN	7.16	11.1	8.10	20.7	11.9	9.73	3.62	2.36	2.66	4.05	5.20	6.76
DAT	14	8	2	1	31	8	31	24	30	30	13	24
	GMIN = 2.36			SRGOD= 22.2				GMAX = 426				
	DATUM 24 8							DATUM 21 11				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1986

Broj : 60168 Stanica :TRGAJ Kota "0" = 92.35
Nacin osmat.: limnigraf Rijeka :CIJEVNA km od usca = 20.40
Pocetak rada: 1958 Sliv :MORACE Pov.sliva = 357.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	219	20.4	22.8	44.6	43.5	19.8	10.5	2.88	2.35	3.37	6.46	4.68
2	135	22.4	46.9	41.3	50.6	17.6	9.18	2.70	2.35	3.37	6.22	4.68
3	107	21.3	115	39.3	46.9	12.6	8.54	2.52	2.35	3.37	6.02	4.68
4	251	19.5	81.0	38.3	43.5	11.3	8.54	2.52	2.35	3.31	5.79	4.68
5	202	17.7	65.6	37.2	40.0	13.3	8.17	2.52	2.35	3.31	5.59	4.68
6	130	15.9	30.6	38.3	37.7	46.5	7.42	2.34	2.35	3.31	5.59	4.68
7	91.5	14.0	43.8	38.3	35.4	77.7	6.68	2.34	2.26	3.31	5.59	4.68
8	67.9	13.1	37.5	41.3	35.4	61.4	6.31	2.34	2.26	3.37	5.59	4.68
9	54.6	11.7	34.4	44.6	34.3	49.6	5.93	2.26	2.26	3.37	5.59	4.67
10	41.5	11.1	33.4	45.6	33.4	39.6	5.56	2.26	2.26	3.43	5.59	4.47
11	37.1	10.6	33.4	39.3	29.6	31.7	5.19	2.26	2.26	3.43	5.35	4.29
12	35.9	10.1	33.4	33.2	27.6	28.2	5.19	2.19	2.26	3.37	5.16	4.29
13	29.7	9.01	33.4	36.1	26.6	27.4	4.81	2.19	2.26	3.37	4.92	4.22
14	27.2	9.01	32.3	38.3	25.7	24.7	4.81	2.11	2.22	3.37	4.92	4.22
15	28.4	8.48	31.4	33.2	28.7	27.4	4.60	2.11	2.22	3.31	4.92	4.22
16	24.6	8.48	30.5	33.2	30.6	23.0	4.46	2.05	2.22	3.31	4.92	4.47
17	20.4	7.92	29.7	27.7	28.7	21.4	5.56	2.05	2.18	3.31	4.92	6.04
18	18.3	74.2	26.2	27.0	27.6	19.8	7.42	1.97	2.18	3.26	4.72	5.47
19	16.2	275	22.8	77.7	26.6	22.2	5.56	1.97	2.22	3.26	4.72	5.25
20	15.1	173	20.4	100	25.7	21.4	5.19	1.90	2.22	3.37	4.65	9.15
21	15.1	102	18.2	63.9	24.8	19.0	5.93	1.90	2.18	3.95	4.65	8.65
22	16.2	71.0	16.6	48.8	24.8	17.6	8.54	1.82	2.18	3.95	4.72	6.72
23	46.9	55.9	14.4	41.3	23.9	17.6	5.19	1.82	2.18	3.95	6.65	6.26
24	87.4	57.3	13.8	37.2	22.2	19.0	5.19	1.82	2.18	7.03	8.48	6.04
25	109	69.5	17.4	37.2	21.2	16.0	4.60	1.82	2.18	7.82	7.40	6.04
26	61.2	54.6	43.8	38.3	20.5	14.6	4.18	1.82	2.18	6.25	6.89	5.86
27	44.3	43.1	60.8	42.4	18.8	12.0	4.18	1.75	2.18	5.46	6.46	5.61
28	35.9	37.1	52.4	40.2	17.9	10.7	3.98	1.75	2.18	5.09	6.02	5.47
29	29.7		52.4	37.2	18.8	10.0	3.98	1.75	2.18	4.77	5.79	5.25
30	27.2		53.5	35.2	17.0	12.0	3.76	1.67	2.18	4.77	5.35	5.07
31	23.5		50.2		17.9		3.56	1.67		4.77		4.86
SD1	130	16.7	51.1	40.9	40.1	34.9	7.68	2.47	2.31	3.35	5.80	4.66
SD2	25.3	58.6	29.3	44.6	27.7	24.7	5.28	2.08	2.22	3.34	4.92	5.16
SD3	45.1	61.3	35.8	42.2	20.7	14.9	4.83	1.78	2.18	5.26	6.24	5.98
MAX	333	331	131	124	51.9	88.8	13.6	2.88	2.35	21.9	11.7	9.15
DAT	1	19	3	20	2	7	1	1	1	25	24	20
SR	66.1	44.4	38.6	42.5	29.2	24.8	5.89	2.10	2.24	4.02	5.65	5.29
MIN	15.1	7.92	13.8	27.0	17.0	10.0	3.56	1.67	2.18	3.26	4.65	4.22
DAT	20	17	24	18	30	29	31	30	17	18	20	13
		GMIN = 1.67		SRGOD= 22.4		GMAX = 333						
		DATUM 30 8				DATUM 1 1						