

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1950

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
 Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	11.6	8.58	8.32	20.4	64.5	26.3	24.6	8.32	6.50	6.76	46.5	26.3
2	11.2	8.58	8.58	19.5	68.3	28.9	23.8	8.06	6.50	6.76	41.2	24.6
3	11.2	8.58	8.58	19.5	68.3	32.5	22.9	8.06	6.50	7.28	34.3	22.9
4	11.2	8.58	8.84	19.5	63.3	29.8	22.9	8.06	6.50	7.54	29.8	22.0
5	11.2	8.58	8.84	19.5	55.9	28.9	21.2	8.06	6.50	7.80	26.3	22.0
6	10.8	8.58	9.10	22.0	53.5	27.1	19.5	8.06	6.50	9.10	22.9	22.0
7	10.8	8.32	9.10	23.8	52.3	26.3	18.3	8.06	6.50	9.94	20.4	28.9
8	10.8	8.32	9.10	31.6	48.7	23.8	18.3	8.06	6.50	23.8	18.9	38.0
9	10.8	8.32	9.10	34.3	46.5	21.2	19.5	8.06	6.50	27.1	17.6	36.1
10	10.8	8.06	8.84	33.4	44.3	21.2	17.6	7.80	6.50	18.3	16.4	36.1
11	10.8	8.06	8.58	34.3	44.3	20.4	17.6	7.80	6.50	13.9	15.2	35.2
12	11.2	8.06	8.58	35.2	44.3	19.5	15.8	7.28	6.50	17.6	13.9	33.4
13	10.8	8.06	8.58	33.4	44.3	23.8	15.8	7.28	6.50	13.9	13.9	30.7
14	10.8	8.06	8.58	29.8	43.3	26.3	15.2	7.28	6.50	17.6	18.9	28.9
15	10.4	8.32	8.58	28.9	40.2	29.8	15.2	7.28	6.50	17.0	23.8	27.1
16	10.4	8.32	10.4	27.1	39.1	29.8	14.5	7.28	6.50	16.4	21.2	25.5
17	9.94	8.58	12.0	27.1	36.1	30.7	13.3	7.28	6.50	18.3	18.3	23.8
18	9.94	9.10	12.0	28.9	35.2	44.3	12.9	7.02	6.50	19.5	33.4	22.9
19	9.94	8.58	11.6	39.1	33.4	47.5	12.5	7.02	6.50	34.3	179	22.0
20	9.52	8.32	11.6	42.3	32.5	49.9	11.2	7.02	6.50	57.1	188	21.2
21	9.52	8.58	11.2	39.1	29.8	46.5	10.4	7.02	6.50	37.0	120	21.2
22	9.10	8.58	11.2	40.2	28.9	43.3	10.4	7.02	6.50	35.2	83.7	20.4
23	9.10	8.32	10.8	34.3	28.9	37.0	9.94	7.02	6.50	28.0	63.3	20.4
24	9.10	8.06	9.52	33.4	28.9	34.3	9.52	6.50	6.50	27.1	52.3	20.4
25	9.10	8.06	11.6	35.2	28.0	31.6	8.84	6.50	6.50	26.3	44.3	20.4
26	8.84	8.06	13.9	37.0	27.1	31.6	8.84	6.50	6.50	28.9	39.1	20.4
27	8.84	8.06	16.4	42.3	26.3	31.6	8.84	6.50	6.50	28.0	36.1	19.5
28	8.84	8.06	31.6	49.9	26.3	32.5	8.58	6.50	6.76	34.3	33.4	19.5
29	8.84		31.6	58.3	25.5	31.6	8.58	6.50	6.76	39.1	30.7	19.5
30	8.84		28.0	60.8	24.6	19.5	8.58	6.50	6.50	36.1	28.0	19.5
31	8.58		23.8		24.6		8.58	6.50		42.3		19.5
SD1	11.0	8.45	8.84	24.4	56.6	26.6	20.9	8.06	6.50	12.4	27.4	27.9
SD2	10.4	8.35	10.1	32.6	39.3	32.2	14.4	7.25	6.50	22.6	52.6	27.1
SD3	8.97	8.22	18.1	43.0	27.2	34.0	9.19	6.64	6.55	32.9	53.1	20.1
MAX	19.5	11.6	9.10	33.4	68.3	72.0	49.9	23.8	8.32	6.76	59.5	232
DAT	1	18	27	30	1	19	1	1	27	19	19	7
SR	10.1	8.35	12.5	33.3	40.6	30.9	14.6	7.30	6.52	23.0	44.4	24.8
MIN	8.58	8.06	8.32	19.5	24.6	19.5	8.58	6.50	6.50	6.76	13.9	19.5
DAT	31	10	1	2	30	12	28	24	1	1	12	27
		GMIN = 6.50			SRGOD= 21.4			GMAX = 232				
		DATUM 24 8						DATUM 7 12				

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1951

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
 Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	23.4	12.9	38.6	34.0	58.6	70.2	31.0	14.9	8.88	10.4	14.9	17.5	
2	22.1	12.9	37.1	40.2	60.5	68.2	31.0	14.9	8.88	11.1	13.9	17.5	
3	20.9	12.9	35.5	40.2	64.2	66.1	29.5	13.9	8.88	12.0	12.9	16.4	
4	20.9	12.9	34.0	41.9	68.2	64.2	29.5	13.9	8.88	12.0	12.9	14.9	
5	19.7	13.9	24.7	46.8	68.2	62.3	29.5	13.9	8.88	11.1	12.9	14.9	
6	19.7	12.9	31.0	54.9	66.1	66.1	27.4	12.9	8.88	10.4	12.0	13.9	
7	18.5	12.9	29.5	48.5	64.2	68.2	27.4	12.9	8.88	10.4	12.0	13.9	
8	17.5	12.9	46.8	46.8	62.3	66.1	26.1	12.9	8.88	9.58	12.9	13.9	
9	17.5	13.9	70.2	45.1	60.5	66.1	26.1	12.0	8.88	9.58	13.9	13.9	
10	16.4	12.9	76.4	48.5	66.1	66.1	24.7	12.0	8.88	9.58	22.1	13.9	
11	16.4	12.9	60.5	54.9	117	64.2	24.7	12.0	8.56	8.88	24.7	13.9	
12	14.9	12.9	52.2	62.3	125	62.3	24.7	11.1	8.24	8.88	31.0	13.9	
13	14.9	12.0	50.3	99.7	109	58.6	23.4	11.1	8.24	8.88	86.4	13.9	
14	13.9	14.9	52.2	112	91.2	54.9	23.4	11.1	8.24	8.88	96.0	13.9	
15	14.9	17.5	60.5	91.2	80.8	50.3	22.1	10.4	8.24	8.24	96.0	13.9	
16	14.9	16.4	64.2	76.4	74.3	46.8	22.1	10.4	8.24	8.24	74.3	12.9	
17	13.9	13.9	56.7	62.3	74.3	45.1	20.9	10.4	8.24	8.24	56.7	12.9	
18	13.9	14.9	50.3	54.3	72.3	45.1	20.9	10.4	8.24	8.24	46.8	12.9	
19	13.9	17.5	48.5	52.2	70.2	43.5	20.9	9.58	8.24	8.24	40.2	12.9	
20	13.9	22.1	60.5	54.9	68.2	45.1	19.7	9.58	8.24	8.88	35.5	12.0	
21	12.9	26.1	68.2	56.7	80.8	52.2	19.7	9.58	8.24	9.58	31.0	12.0	
22	12.9	35.5	56.7	60.5	83.0	45.1	19.7	9.58	8.24	10.4	29.5	12.0	
23	12.9	48.5	48.5	58.6	86.4	41.9	18.5	9.58	8.24	9.58	29.5	12.0	
24	12.0	46.8	45.1	54.9	86.4	40.2	18.5	9.58	8.24	9.58	27.4	12.0	
25	12.0	43.5	41.9	50.3	83.0	40.2	17.5	9.58	8.24	12.0	26.1	11.1	
26	12.9	40.2	38.6	46.8	91.2	38.6	17.5	9.58	8.24	16.4	24.7	11.1	
27	12.9	37.1	37.1	48.5	88.7	37.1	16.4	8.88	7.92	22.1	23.4	11.1	
28	12.9	40.2	35.5	50.3	86.4	35.5	14.9	8.88	8.24	19.7	20.9	11.1	
29	12.9		34.0	52.2	83.0	34.0	16.4	8.88	8.88	18.5	19.7	10.4	
30	12.9		32.5	54.9	76.4	32.5	14.9	8.88	9.58	14.9	18.5	10.4	
31	12.9		29.5		72.3		14.9	8.88		14.9		10.4	
SD1	19.7	13.1	42.4	44.7	63.9	66.4	28.2	13.4	8.88	10.6	14.0	15.1	
SD2	14.6	15.5	55.6	72.0	88.2	51.6	22.3	10.6	8.27	8.56	58.8	13.3	
SD3	12.7	39.7	42.5	53.4	83.4	39.7	17.2	9.26	8.41	14.3	25.1	11.2	
MAX	23.4	48.5	76.4	112	125	70.2	31.0	14.9	9.58	22.1	96.0	17.5	
DAT	1	23	10	14	12	1	1	1	30	27	14	1	
SR	15.6	21.6	46.7	56.7	78.7	52.6	22.4	11.0	8.52	11.3	32.6	13.1	
MIN	12.0	12.0	24.7	34.0	58.6	32.5	14.9	8.88	7.92	8.24	12.0	10.4	
DAT	24	13	5	1	1	30	28	27	27	15	6	29	
GMIN =			7.92	SRGOD=			30.9	GMAX =			125		
DATUM			27	9					DATUM			12	5

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1952

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	11.1	22.1	13.9	99.7	54.9	43.5	17.5	9.58	6.40	24.7	40.2	74.3
2	12.0	23.4	12.9	117	54.9	41.9	17.5	8.88	6.40	24.7	54.9	58.6
3	12.0	23.4	12.9	102	52.2	41.9	16.4	8.88	6.40	23.4	52.2	72.3
4	12.0	20.9	12.9	96.0	48.5	45.1	16.4	8.88	6.40	20.9	45.1	115
5	12.9	17.5	12.9	76.4	48.5	46.8	16.4	8.88	6.40	19.7	40.2	187
6	12.9	17.5	12.9	64.2	48.5	45.1	16.4	8.88	6.40	18.5	38.6	115
7	12.9	17.5	13.9	50.3	48.5	41.9	16.4	8.24	7.00	17.5	37.1	99.7
8	12.0	17.5	13.9	48.5	46.8	40.2	14.9	8.24	8.24	16.4	58.6	72.3
9	11.1	16.4	13.9	37.1	46.8	40.2	13.9	8.24	8.24	22.1	64.2	64.2
10	11.1	16.4	12.9	32.5	45.1	40.2	13.9	8.24	8.24	20.9	56.7	54.9
11	11.1	13.9	12.9	34.0	45.1	40.2	19.7	8.24	8.24	19.7	48.5	48.5
12	12.0	13.9	12.9	38.6	43.5	40.2	16.4	8.24	7.60	68.2	43.5	45.1
13	12.9	13.9	12.9	38.6	45.1	38.6	14.9	8.24	7.60	99.7	41.9	43.5
14	56.7	12.9	13.9	40.2	52.2	37.1	13.9	8.24	7.60	72.3	40.2	60.5
15	52.2	12.9	13.9	50.3	48.5	35.5	12.9	7.60	7.60	54.9	46.8	93.6
16	41.9	12.9	12.9	56.7	48.5	34.0	12.9	7.60	7.60	78.6	70.2	332
17	32.5	13.9	12.9	60.5	35.5	32.5	12.0	7.60	7.60	66.1	86.4	159
18	26.1	13.9	12.0	66.1	32.5	32.5	12.9	7.60	7.00	50.3	83.0	91.2
19	26.1	13.9	12.0	54.9	32.5	31.0	12.9	7.60	7.00	43.5	78.6	86.4
20	24.7	13.9	12.0	54.9	32.5	29.5	12.0	7.60	17.5	38.6	74.3	76.4
21	24.7	13.9	12.0	58.6	37.1	27.4	12.0	7.60	17.5	34.0	70.2	62.3
22	22.1	13.9	12.9	58.6	34.0	29.5	11.1	7.60	16.4	31.0	68.2	50.3
23	19.7	13.9	12.9	58.6	31.0	27.4	11.1	7.00	12.9	40.2	64.2	48.5
24	17.5	13.9	12.9	60.5	32.5	24.7	10.4	7.00	12.0	76.4	56.7	45.1
25	18.5	13.9	12.9	60.5	32.5	23.4	11.4	7.00	11.1	72.3	48.5	43.5
26	19.7	13.9	16.4	64.2	32.5	22.1	10.4	7.00	11.1	64.2	43.5	32.5
27	20.9	13.9	19.7	64.2	34.0	20.9	10.4	7.60	12.0	56.7	115	38.6
28	27.4	13.9	29.5	64.2	37.1	19.7	10.4	7.00	32.5	48.5	159	54.9
29	29.5	13.9	41.9	56.7	37.1	20.9	9.58	7.00	40.2	43.5	115	64.2
30	27.4		62.3	56.7	38.6	18.5	8.88	7.00	32.5	40.2	88.7	66.1
31	26.1		99.7		40.2		9.58	6.40		40.2		68.2
SD1	12.0	19.3	13.3	72.4	49.5	42.7	16.0	8.69	7.01	20.9	48.8	91.3
SD2	29.6	13.6	12.8	49.5	41.6	35.1	14.1	7.86	8.53	59.2	61.3	104
SD3	23.0	13.9	30.3	60.3	35.1	23.4	10.5	7.11	19.8	49.7	82.9	52.2
MAX	56.7	23.4	99.7	117	54.9	46.8	19.7	9.58	40.2	99.7	159	332
DAT	14	2	31	2	1	5	11	1	29	13	28	16
SR	21.6	15.6	19.2	60.7	41.8	33.7	13.4	7.86	11.8	43.5	64.3	81.4
MIN	11.1	12.9	12.0	32.5	31.0	18.5	8.88	6.40	6.40	16.4	37.1	32.5
DAT	1	14	18	10	23	30	30	31	1	8	7	26
		GMIN = 6.40			SRGOD= 34.6			GMAX = 332				
		DATUM 31 8						DATUM 16 12				

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1953

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	17.0	10.8	12.9	30.7	33.4	39.1	31.6	14.5	7.80	6.76	13.9	39.1
2	16.4	10.4	13.9	28.0	32.5	42.3	31.6	13.9	7.80	6.76	13.3	35.2
3	16.4	9.94	15.2	26.3	33.4	45.4	32.5	13.9	7.54	6.76	12.9	31.6
4	16.4	9.94	15.8	25.5	59.5	52.3	30.7	13.9	7.54	6.76	12.5	28.9
5	16.4	9.94	15.8	24.6	81.1	58.3	30.7	13.3	7.54	6.76	13.9	27.1
6	17.6	8.58	15.8	23.8	73.3	62.0	29.8	12.9	7.28	6.50	38.0	26.3
7	17.0	9.10	16.4	23.8	67.0	63.3	28.9	12.9	7.28	6.30	38.0	23.8
8	17.0	9.52	17.0	23.8	64.5	70.8	28.0	12.9	7.02	6.30	46.5	22.0
9	17.0	12.5	18.3	23.8	58.3	106	27.1	12.5	7.02	6.76	35.2	20.4
10	16.4	13.3	20.4	23.8	54.7	112	25.5	12.0	7.02	7.28	28.0	19.5
11	17.0	13.9	22.0	22.9	64.5	93.4	24.6	11.6	7.02	7.28	24.6	19.5
12	17.0	20.4	22.9	22.0	75.9	83.7	23.8	11.2	7.02	7.28	21.2	18.9
13	17.0	24.6	22.9	22.0	70.8	75.9	22.0	10.8	7.02	7.28	18.9	17.6
14	17.0	20.4	22.9	21.2	64.5	70.8	21.2	10.8	7.02	8.06	17.6	17.0
15	16.4	18.3	22.9	19.5	59.5	67.0	22.0	10.8	7.02	10.4	17.0	16.4
16	15.2	16.4	22.9	19.5	54.7	63.3	21.2	10.4	7.02	11.2	43.3	15.8
17	14.5	15.2	23.8	18.9	60.8	58.3	20.4	9.94	7.02	11.6	106	15.2
18	13.9	13.9	22.0	25.5	51.1	55.9	19.5	9.52	7.02	11.6	195	15.2
19	13.9	13.3	21.2	48.7	55.9	54.7	19.5	9.10	7.02	10.8	175	15.2
20	13.3	12.5	20.4	58.3	48.7	52.3	18.9	8.84	7.02	12.0	111	15.2
21	12.9	12.5	20.4	55.9	43.3	47.5	17.6	8.84	7.02	28.0	79.8	15.2
22	12.9	12.5	21.2	47.5	40.2	44.3	17.6	8.58	6.76	64.5	73.3	14.5
23	12.5	12.5	24.6	42.3	43.3	41.2	17.6	8.58	6.76	57.1	85.0	13.9
24	12.5	12.5	30.7	39.1	52.3	39.1	16.4	8.58	6.76	39.1	82.4	13.9
25	12.0	12.5	37.0	36.1	54.7	37.0	16.4	8.32	6.50	30.7	74.6	13.3
26	12.0	12.5	43.3	33.4	49.9	36.1	15.2	8.32	6.50	25.5	74.6	12.9
27	12.0	12.5	43.3	32.5	44.3	35.2	15.8	8.32	6.76	22.0	72.0	12.5
28	12.0	12.5	40.2	35.2	43.3	34.3	16.4	8.32	7.02	18.9	64.5	12.5
29	11.6		38.0	34.3	41.2	34.3	15.2	8.32	7.02	17.6	57.1	12.0
30	11.6		36.1	34.3	39.1	34.3	15.2	8.06	7.02	16.4	48.7	12.0
31	10.8		33.4		38.0		15.2	8.06		15.2		12.0
SD1	16.8	10.4	16.1	25.4	55.8	65.2	29.6	13.3	7.38	6.69	25.2	27.4
SD2	15.5	16.9	22.4	27.9	60.6	67.5	21.3	10.3	7.02	9.75	73.0	16.6
SD3	12.1	12.5	33.5	39.1	44.5	38.3	16.2	8.39	6.81	30.5	71.2	13.2
MAX	17.6	24.6	44.3	58.3	82.4	120	34.3	14.5	7.80	67.0	228	42.3
DAT	6	13	26	20	5	10	1	1	1	22	18	1
SR	14.7	13.3	24.3	30.8	53.3	57.0	22.2	10.6	7.07	16.1	56.5	18.9
MIN	10.8	8.58	12.9	18.9	32.5	34.3	15.2	8.06	6.50	6.30	12.5	12.0
DAT	31	6	1	17	2	28	26	30	25	7	4	29
GMIN =			6.30	SRGOD=			27.1	GMAX =			228	
DATUM			7 10					DATUM			18 11	

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1954

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
 Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	72.3	9.58	12.0	27.4	78.6	66.1	24.7	9.58	7.00	4.26	3.36	3.48
2	74.3	9.58	11.1	32.5	76.4	68.2	24.7	9.58	6.40	4.26	3.48	3.48
3	54.9	9.58	11.1	38.6	58.6	70.2	24.7	9.58	5.82	4.26	3.48	3.48
4	46.8	9.58	11.1	40.2	54.9	66.1	23.4	8.88	5.82	4.26	3.48	3.48
5	45.1	9.58	11.1	43.5	54.9	68.2	23.4	8.88	5.82	4.26	3.60	3.34
6	43.5	9.58	10.4	45.1	50.3	72.3	22.1	8.24	5.82	4.26	3.60	3.34
7	41.9	9.58	10.4	52.2	52.2	68.2	20.9	7.60	5.26	4.26	3.60	3.34
8	40.2	9.58	10.4	56.7	54.9	64.2	20.9	7.60	5.26	4.70	3.48	3.34
9	32.5	9.58	10.4	58.6	54.9	56.7	19.7	7.60	5.26	4.70	3.48	3.34
10	27.4	8.88	9.58	64.2	54.9	52.2	19.7	7.60	4.70	4.70	3.48	3.34
11	24.7	8.88	9.58	72.3	54.9	50.3	19.7	7.60	4.70	4.26	3.48	3.34
12	22.1	19.1	8.88	80.8	56.7	43.5	19.7	7.00	5.82	4.26	3.36	3.34
13	20.9	18.5	8.88	66.1	56.7	43.5	17.5	7.00	7.60	4.26	3.36	3.34
14	18.5	17.5	8.24	54.9	56.7	43.5	16.4	7.00	7.60	4.26	3.36	3.34
15	17.5	13.9	7.60	48.5	54.2	43.5	16.4	6.40	7.00	4.26	3.36	3.34
16	16.4	14.9	7.60	45.1	52.2	43.5	14.9	6.40	6.40	4.26	3.24	3.34
17	14.9	16.4	8.24	43.5	52.2	41.9	13.9	6.40	6.40	4.26	3.24	3.34
18	14.9	13.9	8.24	40.2	56.7	41.9	12.9	6.40	5.82	4.26	3.24	3.34
19	14.9	12.9	8.88	35.2	62.3	40.2	12.9	6.40	5.82	4.26	3.12	3.34
20	12.9	12.9	8.88	31.0	74.3	40.2	12.0	6.40	5.26	4.26	3.12	3.34
21	12.0	12.9	9.58	29.5	68.2	40.2	12.0	6.40	5.26	4.26	3.12	3.34
22	12.0	12.0	9.58	27.4	66.1	40.2	12.0	6.40	5.26	4.26	3.12	3.20
23	11.1	12.0	10.4	27.4	64.2	40.2	11.1	7.00	5.26	4.26	3.12	3.20
24	11.1	12.0	11.1	29.5	68.2	40.2	11.1	7.60	5.26	4.26	3.00	3.20
25	11.1	12.0	12.4	31.0	72.3	38.6	11.1	7.00	5.26	4.26	3.00	3.20
26	10.4	12.9	14.9	32.5	76.4	37.1	11.1	6.40	5.26	4.26	3.00	3.06
27	10.4	12.0	17.5	34.0	80.8	35.5	10.4	6.40	4.70	3.82	3.00	3.06
28	10.4	12.0	18.5	88.7	76.4	32.5	10.4	7.00	4.70	3.82	3.00	3.06
29	10.4		24.7	78.6	74.3	29.5	10.4	7.60	4.70	3.82	3.00	2.92
30	10.4		26.1	76.4	70.2	27.4	9.58	7.60	4.26	3.82	3.00	2.92
31	9.58		27.4		68.2		9.58	7.00		3.36		2.92
SD1	47.9	9.51	10.8	45.9	59.1	65.2	22.4	8.51	5.72	4.39	3.50	3.40
SD2	17.8	14.9	8.50	51.8	57.7	43.2	15.6	6.70	6.24	4.26	3.29	3.34
SD3	10.8	12.2	16.6	45.5	71.4	36.1	10.8	6.95	4.99	4.02	3.04	3.10
MAX	74.3	19.1	27.4	129	80.8	72.3	24.7	9.58	7.60	4.70	3.60	3.48
DAT	2	12	31	28	27	6	1	1	13	8	5	1
SR	25.0	12.2	12.1	47.7	63.0	48.2	16.1	7.37	5.65	4.22	3.28	3.27
MIN	9.58	8.88	7.60	27.4	50.3	27.4	9.58	6.40	4.26	3.36	3.00	2.92
DAT	31	10	15	1	6	30	30	15	30	31	24	29
GMIN =		2.92		SRGOD=		20.7		GMAX =		129		
DATUM		29 12						DATUM		28 4		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1955

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
 Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	10.4	17.5	121	80.8	37.1	32.5	18.5	26.1	11.6	54.9	86.4	22.1	
2	10.4	16.9	96.0	75.4	41.9	31.0	18.0	24.7	12.9	48.5	105	22.1	
3	10.4	16.4	60.5	66.1	46.8	29.5	17.5	22.1	12.0	41.9	121	22.8	
4	11.1	15.4	46.8	57.6	50.3	27.4	16.9	20.9	11.1	38.6	106	22.8	
5	11.1	14.9	41.9	48.5	56.7	26.1	16.4	17.5	11.1	34.0	93.6	23.4	
6	11.6	14.4	35.5	43.5	56.7	24.7	15.4	16.4	10.7	27.4	87.5	24.7	
7	26.7	13.9	29.5	35.5	61.4	31.0	19.1	16.9	10.4	26.7	72.3	25.4	
8	27.4	16.4	28.8	31.0	61.4	30.3	29.5	19.7	9.96	26.1	66.1	23.4	
9	27.4	19.7	27.4	29.5	59.5	29.5	26.1	22.1	9.58	58.6	54.9	22.1	
10	26.1	23.4	26.7	28.8	59.5	27.4	24.7	26.1	9.58	50.3	47.6	21.5	
11	22.1	27.4	26.1	26.7	59.5	26.1	23.4	24.7	12.9	48.5	43.5	20.9	
12	20.9	31.7	26.1	26.1	59.5	26.7	22.1	22.1	13.9	46.8	40.2	20.9	
13	19.7	34.0	23.4	24.7	58.6	26.1	20.9	19.7	14.9	46.0	37.1	20.3	
14	18.0	40.2	21.5	23.4	56.7	27.4	19.7	17.5	14.4	43.5	40.2	19.7	
15	50.3	44.3	20.9	22.1	54.9	28.8	18.5	15.4	18.5	46.0	64.2	19.7	
16	60.5	56.7	19.7	20.9	50.3	22.1	19.7	14.4	45.1	44.3	76.4	29.5	
17	54.9	65.2	18.5	20.3	47.6	19.7	18.5	14.9	99.7	41.9	68.2	38.6	
18	125	73.3	17.5	19.7	45.1	19.1	17.5	14.4	85.3	48.5	61.4	52.2	
19	109	99.7	19.7	19.1	45.1	18.0	16.4	13.9	61.4	99.7	52.2	72.3	
20	99.7	120	18.5	18.5	44.3	17.5	14.9	12.9	48.5	159	41.9	107	
21	62.3	93.6	19.7	17.5	43.5	16.9	14.4	12.9	40.2	139	40.2	151	
22	54.9	72.3	22.1	17.5	43.5	17.5	13.9	12.5	35.5	109	38.6	145	
23	43.5	58.6	23.4	16.9	41.9	19.7	13.4	12.0	29.5	124	37.1	135	
24	38.6	60.5	27.4	16.9	40.2	20.9	13.9	12.0	24.7	206	35.5	130	
25	35.5	93.6	31.0	17.5	37.1	22.1	12.9	11.6	22.1	282	34.0	122	
26	34.0	151	34.0	18.0	35.5	20.9	12.5	11.6	19.7	243	32.5	117	
27	24.7	159	35.5	19.1	34.0	20.3	23.4	11.6	18.5	148	31.0	99.7	
28	22.1	159	40.2	22.1	32.5	19.7	61.4	11.1	19.7	105	29.5	75.4	
29	19.7		43.5	26.1	35.5	19.1	40.2	11.1	50.3	80.8	27.4	35.5	
30	18.5		58.6	31.0	34.7	18.5	29.5	10.7	56.7	74.3	26.1	34.7	
31	17.5		76.4		34.0		27.4	11.1		60.5		34.0	
SD1	17.3	16.9	51.4	49.7	53.1	28.9	20.2	21.3	10.9	40.7	84.0	23.0	
SD2	58.0	59.3	21.2	22.1	52.2	23.2	19.2	17.0	41.5	62.4	52.5	40.1	
SD3	33.8	106	37.4	20.3	37.5	19.6	23.9	11.7	31.7	143	33.2	98.1	
MAX	125	159	121	80.8	61.4	32.5	61.4	26.1	99.7	302	121	151	
DAT	18	27	1	1	7	1	28	1	17	25	3	21	
SR	36.3	57.5	36.7	30.7	47.3	23.9	21.2	16.5	28.0	84.0	56.6	55.2	
MIN	10.4	13.9	17.5	16.9	32.5	16.9	12.5	10.7	9.58	26.1	26.1	19.7	
DAT	1	7	18	23	28	21	26	30	9	8	30	14	
GMIN =			9.58	SRGOD=			41.1	GMAX =			302		
DATUM			9 9					DATUM			25 10		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1956

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	68.2	29.5	13.4	35.5	91.2	62.3	22.1	10.4	6.70	5.26	13.9	48.5
2	55.8	27.4	12.9	38.6	88.7	66.1	20.9	9.96	6.70	5.26	13.9	41.9
3	46.0	26.1	13.9	40.2	80.8	63.3	19.7	9.96	6.70	5.26	15.4	37.1
4	40.2	24.7	14.9	41.9	76.4	58.6	20.3	9.96	6.40	5.26	29.5	32.5
5	35.5	23.4	16.4	43.5	60.5	56.7	19.3	9.58	6.10	4.98	23.4	29.5
6	32.5	22.1	17.5	43.5	54.9	52.2	19.1	9.58	6.10	4.98	20.9	24.7
7	31.0	20.9	17.5	42.7	54.9	49.4	18.5	9.58	6.10	4.70	22.1	22.1
8	29.5	19.7	16.9	40.2	56.7	46.8	18.5	9.20	6.10	4.98	17.5	20.1
9	27.4	18.5	16.4	35.5	58.6	46.8	18.0	8.88	5.82	5.26	16.4	18.5
10	24.7	17.5	15.4	32.5	63.3	45.1	17.5	8.88	5.82	5.54	14.9	17.5
11	23.4	16.4	14.9	31.0	68.2	41.9	16.9	8.56	5.82	5.54	13.9	16.4
12	22.1	19.7	15.4	29.5	86.4	40.2	16.4	8.56	5.54	5.82	12.9	14.9
13	20.9	18.5	16.4	32.5	78.6	38.6	18.5	8.24	5.54	5.82	12.0	13.9
14	19.7	18.5	15.4	35.5	70.2	37.1	17.5	7.92	5.54	5.54	12.0	13.9
15	18.5	18.5	14.9	38.6	62.3	36.3	17.5	7.92	5.54	5.54	17.5	13.9
16	18.5	18.5	14.4	41.9	61.4	35.5	16.9	7.92	5.54	5.26	23.4	13.9
17	18.5	18.5	13.9	54.9	58.6	34.7	15.4	7.60	5.54	5.26	46.0	13.9
18	18.5	19.7	12.9	62.3	58.6	34.0	14.9	7.60	5.54	5.26	45.1	13.9
19	24.7	20.9	14.9	66.1	60.5	32.5	14.4	7.60	5.54	5.26	43.5	13.9
20	45.1	19.7	17.5	68.2	64.2	31.0	13.9	7.30	5.26	4.98	40.2	13.9
21	46.8	19.1	18.5	70.2	70.2	30.3	13.9	7.30	5.26	4.98	37.1	12.9
22	41.9	18.5	19.7	64.2	78.6	29.5	13.4	7.30	5.26	4.98	32.5	12.0
23	40.2	24.1	20.9	64.2	80.8	31.0	12.9	7.30	4.98	4.98	26.1	12.0
24	41.9	23.4	22.1	70.2	81.9	32.5	12.9	7.30	4.98	4.98	23.4	12.0
25	50.3	22.8	23.4	91.2	83.0	30.3	12.5	7.30	4.98	4.98	22.1	12.0
26	52.2	16.4	24.7	88.7	86.4	26.1	12.0	7.30	4.98	4.98	24.7	12.0
27	46.8	14.9	26.1	86.4	80.8	24.7	11.6	7.30	4.98	4.98	27.4	11.1
28	41.9	14.4	27.4	85.3	78.6	24.1	11.1	7.30	5.26	5.54	31.0	11.1
29	37.1	13.9	29.5	83.0	74.3	23.4	10.7	7.00	5.26	9.58	34.0	11.1
30	34.0		32.5	86.4	70.2	23.4	10.7	7.00	5.26	13.9	40.2	11.1
31	31.0		34.0		66.1		10.4	6.70		13.9		11.1
SD1	39.1	23.0	15.5	39.4	68.6	54.7	19.4	9.60	6.25	5.15	18.8	29.2
SD2	23.0	18.9	15.1	46.0	66.9	36.2	16.2	7.92	5.54	5.43	26.7	14.3
SD3	42.2	18.6	25.3	79.0	77.4	27.5	12.0	7.19	5.12	7.07	29.9	11.7
MAX	68.2	29.5	34.0	91.2	111	66.1	22.1	10.4	6.70	13.9	46.0	48.5
DAT	1	1	31	25	1	2	1	1	1	30	17	1
SR	35.0	20.2	18.9	54.8	71.2	39.5	15.8	8.20	5.64	5.92	25.1	18.2
MIN	18.5	13.9	12.9	29.5	54.9	23.4	10.4	6.70	4.98	4.70	12.0	11.1
DAT	15	29	2	12	6	29	31	31	23	7	13	27
		GMIN =	4.70			SRGOD=	26.5			GMAX =	111	
		DATUM	7 10							DATUM	1 5	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1957

Broj               : 45824                      Stanica : ANDRIJEVICA                      Kota "0" = 744.39  
Nacin osmat.: limnigraf                Rijeka : LIM                                      km od usca = 174.00  
Pocetak rada: 1962                      Sliv : DRINE                                      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	10.7	8.88	32.5	26.1	48.5	56.7	20.3	10.7	6.70	14.9	14.9	18.5
2	10.7	8.56	31.0	24.7	54.9	50.3	19.7	10.4	6.70	14.4	18.5	17.5
3	10.7	8.56	29.5	24.7	55.8	46.8	18.5	10.4	6.70	14.4	19.7	16.4
4	10.7	8.56	26.1	24.7	54.9	43.5	18.5	9.96	6.70	13.9	18.5	15.4
5	10.4	8.88	32.4	24.7	50.3	41.9	17.5	9.58	7.30	12.5	19.7	14.4
6	10.4	9.20	22.1	23.4	48.5	41.9	16.9	9.58	7.92	11.1	18.5	13.4
7	10.4	9.58	20.9	23.4	47.6	40.2	16.4	9.20	8.56	11.6	17.5	12.9
8	10.4	9.58	19.7	24.7	46.8	28.6	16.4	9.20	9.58	10.6	16.4	12.0
9	9.96	9.58	18.5	27.4	46.0	37.1	15.4	9.20	8.88	9.58	14.9	12.0
10	9.96	9.96	17.5	29.5	40.2	35.5	15.4	8.88	8.88	8.88	13.9	11.6
11	9.96	10.4	16.9	32.5	37.1	34.0	14.9	8.88	8.88	11.1	12.9	11.6
12	9.96	10.7	16.4	64.2	35.5	32.5	14.9	8.24	8.24	35.5	12.0	11.1
13	9.96	11.1	16.4	66.1	34.0	31.0	14.9	8.24	9.54	45.1	11.1	11.1
14	9.96	12.0	15.4	60.5	38.6	30.3	13.9	7.92	11.1	69.2	10.1	10.7
15	9.96	35.3	13.9	58.6	40.2	29.5	13.9	7.92	14.4	64.2	10.1	10.1
16	9.58	64.2	13.9	56.7	43.5	29.5	12.9	7.60	16.9	60.5	11.1	9.96
17	9.58	153	13.9	48.5	45.1	28.8	12.0	7.60	16.9	56.7	18.5	9.58
18	9.58	243	15.4	45.1	46.8	27.4	11.6	7.30	18.5	48.5	20.9	11.1
19	9.20	254	16.4	41.9	54.9	24.7	11.1	7.30	17.5	43.5	26.1	13.4
20	9.20	230	17.5	37.1	54.9	23.4	10.7	7.30	16.9	38.6	52.2	19.5
21	9.20	140	19.7	32.5	54.9	23.4	11.1	7.30	15.4	32.5	58.6	18.5
22	9.20	91.2	20.9	31.0	53.1	22.8	12.5	7.30	14.9	32.5	62.3	34.0
23	9.20	48.5	31.0	29.5	52.2	22.1	14.9	7.30	14.4	31.0	56.7	173
24	9.58	38.6	32.5	27.4	52.2	21.5	12.9	7.30	14.4	29.5	46.8	162
25	9.96	37.1	34.0	27.4	48.5	21.5	12.9	7.30	13.9	26.1	37.1	148
26	9.96	36.3	35.5	26.1	48.5	20.9	12.0	7.30	12.5	23.4	24.7	105
27	9.96	34.7	37.1	29.5	52.2	20.9	12.0	7.30	11.1	22.1	23.4	88.7
28	9.96	32.5	35.5	32.5	56.7	22.1	11.1	7.30	11.6	20.9	22.1	70.2
29	9.96		32.5	37.1	64.2	23.4	11.1	7.30	10.6	18.5	20.9	62.3
30	9.96		29.5	41.9	62.3	22.8	11.1	7.00	15.4	16.4	19.7	54.3
31	9.58		26.1		60.5		10.7	6.70		12.9		48.5
SD1	10.4	9.13	25.0	25.3	49.3	42.3	17.5	9.71	7.79	12.2	17.2	14.4
SD2	9.69	102	15.6	51.1	43.1	29.1	13.1	7.83	13.9	47.3	18.5	11.8
SD3	9.68	57.4	30.4	31.5	55.0	22.1	12.0	7.22	13.4	24.2	37.2	87.7
MAX	31.0	10.7	254	37.1	66.1	64.2	56.7	20.3	10.7	18.5	69.2	62.3
DAT	1	19	27	13	29	1	1	1	18	5	13	14
SR	9.93	56.2	23.9	36.0	49.3	31.2	14.1	8.22	11.7	27.8	24.3	39.6
MIN	9.20	8.56	13.9	23.4	34.0	20.9	10.7	6.70	6.70	8.88	10.1	9.58
DAT	19	2	15	6	13	26	20	31	1	10	14	17
		GMIN = 6.70			SRGOD= 27.5			GMAX = 254				
		DATUM 31 8						DATUM 27 3				



ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1958

Broj           : 45824                      Stanica : ANDRIJEVICA                      Kota "0" = 744.39  
Nacin osmat.: limnigraf                Rijeka : LIM                                      km od usca = 174.00  
Pocetak rada: 1962                      Sliv : DRINE                                      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	31.0	12.9	40.2	54.9	64.2	86.4	45.1	11.1	7.60	5.26	7.92	17.5
2	32.5	12.0	40.2	52.2	56.7	83.0	40.2	10.7	7.60	5.82	7.92	16.4
3	31.0	12.0	35.5	46.8	50.3	78.6	37.1	10.1	7.60	7.60	7.60	14.9
4	27.4	12.0	34.0	45.1	50.3	74.3	32.5	10.1	7.30	5.26	7.60	14.9
5	24.7	12.0	31.0	45.1	52.2	72.3	32.5	12.0	7.30	5.82	7.60	14.9
6	22.1	12.0	26.1	76.4	58.6	68.2	31.0	11.1	7.30	7.60	43.5	14.9
7	19.7	12.9	23.4	76.4	70.2	64.2	29.5	11.1	7.00	10.1	32.5	14.9
8	20.9	12.0	23.4	72.3	86.4	56.7	27.4	11.6	7.00	9.58	29.5	14.9
9	22.1	12.9	23.4	58.6	105	54.9	26.1	12.9	6.70	9.58	27.4	12.0
10	23.4	12.9	22.1	46.8	117	52.5	24.7	11.6	6.70	8.24	24.7	11.1
11	26.1	14.9	22.1	40.2	151	54.9	23.4	11.1	6.70	8.24	34.0	10.7
12	29.5	14.9	23.4	40.2	145	58.6	22.1	10.7	7.00	7.92	38.6	10.1
13	34.0	14.9	23.4	28.6	148	60.2	20.9	10.1	7.30	7.60	45.1	12.0
14	37.1	14.9	23.4	40.2	159	58.6	19.7	9.96	7.60	7.30	58.6	17.5
15	35.5	16.4	23.4	40.2	162	56.7	18.5	11.1	7.30	7.00	54.9	23.4
16	32.5	16.4	20.9	56.7	156	52.2	17.5	10.1	7.00	7.00	48.5	27.4
17	29.5	17.5	20.9	72.3	135	46.8	16.4	10.1	6.70	6.70	46.8	34.0
18	26.1	19.7	20.9	58.6	125	40.2	18.5	9.96	6.40	6.70	46.8	40.2
19	24.7	32.5	20.9	50.3	133	40.2	19.7	9.96	6.40	6.70	45.1	48.5
20	23.4	80.8	19.7	46.8	139	40.2	19.7	9.58	6.40	8.24	43.5	54.9
21	22.1	66.1	18.5	41.9	135	40.2	18.5	9.58	6.10	8.88	40.2	48.5
22	24.7	43.5	17.5	40.2	130	38.6	17.5	8.88	6.10	8.88	37.1	46.8
23	27.4	40.2	17.5	43.5	120	38.6	16.4	8.88	6.10	8.88	35.2	45.1
24	23.4	35.5	16.4	54.9	115	40.2	16.9	8.56	5.82	8.88	32.5	43.5
25	22.1	31.0	16.4	68.2	109	40.2	15.4	8.56	5.82	8.88	24.7	41.9
26	22.1	29.5	14.9	68.2	112	40.2	14.4	8.56	5.82	9.56	23.4	74.3
27	20.9	31.0	16.4	66.1	115	40.2	13.9	8.24	5.82	8.88	22.1	78.6
28	19.7	38.6	22.1	64.2	120	41.9	12.9	8.24	5.54	8.56	20.9	70.2
29	18.5		27.4	68.2	115	46.8	12.0	7.92	5.54	8.56	19.7	64.2
30	17.5		40.2	64.2	99.7	46.8	11.6	7.92	5.26	8.24	18.5	58.6
31	14.9		50.3		91.2		11.1	7.60		8.24		54.9
SD1	25.5	12.4	29.9	57.5	71.1	69.1	32.6	11.2	7.21	7.49	19.6	14.6
SD2	29.8	24.3	21.9	47.4	145	50.9	19.6	10.3	6.88	7.34	46.2	27.9
SD3	21.2	39.4	23.4	58.0	115	41.4	14.6	8.45	5.79	8.77	27.4	57.0
MAX	32.5	37.1	80.8	50.3	76.4	182	86.4	45.1	12.9	7.60	10.1	58.6
DAT	14	20	31	6	15	1	1	9	1	4	11	24
SR	25.4	24.4	25.0	54.3	111	53.8	22.0	9.93	6.63	7.89	31.1	33.9
MIN	14.9	12.0	14.9	28.6	50.3	38.6	11.1	7.60	5.26	5.26	7.60	10.1
DAT	31	2	26	13	3	22	31	31	30	1	3	12
		GMIN = 5.26			SRGOD= 33.8			GMAX = 182				
		DATUM 30 9						DATUM 1 6				

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1959

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
 Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	31.0	16.4	11.1	32.5	52.2	56.7	35.5	11.1	13.9	10.4	14.9	22.1
2	29.5	15.4	12.0	40.2	50.3	54.9	41.9	12.9	14.9	9.58	17.5	24.7
3	27.4	14.9	12.9	41.9	50.3	50.3	54.9	12.9	16.4	8.88	17.5	27.4
4	26.1	14.9	13.9	41.9	43.5	46.8	56.7	13.9	13.9	8.88	19.7	31.0
5	24.7	14.4	14.9	40.2	43.5	41.9	58.6	12.9	14.9	8.88	20.9	34.0
6	23.4	14.4	16.4	38.6	41.9	38.6	60.5	12.9	24.7	8.88	20.9	35.5
7	22.1	13.9	19.7	37.1	41.9	35.5	56.7	12.9	29.5	8.24	20.9	37.1
8	23.4	13.9	27.4	34.0	41.9	32.5	50.3	12.9	29.5	8.24	23.4	37.1
9	38.6	13.4	31.0	41.9	40.2	31.0	46.8	13.9	27.4	8.24	22.1	38.6
10	32.5	13.4	34.0	45.1	40.2	29.5	40.2	12.0	23.4	7.60	24.7	40.2
11	31.0	12.9	38.6	58.6	41.9	35.5	32.5	11.1	20.9	7.60	26.1	38.6
12	31.0	12.5	41.9	54.9	43.5	35.5	29.5	11.1	17.5	7.60	27.4	46.8
13	35.5	12.0	43.5	48.5	45.1	34.0	29.5	10.4	17.5	7.60	27.4	56.7
14	34.0	12.0	41.9	41.9	48.5	34.0	27.4	11.1	14.9	7.60	29.5	78.6
15	32.5	11.6	40.2	40.2	52.2	32.5	26.1	12.0	13.9	7.60	29.5	93.6
16	31.0	11.6	37.1	40.2	48.5	31.0	24.7	12.0	13.9	7.60	27.4	83.0
17	58.6	11.1	34.0	43.5	46.8	31.0	23.4	12.9	13.9	7.00	24.7	58.6
18	56.7	11.1	29.5	45.1	45.1	31.0	22.1	13.9	12.9	7.00	24.7	56.7
19	48.5	10.7	26.1	48.5	43.5	29.5	24.7	22.1	12.9	6.40	24.7	52.2
20	45.1	10.7	24.7	45.1	43.5	29.5	23.4	22.1	12.0	6.40	24.7	48.5
21	40.2	10.1	24.7	40.2	41.9	27.4	22.1	18.5	11.1	6.40	23.4	40.2
22	35.5	10.1	24.7	37.1	41.9	27.4	19.7	16.4	10.4	6.40	23.4	32.5
23	32.5	9.96	23.4	32.5	41.9	29.5	19.7	13.9	9.58	6.40	22.1	38.6
24	29.5	9.96	22.8	31.0	43.5	29.5	19.7	12.9	9.58	5.82	20.9	38.6
25	26.1	9.58	22.1	29.5	44.3	28.8	18.5	12.0	9.58	5.82	20.9	40.2
26	23.4	9.58	21.5	26.1	42.7	27.4	17.5	11.1	9.58	5.82	20.9	46.8
27	22.1	9.58	23.4	26.1	40.2	29.5	16.4	11.1	9.58	5.82	22.1	48.5
28	20.9	10.1	24.7	24.7	38.6	32.5	14.9	10.4	11.1	5.82	22.1	50.3
29	19.7		26.1	32.5	40.2	34.0	13.9	10.4	10.4	11.1	20.9	52.2
30	18.5		27.4	40.2	50.3	34.0	12.9	10.7	10.4	14.9	20.9	46.8
31	17.5		31.0		58.6		12.0	12.9		14.9		48.5
SD1	27.9	14.5	19.3	39.3	44.6	41.8	50.2	12.8	20.8	8.78	20.3	32.8
SD2	40.4	11.6	35.8	46.7	45.9	32.3	26.3	13.9	15.0	7.24	26.6	61.3
SD3	26.0	9.87	24.7	32.0	44.0	30.0	17.0	12.8	10.1	8.11	21.8	43.9
MAX	58.6	16.4	43.5	58.6	58.6	56.7	60.5	22.1	29.5	14.9	29.5	114
DAT	17	1	13	11	31	1	6	19	7	30	14	15
SR	31.2	12.1	26.5	39.3	44.8	34.7	30.7	13.1	15.3	8.05	22.9	45.9
MIN	17.5	9.58	11.1	24.7	38.6	27.4	12.0	10.4	9.58	5.82	14.9	22.1
DAT	31	25	1	28	28	21	31	13	23	24	1	1
		GMIN = 5.82			SRGOD= 27.2			GMAX = 114				
		DATUM 24 10								DATUM 15 12		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1960

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
 Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	45.1	22.1	32.5	80.8	43.5	58.6	37.1	11.1	6.70	5.26	14.9	27.4
2	41.9	22.1	31.0	56.7	41.9	54.9	32.5	10.4	5.82	5.26	14.9	24.7
3	37.1	22.1	29.5	52.2	48.5	52.2	35.5	11.1	5.82	5.26	13.9	22.8
4	32.5	20.9	27.4	46.8	50.3	52.2	38.6	10.4	5.82	5.26	13.9	22.8
5	29.5	20.9	27.4	40.2	46.8	48.5	45.1	10.4	5.82	5.26	13.9	22.8
6	26.1	20.9	27.4	37.1	45.1	48.5	46.8	10.4	5.82	4.70	14.9	22.8
7	24.7	19.7	26.1	35.5	43.5	46.8	48.5	10.4	5.82	4.70	133	20.9
8	24.7	19.7	24.7	32.5	41.9	45.1	45.1	10.4	5.26	5.26	120	20.9
9	23.4	20.5	24.7	35.5	45.1	41.9	41.9	10.4	5.26	5.26	108	34.0
10	22.1	22.1	23.4	40.2	50.3	37.1	37.1	11.1	5.26	5.26	99.7	68.2
11	22.1	23.4	23.4	43.5	52.2	38.6	35.5	11.1	5.26	13.9	120	71.3
12	23.4	24.7	22.1	46.8	58.6	40.2	32.5	10.4	5.54	18.0	78.6	75.4
13	23.4	26.1	22.1	48.5	60.5	43.5	32.5	10.4	5.54	41.0	71.3	65.2
14	22.1	27.4	22.1	54.9	66.1	46.8	27.4	11.1	5.54	39.4	71.3	53.1
15	22.1	38.6	23.4	58.6	62.3	50.3	24.7	11.1	5.54	39.4	81.9	43.5
16	20.9	45.1	24.7	60.5	66.1	58.6	23.4	11.1	4.70	63.3	71.3	38.6
17	20.9	50.3	27.4	64.2	74.3	64.2	22.1	11.1	4.70	72.3	68.2	36.3
18	20.9	70.2	29.5	58.6	96.0	58.6	22.1	11.1	4.70	69.2	62.3	36.3
19	20.9	112	32.5	54.9	105	54.9	22.1	11.1	4.70	57.6	59.5	68.2
20	20.9	130	37.1	48.5	99.7	48.5	20.9	10.4	4.70	47.6	53.1	62.3
21	19.7	159	34.0	45.1	105	45.1	20.9	10.4	4.70	43.5	47.6	59.5
22	19.7	145	29.5	43.5	109	43.5	19.7	8.88	4.48	54.9	47.6	71.3
23	19.7	125	27.4	43.5	112	41.9	20.9	6.70	4.48	45.1	45.1	81.9
24	19.7	96.0	24.7	41.9	91.2	40.2	19.7	7.60	4.48	41.0	43.5	68.2
25	18.5	86.4	27.4	40.2	83.0	37.1	18.5	7.00	4.26	32.5	38.6	59.5
26	18.5	68.2	29.5	40.2	76.4	40.2	18.5	6.70	4.26	26.1	38.6	50.3
27	19.7	54.9	38.6	43.5	70.2	40.2	17.5	6.40	4.26	22.8	38.6	43.5
28	19.7	48.5	54.9	48.5	68.2	38.6	17.5	6.40	4.26	19.7	32.5	41.0
29	20.9	41.9	68.2	50.3	66.1	37.1	16.4	6.40	4.26	18.0	32.5	36.3
30	20.9		88.7	46.8	62.3	35.5	13.9	6.40	4.70	16.9	32.5	34.0
31	20.9		99.7		58.6		11.1	6.40		16.9		32.5
SD1	30.7	21.1	27.4	45.8	45.7	48.6	40.8	10.6	5.74	5.15	54.7	28.7
SD2	21.8	54.8	26.4	53.9	74.1	50.4	26.3	10.9	5.09	46.2	73.8	55.0
SD3	19.8	91.7	47.5	44.3	82.0	39.9	17.7	7.21	4.41	30.7	39.7	52.5
MAX	45.1	189	99.7	80.8	112	64.2	48.5	11.1	67.0	72.3	133	81.9
DAT	1	21	31	1	23	17	7	1	1	17	7	23
SR	24.0	54.6	34.2	48.0	67.7	46.3	27.9	9.49	5.08	27.4	56.1	45.7
MIN	18.5	19.7	22.1	32.5	41.9	35.5	11.1	6.40	4.26	4.70	13.9	20.9
DAT	25	7	12	8	2	30	31	27	25	6	3	7
		GMIN = 4.26			SRGOD= 37.1			GMAX = 189				
		DATUM 25 9						DATUM 21 2				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1961

Broj           : 45824                      Stanica : ANDRIJEVICA                      Kota "0" = 744.39  
Nacin osmat.: limnigraf                Rijeka : LIM                                      km od usca = 174.00  
Pocetak rada: 1962                      Sliv : DRINE                                      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	37.1	13.9	8.88	17.5	64.2	46.8	13.9	8.24	5.82	4.70	8.88	32.5
2	38.6	20.9	8.24	19.7	54.9	32.5	13.9	8.24	5.82	4.70	8.88	46.8
3	27.4	16.4	7.60	24.7	46.8	37.1	13.4	7.92	5.82	4.70	8.24	40.2
4	29.5	12.0	5.82	29.5	40.2	34.0	12.9	7.60	5.26	4.70	8.24	38.6
5	38.6	12.0	9.58	22.1	32.5	31.0	12.5	7.60	5.26	4.70	12.0	34.0
6	27.4	12.5	11.1	23.4	38.6	28.8	12.0	7.60	5.26	4.70	27.4	29.5
7	23.4	8.56	8.88	18.0	29.5	32.5	11.6	7.60	5.26	4.70	24.7	32.5
8	29.5	7.60	13.9	13.9	23.4	32.5	11.1	7.60	4.70	4.70	22.1	32.5
9	35.5	7.00	14.9	12.0	19.7	32.5	11.1	7.00	4.70	4.70	22.1	32.5
10	38.6	7.60	12.0	16.4	18.5	34.0	11.1	7.00	4.98	4.70	19.7	31.0
11	62.3	7.30	12.5	17.5	23.4	31.0	10.7	7.00	5.26	4.70	24.7	29.5
12	60.5	6.40	18.0	18.5	29.5	29.5	10.4	6.40	5.54	4.70	66.1	29.5
13	50.3	6.40	19.7	26.1	32.5	26.1	10.4	6.40	5.54	4.70	62.3	27.4
14	40.2	5.85	22.1	27.4	38.6	24.7	9.96	6.40	5.54	4.70	93.6	27.4
15	32.5	6.40	20.9	29.5	41.9	27.4	9.96	6.40	5.54	4.48	102	23.4
16	37.1	5.82	23.4	34.0	48.5	29.5	9.58	6.40	5.54	4.48	80.8	20.9
17	38.6	7.60	18.0	37.1	53.1	31.0	9.58	6.40	5.54	4.48	62.3	19.7
18	27.4	7.30	22.1	41.9	61.4	31.0	9.58	8.24	5.54	5.26	48.5	12.9
19	38.6	9.58	23.4	52.2	66.1	31.0	8.88	7.60	5.26	5.82	41.9	14.9
20	27.4	8.88	17.5	64.2	68.2	27.4	8.88	7.60	5.26	11.1	35.5	16.4
21	22.1	8.24	23.4	46.8	64.2	24.7	8.56	7.00	5.26	22.1	29.5	18.5
22	17.5	7.92	24.7	49.4	76.4	23.4	8.56	7.00	5.26	18.5	26.1	18.5
23	13.9	6.70	29.5	44.3	58.6	24.1	8.24	7.00	5.26	12.9	23.4	18.5
24	12.9	6.40	31.7	40.2	56.7	22.1	8.24	7.00	4.70	11.6	22.1	17.5
25	12.0	5.82	31.0	48.5	54.9	20.9	8.24	7.00	4.70	9.58	20.9	16.4
26	17.5	8.24	37.1	54.9	64.2	19.7	7.92	6.40	4.70	8.88	21.9	15.4
27	9.58	5.82	31.7	40.2	76.4	18.5	7.92	6.40	4.70	8.88	22.1	14.4
28	11.1	8.88	39.4	38.6	80.8	19.7	7.92	6.40	4.70	8.24	24.7	13.9
29	8.24		29.5	50.3	86.4	22.1	7.30	5.82	4.70	8.24	24.7	22.1
30	7.60		24.7	54.9	77.5	20.3	7.30	5.82	4.70	7.92	31.0	19.7
31	12.9		22.1		56.7		7.30	5.82		7.92		19.7
SD1	32.6	11.8	10.1	19.7	36.8	34.2	12.3	7.64	5.29	4.70	16.2	35.0
SD2	41.5	7.15	19.8	34.8	46.3	28.9	9.79	6.88	5.46	5.44	61.8	22.2
SD3	13.2	7.25	29.5	46.8	68.4	21.5	7.95	6.51	4.87	11.3	24.6	17.7
MAX	62.3	20.9	39.4	64.2	86.4	46.8	13.9	8.24	5.82	22.1	132	46.8
DAT	11	2	28	20	29	1	1	1	1	21	15	2
SR	28.6	8.86	20.1	33.8	51.1	28.2	9.97	7.00	5.20	7.30	34.2	24.7
MIN	7.60	5.82	5.82	12.0	18.5	18.5	7.30	5.82	4.70	4.48	8.24	12.9
DAT	30	16	4	9	10	27	29	29	8	15	3	18
		GMIN = 4.48			SRGOD= 21.6			GMAX = 132				
		DATUM 15 10								DATUM 15 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1962

Broj               : 45824                      Stanica : ANDRIJEVICA                      Kota "0" = 744.39  
Nacin osmat.: limnigraf                Rijeka : LIM                                      km od usca = 174.00  
Pocetak rada: 1962                      Sliv : DRINE                                      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	11.2	20.4	16.4	33.4	93.4	41.2	17.0	9.94	6.76	7.80	7.28	41.2	
2	11.6	19.5	17.0	32.5	73.3	39.1	16.4	9.94	6.76	7.80	8.84	39.1	
3	12.0	18.9	17.0	34.3	67.0	37.0	17.0	10.4	6.50	5.90	12.0	37.0	
4	11.2	17.6	18.9	36.1	81.1	35.2	16.4	10.4	6.50	7.80	13.3	37.0	
5	12.0	17.0	20.4	42.3	96.2	34.3	15.8	9.94	6.50	7.54	13.3	40.2	
6	12.5	15.8	22.0	47.5	94.8	33.4	15.2	9.94	6.50	7.54	13.3	40.2	
7	12.5	15.8	23.8	60.8	94.8	32.5	14.5	7.80	6.50	7.54	12.5	40.2	
8	12.0	15.2	24.6	68.3	93.4	32.5	13.3	8.06	6.50	7.28	17.6	38.0	
9	12.0	15.8	24.6	67.0	87.8	33.4	14.5	8.06	6.50	7.28	17.0	36.1	
10	11.6	28.9	23.8	74.6	83.7	33.4	13.3	7.80	6.50	7.28	13.3	35.2	
11	11.2	62.0	24.6	83.7	81.1	30.7	12.9	7.54	6.50	7.28	13.3	34.3	
12	10.8	72.0	24.6	79.8	87.8	29.8	12.5	7.28	6.50	7.28	12.5	33.4	
13	10.4	54.7	24.6	69.5	93.4	28.0	12.0	7.02	6.50	7.28	12.0	32.5	
14	10.4	43.3	25.5	57.1	92.0	26.3	11.6	7.02	6.50	7.28	13.3	31.6	
15	10.8	35.2	26.3	49.9	89.2	25.5	11.6	7.02	6.50	7.28	37.0	29.8	
16	10.8	32.5	26.3	46.5	83.7	25.5	11.6	7.02	6.50	7.28	31.6	28.9	
17	10.8	28.0	28.0	45.4	78.5	25.5	11.2	7.02	6.30	7.28	29.8	27.1	
18	10.8	26.3	31.6	43.3	78.5	25.5	11.2	6.76	6.30	7.28	31.6	26.3	
19	10.8	24.6	32.5	42.3	75.9	24.6	10.8	6.50	6.10	7.28	92.0	24.6	
20	10.8	22.0	31.6	40.2	70.8	22.9	10.4	6.50	8.06	7.28	285	22.9	
21	10.8	20.4	29.8	40.2	68.3	22.9	9.94	6.50	8.06	7.28	175	17.0	
22	10.8	19.5	29.8	39.1	65.8	24.6	9.52	6.50	8.06	7.28	138	16.4	
23	13.3	18.9	29.8	40.2	62.0	22.9	9.52	6.50	7.80	7.28	103	15.2	
24	23.8	17.6	28.9	42.3	55.9	21.2	9.10	6.50	7.80	7.54	82.4	14.5	
25	35.2	17.0	29.8	47.5	52.3	21.2	9.10	6.10	7.80	7.80	68.3	14.5	
26	28.9	17.0	31.6	49.9	54.7	20.4	11.2	6.30	7.80	7.28	63.3	14.5	
27	27.1	15.8	30.7	55.9	51.1	19.5	10.8	6.50	7.80	7.28	60.8	16.4	
28	27.1	15.8	31.6	68.3	47.5	18.9	10.8	6.50	7.80	7.28	53.5	17.0	
29	26.3		35.2	103	47.5	18.3	8.58	6.50	7.80	7.28	49.9	20.4	
30	24.6		34.3	123	45.4	17.6	8.32	7.02	7.80	7.28	45.4	45.4	
31	22.0		34.3		43.3		10.4	7.02		7.28		108	
SD1	11.9	18.5	20.9	49.7	86.6	35.2	15.3	9.23	6.55	7.38	12.8	38.4	
SD2	10.8	40.1	27.6	55.8	83.1	26.4	11.6	6.97	6.58	7.28	55.8	29.1	
SD3	22.7	17.8	31.4	60.9	54.0	20.8	9.75	6.54	7.85	7.35	84.0	27.2	
MAX	35.2	72.0	35.2	123	108	42.3	17.0	10.4	8.06	7.80	285	108	
DAT	25	12	29	30	5	1	1	3	20	1	20	31	
SR	15.4	26.0	26.8	55.5	73.9	27.5	12.1	7.55	6.99	7.34	50.9	31.4	
MIN	10.4	15.2	16.4	32.5	43.3	17.6	8.32	6.10	6.10	5.90	7.28	14.5	
DAT	13	8	1	2	31	30	30	25	19	3	1	24	
		GMIN =	5.90			SRGOD=	28.4			GMAX =	285		
		DATUM	3 10							DATUM	20 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1963

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	94.8	19.7	22.1	31.7	70.2	76.4	41.0	16.4	16.4	7.60	7.00	12.5	
2	78.6	19.7	20.9	31.7	70.2	74.0	40.2	16.9	15.4	7.60	7.00	12.0	
3	64.2	20.9	19.7	28.8	76.4	70.2	39.4	16.9	13.4	7.30	7.00	11.6	
4	72.3	24.7	18.5	27.4	94.8	66.1	37.4	16.4	12.5	7.30	6.70	11.6	
5	89.8	26.1	18.5	26.1	115	64.2	38.6	15.9	11.6	13.9	7.00	12.0	
6	75.4	27.4	17.5	24.7	109	62.3	33.2	15.9	11.1	16.4	8.24	22.1	
7	102	26.1	17.5	24.7	97.3	62.3	31.7	15.4	10.7	15.9	12.5	25.4	
8	130	23.4	16.4	26.1	92.4	61.4	30.3	14.9	10.7	13.9	23.4	22.1	
9	149	22.1	16.4	26.1	87.4	64.2	28.8	14.4	10.7	12.5	26.1	19.7	
10	112	22.1	17.5	26.1	92.4	62.3	28.8	14.4	13.4	12.5	19.7	17.5	
11	94.8	21.5	22.1	27.4	94.8	58.6	27.4	14.4	12.9	12.9	16.4	16.4	
12	92.4	22.1	26.1	41.0	94.8	66.1	26.1	12.9	11.6	12.5	14.4	15.4	
13	115	23.4	46.0	64.2	94.8	70.2	26.1	13.4	11.1	11.6	13.4	20.3	
14	107	24.7	46.0	70.2	94.8	66.1	25.4	12.9	10.7	11.1	12.9	19.7	
15	83.0	23.4	41.0	93.6	92.4	62.3	24.7	12.5	9.96	10.4	14.4	18.5	
16	68.2	22.1	33.2	66.1	87.5	58.6	24.1	12.5	9.96	9.96	15.9	60.5	
17	56.7	22.8	31.7	64.2	89.9	60.5	24.1	12.0	9.58	9.58	16.4	245	
18	51.2	68.5	28.8	64.2	92.4	56.7	24.1	12.5	9.20	9.20	15.9	144	
19	47.6	78.6	28.8	70.2	92.4	53.1	22.8	12.5	8.88	8.88	15.4	75.4	
20	46.8	72.3	26.1	74.3	87.5	49.4	22.1	12.5	8.56	8.56	13.4	58.6	
21	43.5	66.1	27.4	80.8	85.3	47.6	23.4	11.6	8.88	8.56	13.4	142	
22	41.0	54.9	31.7	83.0	83.0	46.0	24.7	10.6	8.88	8.24	13.9	208	
23	34.7	47.6	31.7	83.0	78.6	46.0	24.7	10.6	8.56	7.93	13.4	172	
24	33.2	41.0	30.3	87.5	74.5	44.3	24.1	10.7	8.24	7.92	12.5	118	
25	30.3	31.7	28.8	92.4	76.4	44.3	22.8	9.96	7.92	7.60	12.0	80.8	
26	28.1	28.8	27.4	88.7	76.4	43.5	24.5	9.96	7.92	7.60	11.3	65.2	
27	26.1	26.1	26.1	83.0	83.0	42.8	19.7	9.20	7.92	7.30	11.6	56.7	
28	24.7	23.4	27.4	78.6	83.0	41.9	19.1	9.20	7.92	7.30	12.5	51.2	
29	21.5		28.8	74.3	85.3	41.9	18.5	9.20	7.92	7.30	12.5	46.0	
30	21.5		28.8	72.3	89.9	41.9	18.0	9.58	7.92	7.30	12.9	42.7	
31	20.6		30.3		83.0		17.5	13.9		7.30		39.4	
SD1	96.8	23.2	18.5	27.3	90.5	66.3	34.9	15.7	12.6	11.5	12.5	16.6	
SD2	76.3	37.9	33.0	63.5	92.1	60.2	24.7	12.8	10.2	10.5	14.9	67.4	
SD3	29.6	40.0	29.0	82.4	81.7	44.0	21.5	10.4	8.21	7.67	12.6	92.9	
MAX	149	78.6	46.0	93.6	115	76.4	41.0	16.9	16.4	16.4	26.1	325	
DAT	9	19	14	15	5	1	1	2	1	6	9	17	
SR	66.3	33.3	26.9	57.7	87.9	56.8	26.9	12.9	10.3	9.80	13.3	60.1	
MIN	20.6	19.7	16.4	24.7	70.2	41.9	17.5	9.20	7.92	7.30	6.70	11.6	
DAT	31	1	8	6	1	28	31	27	25	3	4	3	
		GMIN =	6.70			SRGOD=	38.6			GMAX =	325		
		DATUM	4 11							DATUM	17 12		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1964

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
 Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	17.7	12.8	16.6	127	65.9	82.9	36.0	17.7	8.90	7.50	8.00	19.9
2	17.7	13.3	18.8	94.8	68.2	75.4	36.0	17.1	8.90	7.50	7.75	17.7
3	17.1	13.3	19.9	65.9	85.5	64.8	35.2	16.0	8.90	7.50	7.00	13.7
4	17.7	13.7	19.9	52.0	90.7	57.1	33.6	15.1	8.60	7.50	6.50	12.4
5	16.6	14.6	19.4	42.0	103	52.0	32.8	15.1	8.60	7.50	6.50	11.4
6	18.8	14.1	19.4	38.0	100	49.0	34.4	14.6	8.60	8.00	6.50	10.7
7	22.4	14.1	19.4	34.4	103	48.0	32.8	14.1	8.60	8.90	7.25	10.4
8	22.4	13.7	19.9	38.0	107	49.0	31.2	13.7	8.30	9.20	7.75	10.4
9	20.5	13.7	20.5	45.0	110	50.0	29.6	13.7	8.30	8.90	8.30	11.9
10	19.4	13.3	22.4	55.0	116	50.0	34.4	12.8	8.30	8.60	8.60	12.8
11	17.7	12.8	24.5	62.6	118	49.0	44.0	11.9	8.60	8.60	8.60	11.9
12	16.0	12.4	28.0	68.2	118	46.0	48.0	11.9	8.60	8.30	8.30	11.9
13	15.5	12.4	31.2	80.3	121	42.0	43.0	11.9	8.90	8.00	8.00	12.4
14	16.0	11.9	35.2	130	121	40.0	38.0	11.9	8.90	8.00	8.00	11.4
15	15.5	11.9	35.2	162	118	38.0	34.4	11.9	8.90	8.00	7.75	11.9
16	14.6	11.9	33.6	137	116	35.2	32.0	11.4	8.90	7.75	7.75	11.0
17	14.6	11.9	31.2	112	113	33.6	29.6	11.0	8.90	7.50	7.75	10.4
18	14.1	11.9	28.8	99.0	107	32.0	27.3	10.7	9.50	7.50	7.50	10.4
19	13.3	11.9	27.3	90.7	107	31.2	26.6	10.7	9.50	7.50	7.25	9.80
20	12.8	11.9	23.8	79.0	103	32.0	25.9	10.7	9.20	7.50	7.25	9.80
21	12.8	11.9	21.7	70.6	101	33.6	24.5	10.7	9.20	7.50	6.75	9.20
22	12.8	12.4	20.5	69.4	130	34.4	23.1	10.4	9.20	7.50	6.50	9.20
23	12.8	12.8	19.9	76.6	127	33.6	21.7	10.1	9.20	7.25	6.50	8.90
24	12.8	12.8	20.5	70.6	115	32.8	19.9	9.80	9.20	7.00	6.50	9.20
25	14.6	12.4	19.9	61.5	104	32.0	18.8	9.80	8.90	6.75	6.50	10.7
26	14.6	12.8	19.9	54.0	90.7	32.0	18.8	9.50	8.00	6.50	6.50	27.3
27	13.7	12.8	19.4	48.0	84.2	32.0	18.8	9.50	8.00	6.75	6.25	70.6
28	13.7	14.1	18.8	44.0	80.3	34.4	18.8	9.20	8.00	6.75	6.25	69.4
29	13.3	15.2	19.9	54.0	81.6	34.4	18.8	9.20	7.75	6.75	9.80	49.0
30	12.8		24.5	65.9	81.6	35.2	17.7	9.20	7.50	6.75	17.7	34.4
31	12.8		89.4		81.6		17.7	8.90		7.50		34.4
SD1	19.0	13.7	19.6	59.2	94.9	57.8	33.6	15.0	8.60	8.11	7.41	13.1
SD2	15.0	12.1	29.9	102	114	37.9	34.9	11.4	8.99	7.87	7.82	11.1
SD3	13.3	13.0	26.8	61.5	97.9	33.4	19.9	9.66	8.49	7.00	7.93	30.2
MAX	22.4	14.6	137	167	130	82.9	48.0	17.7	9.50	9.20	17.7	79.0
DAT	7	5	31	15	22	1	12	1	18	8	30	27
SR	15.7	12.9	25.5	74.2	102	43.1	29.1	11.9	8.69	7.64	7.72	18.5
MIN	12.8	11.9	16.6	34.4	65.9	31.2	17.7	8.90	7.50	6.50	6.25	8.90
DAT	20	14	1	7	1	19	30	31	30	26	27	23
GMIN = 6.25			SRGOD= 29.8			GMAX = 167						
DATUM 27 11						DATUM 15 4						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1965

Broj           : 45824                      Stanica : ANDRIJEVICA                      Kota "0" = 744.39  
Nacin osmat.: limnigraf                Rijeka : LIM                                      km od usca = 174.00  
Pocetak rada: 1962                      Sliv : DRINE                                      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	74.3	24.7	12.9	28.1	64.2	106	54.9	19.7	12.0	9.58	7.30	99.7
2	60.5	30.3	30.3	26.7	57.6	116	51.2	19.1	11.6	9.58	7.30	112
3	53.1	30.3	115	24.7	53.1	112	50.3	19.1	11.1	9.20	7.30	75.4
4	49.4	27.4	105	24.7	52.2	103	49.4	18.5	11.6	9.96	7.30	58.6
5	43.5	25.4	67.1	24.7	54.0	111	46.0	18.0	11.6	9.96	7.30	48.5
6	38.6	23.4	57.6	26.1	64.2	122	53.1	16.9	11.6	9.58	7.30	34.7
7	35.5	22.1	52.2	27.4	74.3	117	51.2	16.4	13.4	9.20	7.30	27.4
8	31.7	21.5	44.3	31.7	71.3	106	46.8	16.4	14.9	8.88	7.00	25.4
9	30.3	20.3	39.4	51.2	67.1	98.5	42.7	15.4	13.9	8.88	7.00	33.2
10	28.1	19.7	34.7	107	63.3	98.5	41.9	14.9	13.4	8.88	7.00	58.6
11	27.4	19.7	31.0	111	66.1	92.4	40.2	14.9	12.5	8.88	7.30	102
12	26.1	19.1	28.8	91.2	65.2	89.9	36.3	14.9	12.5	8.88	7.92	105
13	24.7	18.0	27.4	78.6	70.2	76.4	34.0	14.4	14.9	8.88	10.7	76.4
14	22.8	17.5	26.1	70.2	69.2	78.6	32.5	13.4	18.0	8.88	16.4	60.5
15	21.5	17.5	24.7	66.1	66.1	77.5	31.7	12.9	17.5	8.88	14.9	50.3
16	21.5	16.9	24.7	61.4	66.1	74.3	31.7	13.4	15.9	8.88	14.4	42.7
17	20.3	16.4	25.4	56.7	73.3	72.3	31.7	12.9	14.9	8.56	13.9	39.4
18	19.1	15.9	26.1	52.2	89.9	74.3	31.0	12.9	14.4	7.92	13.4	35.5
19	21.5	15.4	26.1	47.6	111	73.3	30.3	12.9	13.9	7.92	16.4	33.2
20	24.1	14.9	26.7	49.4	128	72.3	28.8	12.9	12.9	7.60	22.8	31.7
21	21.5	14.4	26.7	61.4	135	69.2	26.7	12.5	12.9	7.60	31.7	30.3
22	20.3	13.4	28.1	68.2	141	69.2	25.4	12.5	12.0	7.60	60.5	28.1
23	19.1	13.4	30.3	64.2	156	68.2	24.7	12.5	12.0	7.60	87.5	27.4
24	18.5	13.4	33.2	60.5	141	68.2	24.1	11.6	11.6	7.60	71.3	27.4
25	16.4	13.4	38.6	54.9	126	67.1	23.4	12.5	11.1	7.30	54.9	29.5
26	16.4	12.9	39.4	52.2	121	65.2	22.8	14.9	11.1	7.30	41.9	34.0
27	15.9	12.9	37.8	49.4	118	62.3	22.8	14.4	10.4	7.30	35.5	32.5
28	15.9	12.9	36.3	39.4	115	60.5	22.8	13.9	9.96	7.30	47.6	35.5
29	15.4		33.2	64.2	113	58.6	22.1	13.4	9.96	7.30	76.4	80.8
30	16.9		31.7	71.3	112	56.7	20.9	12.9	9.96	7.30	61.4	88.7
31	20.9		30.3		107		20.3	12.5		7.30		76.4
SD1	44.5	24.5	55.9	37.2	62.1	109	48.8	17.4	12.5	9.37	7.21	57.3
SD2	22.9	17.1	26.7	68.4	80.5	78.1	32.8	13.6	14.7	8.53	13.8	57.7
SD3	17.9	13.3	33.2	58.6	126	64.5	23.3	13.1	11.1	7.41	56.9	44.6
MAX	83.0	31.7	142	121	182	126	55.8	20.3	18.0	9.96	97.3	117
DAT	1	2	3	11	23	6	1	1	14	4	23	2
SR	28.1	18.7	38.4	54.7	90.7	83.9	34.6	14.6	12.8	8.40	26.0	52.9
MIN	15.4	12.9	12.9	24.7	52.2	56.7	20.3	11.6	9.96	7.30	7.00	25.4
DAT	29	26	1	3	4	30	31	24	28	25	8	8
GMIN =			7.00	SRGOD=			38.8	GMAX =			182	
DATUM			8 11					DATUM			23 5	



ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1966

Broj           : 45824                      Stanica : ANDRIJEVICA                      Kota "0" = 744.39  
Nacin osmat.: limnigraf                Rijeka : LIM                                      km od usca = 174.00  
Pocetak rada: 1962                      Sliv : DRINE                                      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	66.1	18.5	48.5	44.3	115	68.2	44.3	21.5	15.4	12.9	92.4	43.5
2	55.8	18.5	46.8	39.4	111	71.3	43.5	20.9	18.5	17.5	71.3	41.0
3	47.6	18.0	52.2	36.3	103	73.3	41.0	20.3	17.5	23.4	57.6	71.3
4	45.1	18.0	41.0	34.7	102	70.2	37.8	19.7	15.9	25.4	48.5	106
5	39.4	17.5	39.4	33.2	102	66.1	36.3	19.1	14.9	22.8	65.2	83.0
6	35.5	17.5	39.4	31.7	102	62.3	35.5	19.1	13.9	19.7	99.7	68.2
7	31.7	17.5	40.2	31.7	99.7	63.3	35.5	18.5	13.4	16.9	92.4	57.6
8	29.5	18.5	39.4	33.2	93.6	64.2	37.8	17.5	12.5	15.4	73.3	51.2
9	28.1	19.7	37.1	34.7	85.3	66.1	38.6	16.9	12.5	14.9	60.5	46.0
10	27.4	26.1	34.7	39.4	75.4	68.2	36.3	16.4	12.0	15.4	50.3	42.7
11	25.4	37.8	32.5	54.9	71.3	69.2	32.5	16.4	11.6	16.4	43.5	40.2
12	28.1	77.5	31.0	62.3	67.1	71.3	30.3	15.9	10.7	16.4	46.0	38.6
13	28.8	84.2	32.2	62.3	60.5	72.3	28.1	15.4	10.4	16.4	53.1	41.0
14	26.1	77.5	34.7	60.5	57.6	71.3	27.4	15.4	9.96	18.0	54.0	76.4
15	25.4	75.4	31.7	61.4	61.4	70.2	26.1	15.4	10.4	17.5	50.3	77.5
16	28.8	62.3	31.0	66.1	67.1	69.2	26.7	15.4	9.96	16.4	44.3	62.3
17	29.5	54.0	28.1	109	70.2	72.3	26.7	15.4	9.96	16.4	45.1	52.2
18	29.5	48.5	26.7	124	70.2	71.3	24.7	15.4	9.96	15.9	60.5	46.0
19	28.8	46.8	26.1	103	69.2	68.2	24.1	14.9	9.96	15.4	68.2	41.9
20	25.4	43.5	24.7	89.9	68.2	64.2	23.4	14.4	10.7	14.9	67.1	38.6
21	26.1	43.5	24.1	87.5	66.1	62.3	23.4	14.4	11.1	14.9	68.2	36.3
22	24.1	44.3	23.4	89.9	65.2	58.6	24.7	13.9	10.7	15.4	61.4	34.7
23	23.4	49.4	22.8	96.0	66.1	55.8	25.4	13.4	10.7	15.4	53.1	32.5
24	25.4	87.5	22.8	89.9	68.2	53.1	24.7	12.9	9.96	15.4	65.2	30.3
25	24.7	101	23.4	85.3	73.3	50.3	24.7	12.9	9.96	14.9	101	28.8
26	23.4	78.6	25.4	84.2	76.4	49.4	24.1	12.5	9.58	18.5	87.5	27.4
27	22.8	63.3	26.1	85.3	77.5	47.6	23.4	12.5	9.58	66.1	68.2	26.1
28	21.5	52.2	25.4	86.4	99.7	45.1	22.8	12.9	9.20	98.5	67.6	24.7
29	20.3		28.8	87.5	93.6	41.9	22.8	12.5	9.20	115	50.3	23.4
30	19.1		47.6	102	81.9	42.7	23.4	12.0	9.20	158	47.6	22.8
31	19.1		50.3		71.3		22.8	11.1		128		22.1
SD1	40.6	19.0	41.9	35.9	98.9	67.3	38.7	19.0	14.6	18.4	71.1	61.0
SD2	27.6	60.7	29.9	79.3	66.3	69.9	27.0	15.4	10.4	16.4	53.2	51.5
SD3	22.7	65.0	29.1	89.4	76.3	50.7	23.8	12.8	9.92	60.0	67.0	28.1
MAX	73.3	106	52.2	129	116	74.3	44.3	22.1	19.7	193	108	111
DAT	1	25	3	18	1	3	1	1	2	30	25	4
SR	30.1	47.0	33.5	68.2	80.4	62.6	29.6	15.6	11.6	32.5	63.8	46.3
MIN	19.1	17.5	22.8	31.7	57.6	41.9	22.8	11.1	9.20	12.9	43.5	22.1
DAT	30	5	23	6	14	29	28	31	28	1	11	31
		GMIN = 9.20			SRGOD= 43.3			GMAX = 193				
		DATUM 28 9						DATUM 30 10				

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1967

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
 Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	17.6	9.94	11.6	53.5	89.2	29.8	25.5	15.2	9.52	9.52	7.54	17.6
2	15.8	9.94	11.6	51.1	93.4	29.8	25.5	15.2	9.52	8.84	7.80	16.4
3	15.8	9.94	11.2	63.3	114	28.0	25.5	10.8	9.60	8.84	8.06	15.2
4	15.2	9.94	10.8	67.0	99.0	28.0	25.5	12.0	9.94	8.84	8.06	14.5
5	13.9	9.94	10.8	59.5	81.1	27.1	25.5	12.0	10.4	8.84	8.06	13.9
6	13.9	9.94	10.8	49.9	70.8	28.0	23.8	12.0	10.4	8.58	8.06	13.3
7	13.3	10.4	10.8	46.5	59.5	28.9	22.9	11.6	9.10	8.58	7.80	13.3
8	12.9	18.3	10.8	40.2	52.3	33.4	22.0	11.2	7.80	8.32	7.80	12.9
9	12.5	17.0	10.8	40.2	48.7	28.0	22.9	10.4	7.80	8.32	7.80	12.9
10	12.5	18.9	12.9	39.1	47.5	25.5	22.0	9.94	6.50	8.06	7.80	12.5
11	12.0	23.8	13.9	49.9	48.7	25.5	21.2	9.94	6.40	8.06	7.80	12.5
12	11.6	39.1	15.8	59.5	47.5	24.6	18.9	9.52	6.20	8.58	7.80	13.9
13	11.6	35.2	15.8	81.1	47.5	25.5	18.9	9.52	6.00	8.84	7.54	13.3
14	11.2	28.0	15.2	86.4	48.7	24.6	18.9	9.52	5.86	8.84	7.54	12.9
15	11.2	25.5	14.5	73.3	48.7	24.6	18.9	9.10	6.00	8.84	7.54	12.9
16	11.6	21.2	14.5	60.8	48.7	23.8	18.9	9.10	6.10	8.58	7.54	12.5
17	12.0	17.6	13.9	43.3	49.9	26.3	18.9	9.10	6.30	8.32	7.80	12.5
18	12.0	16.4	13.9	41.2	47.5	39.1	18.3	9.10	7.80	8.06	7.80	14.5
19	11.6	15.8	15.2	38.0	45.4	38.0	18.3	9.10	11.2	8.06	7.80	31.6
20	11.2	15.8	15.8	41.2	44.3	35.2	17.6	8.84	12.0	8.06	7.54	58.3
21	10.8	15.2	16.4	53.5	43.3	33.4	17.6	8.84	12.0	7.80	7.28	67.0
22	10.8	14.5	18.3	53.5	40.2	32.5	18.9	8.84	11.6	7.80	7.28	47.5
23	10.8	13.9	19.5	64.5	41.2	31.6	18.3	8.58	11.2	7.80	7.28	41.2
24	10.4	13.3	21.2	70.8	42.3	36.1	17.6	8.32	11.2	7.80	7.28	34.3
25	10.4	12.9	24.6	73.3	44.3	32.5	17.6	8.06	10.8	7.80	7.28	29.8
26	10.4	11.6	124	73.3	49.9	28.9	17.0	8.06	11.2	7.54	7.28	26.3
27	10.4	11.6	156	74.6	44.3	27.1	17.0	8.06	11.2	7.54	7.54	26.3
28	9.94	11.6	129	77.2	38.0	26.3	16.4	8.32	10.4	7.54	9.94	26.3
29	9.94		85.0	78.5	35.2	26.3	15.8	8.32	10.4	7.54	26.3	24.6
30	9.94		63.3	82.4	32.5	26.3	16.4	8.58	10.4	7.54	21.2	22.0
31	9.94		53.5		31.6		15.8	8.58		7.28		22.0
SD1	14.3	12.4	11.2	51.0	75.6	28.6	24.1	12.0	9.06	8.67	7.88	14.3
SD2	11.6	23.8	14.9	57.5	47.7	28.7	18.9	9.28	7.39	8.42	7.67	19.5
SD3	10.3	13.1	64.6	70.2	40.3	30.1	17.1	8.41	11.0	7.63	10.9	33.4
MAX	17.6	39.1	156	86.4	114	39.1	25.5	15.2	12.0	9.52	26.3	67.0
DAT	1	12	27	14	3	18	1	1	20	1	29	21
SR	12.0	16.7	31.3	59.6	54.0	29.2	19.9	9.86	9.16	8.22	8.80	22.7
MIN	9.94	9.94	10.8	38.0	31.6	23.8	15.8	8.06	5.86	7.28	7.28	12.5
DAT	28	1	4	19	31	16	29	25	14	31	21	10
		GMIN = 5.86			SRGOD= 23.5			GMAX = 156				
		DATUM 14 9						DATUM 27 3				

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1968

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
 Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	51.0	10.1	32.8	57.1	109	59.3	24.5	9.80	17.7	17.7	9.20	26.6
2	69.4	10.4	29.6	55.0	109	50.0	23.1	9.80	17.1	17.1	9.20	24.5
3	59.3	10.4	26.6	56.0	100	44.0	21.7	9.80	16.0	15.5	9.20	23.1
4	44.0	10.4	23.8	59.3	94.8	40.0	20.5	10.1	15.1	15.5	9.20	21.7
5	34.4	10.4	21.7	64.8	96.2	38.0	19.9	10.4	15.5	14.6	9.20	20.5
6	29.6	10.4	20.5	73.0	104	36.0	19.4	10.4	18.8	14.6	8.90	19.4
7	31.2	10.4	19.9	81.6	115	34.4	18.8	10.1	18.8	13.7	10.1	18.8
8	33.6	10.4	19.9	86.8	115	32.0	17.7	11.0	17.7	12.8	10.4	17.7
9	24.5	11.4	18.8	90.7	109	30.4	16.6	13.7	16.6	12.8	12.4	18.8
10	21.0	12.8	18.8	86.8	96.2	31.2	16.0	13.7	15.5	11.9	21.7	19.9
11	19.4	15.5	20.5	73.0	89.4	38.0	15.5	12.8	14.6	11.9	28.0	18.8
12	17.7	18.3	21.0	61.5	86.8	46.0	15.1	11.4	14.6	11.4	27.3	17.7
13	16.0	17.7	19.9	54.0	89.4	44.0	14.6	12.4	14.1	11.4	24.5	16.6
14	17.1	16.6	18.8	48.0	90.7	50.0	14.6	12.8	14.1	10.7	22.4	16.6
15	16.0	16.6	18.8	48.0	86.8	54.0	14.1	13.7	14.1	10.4	21.0	16.0
16	14.6	25.9	17.7	51.0	79.0	59.3	13.7	14.6	13.7	10.4	22.4	15.5
17	14.1	40.0	17.7	53.0	71.8	56.0	13.3	14.6	13.7	10.4	34.4	16.6
18	13.7	41.0	17.7	60.4	65.9	54.0	12.8	13.7	12.8	10.4	129	38.0
19	14.6	35.2	17.7	69.4	60.4	57.1	12.8	14.6	14.1	10.4	207	143
20	13.7	29.6	19.4	71.8	56.0	52.0	12.8	16.6	15.5	10.4	157	240
21	13.7	25.9	20.5	70.6	52.0	46.0	12.8	16.6	16.0	10.1	113	154
22	12.8	23.8	27.3	69.4	51.0	42.0	11.9	16.0	15.5	9.80	84.2	93.4
23	12.4	23.8	54.0	70.6	52.0	38.0	11.9	15.1	17.7	9.80	65.9	69.4
24	11.9	24.5	71.8	76.6	51.0	34.4	11.4	14.6	22.4	9.80	54.0	56.0
25	12.4	28.0	67.0	85.5	49.0	33.6	11.0	14.6	24.5	9.80	45.0	48.0
26	12.4	36.0	59.3	94.8	48.0	32.8	11.0	14.6	24.5	9.80	39.0	42.0
27	11.9	44.0	54.0	96.2	48.0	29.6	15.1	17.1	22.4	9.80	34.4	36.0
28	11.4	43.0	52.0	96.2	49.0	28.0	15.1	17.7	21.0	9.80	31.2	32.8
29	11.0	37.0	51.0	96.2	48.0	26.6	10.7	17.7	19.4	9.80	28.8	31.2
30	10.4		51.0	101	49.0	25.2	9.80	16.6	17.7	9.80	26.6	28.0
31	10.4		54.0		61.5		9.80	16.6		9.50		25.2
SD1	39.8	10.7	23.2	71.1	105	39.5	19.8	10.9	16.9	14.6	10.9	21.1
SD2	15.7	25.6	18.9	59.0	77.6	51.0	13.9	13.7	14.1	10.8	67.3	53.9
SD3	11.9	31.8	51.1	85.7	50.8	33.6	11.9	16.1	20.1	9.80	52.2	56.0
MAX	69.4	44.0	71.8	101	115	59.3	24.5	17.7	24.5	17.7	207	327
DAT	2	27	24	30	7	1	1	28	25	1	19	20
SR	22.1	22.4	31.7	71.9	76.9	41.4	15.1	13.7	17.0	11.7	43.5	44.1
MIN	10.4	10.1	17.7	48.0	48.0	25.2	9.80	9.80	12.8	9.50	8.90	15.5
DAT	30	1	16	14	26	30	30	1	18	31	6	16
		GMIN =	8.90			SRGOD=	34.3			GMAX =	327	
		DATUM	6 11							DATUM	20 12	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1969

Broj               : 45824                      Stanica : ANDRIJEVICA                      Kota "0" = 744.39  
Nacin osmat.: limnigraf                Rijeka : LIM                                      km od usca = 174.00  
Pocetak rada: 1962                      Sliv : DRINE                                      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	24.5	15.5	27.3	25.9	121	64.8	26.6	14.6	17.1	12.8	7.75	59.3	
2	23.1	15.5	25.9	24.5	115	63.7	25.9	15.5	15.5	12.4	7.75	62.6	
3	21.7	15.5	25.2	23.8	115	64.8	25.2	15.1	14.6	11.9	7.50	44.0	
4	20.5	19.4	23.8	23.8	118	61.5	24.5	14.6	13.7	11.9	7.50	38.0	
5	19.9	32.8	23.8	23.8	127	58.2	23.8	14.6	13.7	11.4	7.50	42.0	
6	18.8	38.0	23.8	24.5	140	64.8	23.8	14.1	13.7	10.7	7.50	118	
7	17.7	32.8	23.1	25.2	138	81.6	23.8	13.7	15.5	10.4	7.50	124	
8	16.6	26.6	21.7	25.2	129	85.5	22.4	13.7	14.6	10.4	7.50	90.7	
9	16.6	25.2	20.5	26.6	118	79.0	22.4	13.7	14.6	10.4	7.75	69.4	
10	16.6	23.8	19.9	26.6	106	69.4	22.4	12.4	13.3	9.80	8.30	55.0	
11	16.0	21.7	18.8	26.6	97.6	61.5	21.7	12.8	12.8	9.80	8.30	46.0	
12	15.1	19.9	18.8	27.3	92.0	56.0	23.1	12.4	13.7	9.80	8.30	40.0	
13	14.6	21.0	19.4	28.0	92.0	52.0	22.4	11.4	14.6	9.50	8.30	36.0	
14	14.6	23.1	19.9	28.8	100	48.0	21.0	10.7	14.6	9.20	8.30	32.8	
15	16.6	26.6	21.7	31.2	110	49.0	20.5	10.7	13.7	9.20	8.30	30.4	
16	19.9	32.0	26.6	31.2	118	50.0	19.4	10.7	14.6	8.90	8.30	29.6	
17	22.4	29.6	34.4	32.0	122	48.0	18.8	10.7	15.5	8.90	8.00	27.3	
18	16.6	25.2	42.0	31.2	119	44.0	18.3	11.4	15.5	8.90	8.00	25.2	
19	16.6	22.4	43.0	29.6	118	42.0	17.7	11.9	15.5	8.90	8.00	24.5	
20	20.5	21.0	42.0	28.0	116	40.0	17.7	11.9	15.5	8.60	8.00	23.8	
21	18.8	22.4	38.0	28.8	113	40.0	17.1	11.4	17.7	8.60	8.00	22.4	
22	17.7	23.8	34.4	33.6	109	39.0	17.1	11.0	19.9	8.60	8.30	21.0	
23	16.6	23.8	31.2	56.0	100	35.2	16.6	11.0	19.4	8.30	10.4	19.9	
24	16.6	23.1	28.0	132	88.1	32.8	16.0	10.7	17.7	8.30	15.5	19.4	
25	16.0	25.2	28.0	110	79.0	31.2	15.5	10.4	16.6	8.30	45.0	18.8	
26	15.5	29.6	32.8	84.2	74.2	32.8	15.5	12.8	15.5	8.30	154	18.3	
27	15.1	30.4	36.0	82.9	69.4	36.0	15.1	16.0	15.1	8.00	240	17.7	
28	14.6	29.6	34.4	94.8	65.9	34.4	14.6	20.5	14.6	8.00	174	18.3	
29	14.6		32.8	116	65.9	31.2	15.1	25.2	14.1	8.00	103	17.7	
30	15.5		31.2	125	62.6	28.0	16.0	23.1	13.3	8.00	71.8	17.1	
31	16.0		28.0		64.8		15.1	19.9		7.75		17.1	
SD1	19.6	24.5	23.5	25.0	123	69.3	24.1	14.2	14.6	11.2	7.66	70.3	
SD2	17.3	24.2	28.7	29.4	108	49.0	20.1	11.5	14.6	9.17	8.18	31.6	
SD3	16.1	26.0	32.3	86.3	81.1	34.1	15.8	15.6	16.4	8.20	83.0	18.9	
MAX	24.5	38.0	43.0	147	143	85.5	26.6	25.2	19.9	12.8	245	145	
DAT	1	6	19	24	6	8	1	29	22	1	27	6	
SR	17.6	24.8	28.3	46.9	103	50.8	19.8	13.8	15.2	9.48	32.9	39.6	
MIN	14.6	15.5	18.8	23.8	62.6	28.0	14.6	10.4	12.8	7.75	7.50	17.1	
DAT	13	1	11	3	30	30	28	25	11	31	3	30	
		GMIN = 7.50		SRGOD= 33.6		GMAX = 245							
		DATUM 3 11				DATUM 27 11							

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1970

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
 Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	19.9	28.0	23.8	89.4	142	85.5	57.1	22.4	18.8	8.60	22.4	28.8	
2	29.6	26.6	23.1	103	107	84.2	55.0	21.7	17.7	10.4	19.9	34.4	
3	26.6	25.2	21.7	109	86.8	79.0	53.0	21.0	16.6	11.9	19.4	38.0	
4	24.5	25.2	21.7	97.6	73.0	71.8	51.0	20.5	15.5	15.5	18.3	36.0	
5	25.2	26.6	24.5	81.6	64.8	63.7	51.0	19.9	15.5	15.5	17.7	32.0	
6	57.1	32.0	29.6	69.4	59.3	65.9	52.0	19.4	15.5	14.6	17.1	29.6	
7	115	40.0	29.6	60.4	53.0	63.7	57.1	18.8	14.6	13.3	16.6	27.3	
8	181	48.0	28.0	85.5	54.0	77.8	57.1	18.8	13.7	12.8	16.0	23.8	
9	143	46.0	25.9	240	62.6	96.2	64.8	19.4	13.7	11.9	16.0	22.4	
10	94.8	42.0	25.2	275	76.6	106	52.0	19.9	12.8	11.9	17.7	21.0	
11	71.8	45.0	23.8	194	101	113	49.0	19.9	12.8	10.7	20.5	19.9	
12	61.5	50.0	27.3	148	130	112	47.0	19.4	11.9	10.1	20.5	18.8	
13	74.2	47.0	28.8	119	132	103	46.0	17.7	11.9	9.80	19.4	17.7	
14	84.2	48.0	30.4	110	121	97.6	44.0	17.1	11.9	9.80	17.7	17.7	
15	76.6	67.0	45.0	143	113	96.2	42.0	16.6	11.9	9.50	19.9	17.7	
16	92.0	81.6	53.0	124	118	92.0	42.0	16.6	11.4	9.20	48.0	16.6	
17	205	65.9	47.0	97.6	130	92.0	50.0	16.6	11.4	9.20	71.8	15.5	
18	164	54.0	42.0	80.3	129	92.0	52.0	15.5	11.9	9.20	58.2	15.1	
19	112	47.0	38.0	74.2	116	94.8	46.0	15.5	11.9	9.20	47.0	14.6	
20	84.2	42.0	36.0	76.6	119	92.0	39.0	14.6	11.0	9.20	47.0	14.6	
21	69.4	37.0	32.8	92.0	106	88.1	34.4	14.6	11.0	9.50	54.0	13.3	
22	59.3	34.4	30.4	104	106	80.3	32.0	14.1	10.7	23.8	80.3	12.8	
23	53.0	32.0	29.6	109	130	74.2	31.2	14.1	10.4	88.1	122	12.8	
24	46.0	32.8	31.2	119	129	70.6	29.6	14.1	10.1	86.8	94.8	12.8	
25	42.0	29.6	36.0	132	106	67.0	29.6	15.1	9.80	60.4	70.6	12.4	
26	38.0	28.0	43.0	147	86.8	65.9	28.8	14.6	9.80	45.0	56.0	13.7	
27	35.2	26.6	55.0	154	79.0	64.8	27.3	14.1	9.80	36.0	46.0	12.8	
28	33.6	25.2	115	154	80.3	60.4	25.2	13.7	9.50	32.0	40.0	15.5	
29	32.8		251	178	81.6	60.4	24.5	12.8	9.20	28.8	36.0	28.0	
30	31.2		174	178	76.6	59.3	23.8	12.8	8.60	25.9	32.0	70.6	
31	29.6		115		79.0		23.1	17.7		23.8		190	
SD1	71.7	34.0	25.3	121	77.9	79.4	55.0	20.2	15.4	12.6	18.1	29.3	
SD2	103	54.8	37.1	117	121	98.5	45.7	17.0	11.8	9.59	37.0	16.8	
SD3	42.7	30.7	83.0	137	96.4	69.1	28.1	14.3	9.89	41.8	63.2	35.9	
MAX	205	81.6	267	307	142	113	64.8	22.4	18.8	97.6	122	207	
DAT	17	16	29	10	1	11	9	1	1	23	23	31	
SR	71.4	40.5	49.6	125	98.3	82.3	42.5	17.1	12.4	22.0	39.4	27.6	
MIN	19.9	25.2	21.7	60.4	53.0	59.3	23.1	12.8	8.60	8.60	16.0	12.4	
DAT	1	3	3	7	7	30	31	29	30	1	8	25	
		GMIN = 8.60			SRGOD= 52.3			GMAX = 307					
		DATUM 30 9						DATUM 10 4					

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1971

Broj               : 45824                    Stanica : ANDRIJEVICA                    Kota "0" = 744.39  
Nacin osmat.: limnigraf                Rijeka : LIM                                km od usca = 174.00  
Pocetak rada: 1962                    Sliv : DRINE                                Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	232	30.4	11.9	28.8	96.2	62.6	23.8	18.3	9.50	11.9	10.4	81.6	
2	171	36.0	11.9	32.8	121	60.4	23.1	17.1	9.80	11.4	10.4	81.6	
3	154	32.8	11.9	36.0	160	57.1	21.0	16.0	9.80	11.0	10.1	70.6	
4	118	29.6	11.4	39.0	167	54.0	19.9	15.1	9.80	11.0	9.80	57.1	
5	86.8	26.6	11.4	43.0	164	53.0	19.9	14.1	9.50	10.4	9.80	46.0	
6	71.8	23.8	11.9	67.0	145	52.0	19.9	13.7	9.20	10.4	9.80	38.0	
7	58.2	23.1	11.9	75.4	125	51.0	14.1	12.8	8.90	9.80	9.50	32.8	
8	48.0	21.7	11.9	68.2	113	48.0	18.3	12.8	8.60	9.80	9.80	30.4	
9	41.0	20.5	11.9	65.9	104	45.0	18.8	12.8	8.60	9.80	9.50	28.0	
10	36.0	19.4	11.0	67.0	96.2	42.0	18.3	12.8	9.20	9.20	9.50	25.2	
11	32.8	18.3	10.7	71.8	96.2	41.0	17.7	11.9	9.80	9.20	9.80	23.8	
12	29.6	17.7	11.0	69.4	97.6	42.0	17.7	11.9	9.80	8.90	11.0	22.4	
13	28.0	16.6	10.7	63.7	94.8	42.0	17.7	11.0	11.0	8.60	11.4	21.7	
14	25.2	16.6	10.4	57.1	92.0	38.0	16.6	11.0	11.9	8.60	12.8	20.5	
15	23.8	16.0	11.0	50.0	89.4	33.6	16.6	11.0	12.8	8.60	14.6	19.4	
16	22.4	16.0	12.4	44.0	89.4	32.8	16.6	10.7	13.7	15.5	12.4	18.3	
17	21.0	16.0	13.7	40.0	92.0	30.4	16.0	10.7	16.6	34.4	11.9	17.7	
18	19.9	16.0	14.6	42.0	92.0	30.4	15.5	11.0	17.7	33.6	11.9	16.6	
19	19.9	15.5	15.5	43.0	92.0	32.8	15.5	11.0	16.0	25.9	11.9	15.5	
20	18.8	15.5	17.7	47.0	90.7	32.8	16.6	11.0	15.5	21.0	21.0	14.6	
21	18.8	15.5	21.0	51.0	88.1	29.6	15.5	10.4	13.7	18.3	40.0	14.6	
22	21.7	16.0	42.0	56.0	85.5	28.0	15.1	10.4	16.6	16.6	32.8	14.6	
23	35.2	15.5	76.6	62.6	82.9	26.6	14.6	10.4	14.6	15.5	49.0	14.6	
24	36.0	14.6	68.2	70.6	79.0	28.0	13.7	10.4	12.4	14.1	56.0	14.6	
25	32.8	14.6	56.0	89.4	74.2	28.0	11.9	10.1	12.8	14.1	42.0	13.7	
26	33.6	13.7	46.0	97.6	68.2	26.6	11.9	9.80	11.9	13.7	32.8	13.7	
27	34.4	12.8	40.0	81.6	62.6	26.6	11.9	9.80	10.7	12.8	28.0	13.7	
28	38.0	12.4	36.0	71.8	60.4	25.9	11.9	9.80	10.4	12.4	26.6	13.3	
29	38.0		33.6	71.8	65.9	25.2	15.1	9.80	10.7	11.9	33.6	12.8	
30	33.6		32.8	77.8	64.8	24.5	16.6	9.80	11.9	11.9	49.0	12.8	
31	30.4		31.2		62.6		15.1	9.80		11.0		12.8	
SD1	102	26.4	11.7	52.3	129	52.5	19.7	14.6	9.29	10.5	9.86	49.1	
SD2	24.1	16.4	12.8	52.8	92.6	35.6	16.6	11.1	13.5	17.4	12.9	19.0	
SD3	32.0	14.4	43.9	73.0	72.2	26.9	13.9	10.0	12.6	13.8	39.0	13.7	
MAX	232	36.0	80.3	97.6	172	62.6	23.8	18.3	17.7	34.4	56.0	85.5	
DAT	1	2	23	26	4	1	1	1	18	17	24	1	
SR	52.0	19.4	23.5	59.4	97.2	38.3	16.7	11.8	11.8	13.9	20.6	26.9	
MIN	18.8	12.4	10.4	28.8	60.4	24.5	11.9	9.80	8.60	8.60	9.50	12.8	
DAT	20	28	14	1	28	30	25	26	8	13	7	29	
		GMIN =	8.60			SRGOD=	32.7			GMAX =	232		
		DATUM	8 9							DATUM	1 1		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1972

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
 Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	12.8	11.9	18.8	25.2	42.0	34.4	17.7	15.1	14.1	77.8	28.0	50.0
2	13.7	11.0	18.8	28.0	40.0	36.0	17.7	15.1	13.7	61.5	26.6	48.0
3	13.7	11.0	18.8	29.6	41.0	38.0	16.6	14.6	13.7	52.0	25.2	47.0
4	13.7	10.7	18.8	29.6	45.0	42.0	16.0	15.5	12.8	48.0	23.8	44.0
5	13.7	11.0	18.8	32.8	44.0	41.0	15.5	11.9	11.9	42.0	22.4	42.0
6	14.6	10.4	17.7	36.0	42.0	38.0	15.1	15.5	11.9	38.0	21.0	38.0
7	14.6	10.4	17.7	40.0	44.0	36.0	14.6	14.6	11.0	32.8	21.0	35.2
8	14.6	10.4	17.1	42.0	46.0	34.4	14.1	13.7	11.0	29.6	19.9	32.8
9	15.5	10.4	17.1	42.0	48.0	36.0	15.1	12.8	10.7	29.6	18.8	31.2
10	15.5	11.0	17.7	42.0	48.0	37.0	14.6	12.8	10.4	44.0	18.8	28.8
11	15.1	12.4	19.9	46.0	50.0	34.4	13.7	12.4	10.7	48.0	17.7	27.3
12	14.6	13.3	21.0	48.0	52.0	32.8	13.7	11.9	10.7	48.0	23.8	25.2
13	14.6	15.5	21.0	54.0	50.0	32.8	14.1	11.9	10.7	52.0	38.0	23.8
14	14.6	16.6	21.0	56.0	45.0	32.0	14.6	11.0	10.4	60.4	37.0	22.4
15	14.6	16.6	21.0	58.2	46.0	31.2	28.8	10.4	11.0	58.2	32.8	21.0
16	14.6	14.6	19.9	59.3	50.0	29.6	62.6	10.1	60.4	51.0	37.0	19.9
17	13.7	13.7	19.9	58.2	56.0	29.6	44.0	10.4	137	44.0	42.0	19.9
18	13.7	13.7	18.8	57.1	58.2	29.6	35.2	10.1	94.8	40.0	40.0	18.8
19	13.7	13.3	18.8	53.0	59.3	34.4	28.0	10.4	67.0	36.0	45.0	17.7
20	12.8	13.3	18.8	56.0	60.4	26.6	23.1	12.8	50.0	34.4	55.0	17.1
21	12.8	18.8	18.3	62.6	60.4	23.8	21.0	17.7	38.0	33.6	67.0	16.6
22	12.4	14.6	18.8	58.2	58.2	22.4	21.0	21.0	31.2	42.0	112	15.5
23	11.9	14.6	19.9	54.0	55.0	22.4	21.0	19.4	26.6	42.0	112	15.5
24	11.9	15.5	19.9	52.0	50.0	21.0	21.0	16.6	25.2	40.0	109	15.1
25	11.9	16.6	21.0	56.0	47.0	20.5	21.0	15.5	23.8	37.0	147	15.1
26	11.9	16.6	21.0	73.0	46.0	19.4	21.0	14.1	22.4	35.2	133	14.6
27	11.4	17.7	21.0	76.6	45.0	19.9	19.9	13.7	56.0	32.8	100	14.1
28	11.9	18.8	22.4	69.4	44.0	18.3	18.8	12.4	172	31.2	79.0	13.7
29	11.9	18.8	23.1	59.3	47.0	18.8	17.7	11.9	150	31.2	64.8	13.3
30	12.8		22.4	48.0	43.0	18.3	16.6	12.4	103	30.4	56.0	13.3
31	12.8		23.1		36.0		15.5	19.9		29.6		12.8
SD1	14.2	10.8	18.1	34.7	44.0	37.3	15.7	14.2	12.1	45.5	22.5	39.7
SD2	14.2	14.3	20.0	54.6	52.7	31.3	27.8	11.1	46.3	47.2	36.8	21.3
SD3	12.1	16.9	21.0	60.9	48.3	20.5	19.5	15.9	64.8	35.0	98.0	14.5
MAX	15.5	18.8	23.1	76.6	60.4	42.0	106	21.0	194	77.8	155	50.0
DAT	9	21	29	27	20	4	16	22	28	1	25	1
SR	13.5	13.9	19.8	50.1	48.3	29.7	20.9	13.8	41.1	42.3	52.5	24.8
MIN	11.4	10.4	17.1	25.2	36.0	18.3	13.7	10.1	10.4	29.6	17.7	12.8
DAT	27	6	8	1	31	28	11	16	10	8	11	31
GMIN =			10.1	SRGOD=			30.8	GMAX =			194	
DATUM			16 8					DATUM			28 9	

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1973

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
 Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	12.8	13.7	14.1	29.6	77.8	48.0	19.4	23.1	11.0	18.8	22.4	25.2
2	12.8	13.7	13.3	34.4	93.4	45.0	19.4	21.0	11.4	17.1	21.0	23.8
3	12.8	14.1	12.8	37.0	112	43.0	19.4	19.4	11.4	16.0	20.5	22.4
4	12.8	14.1	12.8	37.0	132	43.0	19.9	18.8	11.0	15.1	19.4	22.4
5	12.8	14.1	12.4	36.0	165	41.0	19.4	17.7	10.7	14.6	18.3	23.8
6	12.4	14.1	11.9	31.2	203	38.0	18.8	17.1	10.4	14.1	17.7	23.1
7	11.9	12.8	11.4	28.0	196	37.0	18.3	16.0	10.4	13.3	22.4	22.4
8	11.9	13.3	11.9	28.8	187	38.0	18.3	15.5	10.1	12.8	60.4	21.7
9	11.9	13.3	12.8	32.8	172	39.0	17.7	14.6	10.1	13.3	63.7	24.5
10	11.4	13.7	12.4	42.0	162	40.0	18.3	14.6	9.80	13.7	49.0	29.6
11	11.4	17.7	11.9	88.1	129	39.0	18.3	13.7	9.50	12.8	43.0	29.6
12	11.4	22.4	11.9	110	99.0	36.0	17.7	13.3	9.20	12.4	41.0	26.6
13	11.4	19.9	11.4	81.6	96.2	34.4	18.3	12.4	9.20	11.9	39.0	25.2
14	11.0	17.7	11.4	62.6	86.8	34.4	18.3	11.9	8.60	11.4	38.0	23.8
15	10.7	27.3	11.4	53.0	81.6	37.0	17.1	11.4	8.60	13.3	37.0	23.8
16	10.7	37.0	11.0	44.0	81.6	35.2	16.6	11.0	8.60	17.7	36.0	23.1
17	11.4	32.8	11.0	38.0	82.9	31.2	15.5	11.0	8.60	23.8	34.4	21.7
18	18.8	27.3	11.0	34.4	82.9	28.8	14.6	10.7	9.20	23.8	34.4	21.7
19	35.2	23.1	11.4	32.0	81.6	28.0	13.7	10.4	13.3	21.0	33.6	23.1
20	31.2	21.0	11.0	31.2	90.7	26.6	13.3	10.1	21.0	19.9	32.0	22.4
21	25.9	19.4	10.7	33.6	99.0	25.2	13.3	10.1	21.0	19.9	28.8	25.2
22	21.7	18.3	10.7	32.8	96.2	23.8	12.8	10.1	19.9	32.0	26.6	37.0
23	19.4	17.1	11.0	30.4	94.8	23.1	12.4	9.80	20.5	113	24.5	53.0
24	17.7	16.6	12.4	30.4	94.8	23.1	11.9	9.80	29.6	100	23.1	51.0
25	16.6	15.5	13.3	40.0	93.4	21.7	16.6	9.80	28.0	68.2	22.4	45.0
26	16.0	15.5	14.1	45.0	85.5	20.5	32.0	9.80	22.4	46.0	22.4	56.0
27	16.0	15.1	16.0	46.0	81.6	19.9	44.0	10.4	19.9	34.4	31.2	92.0
28	15.5	14.6	19.4	46.0	62.6	19.4	42.0	11.9	22.4	31.2	32.0	89.4
29	14.1		19.9	54.0	54.0	18.8	35.2	12.4	23.8	30.4	28.8	74.2
30	14.1		23.1	58.2	49.0	18.8	29.6	12.4	21.7	26.6	28.0	59.3
31	13.7		26.6		47.0		25.9	11.9		24.5		40.0
SD1	12.4	13.7	12.6	33.7	150	41.2	18.9	17.8	10.6	14.9	31.5	23.9
SD2	16.3	24.6	11.3	57.5	91.2	33.1	16.3	11.6	10.6	16.8	36.8	24.1
SD3	17.3	16.5	16.1	41.6	78.0	21.4	25.1	10.8	22.9	47.8	26.8	56.6
MAX	40.0	39.0	28.0	118	207	48.0	45.0	24.5	30.4	130	70.6	99.0
DAT	19	16	31	12	6	1	27	1	24	23	9	27
SR	15.4	18.4	13.4	44.3	105	31.9	20.3	13.3	14.7	27.2	31.7	35.5
MIN	10.7	12.8	10.7	28.0	47.0	18.8	11.9	9.80	8.60	11.4	17.7	21.7
DAT	15	7	21	7	31	29	24	23	14	14	6	8
		GMIN = 8.60			SRGOD= 31.1			GMAX = 207				
		DATUM 14 9						DATUM 6 5				



## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1974

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
 Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	47.0	12.4	14.1	45.0	79.0	90.7	40.0	11.4	8.90	23.1	57.1	44.0
2	48.0	12.4	14.1	44.0	99.0	89.4	35.2	11.4	8.60	29.6	52.0	37.0
3	48.0	12.4	14.1	41.0	88.1	86.8	32.0	11.0	8.30	36.0	45.0	33.6
4	46.0	15.1	14.1	38.0	76.6	79.0	29.6	11.0	8.30	35.2	39.0	31.2
5	43.0	16.6	14.1	35.2	93.4	75.4	28.0	11.0	8.00	28.8	36.0	28.8
6	40.0	15.5	14.1	33.6	97.6	74.2	25.9	10.7	8.00	26.6	34.4	28.8
7	38.0	33.6	14.1	32.0	85.5	73.0	25.2	10.4	7.75	29.6	33.6	24.5
8	35.2	33.6	13.7	30.4	74.2	68.2	25.9	10.7	8.30	48.0	33.6	22.4
9	31.2	27.3	13.7	27.3	75.4	63.7	23.1	10.4	8.30	74.2	32.0	21.7
10	28.0	24.5	13.3	25.2	68.2	62.6	21.0	10.1	8.30	70.6	30.4	20.5
11	25.2	22.4	12.8	23.8	60.4	65.9	19.9	9.80	8.30	58.2	28.8	20.5
12	23.1	21.0	12.4	23.8	58.2	68.2	19.4	9.80	8.00	46.0	28.0	19.9
13	21.7	19.9	12.4	24.5	60.4	61.5	18.8	9.50	8.00	38.0	27.3	22.4
14	21.0	19.9	11.9	27.3	62.6	52.0	18.8	9.20	8.00	44.0	25.9	23.1
15	19.4	20.5	11.9	30.4	76.6	43.0	18.3	8.90	8.00	63.7	25.2	21.7
16	18.3	19.9	11.4	31.2	101	42.0	18.3	8.60	7.75	164	25.2	19.9
17	18.3	18.8	11.4	31.2	93.4	43.0	17.7	8.60	7.75	185	23.8	19.9
18	17.1	18.8	11.4	32.0	82.9	43.0	17.7	8.60	7.25	127	22.4	19.4
19	16.6	18.8	11.9	30.4	75.4	43.0	17.1	8.30	7.25	97.6	21.7	19.4
20	16.6	18.3	12.8	27.3	74.2	41.0	17.1	8.00	7.25	69.4	21.0	18.3
21	16.0	17.7	13.7	26.6	71.8	40.0	16.6	8.30	7.25	67.0	21.0	17.1
22	16.0	17.1	15.1	26.6	67.0	38.0	16.0	8.30	7.25	104	20.5	17.1
23	15.5	16.6	18.8	25.2	92.0	36.0	15.1	8.30	9.50	207	20.5	16.0
24	15.5	16.6	23.8	23.8	99.0	38.0	14.6	8.60	13.3	447	18.8	16.0
25	15.1	16.6	28.8	23.8	99.0	37.0	13.7	8.60	17.1	370	18.3	15.5
26	14.6	16.0	33.6	23.8	121	36.0	13.3	8.60	28.8	242	23.8	15.1
27	14.6	15.1	36.0	24.5	116	36.0	12.8	8.90	41.0	129	34.4	14.1
28	13.7	14.6	38.0	25.2	106	35.2	12.8	9.50	29.6	90.7	36.0	14.1
29	13.7		42.0	32.8	103	36.0	12.4	9.50	22.4	77.8	51.0	13.7
30	13.3		43.0	51.0	100	40.0	12.4	9.20	20.5	71.8	57.1	13.7
31	12.8		43.0		92.0		11.9	8.90		62.6		13.7
SD1	40.4	20.3	13.9	35.2	83.7	76.3	28.6	10.8	8.28	40.2	39.3	29.3
SD2	19.7	19.8	12.0	28.2	74.5	50.3	18.3	8.93	7.76	89.3	24.9	20.5
SD3	14.6	16.3	30.5	28.3	97.0	37.2	13.8	8.79	19.7	170	30.1	15.1
MAX	49.0	38.0	45.0	68.2	124	90.7	42.0	11.4	44.0	468	61.5	50.0
DAT	2	7	30	30	26	1	1	1	27	24	1	1
SR	24.6	19.0	19.2	30.6	85.4	54.6	20.0	9.49	11.9	102	31.5	21.4
MIN	12.8	12.4	11.4	23.8	58.2	35.2	11.9	8.00	7.25	23.1	18.3	13.7
DAT	31	1	16	11	12	28	31	20	18	1	25	29
GMIN =		7.25		SRGOD=		36.0		GMAX =		468		
DATUM		18 9						DATUM		24 10		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1975

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
 Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	12.8	8.90	7.25	44.0	28.8	28.0	16.0	7.75	6.50	6.50	13.3	20.5
2	12.8	8.60	7.75	82.9	32.8	27.3	16.0	7.50	6.50	6.50	12.4	19.9
3	12.4	8.90	7.50	97.6	34.4	28.0	15.5	7.50	6.50	6.30	12.4	18.8
4	11.9	8.90	7.50	79.0	35.2	28.0	15.1	7.50	6.50	6.10	11.9	17.7
5	11.4	8.90	7.50	61.5	34.4	27.3	15.1	7.50	6.50	6.20	11.4	17.1
6	11.0	8.90	7.50	52.0	37.0	26.6	14.1	7.25	6.50	6.20	11.0	16.0
7	11.4	8.90	7.50	49.0	41.0	25.2	14.1	7.00	6.50	6.30	10.7	15.1
8	11.4	8.90	8.00	52.0	47.0	23.8	13.7	7.00	6.50	6.40	10.4	14.1
9	11.0	8.60	8.60	51.0	51.0	23.1	13.3	7.00	6.50	6.40	10.1	13.7
10	10.7	8.30	8.30	49.0	52.0	21.7	13.3	7.00	6.50	6.50	9.80	13.3
11	10.7	8.30	8.30	70.6	47.0	21.7	11.9	7.00	6.50	6.50	11.0	12.8
12	10.4	8.30	8.60	70.6	46.0	21.0	11.4	6.90	6.50	6.50	10.7	12.8
13	10.4	8.30	9.20	56.0	49.0	21.0	11.9	6.90	6.50	8.00	10.4	12.4
14	10.4	8.30	9.80	44.0	55.0	20.5	12.8	6.80	6.50	13.3	10.1	11.9
15	10.4	8.60	12.8	37.0	53.0	20.5	11.4	6.80	6.50	17.7	9.80	11.9
16	10.4	8.90	12.4	34.4	48.0	19.9	11.0	6.75	6.30	15.1	9.80	11.4
17	10.4	8.90	12.4	32.8	46.0	19.9	10.4	6.75	6.30	18.3	11.0	11.0
18	10.4	8.60	12.4	31.2	46.0	19.9	9.80	6.70	6.20	40.0	25.9	25.2
19	10.4	8.00	12.4	28.0	47.0	18.8	9.50	6.70	6.20	51.0	130	35.2
20	10.4	8.00	12.8	26.6	46.0	19.4	9.50	6.60	6.20	39.0	180	28.0
21	10.1	8.00	13.3	26.6	47.0	18.3	9.50	6.50	6.20	32.0	121	22.4
22	9.80	8.00	13.3	27.3	44.0	17.1	9.20	6.50	6.20	28.0	80.3	19.9
23	9.50	7.75	13.3	29.6	41.0	16.6	9.20	6.50	6.20	25.2	59.3	18.3
24	9.50	7.50	14.1	31.2	38.0	17.7	8.90	6.50	6.20	23.1	44.0	17.1
25	9.50	7.50	14.1	30.4	37.0	18.3	8.60	6.50	6.30	21.0	35.2	16.0
26	9.50	7.50	13.7	31.2	35.2	21.0	8.30	6.50	6.30	19.4	30.4	15.5
27	8.90	7.50	13.7	31.2	34.4	19.4	8.00	6.50	6.30	17.7	27.3	14.1
28	9.20	7.25	13.3	30.4	32.8	18.8	8.00	6.75	6.50	16.0	24.5	13.3
29	9.50		15.1	28.8	31.2	17.7	7.75	6.75	6.50	15.1	23.8	12.8
30	9.50		21.7	28.8	28.8	16.6	7.75	6.75	6.50	14.1	21.7	12.4
31	9.20		28.0		28.8		7.75	6.50		14.1		11.9
SD1	11.7	8.78	7.74	61.8	39.4	25.9	14.6	7.30	6.50	6.34	11.3	16.6
SD2	10.4	8.42	11.1	43.1	48.3	20.3	11.0	6.79	6.37	21.5	40.9	17.3
SD3	9.47	7.63	15.8	29.5	36.2	18.1	8.45	6.57	6.32	20.5	46.8	15.8
MAX	13.3	8.90	32.8	100	55.0	28.8	16.6	7.75	6.75	55.0	194	37.0
DAT	1	1	31	3	14	1	1	1	1	19	20	19
SR	10.5	8.32	11.7	44.8	41.1	21.4	11.3	6.88	6.40	16.3	33.0	16.5
MIN	8.90	7.25	7.25	26.6	28.8	16.6	7.75	6.50	6.20	6.10	9.80	11.0
DAT	27	28	1	20	1	23	29	21	18	4	10	17
GMIN =			6.10	SRGOD=			19.0	GMAX =			194	
DATUM			4 10					DATUM			20 11	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1976

Broj               : 45824                    Stanica : ANDRIJEVICA                Kota "0" = 744.39  
Nacin osmat.: limnigraf            Rijeka : LIM                            km od usca = 174.00  
Pocetak rada: 1962                Sliv : DRINE                            Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	13.0	10.9	11.3	22.9	61.6	55.0	31.6	14.0	11.9	9.25	71.2	20.8
2	12.6	10.9	11.3	25.0	58.3	57.2	34.5	14.0	11.9	9.00	72.5	33.5
3	12.3	10.6	11.9	28.8	81.8	60.5	32.6	14.5	12.3	9.00	71.2	90.2
4	12.3	10.6	12.3	33.5	117	61.6	30.7	15.0	12.3	8.75	62.7	87.4
5	12.3	10.6	11.9	41.5	117	59.4	28.8	14.5	12.6	8.75	52.9	81.8
6	11.9	10.2	11.3	46.6	109	71.2	27.9	16.5	13.5	9.00	50.8	72.5
7	11.9	10.2	11.6	48.7	112	112	26.9	17.0	14.0	9.50	55.0	59.4
8	11.9	9.85	11.6	50.8	114	105	26.0	15.5	14.0	9.25	66.0	86.0
9	11.6	9.85	11.3	50.8	112	90.2	26.9	14.5	13.5	9.25	68.6	127
10	11.3	9.50	11.6	47.7	111	79.0	25.0	14.0	12.6	9.00	64.9	97.5
11	10.9	9.50	11.3	40.5	109	71.2	23.6	14.0	11.9	8.75	52.9	84.6
12	10.9	9.50	11.3	35.5	105	63.8	22.9	15.0	11.6	8.75	45.5	77.7
13	10.9	9.50	10.9	31.6	96.0	58.3	21.5	15.0	11.3	8.75	44.5	67.3
14	10.6	9.50	10.9	30.7	90.2	55.0	20.8	15.5	10.9	8.75	66.0	56.1
15	10.2	9.50	10.6	29.8	84.6	54.0	20.1	15.0	10.9	8.75	75.1	49.8
16	9.85	9.50	10.6	28.8	80.4	49.8	19.4	14.0	10.6	8.75	67.3	43.5
17	9.50	9.50	11.3	29.8	79.0	50.8	19.4	14.0	10.9	23.6	58.3	43.5
18	9.50	10.2	11.6	31.6	79.0	59.4	18.7	14.5	10.9	48.7	51.8	61.6
19	9.25	10.2	12.3	36.5	76.4	57.2	17.0	15.0	10.9	42.5	48.7	63.8
20	9.25	10.2	13.5	43.5	73.8	50.8	16.5	15.5	10.9	32.6	44.5	56.1
21	9.00	10.2	13.5	48.7	71.2	45.5	15.5	16.0	10.9	25.0	40.5	49.8
22	9.25	10.2	13.0	49.8	71.2	43.5	15.0	16.0	10.9	21.5	38.5	44.5
23	9.50	10.2	13.0	49.8	67.3	43.5	15.0	16.5	10.6	18.0	37.5	40.5
24	9.50	10.2	16.5	62.7	62.7	40.5	18.0	16.5	10.6	17.0	34.5	37.5
25	12.3	10.2	26.0	72.5	62.7	38.5	18.0	16.0	10.2	15.5	32.6	34.5
26	14.0	10.2	26.0	76.4	59.4	36.5	17.0	15.0	9.85	14.5	29.8	30.7
27	15.0	10.2	25.0	69.9	57.2	36.5	16.0	15.0	9.50	14.0	26.9	28.8
28	14.5	10.6	25.0	59.4	59.4	36.5	15.5	14.0	9.50	13.5	24.3	25.0
29	13.0	10.9	25.0	52.9	61.6	35.5	15.0	13.5	9.50	13.0	22.2	25.0
30	11.9		23.6	61.6	58.3	32.6	15.0	12.6	9.50	13.0	21.5	32.6
31	11.3		22.9		54.0		14.5	12.3		25.0		32.6
SD1	12.1	10.3	11.6	39.6	99.4	75.1	29.1	14.9	12.9	9.07	63.6	75.6
SD2	10.1	9.71	11.4	33.8	87.3	57.0	20.0	14.8	11.1	20.0	55.5	60.4
SD3	11.8	10.3	20.9	60.4	62.3	38.9	15.9	14.9	10.1	17.3	30.8	34.7
MAX	15.5	11.3	26.9	77.7	123	117	36.5	17.0	14.5	57.2	77.7	155
DAT	27	1	26	26	4	7	2	7	7	18	15	9
SR	11.3	10.1	14.8	44.6	82.3	57.0	21.5	14.9	11.3	15.5	50.0	56.2
MIN	9.00	9.50	10.6	22.9	54.0	32.6	14.5	12.3	9.50	8.75	21.5	20.8
DAT	21	10	15	1	31	30	31	31	27	4	30	1
		GMIN =	8.75			SRGOD=	32.5			GMAX =	155	
		DATUM	4 10							DATUM	9 12	

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1977

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
 Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	29.8	60.5	48.7	248	79.0	47.7	22.9	12.6	11.3	11.6	10.6	37.5	
2	26.0	68.6	43.5	241	87.4	46.6	24.3	13.0	11.6	11.3	10.6	35.5	
3	23.6	63.8	39.5	228	91.6	47.7	23.6	13.0	11.6	11.9	10.9	35.5	
4	22.2	52.9	36.5	191	94.5	52.9	23.6	13.0	11.3	17.0	10.9	32.6	
5	21.5	46.6	34.5	157	97.5	51.8	22.9	12.6	10.9	17.5	10.6	28.8	
6	20.8	40.5	30.7	135	96.0	47.7	22.9	12.3	10.9	16.0	10.2	26.0	
7	19.4	37.5	28.8	117	93.0	44.5	22.2	12.6	10.6	14.5	10.2	26.9	
8	18.7	34.5	27.9	105	86.0	42.5	20.8	12.3	10.2	14.0	9.85	31.6	
9	18.7	31.6	26.9	103	76.4	40.5	20.1	11.9	9.85	13.0	9.85	29.8	
10	17.5	28.8	26.9	102	76.4	39.5	20.1	11.9	9.85	13.0	9.85	28.8	
11	17.5	37.5	28.8	91.6	62.7	40.5	20.8	11.9	9.50	16.5	9.50	28.8	
12	23.6	105	28.8	79.0	55.0	43.5	20.8	11.6	9.50	32.6	9.50	27.9	
13	38.5	182	34.5	68.6	49.8	43.5	19.4	11.3	9.25	35.5	9.50	25.0	
14	36.5	132	47.7	59.4	49.8	44.5	18.7	10.9	9.25	28.8	9.25	22.9	
15	31.6	90.2	46.6	57.2	50.8	43.5	18.0	10.9	9.00	24.3	9.50	21.5	
16	31.6	69.9	40.5	54.0	54.0	43.5	17.0	10.9	9.00	21.5	10.6	20.1	
17	31.6	57.2	36.5	49.8	56.1	42.5	17.5	10.9	8.75	18.7	18.0	19.4	
18	28.8	49.8	34.5	45.5	59.4	38.5	17.5	10.6	9.85	17.0	26.0	18.0	
19	25.0	43.5	33.5	43.5	67.3	35.5	17.0	10.2	14.5	16.0	30.7	17.0	
20	22.9	39.5	34.5	42.5	76.4	35.5	15.5	10.2	17.0	15.0	27.9	16.5	
21	22.2	37.5	36.5	42.5	80.4	35.5	15.0	10.2	16.5	14.5	23.6	15.5	
22	20.8	37.5	40.5	40.5	80.4	34.5	14.5	10.9	17.5	13.5	22.2	15.0	
23	19.4	46.6	45.5	39.5	76.4	33.5	15.0	14.5	16.0	13.0	54.0	14.0	
24	18.7	55.0	52.9	39.5	72.5	31.6	15.0	16.5	15.0	12.6	84.6	13.5	
25	18.7	59.4	60.5	44.5	67.3	29.8	14.5	17.0	15.0	12.3	72.5	13.5	
26	18.0	60.5	61.6	45.5	61.6	28.8	14.0	16.0	15.5	11.9	72.5	13.5	
27	18.7	58.3	63.8	43.5	59.4	26.0	14.0	14.5	14.5	11.6	81.8	13.0	
28	30.7	55.0	63.8	45.5	64.9	26.0	13.5	13.0	13.5	11.6	68.6	13.0	
29	38.5		63.8	52.9	66.0	25.0	13.0	12.3	12.6	11.3	52.9	15.0	
30	64.9		73.8	66.0	58.3	23.6	12.6	11.6	12.3	10.9	42.5	77.7	
31	67.3		137		51.8		12.6	11.6		10.6		112	
SD1	21.8	46.5	34.4	163	87.8	46.1	22.3	12.5	10.8	14.0	10.4	31.3	
SD2	28.8	80.7	36.6	59.1	58.1	41.1	18.2	10.9	10.6	22.6	16.0	21.7	
SD3	30.7	51.2	63.6	46.0	67.2	29.4	14.0	13.5	14.8	12.2	57.5	28.7	
MAX	73.8	194	205	266	99.0	54.0	24.3	17.0	17.5	37.5	87.4	121	
DAT	30	13	31	1	5	4	2	25	22	13	24	31	
SR	27.2	60.1	45.5	89.3	70.9	38.9	18.0	12.3	12.1	16.1	28.0	27.3	
MIN	17.5	28.8	26.9	39.5	49.8	23.6	12.6	10.2	8.75	10.6	9.25	13.0	
DAT	10	10	9	23	13	30	30	19	17	31	14	27	
		GMIN = 8.75			SRGOD= 36.9			GMAX = 266					
		DATUM 17 9						DATUM 1 4					

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1978

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
 Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	60.4	20.5	88.1	26.6	84.2	81.6	32.8	14.1	20.5	28.8	11.4	8.60
2	41.0	17.1	77.8	26.6	157	82.9	31.2	14.1	19.4	44.0	11.0	8.60
3	31.2	15.5	67.0	25.2	203	82.9	32.0	14.1	16.0	61.5	11.0	8.30
4	26.6	14.6	58.2	26.6	162	82.9	32.8	14.1	14.1	57.1	10.7	8.30
5	23.8	13.7	53.0	27.3	122	82.9	31.2	14.6	13.3	46.0	10.4	8.00
6	20.5	12.8	52.0	28.0	104	81.6	30.4	13.7	14.1	40.0	10.4	8.00
7	18.8	12.4	54.0	28.0	115	79.0	32.0	13.3	18.8	34.4	10.1	8.00
8	17.1	11.9	52.0	29.6	133	79.0	32.0	13.3	21.7	31.2	10.1	8.00
9	16.6	11.0	46.0	31.2	124	79.0	29.6	12.8	19.9	28.0	9.80	8.00
10	15.5	10.7	40.0	32.8	103	81.6	25.9	12.8	17.1	25.2	9.80	8.00
11	15.1	11.9	36.0	33.6	89.4	80.3	25.2	12.8	15.5	23.8	9.50	7.75
12	14.6	18.8	32.0	34.4	81.6	80.3	24.5	12.4	14.6	21.7	9.50	7.75
13	14.1	28.8	28.0	47.0	71.8	81.6	24.5	11.9	23.1	20.5	9.20	8.00
14	13.7	104	25.9	125	73.0	79.0	24.5	11.4	32.8	19.4	9.20	25.9
15	13.3	113	25.9	152	86.8	75.4	24.5	11.0	33.6	18.3	8.90	41.0
16	12.8	70.6	28.8	119	80.3	79.0	24.5	10.7	31.2	17.1	8.90	31.2
17	13.3	60.4	27.3	92.0	75.4	79.0	24.5	10.4	26.6	16.6	8.60	34.4
18	13.7	40.0	46.0	74.2	75.4	71.8	22.4	10.4	23.8	16.0	8.60	104
19	13.7	36.0	82.9	60.4	77.8	67.0	21.7	10.1	21.0	15.1	8.60	135
20	12.8	55.0	65.9	52.0	80.3	65.9	21.7	10.1	19.9	14.6	8.60	101
21	12.4	80.3	52.0	46.0	86.8	61.5	21.7	10.1	21.0	15.1	8.30	81.6
22	11.9	61.5	49.0	43.0	94.8	58.2	21.0	9.80	19.9	15.1	8.30	63.7
23	11.4	57.1	41.0	40.0	159	55.0	19.4	9.80	18.3	15.1	8.30	53.0
24	11.0	38.0	38.0	39.0	178	51.0	17.7	9.80	17.7	14.1	8.00	44.0
25	11.4	34.4	34.4	39.0	138	48.0	18.3	9.50	17.1	13.7	8.00	37.0
26	11.9	42.0	30.4	43.0	113	44.0	16.6	9.50	16.0	13.3	8.00	32.8
27	11.4	94.8	28.8	51.0	101	43.0	16.0	9.20	15.5	12.8	8.30	30.4
28	11.0	103	25.9	74.2	106	44.0	15.1	9.20	16.6	12.4	9.50	28.8
29	13.3		23.8	94.8	99.0	41.0	15.1	9.20	14.6	12.4	9.50	32.8
30	32.0		23.8	85.5	92.0	36.0	15.1	9.20	29.6	11.9	8.90	44.0
31	25.9		25.2		84.2		14.6	12.8		11.4		64.8
SD1	27.2	14.0	58.8	28.2	131	81.3	31.0	13.7	17.5	39.6	10.5	8.18
SD2	13.7	53.8	39.9	79.0	79.2	75.9	23.8	11.1	24.2	18.3	8.96	49.6
SD3	14.9	63.9	33.8	55.5	114	48.2	17.3	9.83	18.6	13.4	8.51	46.6
MAX	76.6	143	93.4	164	228	85.5	33.6	22.4	34.4	62.6	11.4	135
DAT	1	15	1	15	3	2	1	5	15	3	1	19
SR	18.5	42.5	43.8	54.2	108	68.5	23.8	11.5	20.1	23.4	9.31	35.2
MIN	11.0	10.7	23.8	25.2	71.8	36.0	14.6	9.20	13.3	11.4	8.00	7.75
DAT	24	10	29	3	13	30	31	27	5	31	24	11
		GMIN = 7.75			SRGOD= 38.2			GMAX = 228				
		DATUM 11 12						DATUM 3 5				

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1979

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
 Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	103	89.4	25.9	59.3	85.5	70.6	33.6	17.1	19.4	13.7	152	28.0
2	112	67.0	24.5	50.0	70.6	69.4	32.8	17.1	18.3	13.3	113	25.9
3	79.0	56.0	23.8	44.0	63.7	69.4	32.0	16.6	17.1	13.3	82.9	22.4
4	59.3	54.0	23.1	40.0	63.7	67.0	32.8	16.0	16.6	12.8	65.9	22.4
5	51.0	62.6	22.4	46.0	68.2	65.9	35.2	15.5	17.1	12.4	56.0	21.0
6	43.0	60.4	21.7	77.8	73.0	63.7	33.6	15.5	18.8	13.3	56.0	21.0
7	36.0	54.0	21.0	93.4	75.4	60.4	30.4	15.1	18.8	20.5	57.1	21.0
8	31.2	48.0	21.0	74.2	85.5	57.1	28.8	14.6	18.3	25.9	51.0	19.4
9	28.8	42.0	20.5	58.2	90.7	54.0	28.8	14.1	17.1	23.8	47.0	19.4
10	31.2	39.0	20.5	49.0	89.4	54.0	28.0	13.7	16.6	20.5	42.0	14.6
11	45.0	46.0	19.9	43.0	86.8	53.0	26.6	14.1	16.0	18.8	62.6	17.7
12	65.9	51.0	19.4	42.0	82.9	50.0	25.9	15.1	16.0	17.7	64.8	21.0
13	59.3	85.5	18.8	39.0	82.9	49.0	25.2	14.6	15.1	17.1	68.2	21.0
14	47.0	115	18.8	37.0	79.0	48.0	25.2	14.1	14.6	33.6	60.4	22.4
15	39.0	104	19.4	35.2	71.8	48.0	25.9	13.7	14.1	41.0	57.1	22.4
16	33.6	92.0	21.0	35.2	62.6	50.0	25.2	13.7	14.1	31.2	74.2	22.4
17	29.6	84.2	24.5	38.0	60.4	92.0	23.8	14.1	13.7	25.9	143	22.4
18	26.6	80.3	24.5	40.0	63.7	94.8	23.1	14.6	13.3	24.5	228	21.0
19	25.2	70.6	23.8	40.0	70.6	94.8	22.4	15.1	12.8	27.3	192	21.0
20	23.8	59.3	23.8	38.0	77.8	77.8	21.0	20.5	12.8	27.3	157	21.0
21	22.4	51.0	25.9	34.4	85.5	65.9	20.5	23.8	12.4	25.9	154	28.0
22	21.0	44.0	30.4	32.0	89.4	47.0	20.5	30.4	11.9	25.2	150	49.0
23	20.5	40.0	32.8	29.6	90.7	52.0	20.5	29.6	12.4	23.8	147	49.0
24	19.9	35.2	32.0	28.0	89.4	48.0	20.5	27.3	13.7	22.4	69.4	54.0
25	21.7	32.8	30.4	27.3	85.5	44.0	19.9	25.9	16.0	21.0	56.0	54.0
26	51.0	30.4	28.8	53.0	82.9	41.0	19.4	16.6	17.1	20.5	48.0	39.0
27	56.0	28.8	29.6	169	81.6	39.0	18.8	28.0	15.5	19.4	42.0	34.4
28	49.0	27.3	82.9	221	80.3	37.0	19.4	25.9	15.1	18.8	42.0	32.0
29	65.9		115	159	79.0	35.2	18.8	23.8	14.1	25.2	32.8	30.4
30	167		96.2	110	77.8	34.4	18.3	21.7	13.7	101	30.4	22.4
31	137		76.6		73.0		17.7	20.5		190		22.4
SD1	57.5	57.2	22.4	59.2	76.6	63.2	31.6	15.5	17.8	17.0	72.3	21.5
SD2	39.5	78.8	21.4	38.7	73.8	65.7	24.4	15.0	14.3	26.4	111	21.2
SD3	57.4	36.2	52.8	86.3	83.2	44.3	19.5	24.9	14.2	44.8	77.2	37.7
MAX	185	118	121	236	94.8	101	36.0	33.6	19.4	198	420	54.0
DAT	30	14	29	28	23	18	5	22	1	31	18	24
SR	51.6	58.9	32.9	61.4	78.0	57.7	25.0	18.7	15.4	29.9	86.7	27.2
MIN	19.9	27.3	18.8	27.3	60.4	34.4	17.7	13.7	11.9	12.4	30.4	14.6
DAT	24	28	13	25	17	30	31	10	22	5	30	10
		GMIN = 11.9			SRGOD= 45.1			GMAX = 420				
		DATUM 22 9						DATUM 18 11				

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1980

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
 Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	102	72.0	18.3	65.8	81.1	72.0	48.7	11.6	5.90	49.9	6.10	17.6	
2	82.4	57.1	18.3	64.5	83.7	73.3	48.7	8.32	5.70	43.3	6.10	15.8	
3	45.4	38.0	19.5	62.0	86.4	69.5	49.9	9.10	5.90	38.0	6.30	15.2	
4	35.2	28.0	65.8	59.5	87.8	79.8	49.9	10.8	5.90	33.4	6.10	14.5	
5	33.4	27.1	79.8	60.8	85.0	82.4	48.7	9.52	6.10	27.1	5.90	13.3	
6	26.3	26.3	82.4	57.1	82.4	85.0	48.7	8.84	6.30	24.6	5.90	12.5	
7	22.9	22.9	69.5	55.9	85.0	82.4	47.5	8.58	7.28	21.2	6.10	12.0	
8	22.0	18.9	59.5	55.9	96.2	78.5	46.5	8.32	7.02	18.9	6.10	11.2	
9	22.9	18.3	45.4	57.1	93.4	74.6	46.5	8.06	6.76	17.6	6.30	10.8	
10	22.9	18.9	34.3	58.3	94.8	70.8	45.4	7.80	7.02	15.2	6.76	10.4	
11	22.9	18.3	33.4	58.3	93.4	69.5	45.4	7.54	7.28	13.9	7.80	9.94	
12	22.0	16.4	28.0	59.5	92.0	65.8	44.3	7.28	9.94	12.5	8.06	9.52	
13	18.9	15.2	45.4	62.0	89.2	63.3	43.3	7.28	9.94	10.8	8.58	9.10	
14	18.3	15.2	46.5	62.0	85.0	62.0	43.3	7.02	12.9	8.58	9.94	9.10	
15	17.0	14.5	45.4	63.3	81.1	62.0	42.3	7.02	15.8	7.54	13.9	8.84	
16	16.4	13.9	46.5	64.5	81.1	59.5	38.0	6.76	20.4	7.02	18.9	9.10	
17	15.2	13.9	47.5	65.8	78.5	58.3	36.1	6.76	22.0	6.76	22.9	8.84	
18	15.2	12.9	59.5	67.0	77.2	57.1	34.3	6.50	52.3	6.76	18.3	8.84	
19	14.5	12.0	49.9	67.0	74.6	57.1	31.6	6.50	93.4	6.50	17.0	8.58	
20	12.9	12.5	51.1	68.3	73.3	59.5	28.9	6.30	105	6.50	18.9	8.58	
21	12.9	12.0	51.1	79.8	72.0	60.8	26.3	6.30	108	6.30	18.3	8.32	
22	12.9	12.0	52.3	96.2	70.8	62.0	22.9	6.10	106	6.30	18.3	8.58	
23	12.5	12.9	52.3	93.4	70.8	59.5	19.5	6.10	102	6.10	17.6	8.58	
24	12.0	12.9	62.0	92.0	69.5	57.1	19.5	6.10	93.4	6.10	18.9	8.84	
25	11.6	13.9	64.5	87.8	70.8	54.7	22.9	6.30	90.6	6.10	17.6	8.84	
26	12.5	15.2	67.0	89.2	77.2	53.5	22.0	6.30	77.2	6.30	16.4	8.58	
27	11.6	15.8	72.0	83.7	78.5	51.1	19.5	6.10	78.5	6.10	15.2	8.58	
28	45.4	17.6	77.2	81.1	74.6	49.9	18.3	6.10	74.6	6.10	14.5	8.84	
29	77.2	17.9	74.6	78.5	73.3	49.9	17.0	6.10	69.5	6.10	16.4	8.58	
30	96.2		72.0	74.6	72.0	48.7	14.5	6.10	62.0	5.90	18.9	8.58	
31	93.4		68.3		74.6		13.3	5.90		6.10		8.58	
SD1	41.5	32.8	49.3	59.7	87.6	76.8	48.0	9.09	6.39	28.9	6.17	13.3	
SD2	17.3	14.5	45.3	63.8	82.5	61.4	38.8	6.90	34.9	8.69	14.4	9.04	
SD3	36.2	14.5	64.8	85.6	73.1	54.7	19.6	6.14	86.2	6.14	17.2	8.63	
MAX	102	72.0	82.4	96.2	96.2	72.0	49.9	11.6	292	49.9	22.9	17.6	
DAT	1	1	6	22	8	6	3	1	21	1	17	1	
SR	31.8	20.8	53.5	69.7	80.8	64.3	35.0	7.34	42.5	14.3	12.6	10.3	
MIN	11.6	12.0	18.3	55.9	69.5	48.7	13.3	5.90	5.70	5.90	5.90	8.32	
DAT	25	19	1	7	24	30	31	31	2	30	5	21	
		GMIN =		5.70		SRGOD=		36.9		GMAX =		292	
		DATUM		2 9						DATUM		21 9	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1981

Broj           : 45824                      Stanica : ANDRIJEVICA                      Kota "0" = 744.39  
Nacin osmat.: limnigraf                Rijeka : LIM                                      km od usca = 174.00  
Pocetak rada: 1962                      Sliv : DRINE                                      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	36.3	11.1	15.9	49.4	41.0	64.2	27.4	15.4	10.4	10.7	44.3	87.5
2	29.5	9.96	16.4	55.8	43.5	62.3	26.1	14.9	9.96	10.4	45.1	85.3
3	27.4	9.58	15.4	54.0	44.3	62.3	24.7	14.4	11.6	9.96	46.0	72.3
4	26.7	9.58	14.9	61.4	44.3	61.4	22.8	14.4	12.0	9.58	45.1	63.3
5	24.1	9.96	14.4	76.4	54.9	59.5	21.5	13.9	11.6	9.58	46.0	54.9
6	22.1	9.58	13.9	76.4	51.2	56.7	20.9	13.4	11.1	9.20	58.8	46.8
7	20.3	9.20	15.4	69.2	49.4	54.0	20.9	12.9	9.96	9.20	54.0	45.1
8	19.7	9.20	13.9	60.5	46.8	52.1	27.8	12.5	10.7	9.20	56.7	41.0
9	19.1	9.20	13.9	53.1	46.8	53.1	28.1	12.5	10.7	9.20	60.5	37.1
10	18.5	9.20	13.9	47.1	47.6	53.1	26.7	12.5	10.7	22.1	75.4	34.7
11	18.5	9.20	14.4	42.7	49.4	48.5	20.9	12.9	10.4	31.7	72.3	32.5
12	18.0	9.20	15.4	39.4	49.4	46.0	24.7	12.9	9.58	44.3	65.2	31.0
13	16.9	9.20	15.9	34.7	51.2	44.3	28.8	12.9	9.58	47.6	63.3	29.5
14	16.4	9.20	15.9	33.2	55.8	43.5	27.4	12.9	9.58	61.4	58.6	28.1
15	15.9	9.20	16.9	31.7	60.5	41.0	24.7	12.5	9.20	83.0	53.1	26.7
16	14.9	9.20	24.1	31.0	69.2	40.2	24.1	12.0	9.20	78.6	47.6	26.1
17	14.9	9.20	28.8	30.3	64.2	41.0	23.4	12.0	9.20	60.5	41.9	25.4
18	13.9	9.96	28.1	30.3	54.9	41.0	22.8	12.0	8.88	54.0	39.4	27.4
19	13.9	13.4	26.7	30.3	49.4	42.7	22.8	11.6	8.56	55.8	36.3	39.4
20	12.5	48.5	25.4	33.2	50.3	42.7	20.9	12.0	8.56	54.9	33.2	98.5
21	12.0	38.6	24.7	34.7	56.7	39.4	19.7	11.6	8.88	54.9	31.7	106
22	11.1	24.7	32.5	36.3	61.4	36.3	19.1	11.6	8.88	50.3	30.3	81.9
23	11.1	19.7	53.1	37.8	59.5	34.7	18.5	11.6	9.20	46.0	27.4	65.2
24	10.7	19.7	49.4	40.2	56.7	34.7	18.0	10.7	9.20	42.7	25.4	54.9
25	10.4	16.9	43.5	43.5	54.9	33.2	20.9	10.7	9.96	52.2	24.1	48.5
26	10.4	17.5	37.1	49.4	53.1	33.2	19.7	10.7	10.7	76.4	24.1	62.3
27	9.20	16.9	34.0	48.5	56.7	31.7	18.5	10.7	10.7	87.5	22.8	85.3
28	9.20	16.4	32.5	44.3	61.4	30.2	18.5	9.96	11.1	86.4	21.5	77.5
29	11.1		48.5	42.7	60.5	28.8	16.9	10.4	11.1	76.4	22.1	68.2
30	11.1		44.3	41.0	64.2	28.8	16.4	9.96	11.1	64.2	43.5	80.8
31	11.6		45.1		67.1		15.9	9.96		54.9		92.4
SD1	24.4	9.66	14.8	60.3	47.0	57.9	24.7	13.7	10.9	10.9	53.2	56.8
SD2	15.6	13.6	21.2	33.7	55.4	43.1	24.0	12.4	9.27	57.2	51.1	36.5
SD3	10.7	21.3	40.4	41.8	59.3	33.1	18.4	10.7	10.1	62.9	27.3	74.8
MAX	43.5	72.3	54.9	81.9	70.2	65.2	29.5	15.9	12.5	87.5	77.5	276
DAT	1	20	24	5	31	1	8	1	4	27	10	31
SR	16.7	14.4	25.9	45.3	54.1	44.7	22.2	12.2	10.1	44.3	43.9	56.6
MIN	9.20	9.20	13.9	30.3	41.0	28.8	15.9	9.96	8.56	9.20	21.5	25.4
DAT	27	7	6	17	1	29	31	28	19	6	28	17
		GMIN = 8.56			SRGOD= 32.6			GMAX = 276				
		DATUM 19 9						DATUM 31 12				



## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1982

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
 Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	41.3	11.6	8.32	107	20.8	75.0	23.4	9.52	5.03	6.73	9.27	12.5	
2	40.1	11.2	8.32	77.5	19.5	66.3	22.1	9.12	4.88	6.73	9.27	12.1	
3	40.1	11.2	8.32	67.5	18.9	58.0	21.4	8.31	4.73	6.73	8.79	12.1	
4	38.9	10.5	8.70	60.3	17.6	56.5	20.0	8.31	4.58	6.73	8.79	11.6	
5	37.7	10.5	8.70	60.3	18.2	55.0	20.0	7.90	4.29	7.47	8.32	11.6	
6	34.5	10.1	9.46	46.0	20.1	53.4	19.4	7.90	4.29	7.72	7.60	11.6	
7	31.7	10.1	10.2	44.8	28.3	50.4	19.4	7.90	4.29	10.2	7.60	11.6	
8	28.8	9.73	10.2	44.8	35.9	44.7	19.4	7.90	4.29	29.6	7.13	11.1	
9	26.1	9.73	10.2	47.1	49.0	42.3	18.7	7.50	4.29	34.1	6.65	11.1	
10	26.1	9.73	9.83	49.4	68.3	41.0	18.7	7.50	4.29	29.6	5.94	11.1	
11	25.4	9.73	9.83	54.6	74.0	38.6	18.0	7.50	4.29	25.9	5.94	11.6	
12	24.6	9.36	9.83	49.4	89.1	37.3	18.0	7.50	4.44	22.9	5.51	12.5	
13	27.0	9.36	9.46	44.8	81.3	37.3	16.9	7.09	4.44	16.8	5.51	12.1	
14	25.4	9.36	9.46	41.4	74.0	56.5	16.3	7.09	4.44	16.8	5.73	21.6	
15	23.8	9.36	9.46	63.2	62.6	55.0	15.2	7.09	4.44	15.6	14.9	42.7	
16	22.4	8.98	9.83	103	59.8	51.9	15.2	7.09	4.44	14.9	14.9	35.2	
17	21.6	8.98	9.83	130	56.9	48.8	14.6	7.09	4.44	14.9	19.7	31.1	
18	20.0	8.98	9.83	115	55.5	44.7	14.6	7.09	4.29	13.7	17.8	25.0	
19	20.0	8.98	9.83	86.7	54.1	37.3	14.1	7.09	4.29	13.7	16.6	90.9	
20	19.2	8.61	11.4	79.0	54.1	34.9	14.1	7.09	4.29	13.2	16.0	67.3	
21	18.5	8.61	11.0	64.6	52.7	32.9	13.5	9.93	4.29	12.7	15.4	35.2	
22	18.5	8.61	10.6	48.3	52.7	31.8	13.5	9.52	4.14	12.7	15.4	35.2	
23	17.5	8.61	10.2	40.2	54.1	29.9	12.9	8.31	4.14	12.2	14.9	54.1	
24	17.0	8.61	10.2	36.2	54.1	27.9	12.4	7.90	4.14	11.7	14.3	70.9	
25	16.0	8.61	10.2	33.2	52.7	27.0	12.4	7.90	4.14	11.7	14.3	58.9	
26	16.0	8.98	9.83	30.2	66.9	26.0	11.9	7.50	3.99	11.2	14.3	45.2	
27	15.0	8.98	10.2	27.0	64.0	26.0	11.9	7.50	3.99	11.2	14.3	35.2	
28	14.5	8.61	10.2	23.8	59.8	24.9	11.5	7.09	3.99	10.7	13.7	31.1	
29	14.0		10.6	22.3	56.9	24.9	11.5	7.09	3.99	10.7	13.7	25.0	
30	13.5		11.0	23.0	54.1	24.0	11.0	7.09	3.99	10.7	13.1	23.0	
31	13.5		46.0		50.1		10.6	7.09		10.2		20.9	
SD1	34.5	10.4	9.23	60.4	29.7	54.3	20.2	8.19	4.50	14.6	7.94	11.6	
SD2	22.9	9.17	9.87	76.8	66.1	44.2	15.7	7.17	4.38	16.9	12.3	35.0	
SD3	15.8	8.70	13.6	34.9	56.2	27.5	12.1	7.90	4.08	11.4	14.3	39.5	
MAX	40.6	11.6	45.9	187	89.1	75.1	23.4	9.90	5.00	34.1	19.7	100	
DAT	1	1	31	17	12	1	1	21	1	9	17	19	
SR	24.2	9.49	11.0	57.4	50.8	42.0	15.9	7.76	4.32	14.2	11.5	29.1	
MIN	13.5	8.61	8.32	22.3	17.6	24.0	10.6	7.09	3.99	6.73	5.51	11.1	
DAT	30	20	1	29	4	30	31	13	26	1	12	8	
		GMIN = 3.99		SRGOD= 23.2		GMAX = 187							
		DATUM 26 9				DATUM 17 4							

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1983

Broj           : 45824                    Stanica : ANDRIJEVICA            Kota "0" = 744.39  
Nacin osmat.: limnigraf            Rijeka : LIM                        km od usca = 174.00  
Pocetak rada: 1962                Sliv : DRINE                        Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	12.4	9.50	6.50	18.8	12.4	56.0	30.4	9.50	6.50	5.70	17.7	57.1	
2	12.4	10.4	6.75	18.8	12.4	45.0	26.6	9.50	6.70	5.60	13.3	47.0	
3	11.9	10.4	6.75	14.6	13.7	45.0	23.1	9.20	6.50	5.60	11.4	42.0	
4	11.9	10.4	6.75	16.0	13.7	35.2	23.1	8.60	6.50	5.60	11.0	28.8	
5	11.4	10.4	6.50	16.0	16.0	33.6	23.1	8.60	6.30	5.60	11.4	25.2	
6	11.4	10.4	6.50	18.8	18.8	32.0	21.7	7.75	6.30	5.60	11.9	21.7	
7	11.0	11.0	6.90	16.0	26.6	30.4	19.4	7.75	6.30	5.60	12.8	19.4	
8	10.4	12.4	6.70	15.1	45.0	26.6	19.4	7.25	6.10	5.60	23.1	47.0	
9	10.4	12.4	6.50	13.3	45.0	26.6	17.1	7.00	5.90	5.60	54.0	34.4	
10	9.80	12.4	6.30	12.4	45.0	32.0	17.1	7.75	5.90	5.60	46.0	28.8	
11	9.50	11.9	6.10	11.0	45.0	35.2	16.0	7.50	6.50	5.70	64.8	25.2	
12	9.20	11.9	6.10	10.4	35.2	45.0	16.0	7.25	6.40	15.5	59.3	20.5	
13	8.90	11.4	6.50	9.50	35.2	52.0	12.4	7.25	6.30	31.2	65.9	17.1	
14	8.60	11.4	6.50	9.20	33.6	50.0	14.6	7.00	6.30	68.2	80.3	14.6	
15	8.30	11.4	7.00	8.90	33.6	45.0	17.7	6.75	6.20	86.8	199	13.3	
16	8.00	10.4	7.25	8.60	35.2	45.0	16.0	7.50	6.20	68.2	217	12.4	
17	8.60	10.4	6.50	8.30	45.0	45.0	15.1	7.30	6.20	46.0	148	11.9	
18	8.60	9.50	6.50	8.00	62.6	45.0	15.1	7.30	6.10	30.4	94.8	11.4	
19	8.00	7.75	6.20	8.00	67.0	45.0	13.7	7.75	6.10	34.4	68.2	11.4	
20	8.00	7.75	6.30	10.4	56.0	33.6	12.4	7.50	6.00	58.2	46.0	11.0	
21	7.50	7.00	6.10	11.0	35.2	33.6	12.4	7.50	5.90	57.1	39.0	11.0	
22	7.50	7.00	6.50	13.7	32.0	33.6	12.4	7.30	5.90	45.0	32.8	11.4	
23	7.25	6.75	7.75	28.0	32.0	35.2	12.4	7.30	5.80	32.0	27.3	11.4	
24	7.25	6.75	10.4	30.4	23.1	35.2	11.4	7.10	5.80	26.6	24.5	11.4	
25	8.00	6.75	26.6	23.1	33.6	33.6	11.4	7.10	5.70	25.2	21.0	11.0	
26	16.0	6.50	26.6	18.8	35.2	33.6	11.4	6.90	5.70	23.1	19.4	10.4	
27	16.0	6.50	21.7	16.0	35.2	33.6	10.4	6.70	5.80	21.0	20.5	9.80	
28	15.5	6.50	18.8	13.7	32.0	32.0	10.4	6.50	5.70	23.8	25.2	9.50	
29	15.1		16.0	13.3	32.0	31.2	10.4	6.50	5.70	22.4	34.4	9.50	
30	10.4		12.4	12.8	46.0	31.2	9.50	6.50	5.80	21.0	53.0	9.20	
31	9.50		14.6		56.0		9.50	6.50		19.4		8.90	
SD1	11.3	11.0	6.62	16.0	24.9	36.2	22.1	8.29	6.30	5.61	21.3	35.1	
SD2	8.57	10.4	6.50	9.23	44.8	44.1	14.9	7.31	6.23	44.5	104	14.9	
SD3	10.9	6.72	15.2	18.1	35.7	33.3	11.1	6.90	5.78	28.8	29.7	10.3	
MAX	8.60	16.0	12.4	26.6	30.4	67.0	52.0	26.6	9.50	7.50	86.8	217	
DAT	26	10	24	23	18	12	1	1	1	14	15	1	
SR	10.3	9.54	9.63	14.4	35.1	37.9	15.9	7.48	6.10	26.4	51.8	19.8	
MIN	7.25	6.50	6.10	8.00	12.4	26.6	9.50	6.50	5.70	5.60	11.0	8.90	
DAT	23	26	11	18	1	8	30	28	25	2	4	31	
		GMIN =		5.60		SRGOD=		20.4		GMAX =		217	
		DATUM		2 10						DATUM		1 12	

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1984

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
 Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	22.0	25.5	21.2	38.0	36.1	67.0	28.9	12.9	11.2	21.2	13.3	18.3	
2	20.4	25.5	27.1	34.3	54.7	67.0	28.0	12.9	11.2	19.5	12.9	18.9	
3	21.2	24.6	28.9	47.5	82.4	67.0	28.0	13.9	10.8	25.5	12.9	17.6	
4	19.5	24.6	28.9	74.6	99.0	65.8	28.0	12.9	10.4	29.8	12.5	17.0	
5	22.9	25.5	27.1	72.0	115	63.3	26.3	12.9	9.94	29.8	12.5	16.4	
6	23.8	24.6	24.6	60.8	126	62.0	24.6	12.5	10.4	28.0	12.5	15.8	
7	22.9	23.8	22.9	62.0	120	63.3	22.9	12.5	9.94	29.8	11.6	15.2	
8	22.9	23.8	22.0	58.3	117	64.5	21.2	12.5	9.94	31.6	12.0	15.2	
9	21.2	21.2	21.2	55.9	117	58.3	19.5	12.9	9.94	34.3	12.0	13.9	
10	20.4	21.2	20.4	52.3	123	51.1	18.3	12.5	9.52	30.7	12.0	13.9	
11	41.2	19.5	18.9	48.7	127	46.5	17.0	11.6	9.52	28.9	11.6	13.9	
12	38.0	18.9	17.6	47.5	127	47.5	18.9	11.6	9.52	25.5	11.6	13.3	
13	33.4	17.0	17.0	48.7	117	45.4	18.9	11.6	9.52	23.8	11.6	13.3	
14	29.8	17.0	16.4	47.5	106	43.3	18.9	11.2	9.52	23.8	11.2	12.9	
15	28.0	15.8	15.8	46.5	93.4	43.3	18.9	11.2	9.10	22.0	11.2	12.9	
16	27.1	15.8	15.8	48.7	82.4	43.3	18.3	12.5	9.10	19.5	11.2	12.9	
17	27.1	15.2	15.2	52.3	94.8	41.2	17.6	11.6	12.0	18.9	11.2	12.5	
18	25.5	14.5	15.2	52.3	99.0	39.1	18.3	11.6	13.9	18.3	16.4	13.9	
19	24.6	13.3	15.2	47.5	94.8	37.0	17.6	11.6	13.9	17.6	17.6	14.5	
20	26.3	13.3	15.2	43.3	100	34.3	17.0	11.6	12.9	17.0	28.9	14.5	
21	31.6	12.9	15.2	39.1	158	33.4	16.4	11.6	12.9	16.4	45.4	13.9	
22	33.4	12.9	14.5	38.0	198	34.3	15.8	11.2	13.9	16.4	40.2	13.9	
23	57.1	12.5	14.5	36.1	151	35.2	15.2	10.8	24.6	17.0	34.3	13.3	
24	62.0	16.4	14.5	37.0	127	35.2	15.2	10.8	25.5	17.0	28.9	13.3	
25	52.3	17.0	13.9	38.0	108	35.2	14.5	11.2	23.8	16.4	26.3	13.3	
26	42.3	17.0	14.5	36.1	94.8	33.4	14.5	12.5	44.3	15.8	23.8	12.9	
27	35.2	17.6	18.3	35.2	90.6	31.6	14.5	11.6	40.2	15.2	22.9	12.9	
28	31.6	19.5	24.6	32.5	85.0	30.7	13.9	11.6	30.7	14.5	22.9	12.9	
29	28.9	21.2	19.5	31.6	82.4	29.8	13.9	11.6	26.3	13.9	21.2	12.5	
30	28.9		37.0	32.5	74.6	28.9	13.3	11.6	22.9	13.9	19.5	12.5	
31	27.1		41.2		69.5		12.9	11.2		13.3		12.0	
SD1	21.7	24.0	24.4	55.6	99.0	62.9	24.6	12.8	10.3	28.0	12.4	16.2	
SD2	30.1	16.0	16.2	48.3	104	42.1	18.1	11.6	10.9	21.5	14.3	13.5	
SD3	39.1	16.3	20.7	35.6	113	32.8	14.6	11.4	26.5	15.4	28.5	13.0	
MAX	62.0	26.3	29.8	78.5	228	70.8	28.9	13.9	44.3	34.3	45.4	18.9	
DAT	24	1	3	4	22	1	1	3	26	9	21	2	
SR	30.6	18.9	20.5	46.5	106	45.9	18.9	11.9	15.9	21.5	18.4	14.2	
MIN	19.5	12.5	13.9	31.6	36.1	28.9	12.9	10.8	9.10	13.3	11.2	12.0	
DAT	4	23	25	29	1	30	31	23	15	31	14	31	
		GMIN = 9.10			SRGOD= 30.8			GMAX = 228					
		DATUM 15 9						DATUM 22 5					

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1985

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
 Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	20.9	12.9	48.5	41.9	60.5	38.6	14.9	8.88	5.82	6.40	43.5	22.1
2	20.9	12.9	46.8	41.9	56.7	38.6	14.9	8.88	6.40	6.40	37.1	20.9
3	19.7	12.9	40.2	40.2	54.9	38.6	14.9	8.56	8.24	6.40	22.1	19.7
4	19.7	12.9	38.6	40.2	54.9	37.1	13.9	8.56	11.1	6.40	27.4	18.5
5	18.5	13.9	37.1	38.6	52.2	35.5	13.9	8.24	10.4	6.40	45.1	20.9
6	23.4	13.9	35.5	40.2	52.2	34.0	12.9	8.24	9.58	6.40	43.5	40.2
7	24.7	13.9	35.5	41.9	50.3	32.5	12.9	8.24	8.88	6.40	38.6	45.1
8	24.7	14.9	34.0	41.9	50.3	32.5	12.9	7.92	8.88	6.40	35.5	43.5
9	23.4	14.9	32.5	40.2	48.5	31.0	12.0	7.92	8.24	6.40	34.0	41.9
10	22.1	16.4	31.0	40.2	48.5	29.5	12.0	7.60	8.24	6.40	31.0	54.9
11	22.1	16.4	29.5	38.6	46.8	29.5	12.0	7.60	7.60	5.82	27.4	56.7
12	20.9	17.5	32.5	37.1	45.1	27.4	12.0	7.60	7.60	5.82	23.4	58.6
13	20.9	22.1	31.0	40.2	43.5	26.1	11.1	7.30	7.00	5.82	22.1	78.6
14	19.7	22.1	29.5	41.9	41.9	26.1	11.1	7.30	7.00	5.82	20.9	102
15	19.7	20.9	29.5	60.5	41.9	26.1	11.1	7.00	7.00	5.82	19.7	105
16	18.5	20.9	27.4	78.6	40.2	24.7	11.1	7.00	7.00	5.82	32.5	99.7
17	20.9	19.7	26.1	91.2	40.2	23.4	11.1	7.00	7.60	5.82	41.9	96.0
18	22.1	19.7	26.1	88.7	41.9	20.9	11.1	7.00	7.60	5.82	40.2	96.0
19	20.9	18.5	24.7	83.0	41.9	18.5	11.1	6.70	7.00	5.82	50.3	86.4
20	20.9	18.5	26.1	80.8	41.9	17.5	10.4	6.70	7.00	5.82	43.5	72.3
21	19.7	18.5	24.7	91.2	41.9	17.5	10.4	6.40	7.00	5.82	40.2	54.9
22	19.7	17.5	23.4	102	43.5	17.5	10.4	6.40	7.00	5.54	38.6	43.5
23	19.7	17.5	23.4	117	43.5	16.4	9.58	6.10	7.00	5.54	35.5	37.1
24	18.5	17.5	24.1	115	43.5	16.4	9.58	6.10	7.00	5.82	34.0	35.5
25	18.5	18.5	23.4	117	45.1	16.4	9.58	6.10	7.00	6.40	34.0	35.5
26	17.5	18.5	23.4	115	45.1	16.4	8.88	6.10	6.40	8.24	31.0	35.5
27	16.4	60.5	23.4	91.2	45.1	14.9	8.88	5.82	6.40	18.5	29.5	34.0
28	16.4	58.6	22.1	80.8	45.1	14.9	8.88	5.82	6.40	40.2	27.4	31.7
29	14.9		22.1	74.3	46.8	14.9	8.88	5.82	6.40	38.6	24.7	31.0
30	14.9		20.9	64.2	46.8	14.9	8.88	5.82	6.40	40.2	22.1	37.4
31	13.9		38.6		46.8		8.88	5.82		46.8		26.1
SD1	21.8	13.9	38.0	40.7	52.9	34.8	13.5	8.30	8.58	6.40	35.8	32.8
SD2	20.7	19.6	28.2	64.1	42.5	24.0	11.2	7.12	7.24	5.82	32.2	85.1
SD3	17.3	28.4	24.5	96.8	44.8	16.0	9.35	6.03	6.70	20.2	31.7	36.6
MAX	24.7	60.5	48.5	277	60.5	38.5	14.9	8.88	11.1	46.8	50.3	105
DAT	7	27	1	23	1	1	1	1	4	31	19	15
SR	19.8	20.1	30.1	67.2	46.7	24.9	11.3	7.11	7.51	11.1	33.2	51.0
MIN	13.9	12.9	20.9	37.1	40.2	14.9	8.88	5.82	5.82	5.54	19.7	18.5
DAT	31	1	30	12	16	27	26	27	1	22	15	4
GMIN = 5.54			SRGOD= 27.5			GMAX = 277						
DATUM 22 10						DATUM 23 4						

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1986

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
 Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	137	25.5	39.1	58.3	81.1	70.8	34.3	15.2	8.06	6.50	9.52	6.76
2	103	31.6	39.1	53.5	82.4	69.5	35.2	13.9	8.06	6.50	8.84	6.76
3	75.9	29.8	77.2	53.5	82.4	62.0	36.1	12.9	8.06	6.50	8.58	6.76
4	90.6	27.1	99.0	54.7	82.4	57.1	34.3	12.9	8.06	6.50	8.58	6.76
5	118	25.5	82.4	54.7	87.8	53.5	31.6	11.6	8.06	6.50	8.58	6.76
6	90.6	24.6	69.5	55.9	89.2	73.3	29.8	11.2	8.06	6.30	8.06	6.76
7	70.8	22.0	59.5	60.8	82.4	106	26.3	12.0	8.06	6.30	8.06	6.50
8	54.7	21.2	53.5	67.0	78.5	120	25.5	12.5	8.06	6.30	7.80	6.10
9	44.3	21.2	49.9	70.8	78.5	111	22.9	12.5	8.06	6.30	7.80	6.10
10	38.0	19.5	45.4	73.3	83.7	94.8	22.9	17.6	8.06	6.50	7.80	6.10
11	32.5	18.9	45.4	67.0	77.2	83.7	22.0	11.6	8.06	6.50	7.80	6.10
12	29.8	18.3	45.4	65.8	68.3	73.3	22.9	11.6	7.80	6.30	7.80	6.10
13	27.1	17.0	44.3	64.5	64.5	64.5	22.9	12.0	7.80	6.10	7.54	6.10
14	24.6	16.4	44.3	62.0	64.5	64.5	24.6	10.8	7.54	6.10	7.54	6.10
15	23.8	16.4	44.3	55.9	67.0	59.5	23.8	11.6	7.54	6.10	7.54	6.10
16	24.6	16.4	44.3	49.9	75.9	57.1	20.4	10.8	7.28	6.10	7.28	6.30
17	22.9	16.4	42.3	46.5	77.2	53.5	19.5	10.4	7.28	6.30	7.28	7.02
18	20.4	23.8	38.0	45.4	77.2	51.1	20.4	9.94	7.02	6.30	7.28	7.02
19	18.9	120	35.2	72.0	77.2	49.9	20.4	10.4	7.02	6.10	7.28	6.76
20	18.9	153	32.5	127	77.2	58.3	19.5	10.8	7.02	6.76	7.28	7.28
21	18.9	112	30.7	106	82.4	51.1	19.5	10.4	7.02	7.02	7.28	7.28
22	18.9	79.8	28.9	82.4	83.7	48.7	18.9	9.10	6.76	7.80	7.02	7.54
23	24.6	64.5	28.0	69.5	86.4	43.3	18.9	8.84	6.76	7.54	6.76	7.80
24	36.1	54.7	26.3	65.8	87.8	42.3	17.6	8.58	6.76	7.28	6.76	7.28
25	65.8	60.8	26.3	68.3	86.4	43.3	15.2	8.58	6.76	10.4	6.76	7.02
26	57.1	69.5	31.6	73.3	79.8	39.1	15.2	8.58	6.76	10.8	6.76	7.02
27	42.3	48.7	51.1	79.8	75.9	36.1	16.4	8.58	6.76	10.4	6.76	7.02
28	35.2	43.3	55.9	81.1	73.3	34.3	16.4	8.32	6.76	10.4	6.76	7.02
29	30.7		58.3	82.4	72.0	31.6	15.2	8.06	6.50	10.8	6.76	6.50
30	27.1		60.8	79.8	68.3	31.6	15.2	8.06	6.50	9.94	6.76	6.50
31	25.5		59.5		68.3		15.2	8.06		9.94		6.50
SD1	82.3	24.8	61.5	60.3	82.8	81.8	29.9	13.2	8.06	6.42	8.36	6.54
SD2	24.3	41.7	41.6	65.6	72.6	61.5	21.6	11.0	7.44	6.27	7.46	6.49
SD3	34.7	66.7	41.6	78.8	78.6	40.1	16.7	8.65	6.73	9.30	6.84	7.04
MAX	141	219	99.0	127	97.6	120	36.1	15.2	8.06	10.8	9.52	7.80
DAT	1	20	4	20	6	8	3	1	1	29	1	23
SR	46.7	42.8	48.0	68.2	78.0	61.2	22.5	10.9	7.41	7.39	7.55	6.70
MIN	18.9	16.4	26.3	45.4	64.5	31.6	15.2	8.06	6.50	6.10	6.76	6.10
DAT	19	14	24	18	13	29	25	29	29	13	23	8
		GMIN = 6.10			SRGOD= 33.9			GMAX = 219				
		DATUM 13 10						DATUM 20 2				

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1987

Broj : 45824                      Stanica : ANDRIJEVICA                      Kota "0" = 744.39  
 Nacin osmat.: limnigraf              Rijeka : LIM                      km od usca = 174.00  
 Pocetak rada: 1962                      Sliv : DRINE                      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	6.50	53.5	17.0	28.0	41.2	77.2	33.4	12.9	7.28	7.02	6.10	37.0
2	6.50	38.0	16.4	26.3	43.3	68.3	33.4	12.9	7.28	6.76	6.10	31.6
3	7.80	30.7	16.4	23.8	51.1	64.5	32.5	12.0	7.02	6.50	5.90	28.0
4	8.06	25.5	15.2	22.0	62.0	63.3	32.5	11.6	7.02	6.30	5.90	24.6
5	7.54	22.9	14.5	20.4	64.5	65.8	30.7	11.2	7.02	6.30	5.70	22.0
6	7.54	19.5	13.3	22.0	74.6	65.8	28.9	11.6	7.02	6.10	5.70	22.0
7	7.28	18.3	12.9	28.0	85.0	65.8	27.1	12.0	7.02	6.10	5.70	25.5
8	7.02	17.0	12.5	33.4	79.8	65.8	25.5	11.2	7.02	6.10	5.70	28.9
9	6.76	15.8	12.0	37.0	65.8	67.0	23.8	10.8	7.02	6.30	5.70	54.7
10	6.76	15.2	11.2	46.5	53.5	68.3	22.0	10.4	6.76	6.30	8.32	62.0
11	8.06	15.2	11.2	64.5	47.5	65.8	22.0	10.4	6.76	6.30	10.8	46.5
12	22.9	16.4	10.8	64.5	47.5	64.5	20.4	10.4	6.50	6.50	10.4	37.0
13	20.4	17.6	10.8	54.7	49.9	62.0	19.5	10.4	6.50	7.28	9.94	31.6
14	31.6	20.4	10.8	46.5	53.5	59.5	19.5	10.4	6.30	8.32	9.52	32.5
15	60.8	22.9	10.4	40.2	69.5	57.1	22.0	9.94	6.30	8.58	10.4	60.8
16	72.0	23.8	9.94	35.2	82.4	57.1	20.4	9.94	6.10	8.06	17.6	68.3
17	48.7	24.6	9.94	32.5	85.0	54.7	21.2	9.52	6.10	8.06	21.2	54.7
18	38.0	23.8	9.52	28.9	85.0	49.9	19.5	9.10	6.10	7.80	20.4	45.4
19	32.5	22.9	9.52	27.1	85.0	45.4	18.3	9.10	6.10	7.54	17.6	38.0
20	27.1	23.8	9.94	32.5	93.4	40.2	17.6	9.52	6.10	7.54	15.8	35.2
21	22.9	29.8	13.3	42.3	94.8	38.0	17.6	9.52	6.10	7.28	14.5	31.6
22	19.5	29.8	15.8	53.5	93.4	37.0	17.0	9.10	5.90	7.28	14.5	28.9
23	17.6	28.0	14.5	59.5	81.1	36.1	16.4	9.10	5.90	7.02	13.9	26.3
24	16.4	25.5	12.9	53.5	68.3	34.3	15.8	8.58	5.90	7.02	14.5	23.8
25	15.2	22.0	12.0	46.5	62.0	33.4	15.2	8.06	5.90	6.76	18.3	22.0
26	13.9	20.4	12.0	45.4	59.5	33.4	14.5	8.06	5.90	6.76	49.9	20.4
27	13.3	18.3	12.0	48.7	57.1	32.5	15.8	8.06	5.90	6.50	87.8	18.9
28	12.9	17.6	12.5	48.7	59.5	32.5	16.4	7.80	6.30	6.30	79.8	18.3
29	42.3		13.3	45.4	64.5	31.6	14.5	7.80	7.80	6.30	58.3	17.6
30	94.8		17.0	42.3	74.6	33.4	13.9	7.80	7.28	6.30	45.4	17.0
31	78.5		26.3		78.5		12.9	7.54		6.30		16.4
SD1	7.18	25.6	14.1	28.7	62.1	67.2	29.0	11.7	7.05	6.38	6.08	33.6
SD2	36.2	21.1	10.3	42.7	69.9	55.6	20.0	9.87	6.29	7.60	14.4	45.0
SD3	31.6	23.9	14.7	48.6	72.1	34.2	15.5	8.31	6.29	6.71	39.7	21.9
MAX	173	62.0	28.9	67.0	96.2	82.4	34.3	12.9	8.58	8.58	93.4	73.3
DAT	30	1	31	11	21	1	1	1	30	15	27	16
SR	25.2	23.5	13.1	40.0	68.2	52.3	21.3	9.89	6.54	6.89	20.0	33.1
MIN	6.50	15.2	9.52	20.4	41.2	31.6	12.9	7.54	5.90	6.10	5.70	16.4
DAT	1	10	18	5	1	29	31	31	22	6	5	31
		GMIN =	5.70		SRGOD=		26.7		GMAX =		173	
		DATUM	5 11						DATUM		30 1	

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1988

Broj : 45824                      Stanica : ANDRIJEVICA                      Kota "0" = 744.39  
Nacin osmat.: limnigraf                      Rijeka : LIM                      km od usca = 174.00  
Pocetak rada: 1962                      Sliv : DRINE                      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	16.4	36.1	15.8	40.2	68.3	39.1	22.0	9.52	7.54	6.76	8.06	15.2
2	16.4	28.9	15.2	42.3	65.8	39.1	21.2	9.52	7.54	6.76	7.80	45.4
3	15.8	24.6	13.9	38.0	65.8	39.1	21.2	9.10	7.28	9.52	7.80	118
4	15.2	21.2	12.9	35.2	68.3	39.1	20.4	8.84	7.28	10.4	7.80	102
5	14.5	25.5	12.9	36.1	72.0	39.1	19.5	8.58	7.28	8.06	7.80	75.9
6	13.9	39.1	12.9	44.3	81.1	39.1	18.9	8.32	7.28	8.58	7.54	59.5
7	13.9	38.0	12.9	60.8	87.8	39.1	18.3	8.32	7.54	8.58	7.28	60.8
8	12.9	34.3	12.9	75.9	90.6	38.0	18.3	8.32	7.54	8.84	7.54	53.5
9	13.9	51.1	12.9	78.5	87.8	36.1	18.3	8.06	7.54	11.6	7.28	42.3
10	13.3	57.1	12.9	74.6	87.8	34.3	17.6	8.06	7.54	12.9	7.28	36.1
11	12.9	46.5	12.5	68.3	83.7	32.5	16.4	8.06	7.28	12.0	7.02	31.6
12	12.5	38.0	12.0	67.0	79.8	32.5	15.8	7.80	7.28	11.2	7.02	27.1
13	12.0	33.4	12.0	67.0	77.2	35.2	15.2	7.80	7.28	10.8	7.02	23.8
14	11.6	28.9	12.5	70.8	75.9	37.0	14.5	7.80	5.50	10.4	7.54	22.0
15	11.6	25.5	13.9	67.0	79.8	35.2	13.9	7.80	10.8	9.52	7.80	20.4
16	11.2	22.9	15.8	57.1	75.9	33.4	13.3	7.80	31.6	9.52	7.54	18.9
17	10.4	20.4	22.0	48.7	69.5	33.4	13.3	7.80	15.8	8.84	7.28	17.6
18	10.4	18.9	32.5	42.3	63.3	31.6	12.9	7.80	17.0	8.84	7.28	17.0
19	10.4	18.9	30.7	38.0	58.3	30.7	12.5	7.80	20.4	8.58	7.28	15.8
20	10.4	17.6	25.5	34.3	51.1	30.7	12.0	7.54	16.4	8.58	8.32	15.2
21	10.4	17.0	22.0	33.4	51.1	30.7	11.6	7.80	15.8	8.84	9.10	15.2
22	10.4	15.8	20.4	36.1	49.9	28.0	11.6	7.80	13.3	9.10	59.5	13.9
23	10.4	15.2	28.0	41.2	46.5	26.3	11.2	7.80	17.0	10.4	70.8	13.9
24	9.52	15.2	47.5	47.5	43.3	25.5	11.2	7.54	15.8	9.94	44.3	13.9
25	9.52	17.0	45.4	62.0	40.2	25.5	10.8	7.54	13.3	9.10	31.6	13.3
26	10.4	17.0	41.2	70.8	40.2	28.0	10.4	7.54	12.5	8.84	23.8	13.3
27	11.2	16.4	43.3	69.5	40.2	26.3	10.8	7.54	10.8	8.58	19.5	13.3
28	10.8	15.2	45.4	70.8	40.2	25.5	10.8	7.54	10.8	8.32	17.0	12.9
29	10.4	13.9	40.2	70.8	40.2	23.8	10.4	7.54	10.4	8.32	15.2	12.5
30	13.3		35.2	70.8	39.1	22.9	9.94	7.54	9.10	8.06	14.5	12.5
31	38.0		32.5		39.1		9.94	7.54		8.06		12.5
SD1	14.6	35.6	13.5	52.6	77.5	38.2	19.6	8.66	7.44	9.20	7.62	60.9
SD2	11.3	27.1	18.9	56.0	71.4	33.2	14.0	7.80	13.9	9.83	7.41	20.9
SD3	13.1	15.9	36.5	57.3	42.7	26.3	10.8	7.61	12.9	8.87	30.5	13.4
MAX	43.3	62.0	49.9	79.8	93.4	40.2	22.9	9.52	31.6	12.9	115	203
DAT	1	10	24	9	8	1	1	1	16	10	23	3
SR	13.0	26.5	23.4	55.3	63.2	32.6	14.7	8.01	11.4	9.29	15.2	31.1
MIN	9.52	13.9	12.0	33.4	39.1	22.9	9.94	7.54	5.50	6.76	7.02	12.5
DAT	24	29	12	21	30	30	30	20	14	1	11	29
GMIN =		5.50		SRGOD=		25.3		GMAX =		203		
DATUM		14 9						DATUM		3 12		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1989

Broj : 45824                      Stanica : ANDRIJEVICA                      Kota "0" = 744.39  
 Nacin osmat.: limnigraf              Rijeka : LIM                      km od usca = 174.00  
 Pocetak rada: 1962                      Sliv : DRINE                      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII		
1	12.5	8.06	54.7	43.3	55.9	37.0	30.7	13.3	21.2	16.4	16.4	35.2		
2	12.5	8.06	85.0	49.9	51.1	36.1	26.3	21.2	19.5	14.5	16.4	31.6		
3	12.5	8.06	74.6	51.1	48.7	36.1	27.1	17.0	18.9	13.3	15.8	29.8		
4	11.6	8.32	67.0	54.7	47.5	34.3	25.5	15.8	18.3	13.3	15.2	28.0		
5	11.6	8.58	57.1	55.9	49.9	34.3	25.5	15.2	18.9	12.9	15.8	26.3		
6	11.2	8.58	47.5	58.3	51.1	37.0	24.6	13.9	18.3	12.5	20.4	25.5		
7	11.2	8.58	41.2	59.5	53.5	41.2	22.9	13.3	17.0	12.5	51.1	24.6		
8	11.2	8.58	33.4	54.7	52.3	40.2	21.2	12.9	16.4	12.5	58.3	23.8		
9	11.2	8.58	33.4	53.5	47.5	37.0	19.5	12.9	15.8	43.3	48.7	22.9		
10	11.2	8.58	31.6	48.7	44.3	34.3	20.4	17.0	17.0	120	41.2	22.9		
11	11.2	8.32	29.8	44.3	43.3	32.5	20.4	15.8	17.6	120	35.2	20.4		
12	10.8	8.06	28.0	44.3	45.4	31.6	21.2	16.4	17.6	90.6	31.6	19.5		
13	10.8	8.06	26.3	47.5	49.9	29.8	20.4	15.8	17.6	69.5	28.0	18.9		
14	10.8	8.06	22.9	49.9	60.8	28.9	20.4	14.5	17.0	54.7	26.3	19.5		
15	10.8	8.06	24.6	48.7	68.3	28.0	19.5	13.3	17.0	47.5	24.6	21.2		
16	10.4	8.06	26.3	45.4	67.0	27.1	18.9	13.3	15.8	42.3	22.9	28.9		
17	10.4	8.06	29.8	42.3	65.8	28.9	18.3	12.9	15.2	38.0	22.0	37.0		
18	9.94	7.80	32.5	53.5	67.0	31.6	17.6	12.5	14.5	34.3	20.4	39.1		
19	9.52	7.80	35.2	60.8	70.8	32.5	17.6	12.5	13.9	30.7	19.5	40.2		
20	9.52	7.28	41.2	55.9	65.8	32.5	17.0	12.5	13.3	28.0	18.9	44.3		
21	9.10	8.06	49.9	52.3	62.0	30.7	17.0	12.0	13.3	26.3	18.3	45.4		
22	9.10	9.10	52.3	53.5	57.1	29.8	14.5	12.0	12.5	24.6	18.3	43.3		
23	8.84	10.8	54.7	60.8	54.7	29.8	13.3	12.0	12.0	22.9	30.7	39.1		
24	8.84	11.6	49.9	59.5	51.1	29.8	12.5	12.0	11.6	22.0	36.1	35.2		
25	8.58	16.4	47.5	52.3	47.5	29.8	12.0	11.6	11.6	21.2	73.3	31.6		
26	8.58	47.5	45.4	48.7	44.3	30.7	12.5	11.2	11.6	20.4	96.2	29.8		
27	8.58	77.2	41.2	48.7	41.2	31.6	15.2	10.8	11.6	19.5	73.3	27.1		
28	8.84	59.5	37.0	52.3	39.1	30.7	15.2	10.4	12.0	18.9	58.3	26.3		
29	8.58		37.0	53.5	37.0	29.8	15.8	14.5	12.5	18.3	46.5	25.5		
30	8.58		41.2	58.3	37.0	29.8	15.8	23.8	17.0	17.6	40.2	23.8		
31	8.32		43.3		36.1		14.5	23.8		17.0		22.9		
SD1	11.7	8.40	52.5	53.0	50.2	36.8	24.4	15.3	18.1	27.1	29.9	27.1		
SD2	10.4	7.96	29.7	49.3	60.4	30.3	19.1	13.9	15.9	55.6	24.9	28.9		
SD3	8.72	30.0	45.4	54.0	46.1	30.3	14.4	14.0	12.6	20.8	49.1	31.8		
MAX	12.5	77.2	85.0	60.8	73.3	41.2	30.7	23.8	21.2	214	102	46.5		
DAT	1	27	2	19	19	7	1	30	1	10	26	21		
SR	10.2	14.4	42.6	52.1	52.0	32.4	19.1	14.4	15.6	34.0	34.7	29.3		
MIN	8.32	7.28	22.9	42.3	36.1	27.1	12.0	10.4	11.6	12.5	15.2	18.9		
DAT	31	20	14	17	31	16	25	28	24	6	4	13		
GMIN = 7.28			SRGOD= 29.3					GMAX = 214						
DATUM 20 2									DATUM 10 10					



## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1990

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	21.2	13.3	13.3	13.9	53.5	25.5	12.5	7.80	6.10	5.90	31.6	45.4
2	20.4	13.3	15.2	13.3	47.5	23.8	11.6	7.54	6.10	5.90	28.0	31.6
3	19.5	12.9	15.8	12.9	43.3	22.9	11.6	7.54	6.30	5.90	31.6	30.7
4	18.3	12.5	15.2	13.3	41.2	22.0	11.2	7.28	6.30	5.90	27.1	27.1
5	17.0	12.0	14.5	12.5	40.2	21.2	11.2	7.28	6.10	5.90	23.8	24.6
6	16.4	11.6	13.9	12.9	39.1	21.2	10.8	7.02	6.10	5.90	20.4	22.9
7	16.4	11.6	13.3	13.3	38.0	22.9	10.4	7.02	6.10	5.70	18.3	21.2
8	15.8	11.2	12.9	16.4	38.0	23.8	9.94	7.02	6.10	5.90	17.0	19.5
9	15.8	10.8	12.9	18.3	39.1	23.8	9.52	7.28	6.10	6.30	15.8	18.3
10	15.8	10.8	13.3	29.8	39.1	22.9	9.52	7.80	6.10	7.28	14.5	29.8
11	15.8	10.8	13.3	33.4	41.2	22.9	9.10	7.54	6.10	7.54	13.9	68.3
12	15.2	10.8	13.3	29.8	42.3	22.0	8.84	7.54	6.10	7.54	12.9	58.3
13	15.2	10.8	13.9	27.1	41.2	20.4	9.10	7.28	6.10	7.54	12.5	46.5
14	14.5	11.2	13.9	25.5	40.2	19.5	11.2	7.02	6.10	7.02	11.6	39.1
15	14.5	11.2	13.9	25.5	38.0	18.3	10.4	6.76	5.90	6.76	12.0	33.4
16	13.9	12.5	13.9	25.5	37.0	18.3	9.94	6.76	5.90	6.76	12.9	29.8
17	13.9	12.9	13.9	26.3	37.0	18.3	9.10	6.76	5.90	6.50	13.9	26.3
18	13.3	12.9	13.3	24.6	37.0	17.6	8.84	6.76	5.90	6.30	13.3	23.8
19	12.9	12.5	13.3	26.3	37.0	17.0	8.84	6.50	5.90	6.30	12.5	22.9
20	12.5	12.5	13.3	26.3	37.0	17.0	8.58	6.50	5.70	6.30	12.5	20.4
21	12.0	12.5	13.3	34.3	36.1	16.4	8.58	6.50	5.70	8.06	12.0	18.9
22	11.6	12.5	13.3	77.2	36.1	15.8	8.32	6.50	5.70	10.8	11.6	17.6
23	11.2	12.0	13.3	118	36.1	15.8	8.06	6.50	5.70	11.2	11.6	17.0
24	10.8	12.0	13.3	167	34.3	15.8	7.80	6.30	5.70	10.4	19.5	15.2
25	11.6	12.0	13.9	148	34.3	14.5	7.80	6.30	5.70	9.52	37.0	14.5
26	11.2	11.6	14.5	115	35.2	14.5	7.80	6.30	5.70	8.84	38.0	15.2
27	12.9	12.0	14.5	96.2	35.2	13.9	8.06	6.10	5.70	8.84	47.5	15.8
28	12.9	12.9	15.2	79.8	33.4	13.9	8.32	6.10	5.90	8.58	81.1	15.8
29	12.5		14.5	69.5	35.2	12.9	8.32	6.10	5.90	9.10	78.5	14.5
30	12.9		14.5	60.8	29.8	12.9	8.06	6.10	5.90	12.9	58.3	14.5
31	12.9		14.5		27.1		7.80	6.10		28.9		15.8
SD1	17.7	12.0	14.0	15.7	41.9	23.0	10.8	7.36	6.14	6.06	22.8	27.1
SD2	14.2	11.8	13.6	27.0	38.8	19.1	9.39	6.94	5.96	6.86	12.8	36.9
SD3	12.0	12.2	14.1	96.6	33.9	14.6	8.08	6.26	5.76	11.6	39.5	15.9
MAX	22.0	13.3	15.8	209	57.1	26.3	12.5	8.06	6.50	33.4	87.8	70.8
DAT	1	1	3	24	1	1	1	10	3	31	28	11
SR	14.5	12.0	13.9	46.4	38.1	18.9	9.39	6.84	5.95	8.27	25.0	26.3
MIN	10.8	10.8	12.9	12.5	27.1	12.9	7.80	6.10	5.70	5.70	11.6	14.5
DAT	24	9	8	5	31	29	24	27	20	7	14	25
		GMIN = 5.70			SRGOD= 18.8			GMAX = 209				
		DATUM 20 9						DATUM 24 4				

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1991

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
 Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	19.7	13.4	16.9	68.2	65.2	62.3	30.3	10.4	6.10	8.56	16.9	38.6
2	19.7	12.9	18.5	120	60.5	60.5	28.1	9.96	6.10	7.92	28.8	34.0
3	19.7	12.5	18.0	108	55.8	59.5	28.8	9.58	5.82	7.30	28.6	31.0
4	19.7	12.0	20.3	86.4	54.9	56.7	26.7	9.20	5.82	7.00	23.4	28.1
5	19.7	11.6	13.9	102	57.6	53.1	24.7	9.20	6.10	6.70	20.9	26.1
6	19.1	11.6	73.3	107	61.4	46.8	23.4	9.20	6.10	6.40	19.1	24.1
7	18.5	11.1	109	88.7	65.2	41.9	23.4	8.88	5.82	6.40	18.0	22.8
8	17.5	11.1	81.9	69.2	71.3	35.5	23.4	8.56	5.54	5.82	17.5	22.1
9	16.4	10.7	61.4	60.5	81.9	31.7	22.1	8.56	5.54	5.82	17.5	20.3
10	15.9	11.1	50.3	55.8	101	29.5	20.3	8.56	5.54	5.82	18.5	19.1
11	15.4	11.6	41.9	51.2	115	28.8	18.5	8.88	5.26	5.54	28.1	19.7
12	15.4	12.0	42.7	51.2	118	28.8	18.5	9.20	5.26	5.54	31.7	18.5
13	15.9	15.4	41.9	51.2	113	27.4	18.5	8.88	5.54	5.26	31.0	18.5
14	16.4	28.1	35.5	51.2	118	24.7	18.0	8.56	5.26	5.54	26.7	22.8
15	16.9	30.3	34.7	47.6	156	24.7	17.5	8.24	4.98	5.54	24.7	28.8
16	23.4	26.1	34.0	44.3	158	26.1	17.5	8.24	4.98	6.40	26.7	31.0
17	25.4	24.1	31.0	41.9	129	28.8	16.9	7.92	4.98	12.5	28.8	64.0
18	24.7	20.9	28.1	41.9	106	30.3	16.9	7.92	5.26	15.9	28.8	58.6
19	23.4	19.7	26.1	44.3	93.6	33.2	17.5	7.60	5.54	14.4	40.2	48.5
20	21.5	18.0	24.7	49.4	92.4	37.1	16.9	7.30	5.54	13.9	87.5	39.4
21	20.9	17.5	25.4	57.6	98.5	36.3	16.4	7.30	5.82	13.4	135	31.0
22	19.7	16.4	27.4	60.5	93.6	35.3	15.4	6.70	6.10	12.0	115	28.1
23	19.1	15.4	31.7	60.5	83.0	33.2	14.4	6.70	6.10	11.0	81.9	25.4
24	18.0	14.4	34.7	60.5	77.5	31.7	13.9	6.10	6.10	107	77.5	22.1
25	17.5	13.9	42.7	62.3	74.3	34.0	12.9	6.10	6.10	9.96	81.9	20.3
26	16.4	13.4	65.2	64.2	71.3	41.9	12.5	6.10	6.70	9.20	68.2	21.5
27	15.9	13.4	59.5	69.2	67.1	40.2	12.5	6.10	7.00	8.88	54.9	20.9
28	15.4	13.4	52.2	70.2	65.2	37.6	11.6	5.82	7.00	8.56	48.5	19.1
29	14.4		45.1	73.3	64.2	35.5	11.6	5.82	8.24	8.24	43.5	19.1
30	13.4		41.9	75.4	62.3	32.5	11.6	5.82	8.56	8.56	41.0	28.8
31	13.9		39.4		62.3		107	5.82		8.88		66.1
SD1	18.6	11.8	46.3	86.6	67.5	47.8	25.1	9.21	5.85	6.77	20.9	26.6
SD2	19.8	20.6	34.1	47.4	120	29.0	17.7	8.27	5.26	9.05	35.4	35.0
SD3	16.8	14.7	42.3	65.4	74.5	35.8	21.8	6.22	6.77	18.7	74.7	27.5
MAX	25.4	30.3	109	120	218	62.3	30.3	10.4	8.56	15.9	135	66.1
DAT	17	15	7	2	16	1	1	1	30	18	21	31
SR	18.4	15.8	40.9	66.5	86.9	37.5	21.5	7.85	5.96	11.7	43.7	29.6
MIN	13.4	10.7	13.9	41.9	54.9	24.7	11.6	5.82	4.98	5.26	16.9	18.5
DAT	30	9	5	17	4	14	28	28	15	13	1	12
		GMIN = 4.98			SRGOD= 32.3			GMAX = 218				
		DATUM 15 9						DATUM 16 5				

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1992

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
 Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	9.05	8.93	7.83	60.4	67.3	63.9	19.3	8.08	7.61	8.00	8.47	16.7
2	8.50	8.93	8.22	58.2	78.7	62.6	19.3	7.69	7.61	8.00	8.08	17.9
3	8.67	8.93	8.30	55.8	82.6	61.5	18.6	8.00	7.61	8.00	8.08	20.7
4	8.67	8.93	10.6	55.8	78.7	61.5	18.6	7.91	8.30	8.00	9.72	25.7
5	8.83	8.74	11.0	51.5	86.5	60.4	17.9	8.53	8.00	8.30	10.1	29.8
6	8.83	8.74	14.4	51.5	142	60.4	17.9	8.53	7.83	8.30	10.6	34.3
7	8.00	8.74	15.4	53.6	120	59.3	16.7	8.53	7.83	7.61	11.0	38.0
8	8.00	8.54	16.1	51.5	99.0	55.8	16.7	8.53	7.83	7.65	11.4	45.1
9	8.00	8.54	16.1	49.3	82.6	51.5	15.4	8.53	7.83	7.69	17.3	52.5
10	8.00	8.35	13.8	47.2	71.1	47.2	15.4	8.22	7.83	10.1	17.9	65.0
11	8.00	8.35	8.89	42.1	77.5	47.2	14.9	8.22	8.30	11.4	23.5	72.5
12	8.00	8.15	8.89	36.2	84.0	45.1	14.4	8.22	8.30	12.8	25.0	72.5
13	8.83	8.15	8.89	30.7	86.5	45.1	14.4	7.91	8.30	43.0	27.3	69.8
14	8.83	7.95	9.72	27.3	87.9	43.0	13.8	7.91	8.30	44.0	29.0	65.0
15	8.83	7.95	13.3	25.7	81.3	42.1	13.3	7.91	8.00	44.0	29.0	58.2
16	8.67	7.81	15.4	25.0	77.5	40.9	13.3	7.61	8.00	40.0	28.2	53.6
17	8.67	7.81	17.9	24.3	72.5	40.9	12.8	7.61	7.83	33.5	25.7	47.2
18	8.67	7.48	19.3	22.8	78.7	38.0	12.8	7.61	7.83	23.5	24.3	30.7
19	8.67	7.48	20.7	21.4	103	38.0	12.3	8.22	7.83	19.3	22.8	27.4
20	8.67	8.18	22.8	20.7	115	37.1	12.3	7.91	7.66	16.7	19.3	24.3
21	8.83	8.18	22.8	20.0	106	33.5	11.9	7.91	7.66	14.9	16.7	23.5
22	8.83	7.85	22.8	19.3	96.1	32.5	11.4	7.91	7.50	13.8	16.7	22.8
23	8.83	7.85	21.4	19.3	84.0	31.7	11.0	7.61	7.66	12.3	15.4	20.7
24	8.83	7.55	30.7	19.3	81.3	31.7	10.6	7.61	7.83	11.0	15.4	19.3
25	8.00	7.55	43.0	19.3	73.7	30.7	10.6	7.61	7.83	9.72	14.8	17.9
26	8.00	7.55	51.5	16.1	73.7	29.0	10.1	7.61	8.00	9.72	14.4	16.7
27	8.00	7.40	50.4	16.1	72.5	28.2	9.72	7.61	8.00	9.30	13.8	16.1
28	8.00	7.70	69.8	18.6	71.1	25.7	9.30	7.61	8.00	9.30	13.3	15.4
29	8.16	8.02	81.4	40.9	69.8	24.3	8.89	7.61	8.00	8.89	14.4	14.9
30	8.16		86.5	60.4	67.3	19.3	8.47	7.61	8.00	8.89	14.8	14.4
31	8.16		61.5		65.0		8.08	7.61		8.47		14.4
SD1	8.45	8.74	12.2	53.5	90.8	58.4	17.6	8.25	7.83	8.16	11.3	34.6
SD2	8.58	7.93	14.6	27.6	86.4	41.7	13.4	7.91	8.04	28.8	25.4	52.1
SD3	8.35	7.74	49.3	24.9	78.2	28.7	10.0	7.66	7.85	10.6	15.0	17.8
MAX	9.16	9.56	86.5	60.4	192	63.9	19.3	10.1	9.61	44.0	29.0	72.5
DAT	29	1	30	1	6	1	1	1	1	14	14	11
SR	8.46	8.15	26.1	35.3	84.9	42.9	13.6	7.94	7.90	15.7	17.2	34.3
MIN	8.00	7.40	7.83	16.1	65.0	19.3	8.08	7.61	7.50	7.61	8.08	14.4
DAT	7	27	1	26	31	30	31	16	22	7	2	30
		GMIN = 7.40			SRGOD= 25.3			GMAX = 192				
		DATUM 27 2						DATUM 6 5				

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1993

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
 Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	19.5	10.4	8.06	23.8	52.3	22.9	8.58	5.50	5.10	7.54	10.8	20.4
2	19.5	9.94	8.06	26.3	48.7	22.0	8.58	5.50	4.90	7.54	11.2	17.0
3	18.9	9.94	8.58	31.6	46.5	21.2	9.52	5.50	4.90	9.10	10.4	18.9
4	18.3	9.94	8.84	35.2	46.5	20.4	10.4	6.30	4.90	36.1	11.6	17.6
5	18.3	9.94	8.84	35.2	47.5	19.5	8.84	6.10	8.58	43.3	28.0	17.6
6	17.6	9.52	8.06	37.0	47.5	18.3	8.58	5.90	13.9	36.1	64.5	16.4
7	17.6	9.10	8.06	41.2	47.5	17.6	8.58	5.90	15.2	28.9	87.8	17.0
8	17.0	9.10	8.06	41.2	46.5	16.4	8.84	5.90	12.9	23.8	72.0	18.3
9	17.0	9.10	8.06	40.2	46.5	17.0	8.58	5.90	10.8	19.5	59.5	20.4
10	16.4	9.10	8.06	39.1	45.4	15.8	8.58	6.30	9.52	19.5	51.1	22.0
11	15.8	8.84	7.80	42.3	43.3	15.8	8.06	6.50	9.10	18.9	44.3	23.8
12	15.8	9.10	7.54	58.3	41.2	15.2	7.54	6.50	9.52	17.6	39.1	33.4
13	15.2	9.10	8.06	69.5	40.2	14.5	8.06	6.10	8.84	16.4	37.0	36.1
14	15.2	8.84	8.58	68.3	38.0	13.9	7.80	6.10	8.84	15.8	39.1	33.4
15	14.5	8.84	8.84	68.3	37.0	13.9	8.06	5.50	8.84	13.9	38.0	64.5
16	13.9	8.58	9.52	70.8	36.1	13.3	7.02	5.50	9.10	13.3	41.2	135
17	13.3	8.58	10.8	68.3	35.2	13.3	7.02	5.30	8.84	12.5	39.1	135
18	12.9	8.58	12.5	59.5	35.2	12.9	7.02	5.30	8.32	12.0	36.1	105
19	12.9	8.58	13.9	53.5	34.3	12.5	6.76	5.30	7.54	11.6	33.4	82.4
20	12.5	8.58	17.0	49.9	34.3	12.0	6.76	5.30	7.54	11.2	31.6	67.0
21	11.6	8.58	18.3	51.1	33.4	11.6	6.50	5.30	7.02	11.2	29.8	58.3
22	11.2	8.58	19.5	53.5	32.5	10.8	6.76	5.10	6.76	10.4	28.0	58.3
23	11.2	8.58	22.9	55.9	31.6	10.4	7.02	4.90	6.50	10.8	26.3	62.0
24	11.2	8.58	23.8	60.8	30.7	9.94	7.02	4.90	6.30	15.2	25.5	57.1
25	11.2	8.58	26.3	59.5	29.8	9.10	6.50	4.90	6.10	17.0	24.6	59.5
26	11.2	8.32	30.7	58.3	28.9	9.10	6.30	4.90	6.10	16.4	24.6	60.8
27	11.2	8.32	29.8	59.5	28.0	8.84	6.30	4.90	6.30	14.5	23.8	60.8
28	11.2	8.32	28.0	58.3	27.1	8.84	6.50	4.90	6.50	13.3	22.0	57.1
29	11.2		26.3	57.1	26.3	8.84	6.50	5.10	6.76	12.9	21.2	52.3
30	11.2		23.8	54.7	25.5	8.84	6.30	5.10	7.54	12.0	21.2	47.5
31	10.8		22.9		23.8		5.50	5.10		11.6		44.3
SD1	18.0	9.61	8.27	35.1	47.5	19.1	8.91	5.88	9.07	23.1	40.7	18.6
SD2	14.2	8.76	10.5	60.9	37.5	13.7	7.41	5.74	8.65	14.3	37.9	71.6
SD3	11.2	8.48	24.8	56.9	28.9	9.63	6.47	5.01	6.59	13.2	24.7	56.2
MAX	19.5	10.4	30.7	72.0	53.5	23.8	10.4	6.50	15.2	43.3	87.8	221
DAT	1	1	26	16	1	1	4	11	7	5	7	17
SR	14.4	8.98	14.8	50.9	37.7	14.2	7.56	5.53	8.10	16.8	34.4	49.0
MIN	10.8	8.32	7.54	23.8	23.8	8.84	5.50	4.90	4.90	7.54	10.4	16.4
DAT	31	26	12	1	31	27	31	23	2	1	3	6
		GMIN = 4.90			SRGOD= 21.9			GMAX = 221				
		DATUM 23 8						DATUM 17 12				

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1994

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
 Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	8.30	6.90	6.90	75.4	47.0	45.0	14.1	6.80	6.85	6.80	17.7	6.95
2	8.00	6.90	6.90	71.8	47.0	45.0	13.3	6.80	6.85	6.80	12.8	6.95
3	8.00	6.90	6.90	63.7	44.0	43.0	12.4	6.80	6.85	6.95	11.4	6.95
4	8.00	6.90	33.6	55.0	46.0	42.0	11.9	6.90	6.85	8.00	10.1	6.95
5	9.50	6.85	61.5	48.0	90.7	43.0	11.0	6.90	6.85	7.75	9.50	6.95
6	9.20	6.85	44.0	42.0	79.0	43.0	10.4	6.90	6.85	7.00	8.60	6.95
7	8.60	6.85	26.6	39.0	65.9	42.0	10.4	6.90	6.85	6.80	8.30	7.00
8	8.30	6.85	22.4	37.0	48.0	38.0	9.80	6.90	6.85	6.80	8.00	13.7
9	8.30	6.85	19.9	36.0	48.0	36.0	9.20	6.90	6.85	8.85	7.75	30.4
10	8.00	6.80	19.9	36.0	46.0	31.2	9.20	6.90	6.80	6.90	7.50	38.0
11	7.75	6.80	23.1	37.0	46.0	28.0	8.90	6.85	6.80	6.90	7.00	38.0
12	7.50	8.90	25.9	39.0	62.6	25.9	8.60	6.85	6.80	6.90	7.00	70.6
13	7.75	13.3	28.8	35.2	63.7	26.6	8.60	6.85	6.80	6.90	6.80	145
14	9.20	11.9	32.8	32.8	54.0	25.9	8.30	6.85	6.80	6.90	6.85	192
15	8.90	10.1	38.0	34.4	46.0	25.9	8.30	6.85	6.80	6.70	6.80	109
16	8.90	8.90	32.8	38.0	46.0	24.5	8.00	6.85	6.80	6.70	6.80	62.6
17	8.30	7.00	31.2	40.0	49.0	23.1	8.00	6.85	6.80	6.70	6.85	43.0
18	8.00	6.80	28.8	42.0	51.0	21.7	7.75	6.85	6.80	6.80	6.80	31.2
19	7.75	6.80	42.0	42.0	51.0	21.7	7.75	6.80	6.80	6.80	8.85	29.6
20	7.75	6.80	40.0	34.4	54.0	28.0	7.50	6.80	6.80	6.80	6.85	64.8
21	7.50	6.80	34.4	32.8	58.2	25.2	7.50	6.90	6.80	6.90	6.80	53.0
22	7.50	6.80	31.2	32.0	63.7	21.7	7.25	6.95	6.85	6.90	6.80	38.0
23	7.25	7.50	26.6	32.0	63.7	18.8	7.25	6.80	6.85	7.95	6.90	32.8
24	7.25	7.25	26.6	35.2	60.4	16.6	7.00	6.85	6.85	22.4	6.90	28.8
25	7.25	7.00	25.2	47.0	57.1	16.6	6.80	6.90	6.85	40.0	6.90	29.6
26	7.25	7.00	25.2	54.0	54.0	16.0	6.85	6.90	6.85	23.1	6.90	34.4
27	6.95	6.80	33.6	71.8	55.0	16.0	6.85	6.90	6.85	20.5	6.90	28.8
28	6.95	6.80	41.0	90.7	54.0	16.0	6.85	6.95	6.85	31.2	6.90	24.5
29	6.95		53.0	76.6	54.0	15.1	6.80	6.90	6.85	32.8	6.95	19.9
30	6.95		60.4	62.6	50.0	14.6	6.80	6.85	6.85	29.6	6.95	24.5
31	6.95		70.6		48.0		6.80	6.85		25.2		23.1
SD1	8.42	6.86	24.9	50.4	56.2	40.8	11.2	6.87	6.84	7.27	10.2	13.1
SD2	8.18	8.73	32.3	37.5	52.3	25.1	8.17	6.84	6.80	6.81	7.06	78.6
SD3	7.16	6.99	38.9	53.5	56.2	17.7	6.98	6.89	6.84	22.4	6.89	30.7
MAX	9.50	13.3	70.6	90.7	90.7	45.0	14.1	6.95	6.85	40.0	17.7	292
DAT	5	13	31	28	5	1	1	22	1	25	1	14
SR	7.90	7.57	32.3	47.1	54.9	27.9	8.71	6.87	6.83	12.5	8.04	40.5
MIN	6.95	6.80	6.90	32.0	44.0	14.6	6.80	6.80	6.80	6.70	6.80	6.95
DAT	27	10	1	22	3	30	25	1	10	15	13	1
		GMIN = 6.70			SRGOD= 21.9			GMAX = 292				
		DATUM 15 10						DATUM 14 12				

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1995

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
 Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	16.4	26.3	73.3	23.8	59.5	82.4	23.8	16.4	36.1	21.2	9.52	15.8	
2	158	23.8	54.7	21.2	57.1	81.1	22.9	14.5	30.7	19.5	9.10	16.4	
3	148	22.0	47.5	20.4	59.5	79.8	23.8	13.9	26.3	18.3	9.52	17.0	
4	123	21.2	38.0	20.4	53.5	79.8	23.8	13.9	23.8	17.0	9.10	17.6	
5	62.0	18.3	37.0	28.0	49.9	77.2	22.9	13.9	32.5	17.0	9.10	17.6	
6	45.4	16.4	28.9	31.6	46.5	77.2	22.0	13.9	47.5	16.4	8.58	17.0	
7	45.4	15.2	30.7	38.0	41.2	67.0	22.0	13.9	82.4	16.4	8.58	16.4	
8	37.0	17.0	28.9	39.1	40.2	65.8	23.8	12.0	72.0	16.4	8.58	15.8	
9	35.2	17.6	27.1	42.3	49.9	59.5	23.8	11.6	59.5	15.8	8.58	15.8	
10	31.6	16.4	26.3	41.2	59.5	59.5	23.8	10.8	62.0	15.8	8.84	15.2	
11	29.8	18.3	24.6	38.0	67.0	45.4	22.0	10.8	51.1	13.3	8.84	14.5	
12	29.8	18.9	21.2	33.4	77.2	43.3	22.0	10.4	40.2	12.9	9.10	13.3	
13	22.0	18.3	17.6	28.9	145	43.3	19.5	10.4	36.1	12.9	9.10	12.0	
14	16.4	17.0	15.8	27.1	318	43.3	19.5	10.4	28.0	12.0	9.10	12.0	
15	15.2	16.4	15.8	21.2	259	42.3	19.5	8.84	39.1	12.0	9.10	12.5	
16	15.2	16.4	15.8	20.4	179	38.0	19.5	8.84	45.4	9.94	9.94	12.0	
17	12.5	15.2	15.2	21.2	121	38.0	18.3	10.4	42.3	9.94	9.94	12.0	
18	12.5	16.4	15.8	20.4	105	35.2	18.3	10.4	36.1	9.94	10.4	14.5	
19	10.4	16.4	15.2	19.5	90.6	36.1	17.0	10.8	30.7	9.52	10.4	15.2	
20	11.2	21.2	14.5	18.9	89.2	35.2	17.0	10.4	28.0	9.52	10.4	15.2	
21	10.4	20.4	15.2	20.4	83.7	33.4	17.0	10.4	27.1	9.52	10.4	14.5	
22	10.4	16.4	15.2	21.2	79.8	32.5	16.4	10.4	45.4	9.10	12.5	14.5	
23	11.6	18.3	14.5	27.1	74.6	32.5	16.4	9.94	39.1	9.10	12.9	14.5	
24	12.0	18.3	14.5	38.0	67.0	32.5	15.2	8.84	33.4	9.10	15.8	33.4	
25	13.3	27.1	14.5	46.5	67.0	30.7	15.2	9.94	33.4	9.10	15.8	126	
26	15.2	36.1	14.5	77.2	70.8	30.7	12.9	12.0	32.5	9.10	15.8	179	
27	16.4	42.3	14.5	90.6	67.0	29.8	12.9	13.9	28.0	9.10	16.4	341	
28	39.1	86.4	15.2	86.4	83.7	27.1	11.6	21.2	26.3	9.10	15.8	305	
29	31.6		38.0	73.3	85.0	26.3	11.6	27.1	26.3	9.10	15.8	265	
30	26.3		37.0	62.0	90.6	26.3	12.0	28.0	23.8	9.10	15.8	163	
31	23.8		31.6		86.4		12.0	35.2		9.10		99.0	
SD1	70.2	19.4	39.2	30.6	51.7	72.9	23.3	13.5	47.3	17.4	8.95	16.5	
SD2	17.5	17.4	17.1	24.9	145	40.0	19.3	10.2	37.7	11.2	9.63	13.3	
SD3	19.1	33.2	20.4	54.3	77.8	30.2	13.9	17.0	31.5	9.14	14.7	141	
MAX	158	86.4	73.3	90.6	388	82.4	23.8	35.2	82.4	21.2	15.8	305	
DAT	2	28	1	27	14	1	1	31	7	1	30	28	
SR	35.1	22.6	25.4	36.6	91.1	47.7	18.7	13.7	38.8	12.5	11.1	59.8	
MIN	10.4	15.2	14.5	18.9	40.2	26.3	11.6	8.84	23.8	9.10	8.58	12.0	
DAT	19	7	20	20	8	29	28	15	4	22	6	13	
GMIN =			8.58	SRGOD=			34.5	GMAX =			388		
DATUM			6 11					DATUM			14 5		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1996

Broj               : 45824                      Stanica : ANDRIJEVICA                      Kota "0" = 744.39  
Nacin osmat.: limnigraf                Rijeka : LIM                                      km od usca = 174.00  
Pocetak rada: 1962                      Sliv : DRINE                                      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	94.8	16.4	13.3	36.1	72.0	57.1	17.0	8.58	6.10	67.0	22.0	115	
2	106	19.5	13.3	37.0	90.6	54.7	17.0	8.32	6.30	45.4	22.0	52.3	
3	93.4	19.5	12.9	59.5	102	51.1	15.8	8.32	6.30	31.6	21.2	45.4	
4	63.3	15.8	12.9	112	106	51.1	15.8	8.32	6.50	30.7	21.2	41.2	
5	47.5	15.8	12.5	102	114	52.3	15.8	8.32	6.50	30.7	21.2	37.0	
6	38.0	15.8	12.0	72.0	126	53.5	14.5	8.06	6.50	29.8	21.2	33.4	
7	33.4	15.2	12.0	59.5	127	53.5	14.5	8.06	6.30	24.6	21.2	23.8	
8	33.4	15.2	12.0	47.5	124	51.1	14.5	7.28	6.30	24.6	21.2	22.0	
9	36.1	14.5	12.0	43.3	121	46.5	13.9	7.28	6.10	24.6	21.2	19.5	
10	23.8	13.3	11.2	37.0	114	46.5	12.5	6.76	6.10	24.6	15.8	19.5	
11	22.9	13.3	11.2	37.0	109	45.4	12.5	6.50	6.50	24.6	14.5	19.5	
12	21.2	13.3	11.2	36.1	108	43.3	12.5	6.50	7.54	22.9	14.5	19.5	
13	20.4	13.3	11.6	34.3	106	43.3	12.5	6.50	8.32	22.0	14.5	19.5	
14	19.5	13.9	11.6	34.3	108	41.2	12.5	6.50	19.5	22.0	13.9	39.1	
15	18.9	14.5	11.6	36.1	108	40.2	12.5	6.50	33.4	22.9	13.3	47.5	
16	18.9	13.9	11.6	36.1	114	40.2	12.9	6.50	28.0	26.3	13.3	85.0	
17	16.4	13.3	11.6	36.1	108	37.0	12.5	6.50	23.8	45.4	12.0	62.0	
18	16.4	13.3	12.0	34.3	102	37.0	12.5	6.50	24.6	87.8	21.2	38.0	
19	15.8	13.3	12.5	32.5	90.6	35.2	12.5	6.50	26.3	92.0	33.4	38.0	
20	15.8	13.9	13.3	26.3	87.8	31.6	12.5	6.10	23.8	87.8	74.6	34.3	
21	15.8	13.9	12.9	25.5	85.0	28.0	12.5	6.10	72.0	67.0	87.8	36.1	
22	15.8	14.5	12.9	26.3	79.8	23.8	11.6	6.10	53.5	65.8	123	36.1	
23	15.8	16.4	13.3	28.9	73.3	23.8	11.6	6.10	48.7	64.5	141	41.2	
24	16.4	16.4	13.3	37.0	69.5	22.0	10.8	6.10	72.0	59.5	173	46.5	
25	16.4	16.4	13.3	43.3	67.0	22.0	9.94	6.10	69.5	37.0	179	59.5	
26	16.4	15.8	13.9	62.0	59.5	19.5	9.94	5.90	59.5	24.6	123	123	
27	11.2	15.8	13.9	72.0	60.8	19.5	9.94	5.90	69.5	24.6	99.0	145	
28	11.2	13.9	22.0	67.0	62.0	19.5	9.94	5.90	87.8	22.0	74.6	90.6	
29	11.2	13.9	45.4	68.3	65.8	18.3	8.84	5.90	72.0	22.0	74.6	54.7	
30	11.2		37.0	67.0	59.5	18.3	8.84	5.90	69.5	22.0	74.6	48.7	
31	15.8		36.1		57.1		8.58	6.10		22.0		46.5	
SD1	57.0	16.1	12.4	60.6	110	51.7	15.1	7.93	6.30	33.4	20.8	40.9	
SD2	18.6	13.6	11.8	34.3	104	39.4	12.5	6.46	20.2	45.4	22.5	40.2	
SD3	14.3	15.2	21.3	49.7	67.2	21.5	10.2	6.01	67.4	39.2	115	66.2	
MAX	106	19.5	45.4	112	127	57.1	17.0	8.58	87.8	92.0	179	145	
DAT	2	2	29	4	7	1	1	1	28	19	25	27	
SR	29.5	15.0	15.4	48.2	92.8	37.6	12.6	6.77	31.3	39.3	52.8	49.7	
MIN	11.2	13.3	11.2	25.5	57.1	18.3	8.58	5.90	6.10	22.0	12.0	19.5	
DAT	27	10	10	21	31	29	31	26	1	13	17	9	
		GMIN = 5.90			SRGOD= 35.9			GMAX = 179					
		DATUM 26 8						DATUM 25 11					

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1997

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
 Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	45.4	13.3	9.94	16.4	39.1	45.4	21.2	11.2	6.76	4.10	17.0	18.3	
2	44.3	13.3	9.94	16.4	40.2	43.3	21.2	10.4	6.76	4.20	17.0	18.3	
3	53.5	13.3	9.94	17.0	39.1	35.2	21.2	10.4	6.76	4.20	17.0	18.9	
4	59.5	12.9	9.52	16.4	48.7	32.5	18.3	10.4	6.76	4.20	15.2	24.6	
5	65.8	12.9	9.52	16.4	54.7	32.5	18.3	10.4	6.76	4.10	14.5	35.2	
6	65.8	12.9	9.52	15.8	67.0	31.6	18.3	10.4	6.50	4.10	14.5	28.0	
7	62.0	12.5	9.94	15.2	69.5	32.5	17.6	10.8	6.50	4.10	14.5	23.8	
8	58.3	12.5	9.94	15.2	120	35.2	17.6	10.4	6.30	4.10	14.5	21.2	
9	51.1	17.0	9.52	15.2	234	36.1	18.3	10.4	6.30	4.10	19.5	19.5	
10	41.2	12.0	9.52	15.2	204	37.0	17.6	9.10	6.30	4.10	24.6	18.9	
11	34.3	12.0	9.52	15.8	138	34.3	17.6	8.06	6.30	4.20	25.5	18.3	
12	32.5	12.0	9.52	15.8	120	34.3	17.6	8.32	6.30	4.20	43.3	18.3	
13	32.5	12.0	9.52	15.2	106	34.3	17.0	8.32	5.90	9.52	57.1	17.6	
14	31.6	11.6	8.84	15.2	103	32.5	15.8	8.32	6.10	29.8	57.1	17.6	
15	28.0	11.6	8.84	15.2	103	32.5	15.8	8.32	5.30	48.7	94.8	16.4	
16	27.1	11.6	8.84	15.2	100	32.5	15.8	7.28	5.30	41.2	72.0	16.4	
17	23.8	12.5	9.10	15.2	100	35.2	15.8	7.02	5.30	26.3	54.7	17.0	
18	23.8	14.5	9.10	14.5	94.8	35.2	15.8	7.02	4.40	19.5	43.3	17.0	
19	23.8	13.9	8.84	13.3	93.4	34.3	15.2	6.76	4.40	17.0	53.5	17.0	
20	21.2	12.0	8.58	13.3	89.2	35.2	15.2	6.76	4.40	17.0	37.0	18.3	
21	20.4	11.6	17.0	13.9	86.4	35.2	15.2	6.76	4.40	17.0	26.3	39.1	
22	18.9	10.4	16.4	15.8	85.0	32.5	15.2	6.76	4.40	17.0	24.6	59.5	
23	18.3	10.4	16.4	90.6	78.5	32.5	12.0	6.76	4.40	17.0	24.6	54.7	
24	15.8	9.94	16.4	99.0	74.6	31.6	12.0	6.50	4.40	17.6	25.5	53.5	
25	15.8	9.94	15.8	67.0	87.8	28.0	11.2	6.30	4.30	17.0	25.5	45.4	
26	15.2	9.94	15.8	51.1	70.8	24.6	11.2	6.30	4.30	21.2	24.6	41.2	
27	14.5	9.94	15.2	39.1	73.3	22.9	11.2	6.30	4.10	21.2	21.2	28.0	
28	13.9	9.94	15.2	38.0	58.3	22.0	11.2	6.30	4.10	22.0	18.3	27.1	
29	13.3		15.8	39.1	41.2	21.2	11.2	6.50	4.10	21.2	18.3	24.6	
30	13.3		16.4	40.2	41.2	21.2	11.2	6.50	4.10	17.0	18.3	24.6	
31	13.3		16.4		45.4		11.2	6.50		17.0		24.6	
SD1	54.7	13.3	9.73	15.9	91.6	36.1	19.0	10.4	6.57	4.13	16.8	22.7	
SD2	27.9	12.4	9.07	14.9	105	34.0	16.2	7.62	5.37	21.7	53.8	17.4	
SD3	15.7	10.3	16.1	49.4	67.5	27.2	12.1	6.50	4.26	18.7	22.7	38.4	
MAX	65.8	14.5	17.0	99.0	234	45.4	21.2	11.2	6.76	48.7	94.8	59.5	
DAT	6	18	21	24	9	1	1	1	1	15	15	22	
SR	32.2	12.1	11.8	26.7	87.3	32.4	15.6	8.11	5.40	15.0	31.1	26.5	
MIN	13.3	9.94	8.58	13.3	39.1	21.2	11.2	6.30	4.10	4.10	14.5	16.4	
DAT	29	24	20	19	1	29	25	25	27	1	5	15	
		GMIN = 4.10			SRGOD= 25.5			GMAX = 234					
		DATUM 27 9						DATUM 9 5					



## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1998

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
 Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	26.3	9.94	9.10	9.10	38.0	28.0	13.9	6.50	6.10	52.3	27.1	14.5
2	23.8	9.94	9.10	9.10	39.1	28.0	12.9	6.50	6.10	59.5	27.1	15.2
3	21.2	9.10	9.10	8.58	40.2	28.0	12.5	6.30	5.90	72.0	28.0	14.5
4	19.5	9.10	9.10	7.80	59.5	28.0	12.0	6.10	6.30	96.2	28.9	15.2
5	19.5	8.84	9.10	8.58	124	28.0	12.0	6.10	6.30	137	33.4	47.5
6	19.5	8.84	9.10	9.52	216	28.0	11.6	5.70	6.76	53.5	41.2	87.8
7	18.3	8.84	9.10	9.94	145	28.0	11.2	5.70	6.10	41.2	55.9	60.8
8	18.3	8.84	9.10	12.5	106	28.0	11.2	5.70	6.30	40.2	85.0	47.5
9	17.6	8.84	10.8	19.5	86.4	26.3	12.9	5.70	8.32	34.3	60.8	33.4
10	16.4	8.84	10.8	38.0	73.3	24.6	15.8	5.30	8.32	37.0	54.7	28.0
11	16.4	8.84	10.8	97.6	67.0	24.6	12.5	5.30	8.32	132	53.5	26.3
12	16.4	8.84	11.2	273	60.8	28.0	12.5	5.30	8.58	126	52.3	25.5
13	15.8	9.10	11.2	243	59.5	37.0	12.0	5.30	8.58	120	47.5	22.9
14	15.8	9.10	10.8	158	59.5	45.4	10.8	4.90	35.2	64.5	42.3	22.0
15	15.8	9.10	10.4	123	49.9	41.2	9.94	4.90	111	45.4	41.2	23.8
16	15.8	9.10	9.94	87.8	46.5	32.5	10.4	4.90	78.5	44.3	57.1	18.3
17	13.3	9.10	9.52	70.8	43.3	26.3	8.84	4.90	59.5	41.2	47.5	17.6
18	13.3	9.52	9.10	73.3	38.0	23.8	9.94	4.90	52.3	40.2	41.2	15.8
19	15.8	9.52	9.10	75.9	37.0	23.8	9.94	4.90	46.5	31.6	36.1	14.5
20	13.3	9.10	9.10	78.5	28.0	22.9	8.84	4.70	38.0	30.7	29.8	14.5
21	13.3	9.10	9.10	67.0	29.8	22.0	8.84	4.50	33.4	31.6	28.0	15.8
22	12.9	9.10	9.10	54.7	29.8	17.6	8.58	4.50	29.8	32.5	28.0	15.8
23	12.5	8.84	8.84	46.5	32.5	17.6	8.58	4.50	23.8	31.6	27.1	15.2
24	12.5	8.84	8.84	47.5	33.4	16.4	8.06	4.50	19.5	30.7	25.5	14.5
25	12.5	8.84	8.84	45.4	28.0	15.8	7.80	4.50	16.4	29.8	23.8	13.9
26	12.5	8.84	8.84	45.4	27.1	15.8	7.02	4.50	17.0	32.5	22.0	13.3
27	12.0	9.10	8.84	43.3	26.3	15.8	6.50	4.50	17.6	54.7	17.6	14.5
28	11.6	9.10	8.58	44.3	28.0	13.9	6.50	4.50	31.6	59.5	17.6	12.9
29	11.6		8.84	45.4	28.9	13.9	6.50	4.90	79.8	51.1	16.4	12.5
30	9.94		8.84	43.3	28.9	13.9	6.50	6.10	59.5	36.1	15.8	12.0
31	9.94		8.84		28.9		6.50	6.10		33.4		11.2
SD1	20.0	9.11	9.44	13.3	92.8	27.5	12.6	5.96	6.65	62.3	44.2	36.4
SD2	15.2	9.13	10.1	128	49.0	30.5	10.6	5.00	44.6	67.6	44.8	20.1
SD3	11.9	8.97	8.86	48.3	29.2	16.3	7.40	4.83	32.8	38.5	22.2	13.8
MAX	26.3	9.94	10.8	273	216	45.4	15.8	6.50	111	96.2	85.0	87.8
DAT	1	1	9	12	6	14	10	1	15	4	8	6
SR	15.6	9.08	9.45	63.2	56.1	24.8	10.1	5.25	28.0	55.6	37.1	23.1
MIN	9.94	8.84	8.58	7.80	26.3	13.9	6.50	4.50	5.90	29.8	15.8	11.2
DAT	30	5	28	4	27	28	27	21	3	25	30	31
GMIN =		4.50		SRGOD=		28.2		GMAX =		273		
DATUM		21 8						DATUM		12 4		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1999

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
 Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	12.0	8.58	12.0	15.2	100	47.5	24.6	9.52	5.50	5.70	6.50	14.5
2	9.94	8.58	11.6	15.2	103	53.5	24.6	9.52	5.70	5.90	6.30	13.3
3	9.94	8.58	12.0	15.8	105	53.5	21.2	8.84	5.90	5.90	6.10	13.3
4	9.94	8.58	13.3	15.8	103	53.5	22.0	8.84	5.70	5.70	6.10	12.5
5	9.10	9.94	15.2	14.5	111	53.5	19.5	9.52	5.70	5.50	6.10	12.9
6	9.10	9.94	37.0	15.8	108	52.3	19.5	9.52	5.70	5.50	6.30	15.8
7	8.58	12.0	38.0	18.9	106	51.1	19.5	8.84	5.50	5.70	6.30	15.8
8	12.0	12.0	39.1	21.2	93.4	51.1	18.9	8.58	5.30	5.50	5.90	14.5
9	12.0	8.58	41.2	24.6	92.0	45.4	18.9	8.58	5.30	5.50	5.50	14.5
10	14.5	8.58	39.1	41.2	92.0	43.3	19.5	8.58	5.50	5.50	7.02	16.4
11	14.5	17.6	24.6	43.3	82.4	43.3	18.3	8.06	5.50	5.50	9.52	18.3
12	17.0	17.6	23.8	43.3	82.4	43.3	17.6	8.06	5.50	5.50	11.6	28.0
13	17.0	11.6	22.9	43.3	85.0	42.3	17.6	7.28	5.50	5.30	9.10	29.8
14	17.0	15.8	22.9	47.5	92.0	42.3	15.8	7.28	5.50	5.30	8.58	33.4
15	17.0	14.5	21.2	46.5	93.4	42.3	15.8	7.02	5.50	5.20	8.58	26.3
16	17.0	13.3	22.9	46.5	105	35.2	15.8	7.02	5.50	5.20	9.94	179
17	15.8	13.3	22.9	58.3	92.0	35.2	15.8	7.02	5.50	5.20	9.10	379
18	14.5	11.2	21.2	120	90.6	32.5	14.5	7.02	5.50	5.30	10.4	322
19	14.5	10.8	20.4	143	82.4	31.6	17.0	6.50	5.70	5.30	14.5	200
20	12.5	10.4	16.4	100	79.8	31.6	13.3	6.50	5.50	5.50	59.5	126
21	12.0	9.94	15.8	72.0	82.4	39.1	12.9	6.50	5.50	6.50	57.1	111
22	11.6	10.4	15.2	59.5	85.0	45.4	12.5	6.10	5.50	7.02	59.5	92.0
23	11.6	25.5	15.2	49.9	82.4	63.3	12.5	5.90	5.50	6.76	86.4	59.5
24	10.4	26.3	13.9	62.0	79.8	65.8	10.4	5.90	5.30	7.02	72.0	45.4
25	10.4	22.9	13.9	64.5	67.0	43.3	10.4	5.70	5.30	7.02	52.3	43.3
26	9.52	22.0	13.3	72.0	65.8	33.4	9.94	5.50	5.30	7.28	51.1	43.3
27	9.10	19.5	13.3	64.5	65.8	30.7	10.4	5.30	5.50	7.54	33.4	64.5
28	9.10	17.6	12.9	63.3	59.5	30.7	9.94	5.30	5.50	7.54	24.6	145
29	8.58		15.2	64.5	47.5	29.8	9.94	5.30	5.50	7.28	19.5	226
30	8.58		15.2	82.4	47.5	29.8	10.4	5.30	5.50	7.02	18.3	145
31	8.58		15.8		47.5		9.52	5.30		6.76		87.8
SD1	10.7	9.54	25.9	19.8	101	50.5	20.8	9.03	5.58	5.64	6.21	14.4
SD2	15.7	13.6	21.9	69.2	88.5	38.0	16.2	7.18	5.52	5.33	15.1	134
SD3	9.95	19.3	14.5	65.5	66.4	41.1	10.8	5.65	5.44	7.07	47.4	96.6
MAX	18.3	26.3	41.2	143	111	65.8	24.6	9.52	5.90	7.54	86.4	379
DAT	12	24	9	19	5	24	1	1	3	27	23	17
SR	12.0	13.8	20.6	51.5	84.8	43.2	15.8	7.23	5.51	6.05	22.9	82.2
MIN	8.58	8.58	11.6	14.5	47.5	29.8	9.52	5.30	5.30	5.20	5.50	12.5
DAT	7	1	2	5	29	29	31	27	8	15	9	4
		GMIN = 5.20			SRGOD= 30.6			GMAX = 379				
		DATUM 15 10								DATUM 17 12		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
2000

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
 Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	82.4	7.80	10.4	37.0	67.0	24.6	12.9	7.80	4.50	7.02	6.50	29.8
2	46.5	7.54	10.4	42.3	68.3	24.6	12.9	7.80	4.70	6.76	8.58	28.9
3	39.1	7.80	10.4	46.5	60.8	19.5	12.9	6.76	4.50	7.80	8.58	28.0
4	37.0	7.54	9.94	46.5	52.3	19.5	12.5	6.76	4.70	22.9	9.10	28.0
5	29.8	7.54	9.10	102	51.1	19.5	12.5	6.76	5.50	18.9	17.0	24.6
6	28.0	7.80	9.10	281	49.9	19.5	12.5	6.50	6.50	18.3	35.2	15.8
7	28.0	7.54	9.10	186	47.5	23.8	12.0	6.30	6.50	14.5	34.3	14.5
8	24.6	7.80	9.94	120	42.3	23.8	12.0	6.30	7.02	14.5	138	14.5
9	19.5	8.32	9.52	93.4	42.3	23.8	10.8	6.30	7.28	14.5	141	14.5
10	18.3	8.84	9.52	59.5	41.2	21.2	9.94	6.30	7.02	13.9	87.8	15.2
11	15.8	8.84	10.4	47.5	45.4	21.2	9.94	6.10	7.28	13.9	77.2	15.8
12	14.5	8.84	10.4	41.2	49.9	21.2	10.4	6.10	7.28	14.5	45.4	14.5
13	14.5	9.52	10.4	42.3	49.9	22.0	10.4	6.10	7.80	14.5	44.3	13.9
14	14.5	9.52	11.2	42.3	49.9	19.5	10.8	6.10	7.28	14.5	26.3	13.9
15	13.9	9.10	11.2	46.5	51.1	19.5	11.2	6.10	7.28	13.9	24.6	14.5
16	13.9	8.84	11.2	49.9	52.3	19.5	12.9	5.70	7.02	13.9	15.2	14.5
17	13.9	8.84	11.2	53.5	49.9	19.5	14.5	5.90	6.76	14.5	15.2	13.9
18	14.5	9.10	10.4	64.5	45.4	20.4	14.5	5.70	6.30	13.9	15.8	12.9
19	12.0	9.52	10.8	67.0	41.2	19.5	12.9	5.30	6.30	13.9	16.4	12.9
20	11.6	9.94	11.2	74.6	39.1	18.3	9.94	5.30	6.10	12.9	24.6	12.9
21	10.8	9.52	10.4	77.2	31.6	17.0	12.0	5.30	6.50	12.9	30.7	12.9
22	10.8	9.52	10.4	79.8	30.7	15.8	12.0	4.90	7.02	12.9	31.6	12.0
23	9.94	9.94	10.4	74.6	28.0	15.8	11.6	4.90	7.80	11.6	31.6	11.6
24	10.8	10.4	10.4	77.2	28.0	15.8	10.4	4.90	8.32	11.2	29.8	11.6
25	9.94	10.4	10.8	72.0	26.3	14.5	9.52	4.50	8.06	9.10	30.7	12.0
26	9.94	10.8	10.8	65.8	26.3	13.9	8.84	4.50	7.80	8.84	32.5	11.6
27	9.10	10.4	11.2	60.8	26.3	13.9	8.58	4.50	7.28	8.32	33.4	35.2
28	11.6	10.4	11.2	59.5	24.6	14.5	8.58	4.70	7.02	7.02	33.4	245
29	9.52	10.4	11.6	60.8	26.3	14.5	8.06	4.50	7.02	7.02	33.4	289
30	8.84		12.9	65.8	24.6	13.9	8.06	4.50	7.02	6.76	31.6	189
31	7.80		31.6		24.6		8.06	4.50		6.50		114
SD1	35.3	7.85	9.74	101	52.3	22.0	12.1	6.76	5.82	13.9	48.6	21.4
SD2	13.9	9.21	10.8	52.9	47.4	20.1	11.7	5.84	6.94	14.0	30.5	14.0
SD3	9.92	10.2	12.9	69.3	27.0	15.0	9.61	4.70	7.38	9.29	31.9	85.8
MAX	82.4	10.8	31.6	281	68.3	24.6	14.5	7.80	8.32	22.9	141	329
DAT	1	26	31	6	2	1	17	1	24	4	9	29
SR	19.4	9.05	11.2	74.6	41.7	19.0	11.1	5.73	6.72	12.3	37.0	41.9
MIN	7.80	7.54	9.10	37.0	24.6	13.9	8.06	4.50	4.50	6.50	6.50	11.6
DAT	31	2	5	1	28	26	29	25	1	31	1	23
		GMIN = 4.50			SRGOD= 24.1			GMAX = 329				
		DATUM 25 8						DATUM 29 12				

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
2001

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
 Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	33.4	15.8	15.8	27.1	69.5	55.9	28.0	12.5	8.32	8.58	17.0	8.58
2	32.5	15.8	15.8	30.7	69.5	51.1	29.8	11.6	8.06	8.58	17.0	8.32
3	31.6	16.4	16.4	30.7	69.5	48.7	29.8	11.6	8.06	8.58	16.4	8.32
4	32.5	16.4	16.4	33.4	59.5	43.3	28.0	11.6	8.06	8.58	16.4	8.32
5	31.6	16.4	15.8	34.3	51.1	43.3	26.3	9.94	8.06	8.84	13.3	7.80
6	26.3	16.4	15.8	34.3	51.1	48.7	26.3	9.52	8.06	9.52	11.2	7.80
7	26.3	16.4	15.8	36.1	57.1	57.1	23.8	9.52	8.06	9.52	10.4	7.80
8	31.6	15.2	15.8	36.1	51.1	37.0	26.3	9.52	8.06	8.84	10.4	7.80
9	33.4	15.2	15.8	35.2	45.4	28.0	23.8	9.52	8.58	8.58	9.94	7.80
10	33.4	15.8	16.4	46.5	43.3	27.1	22.0	9.52	9.94	8.58	8.06	8.32
11	37.0	15.8	17.0	59.5	43.3	27.1	21.2	9.52	8.32	8.58	7.54	8.32
12	37.0	15.8	20.4	108	45.4	27.1	19.5	9.52	7.28	8.32	9.52	8.58
13	38.0	15.8	21.2	206	45.4	27.1	20.4	9.10	7.28	8.06	12.5	8.58
14	40.2	15.2	23.8	156	48.7	27.1	20.4	9.10	7.28	7.80	16.4	8.58
15	40.2	15.2	24.6	102	54.7	37.0	20.4	8.58	7.28	7.28	16.4	7.54
16	37.0	15.2	26.3	78.5	65.8	37.0	18.9	8.58	7.02	7.54	16.4	7.02
17	38.0	15.2	26.3	75.9	69.5	27.1	18.3	8.58	7.02	7.54	16.4	7.02
18	38.0	15.8	26.3	130	72.0	27.1	18.3	8.32	7.02	7.54	16.4	7.02
19	38.0	15.2	26.3	137	79.8	27.1	18.3	8.06	7.28	7.54	16.4	7.02
20	33.4	15.2	24.6	105	102	27.1	18.3	8.06	7.28	7.54	13.3	7.02
21	32.5	16.4	24.6	87.8	90.6	27.1	18.3	8.06	7.28	7.28	13.3	6.76
22	31.6	16.4	23.8	90.6	79.8	27.1	18.3	8.06	7.28	7.28	13.3	6.76
23	28.0	16.4	26.3	73.3	75.9	26.3	18.3	7.80	7.28	7.54	13.3	6.76
24	28.0	15.2	26.3	65.8	75.9	25.5	18.3	7.80	7.28	8.32	13.3	7.02
25	22.0	15.8	26.3	62.0	75.9	25.5	17.0	8.06	8.32	8.32	13.3	6.76
26	18.3	15.8	28.0	65.8	77.2	24.6	15.8	8.06	8.32	8.58	13.3	7.02
27	17.6	15.8	28.0	69.5	75.9	24.6	15.2	8.06	8.58	8.58	12.0	6.76
28	17.6	15.8	30.7	77.2	72.0	24.6	13.9	8.06	8.58	8.84	12.0	6.76
29	17.6		31.6	79.8	64.5	27.1	12.9	8.06	8.58	10.8	10.4	6.76
30	17.6		30.7	70.8	60.8	27.1	12.9	8.06	8.58	13.9	10.4	6.76
31	17.6		28.0		55.9		12.9	8.32		15.8		7.02
SD1	31.3	16.0	16.0	34.4	56.7	44.0	26.4	10.5	8.33	8.82	13.0	8.09
SD2	37.7	15.4	23.7	116	62.7	29.1	19.4	8.74	7.31	7.77	14.1	7.67
SD3	22.6	16.0	27.7	74.3	73.1	26.0	15.8	8.04	8.01	9.57	12.5	6.83
MAX	40.2	16.4	31.6	206	102	57.1	29.8	29.8	12.5	9.94	15.8	17.0
DAT	15	23	29	13	20	7	3	1	9	31	1	1
SR	30.3	15.8	22.6	74.8	64.5	33.0	20.4	9.05	7.88	8.75	13.2	7.51
MIN	17.6	15.2	15.8	27.1	43.3	24.6	12.9	7.80	7.02	7.28	7.54	6.76
DAT	27	8	1	1	10	26	29	23	16	15	11	21
		GMIN = 6.76			SRGOD= 25.7			GMAX = 206				
		DATUM 21 12						DATUM 13 4				

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
2002

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
 Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	7.02	6.50	14.5	16.4	21.2	15.8	10.8	6.50	6.50	26.3	17.0	14.5
2	7.02	6.76	15.2	15.8	21.2	16.4	10.8	6.50	6.76	24.6	14.5	17.0
3	6.50	7.54	14.5	13.3	21.2	15.2	9.94	6.50	6.50	22.9	15.8	19.5
4	6.50	8.06	12.5	12.5	22.9	39.1	9.10	6.50	6.50	19.5	14.5	19.5
5	6.76	7.80	13.3	12.9	23.8	37.0	9.10	6.30	6.10	19.5	22.9	22.9
6	7.02	7.80	13.3	12.5	24.6	37.0	9.10	6.10	6.10	18.9	28.0	23.8
7	7.02	8.06	13.3	12.9	23.8	13.9	8.58	6.10	6.10	18.3	24.6	23.8
8	7.02	8.06	14.5	12.9	22.9	17.0	8.84	8.06	6.10	15.8	22.9	22.9
9	7.02	8.32	15.2	12.9	23.8	21.2	9.10	8.58	5.70	15.2	22.0	21.2
10	6.76	8.58	16.4	13.3	24.6	21.2	9.10	8.58	5.70	14.5	22.9	17.0
11	7.02	8.32	18.3	14.5	23.8	19.5	8.84	8.84	5.70	37.0	19.5	16.4
12	6.50	8.06	22.9	14.5	24.6	18.3	8.58	9.10	5.70	162	17.0	15.8
13	6.50	8.06	22.9	49.9	22.9	15.8	8.58	9.10	5.70	197	16.4	15.2
14	6.50	8.06	21.2	85.0	21.2	14.5	8.58	9.10	5.70	172	17.6	14.5
15	6.50	8.06	19.5	87.8	20.4	14.5	8.58	8.58	5.50	120	17.0	14.5
16	6.10	8.06	19.5	67.0	19.5	14.5	8.58	9.10	5.30	87.8	16.4	13.3
17	6.10	8.06	19.5	54.7	19.5	13.9	7.80	9.94	5.30	62.0	17.0	12.5
18	6.10	8.32	21.2	54.7	19.5	13.3	6.30	9.10	5.30	47.5	17.6	12.5
19	5.90	8.58	21.2	41.2	18.3	13.3	5.70	9.10	5.70	39.1	17.0	12.5
20	6.10	10.8	21.2	39.1	18.9	12.5	5.70	8.58	5.90	33.4	15.8	11.6
21	5.90	18.3	22.0	35.2	18.9	12.5	5.50	8.58	6.10	28.0	15.8	11.2
22	5.90	18.3	22.9	31.6	19.5	12.0	5.30	9.10	6.10	24.6	15.8	11.6
23	5.70	18.9	23.8	29.8	18.3	11.6	5.50	8.58	6.50	21.2	17.0	10.8
24	5.70	19.5	22.9	26.3	17.0	11.6	5.30	7.80	12.5	19.5	17.0	9.94
25	5.70	18.3	21.2	22.9	15.2	11.6	5.30	7.02	29.8	24.6	18.3	9.94
26	5.90	17.0	19.5	21.2	14.5	10.8	5.70	6.50	49.9	28.0	17.6	9.52
27	6.10	15.8	19.5	19.5	14.5	10.8	5.70	6.50	47.5	26.3	17.0	9.94
28	5.90	16.4	18.3	19.5	15.2	11.2	6.10	6.50	39.1	22.9	16.4	10.8
29	5.90		17.0	19.5	15.8	11.6	6.30	7.02	31.6	21.2	15.8	13.3
30	6.10		17.0	19.5	17.0	11.2	6.50	6.50	26.3	19.5	15.8	12.5
31	6.50		16.4		15.8		6.50	6.50		19.5		12.5
SD1	6.86	7.75	14.3	13.5	23.0	23.4	9.45	6.97	6.21	19.5	20.5	20.2
SD2	6.33	8.44	20.7	50.8	20.9	15.0	7.72	9.05	5.58	95.8	17.1	13.9
SD3	5.94	17.8	20.0	24.5	16.5	11.5	5.79	7.33	25.5	23.2	16.6	11.1
MAX	7.02	19.5	22.9	87.8	24.6	21.2	10.8	9.94	49.9	221	28.0	23.8
DAT	1	24	12	15	12	9	1	17	26	13	6	6
SR	6.36	10.9	18.4	29.6	20.0	16.6	7.59	7.77	12.4	45.4	18.1	14.9
MIN	5.70	6.50	12.5	12.5	14.5	10.8	5.30	6.10	5.30	14.5	14.5	9.52
DAT	23	1	4	4	26	26	22	6	16	10	2	26
		GMIN = 5.30			SRGOD= 17.4			GMAX = 221				
		DATUM 22 7						DATUM 13 10				

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
2003

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
 Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	22.2	10.7	6.50	9.49	52.9	30.7	12.6	5.70	4.30	4.70	156	48.7	
2	20.8	9.88	6.50	9.88	67.3	29.8	12.2	5.70	4.40	4.30	154	49.8	
3	20.1	9.49	6.30	10.3	67.3	29.8	11.8	5.50	4.40	4.30	352	48.7	
4	27.9	9.49	6.50	11.8	73.8	25.0	11.8	5.50	4.40	4.30	258	33.5	
5	37.5	11.8	6.50	15.5	75.1	23.6	11.8	5.50	4.30	4.70	162	29.8	
6	38.5	16.5	6.50	15.0	69.9	22.9	11.4	5.30	4.30	15.0	120	22.9	
7	39.5	15.5	6.76	14.5	69.9	22.9	9.88	5.30	4.30	69.9	93.0	22.9	
8	76.4	15.0	7.02	13.0	71.2	23.6	9.88	6.10	4.30	49.8	64.9	19.4	
9	64.9	14.5	7.02	12.6	73.8	22.9	9.10	5.30	4.40	61.6	59.4	16.5	
10	96.0	14.5	6.76	12.6	69.9	23.6	8.58	4.90	4.40	49.8	44.5	17.5	
11	93.0	14.5	6.50	14.5	67.3	22.9	8.58	4.90	6.10	45.5	27.9	16.5	
12	64.9	14.0	6.50	42.5	63.8	22.9	8.84	4.90	6.30	33.5	31.6	14.5	
13	45.5	13.5	6.76	50.8	63.8	22.2	8.58	4.90	5.70	27.9	27.9	16.5	
14	38.5	12.2	6.76	49.8	61.6	22.2	8.58	4.90	6.76	22.9	24.3	16.5	
15	31.6	11.8	6.50	42.5	60.5	22.2	8.58	5.10	6.76	22.9	22.9	14.5	
16	24.3	11.8	6.30	38.5	59.4	20.8	8.32	5.10	6.10	20.1	22.9	14.5	
17	22.2	9.10	6.30	37.5	49.8	22.2	8.06	4.70	5.70	20.1	22.9	14.0	
18	20.8	8.06	6.10	37.5	48.7	22.9	8.06	4.70	5.50	16.5	23.6	13.5	
19	20.1	7.80	6.10	32.6	47.7	22.9	8.06	4.70	5.10	16.5	22.9	13.0	
20	19.4	8.06	6.10	32.6	46.6	22.9	8.06	4.70	4.90	17.0	20.8	13.0	
21	18.7	7.54	6.10	32.6	38.5	20.8	7.54	4.50	5.10	20.1	20.1	13.0	
22	19.4	8.06	5.70	38.5	33.5	18.0	7.02	4.40	5.10	93.0	19.4	13.5	
23	17.5	7.54	5.70	27.9	34.5	17.0	6.50	4.40	5.10	114	20.1	13.0	
24	17.0	7.54	5.70	28.8	34.5	16.5	6.10	4.40	4.70	254	19.4	14.5	
25	14.5	7.02	5.70	28.8	33.5	16.5	5.90	4.40	4.70	178	20.1	22.2	
26	14.5	7.02	6.10	24.3	32.6	14.5	5.90	4.50	4.50	159	19.4	23.6	
27	12.6	6.76	6.30	23.6	31.6	14.0	5.70	4.90	4.50	149	19.4	23.6	
28	12.6	6.50	6.50	22.9	33.5	14.0	5.70	4.70	4.50	150	22.2	23.6	
29	13.0		6.50	32.6	32.6	14.0	5.70	4.70	4.50	127	56.1	23.6	
30	14.5		8.06	42.5	31.6	14.0	5.30	4.50	4.50	96.0	64.9	23.6	
31	12.2		8.32		31.6		5.30	4.50		173		23.6	
SD1	44.4	12.7	6.64	12.5	69.1	25.5	10.9	5.48	4.35	26.8	146	31.0	
SD2	38.0	11.1	6.39	37.9	56.9	22.4	8.37	4.86	5.89	24.3	24.8	14.6	
SD3	15.1	7.25	6.43	30.3	33.5	15.9	6.06	4.54	4.72	138	28.1	19.8	
MAX	96.0	16.5	8.32	50.8	75.1	30.7	12.6	6.10	6.76	254	352	49.8	
DAT	10	6	31	13	1	1	8	14	14	24	3	2	
SR	32.0	10.6	6.48	26.9	52.5	21.3	8.37	4.95	4.99	65.3	66.4	21.7	
MIN	12.2	6.50	5.70	9.49	31.6	14.0	5.30	4.40	4.30	4.30	19.4	13.0	
DAT	31	28	22	1	27	27	30	22	1	2	22	19	
GMIN =			4.30	SRGOD=			26.9	GMAX =			352		
DATUM			1 9					DATUM			3 11		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
2004

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
 Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	18.0	25.0	109	37.5	60.5	55.0	33.5	11.4	6.50	12.6	9.88	20.1
2	17.0	20.1	55.0	36.5	61.6	50.8	30.7	10.7	6.30	11.8	9.10	38.5
3	14.0	19.4	48.7	34.5	62.7	49.8	30.7	10.7	6.10	11.8	9.10	229
4	13.5	17.0	26.9	37.5	69.9	48.7	29.8	14.0	6.30	9.10	9.10	114
5	13.0	15.0	36.5	37.5	108	49.8	28.8	11.4	6.30	7.28	9.10	109
6	11.1	15.0	26.9	63.8	189	55.0	29.8	9.88	6.10	7.28	9.10	149
7	10.3	17.0	22.9	61.6	194	56.1	26.9	9.88	6.10	7.02	9.88	105
8	9.88	17.5	21.5	117	180	55.0	26.0	9.10	6.10	6.50	9.88	81.8
9	9.88	17.5	20.8	131	161	56.1	26.0	9.88	6.10	6.50	9.10	61.6
10	8.84	17.0	21.5	131	135	55.0	22.9	10.3	5.90	6.50	9.10	55.0
11	9.10	17.5	21.5	147	117	55.0	22.9	9.88	5.70	6.50	9.10	38.5
12	8.84	15.0	22.2	144	102	56.1	23.6	9.10	5.70	6.50	8.58	36.5
13	9.10	14.5	20.8	142	68.6	56.1	23.6	9.10	5.70	7.28	9.88	50.8
14	9.88	13.0	19.4	137	83.2	56.1	23.6	9.10	5.70	7.02	56.1	32.6
15	11.1	13.0	16.0	118	55.0	55.0	22.2	9.10	5.70	7.28	142	26.9
16	31.6	12.6	14.5	97.5	55.0	50.8	20.8	9.10	5.50	15.0	134	26.0
17	20.1	12.6	14.5	66.0	51.8	50.8	20.1	8.84	5.50	22.9	93.0	22.2
18	18.7	12.2	16.0	61.6	47.7	49.8	15.5	8.58	5.70	38.5	48.7	23.6
19	27.9	11.8	19.4	61.6	42.5	49.8	15.5	8.58	5.90	30.7	46.6	22.9
20	81.8	11.8	20.1	62.7	34.5	48.7	15.5	9.10	5.90	26.9	50.8	26.9
21	90.2	11.8	26.9	66.0	38.5	47.7	14.0	8.58	5.70	26.9	50.8	24.3
22	62.7	12.2	36.5	56.1	42.5	47.7	13.5	8.58	5.50	22.9	50.8	24.3
23	52.9	10.3	38.5	48.7	43.5	43.5	15.5	8.32	5.30	21.5	32.6	22.2
24	48.7	11.8	39.5	47.7	42.5	41.5	11.4	8.32	5.30	21.5	33.5	15.0
25	40.5	31.6	57.2	51.8	47.7	40.5	11.1	7.28	5.30	20.8	31.6	15.0
26	36.5	29.8	71.2	56.1	37.5	37.5	10.7	7.28	5.50	19.4	31.6	9.88
27	37.5	112	62.7	56.1	37.5	36.5	9.88	7.54	14.5	20.8	28.8	9.10
28	31.6	198	54.0	54.0	38.5	36.5	9.88	7.80	14.5	15.5	27.9	38.5
29	37.5	139	46.6	56.1	39.5	36.5	9.88	7.28	14.5	12.2	21.5	26.9
30	33.5		42.5	57.2	43.5	33.5	9.49	6.50	14.0	11.4	20.1	18.0
31	23.6		40.5		51.8		10.3	6.50		11.4		15.0
SD1	12.6	18.0	39.0	68.8	122	53.1	28.5	10.7	6.18	8.64	9.33	96.3
SD2	22.8	13.4	18.4	104	65.7	52.8	20.3	9.05	5.70	16.9	59.9	30.7
SD3	45.0	61.8	46.9	55.0	42.1	40.1	11.4	7.63	9.01	18.6	32.9	19.8
MAX	90.2	198	109	147	194	56.1	33.5	14.0	14.5	38.5	142	229
DAT	21	28	1	11	7	7	1	4	27	18	15	3
SR	27.4	30.0	35.2	75.8	75.5	48.7	19.8	9.09	6.96	14.8	34.0	48.0
MIN	8.84	10.3	14.5	34.5	34.5	33.5	9.49	6.50	5.30	6.50	8.58	9.10
DAT	10	23	16	3	20	30	30	30	23	8	12	27
		GMIN = 5.30			SRGOD= 35.4			GMAX = 229				
		DATUM 23 9						DATUM 3 12				

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
2005

Broj : 45824      Stanica : ANDRIJEVICA      Kota "0" = 744.39  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 174.00  
 Pocetak rada: 1962      Sliv : DRINE      Pov.sliva = 680.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	13.0	8.06	7.02	114	46.6	67.3	21.5	9.88	6.10	6.30	6.76	63.8
2	14.0	7.28	7.28	105	48.7	63.8	20.8	8.84	6.10	6.50	7.02	140
3	14.0	6.76	7.80	96.0	50.8	61.6	20.8	8.58	6.30	7.02	7.02	111
4	14.0	6.76	8.32	91.6	63.8	57.2	21.5	8.58	6.10	7.28	7.02	108
5	13.5	6.76	8.84	79.0	68.6	59.4	19.4	8.32	5.90	7.28	7.02	105
6	13.5	6.50	9.49	80.4	135	61.6	17.0	8.06	6.10	7.02	6.76	106
7	15.0	6.30	10.7	75.1	156	63.8	16.0	8.06	5.90	7.28	6.50	114
8	14.5	6.30	12.2	71.2	147	64.9	15.5	8.58	6.10	7.54	6.50	137
9	13.5	6.10	13.5	67.3	139	66.0	15.5	7.54	5.70	7.54	6.30	126
10	13.5	5.90	12.2	57.2	120	61.6	15.0	7.54	5.70	7.28	6.10	93.0
11	12.6	5.90	11.1	60.5	114	56.1	14.5	7.28	5.70	7.28	5.90	80.4
12	12.6	6.30	10.3	64.9	109	52.9	16.0	7.02	5.50	7.02	5.90	42.5
13	12.2	6.30	10.3	76.4	117	50.8	12.2	6.76	5.50	6.76	5.90	26.0
14	11.8	5.50	10.7	91.6	111	46.6	12.2	6.76	5.50	6.76	5.70	23.6
15	11.1	5.50	11.1	66.0	102	42.5	11.4	6.50	5.70	6.50	5.70	22.2
16	11.8	5.10	10.7	61.6	96.0	40.5	10.7	6.30	5.50	6.50	5.70	20.8
17	11.1	5.10	10.7	55.0	94.5	39.5	10.7	6.30	5.30	6.50	5.90	20.8
18	11.4	5.10	11.1	50.8	90.2	37.5	10.3	6.50	5.30	6.76	6.10	20.1
19	9.88	5.30	11.1	48.7	88.8	33.5	12.2	6.50	5.70	6.50	6.10	19.4
20	9.49	5.50	11.1	46.6	91.6	31.6	13.0	6.76	5.90	6.30	6.30	19.4
21	10.3	5.50	50.8	71.2	102	29.8	12.6	6.50	6.30	6.10	6.30	18.0
22	12.6	5.90	55.0	73.8	90.2	27.9	12.6	6.50	6.50	6.50	6.50	18.0
23	11.8	6.30	63.8	75.1	77.7	26.0	12.2	6.76	6.50	7.02	6.50	18.0
24	13.0	6.76	71.2	59.4	73.8	25.0	12.2	6.76	6.30	7.28	6.76	18.0
25	12.6	6.76	79.0	55.0	79.0	23.6	12.6	6.50	6.30	7.02	6.76	19.4
26	9.88	6.76	87.4	50.8	84.6	24.3	12.2	6.50	6.10	7.28	7.02	20.8
27	10.3	6.76	96.0	42.5	81.8	23.6	12.2	6.30	6.10	7.28	7.54	22.2
28	6.76	6.76	183	41.5	77.7	23.6	11.8	6.50	5.90	7.02	17.0	40.5
29	6.76		189	39.5	79.0	23.6	11.1	6.30	6.10	7.02	18.0	34.5
30	7.28		129	42.5	81.8	22.2	10.7	6.30	6.30	6.76	20.8	17.0
31	6.76		111		76.4		10.3	6.10		6.76		14.0
SD1	13.9	6.67	9.73	83.7	97.6	62.7	18.3	8.40	6.00	7.10	6.70	110
SD2	11.4	5.56	10.8	62.2	101	43.2	12.3	6.67	5.56	6.69	5.92	29.5
SD3	9.82	6.44	101	55.1	82.2	25.0	11.9	6.46	6.24	6.91	10.3	21.9
MAX	15.0	8.06	129	114	156	67.3	21.5	9.88	6.50	7.54	20.8	63.8
DAT	7	1	30	1	7	1	1	1	22	8	30	1
SR	11.6	6.21	42.6	67.0	93.3	43.6	14.1	7.15	5.93	6.90	7.65	52.9
MIN	6.76	5.10	7.02	39.5	46.6	22.2	10.3	6.10	5.30	6.10	5.70	14.0
DAT	28	16	1	29	1	30	18	31	17	21	14	31
		GMIN = 5.10			SRGOD= 30.1			GMAX = 156				
		DATUM 16 2						DATUM 7 5				