

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1966

Broj : 45827 Stanica : BERANE Kota "0" = 658.05
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 155.00
Pocetak rada: 1966 Sliv : DRINE Pov.sliva = 1283.2

| DAN | I | II | III | IV | V | VI | VII | VIII | IX | X | XI | XII |
|-----|------|-------------|------|-------------|------|-------------|------|------|------|------|------|------|
| 1 | 75.0 | 14.0 | 57.0 | 48.6 | 121 | 84.0 | 32.0 | 9.69 | 6.50 | 6.80 | 104 | 58.5 |
| 2 | 69.0 | 13.1 | 47.2 | 43.0 | 124 | 87.0 | 28.4 | 9.52 | 6.60 | 7.15 | 75.0 | 64.5 |
| 3 | 69.0 | 12.1 | 45.8 | 37.5 | 122 | 87.0 | 23.9 | 9.35 | 6.60 | 45.8 | 54.2 | 75.0 |
| 4 | 63.0 | 11.2 | 43.0 | 30.2 | 121 | 87.0 | 18.2 | 9.35 | 6.60 | 43.0 | 48.6 | 156 |
| 5 | 52.8 | 11.2 | 40.8 | 26.6 | 121 | 82.5 | 14.0 | 9.18 | 6.60 | 43.0 | 76.5 | 140 |
| 6 | 43.0 | 10.7 | 37.5 | 25.7 | 121 | 81.0 | 13.1 | 8.84 | 6.70 | 43.0 | 82.5 | 136 |
| 7 | 34.2 | 10.7 | 34.2 | 24.8 | 117 | 81.0 | 13.1 | 8.67 | 6.80 | 40.8 | 78.0 | 130 |
| 8 | 27.5 | 11.2 | 30.2 | 23.9 | 110 | 79.5 | 14.0 | 8.67 | 6.80 | 36.4 | 73.5 | 122 |
| 9 | 19.8 | 14.0 | 27.5 | 30.2 | 104 | 78.0 | 14.0 | 8.35 | 6.90 | 34.2 | 69.0 | 115 |
| 10 | 18.2 | 57.0 | 25.7 | 38.6 | 96.6 | 78.0 | 13.6 | 8.20 | 6.90 | 32.0 | 66.0 | 113 |
| 11 | 16.6 | 69.0 | 24.8 | 54.2 | 87.0 | 73.5 | 13.1 | 7.90 | 6.80 | 32.0 | 66.0 | 108 |
| 12 | 23.9 | 126 | 23.0 | 63.0 | 81.0 | 69.0 | 12.1 | 7.60 | 6.80 | 30.2 | 67.5 | 106 |
| 13 | 38.6 | 121 | 26.6 | 63.0 | 73.5 | 64.5 | 11.6 | 7.30 | 6.70 | 30.2 | 64.5 | 104 |
| 14 | 33.1 | 112 | 24.8 | 69.0 | 66.0 | 64.5 | 11.6 | 7.15 | 6.70 | 29.3 | 60.0 | 99.8 |
| 15 | 30.2 | 99.8 | 23.0 | 73.5 | 58.5 | 63.0 | 12.1 | 7.15 | 6.60 | 27.5 | 58.5 | 99.8 |
| 16 | 29.3 | 90.2 | 21.4 | 76.5 | 66.0 | 61.5 | 12.6 | 7.00 | 6.60 | 25.7 | 78.0 | 95.0 |
| 17 | 27.5 | 78.0 | 20.6 | 136 | 66.0 | 61.5 | 11.6 | 7.15 | 6.70 | 24.8 | 87.0 | 95.0 |
| 18 | 26.6 | 66.0 | 19.0 | 142 | 61.5 | 57.0 | 12.1 | 7.15 | 6.70 | 23.9 | 87.0 | 93.4 |
| 19 | 25.7 | 54.2 | 18.2 | 144 | 61.5 | 52.8 | 12.1 | 7.15 | 6.80 | 23.9 | 93.4 | 90.2 |
| 20 | 24.8 | 45.8 | 17.4 | 122 | 57.0 | 51.4 | 13.1 | 7.00 | 6.80 | 23.9 | 85.5 | 90.2 |
| 21 | 23.9 | 43.0 | 16.6 | 101 | 58.5 | 48.6 | 12.1 | 7.00 | 6.70 | 24.8 | 75.0 | 87.0 |
| 22 | 22.2 | 48.6 | 16.6 | 99.8 | 57.0 | 44.4 | 12.1 | 6.90 | 6.70 | 24.8 | 67.5 | 82.5 |
| 23 | 21.4 | 69.0 | 15.8 | 99.8 | 58.5 | 40.8 | 12.6 | 6.80 | 6.70 | 23.9 | 64.5 | 75.0 |
| 24 | 21.4 | 124 | 17.4 | 96.6 | 58.5 | 40.8 | 11.6 | 6.70 | 6.70 | 23.9 | 64.5 | 66.0 |
| 25 | 19.8 | 121 | 18.2 | 95.0 | 66.0 | 39.7 | 10.7 | 6.60 | 6.70 | 23.9 | 60.0 | 58.5 |
| 26 | 19.8 | 104 | 18.2 | 95.0 | 69.0 | 38.6 | 10.2 | 6.60 | 6.70 | 40.8 | 54.2 | 48.6 |
| 27 | 19.0 | 84.0 | 16.6 | 99.8 | 76.5 | 37.5 | 9.86 | 6.50 | 6.60 | 99.8 | 51.4 | 40.8 |
| 28 | 18.2 | 70.5 | 20.6 | 104 | 99.8 | 35.3 | 9.86 | 6.50 | 6.60 | 104 | 55.6 | 25.7 |
| 29 | 18.2 | | 34.2 | 110 | 104 | 35.3 | 9.86 | 6.50 | 6.60 | 132 | 58.5 | 19.8 |
| 30 | 17.4 | | 57.0 | 122 | 91.8 | 34.2 | 9.69 | 6.40 | 6.70 | 182 | 60.0 | 15.8 |
| 31 | 16.6 | | 52.8 | | 84.0 | | 9.69 | 6.40 | | 144 | | 15.0 |
| SD1 | 47.2 | 16.5 | 38.9 | 32.9 | 116 | 82.5 | 18.4 | 8.98 | 6.70 | 33.2 | 72.7 | 111 |
| SD2 | 27.6 | 86.2 | 21.9 | 94.3 | 67.8 | 61.9 | 12.2 | 7.26 | 6.72 | 27.1 | 74.7 | 98.1 |
| SD3 | 19.8 | 83.0 | 25.8 | 102 | 74.9 | 39.5 | 10.8 | 6.63 | 6.67 | 74.9 | 61.1 | 48.6 |
| MAX | 75.0 | 126 | 57.0 | 144 | 124 | 87.0 | 32.0 | 9.69 | 6.90 | 182 | 104 | 156 |
| DAT | 1 | 12 | 1 | 19 | 2 | 2 | 1 | 1 | 9 | 30 | 1 | 4 |
| SR | 31.2 | 60.4 | 28.8 | 76.5 | 85.8 | 61.3 | 13.7 | 7.59 | 6.70 | 46.0 | 69.5 | 84.7 |
| MIN | 16.6 | 10.7 | 15.8 | 23.9 | 57.0 | 34.2 | 9.69 | 6.40 | 6.50 | 6.80 | 48.6 | 15.0 |
| DAT | 11 | 6 | 23 | 8 | 20 | 30 | 30 | 30 | 1 | 1 | 4 | 31 |
| | | GMIN = 6.40 | | SRGOD= 47.5 | | GMAX = 182 | | | | | | |
| | | DATUM 30 8 | | | | DATUM 30 10 | | | | | | |

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1967

Broj : 45827 Stanica : BERANE Kota "0" = 658.05
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 155.00
Pocetak rada: 1966 Sliv : DRINE Pov.sliva = 1283.2

| DAN | I | II | III | IV | V | VI | VII | VIII | IX | X | XI | XII |
|-------------|------|------|------|-------------|-----|------|------|------------|------|------|------|------|
| 1 | 15.0 | 11.6 | 12.1 | 184 | 104 | 110 | 48.6 | 20.6 | 9.69 | 8.35 | 8.20 | 8.35 |
| 2 | 15.0 | 11.6 | 12.1 | 168 | 101 | 103 | 48.6 | 19.8 | 9.69 | 8.35 | 8.20 | 8.35 |
| 3 | 15.8 | 11.2 | 13.1 | 162 | 101 | 95.0 | 47.2 | 19.8 | 9.69 | 8.35 | 8.05 | 8.05 |
| 4 | 15.8 | 11.2 | 14.5 | 154 | 106 | 88.6 | 47.2 | 19.0 | 9.69 | 8.35 | 8.05 | 8.05 |
| 5 | 15.8 | 11.2 | 15.8 | 142 | 117 | 78.0 | 48.6 | 18.2 | 9.52 | 8.20 | 8.05 | 7.90 |
| 6 | 16.6 | 11.2 | 17.4 | 124 | 126 | 75.0 | 48.6 | 17.4 | 9.52 | 8.20 | 7.90 | 7.90 |
| 7 | 16.6 | 10.7 | 17.4 | 104 | 136 | 72.0 | 47.2 | 17.4 | 9.52 | 8.20 | 8.35 | 8.20 |
| 8 | 15.8 | 10.7 | 18.2 | 76.5 | 134 | 69.0 | 47.2 | 16.6 | 9.52 | 8.20 | 8.35 | 8.35 |
| 9 | 15.8 | 10.7 | 18.2 | 66.0 | 142 | 69.0 | 52.8 | 16.6 | 9.52 | 8.20 | 8.20 | 8.35 |
| 10 | 15.0 | 10.7 | 20.6 | 69.0 | 152 | 67.5 | 60.0 | 15.8 | 9.52 | 8.20 | 8.05 | 8.35 |
| 11 | 14.5 | 10.2 | 21.4 | 75.0 | 148 | 67.5 | 66.0 | 15.0 | 9.35 | 8.20 | 8.50 | 8.67 |
| 12 | 14.0 | 10.2 | 25.7 | 84.0 | 144 | 66.0 | 63.0 | 15.0 | 9.35 | 8.05 | 8.35 | 8.67 |
| 13 | 14.0 | 10.2 | 32.0 | 90.2 | 144 | 67.5 | 57.0 | 14.5 | 9.35 | 8.05 | 8.35 | 8.50 |
| 14 | 13.6 | 10.2 | 34.2 | 176 | 142 | 66.0 | 51.4 | 14.5 | 9.35 | 8.05 | 8.20 | 8.20 |
| 15 | 13.6 | 10.0 | 33.1 | 190 | 144 | 66.0 | 43.0 | 14.0 | 9.35 | 8.05 | 8.20 | 7.90 |
| 16 | 13.6 | 10.0 | 31.1 | 180 | 142 | 63.0 | 38.6 | 14.0 | 9.18 | 8.05 | 8.20 | 7.90 |
| 17 | 13.1 | 10.0 | 30.2 | 170 | 140 | 58.5 | 38.6 | 13.1 | 9.18 | 8.05 | 8.05 | 7.75 |
| 18 | 13.1 | 10.2 | 30.2 | 156 | 140 | 55.6 | 37.5 | 13.1 | 9.18 | 7.90 | 8.05 | 7.75 |
| 19 | 13.1 | 10.7 | 29.3 | 144 | 146 | 51.4 | 36.4 | 12.6 | 9.01 | 7.90 | 8.05 | 7.75 |
| 20 | 12.1 | 10.7 | 29.3 | 142 | 156 | 48.6 | 34.2 | 12.1 | 9.01 | 7.90 | 8.05 | 7.60 |
| 21 | 12.1 | 10.7 | 29.3 | 128 | 168 | 45.8 | 33.1 | 12.1 | 9.01 | 7.90 | 7.90 | 7.60 |
| 22 | 12.1 | 12.6 | 28.4 | 113 | 228 | 45.8 | 32.0 | 11.6 | 8.84 | 7.90 | 7.90 | 7.60 |
| 23 | 12.6 | 12.6 | 28.4 | 101 | 200 | 44.4 | 30.2 | 11.6 | 8.84 | 7.90 | 7.90 | 8.05 |
| 24 | 13.1 | 12.6 | 30.2 | 93.4 | 188 | 43.0 | 29.3 | 11.2 | 8.84 | 7.75 | 7.75 | 8.35 |
| 25 | 13.1 | 12.1 | 30.2 | 90.2 | 180 | 43.0 | 28.4 | 10.7 | 8.67 | 7.75 | 7.75 | 13.1 |
| 26 | 12.6 | 12.1 | 31.1 | 78.0 | 188 | 41.9 | 26.6 | 10.7 | 8.67 | 7.75 | 7.75 | 12.1 |
| 27 | 12.6 | 12.1 | 33.1 | 75.0 | 152 | 41.9 | 25.7 | 10.2 | 8.67 | 7.75 | 7.60 | 128 |
| 28 | 12.1 | 12.1 | 34.2 | 81.0 | 136 | 40.8 | 23.9 | 10.0 | 8.50 | 7.75 | 7.60 | 104 |
| 29 | 11.6 | | 34.2 | 91.8 | 124 | 40.8 | 23.0 | 9.86 | 8.50 | 7.75 | 7.60 | 69.0 |
| 30 | 11.6 | | 38.6 | 99.8 | 117 | 40.8 | 22.2 | 9.86 | 8.50 | 7.75 | 7.60 | 51.4 |
| 31 | 11.6 | | 84.0 | | 113 | | 21.4 | 9.86 | | 7.75 | | 63.0 |
| SD1 | 15.7 | 11.1 | 15.9 | 125 | 122 | 82.7 | 49.6 | 18.1 | 9.59 | 8.26 | 8.14 | 8.18 |
| SD2 | 13.5 | 10.2 | 29.6 | 141 | 145 | 61.0 | 46.6 | 13.8 | 9.23 | 8.02 | 8.20 | 8.07 |
| SD3 | 12.3 | 12.1 | 36.5 | 95.1 | 163 | 42.8 | 26.9 | 10.7 | 8.70 | 7.79 | 7.73 | 42.9 |
| MAX | 16.6 | 12.6 | 84.0 | 190 | 228 | 110 | 66.0 | 20.6 | 9.69 | 8.35 | 8.50 | 128 |
| DAT | 7 | 22 | 31 | 15 | 22 | 1 | 11 | 1 | 1 | 1 | 11 | 27 |
| SR | 13.8 | 11.1 | 27.7 | 120 | 144 | 62.2 | 40.6 | 14.1 | 9.17 | 8.02 | 8.03 | 20.5 |
| MIN | 11.6 | 10.0 | 12.1 | 66.0 | 101 | 40.8 | 21.4 | 9.86 | 8.50 | 7.75 | 7.60 | 7.60 |
| DAT | 29 | 15 | 1 | 9 | 2 | 28 | 31 | 29 | 28 | 24 | 27 | 20 |
| ----- | | | | | | | | | | | | |
| GMIN = 7.60 | | | | SRGOD= 40.1 | | | | GMAX = 228 | | | | |
| DATUM 27 11 | | | | | | | | DATUM 22 5 | | | | |
| ----- | | | | | | | | | | | | |

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1968

Broj : 45827 Stanica : BERANE Kota "0" = 658.05
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 155.00
Pocetak rada: 1966 Sliv : DRINE Pov.sliva = 1283.2

| DAN | I | II | III | IV | V | VI | VII | VIII | IX | X | XI | XII |
|--------|------|------|------|--------|------|------|------|--------|------|-------|------|------|
| 1 | 81.0 | 12.6 | 63.0 | 91.8 | 142 | 61.5 | 21.4 | 8.50 | 14.5 | 23.0 | 8.35 | 31.1 |
| 2 | 110 | 12.6 | 52.8 | 87.0 | 136 | 61.5 | 20.6 | 8.50 | 14.5 | 23.0 | 8.20 | 29.3 |
| 3 | 99.8 | 12.1 | 45.8 | 90.2 | 132 | 51.4 | 19.8 | 8.35 | 14.0 | 23.0 | 8.20 | 29.3 |
| 4 | 75.0 | 12.1 | 39.7 | 84.0 | 132 | 43.0 | 18.2 | 8.35 | 14.0 | 22.2 | 8.20 | 28.4 |
| 5 | 58.5 | 12.1 | 34.2 | 82.5 | 130 | 40.8 | 17.4 | 8.84 | 14.5 | 22.2 | 8.20 | 28.4 |
| 6 | 57.0 | 12.1 | 30.2 | 82.5 | 130 | 40.8 | 15.8 | 8.84 | 14.5 | 22.2 | 8.35 | 27.5 |
| 7 | 63.0 | 11.6 | 30.2 | 81.0 | 138 | 38.6 | 15.0 | 8.67 | 15.0 | 21.4 | 8.35 | 26.6 |
| 8 | 75.0 | 13.1 | 29.3 | 85.5 | 148 | 38.6 | 14.5 | 8.67 | 15.0 | 19.8 | 8.35 | 25.7 |
| 9 | 63.0 | 14.0 | 29.3 | 90.2 | 140 | 41.9 | 14.0 | 8.50 | 15.0 | 18.2 | 12.6 | 25.7 |
| 10 | 58.5 | 18.2 | 28.4 | 84.0 | 130 | 41.9 | 13.1 | 8.50 | 14.5 | 16.6 | 13.6 | 28.4 |
| 11 | 48.6 | 20.6 | 28.4 | 81.0 | 121 | 44.4 | 12.6 | 8.50 | 15.8 | 15.8 | 14.0 | 26.6 |
| 12 | 40.8 | 22.2 | 27.5 | 81.0 | 113 | 47.2 | 11.6 | 9.01 | 17.4 | 15.0 | 15.0 | 26.6 |
| 13 | 36.4 | 24.8 | 26.6 | 78.0 | 106 | 45.8 | 10.7 | 9.01 | 17.4 | 15.8 | 15.8 | 25.7 |
| 14 | 33.1 | 30.2 | 26.6 | 75.0 | 101 | 44.4 | 10.7 | 9.01 | 16.6 | 14.5 | 16.6 | 25.7 |
| 15 | 33.1 | 47.2 | 27.5 | 72.0 | 99.8 | 43.0 | 10.2 | 9.18 | 16.6 | 14.0 | 16.6 | 24.8 |
| 16 | 31.1 | 69.0 | 28.4 | 69.0 | 95.0 | 51.4 | 10.2 | 9.18 | 16.6 | 13.1 | 19.8 | 23.9 |
| 17 | 30.2 | 104 | 29.3 | 66.0 | 93.4 | 63.0 | 10.0 | 9.35 | 15.8 | 11.2 | 24.8 | 29.3 |
| 18 | 30.2 | 90.2 | 29.3 | 78.0 | 90.2 | 66.0 | 10.0 | 9.35 | 18.2 | 10.7 | 166 | 55.6 |
| 19 | 28.4 | 70.5 | 30.2 | 91.8 | 84.0 | 61.5 | 9.86 | 9.86 | 19.8 | 10.7 | 242 | 453 |
| 20 | 26.6 | 61.5 | 34.2 | 87.0 | 79.5 | 55.6 | 9.69 | 9.86 | 19.8 | 10.7 | 212 | 350 |
| 21 | 24.8 | 54.2 | 44.4 | 84.0 | 73.5 | 48.6 | 9.52 | 9.86 | 19.8 | 10.0 | 162 | 224 |
| 22 | 23.0 | 51.4 | 91.8 | 90.2 | 69.0 | 40.8 | 9.52 | 10.7 | 19.0 | 9.86 | 113 | 152 |
| 23 | 21.4 | 47.2 | 110 | 93.4 | 66.0 | 37.5 | 9.35 | 11.2 | 19.0 | 9.69 | 98.2 | 128 |
| 24 | 20.6 | 40.8 | 104 | 96.6 | 61.5 | 35.3 | 9.35 | 11.6 | 20.6 | 9.35 | 84.0 | 101 |
| 25 | 19.0 | 63.0 | 96.6 | 108 | 60.0 | 33.1 | 9.18 | 14.5 | 22.2 | 9.18 | 69.0 | 82.5 |
| 26 | 16.6 | 99.8 | 90.2 | 117 | 60.0 | 30.2 | 9.01 | 15.8 | 23.9 | 9.01 | 58.5 | 69.0 |
| 27 | 15.8 | 93.4 | 85.5 | 121 | 55.6 | 27.5 | 9.01 | 15.0 | 23.9 | 8.84 | 48.6 | 60.0 |
| 28 | 14.5 | 84.0 | 81.0 | 122 | 54.2 | 25.7 | 8.84 | 14.5 | 23.9 | 8.67 | 40.8 | 51.4 |
| 29 | 13.6 | 72.0 | 78.0 | 124 | 55.6 | 24.8 | 8.67 | 14.0 | 23.0 | 8.50 | 35.3 | 44.4 |
| 30 | 13.1 | | 78.0 | 136 | 64.5 | 23.0 | 8.67 | 14.0 | 23.0 | 8.35 | 32.0 | 38.6 |
| 31 | 12.6 | | 78.0 | | 78.0 | | 8.50 | 14.5 | | 8.35 | | 34.2 |
| SD1 | 74.1 | 13.1 | 38.3 | 85.9 | 136 | 46.0 | 17.0 | 8.57 | 14.6 | 21.2 | 9.24 | 28.0 |
| SD2 | 33.8 | 54.0 | 28.8 | 77.9 | 98.3 | 52.2 | 10.6 | 9.23 | 17.4 | 13.1 | 74.3 | 104 |
| SD3 | 17.7 | 67.3 | 85.2 | 109 | 63.4 | 32.6 | 9.06 | 13.2 | 21.8 | 9.07 | 74.1 | 89.6 |
| MAX | 110 | 104 | 110 | 136 | 148 | 66.0 | 21.4 | 15.8 | 23.9 | 23.0 | 242 | 453 |
| DAT | 2 | 17 | 23 | 30 | 8 | 18 | 1 | 26 | 26 | 1 | 19 | 19 |
| SR | 41.1 | 44.0 | 51.9 | 91.0 | 98.0 | 43.6 | 12.1 | 10.4 | 17.9 | 14.3 | 52.5 | 74.4 |
| MIN | 12.6 | 11.6 | 26.6 | 66.0 | 54.2 | 23.0 | 8.50 | 8.35 | 14.0 | 8.35 | 8.20 | 23.9 |
| DAT | 31 | 7 | 13 | 17 | 28 | 30 | 31 | 3 | 3 | 30 | 2 | 16 |
| GMIN = | | 8.20 | | SRGOD= | | 45.9 | | GMAX = | | 453 | | |
| DATUM | | 2 11 | | | | | | DATUM | | 19 12 | | |

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1969

Broj : 45827 Stanica : BERANE Kota "0" = 658.05
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 155.00
Pocetak rada: 1966 Sliv : DRINE Pov.sliva = 1283.2

| DAN | I | II | III | IV | V | VI | VII | VIII | IX | X | XI | XII |
|--------|------|------|------|--------|------|------|------|--------|------|-------|------|------|
| 1 | 32.0 | 29.3 | 67.5 | 55.6 | 188 | 84.0 | 31.1 | 14.0 | 16.6 | 13.1 | 7.45 | 113 |
| 2 | 32.0 | 29.3 | 63.0 | 52.8 | 180 | 84.0 | 31.1 | 14.0 | 16.6 | 13.1 | 7.30 | 104 |
| 3 | 31.1 | 29.3 | 60.0 | 48.6 | 172 | 82.5 | 30.2 | 14.0 | 15.8 | 12.6 | 7.30 | 93.4 |
| 4 | 31.1 | 31.1 | 43.0 | 44.4 | 172 | 79.5 | 29.3 | 13.6 | 15.8 | 12.1 | 7.30 | 88.6 |
| 5 | 30.2 | 66.0 | 40.8 | 41.9 | 182 | 78.0 | 31.1 | 13.6 | 15.8 | 11.6 | 7.15 | 81.0 |
| 6 | 30.2 | 108 | 38.6 | 40.8 | 188 | 78.0 | 30.2 | 13.1 | 21.4 | 11.2 | 7.15 | 264 |
| 7 | 30.2 | 85.5 | 37.5 | 38.6 | 190 | 90.2 | 29.3 | 13.1 | 21.4 | 10.7 | 7.15 | 262 |
| 8 | 29.3 | 66.0 | 37.5 | 38.6 | 182 | 91.8 | 28.4 | 13.1 | 24.8 | 10.2 | 7.45 | 216 |
| 9 | 29.3 | 57.0 | 37.5 | 39.7 | 172 | 84.0 | 27.5 | 13.1 | 23.9 | 10.0 | 7.60 | 152 |
| 10 | 28.4 | 48.6 | 36.4 | 40.8 | 156 | 75.0 | 26.6 | 12.6 | 23.0 | 9.86 | 7.60 | 138 |
| 11 | 28.4 | 41.9 | 36.4 | 41.9 | 136 | 72.0 | 26.6 | 12.1 | 21.4 | 9.86 | 7.60 | 128 |
| 12 | 27.5 | 37.5 | 39.7 | 44.4 | 126 | 66.0 | 27.5 | 12.1 | 21.4 | 9.69 | 7.45 | 115 |
| 13 | 27.5 | 35.3 | 43.0 | 47.2 | 124 | 60.0 | 26.6 | 11.6 | 20.6 | 9.18 | 7.45 | 104 |
| 14 | 30.2 | 43.0 | 47.2 | 50.0 | 132 | 51.4 | 25.7 | 11.2 | 20.6 | 9.52 | 7.45 | 93.4 |
| 15 | 34.2 | 45.8 | 54.2 | 52.8 | 138 | 47.2 | 24.8 | 11.2 | 19.8 | 9.52 | 7.45 | 84.0 |
| 16 | 36.4 | 73.5 | 66.0 | 54.2 | 150 | 44.4 | 23.9 | 10.7 | 19.8 | 9.35 | 7.60 | 75.0 |
| 17 | 35.3 | 85.5 | 76.5 | 54.2 | 154 | 47.2 | 23.0 | 10.7 | 19.0 | 9.35 | 7.90 | 67.5 |
| 18 | 34.2 | 84.0 | 84.0 | 55.6 | 150 | 44.4 | 22.2 | 11.6 | 18.2 | 9.18 | 8.20 | 60.0 |
| 19 | 33.1 | 81.0 | 78.0 | 55.6 | 142 | 41.9 | 21.4 | 11.6 | 19.8 | 9.01 | 8.20 | 52.8 |
| 20 | 32.0 | 81.0 | 73.5 | 55.6 | 136 | 40.8 | 20.6 | 11.6 | 18.2 | 8.84 | 8.35 | 44.4 |
| 21 | 32.0 | 82.5 | 69.0 | 61.5 | 132 | 38.6 | 19.8 | 11.2 | 18.2 | 8.67 | 9.52 | 40.8 |
| 22 | 31.1 | 81.0 | 64.5 | 84.0 | 122 | 37.5 | 19.8 | 11.2 | 17.4 | 8.50 | 14.0 | 38.6 |
| 23 | 31.1 | 79.5 | 60.0 | 96.6 | 110 | 36.4 | 19.0 | 11.2 | 17.4 | 8.35 | 63.0 | 36.4 |
| 24 | 30.2 | 78.0 | 60.0 | 200 | 104 | 35.3 | 18.2 | 10.7 | 16.6 | 8.20 | 168 | 34.2 |
| 25 | 30.2 | 78.0 | 60.0 | 168 | 98.2 | 33.1 | 18.2 | 10.7 | 16.6 | 8.05 | 264 | 32.0 |
| 26 | 30.2 | 75.0 | 61.5 | 158 | 95.0 | 30.2 | 17.4 | 12.1 | 15.8 | 7.90 | 285 | 30.2 |
| 27 | 30.2 | 73.5 | 61.5 | 144 | 91.8 | 29.3 | 16.6 | 13.6 | 15.0 | 7.75 | 346 | 28.4 |
| 28 | 29.3 | 72.0 | 60.0 | 146 | 90.2 | 32.0 | 15.8 | 17.4 | 14.5 | 7.60 | 236 | 28.4 |
| 29 | 29.3 | | 58.5 | 152 | 88.6 | 31.1 | 15.8 | 17.4 | 13.6 | 7.60 | 178 | 26.6 |
| 30 | 30.2 | | 58.5 | 182 | 87.0 | 31.1 | 15.0 | 16.6 | 13.1 | 7.45 | 117 | 25.7 |
| 31 | 30.2 | | 57.0 | | 85.5 | | 14.0 | 16.6 | | 7.45 | | 25.7 |
| SD1 | 30.4 | 55.0 | 46.2 | 44.2 | 178 | 82.7 | 29.5 | 13.4 | 19.5 | 11.4 | 7.35 | 151 |
| SD2 | 31.9 | 60.8 | 59.8 | 51.2 | 139 | 51.5 | 24.2 | 11.4 | 19.9 | 9.35 | 7.77 | 82.4 |
| SD3 | 30.4 | 77.4 | 61.0 | 139 | 100 | 33.5 | 17.2 | 13.5 | 15.8 | 7.96 | 168 | 31.5 |
| MAX | 36.4 | 108 | 84.0 | 200 | 210 | 91.8 | 31.1 | 17.4 | 24.8 | 13.1 | 346 | 264 |
| DAT | 16 | 6 | 18 | 24 | 24 | 8 | 1 | 28 | 8 | 1 | 27 | 6 |
| SR | 30.9 | 63.5 | 55.8 | 78.2 | 138 | 55.9 | 23.4 | 12.8 | 18.4 | 9.53 | 61.1 | 86.6 |
| MIN | 27.5 | 29.3 | 36.4 | 38.6 | 85.5 | 29.3 | 14.0 | 10.7 | 13.1 | 7.45 | 7.15 | 25.7 |
| DAT | 12 | 1 | 10 | 7 | 31 | 27 | 31 | 16 | 30 | 30 | 5 | 30 |
| GMIN = | | 7.15 | | SRGOD= | | 52.7 | | GMAX = | | 346 | | |
| DATUM | | 5 11 | | | | | | DATUM | | 27 11 | | |

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1970

Broj : 45827 Stanica : BERANE Kota "0" = 658.05
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 155.00
Pocetak rada: 1966 Sliv : DRINE Pov.sliva = 1283.2

| DAN | I | II | III | IV | V | VI | VII | VIII | IX | X | XI | XII | |
|-----|------|-------------|------|-------------|------|------------|------|------|------|------|------|------|--|
| 1 | 55.6 | 57.0 | 52.8 | 160 | 244 | 156 | 76.5 | 21.4 | 16.6 | 10.2 | 38.6 | 64.5 | |
| 2 | 115 | 54.2 | 39.7 | 180 | 198 | 152 | 72.0 | 20.6 | 15.8 | 10.7 | 34.2 | 75.0 | |
| 3 | 87.0 | 51.4 | 35.3 | 192 | 154 | 138 | 66.0 | 20.6 | 15.0 | 11.2 | 32.0 | 84.0 | |
| 4 | 58.5 | 45.8 | 34.2 | 180 | 101 | 121 | 61.5 | 19.8 | 16.6 | 15.0 | 28.4 | 78.0 | |
| 5 | 58.5 | 43.0 | 44.4 | 148 | 140 | 106 | 63.0 | 19.0 | 18.2 | 24.8 | 27.5 | 69.0 | |
| 6 | 138 | 58.5 | 87.0 | 128 | 136 | 99.8 | 64.5 | 17.4 | 19.0 | 23.0 | 26.6 | 63.0 | |
| 7 | 274 | 67.5 | 75.0 | 113 | 99.8 | 99.8 | 95.0 | 17.4 | 17.4 | 22.2 | 25.7 | 60.0 | |
| 8 | 350 | 75.0 | 66.0 | 103 | 98.2 | 119 | 104 | 16.6 | 16.6 | 21.4 | 27.5 | 54.2 | |
| 9 | 244 | 73.5 | 58.5 | 387 | 106 | 146 | 95.0 | 16.6 | 15.8 | 19.0 | 30.2 | 54.2 | |
| 10 | 188 | 72.0 | 52.8 | 519 | 108 | 154 | 87.0 | 16.6 | 15.0 | 17.4 | 30.2 | 45.8 | |
| 11 | 148 | 76.5 | 51.4 | 344 | 170 | 168 | 73.5 | 20.6 | 14.5 | 15.0 | 36.4 | 40.8 | |
| 12 | 130 | 87.0 | 61.5 | 285 | 218 | 166 | 60.0 | 29.3 | 14.5 | 14.0 | 34.2 | 39.7 | |
| 13 | 121 | 84.0 | 69.0 | 242 | 190 | 150 | 52.8 | 25.7 | 14.0 | 13.1 | 32.0 | 36.4 | |
| 14 | 174 | 84.0 | 58.5 | 220 | 194 | 140 | 50.0 | 24.8 | 13.6 | 12.1 | 32.0 | 34.2 | |
| 15 | 144 | 110 | 99.8 | 281 | 198 | 134 | 44.4 | 23.9 | 13.6 | 11.6 | 36.4 | 33.1 | |
| 16 | 148 | 160 | 93.4 | 244 | 200 | 126 | 44.4 | 23.0 | 13.1 | 12.6 | 58.5 | 32.0 | |
| 17 | 333 | 124 | 95.0 | 210 | 212 | 122 | 58.5 | 28.4 | 13.1 | 12.1 | 66.0 | 28.4 | |
| 18 | 308 | 98.2 | 81.0 | 184 | 212 | 122 | 61.5 | 22.2 | 12.6 | 11.6 | 72.0 | 26.6 | |
| 19 | 200 | 87.0 | 75.0 | 168 | 190 | 122 | 54.2 | 21.4 | 12.1 | 10.7 | 87.0 | 24.8 | |
| 20 | 164 | 75.0 | 72.0 | 190 | 170 | 121 | 47.2 | 21.4 | 11.6 | 10.2 | 88.6 | 24.8 | |
| 21 | 146 | 69.0 | 69.0 | 198 | 174 | 117 | 43.0 | 20.6 | 11.6 | 10.2 | 98.2 | 23.9 | |
| 22 | 115 | 66.0 | 66.0 | 220 | 176 | 112 | 38.6 | 19.8 | 11.2 | 21.4 | 146 | 23.9 | |
| 23 | 98.2 | 60.0 | 60.0 | 236 | 220 | 99.8 | 35.3 | 19.8 | 11.2 | 140 | 178 | 23.0 | |
| 24 | 87.0 | 66.0 | 57.0 | 230 | 226 | 98.2 | 33.1 | 19.0 | 10.7 | 136 | 128 | 23.0 | |
| 25 | 78.0 | 60.0 | 72.0 | 252 | 186 | 91.8 | 31.1 | 19.0 | 10.7 | 96.6 | 106 | 22.2 | |
| 26 | 72.0 | 54.2 | 87.0 | 248 | 154 | 87.0 | 30.2 | 18.2 | 10.2 | 72.0 | 90.2 | 22.2 | |
| 27 | 63.0 | 48.6 | 96.6 | 276 | 138 | 85.5 | 29.3 | 18.2 | 10.2 | 67.5 | 81.0 | 26.6 | |
| 28 | 61.5 | 44.4 | 160 | 281 | 140 | 81.0 | 26.6 | 17.4 | 10.2 | 57.0 | 78.0 | 47.2 | |
| 29 | 58.5 | | 387 | 297 | 146 | 81.0 | 24.8 | 16.6 | 10.7 | 51.4 | 69.0 | 72.0 | |
| 30 | 57.0 | | 312 | 270 | 138 | 79.5 | 23.9 | 19.0 | 11.6 | 45.8 | 66.0 | 138 | |
| 31 | 57.0 | | 184 | | 138 | | 23.0 | 21.4 | | 43.0 | | 238 | |
| SD1 | 157 | 59.8 | 54.6 | 211 | 139 | 129 | 78.4 | 18.6 | 16.6 | 17.5 | 30.1 | 64.8 | |
| SD2 | 187 | 98.6 | 75.7 | 237 | 195 | 137 | 54.7 | 24.1 | 13.3 | 12.3 | 54.3 | 32.1 | |
| SD3 | 81.2 | 58.5 | 141 | 251 | 167 | 93.3 | 30.8 | 19.0 | 10.8 | 67.4 | 104 | 60.0 | |
| MAX | 350 | 160 | 387 | 519 | 244 | 168 | 104 | 29.3 | 19.0 | 140 | 178 | 238 | |
| DAT | 8 | 16 | 29 | 10 | 1 | 11 | 8 | 12 | 6 | 23 | 23 | 31 | |
| SR | 140 | 73.3 | 92.0 | 233 | 167 | 120 | 53.9 | 20.5 | 13.6 | 33.5 | 62.8 | 52.5 | |
| MIN | 55.6 | 43.0 | 34.2 | 103 | 98.2 | 79.5 | 23.0 | 16.6 | 10.2 | 10.2 | 25.7 | 22.2 | |
| DAT | 1 | 5 | 4 | 8 | 8 | 30 | 31 | 8 | 26 | 1 | 7 | 25 | |
| | | GMIN = 10.2 | | SRGOD= 88.4 | | GMAX = 519 | | | | | | | |
| | | DATUM 26 9 | | | | DATUM 10 4 | | | | | | | |

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1971

Broj : 45827 Stanica : BERANE Kota "0" = 658.05
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 155.00
Pocetak rada: 1966 Sliv : DRINE Pov.sliva = 1283.2

| DAN | I | II | III | IV | V | VI | VII | VIII | IX | X | XI | XII | |
|-----|------|--------|------|------|------|--------|------|------|------|--------|------|------|--|
| 1 | 365 | 58.6 | 24.2 | 51.0 | 120 | 81.4 | 29.0 | 21.6 | 16.4 | 21.6 | 19.0 | 94.0 | |
| 2 | 244 | 68.3 | 23.6 | 59.8 | 158 | 80.0 | 28.4 | 21.2 | 16.7 | 20.8 | 18.5 | 96.8 | |
| 3 | 228 | 61.0 | 23.0 | 64.6 | 214 | 76.1 | 27.2 | 21.2 | 17.0 | 19.4 | 18.2 | 99.6 | |
| 4 | 172 | 53.0 | 23.0 | 65.8 | 226 | 68.3 | 25.4 | 20.8 | 17.3 | 19.4 | 18.2 | 94.0 | |
| 5 | 112 | 49.0 | 23.0 | 72.2 | 220 | 67.0 | 25.4 | 20.3 | 17.6 | 17.9 | 17.9 | 80.0 | |
| 6 | 121 | 46.0 | 22.5 | 108 | 201 | 65.8 | 26.0 | 20.3 | 17.6 | 17.6 | 17.9 | 67.0 | |
| 7 | 99.6 | 42.3 | 22.5 | 118 | 166 | 62.2 | 27.2 | 19.9 | 17.9 | 17.6 | 17.9 | 61.0 | |
| 8 | 82.8 | 40.5 | 22.1 | 112 | 151 | 61.0 | 25.4 | 19.9 | 18.2 | 17.6 | 17.3 | 55.0 | |
| 9 | 70.9 | 37.8 | 21.6 | 94.0 | 137 | 56.2 | 24.8 | 19.4 | 18.5 | 16.7 | 17.0 | 45.0 | |
| 10 | 62.2 | 36.9 | 21.2 | 96.8 | 129 | 52.0 | 24.8 | 19.4 | 19.4 | 16.1 | 16.4 | 45.0 | |
| 11 | 56.2 | 35.3 | 21.2 | 114 | 123 | 50.0 | 24.2 | 19.0 | 19.9 | 16.1 | 16.4 | 43.2 | |
| 12 | 52.0 | 33.2 | 21.2 | 108 | 123 | 52.0 | 24.2 | 18.5 | 20.8 | 16.1 | 16.1 | 41.4 | |
| 13 | 50.0 | 33.2 | 21.2 | 102 | 126 | 50.0 | 24.2 | 18.2 | 21.2 | 16.1 | 16.4 | 38.7 | |
| 14 | 47.0 | 31.8 | 21.2 | 81.4 | 123 | 44.1 | 22.1 | 18.2 | 21.2 | 16.1 | 18.5 | 36.0 | |
| 15 | 45.0 | 31.8 | 21.2 | 80.0 | 112 | 41.4 | 21.6 | 17.9 | 22.5 | 16.1 | 22.5 | 34.6 | |
| 16 | 43.2 | 31.1 | 27.2 | 69.6 | 112 | 38.7 | 21.6 | 17.9 | 23.0 | 20.8 | 23.0 | 34.6 | |
| 17 | 41.4 | 30.4 | 37.8 | 67.0 | 112 | 38.7 | 21.6 | 17.6 | 23.6 | 33.9 | 17.3 | 34.6 | |
| 18 | 37.8 | 29.7 | 42.3 | 69.6 | 112 | 36.9 | 21.6 | 17.3 | 24.8 | 36.9 | 17.3 | 34.6 | |
| 19 | 36.9 | 29.7 | 47.0 | 72.2 | 112 | 36.9 | 21.2 | 17.3 | 26.0 | 33.9 | 17.0 | 33.9 | |
| 20 | 36.0 | 29.0 | 49.0 | 74.8 | 109 | 36.0 | 22.1 | 17.0 | 26.6 | 31.8 | 40.5 | 33.9 | |
| 21 | 35.3 | 32.5 | 55.0 | 74.8 | 106 | 33.9 | 21.6 | 17.0 | 27.2 | 29.0 | 40.5 | 33.2 | |
| 22 | 42.3 | 31.8 | 82.8 | 81.4 | 103 | 33.2 | 21.2 | 16.7 | 25.4 | 27.8 | 55.0 | 33.9 | |
| 23 | 53.0 | 31.1 | 158 | 92.6 | 99.6 | 32.5 | 19.9 | 16.7 | 24.2 | 26.0 | 88.4 | 33.2 | |
| 24 | 68.3 | 27.8 | 131 | 99.6 | 95.4 | 31.8 | 19.4 | 16.7 | 22.1 | 21.2 | 88.4 | 33.2 | |
| 25 | 62.2 | 27.2 | 103 | 117 | 89.8 | 31.8 | 19.0 | 16.4 | 21.6 | 20.8 | 64.6 | 27.2 | |
| 26 | 61.0 | 26.6 | 85.6 | 129 | 82.8 | 31.8 | 18.5 | 16.4 | 20.8 | 20.3 | 64.6 | 27.2 | |
| 27 | 61.0 | 26.0 | 64.6 | 117 | 76.1 | 29.7 | 17.6 | 16.1 | 19.4 | 19.4 | 57.4 | 27.2 | |
| 28 | 63.4 | 24.2 | 59.8 | 103 | 73.5 | 29.7 | 17.6 | 15.8 | 19.0 | 19.0 | 52.0 | 25.4 | |
| 29 | 63.4 | | 61.0 | 103 | 77.4 | 29.7 | 21.2 | 15.8 | 21.6 | 20.8 | 59.8 | 25.4 | |
| 30 | 62.2 | | 56.2 | 109 | 78.7 | 29.0 | 27.2 | 15.8 | 21.6 | 20.8 | 92.6 | 24.8 | |
| 31 | 61.0 | | 55.0 | | 78.7 | | 24.2 | 15.8 | | 22.1 | | 24.2 | |
| SD1 | 156 | 49.3 | 22.7 | 84.2 | 172 | 67.0 | 26.4 | 20.4 | 17.7 | 18.5 | 17.8 | 73.7 | |
| SD2 | 44.5 | 31.5 | 30.9 | 83.9 | 116 | 42.5 | 22.4 | 17.9 | 23.0 | 23.8 | 20.5 | 36.5 | |
| SD3 | 57.6 | 28.4 | 82.9 | 103 | 87.4 | 31.3 | 20.7 | 16.3 | 22.3 | 22.5 | 66.3 | 28.6 | |
| MAX | 365 | 68.3 | 158 | 129 | 226 | 81.4 | 29.0 | 21.6 | 27.2 | 36.9 | 92.6 | 99.6 | |
| DAT | 1 | 2 | 23 | 26 | 4 | 1 | 1 | 1 | 21 | 18 | 30 | 3 | |
| SR | 85.0 | 37.0 | 46.7 | 90.2 | 124 | 46.9 | 23.1 | 18.1 | 21.0 | 21.6 | 34.9 | 45.7 | |
| MIN | 35.3 | 24.2 | 21.2 | 51.0 | 73.5 | 29.0 | 17.6 | 15.8 | 16.4 | 16.1 | 16.1 | 24.2 | |
| DAT | 21 | 28 | 10 | 1 | 28 | 30 | 27 | 28 | 1 | 10 | 12 | 31 | |
| | | GMIN = | 15.8 | | | SRGOD= | 49.7 | | | GMAX = | 365 | | |
| | | DATUM | 28 8 | | | | | | | DATUM | 1 1 | | |

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1972

Broj : 45827 Stanica : BERANE Kota "0" = 658.05
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 155.00
Pocetak rada: 1966 Sliv : DRINE Pov.sliva = 1283.2

| DAN | I | II | III | IV | V | VI | VII | VIII | IX | X | XI | XII |
|-------------|------|------|-------------|------|------|------------|------|------|------|------|------|------|
| 1 | 24.2 | 24.2 | 36.9 | 36.9 | 61.0 | 46.0 | 24.8 | 31.8 | 23.0 | 123 | 46.0 | 84.2 |
| 2 | 24.2 | 24.2 | 36.9 | 41.4 | 56.2 | 46.0 | 24.2 | 29.0 | 21.6 | 102 | 43.2 | 85.6 |
| 3 | 24.8 | 24.8 | 36.0 | 43.2 | 46.0 | 49.0 | 23.6 | 27.8 | 21.6 | 91.2 | 41.4 | 82.8 |
| 4 | 24.2 | 24.8 | 36.0 | 43.2 | 63.4 | 51.0 | 23.0 | 29.7 | 21.6 | 81.4 | 38.7 | 77.4 |
| 5 | 25.4 | 24.8 | 36.0 | 47.0 | 62.2 | 51.0 | 22.5 | 29.0 | 21.6 | 74.8 | 36.9 | 69.6 |
| 6 | 29.0 | 25.4 | 35.3 | 55.0 | 61.0 | 50.0 | 22.1 | 27.8 | 21.2 | 64.6 | 36.0 | 63.4 |
| 7 | 28.4 | 25.4 | 35.3 | 56.2 | 63.4 | 49.0 | 21.6 | 26.0 | 19.9 | 61.0 | 33.9 | 55.0 |
| 8 | 28.4 | 26.0 | 35.3 | 55.0 | 67.0 | 46.0 | 21.2 | 24.8 | 19.4 | 68.3 | 32.5 | 53.0 |
| 9 | 28.4 | 26.0 | 34.6 | 55.0 | 63.4 | 46.0 | 20.8 | 24.2 | 19.4 | 69.6 | 31.1 | 51.0 |
| 10 | 27.8 | 26.6 | 34.6 | 58.6 | 61.0 | 44.1 | 20.3 | 22.1 | 19.4 | 95.4 | 29.7 | 50.0 |
| 11 | 27.8 | 26.6 | 34.6 | 61.0 | 62.2 | 44.1 | 19.9 | 21.6 | 19.0 | 89.8 | 29.0 | 47.0 |
| 12 | 27.8 | 27.2 | 33.9 | 67.0 | 68.3 | 42.3 | 19.9 | 20.8 | 19.0 | 84.2 | 34.6 | 44.1 |
| 13 | 27.2 | 27.8 | 33.9 | 69.6 | 65.8 | 41.4 | 20.8 | 19.4 | 19.0 | 80.0 | 61.0 | 42.3 |
| 14 | 26.6 | 28.4 | 33.9 | 73.5 | 59.8 | 40.5 | 20.8 | 19.4 | 17.9 | 77.4 | 55.0 | 40.5 |
| 15 | 26.6 | 28.4 | 33.2 | 74.8 | 61.0 | 38.7 | 56.2 | 19.0 | 19.4 | 67.0 | 50.0 | 37.8 |
| 16 | 26.0 | 29.0 | 33.2 | 78.7 | 62.2 | 37.8 | 59.8 | 17.9 | 106 | 62.2 | 56.2 | 36.0 |
| 17 | 24.8 | 29.7 | 33.2 | 78.7 | 69.6 | 37.8 | 67.0 | 17.6 | 203 | 57.4 | 62.2 | 33.2 |
| 18 | 24.2 | 30.4 | 32.5 | 76.1 | 74.8 | 33.9 | 59.8 | 17.6 | 156 | 57.4 | 63.4 | 33.2 |
| 19 | 24.2 | 30.4 | 32.5 | 70.9 | 73.5 | 33.2 | 48.0 | 19.0 | 106 | 77.4 | 81.4 | 31.8 |
| 20 | 23.6 | 31.1 | 31.8 | 68.3 | 77.4 | 32.5 | 43.2 | 21.2 | 74.8 | 55.0 | 89.8 | 29.7 |
| 21 | 23.0 | 31.8 | 31.8 | 80.0 | 74.8 | 31.1 | 42.3 | 25.4 | 58.6 | 56.2 | 124 | 29.0 |
| 22 | 22.1 | 31.8 | 32.5 | 77.4 | 70.9 | 29.7 | 41.4 | 27.8 | 50.0 | 78.7 | 172 | 27.2 |
| 23 | 22.1 | 32.5 | 32.5 | 74.8 | 59.8 | 29.0 | 39.6 | 27.2 | 43.2 | 78.7 | 172 | 27.2 |
| 24 | 21.6 | 33.2 | 33.2 | 70.9 | 62.2 | 27.8 | 42.3 | 24.2 | 38.7 | 73.5 | 148 | 27.2 |
| 25 | 21.6 | 33.9 | 33.9 | 73.5 | 61.0 | 26.6 | 45.0 | 23.6 | 40.5 | 61.0 | 175 | 27.2 |
| 26 | 21.6 | 34.6 | 34.6 | 88.4 | 59.8 | 26.6 | 47.0 | 22.1 | 38.7 | 59.8 | 181 | 27.2 |
| 27 | 21.2 | 35.3 | 35.3 | 94.0 | 58.6 | 26.0 | 49.0 | 21.6 | 106 | 55.0 | 148 | 27.2 |
| 28 | 21.2 | 35.3 | 36.0 | 87.0 | 58.6 | 26.0 | 45.0 | 21.2 | 338 | 54.0 | 112 | 26.0 |
| 29 | 22.1 | 29.0 | 37.8 | 80.0 | 61.0 | 25.4 | 41.4 | 19.9 | 250 | 51.0 | 99.6 | 24.8 |
| 30 | 24.2 | | 38.7 | 68.3 | 56.2 | 24.8 | 36.0 | 21.6 | 168 | 50.0 | 84.2 | 24.8 |
| 31 | 24.2 | | 39.6 | | 49.0 | | 33.2 | 21.6 | | 49.0 | | 23.6 |
| SD1 | 26.5 | 25.2 | 35.7 | 49.2 | 60.5 | 47.8 | 22.4 | 27.2 | 20.9 | 83.1 | 36.9 | 67.2 |
| SD2 | 25.9 | 28.9 | 33.3 | 71.9 | 67.5 | 38.2 | 41.5 | 19.4 | 74.0 | 70.8 | 58.3 | 37.6 |
| SD3 | 22.3 | 33.0 | 35.1 | 79.4 | 61.1 | 27.3 | 42.0 | 23.3 | 113 | 60.6 | 142 | 26.5 |
| MAX | 29.0 | 35.3 | 39.6 | 94.0 | 77.4 | 51.0 | 67.0 | 31.8 | 338 | 123 | 181 | 85.6 |
| DAT | 6 | 27 | 31 | 27 | 20 | 6 | 17 | 1 | 28 | 1 | 26 | 2 |
| SR | 24.8 | 28.9 | 34.7 | 66.8 | 62.9 | 37.8 | 35.5 | 23.3 | 69.3 | 71.2 | 78.9 | 43.2 |
| MIN | 21.2 | 24.2 | 31.8 | 36.9 | 46.0 | 24.8 | 19.9 | 17.6 | 17.9 | 49.0 | 29.0 | 23.6 |
| DAT | 27 | 1 | 20 | 1 | 3 | 30 | 11 | 17 | 14 | 31 | 11 | 31 |
| ----- | | | | | | | | | | | | |
| GMIN = 17.6 | | | SRGOD= 48.1 | | | GMAX = 338 | | | | | | |
| DATUM 17 8 | | | | | | DATUM 28 9 | | | | | | |
| ----- | | | | | | | | | | | | |

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1973

Broj : 45827 Stanica : BERANE Kota "0" = 658.05
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 155.00
Pocetak rada: 1966 Sliv : DRINE Pov.sliva = 1283.2

| DAN | I | II | III | IV | V | VI | VII | VIII | IX | X | XI | XII |
|-----|------|-------------|------|-------------|------|------------|------|------|------|-----------|------|------|
| 1 | 21.6 | 26.6 | 23.6 | 69.6 | 115 | 69.6 | 25.4 | 30.4 | 19.0 | 28.4 | 36.0 | 43.2 |
| 2 | 21.2 | 26.6 | 23.0 | 74.8 | 135 | 64.6 | 29.0 | 27.8 | 19.4 | 27.2 | 34.6 | 41.4 |
| 3 | 21.2 | 27.2 | 22.1 | 82.8 | 155 | 62.2 | 31.1 | 26.6 | 19.4 | 26.0 | 33.2 | 41.4 |
| 4 | 21.2 | 24.8 | 21.2 | 77.4 | 182 | 59.8 | 31.8 | 26.6 | 19.4 | 23.6 | 31.8 | 39.6 |
| 5 | 21.2 | 24.2 | 21.2 | 65.8 | 224 | 62.2 | 30.4 | 26.6 | 18.2 | 23.0 | 27.2 | 38.7 |
| 6 | 20.8 | 23.0 | 21.2 | 61.0 | 268 | 57.4 | 29.0 | 25.4 | 17.9 | 22.1 | 26.0 | 38.7 |
| 7 | 19.9 | 22.5 | 21.6 | 64.6 | 286 | 54.0 | 27.8 | 24.2 | 17.3 | 21.2 | 30.4 | 37.8 |
| 8 | 19.9 | 22.1 | 22.1 | 74.8 | 272 | 52.0 | 27.2 | 28.4 | 17.3 | 20.3 | 95.4 | 36.0 |
| 9 | 19.4 | 23.0 | 24.8 | 87.0 | 254 | 51.0 | 26.6 | 21.6 | 17.0 | 21.6 | 96.8 | 37.8 |
| 10 | 19.4 | 27.2 | 24.2 | 179 | 238 | 52.0 | 26.0 | 21.2 | 16.4 | 22.1 | 74.8 | 57.4 |
| 11 | 19.0 | 33.2 | 23.0 | 165 | 190 | 51.0 | 28.4 | 19.9 | 16.4 | 21.6 | 67.0 | 55.0 |
| 12 | 18.5 | 41.4 | 22.1 | 126 | 148 | 48.0 | 27.2 | 19.4 | 16.7 | 19.9 | 64.6 | 52.0 |
| 13 | 18.2 | 33.2 | 22.1 | 105 | 153 | 45.0 | 26.6 | 19.0 | 16.1 | 19.4 | 61.0 | 48.0 |
| 14 | 18.2 | 31.1 | 22.1 | 88.4 | 139 | 45.0 | 26.6 | 18.2 | 16.1 | 19.0 | 62.2 | 44.1 |
| 15 | 17.3 | 50.0 | 21.2 | 77.4 | 126 | 51.0 | 25.4 | 17.9 | 15.5 | 19.0 | 62.2 | 41.4 |
| 16 | 17.3 | 80.0 | 21.2 | 64.6 | 126 | 47.0 | 24.2 | 17.6 | 15.3 | 31.1 | 62.2 | 41.4 |
| 17 | 19.4 | 73.5 | 20.8 | 69.6 | 124 | 44.1 | 23.0 | 17.3 | 15.0 | 34.6 | 63.4 | 38.7 |
| 18 | 19.4 | 59.8 | 20.8 | 67.0 | 123 | 40.5 | 21.6 | 17.3 | 15.3 | 36.0 | 62.2 | 36.9 |
| 19 | 132 | 49.0 | 20.8 | 58.6 | 117 | 38.7 | 21.2 | 17.0 | 21.6 | 32.5 | 57.4 | 42.3 |
| 20 | 88.4 | 42.3 | 21.2 | 55.0 | 127 | 37.8 | 19.9 | 17.0 | 33.2 | 30.4 | 53.0 | 43.2 |
| 21 | 62.2 | 37.8 | 20.8 | 72.2 | 139 | 35.3 | 19.9 | 16.7 | 29.7 | 28.4 | 51.0 | 47.0 |
| 22 | 51.0 | 34.6 | 20.3 | 77.4 | 134 | 33.9 | 19.4 | 16.7 | 26.0 | 32.5 | 46.0 | 78.7 |
| 23 | 41.4 | 33.2 | 21.2 | 74.8 | 131 | 31.1 | 19.4 | 16.7 | 29.0 | 132 | 43.2 | 109 |
| 24 | 36.0 | 31.1 | 26.0 | 74.8 | 131 | 30.4 | 17.6 | 17.3 | 36.0 | 120 | 40.5 | 96.8 |
| 25 | 33.9 | 29.0 | 26.6 | 74.8 | 129 | 29.0 | 17.6 | 17.3 | 36.0 | 88.4 | 38.7 | 84.2 |
| 26 | 30.4 | 27.8 | 31.8 | 77.4 | 118 | 29.0 | 39.6 | 17.3 | 31.1 | 70.9 | 36.0 | 80.0 |
| 27 | 27.8 | 26.6 | 40.5 | 87.0 | 105 | 27.8 | 51.0 | 17.3 | 27.8 | 59.8 | 48.0 | 142 |
| 28 | 27.2 | 24.8 | 50.0 | 94.0 | 94.0 | 26.6 | 53.0 | 15.8 | 33.2 | 51.0 | 51.0 | 132 |
| 29 | 26.6 | | 51.0 | 98.2 | 84.2 | 26.0 | 45.0 | 20.8 | 33.9 | 47.0 | 47.0 | 111 |
| 30 | 24.2 | | 53.0 | 105 | 74.8 | 24.8 | 39.6 | 19.4 | 31.8 | 43.2 | 53.0 | 92.6 |
| 31 | 23.6 | | 59.8 | | 68.3 | | 33.9 | 19.4 | | 41.4 | | 80.0 |
| SD1 | 20.6 | 24.7 | 22.5 | 83.7 | 213 | 58.5 | 28.4 | 25.9 | 18.1 | 23.6 | 48.6 | 41.2 |
| SD2 | 36.8 | 49.3 | 21.5 | 87.7 | 137 | 44.8 | 24.4 | 18.1 | 18.1 | 26.4 | 61.5 | 44.3 |
| SD3 | 34.9 | 30.6 | 36.5 | 83.6 | 110 | 29.4 | 32.4 | 17.7 | 31.5 | 65.0 | 45.4 | 95.8 |
| MAX | 132 | 80.0 | 59.8 | 179 | 286 | 69.6 | 53.0 | 30.4 | 36.0 | 132 | 96.8 | 142 |
| DAT | 19 | 16 | 31 | 10 | 7 | 1 | 28 | 1 | 24 | 23 | 9 | 27 |
| SR | 30.9 | 35.2 | 27.1 | 85.0 | 152 | 44.2 | 28.5 | 20.5 | 22.6 | 39.1 | 51.9 | 61.6 |
| MIN | 17.3 | 22.1 | 20.3 | 55.0 | 68.3 | 24.8 | 17.6 | 15.8 | 15.0 | 19.0 | 26.0 | 36.0 |
| DAT | 15 | 8 | 22 | 20 | 31 | 30 | 24 | 28 | 17 | 14 | 6 | 8 |
| | | GMIN = 15.0 | | SRGOD= 50.0 | | GMAX = 286 | | | | DATUM 7 5 | | |
| | | DATUM 17 9 | | | | | | | | | | |

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1974

Broj : 45827 Stanica : BERANE Kota "0" = 658.05
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 155.00
Pocetak rada: 1966 Sliv : DRINE Pov.sliva = 1283.2

| DAN | I | II | III | IV | V | VI | VII | VIII | IX | X | XI | XII | |
|-----|------|--------|------|------|------|--------|------|------|------|--------|-------|------|--|
| 1 | 76.1 | 21.2 | 26.0 | 74.8 | 109 | 112 | 56.2 | 16.7 | 16.7 | 30.4 | 118 | 101 | |
| 2 | 77.4 | 21.6 | 25.4 | 70.9 | 127 | 112 | 51.0 | 17.0 | 15.8 | 35.3 | 106 | 88.4 | |
| 3 | 77.4 | 21.6 | 24.8 | 67.0 | 114 | 105 | 47.0 | 16.7 | 16.1 | 43.2 | 96.8 | 76.1 | |
| 4 | 76.1 | 30.4 | 24.2 | 62.2 | 102 | 96.8 | 42.3 | 16.7 | 16.4 | 47.0 | 88.4 | 70.9 | |
| 5 | 72.2 | 34.6 | 24.2 | 59.8 | 118 | 91.2 | 40.5 | 17.3 | 15.0 | 41.4 | 84.2 | 65.8 | |
| 6 | 67.0 | 31.8 | 24.8 | 57.4 | 124 | 89.8 | 37.8 | 17.0 | 15.0 | 35.3 | 82.8 | 62.2 | |
| 7 | 61.0 | 77.4 | 25.4 | 54.0 | 117 | 88.4 | 38.7 | 16.7 | 14.3 | 33.9 | 87.0 | 57.4 | |
| 8 | 56.2 | 73.5 | 24.8 | 53.0 | 108 | 84.2 | 42.3 | 16.7 | 13.8 | 51.0 | 89.8 | 55.0 | |
| 9 | 51.0 | 58.6 | 24.2 | 49.0 | 112 | 78.7 | 38.7 | 17.6 | 13.8 | 72.2 | 82.8 | 55.0 | |
| 10 | 48.0 | 50.0 | 24.2 | 44.1 | 106 | 74.8 | 35.3 | 16.1 | 13.3 | 74.8 | 80.0 | 52.0 | |
| 11 | 42.3 | 44.1 | 23.0 | 41.4 | 95.4 | 77.4 | 33.2 | 15.8 | 13.5 | 62.2 | 69.6 | 48.0 | |
| 12 | 37.8 | 40.5 | 22.1 | 40.5 | 91.2 | 80.0 | 31.1 | 16.4 | 13.5 | 54.0 | 65.8 | 47.0 | |
| 13 | 35.3 | 37.8 | 21.6 | 40.5 | 92.6 | 73.5 | 29.7 | 15.8 | 13.3 | 47.0 | 64.6 | 52.0 | |
| 14 | 33.9 | 37.8 | 21.2 | 45.0 | 91.2 | 64.6 | 29.0 | 15.8 | 13.5 | 56.2 | 62.2 | 53.0 | |
| 15 | 31.8 | 37.8 | 21.6 | 51.0 | 99.6 | 56.2 | 26.6 | 15.8 | 13.5 | 82.8 | 58.6 | 51.0 | |
| 16 | 31.1 | 36.9 | 22.1 | 52.0 | 134 | 53.0 | 25.4 | 15.5 | 13.8 | 188 | 55.0 | 48.0 | |
| 17 | 31.1 | 35.3 | 22.1 | 52.0 | 126 | 55.0 | 24.2 | 15.8 | 14.3 | 218 | 53.0 | 47.0 | |
| 18 | 30.4 | 33.9 | 21.6 | 54.0 | 114 | 55.0 | 24.2 | 15.8 | 13.8 | 147 | 52.0 | 47.0 | |
| 19 | 29.7 | 33.9 | 22.5 | 50.0 | 106 | 56.2 | 23.6 | 15.8 | 13.5 | 109 | 52.0 | 48.0 | |
| 20 | 29.7 | 34.6 | 24.8 | 48.0 | 106 | 57.4 | 23.6 | 15.8 | 13.3 | 88.4 | 51.0 | 46.0 | |
| 21 | 29.7 | 33.9 | 27.2 | 50.0 | 108 | 53.0 | 24.2 | 15.8 | 13.3 | 89.8 | 53.0 | 42.3 | |
| 22 | 27.8 | 32.5 | 30.4 | 53.0 | 114 | 53.0 | 24.8 | 15.5 | 13.5 | 140 | 55.0 | 41.4 | |
| 23 | 26.6 | 31.8 | 36.9 | 50.0 | 134 | 50.0 | 23.0 | 14.8 | 15.0 | 338 | 55.0 | 40.5 | |
| 24 | 25.4 | 31.1 | 45.0 | 48.0 | 137 | 48.0 | 22.1 | 14.8 | 17.3 | 807 | 51.0 | 39.6 | |
| 25 | 25.4 | 29.7 | 52.0 | 47.0 | 135 | 47.0 | 21.2 | 14.8 | 23.6 | 478 | 51.0 | 38.7 | |
| 26 | 24.8 | 28.4 | 57.4 | 47.0 | 153 | 46.0 | 20.3 | 14.8 | 37.8 | 291 | 67.0 | 36.9 | |
| 27 | 23.6 | 27.2 | 61.0 | 46.0 | 145 | 45.0 | 20.8 | 15.0 | 54.0 | 214 | 81.4 | 36.9 | |
| 28 | 22.5 | 26.0 | 65.8 | 45.0 | 131 | 46.0 | 19.0 | 15.5 | 43.2 | 161 | 88.4 | 36.0 | |
| 29 | 22.5 | | 70.9 | 53.0 | 127 | 44.1 | 18.5 | 15.5 | 35.3 | 147 | 111 | 35.3 | |
| 30 | 22.5 | | 70.9 | 69.6 | 123 | 56.2 | 17.6 | 16.1 | 29.7 | 140 | 120 | 35.3 | |
| 31 | 21.6 | | 67.0 | | 114 | | 17.6 | 16.4 | | 126 | | 34.6 | |
| SD1 | 66.2 | 42.1 | 24.8 | 59.2 | 114 | 93.3 | 43.0 | 16.9 | 15.0 | 46.5 | 91.6 | 68.4 | |
| SD2 | 33.3 | 37.3 | 22.3 | 47.4 | 106 | 62.8 | 27.1 | 15.8 | 13.6 | 105 | 58.4 | 48.7 | |
| SD3 | 24.8 | 30.1 | 53.1 | 50.9 | 129 | 48.8 | 20.8 | 15.4 | 28.3 | 267 | 73.3 | 38.0 | |
| MAX | 78.7 | 103 | 73.5 | 85.6 | 156 | 115 | 57.4 | 17.9 | 57.4 | 894 | 124 | 111 | |
| DAT | 2 | 7 | 29 | 1 | 26 | 1 | 1 | 9 | 27 | 24 | 1 | 1 | |
| SR | 40.9 | 36.9 | 34.0 | 52.5 | 117 | 68.3 | 30.0 | 16.0 | 19.0 | 144 | 74.4 | 51.2 | |
| MIN | 21.6 | 21.2 | 21.2 | 40.5 | 91.2 | 44.1 | 17.6 | 14.8 | 13.3 | 30.4 | 51.0 | 34.6 | |
| DAT | 31 | 1 | 14 | 12 | 12 | 29 | 30 | 23 | 10 | 1 | 20 | 31 | |
| | | GMIN = | 13.3 | | | SRGOD= | 57.1 | | | GMAX = | 894 | | |
| | | DATUM | 10 9 | | | | | | | DATUM | 24 10 | | |

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1975

Broj : 45827 Stanica : BERANE Kota "0" = 658.05
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 155.00
Pocetak rada: 1966 Sliv : DRINE Pov.sliva = 1283.2

| DAN | I | II | III | IV | V | VI | VII | VIII | IX | X | XI | XII | |
|-----|------|-------------|------|-------------|------|-------------|------|------|------|------|------|------|--|
| 1 | 30.6 | 19.5 | 12.3 | 71.8 | 59.4 | 42.7 | 30.6 | 13.4 | 12.3 | 10.8 | 26.9 | 46.5 | |
| 2 | 29.0 | 17.5 | 12.3 | 127 | 67.8 | 40.8 | 33.0 | 13.4 | 12.3 | 11.0 | 25.5 | 44.6 | |
| 3 | 27.6 | 17.0 | 12.3 | 153 | 74.6 | 39.8 | 32.2 | 12.9 | 12.5 | 11.0 | 24.1 | 41.8 | |
| 4 | 26.2 | 17.5 | 12.9 | 130 | 74.6 | 44.6 | 29.8 | 12.9 | 12.5 | 11.3 | 23.4 | 38.0 | |
| 5 | 24.8 | 17.0 | 13.4 | 104 | 73.2 | 48.6 | 27.6 | 12.9 | 12.3 | 11.3 | 22.7 | 36.2 | |
| 6 | 24.1 | 16.1 | 14.8 | 91.4 | 71.8 | 48.6 | 27.6 | 13.4 | 12.0 | 11.5 | 22.7 | 33.0 | |
| 7 | 25.5 | 15.6 | 16.5 | 88.6 | 73.2 | 49.7 | 29.8 | 13.4 | 12.0 | 11.5 | 21.5 | 31.4 | |
| 8 | 26.2 | 15.6 | 22.7 | 95.6 | 77.4 | 45.5 | 28.3 | 13.4 | 12.0 | 11.3 | 21.0 | 29.8 | |
| 9 | 26.2 | 14.8 | 24.8 | 92.8 | 81.6 | 43.7 | 26.2 | 13.9 | 11.8 | 11.3 | 19.5 | 29.8 | |
| 10 | 24.8 | 15.6 | 25.5 | 90.0 | 81.6 | 42.7 | 23.4 | 13.9 | 12.0 | 11.0 | 20.0 | 28.3 | |
| 11 | 22.7 | 15.6 | 24.8 | 121 | 74.6 | 41.8 | 21.5 | 13.4 | 11.8 | 10.8 | 24.1 | 27.6 | |
| 12 | 22.7 | 15.2 | 24.8 | 119 | 70.4 | 40.8 | 21.0 | 12.9 | 11.8 | 13.4 | 22.7 | 26.2 | |
| 13 | 22.0 | 14.3 | 25.5 | 100 | 73.2 | 39.8 | 21.0 | 12.5 | 11.5 | 33.8 | 21.5 | 25.5 | |
| 14 | 21.5 | 14.3 | 27.6 | 85.8 | 81.6 | 38.0 | 21.5 | 12.3 | 11.8 | 39.8 | 20.5 | 25.5 | |
| 15 | 22.0 | 14.3 | 38.0 | 76.0 | 84.4 | 36.2 | 22.0 | 12.0 | 12.0 | 42.7 | 20.0 | 24.1 | |
| 16 | 22.0 | 14.8 | 36.2 | 66.6 | 77.4 | 35.4 | 21.0 | 11.8 | 12.0 | 33.0 | 20.5 | 24.1 | |
| 17 | 22.0 | 14.8 | 33.8 | 64.2 | 73.2 | 34.6 | 20.0 | 11.5 | 12.3 | 42.7 | 24.1 | 21.0 | |
| 18 | 22.0 | 13.9 | 33.0 | 61.8 | 74.6 | 36.2 | 20.0 | 11.3 | 11.8 | 88.6 | 41.8 | 44.6 | |
| 19 | 22.7 | 13.4 | 29.8 | 57.0 | 76.0 | 34.6 | 16.5 | 11.3 | 11.5 | 110 | 215 | 63.0 | |
| 20 | 22.7 | 13.4 | 29.8 | 52.8 | 71.8 | 33.8 | 16.1 | 11.3 | 11.5 | 83.0 | 318 | 51.8 | |
| 21 | 22.0 | 14.3 | 33.0 | 49.7 | 70.4 | 31.4 | 16.5 | 11.8 | 11.3 | 67.8 | 215 | 41.8 | |
| 22 | 21.5 | 13.4 | 34.6 | 48.6 | 69.0 | 32.2 | 15.6 | 12.3 | 11.3 | 60.6 | 148 | 38.0 | |
| 23 | 21.5 | 12.5 | 34.6 | 52.8 | 67.8 | 30.6 | 14.8 | 12.5 | 11.0 | 50.7 | 106 | 36.2 | |
| 24 | 21.0 | 12.5 | 34.6 | 53.8 | 63.0 | 30.6 | 14.3 | 12.5 | 11.0 | 49.7 | 83.0 | 33.8 | |
| 25 | 20.0 | 12.3 | 33.8 | 53.8 | 61.8 | 30.6 | 14.3 | 12.3 | 11.0 | 44.6 | 67.8 | 33.8 | |
| 26 | 19.5 | 12.3 | 31.4 | 54.9 | 59.4 | 41.8 | 14.8 | 12.0 | 11.3 | 40.8 | 59.4 | 31.4 | |
| 27 | 19.5 | 12.3 | 30.6 | 53.8 | 56.0 | 36.2 | 15.2 | 12.0 | 11.0 | 38.0 | 53.8 | 28.3 | |
| 28 | 20.0 | 12.3 | 29.8 | 53.8 | 53.8 | 35.4 | 15.6 | 12.3 | 10.8 | 34.6 | 50.7 | 27.6 | |
| 29 | 21.0 | | 33.0 | 51.8 | 50.7 | 34.6 | 14.3 | 12.3 | 10.5 | 31.4 | 48.6 | 26.9 | |
| 30 | 21.0 | | 41.8 | 56.0 | 46.5 | 32.2 | 13.9 | 12.3 | 10.5 | 29.0 | 48.6 | 25.5 | |
| 31 | 21.0 | | 48.6 | | 44.6 | | 13.9 | 12.3 | | 27.6 | | 22.7 | |
| SD1 | 26.5 | 16.6 | 16.8 | 104 | 73.5 | 44.7 | 28.9 | 13.4 | 12.2 | 11.2 | 22.7 | 35.9 | |
| SD2 | 22.2 | 14.4 | 30.3 | 80.4 | 75.7 | 37.1 | 20.1 | 12.0 | 11.8 | 49.8 | 72.8 | 33.3 | |
| SD3 | 20.7 | 12.7 | 35.1 | 52.9 | 58.5 | 33.6 | 14.8 | 12.2 | 11.0 | 43.2 | 88.1 | 31.5 | |
| MAX | 31.4 | 20.5 | 60.6 | 156 | 91.4 | 50.7 | 33.0 | 14.3 | 13.4 | 127 | 363 | 60.6 | |
| DAT | 1 | 1 | 31 | 3 | 14 | 7 | 2 | 10 | 3 | 19 | 20 | 18 | |
| SR | 23.1 | 14.7 | 27.6 | 79.2 | 68.9 | 38.4 | 21.0 | 12.5 | 11.6 | 35.0 | 61.2 | 33.5 | |
| MIN | 19.5 | 12.3 | 12.3 | 48.6 | 44.6 | 30.6 | 13.9 | 11.3 | 10.5 | 10.8 | 19.5 | 21.0 | |
| DAT | 26 | 25 | 1 | 22 | 31 | 23 | 30 | 18 | 29 | 1 | 9 | 17 | |
| | | GMIN = 10.5 | | SRGOD= 35.6 | | GMAX = 363 | | | | | | | |
| | | DATUM 29 9 | | | | DATUM 20 11 | | | | | | | |

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1976

Broj : 45827 Stanica : BERANE Kota "0" = 658.05
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 155.00
Pocetak rada: 1966 Sliv : DRINE Pov.sliva = 1283.2

| DAN | I | II | III | IV | V | VI | VII | VIII | IX | X | XI | XII |
|--------|------|-------|------|--------|------|------|------|--------|------|------|------|------|
| 1 | 24.1 | 19.0 | 22.0 | 51.8 | 103 | 71.8 | 44.6 | 19.5 | 22.0 | 13.4 | 97.0 | 33.8 |
| 2 | 22.0 | 18.5 | 24.8 | 57.0 | 95.6 | 71.8 | 45.5 | 19.5 | 22.7 | 13.4 | 91.4 | 63.0 |
| 3 | 21.5 | 18.0 | 27.6 | 63.0 | 124 | 78.8 | 43.7 | 20.0 | 21.5 | 12.9 | 80.2 | 156 |
| 4 | 21.5 | 18.5 | 27.6 | 70.4 | 161 | 80.2 | 40.8 | 19.5 | 20.0 | 12.5 | 70.4 | 135 |
| 5 | 21.5 | 18.5 | 26.9 | 81.6 | 170 | 76.0 | 37.0 | 20.0 | 21.5 | 12.5 | 67.8 | 144 |
| 6 | 20.0 | 18.5 | 26.9 | 88.6 | 170 | 88.6 | 35.4 | 28.3 | 24.1 | 13.4 | 66.6 | 127 |
| 7 | 20.0 | 19.0 | 24.1 | 91.4 | 176 | 153 | 35.4 | 28.3 | 24.1 | 13.4 | 69.0 | 103 |
| 8 | 19.0 | 20.0 | 24.8 | 97.0 | 181 | 144 | 36.2 | 24.8 | 22.7 | 13.4 | 83.0 | 143 |
| 9 | 18.5 | 20.5 | 24.1 | 98.5 | 179 | 128 | 37.0 | 22.0 | 22.0 | 13.4 | 90.0 | 203 |
| 10 | 18.5 | 21.0 | 23.4 | 88.6 | 170 | 112 | 34.6 | 21.0 | 21.0 | 13.9 | 80.2 | 161 |
| 11 | 18.5 | 20.5 | 22.7 | 74.6 | 163 | 97.0 | 33.8 | 20.5 | 20.0 | 12.9 | 66.6 | 138 |
| 12 | 18.0 | 20.5 | 23.4 | 66.6 | 156 | 87.2 | 33.0 | 22.0 | 20.0 | 12.9 | 57.0 | 131 |
| 13 | 17.5 | 20.5 | 22.0 | 63.0 | 144 | 78.8 | 33.0 | 22.0 | 20.0 | 12.3 | 53.8 | 112 |
| 14 | 17.0 | 19.5 | 21.0 | 60.6 | 133 | 74.6 | 31.4 | 22.0 | 19.0 | 12.0 | 76.0 | 94.2 |
| 15 | 17.0 | 19.0 | 21.0 | 63.0 | 122 | 70.4 | 28.3 | 21.5 | 18.0 | 12.0 | 90.0 | 85.8 |
| 16 | 16.5 | 18.0 | 21.5 | 64.2 | 115 | 67.8 | 26.9 | 21.0 | 17.5 | 11.8 | 81.6 | 77.4 |
| 17 | 15.6 | 19.5 | 23.4 | 65.4 | 109 | 77.4 | 26.2 | 21.5 | 18.0 | 27.6 | 73.2 | 70.4 |
| 18 | 15.6 | 21.0 | 26.9 | 67.8 | 107 | 88.6 | 25.5 | 22.7 | 17.5 | 54.9 | 66.6 | 98.5 |
| 19 | 15.6 | 22.0 | 29.0 | 71.8 | 103 | 81.6 | 24.1 | 24.8 | 17.0 | 49.7 | 66.6 | 103 |
| 20 | 16.1 | 22.7 | 32.2 | 80.2 | 100 | 71.8 | 22.7 | 27.6 | 17.0 | 38.9 | 63.0 | 92.8 |
| 21 | 16.1 | 22.7 | 32.2 | 87.2 | 98.5 | 64.2 | 21.0 | 27.6 | 18.0 | 32.2 | 53.8 | 80.2 |
| 22 | 16.5 | 20.0 | 29.8 | 90.0 | 95.6 | 60.6 | 21.0 | 27.6 | 18.0 | 28.3 | 54.9 | 70.4 |
| 23 | 16.1 | 20.0 | 29.0 | 90.0 | 85.8 | 59.4 | 21.0 | 29.8 | 18.0 | 24.8 | 54.9 | 63.0 |
| 24 | 15.6 | 19.5 | 45.5 | 101 | 84.4 | 57.0 | 27.6 | 29.0 | 17.5 | 23.4 | 50.7 | 57.0 |
| 25 | 20.0 | 19.5 | 77.4 | 118 | 81.6 | 54.9 | 25.5 | 28.3 | 17.5 | 22.0 | 46.5 | 52.8 |
| 26 | 24.8 | 19.0 | 70.4 | 124 | 76.0 | 53.8 | 24.1 | 27.6 | 17.0 | 21.0 | 44.6 | 49.7 |
| 27 | 24.8 | 19.0 | 64.2 | 115 | 73.2 | 52.8 | 22.7 | 26.2 | 16.5 | 20.0 | 41.8 | 45.5 |
| 28 | 23.4 | 19.0 | 60.6 | 97.0 | 78.8 | 50.7 | 22.0 | 24.8 | 17.0 | 19.5 | 39.8 | 41.8 |
| 29 | 22.0 | 20.0 | 57.0 | 88.6 | 84.4 | 48.6 | 21.5 | 24.1 | 15.6 | 19.5 | 38.0 | 44.6 |
| 30 | 20.5 | | 52.8 | 103 | 80.2 | 45.5 | 21.0 | 22.7 | 14.3 | 18.5 | 36.2 | 66.6 |
| 31 | 19.5 | | 51.8 | | 73.2 | | 20.5 | 22.0 | | 34.6 | | 61.8 |
| SD1 | 20.7 | 19.1 | 25.2 | 78.8 | 153 | 100 | 39.0 | 22.3 | 22.2 | 13.2 | 79.6 | 127 |
| SD2 | 16.7 | 20.3 | 24.3 | 67.7 | 125 | 79.5 | 28.5 | 22.6 | 18.4 | 24.5 | 69.4 | 100 |
| SD3 | 19.9 | 19.9 | 51.9 | 101 | 82.9 | 54.8 | 22.5 | 26.3 | 16.9 | 24.0 | 46.1 | 57.6 |
| MAX | 26.2 | 23.4 | 83.0 | 125 | 183 | 160 | 46.5 | 30.6 | 24.1 | 81.6 | 100 | 213 |
| DAT | 26 | 21 | 25 | 26 | 8 | 7 | 2 | 23 | 6 | 31 | 1 | 9 |
| SR | 19.1 | 19.8 | 34.4 | 82.6 | 119 | 78.2 | 29.8 | 23.8 | 19.2 | 20.7 | 65.0 | 93.7 |
| MIN | 15.6 | 18.0 | 21.0 | 51.8 | 73.2 | 45.5 | 20.5 | 19.5 | 14.3 | 11.8 | 36.2 | 33.8 |
| DAT | 17 | 3 | 14 | 1 | 27 | 30 | 31 | 1 | 30 | 16 | 30 | 1 |
| GMIN = | | 11.8 | | SRGOD= | | 50.5 | | GMAX = | | 213 | | |
| DATUM | | 16 10 | | | | | | DATUM | | 9 12 | | |

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1977

Broj : 45827 Stanica : BERANE Kota "0" = 658.05
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 155.00
Pocetak rada: 1966 Sliv : DRINE Pov.sliva = 1283.2

| DAN | I | II | III | IV | V | VI | VII | VIII | IX | X | XI | XII | |
|-----|------|-------------|------|-------------|------|------------|------|------|------|-----------|------|------|--|
| 1 | 51.8 | 98.5 | 71.8 | 367 | 97.0 | 53.8 | 24.8 | 13.4 | 12.9 | 15.6 | 14.3 | 53.8 | |
| 2 | 46.5 | 115 | 63.0 | 363 | 106 | 51.8 | 24.8 | 13.4 | 12.5 | 14.8 | 14.3 | 49.7 | |
| 3 | 42.7 | 110 | 57.0 | 348 | 109 | 57.0 | 24.1 | 14.3 | 13.4 | 21.0 | 13.4 | 49.7 | |
| 4 | 39.8 | 92.8 | 53.8 | 286 | 112 | 59.4 | 23.4 | 14.8 | 13.9 | 28.3 | 13.4 | 46.5 | |
| 5 | 37.0 | 78.8 | 49.7 | 234 | 113 | 57.0 | 22.7 | 15.6 | 12.9 | 29.0 | 13.4 | 41.8 | |
| 6 | 35.4 | 65.4 | 45.5 | 201 | 115 | 52.8 | 22.0 | 16.1 | 12.9 | 26.9 | 12.9 | 41.8 | |
| 7 | 33.0 | 57.0 | 43.7 | 165 | 112 | 49.7 | 21.5 | 16.1 | 12.5 | 22.7 | 12.5 | 44.6 | |
| 8 | 31.4 | 51.8 | 42.7 | 148 | 104 | 47.5 | 20.5 | 15.6 | 12.5 | 20.0 | 12.5 | 50.7 | |
| 9 | 29.0 | 49.7 | 42.7 | 143 | 94.2 | 46.5 | 20.0 | 15.2 | 12.3 | 19.0 | 12.3 | 48.6 | |
| 10 | 28.3 | 47.5 | 40.8 | 141 | 87.2 | 46.5 | 20.0 | 14.8 | 12.3 | 18.5 | 12.0 | 45.5 | |
| 11 | 27.6 | 50.7 | 40.8 | 130 | 76.0 | 46.5 | 20.0 | 13.4 | 12.3 | 21.0 | 11.8 | 44.6 | |
| 12 | 42.7 | 118 | 41.8 | 109 | 65.4 | 47.5 | 20.0 | 13.4 | 12.0 | 36.2 | 11.5 | 41.8 | |
| 13 | 85.8 | 252 | 53.8 | 92.8 | 58.2 | 47.5 | 19.5 | 13.4 | 12.0 | 39.8 | 11.5 | 38.0 | |
| 14 | 73.2 | 224 | 74.6 | 81.6 | 57.0 | 48.6 | 19.0 | 12.5 | 11.8 | 33.8 | 11.5 | 34.6 | |
| 15 | 60.6 | 160 | 70.4 | 73.2 | 57.0 | 48.6 | 18.0 | 12.3 | 11.0 | 29.0 | 11.5 | 32.2 | |
| 16 | 60.6 | 118 | 60.6 | 77.4 | 61.8 | 48.6 | 16.5 | 12.3 | 10.5 | 26.2 | 11.8 | 30.6 | |
| 17 | 60.6 | 100 | 54.9 | 73.2 | 65.4 | 47.5 | 17.0 | 11.8 | 10.5 | 24.8 | 22.7 | 28.3 | |
| 18 | 54.9 | 81.6 | 49.7 | 69.0 | 65.4 | 42.7 | 17.5 | 11.5 | 13.4 | 23.4 | 35.4 | 25.5 | |
| 19 | 47.5 | 71.8 | 47.5 | 67.8 | 71.8 | 39.8 | 17.0 | 11.3 | 22.7 | 22.0 | 39.8 | 25.5 | |
| 20 | 40.8 | 65.4 | 49.7 | 66.6 | 83.0 | 37.0 | 16.1 | 11.0 | 23.4 | 21.0 | 38.0 | 24.1 | |
| 21 | 37.0 | 60.6 | 50.7 | 64.2 | 91.4 | 37.0 | 15.6 | 10.8 | 23.4 | 19.0 | 33.0 | 23.4 | |
| 22 | 34.6 | 58.2 | 58.2 | 61.8 | 88.6 | 34.6 | 15.2 | 10.8 | 24.8 | 18.0 | 29.0 | 22.0 | |
| 23 | 33.8 | 76.0 | 66.6 | 59.4 | 84.4 | 32.2 | 15.2 | 16.1 | 22.7 | 16.5 | 64.2 | 20.5 | |
| 24 | 31.4 | 90.0 | 73.2 | 59.4 | 77.4 | 30.6 | 15.2 | 18.0 | 21.5 | 15.2 | 94.2 | 20.0 | |
| 25 | 30.6 | 91.4 | 85.8 | 66.6 | 73.2 | 30.6 | 16.1 | 19.5 | 20.5 | 16.1 | 85.8 | 19.5 | |
| 26 | 30.6 | 92.8 | 90.0 | 66.6 | 66.6 | 30.6 | 16.5 | 18.5 | 22.0 | 16.1 | 97.0 | 19.0 | |
| 27 | 31.4 | 92.8 | 91.4 | 61.8 | 63.0 | 29.8 | 16.1 | 16.5 | 22.0 | 16.1 | 110 | 17.5 | |
| 28 | 53.8 | 85.8 | 94.2 | 60.6 | 65.4 | 27.6 | 15.6 | 15.2 | 19.5 | 15.6 | 94.2 | 17.0 | |
| 29 | 60.6 | | 94.2 | 154 | 67.8 | 26.9 | 14.8 | 13.9 | 18.0 | 15.2 | 77.4 | 21.5 | |
| 30 | 103 | | 103 | 83.0 | 65.4 | 26.2 | 14.3 | 13.4 | 16.5 | 14.8 | 63.0 | 119 | |
| 31 | 107 | | 205 | | 57.0 | | 13.4 | 12.9 | | 14.3 | | 136 | |
| SD1 | 37.5 | 76.7 | 51.1 | 240 | 105 | 52.2 | 22.4 | 14.9 | 12.8 | 21.6 | 13.1 | 47.3 | |
| SD2 | 55.4 | 124 | 54.4 | 84.1 | 66.1 | 45.4 | 18.1 | 12.3 | 14.0 | 27.7 | 20.5 | 32.5 | |
| SD3 | 50.3 | 80.9 | 92.0 | 73.7 | 72.7 | 30.6 | 15.3 | 15.1 | 21.1 | 16.1 | 74.8 | 39.6 | |
| MAX | 112 | 282 | 301 | 385 | 115 | 60.6 | 25.5 | 20.0 | 37.0 | 44.6 | 112 | 149 | |
| DAT | 31 | 13 | 31 | 1 | 6 | 4 | 1 | 25 | 22 | 13 | 27 | 30 | |
| SR | 47.8 | 94.8 | 66.7 | 132 | 81.0 | 42.7 | 18.5 | 14.1 | 16.0 | 21.6 | 36.1 | 39.8 | |
| MIN | 27.6 | 47.5 | 40.8 | 59.4 | 57.0 | 26.2 | 13.4 | 10.8 | 10.5 | 14.3 | 11.5 | 17.0 | |
| DAT | 11 | 10 | 10 | 23 | 14 | 30 | 31 | 21 | 16 | 31 | 12 | 28 | |
| | | GMIN = 10.5 | | SRGOD= 50.5 | | GMAX = 385 | | | | DATUM 1 4 | | | |
| | | DATUM 16 9 | | | | | | | | | | | |

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1978

Broj : 45827 Stanica : BERANE Kota "0" = 658.05
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 155.00
Pocetak rada: 1966 Sliv : DRINE Pov.sliva = 1283.2

| DAN | I | II | III | IV | V | VI | VII | VIII | IX | X | XI | XII | |
|-----|------|--------|-------|------|-----|--------|------|------|------|--------|------|------|--|
| 1 | 97.0 | 48.6 | 136 | 54.9 | 139 | 136 | 46.5 | 22.0 | 33.8 | 46.5 | 21.0 | 16.5 | |
| 2 | 70.4 | 40.8 | 125 | 53.8 | 282 | 131 | 44.6 | 22.0 | 31.4 | 76.0 | 20.0 | 16.1 | |
| 3 | 57.0 | 37.0 | 112 | 51.8 | 417 | 130 | 43.7 | 22.0 | 26.9 | 77.4 | 20.0 | 16.1 | |
| 4 | 50.7 | 33.0 | 106 | 53.8 | 299 | 127 | 43.7 | 21.0 | 22.7 | 66.6 | 19.0 | 16.1 | |
| 5 | 45.5 | 30.6 | 100 | 54.9 | 220 | 124 | 42.7 | 21.0 | 23.4 | 61.8 | 19.0 | 16.1 | |
| 6 | 39.8 | 29.0 | 97.0 | 54.9 | 188 | 118 | 42.7 | 21.0 | 23.4 | 54.9 | 19.0 | 16.1 | |
| 7 | 35.4 | 29.0 | 100 | 56.0 | 199 | 113 | 41.8 | 21.0 | 29.0 | 50.7 | 19.0 | 16.1 | |
| 8 | 32.2 | 27.6 | 94.2 | 57.0 | 226 | 109 | 40.8 | 20.5 | 35.4 | 46.5 | 19.0 | 15.6 | |
| 9 | 29.0 | 26.2 | 84.4 | 59.4 | 220 | 107 | 38.9 | 20.5 | 33.8 | 44.6 | 18.5 | 15.6 | |
| 10 | 29.0 | 24.8 | 76.0 | 59.4 | 181 | 106 | 37.0 | 20.0 | 30.6 | 42.7 | 18.5 | 15.6 | |
| 11 | 27.6 | 27.6 | 66.6 | 59.4 | 156 | 104 | 35.4 | 19.5 | 29.0 | 38.9 | 18.5 | 15.6 | |
| 12 | 27.6 | 45.5 | 59.4 | 60.6 | 136 | 103 | 33.8 | 19.5 | 29.0 | 35.4 | 18.0 | 15.6 | |
| 13 | 26.2 | 71.8 | 52.8 | 74.6 | 118 | 107 | 33.0 | 19.0 | 46.5 | 33.8 | 18.0 | 15.2 | |
| 14 | 24.8 | 188 | 48.6 | 174 | 130 | 104 | 33.0 | 19.0 | 66.6 | 32.2 | 18.0 | 37.0 | |
| 15 | 24.8 | 188 | 44.6 | 216 | 146 | 97.0 | 32.2 | 19.0 | 52.8 | 30.6 | 18.0 | 65.4 | |
| 16 | 23.4 | 130 | 51.8 | 181 | 133 | 100 | 32.2 | 19.0 | 46.5 | 29.0 | 18.0 | 51.8 | |
| 17 | 23.4 | 100 | 49.7 | 139 | 124 | 100 | 32.2 | 19.0 | 40.8 | 28.3 | 17.5 | 98.5 | |
| 18 | 24.8 | 85.8 | 88.6 | 115 | 122 | 88.6 | 30.6 | 18.5 | 37.0 | 27.6 | 17.5 | 185 | |
| 19 | 24.8 | 71.8 | 136 | 95.6 | 124 | 83.0 | 30.6 | 18.5 | 33.8 | 26.2 | 17.0 | 199 | |
| 20 | 24.1 | 77.4 | 115 | 83.0 | 128 | 83.0 | 29.0 | 18.5 | 32.2 | 25.5 | 17.0 | 160 | |
| 21 | 23.4 | 133 | 97.0 | 74.6 | 136 | 77.4 | 29.0 | 18.5 | 38.9 | 24.8 | 17.0 | 127 | |
| 22 | 22.0 | 106 | 91.4 | 69.0 | 139 | 74.6 | 29.0 | 18.5 | 35.4 | 26.2 | 17.0 | 101 | |
| 23 | 21.5 | 84.4 | 80.2 | 65.4 | 254 | 69.0 | 27.6 | 18.5 | 32.2 | 26.2 | 17.0 | 88.6 | |
| 24 | 21.0 | 71.8 | 76.0 | 64.2 | 282 | 64.2 | 26.2 | 18.5 | 30.6 | 24.8 | 17.0 | 74.6 | |
| 25 | 21.0 | 64.2 | 71.8 | 61.8 | 218 | 59.4 | 26.2 | 18.5 | 30.6 | 23.4 | 17.0 | 64.2 | |
| 26 | 22.0 | 74.6 | 63.0 | 69.0 | 178 | 57.0 | 24.8 | 18.5 | 29.8 | 23.4 | 17.0 | 59.4 | |
| 27 | 21.5 | 115 | 59.4 | 84.4 | 160 | 57.0 | 24.8 | 19.0 | 29.0 | 22.0 | 17.0 | 57.0 | |
| 28 | 20.0 | 153 | 54.9 | 115 | 169 | 54.9 | 23.4 | 19.0 | 30.6 | 22.0 | 17.0 | 52.8 | |
| 29 | 24.8 | | 50.7 | 151 | 165 | 52.8 | 23.4 | 19.0 | 54.9 | 21.5 | 16.5 | 58.2 | |
| 30 | 83.0 | | 50.7 | 138 | 163 | 50.7 | 22.0 | 19.0 | 54.9 | 21.0 | 16.5 | 77.4 | |
| 31 | 60.6 | | 52.8 | | 146 | | 22.0 | 22.0 | | 21.0 | | 103 | |
| SD1 | 48.6 | 32.7 | 103 | 55.6 | 237 | 120 | 42.2 | 21.1 | 29.0 | 56.8 | 19.3 | 16.0 | |
| SD2 | 25.1 | 98.6 | 71.3 | 120 | 132 | 97.0 | 32.2 | 19.0 | 41.4 | 30.8 | 17.8 | 84.3 | |
| SD3 | 31.0 | 100 | 68.0 | 89.2 | 183 | 61.7 | 25.3 | 19.0 | 36.7 | 23.3 | 16.9 | 78.5 | |
| MAX | 115 | 220 | 143 | 228 | 440 | 139 | 46.5 | 29.0 | 69.0 | 83.0 | 21.5 | 215 | |
| DAT | 1 | 14 | 1 | 15 | 3 | 1 | 1 | 31 | 14 | 2 | 1 | 19 | |
| SR | 34.8 | 75.5 | 80.4 | 88.2 | 184 | 92.9 | 33.0 | 19.7 | 35.7 | 36.5 | 18.0 | 60.2 | |
| MIN | 20.0 | 24.8 | 44.6 | 51.8 | 118 | 50.7 | 22.0 | 18.5 | 22.7 | 21.0 | 16.5 | 15.2 | |
| DAT | 28 | 10 | 15 | 3 | 13 | 30 | 30 | 18 | 4 | 30 | 29 | 13 | |
| | | GMIN = | 15.2 | | | SRGOD= | 63.2 | | | GMAX = | 440 | | |
| | | DATUM | 13 12 | | | | | | | DATUM | 3 5 | | |

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1979

Broj : 45827 Stanica : BERANE Kota "0" = 658.05
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 155.00
Pocetak rada: 1966 Sliv : DRINE Pov.sliva = 1283.2

| DAN | I | II | III | IV | V | VI | VII | VIII | IX | X | XI | XII |
|--------|------|------|------|--------|-----|------|------|--------|------|------|-------|------|
| 1 | 163 | 156 | 45.2 | 90.5 | 177 | 101 | 47.0 | 27.6 | 29.9 | 18.4 | 247 | 104 |
| 2 | 166 | 120 | 43.4 | 77.4 | 133 | 98.0 | 47.0 | 29.0 | 27.6 | 19.0 | 177 | 98.0 |
| 3 | 114 | 98.0 | 41.6 | 66.6 | 114 | 98.0 | 44.3 | 29.0 | 26.2 | 19.0 | 136 | 93.5 |
| 4 | 84.5 | 90.5 | 39.8 | 61.8 | 115 | 98.0 | 47.0 | 30.8 | 25.5 | 18.4 | 107 | 90.5 |
| 5 | 71.8 | 96.5 | 39.8 | 70.4 | 110 | 95.0 | 48.0 | 30.8 | 25.5 | 17.8 | 89.0 | 89.0 |
| 6 | 58.2 | 98.0 | 38.0 | 142 | 102 | 89.0 | 45.2 | 30.8 | 29.9 | 20.8 | 92.0 | 80.2 |
| 7 | 51.0 | 90.5 | 38.0 | 156 | 110 | 83.0 | 42.5 | 29.9 | 30.8 | 33.5 | 95.0 | 77.4 |
| 8 | 43.4 | 80.2 | 38.0 | 115 | 131 | 77.4 | 40.7 | 29.0 | 29.0 | 38.9 | 86.0 | 74.6 |
| 9 | 41.6 | 70.4 | 38.0 | 92.0 | 126 | 74.6 | 41.6 | 27.6 | 26.2 | 35.3 | 76.0 | 71.8 |
| 10 | 47.0 | 65.4 | 36.2 | 76.0 | 144 | 71.8 | 42.5 | 24.8 | 26.2 | 32.6 | 69.0 | 69.0 |
| 11 | 70.4 | 77.4 | 35.3 | 67.8 | 147 | 71.8 | 38.9 | 22.0 | 25.5 | 30.8 | 66.6 | 67.8 |
| 12 | 130 | 80.2 | 34.4 | 63.0 | 136 | 69.0 | 38.0 | 21.4 | 24.8 | 28.3 | 92.0 | 106 |
| 13 | 101 | 133 | 32.6 | 59.4 | 120 | 66.6 | 37.1 | 21.4 | 24.1 | 29.0 | 95.0 | 98.0 |
| 14 | 74.6 | 191 | 31.7 | 55.0 | 139 | 64.2 | 35.3 | 22.7 | 22.7 | 66.6 | 83.0 | 92.0 |
| 15 | 61.8 | 173 | 32.6 | 53.0 | 130 | 59.4 | 32.6 | 24.1 | 24.1 | 66.6 | 74.6 | 84.5 |
| 16 | 53.0 | 156 | 34.4 | 52.0 | 117 | 57.0 | 30.8 | 24.1 | 24.8 | 55.0 | 247 | 83.0 |
| 17 | 45.2 | 138 | 39.8 | 55.0 | 110 | 95.0 | 30.8 | 23.4 | 23.4 | 47.0 | 1128 | 80.2 |
| 18 | 41.6 | 130 | 38.9 | 59.4 | 110 | 151 | 30.8 | 22.7 | 22.0 | 43.4 | 1078 | 77.4 |
| 19 | 38.0 | 115 | 38.0 | 60.6 | 123 | 131 | 29.0 | 22.7 | 20.8 | 47.0 | 1000 | 76.0 |
| 20 | 34.4 | 98.0 | 38.0 | 57.0 | 130 | 104 | 29.0 | 26.2 | 19.6 | 48.0 | 594 | 83.0 |
| 21 | 32.6 | 83.0 | 39.8 | 53.0 | 136 | 89.0 | 29.0 | 26.2 | 18.4 | 46.1 | 348 | 92.0 |
| 22 | 30.8 | 71.8 | 41.6 | 49.0 | 136 | 80.2 | 29.0 | 59.4 | 17.8 | 42.5 | 226 | 98.0 |
| 23 | 30.8 | 64.2 | 43.4 | 46.1 | 136 | 71.8 | 29.0 | 55.0 | 17.2 | 38.0 | 149 | 107 |
| 24 | 30.8 | 57.0 | 43.4 | 45.2 | 133 | 66.6 | 26.2 | 45.2 | 19.0 | 36.2 | 144 | 110 |
| 25 | 32.6 | 54.0 | 41.6 | 43.4 | 130 | 63.0 | 25.5 | 45.2 | 22.7 | 35.3 | 139 | 114 |
| 26 | 107 | 52.0 | 40.7 | 74.6 | 123 | 57.0 | 26.2 | 53.0 | 22.0 | 33.5 | 133 | 109 |
| 27 | 96.5 | 49.0 | 43.4 | 266 | 120 | 54.0 | 27.6 | 47.0 | 22.0 | 30.8 | 130 | 99.6 |
| 28 | 84.5 | 48.0 | 126 | 420 | 118 | 52.0 | 26.2 | 40.7 | 20.8 | 29.0 | 128 | 93.5 |
| 29 | 117 | | 164 | 307 | 118 | 51.0 | 26.9 | 38.0 | 20.2 | 29.0 | 115 | 86.0 |
| 30 | 285 | | 141 | 234 | 114 | 49.0 | 26.9 | 36.2 | 19.0 | 114 | 107 | 90.5 |
| 31 | 239 | | 112 | | 107 | | 26.9 | 32.6 | | 307 | | 101 |
| SD1 | 84.1 | 96.6 | 39.8 | 94.8 | 126 | 88.6 | 44.6 | 28.9 | 27.7 | 25.4 | 117 | 84.8 |
| SD2 | 65.0 | 129 | 35.6 | 58.2 | 126 | 86.9 | 33.2 | 23.1 | 23.2 | 46.2 | 446 | 84.8 |
| SD3 | 98.8 | 59.9 | 76.1 | 154 | 125 | 63.4 | 27.2 | 43.5 | 19.9 | 67.4 | 162 | 100 |
| MAX | 316 | 199 | 172 | 442 | 204 | 157 | 48.0 | 67.8 | 31.7 | 307 | 1270 | 114 |
| DAT | 30 | 14 | 29 | 28 | 1 | 18 | 5 | 22 | 6 | 14 | 17 | 25 |
| SR | 83.1 | 97.7 | 51.3 | 102 | 126 | 79.6 | 34.8 | 32.2 | 23.6 | 47.0 | 242 | 90.2 |
| MIN | 30.8 | 48.0 | 31.7 | 43.4 | 102 | 49.0 | 25.5 | 21.4 | 17.2 | 17.8 | 66.6 | 67.8 |
| DAT | 22 | 28 | 14 | 25 | 6 | 30 | 25 | 12 | 23 | 5 | 11 | 11 |
| GMIN = | | | 17.2 | SRGOD= | | | 83.7 | GMAX = | | | 1270 | |
| DATUM | | | 23 9 | | | | | DATUM | | | 17 11 | |

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1980

Broj : 45827 Stanica : BERANE Kota "0" = 658.05
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 155.00
Pocetak rada: 1966 Sliv : DRINE Pov.sliva = 1283.2

| DAN | I | II | III | IV | V | VI | VII | VIII | IX | X | XI | XII | |
|--------|------|------|------|--------|------|------|------|--------|------|------|-------|------|--|
| 1 | 72.8 | 42.1 | 20.8 | 60.6 | 45.2 | 107 | 47.4 | 18.0 | 11.0 | 6.80 | 38.5 | 47.4 | |
| 2 | 70.2 | 65.0 | 19.5 | 58.4 | 49.6 | 101 | 45.2 | 17.0 | 10.7 | 6.80 | 35.8 | 45.2 | |
| 3 | 65.0 | 60.6 | 19.5 | 60.6 | 54.0 | 89.2 | 45.2 | 16.0 | 10.7 | 6.80 | 33.2 | 48.5 | |
| 4 | 56.2 | 56.2 | 20.1 | 62.8 | 59.5 | 78.0 | 43.0 | 14.5 | 10.4 | 6.60 | 38.5 | 56.2 | |
| 5 | 51.8 | 54.0 | 20.1 | 59.5 | 92.0 | 75.4 | 41.2 | 14.1 | 10.4 | 6.60 | 43.0 | 62.8 | |
| 6 | 47.4 | 51.8 | 19.5 | 54.0 | 104 | 72.8 | 39.4 | 13.8 | 10.1 | 6.40 | 51.8 | 68.9 | |
| 7 | 43.0 | 51.8 | 19.5 | 51.8 | 104 | 78.0 | 39.4 | 13.4 | 9.80 | 6.20 | 107 | 75.4 | |
| 8 | 41.2 | 50.7 | 18.5 | 47.4 | 102 | 82.2 | 38.5 | 13.1 | 9.50 | 6.20 | 101 | 86.4 | |
| 9 | 39.4 | 49.6 | 19.0 | 45.2 | 101 | 87.8 | 37.6 | 12.8 | 9.20 | 6.00 | 83.6 | 85.0 | |
| 10 | 37.6 | 49.6 | 19.5 | 45.2 | 107 | 105 | 36.7 | 12.8 | 8.90 | 33.2 | 92.0 | 80.8 | |
| 11 | 35.8 | 47.4 | 22.1 | 45.2 | 116 | 110 | 34.0 | 12.4 | 8.30 | 43.0 | 110 | 76.7 | |
| 12 | 34.9 | 43.0 | 27.6 | 41.2 | 107 | 98.0 | 30.8 | 11.7 | 8.30 | 36.7 | 110 | 72.8 | |
| 13 | 33.2 | 42.1 | 24.7 | 39.4 | 101 | 98.0 | 29.2 | 18.0 | 8.00 | 126 | 116 | 62.8 | |
| 14 | 32.4 | 41.2 | 23.4 | 35.8 | 95.0 | 95.0 | 26.0 | 18.5 | 8.00 | 173 | 415 | 56.2 | |
| 15 | 30.8 | 37.6 | 23.4 | 35.8 | 104 | 92.0 | 24.7 | 14.1 | 8.00 | 133 | 538 | 45.2 | |
| 16 | 30.8 | 33.2 | 23.4 | 35.8 | 119 | 89.2 | 23.4 | 13.4 | 8.00 | 116 | 204 | 39.4 | |
| 17 | 30.8 | 32.4 | 23.4 | 34.9 | 140 | 86.4 | 22.8 | 12.8 | 8.00 | 66.3 | 177 | 38.5 | |
| 18 | 30.8 | 30.8 | 23.4 | 39.4 | 131 | 80.8 | 22.8 | 15.0 | 7.80 | 72.8 | 140 | 37.6 | |
| 19 | 30.8 | 30.0 | 23.4 | 43.0 | 119 | 76.7 | 22.1 | 14.5 | 7.80 | 95.0 | 107 | 37.6 | |
| 20 | 30.0 | 29.2 | 24.7 | 47.4 | 116 | 72.8 | 22.1 | 12.8 | 7.60 | 78.0 | 92.0 | 37.6 | |
| 21 | 29.2 | 27.6 | 27.6 | 51.8 | 113 | 70.2 | 22.1 | 12.4 | 7.60 | 67.6 | 78.0 | 36.7 | |
| 22 | 27.6 | 26.8 | 37.6 | 75.4 | 110 | 65.0 | 21.5 | 11.4 | 7.60 | 67.6 | 72.8 | 36.7 | |
| 23 | 25.4 | 26.0 | 67.6 | 72.8 | 110 | 60.6 | 21.5 | 11.0 | 7.40 | 58.4 | 67.6 | 35.8 | |
| 24 | 30.0 | 25.4 | 86.4 | 63.9 | 107 | 56.2 | 20.8 | 10.7 | 7.60 | 49.6 | 63.9 | 34.0 | |
| 25 | 35.8 | 24.7 | 78.0 | 60.6 | 107 | 54.0 | 20.1 | 10.7 | 7.60 | 45.2 | 60.6 | 34.0 | |
| 26 | 54.0 | 24.0 | 65.0 | 54.0 | 113 | 54.0 | 19.5 | 10.4 | 7.40 | 54.0 | 59.5 | 34.0 | |
| 27 | 56.2 | 23.4 | 54.0 | 48.5 | 116 | 51.8 | 19.5 | 10.4 | 7.20 | 67.6 | 57.3 | 32.4 | |
| 28 | 49.6 | 22.8 | 54.0 | 48.5 | 119 | 50.7 | 19.0 | 10.1 | 7.20 | 60.6 | 55.1 | 30.8 | |
| 29 | 42.1 | 21.5 | 56.2 | 46.3 | 119 | 50.7 | 19.0 | 10.4 | 7.20 | 51.8 | 52.9 | 29.2 | |
| 30 | 38.5 | | 56.2 | 45.2 | 116 | 49.6 | 18.5 | 10.7 | 7.00 | 45.2 | 50.7 | 27.6 | |
| 31 | 36.7 | | 60.6 | | 111 | | 18.5 | 11.0 | | 41.2 | | 26.0 | |
| SD1 | 52.5 | 53.1 | 19.6 | 54.5 | 81.8 | 87.6 | 41.4 | 14.6 | 10.1 | 9.16 | 62.4 | 65.7 | |
| SD2 | 32.0 | 36.7 | 23.9 | 39.8 | 115 | 89.9 | 25.8 | 14.3 | 7.98 | 94.0 | 201 | 50.4 | |
| SD3 | 38.6 | 24.7 | 58.5 | 56.7 | 113 | 56.3 | 20.0 | 10.8 | 7.38 | 55.3 | 61.8 | 32.5 | |
| MAX | 72.8 | 65.0 | 86.4 | 75.4 | 140 | 110 | 47.4 | 18.5 | 11.0 | 173 | 538 | 86.4 | |
| DAT | 1 | 2 | 24 | 22 | 17 | 11 | 1 | 14 | 1 | 14 | 15 | 8 | |
| SR | 41.0 | 38.6 | 34.8 | 50.3 | 103 | 77.9 | 28.8 | 13.2 | 8.48 | 52.9 | 108 | 49.0 | |
| MIN | 25.4 | 21.5 | 18.5 | 34.9 | 45.2 | 49.6 | 18.5 | 10.1 | 7.00 | 6.00 | 33.2 | 26.0 | |
| DAT | 23 | 29 | 8 | 17 | 1 | 30 | 30 | 28 | 30 | 9 | 3 | 31 | |
| GMIN = | | | 6.00 | SRGOD= | | | 50.5 | GMAX = | | | 538 | | |
| DATUM | | | 9 10 | | | | | DATUM | | | 15 11 | | |

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1981

Broj : 45827 Stanica : BERANE Kota "0" = 658.05
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 155.00
Pocetak rada: 1966 Sliv : DRINE Pov.sliva = 1283.2

| DAN | I | II | III | IV | V | VI | VII | VIII | IX | X | XI | XII |
|-----|------|-------------|------|-------------|-----|-------------|------|------|------|------|------|------|
| 1 | 26.8 | 18.0 | 25.4 | 188 | 126 | 104 | 35.8 | 16.0 | 13.8 | 13.1 | 47.4 | 26.0 |
| 2 | 26.8 | 17.5 | 30.0 | 169 | 128 | 101 | 32.4 | 14.5 | 13.4 | 13.1 | 41.2 | 40.3 |
| 3 | 26.0 | 17.5 | 49.6 | 158 | 129 | 98.0 | 30.8 | 14.5 | 13.4 | 23.4 | 37.6 | 34.0 |
| 4 | 26.0 | 17.0 | 39.4 | 147 | 133 | 92.0 | 30.0 | 15.0 | 13.8 | 26.8 | 33.2 | 29.2 |
| 5 | 26.0 | 17.5 | 196 | 133 | 134 | 89.2 | 29.2 | 16.0 | 13.8 | 24.7 | 30.8 | 25.4 |
| 6 | 25.4 | 18.0 | 119 | 110 | 136 | 98.0 | 28.4 | 15.5 | 13.8 | 20.8 | 28.4 | 24.7 |
| 7 | 25.4 | 18.0 | 82.2 | 107 | 140 | 101 | 27.6 | 15.5 | 14.1 | 19.0 | 27.6 | 23.4 |
| 8 | 25.4 | 19.0 | 72.8 | 104 | 133 | 95.0 | 27.6 | 16.5 | 14.1 | 19.0 | 26.8 | 23.4 |
| 9 | 25.4 | 20.8 | 67.6 | 101 | 123 | 85.0 | 26.8 | 16.0 | 14.5 | 17.0 | 26.0 | 37.6 |
| 10 | 24.7 | 26.0 | 75.4 | 98.0 | 113 | 80.8 | 26.0 | 12.4 | 14.5 | 16.5 | 24.7 | 86.4 |
| 11 | 24.7 | 33.2 | 83.6 | 110 | 110 | 75.4 | 25.4 | 13.4 | 15.0 | 15.5 | 23.4 | 136 |
| 12 | 24.0 | 78.0 | 101 | 104 | 161 | 68.9 | 24.7 | 14.1 | 15.5 | 15.0 | 22.1 | 184 |
| 13 | 24.0 | 70.2 | 107 | 101 | 150 | 67.6 | 24.0 | 14.5 | 15.5 | 15.5 | 20.8 | 343 |
| 14 | 24.7 | 58.4 | 133 | 98.0 | 140 | 67.6 | 24.7 | 14.5 | 15.5 | 16.0 | 20.8 | 477 |
| 15 | 24.7 | 49.6 | 140 | 99.5 | 133 | 67.6 | 24.0 | 14.1 | 26.0 | 16.0 | 20.8 | 265 |
| 16 | 24.0 | 43.0 | 136 | 102 | 126 | 65.0 | 23.4 | 13.8 | 24.7 | 15.5 | 20.8 | 184 |
| 17 | 24.0 | 37.6 | 134 | 104 | 123 | 65.0 | 22.8 | 13.1 | 22.8 | 14.5 | 20.1 | 140 |
| 18 | 23.4 | 33.2 | 133 | 110 | 123 | 65.0 | 22.1 | 13.1 | 19.5 | 14.1 | 20.1 | 110 |
| 19 | 22.8 | 30.8 | 126 | 104 | 126 | 66.3 | 21.5 | 13.4 | 17.5 | 14.1 | 19.5 | 105 |
| 20 | 22.1 | 30.0 | 116 | 98.0 | 129 | 60.6 | 20.8 | 13.4 | 14.5 | 13.8 | 19.0 | 220 |
| 21 | 21.5 | 29.2 | 113 | 92.0 | 136 | 54.0 | 20.1 | 13.4 | 14.1 | 13.8 | 18.5 | 161 |
| 22 | 20.8 | 28.4 | 95.0 | 119 | 136 | 50.7 | 19.5 | 13.1 | 13.8 | 13.1 | 19.0 | 123 |
| 23 | 20.1 | 27.6 | 80.8 | 119 | 158 | 45.2 | 19.0 | 13.1 | 13.8 | 17.5 | 19.5 | 107 |
| 24 | 20.1 | 27.6 | 86.4 | 119 | 140 | 43.0 | 18.5 | 13.1 | 13.1 | 62.8 | 20.1 | 95.0 |
| 25 | 19.5 | 26.8 | 92.0 | 133 | 133 | 41.2 | 18.0 | 13.4 | 13.1 | 93.5 | 20.8 | 107 |
| 26 | 19.5 | 26.0 | 101 | 177 | 129 | 40.3 | 17.5 | 13.4 | 12.8 | 72.8 | 22.1 | 116 |
| 27 | 19.0 | 26.0 | 110 | 232 | 107 | 40.3 | 17.5 | 13.8 | 12.8 | 56.2 | 22.8 | 98.0 |
| 28 | 19.0 | 25.4 | 119 | 200 | 118 | 39.4 | 17.5 | 13.4 | 12.4 | 75.4 | 23.4 | 86.4 |
| 29 | 19.0 | | 129 | 184 | 113 | 38.5 | 17.5 | 13.8 | 12.8 | 80.8 | 22.8 | 70.2 |
| 30 | 18.5 | | 158 | 165 | 107 | 37.6 | 17.5 | 13.8 | 13.1 | 67.6 | 23.4 | 86.4 |
| 31 | 18.5 | | 180 | | 104 | | 17.0 | 14.1 | | 54.0 | | 95.0 |
| SD1 | 25.8 | 18.9 | 75.7 | 132 | 130 | 94.4 | 29.5 | 15.2 | 13.9 | 19.3 | 32.4 | 35.0 |
| SD2 | 23.8 | 46.4 | 121 | 103 | 132 | 66.9 | 23.3 | 13.7 | 18.6 | 15.0 | 20.7 | 216 |
| SD3 | 19.6 | 27.1 | 115 | 154 | 126 | 43.0 | 18.1 | 13.5 | 13.2 | 55.2 | 21.2 | 104 |
| MAX | 26.8 | 78.0 | 196 | 232 | 161 | 104 | 35.8 | 16.0 | 26.0 | 93.5 | 47.4 | 477 |
| DAT | 1 | 12 | 5 | 27 | 12 | 1 | 1 | 1 | 15 | 25 | 1 | 14 |
| SR | 23.0 | 31.1 | 104 | 130 | 129 | 68.1 | 23.5 | 14.1 | 15.2 | 30.7 | 24.8 | 118 |
| MIN | 18.5 | 17.0 | 25.4 | 92.0 | 104 | 37.6 | 17.0 | 12.4 | 12.4 | 13.1 | 18.5 | 23.4 |
| DAT | 30 | 4 | 1 | 21 | 31 | 30 | 31 | 10 | 28 | 1 | 21 | 7 |
| | | GMIN = 12.4 | | SRGOD= 59.5 | | GMAX = 477 | | | | | | |
| | | DATUM 10 8 | | | | DATUM 14 12 | | | | | | |

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1982

Broj : 45827 Stanica : BERANE Kota "0" = 658.05
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 155.00
Pocetak rada: 1966 Sliv : DRINE Pov.sliva = 1283.2

| DAN | I | II | III | IV | V | VI | VII | VIII | IX | X | XI | XII | |
|-----|------|-------------|------|-------------|------|------------|------|------|------|-----------|------|------|--|
| 1 | 86.4 | 29.2 | 16.5 | 173 | 63.9 | 75.4 | 30.0 | 13.8 | 11.7 | 9.50 | 11.7 | 14.1 | |
| 2 | 95.0 | 28.4 | 16.0 | 136 | 66.3 | 70.2 | 30.0 | 13.8 | 11.4 | 9.50 | 11.7 | 13.8 | |
| 3 | 98.0 | 26.8 | 16.0 | 123 | 63.9 | 67.6 | 27.6 | 13.4 | 11.4 | 9.50 | 11.7 | 14.5 | |
| 4 | 89.2 | 26.0 | 16.0 | 111 | 59.5 | 62.8 | 26.8 | 13.1 | 11.0 | 9.80 | 11.7 | 14.5 | |
| 5 | 80.8 | 24.7 | 15.5 | 99.5 | 62.8 | 60.6 | 26.0 | 13.4 | 10.7 | 10.1 | 11.4 | 14.5 | |
| 6 | 75.4 | 24.7 | 16.5 | 92.0 | 63.9 | 58.4 | 26.0 | 13.8 | 10.4 | 10.1 | 11.0 | 13.8 | |
| 7 | 60.6 | 24.0 | 18.5 | 89.2 | 70.2 | 58.4 | 28.4 | 13.1 | 10.4 | 11.7 | 11.0 | 13.4 | |
| 8 | 59.5 | 24.0 | 21.5 | 89.2 | 85.0 | 55.1 | 30.0 | 12.8 | 10.4 | 34.0 | 11.0 | 13.1 | |
| 9 | 58.4 | 23.4 | 20.1 | 92.0 | 105 | 51.8 | 24.7 | 12.4 | 10.4 | 36.7 | 11.0 | 13.1 | |
| 10 | 59.5 | 23.4 | 19.5 | 96.5 | 119 | 47.4 | 25.4 | 12.4 | 10.4 | 30.8 | 11.0 | 13.1 | |
| 11 | 57.3 | 22.8 | 18.5 | 98.0 | 123 | 48.5 | 24.0 | 12.4 | 10.7 | 23.4 | 10.7 | 13.4 | |
| 12 | 65.0 | 22.1 | 24.7 | 99.5 | 143 | 46.3 | 22.8 | 12.4 | 10.7 | 22.1 | 10.7 | 14.5 | |
| 13 | 67.6 | 21.5 | 21.5 | 89.2 | 134 | 52.9 | 23.4 | 12.1 | 11.0 | 20.8 | 10.4 | 15.5 | |
| 14 | 65.0 | 20.8 | 25.4 | 83.6 | 131 | 70.2 | 22.8 | 12.1 | 11.0 | 19.5 | 10.4 | 17.5 | |
| 15 | 61.7 | 20.1 | 30.0 | 108 | 119 | 80.8 | 22.1 | 11.7 | 10.7 | 18.0 | 18.5 | 22.8 | |
| 16 | 56.2 | 19.5 | 22.8 | 154 | 111 | 70.2 | 21.5 | 11.7 | 10.7 | 17.5 | 19.5 | 43.0 | |
| 17 | 54.0 | 19.5 | 20.1 | 167 | 101 | 60.6 | 20.8 | 11.7 | 10.4 | 18.5 | 24.0 | 34.9 | |
| 18 | 51.8 | 18.5 | 20.1 | 167 | 95.0 | 51.8 | 20.1 | 11.7 | 10.1 | 18.0 | 30.0 | 33.2 | |
| 19 | 49.6 | 18.5 | 31.6 | 158 | 92.0 | 50.7 | 19.5 | 11.7 | 9.80 | 18.0 | 26.0 | 67.6 | |
| 20 | 45.2 | 19.5 | 38.5 | 140 | 95.0 | 48.5 | 18.5 | 11.7 | 9.80 | 16.5 | 22.1 | 79.4 | |
| 21 | 43.0 | 18.5 | 35.8 | 128 | 92.0 | 43.0 | 17.5 | 11.7 | 9.80 | 15.5 | 19.5 | 61.7 | |
| 22 | 40.3 | 18.5 | 33.2 | 110 | 95.0 | 41.2 | 17.0 | 12.8 | 9.80 | 14.5 | 18.5 | 48.5 | |
| 23 | 37.6 | 17.0 | 30.8 | 96.5 | 92.0 | 39.4 | 16.5 | 14.5 | 9.80 | 14.1 | 18.0 | 63.9 | |
| 24 | 37.6 | 18.5 | 29.2 | 92.0 | 92.0 | 37.6 | 15.5 | 13.4 | 9.80 | 13.8 | 17.0 | 75.4 | |
| 25 | 35.8 | 20.8 | 27.6 | 83.6 | 92.0 | 36.7 | 15.0 | 13.1 | 9.80 | 13.8 | 16.5 | 65.0 | |
| 26 | 34.0 | 27.6 | 26.8 | 78.0 | 104 | 35.8 | 15.0 | 12.8 | 9.80 | 13.8 | 16.0 | 45.2 | |
| 27 | 32.4 | 19.5 | 26.8 | 72.8 | 95.0 | 34.0 | 15.0 | 12.4 | 9.80 | 13.8 | 16.0 | 45.2 | |
| 28 | 31.6 | 18.0 | 26.8 | 67.6 | 95.0 | 34.0 | 15.0 | 12.1 | 9.80 | 13.4 | 15.5 | 40.3 | |
| 29 | 30.8 | | 31.6 | 65.0 | 89.2 | 32.4 | 15.0 | 12.1 | 9.80 | 13.4 | 14.5 | 35.8 | |
| 30 | 30.8 | | 40.3 | 65.0 | 89.2 | 30.8 | 14.5 | 11.7 | 9.50 | 13.1 | 14.5 | 34.0 | |
| 31 | 30.0 | | 140 | | 86.4 | | 14.5 | 11.7 | | 12.1 | | 30.0 | |
| SD1 | 76.3 | 25.5 | 17.6 | 110 | 75.9 | 60.8 | 27.5 | 13.2 | 10.8 | 17.2 | 11.3 | 13.8 | |
| SD2 | 57.3 | 20.3 | 25.3 | 126 | 114 | 58.0 | 21.6 | 11.9 | 10.5 | 19.2 | 18.2 | 34.2 | |
| SD3 | 34.9 | 19.8 | 40.8 | 85.8 | 92.9 | 36.5 | 15.5 | 12.6 | 9.77 | 13.8 | 16.6 | 49.5 | |
| MAX | 98.0 | 29.2 | 140 | 173 | 143 | 80.8 | 30.0 | 15.5 | 11.7 | 36.7 | 30.0 | 79.4 | |
| DAT | 3 | 1 | 31 | 1 | 12 | 15 | 1 | 5 | 1 | 9 | 18 | 20 | |
| SR | 55.5 | 22.0 | 28.3 | 107 | 94.4 | 51.8 | 21.3 | 12.6 | 10.4 | 16.6 | 15.4 | 33.1 | |
| MIN | 30.0 | 17.0 | 15.5 | 65.0 | 59.5 | 30.8 | 14.5 | 11.7 | 9.50 | 9.50 | 10.4 | 13.1 | |
| DAT | 31 | 23 | 5 | 29 | 4 | 30 | 30 | 15 | 30 | 1 | 13 | 8 | |
| | | GMIN = 9.50 | | SRGOD= 39.1 | | GMAX = 173 | | | | DATUM 1 4 | | | |
| | | DATUM 30 9 | | | | | | | | | | | |

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1983

Broj : 45827 Stanica : BERANE Kota "0" = 658.05
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 155.00
Pocetak rada: 1966 Sliv : DRINE Pov.sliva = 1283.2

| DAN | I | II | III | IV | V | VI | VII | VIII | IX | X | XI | XII |
|-------------|------|------|-------------|------|------|------|------|------------|------|------|------|------|
| 1 | 23.3 | 14.6 | 15.4 | 70.3 | 99.0 | 33.8 | 29.3 | 16.6 | 10.9 | 13.0 | 10.2 | 25.3 |
| 2 | 22.0 | 14.6 | 15.0 | 72.8 | 110 | 32.3 | 27.2 | 15.0 | 10.9 | 12.3 | 11.6 | 22.0 |
| 3 | 21.0 | 15.0 | 14.6 | 84.2 | 128 | 31.5 | 27.9 | 14.6 | 11.3 | 12.3 | 11.9 | 21.0 |
| 4 | 20.0 | 14.6 | 15.0 | 89.4 | 106 | 33.0 | 27.9 | 13.4 | 11.3 | 11.6 | 11.9 | 20.0 |
| 5 | 19.5 | 14.6 | 15.0 | 79.0 | 89.4 | 32.3 | 26.5 | 13.0 | 13.0 | 11.3 | 11.6 | 19.0 |
| 6 | 19.0 | 14.6 | 14.6 | 67.8 | 79.0 | 32.3 | 24.6 | 13.8 | 12.6 | 10.9 | 11.3 | 18.0 |
| 7 | 18.0 | 27.2 | 13.8 | 59.6 | 69.0 | 35.3 | 22.6 | 13.4 | 12.3 | 10.6 | 11.3 | 17.5 |
| 8 | 17.0 | 37.8 | 14.6 | 54.0 | 63.0 | 39.6 | 23.3 | 13.4 | 11.9 | 10.6 | 10.9 | 17.0 |
| 9 | 17.0 | 32.3 | 17.0 | 53.0 | 55.0 | 36.0 | 24.6 | 13.0 | 11.6 | 10.6 | 10.2 | 16.2 |
| 10 | 16.2 | 40.5 | 20.0 | 58.5 | 55.0 | 33.0 | 22.0 | 13.0 | 10.9 | 10.6 | 10.2 | 15.8 |
| 11 | 15.4 | 55.0 | 23.3 | 67.8 | 55.0 | 30.0 | 21.0 | 12.6 | 10.6 | 10.6 | 10.2 | 17.0 |
| 12 | 15.4 | 79.0 | 25.3 | 79.0 | 55.0 | 29.3 | 21.5 | 12.6 | 10.2 | 10.9 | 9.85 | 19.0 |
| 13 | 15.0 | 56.2 | 23.3 | 103 | 54.0 | 29.3 | 21.5 | 13.4 | 10.2 | 11.9 | 9.85 | 18.0 |
| 14 | 14.6 | 46.0 | 22.0 | 106 | 54.0 | 30.8 | 20.5 | 13.4 | 9.85 | 11.6 | 9.85 | 17.5 |
| 15 | 15.4 | 40.5 | 21.5 | 93.4 | 53.0 | 36.0 | 21.0 | 13.0 | 9.50 | 11.3 | 9.85 | 17.0 |
| 16 | 14.6 | 35.3 | 21.0 | 77.8 | 53.0 | 39.6 | 22.0 | 12.6 | 9.20 | 10.9 | 9.85 | 16.2 |
| 17 | 13.8 | 30.8 | 21.5 | 66.5 | 53.0 | 57.3 | 22.0 | 11.6 | 9.20 | 10.6 | 9.85 | 19.0 |
| 18 | 13.0 | 27.2 | 21.5 | 59.6 | 54.0 | 64.2 | 22.0 | 11.9 | 16.2 | 10.6 | 9.50 | 41.4 |
| 19 | 13.0 | 24.6 | 22.0 | 54.0 | 52.0 | 55.0 | 20.5 | 12.3 | 20.0 | 10.6 | 9.50 | 64.2 |
| 20 | 13.0 | 23.3 | 23.3 | 52.0 | 52.0 | 51.0 | 19.5 | 11.6 | 23.3 | 10.2 | 9.50 | 106 |
| 21 | 13.0 | 22.0 | 24.0 | 50.0 | 47.0 | 45.0 | 19.0 | 11.3 | 21.5 | 10.2 | 9.50 | 100 |
| 22 | 13.0 | 21.0 | 26.5 | 75.3 | 43.2 | 40.5 | 20.0 | 10.9 | 18.5 | 10.2 | 9.50 | 76.5 |
| 23 | 13.0 | 20.0 | 30.0 | 89.4 | 43.2 | 39.6 | 18.5 | 11.3 | 16.2 | 10.2 | 9.20 | 60.8 |
| 24 | 13.0 | 19.0 | 32.3 | 92.0 | 46.0 | 43.2 | 18.0 | 10.6 | 15.0 | 10.2 | 9.20 | 49.0 |
| 25 | 12.3 | 18.0 | 45.0 | 92.0 | 45.0 | 38.7 | 17.5 | 10.6 | 14.6 | 9.85 | 9.20 | 40.5 |
| 26 | 13.0 | 18.0 | 164 | 93.4 | 50.0 | 36.0 | 18.0 | 10.6 | 16.2 | 9.85 | 8.90 | 36.0 |
| 27 | 14.2 | 17.0 | 166 | 92.0 | 46.0 | 33.8 | 17.0 | 10.6 | 15.4 | 9.50 | 8.90 | 38.7 |
| 28 | 13.4 | 16.2 | 153 | 94.8 | 42.3 | 31.5 | 16.2 | 10.2 | 14.6 | 9.50 | 28.5 | 36.0 |
| 29 | 13.8 | | 106 | 97.6 | 39.6 | 30.8 | 15.8 | 10.2 | 13.8 | 9.20 | 39.6 | 33.0 |
| 30 | 13.8 | | 85.5 | 99.0 | 37.8 | 30.0 | 20.0 | 10.2 | 13.4 | 9.20 | 30.0 | 30.8 |
| 31 | 13.8 | | 74.0 | | 36.0 | | 18.0 | 10.2 | | 8.90 | | 29.3 |
| SD1 | 19.3 | 22.6 | 15.5 | 68.9 | 85.3 | 33.9 | 25.6 | 13.9 | 11.7 | 11.4 | 11.1 | 19.2 |
| SD2 | 14.3 | 41.8 | 22.5 | 75.9 | 53.5 | 42.3 | 21.1 | 12.5 | 12.8 | 10.9 | 9.78 | 33.5 |
| SD3 | 13.3 | 18.9 | 82.4 | 87.5 | 43.3 | 36.9 | 18.0 | 10.6 | 15.9 | 9.71 | 16.3 | 48.2 |
| MAX | 23.3 | 86.8 | 244 | 112 | 132 | 64.2 | 29.3 | 16.6 | 24.0 | 13.0 | 55.0 | 128 |
| DAT | 1 | 12 | 27 | 14 | 3 | 13 | 1 | 1 | 20 | 1 | 28 | 20 |
| SR | 15.6 | 28.4 | 41.5 | 77.4 | 60.1 | 37.7 | 21.5 | 12.3 | 13.5 | 10.6 | 12.4 | 34.1 |
| MIN | 12.3 | 14.6 | 13.8 | 50.0 | 36.0 | 29.3 | 15.8 | 10.2 | 9.20 | 8.90 | 8.90 | 15.8 |
| DAT | 25 | 1 | 7 | 21 | 31 | 12 | 29 | 28 | 16 | 31 | 26 | 10 |
| ----- | | | | | | | | | | | | |
| GMIN = 8.90 | | | SRGOD= 30.4 | | | | | GMAX = 244 | | | | |
| DATUM 31 10 | | | | | | | | DATUM 27 3 | | | | |
| ----- | | | | | | | | | | | | |

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1984

Broj : 45827 Stanica : BERANE Kota "0" = 658.05
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 155.00
Pocetak rada: 1966 Sliv : DRINE Pov.sliva = 1283.2

| DAN | I | II | III | IV | V | VI | VII | VIII | IX | X | XI | XII | |
|-----|------|-------------|------|-------------|------|------------|------|------|------|------------|------|------|--|
| 1 | 27.9 | 36.0 | 40.5 | 45.0 | 45.0 | 106 | 43.2 | 15.4 | 12.6 | 27.2 | 16.2 | 22.6 | |
| 2 | 25.9 | 35.3 | 36.0 | 61.9 | 59.6 | 103 | 41.4 | 15.4 | 12.6 | 24.6 | 15.4 | 23.3 | |
| 3 | 26.5 | 33.0 | 53.0 | 81.6 | 118 | 103 | 40.5 | 17.0 | 12.3 | 33.0 | 15.4 | 22.0 | |
| 4 | 24.6 | 33.0 | 51.0 | 133 | 160 | 97.6 | 40.5 | 15.8 | 11.9 | 39.6 | 15.0 | 21.0 | |
| 5 | 28.5 | 36.0 | 47.0 | 122 | 232 | 96.2 | 30.0 | 15.4 | 11.6 | 39.6 | 14.6 | 20.0 | |
| 6 | 30.0 | 36.0 | 41.4 | 100 | 220 | 94.8 | 28.5 | 15.0 | 11.6 | 36.0 | 14.6 | 19.0 | |
| 7 | 29.3 | 36.0 | 37.8 | 99.0 | 200 | 96.2 | 27.9 | 14.6 | 11.3 | 39.6 | 13.8 | 18.5 | |
| 8 | 28.5 | 36.0 | 34.5 | 92.0 | 204 | 100 | 27.2 | 15.0 | 11.3 | 42.3 | 14.2 | 18.0 | |
| 9 | 27.2 | 33.0 | 33.0 | 86.8 | 204 | 92.0 | 25.9 | 15.4 | 10.9 | 47.0 | 14.2 | 17.0 | |
| 10 | 74.0 | 31.5 | 30.0 | 81.6 | 212 | 90.7 | 24.6 | 14.6 | 10.9 | 41.4 | 14.2 | 16.6 | |
| 11 | 59.6 | 28.5 | 28.5 | 70.3 | 216 | 71.5 | 24.0 | 13.8 | 10.9 | 37.8 | 13.4 | 16.6 | |
| 12 | 49.0 | 25.9 | 27.2 | 66.5 | 224 | 66.5 | 23.3 | 13.8 | 10.9 | 33.0 | 13.4 | 16.2 | |
| 13 | 41.4 | 24.6 | 25.9 | 69.0 | 196 | 55.0 | 23.3 | 13.8 | 10.9 | 30.8 | 13.8 | 16.2 | |
| 14 | 36.0 | 23.3 | 24.6 | 66.5 | 180 | 50.0 | 23.3 | 13.0 | 10.6 | 30.0 | 13.0 | 15.4 | |
| 15 | 33.8 | 22.0 | 23.3 | 64.2 | 153 | 47.0 | 23.3 | 13.0 | 10.2 | 27.9 | 13.0 | 15.4 | |
| 16 | 35.3 | 21.0 | 22.6 | 66.5 | 135 | 47.0 | 22.6 | 14.6 | 10.2 | 25.3 | 13.0 | 15.4 | |
| 17 | 31.5 | 20.5 | 22.0 | 71.5 | 164 | 55.0 | 22.0 | 13.8 | 14.2 | 24.0 | 13.0 | 15.0 | |
| 18 | 30.0 | 20.0 | 22.0 | 74.0 | 172 | 51.0 | 22.6 | 13.8 | 16.6 | 22.6 | 20.0 | 17.0 | |
| 19 | 30.0 | 20.0 | 25.3 | 66.5 | 164 | 46.0 | 22.0 | 13.8 | 16.6 | 21.5 | 22.0 | 17.5 | |
| 20 | 30.0 | 19.5 | 24.6 | 61.9 | 176 | 43.2 | 21.0 | 13.4 | 15.4 | 20.5 | 37.8 | 17.5 | |
| 21 | 45.0 | 19.0 | 23.3 | 59.6 | 300 | 41.4 | 20.0 | 13.4 | 15.8 | 20.0 | 66.5 | 17.0 | |
| 22 | 45.0 | 19.0 | 22.6 | 55.0 | 385 | 43.2 | 19.5 | 13.0 | 17.0 | 20.0 | 57.3 | 17.0 | |
| 23 | 122 | 19.5 | 22.6 | 53.0 | 286 | 43.2 | 18.5 | 12.3 | 31.5 | 21.0 | 47.0 | 16.2 | |
| 24 | 110 | 20.0 | 22.0 | 51.0 | 236 | 43.2 | 18.0 | 12.3 | 33.0 | 20.5 | 37.8 | 16.2 | |
| 25 | 92.0 | 31.5 | 22.0 | 49.0 | 192 | 45.0 | 17.5 | 13.0 | 30.0 | 20.0 | 34.5 | 16.2 | |
| 26 | 70.3 | 36.0 | 22.0 | 49.0 | 164 | 43.2 | 17.5 | 14.6 | 64.2 | 19.0 | 30.8 | 15.8 | |
| 27 | 55.0 | 39.6 | 45.0 | 53.0 | 153 | 40.5 | 17.5 | 13.8 | 57.3 | 18.0 | 28.5 | 15.8 | |
| 28 | 47.0 | 43.2 | 63.0 | 53.0 | 139 | 37.8 | 17.0 | 13.8 | 43.2 | 17.5 | 28.5 | 15.4 | |
| 29 | 39.6 | 41.4 | 61.9 | 50.0 | 135 | 36.0 | 17.0 | 13.4 | 34.5 | 17.0 | 27.2 | 14.6 | |
| 30 | 39.6 | | 76.5 | 46.0 | 128 | 36.0 | 16.2 | 13.4 | 28.5 | 16.6 | 25.3 | 14.6 | |
| 31 | 37.8 | | 71.5 | | 139 | | 15.8 | 13.0 | | 16.2 | | 14.2 | |
| SD1 | 32.2 | 34.6 | 40.4 | 90.3 | 165 | 97.9 | 33.0 | 15.4 | 11.7 | 37.0 | 14.8 | 19.8 | |
| SD2 | 37.7 | 22.5 | 24.6 | 67.7 | 178 | 53.2 | 22.7 | 13.7 | 12.6 | 27.3 | 17.2 | 16.2 | |
| SD3 | 63.9 | 29.9 | 41.1 | 51.9 | 205 | 41.0 | 17.7 | 13.3 | 35.5 | 18.7 | 38.3 | 15.7 | |
| MAX | 122 | 43.2 | 76.5 | 133 | 385 | 106 | 43.2 | 17.0 | 64.2 | 47.0 | 66.5 | 23.3 | |
| DAT | 23 | 28 | 30 | 4 | 22 | 1 | 1 | 3 | 26 | 9 | 21 | 1 | |
| SR | 45.2 | 29.0 | 35.6 | 69.9 | 184 | 64.0 | 24.2 | 14.1 | 20.0 | 27.4 | 23.4 | 17.2 | |
| MIN | 24.6 | 19.0 | 22.0 | 45.0 | 45.0 | 36.0 | 15.8 | 12.3 | 10.2 | 16.2 | 13.0 | 14.2 | |
| DAT | 4 | 21 | 17 | 1 | 1 | 29 | 31 | 23 | 15 | 31 | 14 | 31 | |
| | | GMIN = 10.2 | | SRGOD= 46.3 | | GMAX = 385 | | | | DATUM 22 5 | | | |
| | | DATUM 15 9 | | | | | | | | | | | |

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1985

Broj : 45827 Stanica : BERANE Kota "0" = 658.05
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 155.00
Pocetak rada: 1966 Sliv : DRINE Pov.sliva = 1283.2

| DAN | I | II | III | IV | V | VI | VII | VIII | IX | X | XI | XII |
|--------|------|------|------|--------|------|------|------|--------|------|-------|------|------|
| 1 | 13.8 | 27.2 | 21.0 | 48.0 | 146 | 53.0 | 23.3 | 11.9 | 10.6 | 7.70 | 7.10 | 61.9 |
| 2 | 14.2 | 25.9 | 21.5 | 47.0 | 115 | 51.0 | 22.0 | 11.9 | 10.2 | 7.70 | 10.2 | 58.5 |
| 3 | 14.6 | 24.6 | 22.0 | 49.0 | 106 | 48.0 | 22.0 | 12.3 | 9.85 | 7.70 | 14.6 | 55.0 |
| 4 | 13.8 | 23.3 | 24.6 | 53.0 | 139 | 47.0 | 22.0 | 12.3 | 9.50 | 7.70 | 16.6 | 55.0 |
| 5 | 14.6 | 21.5 | 27.2 | 63.0 | 153 | 45.0 | 21.0 | 11.9 | 9.20 | 7.40 | 17.0 | 59.6 |
| 6 | 15.8 | 20.5 | 29.3 | 74.0 | 151 | 43.2 | 20.5 | 11.9 | 9.20 | 7.40 | 16.6 | 60.8 |
| 7 | 15.4 | 20.0 | 31.5 | 97.6 | 149 | 41.4 | 20.0 | 11.6 | 9.20 | 7.40 | 15.8 | 59.6 |
| 8 | 15.0 | 19.5 | 33.0 | 112 | 146 | 40.5 | 19.0 | 11.6 | 8.90 | 7.10 | 23.3 | 56.2 |
| 9 | 14.6 | 20.0 | 33.0 | 110 | 137 | 42.3 | 18.5 | 11.6 | 8.60 | 7.10 | 21.5 | 53.0 |
| 10 | 14.2 | 40.5 | 32.3 | 125 | 130 | 40.5 | 18.0 | 11.6 | 8.90 | 7.10 | 17.0 | 51.0 |
| 11 | 13.8 | 100 | 33.0 | 146 | 128 | 37.8 | 18.0 | 11.3 | 9.50 | 7.10 | 16.6 | 49.0 |
| 12 | 13.0 | 122 | 33.0 | 139 | 146 | 36.0 | 18.5 | 11.3 | 9.50 | 7.10 | 15.8 | 48.0 |
| 13 | 12.3 | 86.8 | 33.8 | 115 | 149 | 34.5 | 18.0 | 10.9 | 9.20 | 7.10 | 15.0 | 46.0 |
| 14 | 12.3 | 65.3 | 34.5 | 92.0 | 146 | 33.0 | 17.0 | 10.9 | 9.20 | 7.10 | 16.6 | 44.1 |
| 15 | 13.0 | 52.0 | 35.3 | 77.8 | 139 | 31.5 | 16.6 | 10.6 | 8.90 | 7.10 | 55.0 | 41.4 |
| 16 | 13.0 | 46.0 | 35.3 | 72.8 | 132 | 31.5 | 16.2 | 10.2 | 8.60 | 7.10 | 44.1 | 39.6 |
| 17 | 13.0 | 38.7 | 38.7 | 69.0 | 125 | 30.8 | 15.8 | 9.85 | 8.60 | 7.10 | 41.4 | 37.8 |
| 18 | 12.6 | 36.0 | 45.0 | 67.8 | 117 | 31.5 | 15.4 | 9.50 | 8.60 | 7.10 | 39.6 | 36.0 |
| 19 | 12.6 | 33.0 | 46.0 | 64.2 | 110 | 29.3 | 15.4 | 9.20 | 8.30 | 7.10 | 166 | 33.0 |
| 20 | 12.6 | 30.0 | 44.1 | 60.8 | 103 | 27.2 | 15.4 | 8.60 | 8.30 | 7.10 | 583 | 30.8 |
| 21 | 12.6 | 27.2 | 42.3 | 59.6 | 99.0 | 32.3 | 14.6 | 8.60 | 8.30 | 7.10 | 385 | 29.3 |
| 22 | 12.6 | 25.9 | 41.4 | 57.3 | 92.0 | 32.3 | 14.2 | 8.60 | 8.30 | 7.10 | 269 | 27.9 |
| 23 | 17.0 | 24.6 | 41.4 | 60.8 | 84.2 | 30.8 | 13.8 | 8.30 | 8.00 | 7.10 | 190 | 26.5 |
| 24 | 31.5 | 23.3 | 40.5 | 64.2 | 77.8 | 30.0 | 13.8 | 8.30 | 8.00 | 7.40 | 142 | 25.3 |
| 25 | 51.0 | 22.0 | 42.3 | 69.0 | 74.0 | 28.5 | 13.4 | 8.30 | 8.00 | 7.70 | 114 | 24.6 |
| 26 | 40.5 | 22.0 | 44.1 | 71.5 | 79.0 | 27.2 | 13.4 | 8.00 | 8.00 | 7.10 | 101 | 24.6 |
| 27 | 36.9 | 20.5 | 43.2 | 79.0 | 72.8 | 25.9 | 13.0 | 8.00 | 8.00 | 7.10 | 97.6 | 30.0 |
| 28 | 37.8 | 20.5 | 45.0 | 94.8 | 66.5 | 25.9 | 13.0 | 8.00 | 8.00 | 7.10 | 85.5 | 30.8 |
| 29 | 36.0 | | 51.0 | 168 | 61.9 | 25.3 | 12.6 | 8.90 | 7.70 | 7.10 | 77.8 | 46.0 |
| 30 | 33.0 | | 50.0 | 196 | 58.5 | 24.6 | 12.6 | 9.50 | 7.70 | 7.10 | 69.0 | 94.8 |
| 31 | 29.3 | | 49.0 | | 55.0 | | 12.3 | 9.85 | | 7.10 | | 206 |
| SD1 | 14.6 | 24.3 | 27.5 | 77.9 | 137 | 45.2 | 20.6 | 11.9 | 9.41 | 7.43 | 16.0 | 57.1 |
| SD2 | 12.8 | 61.0 | 37.9 | 90.4 | 130 | 32.3 | 16.6 | 10.2 | 8.87 | 7.10 | 99.3 | 40.6 |
| SD3 | 30.7 | 23.3 | 44.6 | 92.0 | 74.6 | 28.3 | 13.3 | 8.58 | 8.00 | 7.18 | 153 | 51.4 |
| MAX | 55.0 | 132 | 52.0 | 214 | 168 | 54.0 | 23.3 | 13.0 | 10.6 | 7.70 | 583 | 257 |
| DAT | 25 | 12 | 29 | 30 | 1 | 1 | 1 | 4 | 1 | 1 | 20 | 31 |
| SR | 19.8 | 37.1 | 36.9 | 86.8 | 113 | 35.3 | 16.8 | 10.2 | 8.76 | 7.24 | 89.5 | 49.7 |
| MIN | 12.3 | 19.5 | 21.0 | 47.0 | 55.0 | 24.6 | 12.3 | 8.00 | 7.70 | 7.10 | 7.10 | 24.6 |
| DAT | 13 | 8 | 1 | 2 | 31 | 30 | 31 | 26 | 29 | 8 | 1 | 25 |
| GMIN = | | 7.10 | | SRGOD= | | 42.4 | | GMAX = | | 583 | | |
| DATUM | | 8 10 | | | | | | DATUM | | 20 11 | | |

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1986

Broj : 45827 Stanica : BERANE Kota "0" = 658.05
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 155.00
Pocetak rada: 1966 Sliv : DRINE Pov.sliva = 1283.2

| DAN | I | II | III | IV | V | VI | VII | VIII | IX | X | XI | XII | |
|-----|------|--------|------|------|------|--------|------|------|------|--------|------|------|--|
| 1 | 269 | 37.2 | 74.2 | 82.9 | 110 | 88.1 | 52.0 | 19.2 | 9.19 | 7.10 | 11.5 | 6.88 | |
| 2 | 193 | 52.0 | 84.2 | 77.8 | 116 | 82.9 | 53.0 | 17.7 | 9.19 | 6.88 | 10.8 | 6.88 | |
| 3 | 125 | 47.0 | 147 | 76.6 | 119 | 74.2 | 54.0 | 16.2 | 8.86 | 6.88 | 10.2 | 6.88 | |
| 4 | 181 | 43.1 | 165 | 77.8 | 116 | 67.0 | 52.0 | 16.2 | 8.86 | 6.88 | 9.85 | 6.88 | |
| 5 | 236 | 38.2 | 137 | 79.0 | 116 | 63.0 | 47.0 | 14.1 | 8.86 | 6.66 | 9.85 | 6.88 | |
| 6 | 163 | 35.4 | 109 | 81.6 | 118 | 80.3 | 43.1 | 13.4 | 8.86 | 6.66 | 9.52 | 6.88 | |
| 7 | 119 | 31.8 | 93.4 | 86.8 | 107 | 129 | 38.2 | 14.1 | 8.53 | 6.66 | 9.19 | 6.66 | |
| 8 | 92.0 | 30.0 | 84.2 | 96.2 | 101 | 159 | 37.2 | 15.2 | 8.53 | 6.88 | 8.86 | 6.00 | |
| 9 | 74.2 | 28.2 | 76.6 | 100 | 99.0 | 153 | 32.7 | 15.2 | 8.20 | 6.88 | 8.86 | 6.00 | |
| 10 | 63.0 | 25.8 | 71.8 | 103 | 106 | 127 | 32.7 | 14.5 | 7.98 | 6.88 | 8.20 | 6.00 | |
| 11 | 54.0 | 24.2 | 69.4 | 94.8 | 97.6 | 110 | 31.8 | 14.1 | 7.76 | 6.88 | 8.20 | 6.00 | |
| 12 | 49.0 | 22.6 | 68.2 | 84.2 | 84.2 | 99.0 | 32.7 | 14.1 | 7.76 | 6.88 | 8.20 | 6.00 | |
| 13 | 44.1 | 19.7 | 67.0 | 81.6 | 79.0 | 90.7 | 35.4 | 14.5 | 7.76 | 6.66 | 7.98 | 6.00 | |
| 14 | 39.2 | 18.7 | 66.0 | 77.8 | 79.0 | 82.9 | 33.6 | 13.4 | 7.76 | 6.66 | 7.98 | 6.00 | |
| 15 | 39.2 | 18.2 | 66.0 | 69.4 | 84.2 | 84.2 | 29.1 | 14.1 | 7.54 | 6.66 | 7.98 | 6.00 | |
| 16 | 40.1 | 18.7 | 64.0 | 63.0 | 93.4 | 81.6 | 27.4 | 13.4 | 7.54 | 6.66 | 7.76 | 6.22 | |
| 17 | 37.2 | 17.7 | 60.0 | 59.0 | 99.0 | 76.6 | 28.2 | 12.6 | 7.54 | 6.88 | 7.76 | 7.10 | |
| 18 | 32.7 | 33.6 | 57.0 | 58.0 | 99.0 | 74.2 | 29.1 | 12.2 | 7.54 | 6.88 | 7.76 | 7.10 | |
| 19 | 30.0 | 273 | 52.0 | 94.8 | 97.6 | 71.8 | 27.4 | 12.6 | 7.54 | 6.66 | 7.76 | 6.88 | |
| 20 | 27.4 | 311 | 47.0 | 177 | 94.8 | 82.9 | 27.4 | 13.0 | 7.54 | 6.66 | 7.76 | 7.54 | |
| 21 | 28.2 | 217 | 43.1 | 149 | 100 | 75.4 | 26.6 | 12.2 | 7.54 | 7.32 | 7.54 | 7.54 | |
| 22 | 27.4 | 157 | 40.1 | 113 | 103 | 70.6 | 25.8 | 11.2 | 7.32 | 8.20 | 7.32 | 7.76 | |
| 23 | 35.4 | 132 | 38.2 | 94.8 | 104 | 64.0 | 26.6 | 10.8 | 7.10 | 7.98 | 7.10 | 7.98 | |
| 24 | 64.0 | 118 | 35.4 | 88.1 | 106 | 63.0 | 23.4 | 10.5 | 7.10 | 7.76 | 6.88 | 7.54 | |
| 25 | 130 | 110 | 34.5 | 89.4 | 109 | 64.0 | 19.7 | 10.2 | 7.10 | 12.6 | 6.88 | 7.32 | |
| 26 | 93.4 | 96.2 | 43.1 | 97.6 | 104 | 59.0 | 19.7 | 10.2 | 7.10 | 13.4 | 6.88 | 7.32 | |
| 27 | 67.0 | 81.6 | 67.0 | 107 | 93.4 | 55.0 | 21.8 | 10.2 | 7.10 | 12.6 | 6.88 | 7.32 | |
| 28 | 57.0 | 71.8 | 73.0 | 110 | 86.8 | 51.0 | 21.0 | 10.2 | 7.32 | 12.6 | 6.88 | 7.32 | |
| 29 | 49.0 | | 76.6 | 110 | 86.8 | 48.0 | 19.7 | 9.52 | 7.32 | 13.0 | 6.88 | 6.66 | |
| 30 | 42.1 | | 82.9 | 107 | 81.6 | 48.0 | 20.2 | 9.52 | 7.10 | 12.2 | 6.88 | 6.66 | |
| 31 | 41.1 | | 84.2 | | 81.6 | | 19.7 | 9.19 | | 11.9 | | 6.66 | |
| SD1 | 152 | 36.9 | 104 | 86.2 | 111 | 102 | 44.2 | 15.6 | 8.71 | 6.84 | 9.68 | 6.59 | |
| SD2 | 39.3 | 75.7 | 61.7 | 86.0 | 90.8 | 85.4 | 30.2 | 13.4 | 7.63 | 6.75 | 7.91 | 6.48 | |
| SD3 | 57.7 | 123 | 56.2 | 107 | 96.0 | 59.8 | 22.2 | 10.3 | 7.21 | 10.9 | 7.01 | 7.28 | |
| MAX | 291 | 379 | 175 | 185 | 124 | 167 | 55.0 | 23.4 | 9.19 | 14.1 | 11.5 | 7.98 | |
| DAT | 1 | 19 | 4 | 20 | 6 | 9 | 2 | 1 | 1 | 25 | 1 | 23 | |
| SR | 82.0 | 75.3 | 73.5 | 92.9 | 99.1 | 82.5 | 31.9 | 13.0 | 7.85 | 8.24 | 8.20 | 6.80 | |
| MIN | 27.4 | 17.7 | 34.5 | 58.0 | 79.0 | 48.0 | 19.7 | 9.19 | 7.10 | 6.66 | 6.88 | 6.00 | |
| DAT | 20 | 17 | 25 | 18 | 13 | 29 | 25 | 31 | 23 | 5 | 24 | 8 | |
| | | GMIN = | 6.00 | | | SRGOD= | 48.2 | | | GMAX = | 379 | | |
| | | DATUM | 8 12 | | | | | | | DATUM | 19 2 | | |

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1987

Broj : 45827 Stanica : BERANE Kota "0" = 658.05
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 155.00
Pocetak rada: 1966 Sliv : DRINE Pov.sliva = 1283.2

| DAN | I | II | III | IV | V | VI | VII | VIII | IX | X | XI | XII |
|--------|------|------|------|--------|------|------|------|--------|------|------|------|------|
| 1 | 6.88 | 69.4 | 25.8 | 52.0 | 60.0 | 107 | 34.5 | 12.2 | 7.54 | 7.98 | 6.88 | 45.0 |
| 2 | 6.88 | 54.0 | 23.4 | 48.0 | 63.0 | 90.7 | 34.5 | 11.5 | 7.54 | 7.54 | 6.88 | 37.2 |
| 3 | 9.19 | 44.1 | 22.6 | 43.1 | 73.0 | 84.2 | 33.6 | 11.5 | 7.54 | 7.32 | 6.66 | 32.7 |
| 4 | 9.52 | 37.2 | 21.0 | 39.2 | 88.1 | 82.9 | 32.7 | 11.5 | 7.54 | 7.10 | 6.44 | 28.2 |
| 5 | 8.53 | 33.6 | 19.2 | 38.2 | 92.0 | 86.8 | 31.8 | 11.5 | 7.54 | 6.66 | 6.44 | 28.2 |
| 6 | 8.53 | 30.0 | 18.7 | 42.1 | 106 | 85.5 | 29.1 | 11.5 | 7.54 | 6.66 | 6.44 | 28.2 |
| 7 | 8.20 | 27.4 | 17.7 | 50.0 | 121 | 82.9 | 27.4 | 11.5 | 7.54 | 6.66 | 6.44 | 27.4 |
| 8 | 7.76 | 25.8 | 17.2 | 55.0 | 110 | 81.6 | 25.0 | 11.5 | 7.32 | 6.66 | 6.44 | 28.2 |
| 9 | 7.54 | 22.6 | 16.2 | 63.0 | 89.4 | 82.9 | 22.6 | 10.8 | 7.32 | 6.66 | 6.44 | 63.0 |
| 10 | 7.54 | 21.8 | 15.7 | 71.8 | 74.2 | 84.2 | 21.8 | 10.2 | 7.32 | 6.66 | 8.20 | 69.4 |
| 11 | 9.52 | 21.8 | 15.2 | 93.4 | 66.0 | 82.9 | 21.0 | 10.2 | 7.10 | 6.44 | 13.0 | 57.0 |
| 12 | 29.1 | 24.2 | 14.8 | 92.0 | 66.0 | 77.8 | 20.2 | 10.2 | 7.10 | 6.88 | 11.5 | 45.0 |
| 13 | 26.6 | 28.2 | 14.8 | 77.8 | 69.4 | 74.2 | 18.7 | 10.2 | 6.88 | 7.32 | 13.7 | 39.2 |
| 14 | 42.1 | 33.6 | 14.5 | 67.0 | 73.0 | 70.6 | 18.2 | 10.2 | 6.66 | 8.20 | 14.5 | 41.1 |
| 15 | 80.3 | 38.2 | 14.5 | 59.0 | 97.6 | 67.0 | 19.7 | 9.85 | 6.66 | 8.20 | 16.2 | 92.0 |
| 16 | 97.6 | 39.2 | 14.1 | 53.0 | 113 | 66.0 | 19.2 | 10.2 | 6.66 | 8.20 | 18.7 | 89.4 |
| 17 | 65.0 | 41.1 | 13.7 | 48.0 | 115 | 63.0 | 19.2 | 9.52 | 6.66 | 8.20 | 20.2 | 71.8 |
| 18 | 52.0 | 39.2 | 13.4 | 43.1 | 115 | 59.0 | 18.2 | 9.19 | 6.66 | 8.20 | 20.2 | 60.0 |
| 19 | 44.1 | 40.1 | 13.4 | 41.1 | 121 | 53.0 | 17.7 | 9.19 | 6.44 | 8.20 | 18.7 | 53.0 |
| 20 | 36.3 | 36.3 | 13.7 | 47.0 | 133 | 48.0 | 16.7 | 9.52 | 6.44 | 8.20 | 17.7 | 52.0 |
| 21 | 30.0 | 48.0 | 20.2 | 62.0 | 138 | 45.0 | 16.2 | 9.52 | 6.44 | 7.98 | 16.7 | 47.0 |
| 22 | 25.8 | 47.0 | 22.6 | 75.4 | 137 | 45.0 | 15.7 | 9.52 | 6.44 | 7.76 | 16.2 | 42.1 |
| 23 | 22.6 | 44.1 | 21.0 | 82.9 | 116 | 44.1 | 15.2 | 9.19 | 6.44 | 7.54 | 15.2 | 37.2 |
| 24 | 20.2 | 39.2 | 19.7 | 75.4 | 94.8 | 41.1 | 14.8 | 8.53 | 6.44 | 7.32 | 14.8 | 34.5 |
| 25 | 18.2 | 33.6 | 18.2 | 71.8 | 85.5 | 39.2 | 14.1 | 8.20 | 6.44 | 7.32 | 20.2 | 30.9 |
| 26 | 16.7 | 30.9 | 18.7 | 70.6 | 81.6 | 37.2 | 13.0 | 7.98 | 6.22 | 7.10 | 53.0 | 27.4 |
| 27 | 16.2 | 28.2 | 20.2 | 73.0 | 77.8 | 36.3 | 12.6 | 7.98 | 6.22 | 7.10 | 106 | 25.0 |
| 28 | 17.2 | 26.6 | 24.2 | 73.0 | 80.3 | 36.3 | 12.6 | 7.98 | 7.10 | 7.10 | 94.8 | 22.6 |
| 29 | 67.0 | | 28.2 | 66.0 | 88.1 | 35.4 | 12.6 | 7.98 | 9.85 | 7.10 | 67.0 | 21.8 |
| 30 | 124 | | 38.2 | 61.0 | 100 | 34.5 | 12.2 | 7.98 | 8.86 | 7.10 | 51.0 | 21.0 |
| 31 | 103 | | 53.0 | | 119 | | 12.2 | 7.76 | | 7.10 | | 19.7 |
| SD1 | 8.06 | 36.6 | 19.7 | 50.2 | 87.7 | 86.9 | 29.3 | 11.4 | 7.47 | 6.99 | 6.73 | 38.7 |
| SD2 | 48.3 | 34.2 | 14.2 | 62.1 | 96.9 | 66.2 | 18.9 | 9.83 | 6.73 | 7.80 | 16.4 | 60.0 |
| SD3 | 41.9 | 37.2 | 25.8 | 71.1 | 102 | 39.4 | 13.7 | 8.42 | 7.05 | 7.32 | 45.5 | 29.9 |
| MAX | 129 | 82.9 | 54.0 | 99.0 | 144 | 116 | 34.5 | 12.2 | 9.85 | 8.20 | 106 | 100 |
| DAT | 30 | 1 | 31 | 11 | 22 | 1 | 1 | 1 | 30 | 14 | 27 | 15 |
| SR | 33.0 | 35.9 | 20.1 | 61.2 | 95.6 | 64.1 | 20.4 | 9.83 | 7.08 | 7.37 | 22.9 | 42.5 |
| MIN | 6.88 | 21.8 | 13.4 | 38.2 | 60.0 | 34.5 | 12.2 | 7.76 | 6.22 | 6.44 | 6.44 | 19.7 |
| DAT | 1 | 10 | 18 | 5 | 1 | 30 | 30 | 31 | 26 | 11 | 4 | 31 |
| ----- | | | | | | | | | | | | |
| GMIN = | | | 6.22 | SRGOD= | | | 35.0 | GMAX = | | | 144 | |
| DATUM | | | 26 9 | | | | | DATUM | | | 22 5 | |
| ----- | | | | | | | | | | | | |

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1988

Broj : 45827 Stanica : BERANE Kota "0" = 658.05
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 155.00
Pocetak rada: 1966 Sliv : DRINE Pov.sliva = 1283.2

| DAN | I | II | III | IV | V | VI | VII | VIII | IX | X | XI | XII |
|--------|------|------|------|--------|------|------|------|--------|------|------|------|------|
| 1 | 19.2 | 48.0 | 21.0 | 56.0 | 94.8 | 47.0 | 20.2 | 8.86 | 6.66 | 10.2 | 8.86 | 22.6 |
| 2 | 18.2 | 39.2 | 20.2 | 61.0 | 92.0 | 53.0 | 19.2 | 8.53 | 6.66 | 10.2 | 8.53 | 85.5 |
| 3 | 17.7 | 34.5 | 18.7 | 56.0 | 86.8 | 51.0 | 18.2 | 8.20 | 6.44 | 9.85 | 8.20 | 261 |
| 4 | 16.7 | 30.0 | 17.7 | 52.0 | 89.4 | 49.0 | 18.2 | 8.20 | 6.44 | 10.2 | 8.53 | 211 |
| 5 | 16.2 | 44.1 | 17.2 | 52.0 | 89.4 | 47.0 | 17.2 | 8.20 | 6.22 | 10.2 | 8.53 | 149 |
| 6 | 15.7 | 60.0 | 17.2 | 61.0 | 100 | 45.0 | 16.2 | 7.76 | 6.22 | 9.52 | 8.53 | 118 |
| 7 | 15.2 | 55.0 | 17.7 | 77.8 | 115 | 43.1 | 15.2 | 7.76 | 6.22 | 9.52 | 8.20 | 115 |
| 8 | 15.2 | 52.0 | 18.7 | 92.0 | 116 | 39.2 | 15.2 | 7.32 | 6.44 | 10.2 | 8.20 | 96.2 |
| 9 | 15.2 | 80.3 | 18.2 | 101 | 115 | 37.2 | 15.2 | 7.32 | 6.44 | 12.2 | 8.53 | 79.0 |
| 10 | 14.8 | 76.6 | 17.7 | 96.2 | 112 | 35.4 | 14.8 | 7.54 | 6.44 | 13.0 | 8.53 | 66.0 |
| 11 | 14.5 | 61.0 | 17.2 | 88.1 | 110 | 33.6 | 14.8 | 7.54 | 6.44 | 12.6 | 8.20 | 58.0 |
| 12 | 14.1 | 34.5 | 16.7 | 84.2 | 106 | 33.6 | 14.5 | 7.54 | 6.44 | 12.2 | 8.20 | 51.0 |
| 13 | 13.7 | 28.2 | 16.7 | 82.9 | 100 | 35.4 | 13.7 | 7.32 | 6.44 | 11.9 | 7.98 | 47.0 |
| 14 | 13.4 | 41.1 | 17.2 | 88.1 | 89.4 | 34.5 | 13.4 | 7.32 | 6.44 | 11.5 | 8.53 | 42.1 |
| 15 | 13.0 | 35.4 | 19.7 | 85.5 | 88.1 | 34.5 | 13.0 | 7.32 | 6.88 | 11.2 | 9.19 | 39.2 |
| 16 | 12.6 | 32.7 | 23.4 | 75.4 | 89.4 | 33.6 | 12.2 | 7.10 | 19.2 | 11.2 | 9.19 | 35.4 |
| 17 | 12.2 | 27.4 | 40.1 | 66.0 | 84.2 | 32.7 | 11.9 | 7.10 | 21.8 | 10.2 | 8.53 | 32.7 |
| 18 | 11.9 | 26.6 | 60.0 | 59.0 | 74.2 | 30.9 | 10.8 | 7.32 | 31.8 | 9.85 | 8.20 | 30.9 |
| 19 | 11.5 | 24.2 | 49.0 | 52.0 | 65.0 | 30.0 | 10.8 | 7.32 | 30.0 | 9.52 | 7.98 | 28.2 |
| 20 | 11.5 | 23.4 | 46.0 | 47.0 | 64.0 | 30.0 | 10.2 | 7.10 | 21.8 | 9.52 | 9.52 | 27.4 |
| 21 | 11.5 | 22.6 | 36.3 | 44.1 | 59.0 | 29.1 | 10.2 | 7.10 | 17.7 | 9.85 | 12.2 | 25.8 |
| 22 | 11.5 | 19.7 | 33.6 | 45.0 | 57.0 | 28.2 | 10.2 | 7.10 | 16.2 | 9.85 | 106 | 24.2 |
| 23 | 11.5 | 19.2 | 92.0 | 52.0 | 55.0 | 28.2 | 10.2 | 7.10 | 17.2 | 10.2 | 100 | 22.6 |
| 24 | 11.5 | 18.7 | 71.8 | 59.0 | 53.0 | 27.4 | 9.85 | 7.10 | 15.2 | 10.2 | 66.0 | 21.8 |
| 25 | 10.8 | 23.4 | 66.0 | 70.6 | 51.0 | 26.6 | 9.85 | 7.10 | 14.5 | 10.2 | 44.1 | 21.0 |
| 26 | 13.7 | 22.6 | 62.0 | 88.1 | 49.0 | 26.6 | 9.85 | 7.10 | 13.7 | 9.85 | 34.5 | 19.7 |
| 27 | 14.1 | 21.8 | 66.0 | 92.0 | 49.0 | 25.8 | 9.52 | 6.88 | 13.0 | 9.52 | 28.2 | 19.2 |
| 28 | 13.7 | 19.2 | 67.0 | 89.4 | 49.0 | 24.2 | 9.52 | 6.88 | 11.5 | 9.19 | 22.6 | 18.7 |
| 29 | 13.7 | 18.7 | 60.0 | 82.9 | 47.0 | 24.2 | 9.52 | 6.88 | 10.8 | 8.86 | 20.2 | 18.2 |
| 30 | 25.8 | | 51.0 | 90.7 | 47.0 | 21.8 | 8.86 | 6.66 | 10.8 | 8.86 | 19.2 | 18.2 |
| 31 | 61.0 | | 47.0 | | 47.0 | | 9.19 | 6.66 | | 8.86 | | 17.7 |
| SD1 | 16.4 | 52.0 | 18.4 | 70.5 | 101 | 44.7 | 17.0 | 7.97 | 6.42 | 10.5 | 8.46 | 120 |
| SD2 | 12.8 | 33.5 | 30.6 | 72.8 | 87.0 | 32.9 | 12.5 | 7.30 | 15.7 | 11.0 | 8.55 | 39.2 |
| SD3 | 18.1 | 20.7 | 59.3 | 71.4 | 51.2 | 26.2 | 9.71 | 6.96 | 14.1 | 9.59 | 45.3 | 20.6 |
| MAX | 63.0 | 85.5 | 74.2 | 103 | 116 | 53.0 | 20.2 | 8.86 | 31.8 | 13.0 | 140 | 284 |
| DAT | 31 | 9 | 24 | 9 | 8 | 2 | 1 | 1 | 18 | 10 | 22 | 3 |
| SR | 15.8 | 35.9 | 36.9 | 71.6 | 78.8 | 34.6 | 13.0 | 7.39 | 12.1 | 10.3 | 20.8 | 58.8 |
| MIN | 10.8 | 18.7 | 16.7 | 44.1 | 47.0 | 21.8 | 8.86 | 6.66 | 6.22 | 8.86 | 7.98 | 17.7 |
| DAT | 25 | 24 | 12 | 21 | 29 | 30 | 30 | 30 | 5 | 29 | 13 | 31 |
| GMIN = | | | 6.22 | SRGOD= | | | 33.0 | GMAX = | | | 284 | |
| DATUM | | | 5 9 | | | | | DATUM | | | 3 12 | |

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1989

Broj : 45827 Stanica : BERANE Kota "0" = 658.05
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 155.00
Pocetak rada: 1966 Sliv : DRINE Pov.sliva = 1283.2

| DAN | I | II | III | IV | V | VI | VII | VIII | IX | X | XI | XII | |
|-----|------|--------|------|------|------|--------|------|------|------|--------|-------|------|--|
| 1 | 16.7 | 12.6 | 79.0 | 64.0 | 80.3 | 50.0 | 41.1 | 18.2 | 34.5 | 21.8 | 20.2 | 49.0 | |
| 2 | 16.7 | 12.6 | 130 | 71.8 | 75.4 | 52.0 | 38.2 | 29.1 | 30.0 | 18.7 | 20.2 | 44.1 | |
| 3 | 16.2 | 12.2 | 113 | 74.2 | 75.4 | 50.0 | 36.3 | 24.2 | 29.1 | 18.2 | 19.2 | 42.1 | |
| 4 | 14.8 | 12.2 | 96.2 | 76.6 | 75.4 | 49.0 | 34.5 | 22.6 | 27.4 | 18.2 | 19.2 | 38.2 | |
| 5 | 14.8 | 12.2 | 82.9 | 79.0 | 82.9 | 43.1 | 34.5 | 19.7 | 26.6 | 17.2 | 19.2 | 36.3 | |
| 6 | 14.5 | 12.2 | 68.2 | 82.9 | 84.2 | 42.1 | 33.6 | 18.2 | 25.0 | 16.7 | 25.0 | 34.5 | |
| 7 | 14.8 | 12.2 | 59.0 | 84.2 | 88.1 | 46.0 | 31.8 | 17.7 | 23.4 | 16.2 | 69.4 | 33.6 | |
| 8 | 14.8 | 12.2 | 52.0 | 79.0 | 84.2 | 47.0 | 30.0 | 16.7 | 21.0 | 19.7 | 73.0 | 32.7 | |
| 9 | 14.5 | 12.2 | 48.0 | 75.4 | 77.8 | 44.1 | 28.2 | 16.2 | 21.0 | 59.0 | 62.0 | 30.9 | |
| 10 | 14.5 | 12.2 | 44.1 | 68.2 | 73.0 | 39.2 | 29.1 | 25.8 | 30.9 | 189 | 53.0 | 30.0 | |
| 11 | 14.5 | 12.2 | 41.1 | 64.0 | 69.4 | 38.2 | 29.1 | 24.2 | 30.0 | 189 | 47.0 | 25.0 | |
| 12 | 14.1 | 12.2 | 37.2 | 65.0 | 70.6 | 37.2 | 32.7 | 21.0 | 28.2 | 137 | 43.1 | 25.0 | |
| 13 | 14.1 | 12.2 | 36.3 | 67.0 | 74.2 | 34.5 | 29.1 | 20.2 | 25.8 | 103 | 39.2 | 24.2 | |
| 14 | 14.1 | 12.2 | 34.5 | 71.8 | 85.5 | 34.5 | 29.1 | 18.7 | 25.8 | 81.6 | 35.4 | 25.8 | |
| 15 | 13.7 | 12.2 | 35.4 | 70.6 | 90.7 | 35.4 | 27.4 | 17.7 | 25.0 | 71.8 | 33.6 | 37.2 | |
| 16 | 13.7 | 12.2 | 37.2 | 67.0 | 89.4 | 34.5 | 26.6 | 16.7 | 22.6 | 63.0 | 30.9 | 63.0 | |
| 17 | 13.7 | 12.2 | 41.1 | 63.0 | 85.5 | 44.1 | 25.8 | 16.2 | 21.0 | 57.0 | 28.2 | 70.6 | |
| 18 | 13.7 | 12.6 | 45.0 | 79.0 | 86.8 | 64.0 | 23.4 | 14.8 | 19.7 | 51.0 | 26.6 | 68.2 | |
| 19 | 13.7 | 12.6 | 51.0 | 89.4 | 92.0 | 65.0 | 23.4 | 14.5 | 19.2 | 49.0 | 25.0 | 68.2 | |
| 20 | 13.7 | 11.9 | 59.0 | 81.6 | 86.8 | 59.0 | 21.8 | 14.1 | 18.7 | 43.1 | 24.2 | 71.8 | |
| 21 | 13.7 | 12.2 | 71.8 | 74.2 | 80.3 | 55.0 | 20.2 | 13.4 | 18.2 | 39.2 | 23.4 | 70.6 | |
| 22 | 13.7 | 13.7 | 77.8 | 77.8 | 75.4 | 51.0 | 19.2 | 13.0 | 17.7 | 37.2 | 22.6 | 65.0 | |
| 23 | 13.7 | 14.8 | 76.6 | 84.2 | 73.0 | 47.0 | 18.2 | 13.4 | 17.2 | 33.6 | 41.1 | 60.0 | |
| 24 | 13.7 | 16.7 | 73.0 | 81.6 | 71.8 | 46.0 | 17.7 | 13.4 | 16.7 | 31.8 | 60.0 | 54.0 | |
| 25 | 13.4 | 21.8 | 69.4 | 74.2 | 66.0 | 44.1 | 16.2 | 13.4 | 15.7 | 30.0 | 90.7 | 49.0 | |
| 26 | 13.4 | 67.0 | 64.0 | 69.4 | 62.0 | 45.0 | 16.7 | 13.0 | 15.2 | 28.2 | 118 | 44.1 | |
| 27 | 13.0 | 115 | 60.0 | 68.2 | 58.0 | 46.0 | 20.2 | 12.6 | 14.8 | 28.2 | 90.7 | 41.1 | |
| 28 | 13.0 | 84.2 | 54.0 | 73.0 | 55.0 | 46.0 | 21.0 | 11.9 | 15.2 | 26.6 | 74.2 | 38.2 | |
| 29 | 13.0 | | 53.0 | 75.4 | 52.0 | 46.0 | 22.6 | 31.8 | 16.2 | 25.0 | 63.0 | 36.3 | |
| 30 | 13.0 | | 58.0 | 82.9 | 51.0 | 42.1 | 21.8 | 44.1 | 23.4 | 23.4 | 55.0 | 34.5 | |
| 31 | 12.6 | | 61.0 | | 49.0 | | 19.7 | 41.1 | | 21.8 | | 31.8 | |
| SD1 | 15.2 | 12.3 | 77.2 | 75.5 | 79.7 | 46.3 | 33.7 | 20.8 | 26.9 | 39.5 | 38.0 | 37.1 | |
| SD2 | 13.9 | 12.2 | 41.8 | 71.8 | 83.1 | 44.6 | 26.8 | 17.8 | 23.6 | 84.6 | 33.3 | 47.9 | |
| SD3 | 13.3 | 43.2 | 65.3 | 76.1 | 63.0 | 46.8 | 19.4 | 20.1 | 17.0 | 29.5 | 63.9 | 47.7 | |
| MAX | 17.7 | 142 | 159 | 92.0 | 96.2 | 67.0 | 41.1 | 46.0 | 37.2 | 213 | 124 | 73.0 | |
| DAT | 1 | 26 | 2 | 19 | 19 | 18 | 1 | 30 | 1 | 10 | 26 | 20 | |
| SR | 14.1 | 21.1 | 61.6 | 74.5 | 74.9 | 45.9 | 26.4 | 19.6 | 22.5 | 50.5 | 45.1 | 44.4 | |
| MIN | 12.6 | 11.9 | 34.5 | 63.0 | 49.0 | 34.5 | 16.2 | 11.9 | 14.8 | 16.2 | 19.2 | 24.2 | |
| DAT | 31 | 20 | 14 | 17 | 31 | 13 | 25 | 28 | 27 | 7 | 3 | 13 | |
| | | GMIN = | 11.9 | | | SRGOD= | 41.8 | | | GMAX = | 213 | | |
| | | DATUM | 20 2 | | | | | | | DATUM | 10 10 | | |

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1990

Broj : 45827 Stanica : BERANE Kota "0" = 658.05
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 155.00
Pocetak rada: 1966 Sliv : DRINE Pov.sliva = 1283.2

| DAN | I | II | III | IV | V | VI | VII | VIII | IX | X | XI | XII |
|--------|------|------|------|--------|------|------|------|--------|------|------|------|------|
| 1 | 30.0 | 19.2 | 18.7 | 18.7 | 84.2 | 36.3 | 15.7 | 9.52 | 7.76 | 8.20 | 33.6 | 57.0 |
| 2 | 27.4 | 18.2 | 20.2 | 18.2 | 75.4 | 34.5 | 14.8 | 9.19 | 7.54 | 8.20 | 30.9 | 47.0 |
| 3 | 26.6 | 17.7 | 21.0 | 17.7 | 69.4 | 32.7 | 14.5 | 9.19 | 7.76 | 8.20 | 33.6 | 39.2 |
| 4 | 25.0 | 17.7 | 21.0 | 17.7 | 66.0 | 32.7 | 14.5 | 9.19 | 7.76 | 8.20 | 30.9 | 34.5 |
| 5 | 21.8 | 16.7 | 19.7 | 17.7 | 61.0 | 30.9 | 14.1 | 8.86 | 7.76 | 8.20 | 25.8 | 31.8 |
| 6 | 21.0 | 16.2 | 19.2 | 17.2 | 64.0 | 30.0 | 13.7 | 8.53 | 7.98 | 8.20 | 23.4 | 29.1 |
| 7 | 19.7 | 16.2 | 19.2 | 17.2 | 57.0 | 30.0 | 13.4 | 8.20 | 7.98 | 7.98 | 21.0 | 27.4 |
| 8 | 18.7 | 15.7 | 19.7 | 21.8 | 56.0 | 30.9 | 13.4 | 8.20 | 7.98 | 7.98 | 19.2 | 25.8 |
| 9 | 18.2 | 15.2 | 20.2 | 25.0 | 55.0 | 30.9 | 13.0 | 8.86 | 7.76 | 9.19 | 18.7 | 23.4 |
| 10 | 17.7 | 15.2 | 21.0 | 37.2 | 55.0 | 30.0 | 13.0 | 9.52 | 7.76 | 10.2 | 17.7 | 56.0 |
| 11 | 17.7 | 15.2 | 21.0 | 44.1 | 55.0 | 29.1 | 12.6 | 9.52 | 7.76 | 10.5 | 16.2 | 113 |
| 12 | 17.2 | 14.8 | 21.0 | 40.1 | 56.0 | 27.4 | 12.6 | 9.19 | 8.20 | 10.5 | 15.2 | 88.1 |
| 13 | 17.2 | 14.8 | 21.8 | 38.2 | 56.0 | 26.6 | 12.2 | 9.19 | 8.20 | 10.5 | 14.8 | 67.0 |
| 14 | 16.7 | 14.8 | 22.6 | 38.2 | 53.0 | 25.8 | 13.7 | 9.19 | 8.20 | 10.2 | 14.5 | 57.0 |
| 15 | 16.2 | 15.2 | 22.6 | 40.1 | 51.0 | 25.0 | 13.7 | 9.19 | 8.20 | 9.19 | 14.5 | 50.0 |
| 16 | 15.7 | 18.7 | 21.8 | 40.1 | 49.0 | 25.0 | 12.6 | 8.86 | 7.76 | 9.19 | 15.2 | 44.1 |
| 17 | 16.2 | 18.7 | 21.0 | 43.1 | 48.0 | 25.0 | 11.9 | 8.86 | 7.76 | 9.19 | 15.7 | 38.2 |
| 18 | 16.2 | 17.2 | 20.2 | 43.1 | 46.0 | 23.4 | 11.5 | 8.86 | 7.76 | 8.86 | 15.7 | 35.4 |
| 19 | 15.7 | 16.7 | 19.7 | 45.0 | 47.0 | 21.8 | 11.9 | 8.86 | 7.76 | 8.86 | 15.2 | 31.8 |
| 20 | 15.2 | 16.7 | 19.7 | 45.0 | 47.0 | 21.0 | 12.2 | 8.20 | 7.76 | 8.86 | 14.8 | 30.0 |
| 21 | 14.8 | 16.7 | 20.2 | 64.0 | 45.0 | 20.2 | 11.9 | 8.20 | 7.76 | 10.2 | 14.5 | 28.2 |
| 22 | 14.5 | 17.2 | 19.7 | 161 | 46.0 | 19.7 | 11.9 | 8.20 | 7.76 | 12.2 | 14.5 | 25.8 |
| 23 | 14.5 | 16.7 | 19.7 | 248 | 45.0 | 19.2 | 11.2 | 8.20 | 7.76 | 13.4 | 13.7 | 24.2 |
| 24 | 14.1 | 16.2 | 19.7 | 354 | 44.1 | 18.7 | 10.8 | 8.20 | 7.98 | 13.0 | 25.8 | 22.6 |
| 25 | 14.1 | 16.2 | 19.7 | 273 | 42.1 | 18.2 | 10.5 | 8.20 | 7.98 | 12.2 | 45.0 | 20.2 |
| 26 | 14.5 | 16.2 | 20.2 | 201 | 42.1 | 17.2 | 10.2 | 7.98 | 7.98 | 11.9 | 45.0 | 20.2 |
| 27 | 16.2 | 16.2 | 21.0 | 157 | 42.1 | 17.2 | 10.2 | 7.98 | 7.98 | 11.5 | 58.0 | 19.7 |
| 28 | 17.2 | 17.7 | 21.0 | 127 | 41.1 | 17.2 | 10.5 | 7.98 | 8.20 | 11.5 | 99.0 | 19.7 |
| 29 | 16.7 | | 21.0 | 112 | 42.1 | 16.7 | 10.2 | 7.98 | 8.20 | 11.5 | 93.4 | 20.2 |
| 30 | 18.7 | | 20.2 | 96.2 | 43.1 | 15.7 | 9.85 | 7.98 | 8.20 | 14.1 | 70.6 | 20.2 |
| 31 | 19.2 | | 20.2 | | 39.2 | | 9.85 | 7.98 | | 16.2 | | 19.7 |
| SD1 | 22.6 | 16.8 | 20.0 | 20.8 | 64.3 | 31.9 | 14.0 | 8.93 | 7.80 | 8.45 | 25.5 | 37.1 |
| SD2 | 16.4 | 16.3 | 21.1 | 41.7 | 50.8 | 25.0 | 12.5 | 8.99 | 7.94 | 9.59 | 15.2 | 55.5 |
| SD3 | 15.9 | 16.6 | 20.2 | 179 | 42.9 | 18.0 | 10.6 | 8.08 | 7.98 | 12.5 | 48.0 | 21.9 |
| MAX | 30.0 | 19.7 | 22.6 | 372 | 89.4 | 37.2 | 16.2 | 9.85 | 8.20 | 33.6 | 107 | 144 |
| DAT | 1 | 1 | 14 | 24 | 1 | 1 | 1 | 10 | 12 | 31 | 28 | 11 |
| SR | 18.2 | 16.6 | 20.4 | 80.6 | 52.4 | 25.0 | 12.3 | 8.65 | 7.91 | 10.3 | 29.5 | 37.6 |
| MIN | 14.1 | 14.8 | 18.7 | 17.2 | 39.2 | 15.7 | 9.85 | 7.98 | 7.54 | 7.98 | 13.7 | 19.7 |
| DAT | 24 | 12 | 1 | 6 | 31 | 30 | 30 | 26 | 2 | 7 | 23 | 27 |
| GMIN = | | | 7.54 | SRGOD= | | | 26.6 | GMAX = | | | 372 | |
| DATUM | | | 2 9 | | | | | DATUM | | | 24 4 | |

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1991

Broj : 45827 Stanica : BERANE Kota "0" = 658.05
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 155.00
Pocetak rada: 1966 Sliv : DRINE Pov.sliva = 1283.2

| DAN | I | II | III | IV | V | VI | VII | VIII | IX | X | XI | XII |
|-------------|------|------|-------------|------|------|------|------|-------------|------|------|------|------|
| 1 | 19.2 | 13.4 | 19.7 | 45.0 | 55.0 | 68.2 | 40.1 | 17.7 | 9.52 | 8.86 | 15.7 | 60.0 |
| 2 | 21.0 | 13.0 | 21.0 | 42.1 | 55.0 | 71.8 | 46.0 | 17.7 | 9.19 | 8.53 | 14.8 | 55.0 |
| 3 | 22.6 | 12.6 | 24.2 | 38.2 | 55.0 | 75.4 | 53.0 | 17.2 | 9.19 | 8.53 | 14.5 | 52.0 |
| 4 | 22.6 | 12.6 | 25.0 | 35.4 | 79.0 | 76.6 | 45.0 | 17.2 | 9.19 | 8.53 | 13.4 | 49.0 |
| 5 | 22.6 | 12.6 | 27.4 | 33.6 | 127 | 84.2 | 48.0 | 16.7 | 8.86 | 8.53 | 14.8 | 46.0 |
| 6 | 23.4 | 13.0 | 27.4 | 33.6 | 121 | 86.8 | 47.0 | 16.7 | 8.86 | 8.53 | 50.0 | 44.1 |
| 7 | 22.6 | 13.0 | 27.4 | 31.8 | 106 | 88.1 | 45.0 | 16.7 | 8.86 | 8.20 | 57.0 | 41.1 |
| 8 | 22.6 | 13.4 | 27.4 | 31.8 | 94.8 | 99.0 | 39.2 | 16.2 | 8.86 | 10.8 | 52.0 | 38.2 |
| 9 | 22.6 | 21.0 | 30.0 | 30.9 | 81.6 | 161 | 35.4 | 15.7 | 8.86 | 7.54 | 41.1 | 34.5 |
| 10 | 21.8 | 22.6 | 33.6 | 30.0 | 76.6 | 163 | 33.6 | 14.8 | 8.86 | 7.32 | 30.9 | 30.0 |
| 11 | 22.6 | 24.2 | 40.1 | 30.0 | 90.7 | 130 | 30.9 | 14.5 | 8.86 | 7.10 | 27.4 | 26.6 |
| 12 | 22.6 | 46.0 | 39.2 | 30.0 | 109 | 125 | 28.2 | 13.7 | 8.86 | 7.10 | 25.0 | 24.2 |
| 13 | 22.6 | 42.1 | 38.2 | 30.0 | 103 | 101 | 26.6 | 13.4 | 8.86 | 7.10 | 22.6 | 23.4 |
| 14 | 22.6 | 33.6 | 37.2 | 28.2 | 90.7 | 99.0 | 25.0 | 13.4 | 8.86 | 8.86 | 21.0 | 23.4 |
| 15 | 21.8 | 27.4 | 36.3 | 27.4 | 84.2 | 86.8 | 30.0 | 13.4 | 8.86 | 11.2 | 46.0 | 23.4 |
| 16 | 19.7 | 25.0 | 36.3 | 27.4 | 80.3 | 81.6 | 31.8 | 13.4 | 9.19 | 10.5 | 142 | 23.4 |
| 17 | 18.7 | 21.8 | 35.4 | 27.4 | 82.9 | 74.2 | 27.4 | 13.0 | 8.86 | 10.2 | 388 | 23.4 |
| 18 | 18.2 | 19.7 | 33.6 | 33.6 | 86.8 | 71.8 | 26.6 | 12.6 | 8.86 | 9.19 | 391 | 23.4 |
| 19 | 18.2 | 18.2 | 32.7 | 66.0 | 81.6 | 68.2 | 25.0 | 12.2 | 8.86 | 9.19 | 238 | 23.4 |
| 20 | 17.7 | 18.2 | 32.7 | 76.6 | 73.0 | 65.0 | 22.6 | 11.9 | 8.86 | 14.1 | 157 | 22.6 |
| 21 | 16.7 | 18.2 | 33.6 | 71.8 | 69.4 | 60.0 | 21.0 | 11.5 | 8.86 | 29.1 | 132 | 21.8 |
| 22 | 16.7 | 18.2 | 34.5 | 65.0 | 64.0 | 56.0 | 20.2 | 11.2 | 8.86 | 64.0 | 159 | 21.8 |
| 23 | 16.2 | 18.2 | 39.2 | 62.0 | 67.0 | 52.0 | 19.7 | 10.8 | 9.19 | 64.0 | 159 | 20.2 |
| 24 | 16.2 | 18.2 | 48.0 | 60.0 | 71.8 | 48.0 | 19.2 | 10.5 | 9.85 | 43.1 | 146 | 20.2 |
| 25 | 15.7 | 18.2 | 58.0 | 59.0 | 76.6 | 45.0 | 18.7 | 10.2 | 9.85 | 33.6 | 142 | 19.7 |
| 26 | 15.2 | 19.2 | 63.0 | 56.0 | 77.8 | 43.1 | 17.7 | 9.85 | 9.52 | 30.9 | 132 | 19.2 |
| 27 | 15.2 | 19.2 | 62.0 | 54.0 | 74.2 | 42.1 | 17.7 | 9.85 | 9.19 | 28.2 | 115 | 18.7 |
| 28 | 15.2 | 19.2 | 58.0 | 60.0 | 73.0 | 41.1 | 20.2 | 9.85 | 9.19 | 23.4 | 96.2 | 18.7 |
| 29 | 14.8 | | 55.0 | 56.0 | 70.6 | 40.1 | 19.2 | 9.52 | 8.86 | 19.7 | 81.6 | 18.7 |
| 30 | 14.8 | | 53.0 | 55.0 | 67.0 | 40.1 | 18.7 | 9.52 | 8.86 | 17.2 | 69.4 | 18.2 |
| 31 | 13.7 | | 49.0 | | 65.0 | | 18.2 | 9.52 | | 16.7 | | 18.2 |
| SD1 | 22.1 | 14.7 | 26.3 | 35.2 | 85.1 | 97.4 | 43.2 | 16.7 | 9.02 | 8.54 | 30.4 | 45.0 |
| SD2 | 20.5 | 27.6 | 36.2 | 37.7 | 88.2 | 90.3 | 27.4 | 13.1 | 8.89 | 9.45 | 146 | 23.7 |
| SD3 | 15.5 | 18.6 | 50.3 | 59.9 | 70.6 | 46.8 | 19.1 | 10.2 | 9.22 | 33.6 | 123 | 19.6 |
| MAX | 23.4 | 51.0 | 63.0 | 79.0 | 133 | 191 | 55.0 | 17.7 | 10.2 | 74.2 | 486 | 65.0 |
| DAT | 6 | 12 | 26 | 20 | 6 | 9 | 3 | 1 | 24 | 22 | 17 | 1 |
| SR | 19.2 | 20.4 | 38.0 | 44.3 | 81.0 | 78.1 | 29.6 | 13.2 | 9.05 | 17.7 | 99.8 | 29.1 |
| MIN | 13.7 | 12.6 | 19.7 | 27.4 | 55.0 | 40.1 | 17.7 | 9.52 | 8.86 | 7.10 | 13.4 | 18.2 |
| DAT | 31 | 3 | 1 | 15 | 1 | 29 | 26 | 29 | 5 | 11 | 4 | 30 |
| ----- | | | | | | | | | | | | |
| GMIN = 7.10 | | | SRGOD= 39.9 | | | | | GMAX = 486 | | | | |
| DATUM 11 10 | | | | | | | | DATUM 17 11 | | | | |
| ----- | | | | | | | | | | | | |

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1992

Broj : 45827 Stanica : BERANE Kota "0" = 658.05
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 155.00
Pocetak rada: 1966 Sliv : DRINE Pov.sliva = 1283.2

| DAN | I | II | III | IV | V | VI | VII | VIII | IX | X | XI | XII | |
|--------|------|------|------|--------|------|------|------|------|--------|------|------|-------|--|
| 1 | 17.7 | 13.0 | 15.2 | 39.2 | 115 | 41.1 | 32.7 | 11.5 | 8.86 | 9.19 | 71.8 | 48.0 | |
| 2 | 16.2 | 13.0 | 15.7 | 40.1 | 112 | 46.0 | 31.8 | 11.5 | 8.86 | 9.19 | 61.0 | 45.0 | |
| 3 | 15.7 | 13.0 | 16.2 | 39.2 | 104 | 43.1 | 30.9 | 11.2 | 8.86 | 9.52 | 55.0 | 43.1 | |
| 4 | 15.7 | 12.6 | 16.7 | 40.1 | 93.4 | 41.1 | 29.1 | 11.2 | 8.86 | 11.2 | 50.0 | 42.1 | |
| 5 | 15.7 | 12.6 | 17.2 | 44.1 | 85.5 | 38.2 | 26.6 | 11.9 | 8.86 | 14.1 | 44.1 | 40.1 | |
| 6 | 15.7 | 12.6 | 17.2 | 47.0 | 80.3 | 35.4 | 24.2 | 11.5 | 8.86 | 25.8 | 40.1 | 48.0 | |
| 7 | 14.8 | 13.0 | 17.2 | 61.0 | 76.6 | 32.7 | 24.2 | 11.5 | 8.86 | 71.8 | 35.4 | 59.0 | |
| 8 | 14.8 | 13.0 | 17.2 | 68.2 | 77.8 | 30.0 | 27.4 | 11.2 | 8.86 | 51.0 | 33.6 | 57.0 | |
| 9 | 15.2 | 12.6 | 16.7 | 65.0 | 69.4 | 30.0 | 23.4 | 10.8 | 8.86 | 36.3 | 30.9 | 55.0 | |
| 10 | 15.2 | 12.2 | 16.2 | 67.0 | 67.0 | 29.1 | 23.4 | 10.5 | 8.86 | 27.4 | 28.2 | 55.0 | |
| 11 | 15.2 | 12.2 | 16.2 | 68.2 | 65.0 | 26.6 | 21.8 | 10.2 | 8.86 | 25.0 | 27.4 | 52.0 | |
| 12 | 15.2 | 12.6 | 15.7 | 64.0 | 65.0 | 33.6 | 21.0 | 10.2 | 8.86 | 59.0 | 30.0 | 50.0 | |
| 13 | 16.2 | 13.0 | 15.2 | 58.0 | 61.0 | 37.2 | 20.2 | 10.2 | 8.86 | 48.0 | 39.2 | 48.0 | |
| 14 | 16.2 | 13.0 | 15.7 | 56.0 | 58.0 | 44.1 | 20.2 | 10.2 | 8.86 | 42.1 | 42.1 | 45.0 | |
| 15 | 15.7 | 13.0 | 16.7 | 54.0 | 55.0 | 44.1 | 19.7 | 10.2 | 8.86 | 41.1 | 37.2 | 43.1 | |
| 16 | 15.7 | 13.4 | 17.7 | 53.0 | 52.0 | 45.0 | 18.7 | 10.2 | 8.86 | 39.2 | 35.4 | 41.1 | |
| 17 | 15.7 | 13.7 | 17.7 | 56.0 | 49.0 | 64.0 | 18.2 | 9.85 | 8.86 | 42.1 | 70.6 | 38.2 | |
| 18 | 15.2 | 13.7 | 16.7 | 75.4 | 47.0 | 73.0 | 17.7 | 9.52 | 8.86 | 79.0 | 374 | 37.2 | |
| 19 | 15.2 | 14.1 | 16.7 | 77.8 | 46.0 | 74.2 | 16.2 | 9.52 | 8.86 | 101 | 377 | 35.4 | |
| 20 | 15.2 | 14.5 | 16.2 | 74.2 | 43.1 | 68.2 | 15.2 | 9.52 | 8.86 | 79.0 | 231 | 33.6 | |
| 21 | 14.8 | 14.5 | 16.2 | 75.4 | 41.1 | 63.0 | 15.2 | 9.52 | 8.86 | 61.0 | 153 | 31.8 | |
| 22 | 14.5 | 14.5 | 15.2 | 68.2 | 41.1 | 56.0 | 14.8 | 9.52 | 8.86 | 60.0 | 115 | 31.8 | |
| 23 | 14.5 | 14.1 | 14.5 | 67.0 | 40.1 | 51.0 | 14.5 | 9.19 | 8.86 | 57.0 | 93.4 | 30.0 | |
| 24 | 14.1 | 13.7 | 16.7 | 70.6 | 39.2 | 45.0 | 13.7 | 9.19 | 8.86 | 57.0 | 80.3 | 28.2 | |
| 25 | 13.7 | 13.4 | 23.4 | 71.8 | 38.2 | 43.1 | 13.7 | 9.19 | 8.86 | 58.0 | 71.8 | 26.6 | |
| 26 | 13.7 | 13.4 | 23.4 | 76.6 | 37.2 | 42.1 | 13.7 | 8.86 | 8.86 | 52.0 | 67.0 | 25.8 | |
| 27 | 13.7 | 13.7 | 61.0 | 90.7 | 37.2 | 42.1 | 13.0 | 8.86 | 9.19 | 65.0 | 62.0 | 24.2 | |
| 28 | 13.7 | 14.1 | 61.0 | 101 | 35.4 | 44.1 | 13.0 | 8.86 | 9.19 | 67.0 | 59.0 | 23.4 | |
| 29 | 13.7 | 14.5 | 55.0 | 106 | 34.5 | 38.2 | 12.6 | 8.86 | 8.86 | 67.0 | 55.0 | 22.6 | |
| 30 | 13.4 | | 47.0 | 110 | 34.5 | 34.5 | 12.6 | 8.86 | 9.19 | 77.8 | 52.0 | 21.8 | |
| 31 | 13.0 | | 43.1 | | 37.2 | | 12.2 | 8.86 | | 79.0 | | 21.0 | |
| SD1 | 15.7 | 12.8 | 16.5 | 51.1 | 88.1 | 36.7 | 27.4 | 11.3 | 8.86 | 26.5 | 45.0 | 49.2 | |
| SD2 | 15.5 | 13.3 | 16.4 | 63.7 | 54.1 | 51.0 | 18.9 | 9.96 | 8.86 | 55.5 | 126 | 42.4 | |
| SD3 | 13.9 | 14.0 | 34.2 | 83.7 | 37.8 | 45.9 | 13.5 | 9.07 | 8.96 | 63.7 | 80.8 | 26.1 | |
| MAX | 18.2 | 14.8 | 67.0 | 118 | 118 | 79.0 | 33.6 | 12.2 | 9.19 | 146 | 496 | 60.0 | |
| DAT | 1 | 20 | 27 | 30 | 1 | 19 | 1 | 5 | 27 | 18 | 18 | 7 | |
| SR | 15.0 | 13.3 | 22.8 | 66.2 | 59.3 | 44.5 | 19.7 | 10.1 | 8.89 | 49.1 | 84.1 | 38.8 | |
| MIN | 13.0 | 12.2 | 14.5 | 39.2 | 34.5 | 26.6 | 12.2 | 8.86 | 8.86 | 9.19 | 27.4 | 21.0 | |
| DAT | 31 | 10 | 23 | 1 | 29 | 11 | 31 | 26 | 1 | 1 | 11 | 31 | |
| ----- | | | | | | | | | | | | | |
| GMIN = | | | 8.86 | SRGOD= | | | | 35.9 | GMAX = | | | 496 | |
| DATUM | | | 26 8 | | | | | | DATUM | | | 18 11 | |
| ----- | | | | | | | | | | | | | |

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1993

Broj : 45827 Stanica : BERANE Kota "0" = 658.05
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 155.00
Pocetak rada: 1966 Sliv : DRINE Pov.sliva = 1283.2

| DAN | I | II | III | IV | V | VI | VII | VIII | IX | X | XI | XII |
|-----|------|-------------|------|-------------|------|-------------|------|------|------|------|------|------|
| 1 | 21.0 | 14.1 | 12.2 | 28.2 | 79.0 | 28.2 | 13.0 | 9.19 | 8.53 | 11.5 | 15.2 | 25.0 |
| 2 | 21.0 | 14.1 | 12.2 | 32.7 | 74.2 | 27.4 | 13.0 | 9.19 | 8.20 | 11.5 | 14.8 | 23.4 |
| 3 | 20.2 | 14.1 | 13.0 | 42.1 | 69.4 | 26.6 | 14.1 | 9.19 | 8.20 | 13.7 | 14.5 | 23.4 |
| 4 | 18.7 | 14.1 | 13.4 | 48.0 | 68.2 | 25.0 | 14.8 | 10.2 | 8.20 | 51.0 | 15.7 | 21.8 |
| 5 | 18.2 | 14.1 | 13.4 | 49.0 | 71.8 | 25.0 | 13.4 | 9.85 | 13.0 | 63.0 | 36.3 | 21.8 |
| 6 | 17.7 | 14.1 | 12.6 | 53.0 | 71.8 | 24.2 | 13.0 | 9.52 | 18.2 | 51.0 | 110 | 20.2 |
| 7 | 17.7 | 13.7 | 12.2 | 59.0 | 70.6 | 21.8 | 13.0 | 9.52 | 19.2 | 38.2 | 181 | 21.0 |
| 8 | 17.7 | 13.7 | 12.2 | 59.0 | 68.2 | 21.0 | 13.4 | 9.52 | 17.2 | 30.0 | 129 | 22.6 |
| 9 | 17.7 | 13.7 | 12.2 | 57.0 | 69.4 | 20.2 | 13.0 | 9.52 | 15.2 | 25.8 | 96.2 | 25.0 |
| 10 | 17.7 | 13.7 | 12.2 | 53.0 | 65.0 | 19.7 | 13.0 | 10.2 | 14.1 | 25.0 | 77.8 | 27.4 |
| 11 | 16.7 | 13.7 | 11.9 | 57.0 | 63.0 | 19.7 | 12.2 | 10.5 | 13.7 | 23.4 | 64.0 | 30.0 |
| 12 | 16.7 | 13.7 | 11.9 | 92.0 | 60.0 | 19.2 | 11.5 | 10.5 | 14.1 | 21.0 | 55.0 | 45.0 |
| 13 | 16.7 | 13.7 | 12.2 | 124 | 57.0 | 18.7 | 12.2 | 9.85 | 13.4 | 20.2 | 52.0 | 50.0 |
| 14 | 16.7 | 13.4 | 13.0 | 116 | 54.0 | 18.2 | 11.9 | 9.85 | 13.4 | 19.7 | 56.0 | 46.0 |
| 15 | 16.7 | 13.4 | 13.7 | 121 | 52.0 | 18.7 | 11.5 | 9.19 | 13.4 | 18.2 | 54.0 | 107 |
| 16 | 16.7 | 13.4 | 14.5 | 129 | 50.0 | 17.7 | 11.2 | 9.19 | 13.7 | 17.7 | 60.0 | 358 |
| 17 | 16.2 | 13.0 | 14.8 | 112 | 49.0 | 17.7 | 11.2 | 8.86 | 13.4 | 16.7 | 56.0 | 354 |
| 18 | 16.2 | 13.0 | 16.2 | 93.4 | 49.0 | 17.2 | 11.2 | 8.86 | 12.6 | 16.2 | 51.0 | 236 |
| 19 | 16.2 | 13.0 | 18.2 | 80.3 | 47.0 | 16.7 | 10.8 | 8.86 | 11.9 | 15.7 | 46.0 | 161 |
| 20 | 16.2 | 13.0 | 20.2 | 75.4 | 46.0 | 16.2 | 10.8 | 8.86 | 11.5 | 15.2 | 43.1 | 116 |
| 21 | 15.7 | 13.0 | 21.8 | 77.8 | 44.1 | 15.7 | 10.5 | 8.86 | 11.2 | 15.2 | 39.2 | 94.8 |
| 22 | 15.2 | 13.0 | 24.2 | 81.6 | 44.1 | 14.8 | 10.8 | 8.53 | 10.8 | 14.5 | 36.3 | 93.4 |
| 23 | 15.2 | 13.0 | 28.2 | 88.1 | 43.1 | 14.5 | 11.2 | 8.20 | 10.5 | 14.8 | 33.6 | 103 |
| 24 | 15.2 | 13.0 | 30.9 | 96.2 | 39.2 | 14.1 | 11.2 | 8.20 | 10.2 | 19.2 | 32.7 | 92.0 |
| 25 | 15.2 | 12.6 | 33.6 | 97.6 | 39.2 | 13.7 | 10.5 | 8.20 | 9.85 | 21.8 | 31.8 | 97.6 |
| 26 | 15.2 | 12.6 | 41.1 | 94.8 | 38.2 | 13.7 | 10.2 | 8.20 | 9.85 | 20.2 | 30.9 | 99.0 |
| 27 | 15.2 | 12.6 | 40.1 | 94.8 | 35.4 | 13.4 | 10.2 | 8.20 | 10.2 | 18.7 | 29.1 | 100 |
| 28 | 15.2 | 12.2 | 35.4 | 94.8 | 33.6 | 13.4 | 10.5 | 8.20 | 10.5 | 17.7 | 27.4 | 92.0 |
| 29 | 15.2 | | 32.7 | 90.7 | 32.7 | 13.4 | 10.5 | 8.53 | 10.8 | 17.2 | 25.8 | 81.6 |
| 30 | 15.2 | | 29.1 | 86.8 | 31.8 | 13.4 | 10.2 | 8.53 | 11.5 | 16.2 | 25.8 | 71.8 |
| 31 | 14.8 | | 29.1 | | 30.0 | | 9.19 | 8.53 | | 15.7 | | 65.0 |
| SD1 | 18.8 | 13.9 | 12.6 | 48.1 | 70.8 | 23.9 | 13.4 | 9.59 | 13.0 | 32.1 | 69.1 | 23.2 |
| SD2 | 16.5 | 13.3 | 14.7 | 100 | 52.7 | 18.0 | 11.4 | 9.45 | 13.1 | 18.4 | 53.7 | 150 |
| SD3 | 15.2 | 12.7 | 31.5 | 90.3 | 37.4 | 14.0 | 10.5 | 8.38 | 10.5 | 17.4 | 31.3 | 90.0 |
| MAX | 21.0 | 14.5 | 44.1 | 133 | 82.9 | 28.2 | 17.2 | 10.8 | 19.7 | 66.0 | 193 | 400 |
| DAT | 1 | 1 | 26 | 16 | 1 | 1 | 4 | 4 | 6 | 5 | 7 | 16 |
| SR | 16.8 | 13.4 | 19.9 | 79.5 | 53.1 | 18.6 | 11.7 | 9.12 | 12.2 | 22.4 | 51.3 | 87.9 |
| MIN | 14.8 | 12.2 | 11.9 | 28.2 | 30.0 | 13.4 | 9.19 | 8.20 | 8.20 | 11.5 | 14.5 | 20.2 |
| DAT | 31 | 28 | 11 | 1 | 31 | 27 | 31 | 23 | 2 | 1 | 3 | 6 |
| | | GMIN = 8.20 | | SRGOD= 33.1 | | GMAX = 400 | | | | | | |
| | | DATUM 23 8 | | | | DATUM 16 12 | | | | | | |

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1994

Broj : 45827 Stanica : BERANE Kota "0" = 658.05
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 155.00
Pocetak rada: 1966 Sliv : DRINE Pov.sliva = 1283.2

| DAN | I | II | III | IV | V | VI | VII | VIII | IX | X | XI | XII |
|--------|------|------|------|--------|------|------|------|------|--------|------|------|------|
| 1 | 61.0 | 28.2 | 40.1 | 46.0 | 104 | 62.0 | 31.8 | 14.5 | 10.2 | 10.2 | 14.5 | 11.2 |
| 2 | 58.0 | 26.6 | 42.1 | 49.0 | 104 | 58.0 | 29.1 | 14.5 | 10.5 | 9.85 | 13.0 | 10.8 |
| 3 | 53.0 | 25.8 | 48.0 | 54.0 | 99.0 | 55.0 | 29.1 | 14.5 | 10.5 | 9.52 | 12.2 | 10.5 |
| 4 | 49.0 | 25.8 | 49.0 | 53.0 | 81.6 | 53.0 | 25.8 | 14.5 | 10.5 | 10.8 | 12.2 | 10.2 |
| 5 | 56.0 | 25.0 | 47.0 | 53.0 | 81.6 | 52.0 | 24.2 | 14.5 | 10.2 | 12.2 | 11.5 | 10.2 |
| 6 | 75.4 | 25.0 | 44.1 | 57.0 | 84.2 | 54.0 | 21.8 | 14.5 | 10.2 | 12.2 | 9.52 | 10.2 |
| 7 | 71.8 | 28.2 | 40.1 | 61.0 | 89.4 | 52.0 | 21.8 | 13.4 | 9.85 | 12.2 | 11.2 | 10.2 |
| 8 | 66.0 | 29.1 | 38.2 | 60.0 | 88.1 | 47.0 | 23.4 | 13.4 | 9.85 | 11.9 | 11.5 | 10.2 |
| 9 | 59.0 | 28.2 | 37.2 | 59.0 | 84.2 | 42.1 | 20.2 | 13.0 | 9.85 | 11.5 | 11.5 | 10.2 |
| 10 | 61.0 | 28.2 | 30.0 | 58.0 | 80.3 | 41.1 | 21.8 | 12.6 | 9.52 | 10.8 | 11.5 | 10.2 |
| 11 | 58.0 | 28.2 | 33.6 | 130 | 79.0 | 41.1 | 21.0 | 12.2 | 9.52 | 10.8 | 13.7 | 10.2 |
| 12 | 55.0 | 26.6 | 33.6 | 254 | 79.0 | 40.1 | 23.4 | 12.2 | 8.86 | 10.5 | 18.2 | 10.2 |
| 13 | 51.0 | 25.0 | 33.6 | 354 | 79.0 | 37.2 | 24.2 | 11.9 | 8.53 | 10.5 | 21.0 | 10.2 |
| 14 | 46.0 | 23.4 | 35.4 | 257 | 79.0 | 41.1 | 21.8 | 11.5 | 8.86 | 10.2 | 19.2 | 10.2 |
| 15 | 39.2 | 22.6 | 40.1 | 179 | 84.2 | 45.0 | 21.8 | 11.5 | 9.52 | 10.2 | 18.2 | 9.85 |
| 16 | 39.2 | 21.8 | 45.0 | 137 | 93.4 | 45.0 | 21.0 | 10.8 | 10.8 | 10.2 | 17.2 | 9.85 |
| 17 | 46.0 | 21.8 | 47.0 | 140 | 97.6 | 41.1 | 19.2 | 10.8 | 10.5 | 9.85 | 16.2 | 9.52 |
| 18 | 46.0 | 24.2 | 48.0 | 215 | 99.0 | 39.2 | 18.2 | 10.8 | 10.5 | 9.85 | 16.2 | 9.52 |
| 19 | 46.0 | 24.2 | 46.0 | 211 | 113 | 37.2 | 18.2 | 10.5 | 10.5 | 9.85 | 15.7 | 9.52 |
| 20 | 44.1 | 24.2 | 39.2 | 163 | 116 | 33.6 | 17.7 | 10.5 | 13.0 | 9.52 | 14.8 | 9.19 |
| 21 | 46.0 | 23.4 | 42.1 | 140 | 103 | 34.5 | 16.7 | 10.2 | 13.4 | 9.52 | 14.1 | 9.19 |
| 22 | 44.1 | 24.2 | 41.1 | 129 | 94.8 | 35.4 | 19.2 | 10.2 | 13.4 | 9.52 | 14.1 | 8.86 |
| 23 | 42.1 | 23.4 | 42.1 | 122 | 89.4 | 34.5 | 32.7 | 9.85 | 13.0 | 9.52 | 13.7 | 8.86 |
| 24 | 37.2 | 25.0 | 43.1 | 115 | 88.1 | 32.7 | 24.2 | 9.85 | 12.6 | 9.19 | 13.4 | 8.86 |
| 25 | 30.0 | 38.2 | 45.0 | 110 | 86.8 | 32.7 | 24.2 | 9.85 | 11.9 | 9.85 | 13.0 | 9.19 |
| 26 | 33.6 | 41.1 | 51.0 | 109 | 84.2 | 31.8 | 20.2 | 11.5 | 11.5 | 10.2 | 13.0 | 9.19 |
| 27 | 30.0 | 40.1 | 58.0 | 113 | 80.3 | 28.2 | 19.2 | 12.6 | 10.8 | 10.8 | 12.6 | 9.19 |
| 28 | 33.6 | 39.2 | 57.0 | 116 | 75.4 | 26.6 | 18.2 | 11.9 | 10.8 | 10.2 | 12.2 | 9.19 |
| 29 | 32.7 | | 52.0 | 112 | 22.6 | 30.0 | 17.2 | 10.8 | 10.5 | 11.5 | 11.9 | 9.19 |
| 30 | 30.9 | | 49.0 | 106 | 65.0 | 29.1 | 16.7 | 10.2 | 10.2 | 17.2 | 11.5 | 9.19 |
| 31 | 29.1 | | 53.0 | | 64.0 | | 16.2 | 10.2 | | 15.7 | | 10.2 |
| SD1 | 61.0 | 27.0 | 41.6 | 55.0 | 89.6 | 51.6 | 24.9 | 13.9 | 10.1 | 11.1 | 11.9 | 10.4 |
| SD2 | 47.0 | 24.2 | 40.2 | 204 | 91.9 | 40.1 | 20.6 | 11.3 | 10.1 | 10.1 | 17.0 | 9.83 |
| SD3 | 35.4 | 31.8 | 48.5 | 117 | 77.6 | 31.5 | 20.4 | 10.6 | 11.8 | 11.2 | 12.9 | 9.19 |
| MAX | 77.8 | 42.1 | 60.0 | 370 | 121 | 64.0 | 44.1 | 15.2 | 13.7 | 18.7 | 21.0 | 16.2 |
| DAT | 6 | 26 | 27 | 12 | 2 | 1 | 23 | 1 | 22 | 30 | 13 | 31 |
| SR | 47.4 | 27.4 | 43.6 | 125 | 86.1 | 41.1 | 21.9 | 11.9 | 10.7 | 10.8 | 14.0 | 9.78 |
| MIN | 29.1 | 21.8 | 30.0 | 46.0 | 22.6 | 26.6 | 16.2 | 9.85 | 8.53 | 9.19 | 9.52 | 8.86 |
| DAT | 31 | 16 | 10 | 1 | 29 | 28 | 31 | 23 | 13 | 24 | 6 | 22 |
| ----- | | | | | | | | | | | | |
| GMIN = | | | 8.53 | SRGOD= | | | | 37.5 | GMAX = | | | 370 |
| DATUM | | | 13 9 | | | | | | DATUM | | | 12 4 |
| ----- | | | | | | | | | | | | |

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1995

Broj : 45827 Stanica : BERANE Kota "0" = 658.05
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 155.00
Pocetak rada: 1966 Sliv : DRINE Pov.sliva = 1283.2

| DAN | I | II | III | IV | V | VI | VII | VIII | IX | X | XI | XII | |
|-----|------|-------------|------|-------------|------|------------|------|------|------|-------------|------|------|--|
| 1 | 28.2 | 35.4 | 79.0 | 40.1 | 100 | 127 | 36.3 | 30.0 | 47.0 | 41.1 | 16.2 | 32.7 | |
| 2 | 147 | 32.7 | 73.0 | 37.2 | 103 | 124 | 35.4 | 31.8 | 44.1 | 39.2 | 16.7 | 31.8 | |
| 3 | 121 | 30.0 | 63.0 | 38.2 | 103 | 115 | 33.6 | 30.0 | 38.2 | 36.3 | 16.7 | 31.8 | |
| 4 | 69.4 | 26.6 | 59.0 | 33.6 | 94.8 | 100 | 32.7 | 26.6 | 37.2 | 34.5 | 16.7 | 30.0 | |
| 5 | 49.0 | 25.8 | 55.0 | 79.0 | 84.2 | 92.0 | 31.8 | 25.0 | 61.0 | 33.6 | 16.7 | 30.0 | |
| 6 | 39.2 | 23.4 | 51.0 | 90.7 | 79.0 | 86.8 | 31.8 | 23.4 | 89.4 | 31.8 | 16.2 | 29.1 | |
| 7 | 33.6 | 23.4 | 49.0 | 100 | 74.2 | 81.6 | 33.6 | 21.8 | 85.5 | 30.9 | 16.2 | 28.2 | |
| 8 | 29.1 | 21.8 | 45.0 | 103 | 79.0 | 76.6 | 37.2 | 20.2 | 79.0 | 30.0 | 16.2 | 28.2 | |
| 9 | 26.6 | 21.0 | 41.1 | 100 | 92.0 | 71.8 | 35.4 | 19.7 | 76.6 | 28.2 | 15.2 | 27.4 | |
| 10 | 24.2 | 26.6 | 34.5 | 86.8 | 103 | 69.4 | 32.7 | 19.2 | 73.0 | 26.6 | 15.2 | 26.6 | |
| 11 | 23.4 | 28.2 | 31.8 | 74.2 | 115 | 65.0 | 30.9 | 19.2 | 63.0 | 26.6 | 15.2 | 25.8 | |
| 12 | 21.8 | 26.6 | 28.2 | 69.4 | 147 | 65.0 | 30.0 | 19.2 | 55.0 | 25.0 | 15.7 | 25.0 | |
| 13 | 19.7 | 25.0 | 26.6 | 63.0 | 391 | 64.0 | 29.1 | 18.2 | 54.0 | 24.2 | 16.2 | 25.0 | |
| 14 | 19.2 | 25.0 | 25.8 | 57.0 | 592 | 63.0 | 28.2 | 16.7 | 54.0 | 23.4 | 17.2 | 23.4 | |
| 15 | 18.2 | 24.2 | 25.0 | 53.0 | 479 | 60.0 | 28.2 | 16.2 | 53.0 | 21.0 | 17.7 | 23.4 | |
| 16 | 17.2 | 23.4 | 25.0 | 51.0 | 331 | 57.0 | 27.4 | 16.2 | 53.0 | 19.7 | 17.7 | 23.4 | |
| 17 | 15.2 | 21.8 | 23.4 | 53.0 | 252 | 57.0 | 26.6 | 16.7 | 53.0 | 19.2 | 17.7 | 22.6 | |
| 18 | 15.2 | 21.8 | 23.4 | 49.0 | 207 | 55.0 | 30.0 | 17.2 | 51.0 | 18.7 | 26.6 | 25.0 | |
| 19 | 15.7 | 33.6 | 23.4 | 48.0 | 195 | 53.0 | 30.9 | 17.2 | 46.0 | 18.7 | 49.0 | 31.8 | |
| 20 | 15.2 | 41.1 | 23.4 | 49.0 | 179 | 51.0 | 28.2 | 17.2 | 49.0 | 18.2 | 45.0 | 32.7 | |
| 21 | 14.8 | 40.1 | 26.6 | 55.0 | 171 | 51.0 | 26.6 | 17.2 | 61.0 | 18.2 | 39.2 | 31.8 | |
| 22 | 14.8 | 38.2 | 26.6 | 63.0 | 155 | 49.0 | 25.0 | 16.2 | 63.0 | 18.2 | 35.4 | 30.0 | |
| 23 | 14.8 | 37.2 | 25.8 | 76.6 | 144 | 48.0 | 23.4 | 14.8 | 61.0 | 18.2 | 31.8 | 30.9 | |
| 24 | 18.2 | 35.4 | 25.8 | 86.8 | 133 | 45.0 | 22.6 | 14.8 | 57.0 | 18.2 | 29.1 | 89.4 | |
| 25 | 21.8 | 39.2 | 25.0 | 159 | 133 | 44.1 | 21.8 | 14.5 | 51.0 | 17.7 | 28.2 | 151 | |
| 26 | 21.8 | 45.0 | 26.6 | 171 | 137 | 41.1 | 20.2 | 18.2 | 48.0 | 17.2 | 26.6 | 244 | |
| 27 | 47.0 | 63.0 | 26.6 | 153 | 140 | 39.2 | 20.2 | 33.6 | 47.0 | 17.2 | 26.6 | 519 | |
| 28 | 55.0 | 92.0 | 39.2 | 133 | 151 | 39.2 | 19.2 | 31.8 | 43.1 | 17.2 | 28.2 | 722 | |
| 29 | 47.0 | | 52.0 | 115 | 151 | 37.2 | 19.2 | 33.6 | 43.1 | 17.2 | 31.8 | 439 | |
| 30 | 40.1 | | 51.0 | 103 | 151 | 37.2 | 25.0 | 41.1 | 44.1 | 16.2 | 32.7 | 273 | |
| 31 | 38.2 | | 45.0 | | 142 | | 28.2 | 46.0 | | 16.2 | | 207 | |
| SD1 | 56.7 | 26.7 | 55.0 | 70.9 | 91.2 | 94.4 | 34.1 | 24.8 | 63.1 | 33.2 | 16.2 | 29.6 | |
| SD2 | 18.1 | 27.1 | 25.6 | 56.7 | 289 | 59.0 | 29.0 | 17.4 | 53.1 | 21.5 | 23.8 | 25.8 | |
| SD3 | 30.3 | 48.8 | 33.7 | 112 | 146 | 43.1 | 22.9 | 25.6 | 51.8 | 17.4 | 31.0 | 249 | |
| MAX | 179 | 109 | 104 | 187 | 629 | 133 | 38.2 | 49.0 | 94.8 | 42.1 | 49.0 | 800 | |
| DAT | 2 | 28 | 1 | 25 | 14 | 1 | 8 | 31 | 6 | 1 | 19 | 28 | |
| SR | 34.9 | 33.1 | 37.9 | 79.7 | 174 | 65.5 | 28.4 | 22.7 | 56.0 | 23.8 | 23.7 | 106 | |
| MIN | 14.8 | 21.0 | 23.4 | 33.6 | 74.2 | 37.2 | 19.2 | 14.5 | 37.2 | 16.2 | 15.2 | 22.6 | |
| DAT | 21 | 9 | 17 | 4 | 7 | 29 | 28 | 25 | 4 | 30 | 9 | 17 | |
| | | GMIN = 14.5 | | SRGOD= 57.4 | | GMAX = 800 | | | | DATUM 28 12 | | | |
| | | DATUM 25 8 | | | | | | | | | | | |

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1996

Broj : 45827 Stanica : BERANE Kota "0" = 658.05
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 155.00
Pocetak rada: 1966 Sliv : DRINE Pov.sliva = 1283.2

| DAN | I | II | III | IV | V | VI | VII | VIII | IX | X | XI | XII |
|--------|------|------|------|--------|------|------|------|--------|------|-------|------|------|
| 1 | 156 | 30.4 | 30.4 | 61.8 | 128 | 79.4 | 29.0 | 16.6 | 17.3 | 69.0 | 42.0 | 135 |
| 2 | 149 | 29.0 | 29.7 | 64.2 | 142 | 76.8 | 29.0 | 15.9 | 17.3 | 57.0 | 42.0 | 121 |
| 3 | 128 | 27.7 | 29.0 | 142 | 152 | 75.5 | 29.0 | 15.9 | 17.3 | 52.6 | 43.0 | 109 |
| 4 | 103 | 27.7 | 27.7 | 171 | 156 | 75.5 | 29.0 | 15.9 | 18.0 | 50.4 | 42.0 | 97.8 |
| 5 | 87.2 | 27.7 | 26.4 | 179 | 179 | 74.2 | 29.0 | 15.9 | 20.3 | 46.0 | 40.0 | 95.0 |
| 6 | 76.8 | 27.7 | 26.4 | 220 | 195 | 69.0 | 29.0 | 16.6 | 20.3 | 46.0 | 39.0 | 87.2 |
| 7 | 66.6 | 27.7 | 25.1 | 109 | 203 | 66.6 | 27.7 | 17.3 | 19.8 | 44.0 | 38.0 | 82.0 |
| 8 | 59.4 | 27.7 | 25.1 | 97.8 | 205 | 64.2 | 27.7 | 18.0 | 18.9 | 43.0 | 36.0 | 76.8 |
| 9 | 52.6 | 27.7 | 25.1 | 87.2 | 203 | 61.8 | 27.7 | 20.7 | 18.9 | 42.0 | 35.3 | 74.2 |
| 10 | 48.2 | 27.7 | 23.8 | 87.2 | 195 | 60.6 | 27.7 | 19.8 | 20.3 | 42.0 | 34.6 | 71.6 |
| 11 | 44.0 | 27.7 | 23.1 | 76.8 | 171 | 57.0 | 27.7 | 18.9 | 22.5 | 40.0 | 33.2 | 71.6 |
| 12 | 44.0 | 26.4 | 22.5 | 71.6 | 163 | 55.9 | 27.7 | 18.9 | 26.4 | 38.0 | 32.5 | 66.6 |
| 13 | 40.0 | 25.8 | 22.5 | 66.6 | 152 | 53.7 | 27.7 | 18.0 | 52.6 | 38.0 | 31.8 | 64.2 |
| 14 | 38.0 | 25.1 | 22.5 | 66.6 | 156 | 52.6 | 27.7 | 18.0 | 69.0 | 36.0 | 30.4 | 66.6 |
| 15 | 36.0 | 25.8 | 23.8 | 66.6 | 171 | 50.4 | 27.7 | 18.0 | 64.2 | 36.0 | 30.4 | 142 |
| 16 | 34.6 | 26.4 | 25.1 | 61.8 | 195 | 48.2 | 29.0 | 18.0 | 57.0 | 33.2 | 29.0 | 171 |
| 17 | 33.2 | 25.1 | 27.7 | 57.0 | 179 | 48.2 | 29.0 | 18.0 | 46.0 | 40.0 | 29.0 | 135 |
| 18 | 31.1 | 25.1 | 30.4 | 52.6 | 163 | 46.0 | 29.0 | 18.0 | 42.0 | 61.8 | 61.8 | 115 |
| 19 | 31.1 | 23.8 | 32.5 | 57.0 | 156 | 44.0 | 27.7 | 18.0 | 34.6 | 95.0 | 69.0 | 103 |
| 20 | 30.4 | 59.4 | 33.2 | 64.2 | 135 | 42.0 | 25.1 | 18.0 | 31.8 | 93.7 | 97.8 | 84.6 |
| 21 | 30.4 | 54.8 | 33.2 | 71.6 | 128 | 40.0 | 23.8 | 18.0 | 42.0 | 92.4 | 145 | 87.2 |
| 22 | 29.0 | 48.2 | 33.2 | 79.4 | 115 | 38.0 | 23.8 | 18.0 | 54.8 | 76.8 | 163 | 103 |
| 23 | 29.0 | 41.0 | 34.6 | 89.8 | 106 | 36.0 | 22.5 | 18.0 | 74.2 | 71.6 | 290 | 103 |
| 24 | 27.7 | 38.0 | 34.6 | 100 | 97.8 | 34.6 | 22.5 | 18.0 | 82.0 | 61.8 | 326 | 121 |
| 25 | 30.4 | 33.2 | 34.6 | 109 | 92.4 | 34.6 | 21.6 | 18.0 | 92.4 | 57.0 | 290 | 195 |
| 26 | 34.6 | 31.8 | 36.0 | 121 | 84.6 | 34.6 | 20.7 | 18.0 | 103 | 57.0 | 257 | 228 |
| 27 | 34.6 | 31.1 | 44.0 | 118 | 79.4 | 34.6 | 19.8 | 18.0 | 135 | 48.2 | 203 | 304 |
| 28 | 33.2 | 31.1 | 92.4 | 115 | 79.4 | 35.3 | 18.9 | 18.5 | 125 | 44.0 | 171 | 242 |
| 29 | 31.8 | 30.4 | 82.0 | 117 | 95.0 | 35.3 | 18.0 | 18.5 | 112 | 42.0 | 165 | 187 |
| 30 | 31.8 | | 71.6 | 121 | 92.4 | 29.0 | 17.3 | 18.5 | 95.0 | 42.0 | 156 | 149 |
| 31 | 30.4 | | 58.2 | | 83.3 | | 16.6 | 18.9 | | 42.0 | | 121 |
| SD1 | 92.7 | 28.1 | 26.9 | 122 | 176 | 70.4 | 28.5 | 17.3 | 18.8 | 49.2 | 39.2 | 95.0 |
| SD2 | 36.2 | 29.1 | 26.3 | 64.1 | 164 | 49.8 | 27.8 | 18.2 | 44.6 | 51.2 | 44.5 | 102 |
| SD3 | 31.2 | 37.7 | 50.4 | 104 | 95.8 | 35.2 | 20.5 | 18.2 | 91.5 | 57.7 | 217 | 167 |
| MAX | 156 | 59.4 | 92.4 | 220 | 205 | 79.4 | 29.0 | 20.7 | 135 | 95.0 | 326 | 304 |
| DAT | 1 | 20 | 28 | 6 | 8 | 1 | 1 | 9 | 27 | 19 | 24 | 27 |
| SR | 52.6 | 31.4 | 35.0 | 96.7 | 144 | 51.8 | 25.4 | 17.9 | 51.7 | 52.9 | 100 | 123 |
| MIN | 27.7 | 23.8 | 22.5 | 52.6 | 79.4 | 29.0 | 16.6 | 15.9 | 17.3 | 33.2 | 29.0 | 64.2 |
| DAT | 24 | 19 | 12 | 18 | 27 | 30 | 31 | 2 | 1 | 16 | 16 | 13 |
| GMIN = | | 15.9 | | SRGOD= | | 65.2 | | GMAX = | | 326 | | |
| DATUM | | 2 8 | | | | | | DATUM | | 24 11 | | |

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1997

Broj : 45827 Stanica : BERANE Kota "0" = 658.05
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 155.00
Pocetak rada: 1966 Sliv : DRINE Pov.sliva = 1283.2

| DAN | I | II | III | IV | V | VI | VII | VIII | IX | X | XI | XII |
|--------|------|------|------|--------|------|------|------|--------|------|------|------|------|
| 1 | 74.2 | 15.3 | 19.2 | 20.4 | 61.8 | 55.8 | 16.2 | 13.1 | 8.80 | 7.00 | 18.0 | 26.4 |
| 2 | 77.0 | 14.4 | 18.6 | 20.4 | 59.4 | 51.0 | 15.3 | 15.3 | 8.80 | 7.00 | 18.0 | 25.6 |
| 3 | 89.8 | 13.5 | 18.0 | 20.4 | 65.8 | 50.0 | 16.2 | 16.2 | 8.80 | 7.30 | 17.1 | 27.2 |
| 4 | 93.0 | 13.5 | 19.2 | 19.8 | 83.4 | 51.0 | 16.2 | 15.8 | 8.80 | 8.20 | 17.1 | 28.8 |
| 5 | 117 | 13.1 | 20.4 | 21.6 | 106 | 51.0 | 15.8 | 15.3 | 8.80 | 7.90 | 16.2 | 27.2 |
| 6 | 113 | 13.1 | 21.6 | 20.4 | 124 | 51.0 | 16.2 | 13.9 | 8.50 | 7.60 | 16.2 | 27.2 |
| 7 | 93.0 | 13.1 | 21.6 | 20.4 | 151 | 52.2 | 15.3 | 12.8 | 8.50 | 7.60 | 17.1 | 26.4 |
| 8 | 74.2 | 12.8 | 20.4 | 19.2 | 216 | 53.4 | 15.3 | 12.1 | 8.20 | 7.60 | 19.2 | 25.6 |
| 9 | 63.0 | 12.1 | 19.2 | 18.0 | .203 | 53.4 | 18.0 | 12.1 | 8.80 | 7.60 | 22.8 | 27.2 |
| 10 | 53.4 | 12.1 | 18.0 | 17.5 | 401 | 52.2 | 17.1 | 11.1 | 9.40 | 7.60 | 25.6 | 24.0 |
| 11 | 50.0 | 12.1 | 17.1 | 18.0 | 275 | 51.0 | 17.1 | 11.1 | 9.10 | 8.20 | 45.0 | 22.8 |
| 12 | 48.0 | 11.4 | 17.1 | 22.8 | 225 | 50.0 | 17.1 | 11.4 | 9.10 | 9.40 | 60.6 | 21.6 |
| 13 | 46.0 | 11.4 | 16.2 | 21.6 | 212 | 48.0 | 16.6 | 11.4 | 8.80 | 18.0 | 53.4 | 29.6 |
| 14 | 40.1 | 12.1 | 16.2 | 20.4 | 208 | 46.0 | 16.2 | 11.4 | 8.80 | 30.4 | 104 | 32.9 |
| 15 | 37.4 | 12.1 | 16.2 | 19.8 | 195 | 44.0 | 16.2 | 10.7 | 8.80 | 45.0 | 103 | 32.0 |
| 16 | 33.8 | 17.1 | 15.3 | 20.4 | 191 | 44.0 | 16.2 | 10.4 | 9.40 | 35.6 | 74.2 | 30.4 |
| 17 | 32.0 | 17.1 | 15.3 | 20.4 | 183 | 43.0 | 15.3 | 10.4 | 9.40 | 27.2 | 58.2 | 27.2 |
| 18 | 29.6 | 16.2 | 15.3 | 19.2 | 179 | 40.1 | 16.2 | 10.0 | 9.40 | 24.0 | 47.0 | 25.6 |
| 19 | 27.2 | 14.4 | 15.8 | 18.6 | 167 | 39.2 | 17.1 | 10.4 | 8.80 | 21.6 | 41.0 | 24.0 |
| 20 | 25.6 | 14.4 | 35.6 | 18.6 | 151 | 39.2 | 16.2 | 11.1 | 8.80 | 19.2 | 35.6 | 24.0 |
| 21 | 24.0 | 13.5 | 32.0 | 21.6 | 143 | 37.4 | 15.3 | 10.7 | 8.80 | 18.0 | 32.0 | 45.0 |
| 22 | 24.0 | 12.8 | 28.0 | 53.4 | 151 | 35.6 | 14.9 | 10.7 | 8.80 | 17.1 | 28.8 | 68.6 |
| 23 | 22.8 | 12.1 | 24.8 | 143 | 131 | 32.0 | 14.4 | 10.7 | 8.80 | 16.2 | 28.8 | 63.0 |
| 24 | 21.6 | 12.8 | 22.2 | 122 | 113 | 30.4 | 13.9 | 10.0 | 8.80 | 17.1 | 32.0 | 54.6 |
| 25 | 20.4 | 13.5 | 21.6 | 86.6 | 96.4 | 27.2 | 13.9 | 10.0 | 8.80 | 27.2 | 32.0 | 48.0 |
| 26 | 19.2 | 14.4 | 21.0 | 63.0 | 89.8 | 24.0 | 13.9 | 10.0 | 8.80 | 25.6 | 32.0 | 43.0 |
| 27 | 18.0 | 17.1 | 19.2 | 55.8 | 83.4 | 21.6 | 13.9 | 9.40 | 7.90 | 24.0 | 32.0 | 38.3 |
| 28 | 17.1 | 21.0 | 19.2 | 60.6 | 80.2 | 20.4 | 13.5 | 9.40 | 7.60 | 22.8 | 30.4 | 39.2 |
| 29 | 17.1 | | 22.8 | 60.6 | 80.2 | 19.2 | 13.5 | 9.40 | 7.60 | 21.6 | 28.8 | 41.0 |
| 30 | 16.2 | | 22.8 | 64.4 | 71.4 | 19.2 | 13.1 | 9.40 | 7.30 | 19.2 | 27.2 | 39.2 |
| 31 | 15.3 | | 21.6 | | 63.0 | | 13.5 | 9.10 | | 18.6 | | 37.4 |
| SD1 | 84.8 | 13.3 | 19.6 | 19.8 | 127 | 52.1 | 16.2 | 13.8 | 8.74 | 7.54 | 18.7 | 26.6 |
| SD2 | 37.0 | 13.8 | 18.0 | 20.0 | 199 | 44.5 | 16.4 | 10.8 | 9.04 | 23.9 | 62.2 | 27.0 |
| SD3 | 19.6 | 14.6 | 23.2 | 73.1 | 100 | 26.7 | 14.0 | 9.89 | 8.32 | 20.7 | 30.4 | 47.0 |
| MAX | 124 | 24.0 | 38.3 | 159 | .215 | 59.4 | 19.2 | 16.2 | 9.70 | 46.0 | 111 | 71.4 |
| DAT | 6 | 16 | 20 | 23 | 9 | 1 | 9 | 3 | 10 | 15 | 14 | 22 |
| SR | 46.2 | 13.9 | 20.4 | 37.6 | 141 | 41.1 | 15.5 | 11.4 | 8.70 | 17.5 | 37.1 | 34.0 |
| MIN | 15.3 | 11.4 | 15.3 | 17.5 | .203 | 19.2 | 13.1 | 9.10 | 7.30 | 7.00 | 16.2 | 21.6 |
| DAT | 31 | 12 | 16 | 10 | 9 | 29 | 30 | 31 | 30 | 1 | 5 | 12 |
| GMIN = | | .203 | | SRGOD= | | 35.5 | | GMAX = | | 159 | | |
| DATUM | | 9 5 | | | | | | DATUM | | 23 4 | | |

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1998

Broj : 45827 Stanica : BERANE Kota "0" = 658.05
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 155.00
Pocetak rada: 1966 Sliv : DRINE Pov.sliva = 1283.2

| DAN | I | II | III | IV | V | VI | VII | VIII | IX | X | XI | XII |
|--------|------|------|------|--------|------|------|------|------|--------|------|------|------|
| 1 | 33.8 | 14.4 | 18.0 | 10.7 | 86.6 | 37.4 | 24.0 | 9.40 | 7.60 | 41.0 | 13.5 | 18.0 |
| 2 | 30.4 | 15.3 | 17.5 | 10.7 | 83.4 | 35.6 | 24.0 | 9.10 | 7.00 | 33.8 | 12.8 | 19.2 |
| 3 | 29.6 | 14.9 | 17.1 | 12.1 | 103 | 32.0 | 22.8 | 8.80 | 6.64 | 45.0 | 12.1 | 19.2 |
| 4 | 29.6 | 14.9 | 16.6 | 12.1 | 346 | 29.6 | 21.6 | 8.80 | 6.64 | 65.8 | 12.1 | 22.8 |
| 5 | 28.8 | 15.3 | 16.6 | 12.1 | 279 | 29.6 | 20.4 | 8.20 | 6.64 | 58.2 | 14.4 | 58.2 |
| 6 | 28.0 | 14.9 | 16.2 | 11.4 | 243 | 29.6 | 13.5 | 10.7 | 6.28 | 45.0 | 21.6 | 106 |
| 7 | 28.8 | 13.9 | 16.2 | 19.2 | 199 | 28.8 | 13.5 | 9.40 | 7.00 | 41.0 | 37.4 | 89.8 |
| 8 | 28.8 | 13.1 | 16.2 | 24.0 | 163 | 28.8 | 17.1 | 9.40 | 7.00 | 39.2 | 53.4 | 63.0 |
| 9 | 27.2 | 12.8 | 16.2 | 31.2 | 139 | 28.8 | 20.4 | 9.40 | 10.0 | 37.4 | 41.0 | 51.0 |
| 10 | 27.2 | 12.8 | 19.2 | 49.0 | 124 | 28.8 | 19.8 | 9.40 | 10.0 | 35.6 | 33.8 | 43.0 |
| 11 | 25.6 | 12.1 | 24.0 | 167 | 110 | 28.8 | 17.1 | 8.80 | 9.40 | 131 | 28.8 | 39.2 |
| 12 | 24.0 | 12.4 | 22.8 | .191 | 103 | 28.8 | 15.3 | 8.20 | 8.80 | 110 | 32.0 | 37.4 |
| 13 | 22.8 | 12.4 | 21.6 | .195 | 96.4 | 28.8 | 14.4 | 7.90 | 10.7 | 93.0 | 30.4 | 37.4 |
| 14 | 21.6 | 13.1 | 20.4 | 326 | 86.6 | 28.8 | 13.5 | 7.60 | 30.4 | 71.4 | 27.2 | 47.0 |
| 15 | 21.6 | 13.5 | 19.2 | 261 | 80.2 | 28.8 | 13.5 | 7.00 | 86.6 | 49.0 | 27.2 | 45.0 |
| 16 | 21.0 | 15.3 | 19.2 | 212 | 74.2 | 28.8 | 14.4 | 6.64 | 68.6 | 22.8 | 49.0 | 39.2 |
| 17 | 21.0 | 17.1 | 19.2 | 175 | 71.4 | 28.8 | 13.5 | 7.00 | 47.0 | 19.2 | 58.2 | 37.4 |
| 18 | 19.8 | 19.2 | 16.2 | 167 | 65.8 | 28.8 | 12.8 | 7.00 | 39.2 | 16.2 | 47.0 | 37.4 |
| 19 | 19.8 | 20.4 | 14.4 | 159 | 63.0 | 28.8 | 22.2 | 7.00 | 37.4 | 13.5 | 41.0 | 32.0 |
| 20 | 19.8 | 19.8 | 15.3 | 159 | 60.6 | 28.8 | 12.1 | 7.00 | 32.0 | 12.8 | 37.4 | 28.8 |
| 21 | 19.2 | 19.2 | 14.4 | 135 | 51.0 | 27.2 | 12.1 | 7.00 | 30.4 | 19.2 | 33.8 | 24.0 |
| 22 | 19.2 | 19.2 | 13.5 | 128 | 47.0 | 28.8 | 11.8 | 7.00 | 34.7 | 19.2 | 28.8 | 24.0 |
| 23 | 19.2 | 18.6 | 12.8 | 120 | 41.0 | 28.8 | 10.7 | 7.00 | 33.8 | 16.2 | 27.2 | 22.8 |
| 24 | 19.2 | 18.0 | 12.1 | 113 | 41.0 | 28.8 | 10.7 | 7.00 | 27.2 | 14.4 | 25.6 | 21.6 |
| 25 | 18.0 | 18.0 | 12.1 | 111 | 41.0 | 28.8 | 10.7 | 7.00 | 24.0 | 13.5 | 24.0 | 20.4 |
| 26 | 17.1 | 18.0 | 12.8 | 110 | 41.0 | 28.8 | 10.7 | 7.00 | 21.6 | 16.6 | 22.8 | 18.0 |
| 27 | 17.1 | 18.0 | 12.8 | 106 | 39.2 | 27.2 | 10.0 | 7.00 | 18.0 | 25.6 | 21.6 | 17.1 |
| 28 | 16.2 | 18.0 | 12.8 | 99.8 | 39.2 | 25.6 | 10.0 | 6.64 | 20.4 | 24.0 | 20.4 | 17.1 |
| 29 | 15.3 | | 11.4 | 93.0 | 37.4 | 24.0 | 10.0 | 8.20 | 48.0 | 20.4 | 19.2 | 17.1 |
| 30 | 15.3 | | 12.1 | 93.0 | 37.4 | 24.0 | 9.40 | 9.40 | 47.0 | 18.0 | 19.2 | 16.6 |
| 31 | 15.3 | | 10.7 | | 37.4 | | 9.40 | 8.80 | | 16.2 | | 16.6 |
| SD1 | 29.2 | 14.2 | 17.0 | 19.3 | 177 | 30.9 | 19.7 | 9.26 | 7.48 | 44.2 | 25.2 | 49.0 |
| SD2 | 21.7 | 15.5 | 19.2 | 163 | 81.1 | 28.8 | 14.9 | 7.41 | 37.0 | 53.9 | 37.8 | 38.1 |
| SD3 | 17.4 | 18.4 | 12.5 | 111 | 41.1 | 27.2 | 10.5 | 7.46 | 30.5 | 18.5 | 24.3 | 19.6 |
| MAX | 34.7 | 21.0 | 25.6 | .227 | 346 | 37.4 | 24.0 | 11.4 | 89.8 | 131 | 63.0 | 120 |
| DAT | 1 | 19 | 11 | 12 | 4 | 1 | 1 | 6 | 15 | 11 | 17 | 6 |
| SR | 22.6 | 15.9 | 16.1 | 97.6 | 97.7 | 29.0 | 14.9 | 8.03 | 25.0 | 38.2 | 29.1 | 35.0 |
| MIN | 15.3 | 12.1 | 10.7 | .191 | 37.4 | 24.0 | 9.40 | 6.64 | 6.28 | 12.8 | 12.1 | 16.6 |
| DAT | 29 | 11 | 31 | 12 | 29 | 29 | 30 | 16 | 6 | 20 | 3 | 30 |
| ----- | | | | | | | | | | | | |
| GMIN = | | | .191 | SRGOD= | | | | 35.8 | GMAX = | | | 346 |
| DATUM | | | 12 4 | | | | | | DATUM | | | 4 5 |
| ----- | | | | | | | | | | | | |

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1999

Broj : 45827 Stanica : BERANE Kota "0" = 658.05
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 155.00
Pocetak rada: 1966 Sliv : DRINE Pov.sliva = 1283.2

| DAN | I | II | III | IV | V | VI | VII | VIII | IX | X | XI | XII |
|--------|------|------|-------|--------|------|------|------|------|--------|------|------|------|
| 1 | 16.2 | 11.4 | 22.8 | 24.0 | 163 | 65.8 | 31.2 | 12.8 | 10.0 | 8.20 | 7.00 | 24.0 |
| 2 | 16.2 | 11.8 | 21.6 | 25.6 | 167 | 68.6 | 29.6 | 12.8 | 10.0 | 8.20 | 6.82 | 24.0 |
| 3 | 15.3 | 12.1 | 21.6 | 25.6 | 171 | 65.8 | 27.2 | 12.8 | 12.8 | 8.20 | 6.82 | 24.0 |
| 4 | 14.9 | 12.1 | 22.8 | 27.2 | 175 | 63.0 | 25.6 | 12.8 | 12.1 | 8.20 | 6.82 | 24.0 |
| 5 | 14.4 | 12.8 | 27.2 | 27.2 | 208 | 60.6 | 24.0 | 12.8 | 11.1 | 8.20 | 6.82 | 24.0 |
| 6 | 14.4 | 13.5 | 71.4 | 27.2 | 191 | 58.2 | 24.0 | 12.8 | 10.7 | 7.60 | 6.82 | 25.6 |
| 7 | 13.5 | 13.5 | 63.0 | 32.0 | 199 | 51.0 | 22.8 | 11.4 | 10.7 | 7.60 | 6.82 | 25.6 |
| 8 | 12.8 | 19.2 | 58.2 | 32.0 | 208 | 51.0 | 21.6 | 11.1 | 10.0 | 7.60 | 6.82 | 25.6 |
| 9 | 12.1 | 22.8 | 49.0 | 35.6 | 195 | 47.0 | 20.4 | 10.0 | 10.0 | 7.60 | 7.00 | 25.6 |
| 10 | 13.5 | 30.4 | 41.0 | 37.4 | 187 | 47.0 | 20.4 | 9.40 | 10.0 | 7.60 | 7.00 | 25.6 |
| 11 | 18.0 | 47.0 | 37.4 | 45.0 | 183 | 43.0 | 19.2 | 9.40 | 10.0 | 7.60 | 7.00 | 25.6 |
| 12 | 25.6 | 41.0 | 32.0 | 63.0 | 175 | 41.0 | 18.0 | 9.10 | 9.70 | 7.00 | 7.00 | 25.6 |
| 13 | 32.0 | 28.8 | 32.0 | 55.8 | 167 | 41.0 | 18.0 | 8.80 | 9.40 | 7.00 | 7.00 | 28.8 |
| 14 | 47.0 | 27.2 | 33.8 | 58.2 | 163 | 41.0 | 16.2 | 8.80 | 9.40 | 7.00 | 7.00 | 32.0 |
| 15 | 41.0 | 24.0 | 37.4 | 58.2 | 155 | 37.4 | 16.2 | 8.20 | 9.40 | 7.00 | 7.00 | 37.4 |
| 16 | 37.4 | 21.6 | 35.6 | 63.0 | 147 | 36.5 | 15.3 | 8.20 | 9.40 | 7.00 | 9.40 | 307 |
| 17 | 32.0 | 19.2 | 32.0 | 71.4 | 139 | 36.5 | 14.4 | 8.20 | 9.40 | 7.00 | 13.5 | .276 |
| 18 | 27.2 | 16.2 | 30.4 | 83.4 | 131 | 33.8 | 13.5 | 7.90 | 9.10 | 7.00 | 17.1 | .191 |
| 19 | 21.6 | 13.5 | 27.2 | 128 | 124 | 32.0 | 13.5 | 7.60 | 9.10 | 7.00 | 24.0 | 366 |
| 20 | 23.4 | 12.8 | 24.0 | 265 | 113 | 30.4 | 13.5 | 7.60 | 8.80 | 7.60 | 93.0 | 252 |
| 21 | 19.2 | 12.8 | 21.6 | 179 | 110 | 29.6 | 12.8 | 7.60 | 8.80 | 7.60 | 99.8 | 252 |
| 22 | 18.0 | 12.8 | 19.2 | 151 | 106 | 30.4 | 12.8 | 7.30 | 8.80 | 7.30 | 86.6 | 252 |
| 23 | 17.1 | 14.4 | 19.2 | 155 | 106 | 30.4 | 12.8 | 7.30 | 8.80 | 7.30 | 106 | 252 |
| 24 | 16.2 | 16.2 | 19.2 | 147 | 106 | 30.4 | 12.8 | 7.00 | 8.80 | 7.00 | 93.0 | 208 |
| 25 | 14.4 | 18.0 | 20.4 | 139 | 96.4 | 30.4 | 12.8 | 8.20 | 8.80 | 7.00 | 80.2 | 208 |
| 26 | 14.4 | 21.6 | 21.6 | 131 | 89.8 | 30.4 | 12.8 | 8.80 | 8.20 | 7.00 | 71.4 | 208 |
| 27 | 13.5 | 22.8 | 21.6 | 135 | 80.2 | 30.4 | 12.8 | 8.80 | 8.20 | 7.00 | 51.0 | 167 |
| 28 | 12.8 | 24.0 | 22.8 | 147 | 77.0 | 30.4 | 12.8 | 8.80 | 8.20 | 7.00 | 45.0 | 279 |
| 29 | 12.1 | | 22.8 | 151 | 74.2 | 30.4 | 12.8 | 8.80 | 8.20 | 7.00 | 41.0 | 416 |
| 30 | 11.4 | | 24.0 | 159 | 68.6 | 29.6 | 12.8 | 8.80 | 8.20 | 7.00 | 24.0 | 371 |
| 31 | 11.4 | | 24.0 | | 65.8 | | 12.8 | 8.80 | | 7.00 | | 326 |
| SD1 | 14.3 | 16.0 | 39.9 | 29.4 | 186 | 57.8 | 24.7 | 11.9 | 10.7 | 7.90 | 6.87 | 24.8 |
| SD2 | 30.5 | 25.1 | 32.2 | 89.1 | 150 | 37.3 | 15.8 | 8.38 | 9.37 | 7.12 | 19.2 | 107 |
| SD3 | 14.6 | 17.8 | 21.5 | 149 | 89.1 | 30.2 | 12.8 | 8.20 | 8.50 | 7.11 | 69.8 | 267 |
| MAX | 53.4 | 51.0 | 83.4 | 293 | 238 | 74.2 | 34.7 | 13.5 | 14.4 | 9.10 | 117 | .311 |
| DAT | 14 | 11 | 6 | 20 | 5 | 2 | 1 | 1 | 3 | 12 | 23 | 17 |
| SR | 19.6 | 19.8 | 30.9 | 89.3 | 140 | 41.8 | 17.6 | 9.44 | 9.54 | 7.37 | 32.0 | 137 |
| MIN | 11.4 | 11.4 | 19.2 | 24.0 | 65.8 | 29.6 | 12.8 | 7.00 | 8.20 | 7.00 | 6.82 | .191 |
| DAT | 30 | 1 | 22 | 1 | 31 | 21 | 21 | 24 | 26 | 12 | 2 | 18 |
| ----- | | | | | | | | | | | | |
| GMIN = | | | .191 | SRGOD= | | | | 46.5 | GMAX = | | | 293 |
| DATUM | | | 18 12 | | | | | | DATUM | | | 20 4 |
| ----- | | | | | | | | | | | | |

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2000

Broj : 45827 Stanica : BERANE Kota "0" = 658.05
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 155.00
Pocetak rada: 1966 Sliv : DRINE Pov.sliva = 1283.2

| DAN | I | II | III | IV | V | VI | VII | VIII | IX | X | XI | XII |
|--------|------|------|------|--------|------|------|------|--------|------|------|------|------|
| 1 | 265 | 33.8 | 28.8 | 96.4 | 124 | 35.6 | 21.6 | 13.9 | 28.8 | 15.8 | 13.9 | 32.0 |
| 2 | 208 | 33.8 | 28.8 | 110 | 117 | 33.8 | 21.0 | 13.5 | 24.8 | 15.3 | 16.2 | 30.4 |
| 3 | 139 | 33.8 | 28.8 | 106 | 110 | 33.8 | 20.4 | 13.5 | 17.1 | 17.1 | 18.0 | 29.6 |
| 4 | 93.0 | 32.0 | 28.8 | 135 | 103 | 32.0 | 19.2 | 13.1 | 15.3 | 17.1 | 18.0 | 28.8 |
| 5 | 86.6 | 32.0 | 28.8 | 376 | 96.4 | 32.0 | 19.2 | 13.1 | 22.8 | 17.1 | 32.0 | 27.2 |
| 6 | 80.2 | 32.0 | 27.2 | .195 | 93.0 | 30.4 | 18.0 | 12.8 | 33.8 | 16.2 | 39.2 | 25.6 |
| 7 | 77.0 | 32.0 | 27.2 | 307 | 86.6 | 30.4 | 18.0 | 12.8 | 25.6 | 16.2 | 37.4 | 24.0 |
| 8 | 68.6 | 30.4 | 27.2 | 208 | 83.4 | 30.4 | 18.0 | 12.8 | 21.6 | 16.2 | 120 | 24.0 |
| 9 | 63.0 | 30.4 | 27.2 | 163 | 83.4 | 24.0 | 17.1 | 12.8 | 19.2 | 16.2 | 135 | 22.8 |
| 10 | 58.2 | 30.4 | 27.2 | 135 | 83.4 | 30.4 | 17.1 | 12.1 | 17.1 | 16.2 | 93.0 | 20.4 |
| 11 | 51.0 | 30.4 | 27.2 | 113 | 80.2 | 32.0 | 17.1 | 12.1 | 16.2 | 15.8 | 68.6 | 24.0 |
| 12 | 51.0 | 32.0 | 28.8 | 103 | 80.2 | 31.2 | 17.1 | 12.1 | 15.8 | 15.8 | 51.0 | 24.0 |
| 13 | 49.0 | 32.0 | 28.8 | 93.0 | 80.2 | 30.4 | 17.1 | 12.1 | 15.3 | 15.8 | 41.0 | 23.4 |
| 14 | 45.0 | 32.0 | 28.8 | 106 | 80.2 | 28.8 | 17.1 | 12.1 | 15.3 | 15.8 | 39.2 | 22.8 |
| 15 | 41.0 | 32.0 | 30.4 | 113 | 77.0 | 28.0 | 16.2 | 12.1 | 12.1 | 16.2 | 33.8 | 22.2 |
| 16 | 41.0 | 32.0 | 30.4 | 117 | 71.4 | 28.0 | 25.6 | 12.1 | 11.4 | 16.2 | 30.4 | 24.0 |
| 17 | 39.2 | 41.0 | 32.0 | 131 | 63.0 | 27.2 | 24.0 | 12.1 | 12.1 | 16.2 | 27.2 | 24.8 |
| 18 | 39.2 | 41.0 | 32.0 | 135 | 60.6 | 27.2 | 22.8 | 12.1 | 11.4 | 16.2 | 27.2 | 24.8 |
| 19 | 37.4 | 41.0 | 32.0 | 159 | 58.2 | 27.2 | 21.6 | 12.1 | 15.3 | 16.2 | 24.8 | 24.0 |
| 20 | 37.4 | 39.2 | 33.8 | 175 | 53.4 | 24.0 | 19.2 | 12.1 | 14.4 | 16.2 | 35.6 | 23.4 |
| 21 | 37.4 | 39.2 | 35.6 | 179 | 51.0 | 24.0 | 17.1 | 12.1 | 14.9 | 16.2 | 41.0 | 22.2 |
| 22 | 35.6 | 37.4 | 37.4 | 171 | 49.0 | 23.4 | 16.6 | 11.4 | 18.0 | 15.3 | 41.0 | 21.0 |
| 23 | 35.6 | 37.4 | 39.2 | 165 | 47.0 | 22.8 | 16.2 | 11.4 | 27.2 | 14.9 | 28.8 | 20.4 |
| 24 | 35.6 | 35.6 | 39.2 | 159 | 47.0 | 22.8 | 16.2 | 11.4 | 25.6 | 14.9 | 33.8 | 19.2 |
| 25 | 35.6 | 35.6 | 39.2 | 155 | 43.0 | 21.6 | 15.3 | 11.4 | 22.8 | 14.4 | 32.0 | 19.2 |
| 26 | 35.6 | 33.8 | 41.0 | 135 | 41.0 | 21.6 | 15.3 | 11.4 | 21.6 | 14.4 | 33.8 | 21.6 |
| 27 | 33.8 | 33.8 | 49.0 | 124 | 41.0 | 21.6 | 14.9 | 10.7 | 21.0 | 14.4 | 39.2 | 63.0 |
| 28 | 33.8 | 32.0 | 55.8 | 117 | 41.0 | 21.0 | 14.9 | 10.7 | 19.2 | 14.4 | 41.0 | 411 |
| 29 | 33.8 | 30.4 | 63.0 | 117 | 39.2 | 21.0 | 14.4 | 10.7 | 17.1 | 14.4 | 37.4 | .232 |
| 30 | 33.8 | | 89.8 | 117 | 39.2 | 21.6 | 14.4 | 11.8 | 16.2 | 13.9 | 33.8 | 356 |
| 31 | 33.8 | | 86.6 | | 37.4 | | 14.4 | 11.8 | | 13.9 | | 216 |
| SD1 | 114 | 32.1 | 28.0 | 164 | 98.0 | 31.3 | 19.0 | 13.0 | 22.6 | 16.3 | 52.3 | 26.5 |
| SD2 | 43.1 | 35.3 | 30.4 | 125 | 70.4 | 28.4 | 19.8 | 12.1 | 13.9 | 16.0 | 37.9 | 23.7 |
| SD3 | 34.9 | 35.0 | 52.3 | 144 | 43.3 | 22.1 | 15.4 | 11.3 | 20.4 | 14.6 | 36.2 | 106 |
| MAX | 284 | 117 | 183 | .217 | 128 | 37.4 | 30.4 | 14.9 | 119 | 22.8 | 161 | .262 |
| DAT | 1 | 18 | 31 | 5 | 1 | 1 | 16 | 1 | 1 | 5 | 8 | 28 |
| SR | 63.0 | 34.1 | 37.4 | 144 | 69.7 | 27.3 | 18.0 | 12.1 | 19.0 | 15.6 | 42.1 | 53.9 |
| MIN | 33.8 | 30.4 | 27.2 | .195 | 37.4 | 21.0 | 14.4 | 10.7 | 11.4 | 13.9 | 13.9 | .232 |
| DAT | 27 | 8 | 6 | 6 | 31 | 28 | 29 | 27 | 16 | 30 | 1 | 29 |
| GMIN = | | .195 | | SRGOD= | | 44.6 | | GMAX = | | 284 | | |
| DATUM | | 6 4 | | | | | | DATUM | | 1 1 | | |

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2001

Broj : 45827 Stanica : BERANE Kota "0" = 658.05
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 155.00
Pocetak rada: 1966 Sliv : DRINE Pov.sliva = 1283.2

| DAN | I | II | III | IV | V | VI | VII | VIII | IX | X | XI | XII |
|--------|------|------|------|--------|------|------|------|--------|------|------|------|------|
| 1 | 151 | 131 | 39.2 | 65.8 | 108 | 51.0 | 32.0 | 12.8 | 12.1 | 22.8 | 8.20 | 32.0 |
| 2 | 124 | 106 | 41.0 | 60.6 | 113 | 51.0 | 32.0 | 12.1 | 12.1 | 22.2 | 8.20 | 27.2 |
| 3 | 99.8 | 86.6 | 51.0 | 59.4 | 106 | 47.0 | 32.0 | 11.4 | 12.8 | 21.6 | 8.20 | 24.0 |
| 4 | 86.6 | 77.0 | 110 | 58.2 | 106 | 74.2 | 30.4 | 11.4 | 12.8 | 20.4 | 8.20 | 21.6 |
| 5 | 77.0 | 68.6 | 131 | 51.0 | 103 | 83.4 | 30.4 | 11.4 | 13.5 | 19.8 | 7.90 | 21.6 |
| 6 | 71.4 | 63.0 | 139 | 51.0 | 93.0 | 77.0 | 30.4 | 11.4 | 13.5 | 19.2 | 7.90 | 20.4 |
| 7 | 65.8 | 60.6 | 124 | 49.0 | 93.0 | 63.0 | 28.8 | 11.4 | 18.0 | 18.0 | 7.90 | 19.2 |
| 8 | 60.6 | 58.2 | 103 | 45.0 | 103 | 55.8 | 25.6 | 11.1 | 18.0 | 17.1 | 7.90 | 18.0 |
| 9 | 55.8 | 53.4 | 86.6 | 49.0 | 110 | 51.0 | 20.4 | 11.1 | 16.2 | 17.1 | 7.90 | 16.2 |
| 10 | 68.6 | 49.0 | 74.2 | 51.0 | 110 | 47.0 | 19.2 | 10.7 | 18.0 | 16.2 | 10.7 | 15.3 |
| 11 | 65.8 | 47.0 | 70.0 | 47.0 | 99.8 | 43.0 | 18.6 | 11.4 | 27.2 | 15.3 | 13.5 | 15.3 |
| 12 | 41.0 | 47.0 | 65.8 | 49.0 | 93.0 | 41.0 | 18.6 | 11.4 | 32.0 | 14.4 | 12.8 | 15.3 |
| 13 | 60.6 | 45.0 | 63.0 | 60.6 | 86.6 | 39.2 | 18.6 | 11.4 | 28.8 | 13.9 | 17.1 | 15.8 |
| 14 | 58.2 | 43.0 | 65.8 | 60.6 | 74.2 | 39.2 | 17.1 | 11.4 | 24.0 | 13.5 | 58.2 | 15.8 |
| 15 | 53.4 | 41.0 | 70.0 | 55.8 | 65.8 | 37.4 | 16.2 | 11.4 | 21.6 | 12.8 | 68.6 | 15.8 |
| 16 | 51.0 | 37.4 | 68.6 | 51.0 | 60.6 | 36.5 | 16.2 | 11.4 | 71.4 | 12.1 | 49.0 | 15.3 |
| 17 | 49.0 | 37.4 | 65.8 | 53.4 | 60.6 | 33.8 | 15.3 | 11.4 | 77.0 | 11.8 | 36.5 | 15.3 |
| 18 | 44.0 | 35.6 | 65.8 | 74.2 | 68.6 | 32.0 | 15.3 | 12.1 | 65.8 | 11.4 | 28.8 | 15.3 |
| 19 | 43.0 | 34.7 | 68.6 | 80.2 | 77.0 | 32.0 | 14.4 | 12.1 | 64.4 | 10.0 | 25.6 | 14.4 |
| 20 | 41.0 | 33.8 | 77.0 | 83.4 | 71.4 | 33.8 | 14.4 | 11.8 | 58.2 | 9.40 | 27.2 | 13.5 |
| 21 | 39.2 | 33.8 | 75.6 | 113 | 68.6 | 33.8 | 14.4 | 11.8 | 47.0 | 9.40 | 24.8 | 13.5 |
| 22 | 37.4 | 32.9 | 71.4 | 143 | 65.8 | 33.8 | 14.4 | 11.8 | 37.4 | 9.40 | 22.8 | 14.4 |
| 23 | 36.5 | 32.0 | 86.6 | 143 | 68.6 | 32.0 | 14.4 | 11.4 | 32.0 | 9.10 | 22.2 | 14.4 |
| 24 | 36.5 | 33.8 | 99.8 | 124 | 65.8 | 32.0 | 14.4 | 12.1 | 28.8 | 9.10 | 22.8 | 15.3 |
| 25 | 36.5 | 37.4 | 103 | 110 | 63.0 | 32.0 | 13.9 | 13.5 | 28.0 | 9.10 | 24.8 | 15.3 |
| 26 | 39.2 | 38.3 | 110 | 103 | 60.6 | 33.8 | 13.9 | 14.4 | 25.6 | 8.80 | 27.2 | 16.2 |
| 27 | 99.8 | 39.2 | 117 | 103 | 58.2 | 33.8 | 13.9 | 12.8 | 30.4 | 8.80 | 28.8 | 17.1 |
| 28 | 117 | 38.3 | 117 | 106 | 53.4 | 33.8 | 13.5 | 12.1 | 28.8 | 8.80 | 30.4 | 17.1 |
| 29 | 167 | | 103 | 103 | 49.0 | 33.8 | 13.5 | 12.1 | 27.2 | 8.80 | 37.4 | 18.0 |
| 30 | 197 | | 86.6 | 101 | 47.0 | 32.0 | 13.1 | 14.4 | 24.0 | 8.50 | 35.6 | 19.2 |
| 31 | 167 | | 74.2 | | 49.0 | | 13.1 | 12.8 | | 8.20 | | 19.2 |
| SD1 | 86.1 | 75.3 | 89.9 | 54.0 | 105 | 60.0 | 28.1 | 11.5 | 14.7 | 19.4 | 8.30 | 21.5 |
| SD2 | 50.7 | 40.2 | 68.0 | 61.5 | 75.8 | 36.8 | 16.5 | 11.6 | 47.0 | 12.5 | 33.7 | 15.2 |
| SD3 | 88.5 | 35.7 | 94.9 | 115 | 59.0 | 33.1 | 13.9 | 12.7 | 30.9 | 8.91 | 27.7 | 16.3 |
| MAX | 199 | 147 | 145 | 151 | 117 | 88.2 | 33.8 | 19.2 | 89.8 | 23.4 | 80.2 | 34.7 |
| DAT | 30 | 1 | 6 | 22 | 9 | 5 | 1 | 26 | 26 | 1 | 15 | 1 |
| SR | 75.5 | 51.5 | 84.6 | 76.8 | 79.1 | 43.3 | 19.3 | 11.9 | 30.9 | 13.5 | 23.2 | 17.6 |
| MIN | 36.5 | 32.0 | 39.2 | 45.0 | 47.0 | 32.0 | 13.1 | 10.7 | 12.1 | 8.20 | 7.90 | 13.5 |
| DAT | 23 | 23 | 1 | 8 | 30 | 18 | 30 | 10 | 1 | 31 | 5 | 20 |
| GMIN = | | | 7.90 | SRGOD= | | | 43.9 | GMAX = | | | 199 | |
| DATUM | | | 5 11 | | | | | DATUM | | | 30 1 | |

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2002

Broj : 45827 Stanica : BERANE Kota "0" = 658.05
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 155.00
Pocetak rada: 1966 Sliv : DRINE Pov.sliva = 1283.2

| DAN | I | II | III | IV | V | VI | VII | VIII | IX | X | XI | XII |
|-----|------|-------------|------|------|-------------|------|------|-------------|------|------|------|------|
| 1 | 18.0 | 16.2 | 30.4 | 32.0 | 47.0 | 25.6 | 13.5 | 14.9 | 12.8 | 58.2 | 40.1 | 30.4 |
| 2 | 18.0 | 16.2 | 30.4 | 32.0 | 48.0 | 24.0 | 12.8 | 13.5 | 13.5 | 59.4 | 33.8 | 37.4 |
| 3 | 18.0 | 16.2 | 28.8 | 32.0 | 49.0 | 23.4 | 10.7 | 13.5 | 12.8 | 53.4 | 33.8 | 39.2 |
| 4 | 18.0 | 17.1 | 31.2 | 32.9 | 51.0 | 22.2 | 12.1 | 16.2 | 12.8 | 47.0 | 33.8 | 39.2 |
| 5 | 18.0 | 17.1 | 30.4 | 33.8 | 51.0 | 21.6 | 12.1 | 12.1 | 12.8 | 43.0 | 35.6 | 43.0 |
| 6 | 17.1 | 17.1 | 30.4 | 33.8 | 48.0 | 21.0 | 11.4 | 11.4 | 12.8 | 41.0 | 35.6 | 43.0 |
| 7 | 17.1 | 21.6 | 31.2 | 30.4 | 45.0 | 20.4 | 11.4 | 17.1 | 12.8 | 39.2 | 35.6 | 41.0 |
| 8 | 16.2 | 22.2 | 33.8 | 28.8 | 43.0 | 21.6 | 11.4 | 20.4 | 12.8 | 37.4 | 35.6 | 40.1 |
| 9 | 16.2 | 22.8 | 37.4 | 28.8 | 43.0 | 24.0 | 11.4 | 18.0 | 13.1 | 35.6 | 35.6 | 37.4 |
| 10 | 16.2 | 23.4 | 37.4 | 28.8 | 41.0 | 24.0 | 11.4 | 16.2 | 13.5 | 32.0 | 35.6 | 35.6 |
| 11 | 16.2 | 24.0 | 41.0 | 29.6 | 38.3 | 22.8 | 11.4 | 15.3 | 13.5 | 74.2 | 33.8 | 33.8 |
| 12 | 15.3 | 24.0 | 41.0 | 33.8 | 39.2 | 21.6 | 11.4 | 16.6 | 12.8 | 307 | 37.4 | 32.0 |
| 13 | 15.3 | 24.0 | 41.0 | 113 | 38.3 | 21.0 | 12.4 | 16.6 | 12.4 | 356 | 51.0 | 30.4 |
| 14 | 14.4 | 24.0 | 41.0 | 151 | 36.5 | 20.4 | 13.1 | 16.2 | 12.4 | 293 | 59.4 | 28.8 |
| 15 | 14.4 | 22.8 | 39.2 | 139 | 33.8 | 19.2 | 11.4 | 16.2 | 12.1 | 199 | 59.4 | 27.2 |
| 16 | 13.5 | 22.8 | 37.4 | 117 | 33.8 | 18.0 | 11.4 | 16.2 | 12.1 | 147 | 51.0 | 27.2 |
| 17 | 13.5 | 24.0 | 37.4 | 99.8 | 32.0 | 17.1 | 10.0 | 18.0 | 11.8 | 113 | 44.0 | 27.2 |
| 18 | 13.5 | 24.0 | 37.4 | 93.0 | 29.6 | 17.1 | 10.7 | 18.0 | 11.4 | 89.8 | 39.2 | 27.2 |
| 19 | 13.5 | 33.8 | 37.4 | 83.4 | 28.8 | 16.6 | 10.7 | 17.5 | 10.7 | 74.2 | 35.6 | 28.8 |
| 20 | 13.5 | 43.0 | 37.4 | 72.8 | 28.0 | 16.2 | 11.4 | 16.2 | 10.7 | 63.0 | 33.8 | 28.0 |
| 21 | 13.5 | 43.0 | 39.2 | 65.8 | 28.8 | 15.8 | 11.4 | 15.8 | 10.7 | 58.2 | 32.0 | 25.6 |
| 22 | 13.5 | 39.2 | 46.0 | 60.6 | 27.2 | 15.3 | 11.4 | 15.3 | 10.7 | 49.0 | 28.8 | 24.0 |
| 23 | 14.4 | 37.4 | 49.0 | 58.2 | 27.2 | 14.9 | 11.4 | 14.4 | 13.5 | 46.0 | 32.0 | 24.0 |
| 24 | 14.4 | 35.6 | 47.0 | 55.8 | 25.6 | 14.4 | 10.7 | 13.9 | 19.2 | 45.0 | 33.8 | 24.0 |
| 25 | 14.4 | 33.8 | 43.0 | 55.8 | 25.6 | 15.3 | 10.0 | 13.1 | 37.4 | 49.0 | 32.9 | 24.0 |
| 26 | 14.9 | 33.8 | 41.0 | 46.0 | 24.8 | 17.1 | 12.1 | 13.1 | 60.6 | 48.0 | 32.0 | 22.2 |
| 27 | 15.3 | 32.0 | 37.4 | 47.0 | 24.0 | 15.3 | 13.9 | 12.8 | 71.4 | 43.0 | 30.4 | 22.8 |
| 28 | 15.3 | 32.0 | 35.6 | 49.0 | 24.0 | 14.4 | 15.8 | 12.8 | 58.2 | 43.0 | 30.4 | 21.6 |
| 29 | 15.3 | | 32.0 | 47.0 | 24.0 | 13.5 | 16.2 | 12.8 | 53.4 | 41.0 | 27.2 | 32.0 |
| 30 | 15.3 | | 37.4 | 47.0 | 25.6 | 13.5 | 16.2 | 12.8 | 51.0 | 37.4 | 27.2 | 43.0 |
| 31 | 16.2 | | 33.8 | | 25.6 | | 15.3 | 12.8 | | 35.6 | | 43.0 |
| SD1 | 17.3 | 19.0 | 32.1 | 31.3 | 46.6 | 22.8 | 11.8 | 15.3 | 13.0 | 44.6 | 35.5 | 38.6 |
| SD2 | 14.3 | 26.6 | 39.0 | 93.2 | 33.8 | 19.0 | 11.4 | 16.7 | 12.0 | 172 | 44.5 | 29.1 |
| SD3 | 14.8 | 35.8 | 40.1 | 53.2 | 25.7 | 14.9 | 13.1 | 13.6 | 38.6 | 45.0 | 30.7 | 27.8 |
| MAX | 19.2 | 49.0 | 53.4 | 159 | 53.4 | 26.4 | 14.4 | 24.0 | 74.2 | 381 | 59.4 | 45.0 |
| DAT | 1 | 20 | 23 | 14 | 5 | 1 | 1 | 7 | 27 | 12 | 14 | 29 |
| SR | 15.4 | 26.5 | 37.2 | 59.3 | 35.1 | 18.9 | 12.1 | 15.2 | 21.2 | 85.7 | 36.9 | 31.7 |
| MIN | 13.5 | 16.2 | 28.8 | 28.8 | 24.0 | 13.5 | 10.0 | 11.4 | 10.7 | 32.0 | 27.2 | 21.6 |
| DAT | 16 | 1 | 3 | 8 | 27 | 29 | 17 | 6 | 19 | 10 | 29 | 28 |
| | | GMIN = 10.0 | | | SRGOD= 33.0 | | | GMAX = 381 | | | | |
| | | DATUM 17 7 | | | | | | DATUM 12 10 | | | | |