

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1956

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	68.3	19.5	17.5	30.2	88.0	37.3	13.0	4.76	3.70	3.40	83.0	90.0
2	96.6	18.5	17.5	31.5	62.0	71.5	11.8	4.64	3.70	3.40	94.4	62.7
3	41.4	15.3	18.5	33.9	52.2	50.0	13.9	4.64	3.60	3.30	111	45.0
4	35.9	15.7	20.0	34.5	41.4	38.0	12.2	4.52	3.60	3.30	71.5	37.3
5	32.1	14.8	23.7	34.5	40.0	33.3	11.8	4.52	3.60	3.30	44.2	30.8
6	26.0	13.9	26.0	32.1	46.4	32.1	11.0	4.52	3.50	3.30	32.1	26.6
7	22.5	13.0	21.5	28.4	52.2	33.3	9.80	4.52	3.50	3.70	23.7	23.7
8	21.5	11.0	19.5	23.7	58.1	32.7	10.2	4.52	3.50	3.50	19.5	21.0
9	20.5	13.0	17.5	19.5	60.4	32.1	9.00	4.40	3.50	3.92	17.5	19.5
10	19.5	12.2	15.3	18.5	60.4	27.2	8.73	4.40	3.50	3.92	14.4	18.5
11	18.5	11.4	15.7	17.0	89.0	26.6	8.73	4.40	3.50	3.70	13.0	17.0
12	16.6	12.6	15.7	17.5	86.0	25.5	8.18	4.28	3.50	3.60	11.4	15.7
13	15.7	13.0	9.00	19.5	58.9	23.7	8.45	4.28	3.50	3.60	11.8	15.3
14	14.4	11.8	10.6	24.9	54.3	22.5	7.35	4.16	3.50	3.60	23.7	14.4
15	13.9	11.0	10.2	31.5	49.2	22.5	6.80	4.16	3.50	3.70	73.2	13.4
16	13.4	10.6	12.2	38.0	45.7	21.5	6.80	4.04	3.50	3.80	162	12.6
17	13.0	10.6	9.40	45.7	51.4	19.5	6.53	4.04	3.40	3.80	131	11.8
18	13.9	9.80	12.2	47.1	51.4	18.0	8.73	4.04	3.40	3.80	83.0	11.0
19	114	32.1	9.80	56.6	52.9	17.0	8.45	4.04	3.40	3.60	50.7	10.6
20	90.0	30.8	11.4	53.6	52.9	19.5	7.90	3.92	3.40	3.60	65.1	9.80
21	48.5	23.7	13.0	47.1	67.5	14.4	7.07	3.92	3.40	3.60	48.5	9.80
22	34.5	20.0	17.5	42.1	61.2	25.5	6.25	3.92	3.40	3.50	42.8	9.40
23	48.5	18.5	27.8	42.1	55.8	31.5	5.50	3.92	3.30	3.50	92.2	15.3
24	37.3	16.1	22.5	71.5	55.1	23.7	5.38	3.92	3.30	3.50	58.9	24.9
25	48.5	15.7	27.2	76.6	53.6	22.0	5.25	3.92	3.30	3.50	46.4	20.5
26	47.1	17.5	29.6	65.1	65.1	19.0	5.25	3.92	3.30	3.40	34.5	17.0
27	35.9	18.5	33.3	65.1	52.9	17.0	5.13	3.92	3.30	19.5	30.8	14.8
28	30.8	18.5	34.5	65.9	50.0	13.4	5.13	3.92	3.60	75.8	26.0	13.4
29	26.6	17.5	28.4	69.9	48.5	15.3	5.00	3.80	3.60	51.4	84.0	11.4
30	22.5		28.4	82.0	47.1	13.9	5.00	3.70	3.50	27.8	98.8	10.6
31	21.5		32.1		44.2		4.88	3.70		68.3		10.2
SD1	38.4	14.7	19.7	28.7	56.1	38.8	11.1	4.54	3.57	3.50	51.1	37.5
SD2	32.3	15.4	11.6	35.1	59.2	21.6	7.79	4.14	3.46	3.68	62.5	13.2
SD3	36.5	18.4	26.8	62.7	54.6	19.6	5.44	3.87	3.40	24.0	56.3	14.3
MAX	114	32.1	34.5	82.0	89.0	71.5	13.9	4.76	3.70	75.8	204	90.0
DAT	19	19	28	30	11	2	3	1	1	28	16	1
SR	35.8	16.1	19.6	42.2	56.6	26.7	8.04	4.17	3.48	10.8	56.6	21.4
MIN	13.0	9.80	9.00	17.0	40.0	13.4	4.88	3.70	3.30	3.30	11.4	9.40
DAT	17	18	13	11	5	28	31	30	23	3	12	22
GMIN =		3.30		SRGOD=		25.1		GMAX =		204		
DATUM		23 9						DATUM		16 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1957

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	16.6	9.00	21.0	22.0	59.7	36.6	6.53	5.25	3.92	5.50	9.00	8.18	
2	22.5	8.73	19.5	28.4	62.7	36.6	6.25	5.00	3.92	155	8.73	7.90	
3	20.0	8.73	18.0	27.8	65.9	32.1	6.25	5.00	3.92	107	8.73	7.63	
4	18.0	11.4	17.0	27.2	71.5	29.6	7.35	4.88	3.92	88.0	8.45	7.07	
5	16.1	12.2	15.7	30.8	62.0	28.4	6.53	4.76	4.04	104	8.18	6.80	
6	13.9	13.0	15.3	34.5	48.5	32.7	6.13	4.64	4.40	60.4	7.90	6.53	
7	13.4	13.0	14.4	33.3	50.7	30.2	5.88	4.64	4.52	71.5	7.35	6.25	
8	12.2	13.0	15.7	30.8	45.7	26.0	5.75	4.52	4.52	52.2	80.0	6.25	
9	11.8	12.6	18.0	32.7	35.9	23.7	5.50	4.40	4.40	33.3	153	6.80	
10	11.0	13.0	17.0	35.9	32.7	22.0	5.38	4.40	4.16	23.7	92.2	9.80	
11	10.2	18.0	16.1	182	30.8	21.0	5.75	4.28	4.04	19.5	197	21.5	
12	9.40	17.0	15.3	121	29.6	19.5	5.63	4.28	4.04	17.0	136	15.7	
13	9.00	19.0	13.4	82.0	40.0	18.5	5.38	4.28	4.04	14.8	77.4	152	
14	9.80	19.5	13.0	80.0	40.7	18.0	5.25	4.16	4.04	12.2	74.1	289	
15	15.3	55.1	13.4	97.7	45.0	16.6	5.25	4.16	4.16	11.0	38.6	188	
16	13.4	270	15.3	66.7	50.7	15.7	5.13	4.04	15.7	9.80	32.1	121	
17	12.2	287	15.3	48.5	45.7	13.4	5.13	4.04	16.6	9.00	26.6	75.8	
18	11.0	159	17.0	39.3	47.8	13.0	5.00	3.92	10.6	8.18	23.1	55.8	
19	9.00	98.8	18.5	34.5	53.6	13.9	5.00	3.92	7.63	8.18	20.0	42.8	
20	9.00	71.5	23.7	32.1	51.4	12.2	4.76	4.04	6.53	7.90	18.0	34.5	
21	8.45	54.3	28.4	32.7	50.0	11.4	13.0	5.75	6.00	7.35	15.7	26.6	
22	8.18	52.9	35.9	37.3	47.8	10.6	9.00	4.88	5.50	6.53	14.8	22.5	
23	7.90	43.5	38.6	41.4	45.7	10.2	12.6	4.52	5.25	63.5	14.4	20.5	
24	8.45	35.9	41.4	42.8	42.1	9.80	13.0	4.40	5.00	34.5	13.0	19.0	
25	13.9	31.5	39.3	43.5	41.4	9.00	9.80	4.16	4.76	26.0	11.4	16.6	
26	13.4	27.2	38.6	42.8	43.5	8.45	7.35	4.04	4.64	19.5	11.0	15.7	
27	12.6	24.3	34.5	47.8	41.4	8.18	6.80	4.28	5.25	16.1	10.2	15.3	
28	11.8	23.1	28.4	51.4	40.0	7.90	6.25	4.04	5.88	13.4	9.80	14.8	
29	11.4		27.2	55.8	68.3	6.80	6.00	4.04	5.63	12.2	9.00	13.9	
30	10.2		27.2	58.1	55.8	6.53	5.88	3.92	5.50	10.6	9.00	22.5	
31	9.40		23.7		42.8		5.50	3.92		9.80		55.8	
SD1	15.6	11.5	17.2	30.3	53.5	29.8	6.16	4.75	4.17	70.1	38.4	7.32	
SD2	10.8	101	16.1	78.4	43.5	16.2	5.23	4.11	7.74	11.8	64.3	99.6	
SD3	10.5	36.6	33.0	45.4	47.2	8.89	8.65	4.36	5.34	20.0	11.8	22.1	
MAX	22.5	287	41.4	182	71.5	36.6	13.0	5.75	16.6	155	197	390	
DAT	2	17	24	11	4	1	21	21	17	2	11	14	
SR	12.2	50.8	22.4	51.4	48.0	18.3	6.74	4.41	5.75	33.5	38.2	42.3	
MIN	7.90	8.73	13.0	22.0	29.6	6.53	4.76	3.92	3.92	5.50	7.35	6.25	
DAT	23	2	14	1	12	30	20	18	1	1	7	7	
		GMIN =	3.92			SRGOD=	27.6			GMAX =	390		
		DATUM	18 8							DATUM	14 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1958

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	34.5	9.40	80.0	62.0	48.5	52.9	16.1	4.64	3.50	3.30	5.75	9.00	
2	24.3	8.73	54.3	50.0	47.1	44.2	14.4	4.52	3.50	3.20	9.00	8.45	
3	20.5	8.18	41.4	41.4	50.0	45.7	12.2	4.52	3.70	73.2	141	8.18	
4	17.5	8.18	31.5	34.5	52.2	43.5	11.0	4.40	4.04	26.6	69.9	7.63	
5	16.6	7.90	24.9	38.0	55.8	41.4	10.6	4.40	3.80	15.3	60.4	7.35	
6	14.8	7.63	21.5	85.0	65.9	37.3	9.80	4.28	3.70	9.80	45.0	7.07	
7	13.4	8.18	20.5	60.4	75.8	33.3	9.00	4.16	3.70	10.2	27.2	6.53	
8	21.0	7.90	19.0	52.9	85.0	31.5	8.45	4.04	3.60	6.13	121	6.25	
9	17.5	7.90	32.7	42.8	94.4	29.0	7.90	4.04	3.60	5.88	114	6.13	
10	15.7	7.63	24.9	35.9	108	27.2	7.63	4.64	3.50	5.38	104	6.25	
11	14.4	7.63	22.5	30.8	114	37.3	7.35	4.40	3.50	5.00	101	16.6	
12	41.4	8.45	60.4	24.3	108	39.3	6.80	4.40	5.75	4.88	71.5	74.1	
13	62.0	9.00	33.9	22.5	111	29.6	6.53	4.64	5.13	4.64	57.3	50.0	
14	42.8	9.00	27.2	21.5	101	31.5	6.25	4.16	4.52	4.52	74.1	52.9	
15	32.7	10.2	23.7	45.7	97.7	38.6	6.00	4.52	4.16	4.52	72.3	213	
16	24.9	12.6	19.5	46.4	96.6	29.6	5.88	4.76	4.04	4.28	57.3	134	
17	19.5	14.4	18.0	47.8	125	24.9	5.75	4.28	3.80	4.64	45.0	92.2	
18	17.5	32.1	16.6	48.5	116	22.5	5.75	4.04	3.70	4.52	37.3	63.5	
19	15.7	194	17.5	41.4	107	21.0	6.53	4.04	3.70	4.28	32.7	234	
20	14.4	121	17.0	34.5	108	19.5	5.88	4.04	3.60	4.16	29.0	155	
21	13.9	66.7	19.5	34.5	121	18.5	5.63	3.92	3.60	4.16	24.3	107	
22	45.0	41.4	32.1	33.9	93.3	17.5	5.50	3.92	3.60	4.04	21.0	153	
23	28.4	32.7	22.5	36.6	86.0	16.6	5.38	3.92	3.50	6.80	18.0	135	
24	21.5	24.3	20.5	155	92.2	15.7	5.38	3.80	3.50	7.63	16.1	96.6	
25	19.0	21.5	18.0	111	78.3	21.0	5.25	3.80	3.50	7.35	13.9	108	
26	17.0	22.5	16.6	82.0	76.6	18.0	5.13	3.70	3.40	7.07	13.4	111	
27	15.3	38.6	40.0	65.1	77.4	16.1	5.13	3.70	3.40	7.07	12.6	74.9	
28	13.0	117	41.4	66.7	74.9	17.5	5.00	3.70	3.30	6.80	11.8	57.3	
29	11.8		43.5	96.6	71.5	18.5	4.88	3.70	3.30	6.25	10.6	47.8	
30	11.4		47.1	63.5	62.0	17.5	4.76	3.60	3.30	6.25	9.80	38.6	
31	9.80		57.3		62.7		4.76	3.60		6.00		33.9	
SD1	19.6	8.16	35.1	50.3	68.3	38.6	10.7	4.36	3.66	15.9	69.7	7.28	
SD2	28.5	41.8	25.6	36.3	108	29.4	6.27	4.33	4.19	4.54	57.8	109	
SD3	18.7	45.6	32.6	74.5	81.4	17.7	5.16	3.76	3.44	6.31	15.2	87.6	
MAX	62.0	194	80.0	155	125	52.9	16.1	4.64	5.75	73.2	141	372	
DAT	13	19	1	24	17	1	1	1	12	3	3	19	
SR	22.2	30.9	31.1	53.7	85.9	28.6	7.31	4.14	3.76	8.83	47.5	68.4	
MIN	9.80	7.63	16.6	21.5	47.1	15.7	4.76	3.60	3.30	3.20	5.75	6.13	
DAT	31	6	18	14	2	24	30	30	28	2	1	9	
GMIN =			3.20	SRGOD=			32.7	GMAX =			372		
DATUM			2 10					DATUM			19 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1959

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	30.8	14.4	11.8	58.1	31.5	61.2	38.0	5.00	26.0	4.76	68.3	101
2	26.6	21.5	13.9	60.4	90.0	47.8	35.9	6.13	16.6	4.64	44.2	158
3	24.3	18.5	14.8	54.3	62.0	40.0	26.6	5.75	8.45	4.64	22.5	121
4	28.4	17.5	16.1	37.3	52.9	38.6	21.5	5.75	8.18	4.52	24.9	80.0
5	26.0	15.7	16.1	31.5	46.4	27.8	18.5	5.63	7.90	4.52	21.5	57.3
6	25.5	15.3	17.5	31.5	43.5	23.7	16.6	5.50	11.4	4.40	70.7	52.9
7	21.5	14.4	21.5	32.1	40.7	21.5	13.9	5.50	63.5	4.40	55.8	45.7
8	23.7	13.9	38.0	65.9	41.4	20.5	12.6	5.50	36.6	4.28	55.8	41.4
9	77.4	13.0	53.6	50.0	41.4	18.0	11.8	5.50	21.5	4.28	39.3	116
10	42.1	13.0	38.6	52.2	41.4	16.6	11.0	5.38	17.5	4.28	25.5	68.3
11	32.7	12.6	34.5	89.0	44.2	19.5	9.80	5.13	13.9	4.16	21.5	55.1
12	26.6	11.8	53.6	59.7	39.3	69.9	9.00	5.00	11.4	4.16	21.0	104
13	26.0	11.4	39.3	43.5	38.6	59.7	8.73	8.45	9.40	4.04	47.1	128
14	22.5	11.4	32.7	42.1	44.2	39.3	8.45	6.25	8.45	4.04	40.0	135
15	23.7	10.2	26.6	45.7	42.1	30.8	8.18	5.50	7.90	4.04	34.5	141
16	52.9	9.40	23.1	41.4	44.2	26.6	8.45	5.38	7.35	4.04	63.5	82.0
17	98.8	9.00	20.5	38.6	41.4	22.5	7.35	6.25	6.80	3.92	56.6	58.1
18	54.3	9.00	19.5	54.3	39.3	21.0	6.80	7.90	6.53	3.92	42.8	44.2
19	40.7	8.73	19.0	50.0	37.3	18.5	8.45	8.18	6.25	3.80	33.9	35.9
20	32.1	8.45	17.5	50.7	35.9	18.5	6.53	13.9	6.13	3.80	30.2	29.6
21	26.6	8.45	18.5	40.0	34.5	18.0	6.25	12.2	6.00	3.70	25.5	23.7
22	23.1	8.18	20.0	33.3	34.5	17.0	6.25	9.00	5.63	3.70	22.5	24.3
23	21.0	9.00	22.5	29.6	33.3	16.6	6.25	7.63	5.38	3.70	20.5	40.0
24	21.0	8.18	23.7	24.9	32.7	15.7	6.00	6.80	5.25	3.92	18.0	32.1
25	20.5	7.90	26.6	22.0	29.0	17.5	5.75	6.13	5.13	3.70	16.1	85.0
26	20.0	8.18	28.4	21.0	30.8	18.5	5.63	5.75	5.00	3.80	14.8	55.8
27	19.0	8.45	26.6	21.0	25.5	22.0	5.50	5.63	4.88	3.80	15.7	41.4
28	18.0	10.6	24.9	21.0	24.3	20.0	5.38	5.38	5.25	3.80	18.5	138
29	16.6		25.5	17.5	24.3	21.5	5.25	5.25	5.00	27.2	18.5	97.7
30	15.7		25.5	22.5	101	19.5	5.13	5.25	4.76	45.0	101	43.5
31	14.8		58.1		95.5		5.00	19.5		103		36.6
SD1	32.6	15.7	24.2	47.3	49.1	31.6	20.6	5.56	21.8	4.47	42.8	84.2
SD2	41.0	10.2	28.6	51.5	40.6	32.6	8.17	7.19	8.41	3.99	39.1	81.3
SD3	19.7	8.62	27.3	25.3	42.3	18.6	5.67	8.05	5.23	18.7	27.1	56.2
MAX	98.8	21.5	58.1	89.0	101	69.9	38.0	19.5	63.5	103	101	261
DAT	17	2	31	11	30	12	1	31	7	31	30	2
SR	30.7	11.7	26.7	41.4	44.0	27.6	11.3	6.97	11.8	9.35	36.4	73.3
MIN	14.8	7.90	11.8	17.5	24.3	15.7	5.00	5.00	4.76	3.70	14.8	23.7
DAT	31	25	1	29	28	24	31	1	30	21	26	21

GMIN =			3.70	SRGOD=				27.7	GMAX =			261
DATUM			21 10						DATUM			2 12

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1960

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	34.5	21.5	26.0	57.3	32.7	45.7	15.7	4.64	3.40	21.5	55.8	20.5
2	31.5	19.5	24.3	45.0	33.9	54.3	14.8	4.64	3.30	13.0	47.8	20.0
3	26.6	18.5	23.1	40.7	38.6	47.8	13.9	4.52	3.30	9.40	34.5	17.0
4	21.0	15.7	22.0	34.5	32.7	46.4	15.7	4.52	3.30	6.25	32.7	15.7
5	19.0	14.4	20.5	32.7	32.1	44.2	13.0	4.40	3.30	5.75	18.5	14.4
6	18.5	13.9	20.0	31.5	32.7	41.4	10.2	4.40	3.20	5.25	177	12.2
7	17.0	12.2	19.0	30.8	58.1	42.1	9.80	4.40	3.40	5.25	309	11.0
8	15.3	11.4	17.5	31.5	55.8	41.4	9.40	4.28	3.30	20.0	155	9.40
9	13.9	10.2	17.0	38.0	52.9	42.8	9.00	4.28	3.30	18.0	117	127
10	13.4	9.80	14.4	41.4	54.3	43.5	9.40	4.40	3.30	14.4	170	225
11	13.9	10.6	13.9	47.1	59.7	50.7	11.8	4.28	3.20	194	110	141
12	15.7	9.80	19.0	52.2	55.8	48.5	9.00	4.16	3.10	88.0	85.0	98.8
13	55.8	55.8	26.6	50.0	69.1	35.9	7.90	8.45	3.10	80.0	59.7	67.5
14	42.8	45.7	22.5	63.5	73.2	33.3	7.63	5.75	3.00	76.6	135	55.8
15	30.2	138	20.0	65.1	90.0	31.5	7.35	5.00	3.00	67.5	114	47.1
16	23.7	132	21.0	61.2	89.0	29.6	6.80	4.40	3.00	92.2	82.0	41.4
17	21.0	69.1	47.1	59.7	108	30.8	6.53	4.16	3.10	103	50.0	38.0
18	21.5	114	58.9	55.8	97.7	27.8	6.25	4.04	3.10	59.7	39.3	114
19	19.5	174	42.8	45.0	95.5	26.6	6.13	4.04	3.10	41.4	32.7	85.0
20	16.6	158	35.2	58.1	92.2	24.3	6.00	3.92	3.10	33.3	155	75.8
21	15.3	114	29.6	41.4	89.0	22.5	6.00	3.80	4.28	22.5	80.0	65.1
22	14.4	96.6	24.3	37.3	83.0	21.5	5.88	3.70	4.52	60.4	71.5	71.5
23	13.9	71.5	21.5	40.7	72.3	19.5	5.75	3.60	4.64	63.5	54.3	117
24	13.9	83.0	20.5	38.6	71.5	18.5	5.63	3.60	4.40	26.0	41.4	69.9
25	12.2	62.0	19.5	38.0	68.3	17.0	5.63	3.50	4.04	34.5	33.9	59.7
26	11.4	47.1	19.5	32.1	67.5	16.1	5.38	3.50	3.80	18.5	28.4	42.8
27	14.4	38.6	90.0	24.9	60.4	16.6	5.13	3.50	3.60	24.9	25.5	32.7
28	19.5	32.7	95.5	35.2	52.9	17.5	5.00	3.40	3.50	22.5	22.5	22.5
29	18.5	28.4	98.8	45.7	36.6	16.6	4.88	3.30	10.6	90.0	19.5	23.7
30	22.0		91.1	39.3	35.9	15.3	4.76	3.30	55.8	103	22.0	21.0
31	22.0		70.7		42.8		4.76	3.30		114		16.6
SD1	21.1	14.7	20.4	38.3	42.4	45.0	12.1	4.45	3.31	11.9	112	47.2
SD2	26.1	90.7	30.7	55.8	83.0	33.9	7.54	4.82	3.08	83.6	86.3	76.4
SD3	16.1	63.8	52.8	37.3	61.8	18.1	5.35	3.50	9.92	52.7	39.9	49.3
MAX	55.8	174	98.8	65.1	108	54.3	15.7	8.45	55.8	194	477	225
DAT	13	19	29	15	17	2	1	13	30	11	7	10
SR	20.9	56.1	35.2	43.8	62.4	32.3	8.23	4.23	5.44	49.5	79.3	57.4
MIN	11.4	9.80	13.9	24.9	32.1	15.3	4.76	3.30	3.00	5.25	18.5	9.40
DAT	26	10	11	27	5	30	30	29	14	6	5	8
GMIN =		3.00		SRGOD=		37.8		GMAX =		477		
DATUM		14 9						DATUM		7 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1961

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII					
1	21.0	7.35	7.07	8.45	69.9	17.0	6.80	5.38	3.30	2.90	23.7	41.4					
2	16.6	12.6	7.07	8.45	62.0	16.1	6.25	5.13	3.30	2.90	15.7	32.7					
3	17.0	10.2	6.53	12.2	47.1	18.5	5.88	4.76	3.30	2.90	12.2	24.9					
4	22.5	9.00	6.53	15.3	40.7	17.5	5.63	4.52	3.20	2.90	9.00	22.5					
5	67.5	8.73	6.00	17.0	34.5	16.6	5.50	4.16	3.20	2.90	185	19.5					
6	41.4	8.18	5.88	20.0	32.1	14.8	5.38	4.16	3.20	2.90	103	16.6					
7	28.4	7.63	5.50	23.7	34.5	13.4	5.25	4.04	3.20	2.90	64.3	55.8					
8	24.3	7.35	5.38	29.0	37.3	16.6	5.25	3.92	3.20	3.10	78.3	41.4					
9	21.5	6.80	6.13	35.9	29.0	16.6	5.38	3.92	3.20	3.10	52.2	28.4					
10	18.5	6.80	6.53	37.3	31.5	15.7	5.25	3.70	3.50	3.00	43.5	23.1					
11	16.1	6.53	8.18	30.8	30.8	44.2	5.50	3.70	3.50	3.00	138	17.5					
12	16.1	6.25	10.2	26.0	28.4	32.1	5.38	3.70	3.50	2.90	155	14.4					
13	28.4	6.13	13.0	32.1	26.0	26.6	5.38	3.70	3.40	2.90	108	13.4					
14	21.0	6.00	13.4	33.9	21.0	18.5	5.38	3.60	3.40	2.90	79.2	13.0					
15	18.0	5.88	13.0	35.2	21.0	17.0	5.25	3.60	3.30	2.90	37.3	12.2					
16	17.0	5.88	13.4	30.8	5.75	15.7	5.25	3.60	3.30	2.90	32.1	10.2					
17	15.3	5.88	14.4	27.8	23.1	14.4	5.00	3.70	3.20	2.90	32.1	9.00					
18	13.9	5.88	14.8	40.0	48.5	12.2	4.76	4.04	3.20	2.90	26.6	8.45					
19	11.8	6.00	15.7	38.0	34.5	11.0	4.76	3.92	3.20	2.90	21.0	7.90					
20	11.0	6.13	13.9	48.5	60.4	10.2	4.76	3.92	3.10	2.90	162	18.0					
21	10.2	6.25	18.0	33.3	52.2	9.00	4.76	3.70	3.10	2.90	152	14.4					
22	9.40	6.53	26.0	26.0	41.4	8.73	4.52	3.60	3.10	2.90	76.6	12.6					
23	8.73	6.80	19.0	23.7	48.5	10.2	4.52	3.60	3.00	2.90	47.1	11.8					
24	8.45	6.80	14.4	32.7	36.6	11.4	4.52	3.50	3.00	2.90	29.6	11.4					
25	9.00	7.07	10.6	71.5	32.7	9.00	4.28	3.50	3.00	2.90	17.0	13.0					
26	8.45	7.07	9.80	42.8	29.0	7.90	4.16	3.40	3.00	2.90	12.6	67.5					
27	9.80	7.07	10.2	47.1	26.6	7.07	4.04	3.40	2.90	2.90	10.6	52.2					
28	8.73	7.07	9.80	40.0	22.5	6.80	3.92	3.40	2.90	2.90	8.18	134					
29	8.45		9.00	32.1	21.5	7.63	3.92	3.40	2.90	2.90	7.63	108					
30	8.18		8.45	52.9	20.5	7.35	3.92	3.40	2.90	2.90	6.53	58.9					
31	7.63		8.18		18.0		6.25	3.40		2.90	11.0	42.8					
SD1	27.9	8.46	6.26	20.7	41.9	16.3	5.66	4.37	3.26	2.95	58.7	30.6					
SD2	16.9	6.06	13.0	34.3	29.9	20.2	5.14	3.75	3.31	44.7	64.7	11.4					
SD3	8.82	6.83	13.0	40.2	31.8	8.51	4.44	3.48	2.98	34.4	48.4	14.3					
MAX	67.5	12.6	26.0	71.5	69.9	44.2	6.80	5.38	3.50	378	185	55.8					
DAT	5	2	22	25	1	11	1	1	10	19	5	7					
SR	17.6	7.14	10.8	31.8	34.4	15.0	5.06	3.85	3.18	27.6	57.3	18.6					
MIN	7.63	5.88	5.38	8.45	5.75	6.80	3.92	3.40	2.90	2.90	9.00	6.25					
DAT	31	15	8	1	16	28	28	26	27	1	4	23					

GMIN =			2.90			SRGOD=			19.4			GMAX =			378		
DATUM			27 9									DATUM			19 10		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1962

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	18.5	6.00	15.7	155	48.5	39.3	6.80	3.80	2.56	3.00	6.25	29.0	
2	17.5	5.75	19.0	103	38.6	38.6	6.80	3.70	2.56	3.00	48.5	27.8	
3	18.5	5.63	14.8	80.0	34.5	32.7	6.80	3.60	2.56	3.00	34.5	27.2	
4	20.0	5.38	22.5	59.7	32.7	22.5	6.80	3.50	2.56	2.90	18.0	23.1	
5	15.7	5.25	70.7	135	31.5	21.0	13.9	3.40	2.48	2.80	13.4	19.0	
6	13.4	5.00	429	98.8	36.6	17.0	9.00	3.30	2.48	2.80	11.4	17.5	
7	12.2	5.00	162	62.0	42.1	14.4	7.35	3.30	2.48	2.64	34.5	14.8	
8	9.80	4.88	98.8	43.5	52.2	12.6	7.07	3.30	2.40	2.56	20.0	13.0	
9	8.73	4.88	62.0	35.9	67.5	11.8	6.53	3.20	2.40	2.56	15.3	12.2	
10	8.18	5.25	40.0	30.2	83.0	10.6	6.13	3.20	2.40	2.56	73.2	11.0	
11	8.18	5.63	28.4	36.6	87.0	10.2	5.88	3.30	2.40	2.48	34.5	10.2	
12	8.45	5.25	52.2	41.4	77.4	11.4	5.50	3.20	2.40	2.48	46.4	9.00	
13	13.0	5.13	38.6	33.3	72.3	10.6	5.25	3.10	2.32	2.40	27.2	8.45	
14	12.2	5.58	30.2	33.3	69.1	11.8	5.13	3.00	2.32	2.48	29.6	69.1	
15	21.5	28.4	25.5	29.6	114	13.0	5.00	3.00	2.32	2.90	47.1	48.5	
16	52.2	16.1	22.0	30.2	85.0	13.0	5.00	2.90	2.32	3.20	31.5	32.7	
17	34.5	13.0	18.0	33.3	59.7	13.4	5.00	2.90	2.32	38.6	46.4	87.0	
18	24.3	11.0	15.7	32.1	55.8	15.3	5.25	2.90	2.32	18.5	22.0	47.8	
19	22.0	9.40	14.4	37.3	53.6	14.8	5.88	2.80	2.90	11.4	101	33.9	
20	20.5	8.18	13.0	47.8	57.3	14.4	6.13	2.80	2.32	7.07	262	23.1	
21	17.5	7.63	14.8	51.4	58.9	13.0	5.63	2.72	3.50	5.88	213	21.0	
22	13.9	6.25	107	52.9	55.8	11.8	5.38	2.72	3.20	5.50	124	16.1	
23	13.0	6.00	68.3	50.0	47.8	10.6	5.13	2.64	2.90	5.25	88.0	13.0	
24	11.4	5.75	52.9	51.4	45.0	9.80	4.88	2.64	2.80	4.64	138	12.2	
25	10.6	5.50	71.5	54.3	41.4	9.40	4.64	2.64	2.64	4.28	114	11.0	
26	9.00	5.25	134	56.6	39.3	9.00	4.40	2.64	2.64	4.04	65.9	9.40	
27	8.45	5.13	71.5	58.9	40.7	8.73	4.16	2.56	2.64	3.92	45.7	9.00	
28	7.63	5.25	48.5	57.3	39.3	10.2	4.04	2.56	2.56	3.70	36.6	9.00	
29	7.35		38.6	51.4	38.6	9.00	4.04	2.56	3.10	3.92	40.0	8.45	
30	6.53		27.8	58.9	39.3	7.63	3.92	2.56	3.00	5.00	31.5	33.3	
31	6.25		28.4		40.0		3.92	2.56		5.13		141	
SD1	14.3	5.30	93.4	80.3	46.7	22.0	7.72	3.43	2.49	2.78	27.5	19.5	
SD2	21.7	15.8	25.8	35.5	73.1	12.8	5.40	2.99	2.39	9.15	64.8	37.0	
SD3	10.1	5.85	60.3	54.3	44.2	9.92	4.56	2.62	2.90	4.66	89.7	25.8	
MAX	52.2	55.8	464	155	114	39.3	13.9	3.80	3.50	38.6	262	141	
DAT	16	14	6	1	15	1	5	1	21	17	20	31	
SR	15.2	9.20	59.9	56.7	54.3	14.9	5.85	3.00	2.59	5.50	60.6	27.3	
MIN	6.25	4.88	13.0	29.6	31.5	7.63	3.92	2.56	2.32	2.40	6.25	8.45	
DAT	31	8	20	15	5	30	30	27	13	13	1	13	
		GMIN = 2.32		SRGOD= 26.3		GMAX = 464							
		DATUM 13 9				DATUM 6 3							

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1963

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	107	9.80	10.6	21.5	52.2	58.1	17.0	4.52	7.90	4.52	3.00	19.0
2	77.4	9.00	9.00	17.5	59.7	65.9	15.3	4.40	5.38	4.16	3.00	14.4
3	48.5	12.6	8.45	16.1	62.0	62.0	14.4	4.40	5.00	5.88	3.00	12.2
4	79.2	35.9	8.18	14.4	78.3	55.8	13.9	4.40	4.76	17.5	3.30	11.4
5	58.1	52.2	7.63	13.0	101	53.6	15.7	4.28	4.52	34.5	52.9	114
6	73.2	40.7	7.07	12.2	93.3	50.7	13.0	4.28	4.16	48.5	108	62.0
7	131	26.6	6.53	12.6	69.1	48.5	12.2	4.16	3.92	35.9	88.0	41.4
8	205	21.0	6.25	13.4	69.1	47.1	11.4	4.16	3.92	15.3	71.5	25.5
9	132	19.5	6.25	12.6	65.9	45.7	10.2	4.16	13.0	11.4	41.4	17.5
10	77.4	16.1	6.53	11.8	68.3	44.2	9.00	4.16	18.5	10.2	22.5	14.4
11	73.2	15.3	14.4	13.9	69.1	55.8	8.45	4.04	9.00	9.00	16.6	12.2
12	65.9	28.4	13.9	48.5	69.9	90.0	11.0	4.04	6.25	6.00	11.4	11.8
13	117	47.1	38.0	55.8	76.6	63.5	15.3	4.04	5.63	5.38	9.00	41.4
14	74.9	35.2	27.2	50.7	80.0	55.8	11.4	3.70	5.13	5.25	13.4	63.5
15	57.3	29.6	19.5	48.5	71.5	48.5	10.2	3.70	4.76	5.00	27.2	201
16	40.0	19.0	15.7	41.4	66.7	52.9	9.00	3.70	4.52	4.76	40.0	582
17	31.5	52.9	14.8	41.4	71.5	43.5	8.45	3.60	4.16	4.64	27.2	234
18	24.9	145	13.0	47.8	71.5	40.0	7.90	3.60	3.92	4.40	22.5	111
19	21.0	65.9	11.8	52.9	74.1	36.6	7.63	3.50	3.70	4.28	20.0	67.5
20	93.3	98.8	11.4	52.2	69.1	34.5	7.35	3.40	3.60	4.16	14.4	62.0
21	57.3	62.0	13.9	55.8	61.2	33.9	7.07	3.30	3.40	4.04	12.6	201
22	40.7	47.1	22.5	58.1	57.3	32.7	7.07	3.30	3.30	3.92	11.8	182
23	30.2	32.1	27.2	62.0	55.8	28.4	6.25	3.30	3.20	3.70	12.2	95.5
24	23.7	21.5	25.5	67.5	58.9	27.2	6.00	3.20	3.10	3.50	8.73	71.5
25	20.5	18.0	20.0	69.9	58.9	26.6	5.75	3.20	3.00	3.40	7.63	47.1
26	17.0	16.1	16.6	62.0	59.7	24.3	5.50	3.10	3.00	3.30	7.07	38.0
27	14.8	13.0	14.8	63.5	62.0	22.5	5.25	3.00	3.00	3.30	13.0	33.3
28	13.0	11.8	14.4	65.9	65.9	20.5	5.13	2.90	9.80	3.20	39.3	22.5
29	11.8		15.3	61.2	58.9	20.0	5.00	2.90	6.25	3.20	32.7	18.5
30	11.0		15.7	53.6	57.3	19.0	4.76	3.10	5.00	3.10	23.7	17.5
31	10.2		22.5		57.3		4.64	20.5		3.10		16.1
SD1	98.9	24.3	7.65	14.5	71.9	53.2	13.2	4.29	7.11	18.8	39.7	33.2
SD2	59.9	53.7	18.0	45.3	72.0	52.1	9.67	3.73	5.07	5.29	20.2	139
SD3	22.7	27.7	18.9	61.9	59.4	25.5	5.67	4.71	4.30	3.43	16.9	67.5
MAX	205	145	38.0	69.9	101	90.0	17.0	20.5	18.5	48.5	108	620
DAT	8	18	13	25	5	12	1	31	10	6	6	16
SR	59.3	35.8	15.0	40.6	67.5	43.6	9.39	4.26	5.49	8.98	25.6	79.4
MIN	10.2	9.00	6.25	11.8	52.2	19.0	4.64	2.90	3.00	3.10	3.00	11.4
DAT	31	2	8	10	1	30	31	28	25	30	1	4

GMIN = 2.90			SRGOD= 32.9					GMAX = 620				
DATUM 28 8								DATUM 16 12				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1964

Broj : 60115 Stanica : PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka : MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv : SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	15.7	4.64	9.00	67.5	25.5	28.4	11.4	4.52	3.10	3.40	17.5	177
2	15.3	4.64	8.18	55.8	25.5	24.3	8.73	4.40	3.70	3.30	32.1	114
3	14.4	4.52	6.53	45.0	26.0	21.5	7.35	4.28	4.16	3.20	87.0	80.0
4	13.0	4.52	6.13	54.3	26.6	19.5	6.25	4.16	4.40	3.10	61.2	63.5
5	12.2	4.40	6.00	101	32.1	18.0	6.00	4.04	4.28	3.00	40.7	90.0
6	10.6	4.40	6.00	59.7	37.3	16.6	5.75	3.92	4.04	2.90	59.7	55.8
7	10.2	4.40	7.35	41.4	26.0	14.4	5.63	3.92	3.70	2.90	52.9	31.5
8	9.00	4.28	7.90	34.5	26.6	14.4	5.50	3.70	3.70	2.80	36.6	22.0
9	8.73	4.28	7.63	30.8	29.6	13.9	5.38	3.70	3.92	148	41.4	17.5
10	8.45	4.16	9.00	26.0	30.2	13.9	5.13	4.04	3.60	71.5	59.7	16.1
11	8.18	4.04	9.80	23.7	29.6	11.8	5.00	4.52	3.50	217	36.6	14.8
12	7.63	3.92	11.0	18.5	34.5	11.0	13.9	4.52	3.40	173	29.6	13.0
13	7.07	4.04	10.2	17.5	34.5	10.2	16.6	4.40	3.30	59.7	34.5	12.2
14	6.80	4.04	9.40	18.5	32.7	9.00	10.6	4.28	3.20	96.6	29.6	11.8
15	6.53	4.04	10.2	22.5	36.6	8.45	8.18	4.04	3.20	155	26.6	10.2
16	6.25	4.04	85.0	20.5	30.8	7.63	6.53	4.16	3.10	74.1	21.0	9.40
17	6.13	4.04	41.4	22.0	48.5	8.18	6.00	4.16	3.00	45.7	16.6	9.80
18	6.00	4.76	27.2	23.1	36.6	13.0	5.75	4.16	3.00	37.3	14.8	46.4
19	5.88	13.0	19.5	24.9	22.5	17.5	5.38	4.04	3.10	48.5	13.0	80.0
20	5.63	141	17.0	26.0	21.0	14.4	5.25	5.00	3.00	38.6	11.8	220
21	5.38	52.2	17.5	26.0	18.5	12.6	5.00	5.00	2.90	30.8	10.6	123
22	5.25	21.5	155	26.0	28.4	11.8	4.88	4.52	4.52	32.7	9.00	71.5
23	5.25	13.0	80.0	27.8	40.0	11.4	4.76	4.16	4.40	26.6	8.45	47.1
24	5.25	9.40	48.5	29.6	28.4	14.8	4.40	4.04	4.04	40.0	7.07	36.6
25	5.13	9.00	33.9	49.2	26.0	31.5	4.52	3.70	4.16	57.3	6.25	27.8
26	5.13	8.73	24.3	40.0	23.1	22.5	4.52	3.60	4.52	69.1	6.53	48.5
27	5.00	8.45	21.5	22.5	21.0	14.4	4.52	3.50	4.16	78.3	6.53	131
28	5.00	7.90	19.5	20.0	28.4	11.4	4.52	3.50	4.04	62.7	6.53	69.9
29	4.76	7.63	69.1	20.5	25.5	20.0	4.52	3.40	3.70	60.4	6.25	78.3
30	4.76		42.8	22.0	21.0	13.4	5.38	3.30	3.60	28.4	81.0	101
31	4.76		38.6		30.2		4.88	3.20		23.1		78.3
SD1	11.8	4.42	7.37	51.6	28.5	18.5	6.71	4.07	3.86	24.4	48.9	66.7
SD2	6.61	18.7	24.1	21.7	32.7	11.1	8.32	4.33	3.18	94.5	23.4	42.8
SD3	5.06	15.3	50.1	28.4	26.4	16.4	4.72	3.81	4.00	46.3	14.8	73.9
MAX	15.7	141	155	101	48.5	28.4	16.6	5.00	4.52	217	87.0	339
DAT	1	20	22	5	17	1	13	20	22	11	3	20
SR	7.72	12.7	27.9	33.9	29.1	15.3	6.52	4.06	3.68	54.8	29.0	61.5
MIN	4.76	3.92	6.00	17.5	18.5	7.63	4.40	3.20	2.90	2.80	6.25	9.40
DAT	29	12	5	13	21	16	24	31	21	8	25	16
GMIN =		2.80		SRGOD=		24.0		GMAX =		339		
DATUM		8 10						DATUM		20 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1965

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	40.0	34.5	4.64	11.0	32.7	88.0	19.0	3.92	3.70	4.76	2.08	234
2	33.3	51.4	20.0	10.2	27.2	79.2	17.0	3.70	3.70	4.28	2.08	92.2
3	26.6	34.5	193	9.00	28.4	69.9	16.1	3.70	3.50	3.60	2.08	50.0
4	23.7	26.0	69.1	9.80	29.6	67.5	14.4	3.60	3.30	3.40	2.08	32.1
5	19.5	17.5	40.0	11.0	32.7	66.7	13.9	3.50	3.20	3.20	2.08	24.9
6	16.6	15.3	41.4	12.2	48.5	90.0	15.3	3.40	3.10	3.00	2.08	19.0
7	15.7	11.8	28.4	13.4	41.4	80.0	13.0	3.30	3.60	2.90	2.08	15.7
8	14.8	11.0	23.7	18.5	38.0	59.7	11.0	3.30	3.40	2.90	2.08	29.6
9	12.6	9.80	18.0	34.5	34.5	58.1	9.40	3.30	3.30	2.80	2.08	48.5
10	11.8	8.73	16.1	170	35.9	61.2	8.73	3.20	3.20	2.72	2.00	116
11	10.2	8.18	13.4	89.0	39.3	52.2	8.18	3.20	3.10	2.64	6.00	230
12	9.00	7.63	11.8	62.0	34.5	50.7	7.63	3.10	3.00	2.64	13.0	114
13	8.73	7.35	10.6	47.1	27.8	48.5	7.07	3.00	5.00	2.64	63.5	65.9
14	8.18	6.80	10.2	48.5	29.0	47.1	6.80	3.00	5.00	2.64	80.0	39.3
15	7.90	6.53	9.80	45.0	34.5	52.9	6.53	3.00	4.88	2.48	40.0	27.8
16	7.63	6.25	9.80	35.9	51.4	45.7	6.13	2.90	4.52	2.48	19.5	21.5
17	7.07	6.00	10.2	25.5	54.3	40.0	6.00	2.90	4.04	2.48	13.0	17.5
18	6.80	5.75	10.2	23.7	69.9	52.2	6.00	2.90	3.50	2.40	9.40	14.4
19	7.07	5.63	10.6	22.5	84.0	41.4	5.88	2.90	3.40	2.40	33.3	12.6
20	11.8	5.50	11.0	26.6	87.0	45.0	5.75	2.80	3.30	2.40	74.9	11.0
21	10.2	5.38	11.8	85.0	84.0	42.8	5.63	2.80	3.20	2.40	51.4	9.80
22	9.40	5.25	12.2	59.7	80.0	40.7	5.50	2.80	3.10	2.32	173	9.00
23	8.73	5.00	13.4	47.1	94.4	40.7	5.38	2.80	3.00	2.32	84.0	8.18
24	8.45	5.00	16.6	35.2	83.0	40.0	5.25	2.80	2.90	2.24	57.3	7.63
25	7.90	5.13	32.1	29.0	72.3	38.0	5.00	22.5	2.90	2.16	31.5	9.80
26	7.63	5.00	23.7	25.5	69.9	30.2	4.76	13.0	2.80	2.08	21.0	17.5
27	7.35	5.00	19.5	21.5	66.7	28.4	4.52	7.35	2.80	2.08	16.1	13.4
28	6.80	4.76	16.1	21.0	59.7	26.6	4.40	5.25	5.25	2.08	182	111
29	6.53		13.9	59.7	123	23.1	4.28	4.52	5.13	2.08	65.1	132
30	12.2		13.0	38.6	88.0	21.5	4.04	4.28	5.25	2.00	34.5	65.9
31	34.5		12.2		71.5		4.04	4.16		2.00		37.3
SD1	21.5	22.1	45.4	30.0	34.9	72.0	13.8	3.49	3.40	3.36	2.07	66.2
SD2	8.44	6.56	10.8	42.6	51.2	47.6	6.60	2.97	3.97	2.52	35.3	55.4
SD3	10.9	5.07	16.8	42.2	81.1	33.2	4.80	6.57	3.63	2.16	71.6	38.3
MAX	40.0	51.4	193	170	123	90.0	19.0	22.5	5.25	4.76	182	367
DAT	1	2	3	10	29	6	1	25	28	1	28	1
SR	13.5	11.7	24.1	38.3	56.6	50.9	8.28	4.42	3.67	2.66	36.3	52.8
MIN	6.53	4.76	4.64	9.00	27.2	21.5	4.04	2.80	2.80	2.00	2.00	7.63
DAT	29	28	1	3	2	30	30	20	26	30	10	24
GMIN = 2.00			SRGOD= 25.3			GMAX = 367						
DATUM 30 10						DATUM 1 12						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1966

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	41.8	13.4	36.8	23.5	93.6	41.8	22.1	14.0	42.7	58.0	53.9	33.5
2	36.0	13.4	32.0	20.8	88.8	48.2	18.2	12.8	22.8	26.9	39.3	62.1
3	32.0	14.0	29.9	19.4	82.8	50.9	15.8	12.2	14.0	53.9	35.2	217
4	29.9	14.6	28.4	19.4	80.4	45.4	14.6	11.1	10.5	50.0	31.3	139
5	26.2	14.6	29.1	19.4	76.8	45.4	14.0	10.5	9.34	20.8	85.2	72.0
6	23.5	15.2	29.1	19.4	73.2	44.5	14.0	10.5	9.34	15.2	85.2	50.9
7	20.8	15.8	27.7	21.4	69.8	46.3	14.0	9.92	8.18	12.2	56.0	43.6
8	18.2	15.8	24.8	24.8	61.0	47.3	19.4	8.76	7.10	10.5	42.7	36.8
9	17.0	15.8	20.8	26.9	50.9	48.2	20.1	8.18	6.60	9.34	35.2	33.5
10	18.2	25.5	19.4	46.3	70.9	46.3	15.8	7.60	6.60	26.2	29.9	30.6
11	16.4	110	18.8	69.8	104	47.3	13.4	7.10	6.10	29.9	26.2	29.1
12	79.2	188	18.2	57.0	69.8	48.2	12.2	6.60	5.10	21.4	51.9	29.9
13	43.6	97.4	31.3	48.2	56.0	47.3	11.7	6.60	5.10	32.8	50.9	62.1
14	29.1	111	29.1	50.0	57.0	43.6	11.1	6.60	5.60	43.6	48.2	100
15	20.8	78.0	24.2	58.0	61.0	42.7	10.5	6.60	5.60	26.9	41.8	61.0
16	32.8	54.9	21.4	69.8	61.0	39.3	10.5	6.10	5.60	20.8	35.2	47.3
17	50.0	44.5	19.4	124	64.3	41.8	10.5	6.10	5.10	18.2	43.6	38.5
18	54.9	43.6	18.2	87.6	62.1	44.5	9.92	6.10	5.10	18.2	84.0	32.8
19	38.5	37.7	17.6	68.7	56.0	37.7	9.92	5.60	6.10	14.6	110	29.9
20	32.0	35.2	17.0	64.3	51.9	32.8	9.34	5.10	6.60	13.4	116	27.7
21	24.8	36.8	15.8	68.7	52.9	29.1	9.92	5.10	6.10	26.9	84.0	26.2
22	20.8	38.5	15.8	73.2	52.9	26.2	10.5	5.10	5.60	36.8	53.9	23.5
23	22.1	75.6	15.2	74.4	54.9	23.5	11.1	5.10	5.60	25.5	41.8	22.1
24	24.8	127	15.2	69.8	61.0	22.8	21.4	5.10	5.10	20.1	92.4	20.1
25	22.8	75.6	15.2	69.8	62.1	21.4	22.1	5.10	5.10	17.6	93.6	18.8
26	21.4	53.9	16.4	70.9	70.9	18.8	22.1	5.60	4.60	65.4	60.0	17.6
27	18.8	44.5	15.8	79.2	73.2	17.0	18.2	6.60	4.60	183	44.5	17.0
28	18.2	41.0	16.4	78.0	98.8	15.8	15.8	5.10	4.60	149	38.5	16.4
29	17.0		33.5	70.9	66.5	16.4	15.8	4.60	4.60	137	33.5	15.2
30	15.2		36.8	85.2	49.1	26.2	17.0	4.60	8.76	119	38.5	14.0
31	14.0		28.4		42.7		15.8	13.4		82.8		13.4
SD1	26.4	15.8	27.8	24.1	74.8	46.4	16.8	10.6	13.7	28.3	49.4	71.9
SD2	39.7	80.0	21.5	69.7	64.3	42.5	10.9	6.25	5.60	24.0	60.8	45.8
SD3	20.0	61.6	20.4	74.0	62.3	21.7	16.3	5.95	5.47	78.5	58.1	18.6
MAX	79.2	240	45.4	143	134	57.0	26.2	72.0	79.2	260	153	324
DAT	12	12	30	17	11	3	1	31	1	27	20	3
SR	28.4	51.8	23.2	56.0	67.0	36.9	14.7	7.53	8.26	44.7	56.1	44.6
MIN	14.0	13.4	15.2	19.4	42.7	15.8	9.34	4.60	4.60	9.34	26.2	13.4
DAT	31	1	23	3	31	28	20	29	26	9	11	31
GMIN =		4.60		SRGOD=		36.4		GMAX =		324		
DATUM		29 8						DATUM		3 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1967

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	12.2	15.8	16.4	101	61.0	53.9	18.8	7.10	4.10	5.10	4.10	47.3
2	12.2	15.8	19.4	61.0	64.3	43.6	18.2	7.10	4.10	5.10	4.10	25.5
3	14.6	15.8	21.4	47.3	91.2	37.7	17.0	7.10	4.10	5.10	4.10	18.8
4	14.6	16.4	19.4	39.3	103	36.8	17.0	7.10	3.60	5.10	4.10	14.6
5	14.0	17.6	18.8	33.5	87.6	34.3	17.0	7.10	3.60	26.2	4.10	12.8
6	43.6	17.0	18.2	29.9	78.0	34.3	18.2	6.60	3.60	52.9	7.10	11.7
7	50.0	16.4	18.2	46.3	81.6	36.8	16.4	6.10	3.60	24.2	32.0	11.7
8	30.6	15.8	18.2	61.0	84.0	37.7	14.6	6.10	3.60	15.8	53.9	14.6
9	24.8	15.2	18.8	59.0	87.6	38.5	14.0	6.10	3.60	11.7	27.7	22.1
10	20.8	14.0	19.4	60.0	91.2	35.2	23.5	5.60	3.60	11.1	17.6	16.4
11	17.6	13.4	22.8	61.0	93.6	32.0	29.9	5.60	3.60	11.1	13.4	15.8
12	16.4	12.2	28.4	67.6	92.4	30.6	23.5	5.60	3.60	8.76	11.1	26.9
13	14.6	11.1	30.6	74.4	93.6	28.4	19.4	5.60	3.60	7.60	10.5	26.9
14	13.4	11.1	32.0	124	81.6	32.0	17.0	5.60	4.10	7.10	9.34	20.8
15	12.8	10.5	26.9	104	79.2	37.7	15.2	5.60	4.10	6.60	8.76	16.4
16	12.2	9.92	22.8	80.4	76.8	32.0	14.0	5.10	7.60	6.10	8.76	14.0
17	11.7	9.92	19.4	69.8	69.8	28.4	13.4	5.10	8.76	6.10	8.18	12.8
18	11.1	9.92	18.2	65.4	78.0	26.2	13.4	5.10	9.34	6.10	7.10	11.7
19	10.5	14.0	17.0	61.0	73.2	25.5	12.8	4.60	8.76	5.60	7.10	11.1
20	10.5	12.8	15.8	49.1	61.0	26.9	12.2	5.10	8.18	5.60	6.60	11.1
21	9.92	12.8	15.2	45.4	61.0	31.3	11.1	6.10	7.60	5.10	6.60	10.5
22	9.92	14.0	14.6	65.4	65.4	29.1	9.92	6.10	7.10	5.10	6.10	9.92
23	9.92	14.0	14.0	87.6	57.0	27.7	9.34	5.60	11.7	4.60	6.10	9.34
24	12.2	14.0	13.4	59.0	70.9	25.5	9.34	5.60	11.1	4.60	5.60	9.34
25	29.9	14.0	13.4	45.4	67.6	23.5	8.76	5.60	9.34	4.60	5.60	35.2
26	23.5	12.8	12.8	38.5	47.3	23.5	9.34	5.10	8.18	4.60	5.10	170
27	19.4	12.8	12.8	33.5	45.4	21.4	9.34	5.10	7.10	4.10	5.10	226
28	17.0	14.0	13.4	32.8	49.1	20.8	8.76	4.10	6.60	4.10	5.10	104
29	15.8		20.8	65.4	54.9	20.1	8.18	4.10	6.10	4.10	51.9	53.9
30	15.8		149	64.3	56.0	19.4	8.18	4.10	5.60	4.10	97.4	45.4
31	15.8		166		60.0		7.60	4.10		4.10		116
SD1	23.7	16.0	18.8	53.8	82.9	38.9	17.5	6.60	3.75	16.2	15.9	19.6
SD2	13.1	11.5	23.4	75.7	79.9	30.0	17.1	5.30	6.16	7.07	9.08	16.8
SD3	16.3	13.6	40.5	53.7	57.7	24.2	9.08	5.05	8.04	4.46	19.5	71.8
MAX	84.0	17.6	197	139	113	60.0	41.0	7.10	11.7	76.8	132	288
DAT	7	5	31	14	4	1	11	1	23	6	30	27
SR	17.7	13.7	28.0	61.1	73.0	31.0	14.4	5.63	5.99	9.10	14.8	37.2
MIN	9.92	9.92	12.8	29.9	45.4	19.4	7.60	4.10	3.60	4.10	4.10	9.34
DAT	21	16	26	6	27	30	31	28	4	27	1	23
GMIN =		3.60		SRGOD=		26.0		GMAX =		288		
DATUM		4 9						DATUM		27 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1968

Broj : 60115 Stanica : PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka : MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv : SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	122	9.92	22.1	46.3	81.6	36.8	11.1	4.60	19.4	9.34	6.60	18.2	
2	126	10.5	19.4	41.8	70.9	30.6	10.5	4.60	17.0	8.76	6.10	17.0	
3	72.0	10.5	18.8	37.7	65.4	25.5	9.92	5.60	14.0	8.76	5.60	15.8	
4	47.3	11.1	16.4	63.2	64.3	24.8	9.34	8.18	12.2	8.18	40.1	14.6	
5	36.0	11.1	15.8	63.2	67.6	22.8	8.76	7.60	13.4	7.60	36.0	12.8	
6	30.6	12.2	15.2	61.0	72.0	22.8	7.60	7.10	14.0	7.60	23.5	12.2	
7	33.5	12.8	18.8	62.1	72.0	22.1	8.76	6.60	14.0	7.10	22.8	11.7	
8	81.6	16.4	18.2	64.3	76.8	20.1	7.60	6.60	13.4	6.60	20.1	11.1	
9	36.8	26.2	17.6	61.0	70.9	18.2	6.60	6.60	10.5	6.60	28.4	15.8	
10	29.1	24.8	17.0	52.9	60.0	22.8	6.10	6.60	9.34	6.10	126	14.6	
11	24.8	28.4	19.4	47.3	57.0	38.5	5.60	6.60	8.76	5.60	81.6	13.4	
12	21.4	26.9	19.4	36.8	54.9	45.4	5.10	7.10	8.18	5.60	44.5	12.2	
13	18.8	24.2	17.0	32.8	66.5	33.5	4.60	23.5	13.4	5.10	27.7	11.7	
14	17.0	22.1	15.8	32.0	50.9	35.2	4.60	18.2	14.0	8.76	22.1	10.5	
15	15.8	24.8	15.2	35.2	50.9	32.8	4.60	26.2	11.7	8.18	18.8	10.5	
16	14.6	43.6	15.8	59.0	63.2	32.0	5.10	20.1	11.1	7.10	79.2	9.92	
17	14.0	60.0	17.6	50.0	61.0	31.3	6.10	14.6	12.2	7.60	81.6	19.4	
18	14.6	46.3	17.0	61.0	59.0	34.3	6.60	12.2	26.2	7.60	484	154	
19	16.4	34.3	17.0	61.0	38.5	29.1	7.10	12.2	68.7	7.60	330	454	
20	15.2	27.7	17.6	59.0	39.3	25.5	7.60	13.4	41.8	7.10	190	330	
21	14.6	24.2	24.8	57.0	41.8	21.4	7.10	12.2	26.2	7.10	139	187	
22	13.4	21.4	91.2	53.9	52.9	18.2	7.60	11.1	20.8	6.60	96.0	93.6	
23	12.8	20.8	163	59.0	40.1	15.8	6.60	9.92	21.4	6.10	69.8	61.0	
24	12.2	22.1	84.0	61.0	36.0	14.6	6.60	9.34	19.4	5.60	47.3	42.7	
25	13.4	30.6	57.0	61.0	35.2	14.6	6.60	8.76	18.8	5.60	38.5	35.2	
26	12.8	39.3	50.0	62.1	34.3	14.0	6.60	9.92	17.0	6.10	48.2	34.3	
27	11.7	40.1	45.4	57.0	33.5	12.2	6.60	15.8	15.2	8.18	44.5	30.6	
28	11.1	32.0	39.3	64.3	33.5	12.2	5.60	14.6	14.0	8.76	41.0	27.7	
29	11.1	26.2	40.1	67.6	30.6	11.7	4.60	14.6	13.4	8.76	40.1	26.2	
30	10.5		41.8	84.0	31.3	11.1	4.60	13.4	12.2	7.10	38.5	26.2	
31	10.5		45.4		44.5		3.60	17.0		6.60		19.4	
SD1	61.5	14.6	17.9	55.4	70.2	24.7	8.63	6.41	13.7	7.66	31.5	14.4	
SD2	17.3	33.8	17.2	47.4	54.1	33.8	5.70	15.4	21.6	7.02	136	103	
SD3	12.2	28.5	62.0	62.7	37.6	14.6	6.01	12.4	17.8	6.95	60.3	53.1	
MAX	163	63.2	163	84.0	81.6	58.0	11.1	29.1	84.0	9.34	569	517	
DAT	2	17	23	30	1	12	1	13	19	1	18	19	
SR	29.7	25.5	33.3	55.2	53.4	24.3	6.75	11.4	17.7	7.21	75.9	56.6	
MIN	10.5	9.92	15.2	32.0	30.6	11.1	3.60	4.60	8.18	5.10	5.60	9.92	
DAT	30	1	6	14	29	30	31	1	12	13	3	16	
		GMIN = 3.60		SRGOD= 33.0		GMAX = 569							
		DATUM 31 7				DATUM 18 11							

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1969

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	19.4	12.2	29.9	17.0	92.4	62.1	17.6	4.60	14.6	11.1	3.10	75.6	
2	19.4	12.8	26.2	17.0	93.6	64.3	17.0	4.60	11.7	10.5	2.60	61.0	
3	18.8	20.8	23.5	16.4	90.0	57.0	16.4	4.10	9.34	10.5	3.60	50.9	
4	17.0	86.4	23.5	16.4	86.4	52.9	17.6	3.60	8.76	10.5	4.60	42.7	
5	14.6	136	21.4	18.2	86.4	67.6	16.4	3.10	7.10	8.76	4.60	116	
6	14.6	56.0	20.1	20.8	88.8	110	15.2	3.10	7.10	7.10	4.10	311	
7	12.2	36.0	16.4	20.8	94.8	149	12.2	3.10	14.6	8.18	3.60	161	
8	12.2	29.1	15.8	21.4	111	93.6	12.8	3.60	21.4	8.18	3.60	87.6	
9	11.1	30.6	16.4	23.5	141	85.2	12.2	3.60	26.9	7.60	12.2	88.8	
10	11.7	27.7	16.4	23.5	100	90.0	11.7	3.60	20.8	8.18	20.8	51.9	
11	11.7	24.8	16.4	21.4	94.8	50.9	12.2	3.10	18.2	7.60	16.4	45.4	
12	11.1	22.1	16.4	22.8	96.0	44.5	14.6	3.10	18.2	7.60	13.4	38.5	
13	9.92	26.2	15.8	25.5	105	41.8	14.6	2.60	18.2	5.60	11.1	33.5	
14	10.5	42.7	17.6	80.4	104	38.5	13.4	2.60	15.8	6.10	10.5	31.3	
15	54.9	61.0	50.0	107	105	39.3	13.4	2.60	45.4	6.10	9.34	28.4	
16	67.6	62.1	74.4	61.0	105	38.5	12.8	2.60	158	6.10	9.34	31.3	
17	73.2	49.1	64.3	46.3	108	39.3	10.5	2.60	158	5.10	8.18	27.7	
18	42.7	35.2	50.0	37.7	110	37.7	9.34	15.8	122	5.10	9.92	26.2	
19	32.0	29.1	47.3	32.0	103	35.2	8.76	11.7	57.0	5.10	12.8	24.8	
20	26.2	28.4	37.7	29.1	93.6	38.5	8.76	8.18	40.1	4.60	11.1	25.5	
21	22.1	36.0	32.8	29.1	92.4	39.3	7.60	7.10	41.8	4.60	9.92	24.2	
22	18.2	43.6	31.3	73.2	92.4	34.3	7.10	5.60	36.8	4.60	11.1	21.4	
23	17.0	50.9	21.4	177	85.2	29.9	7.10	4.60	26.9	4.60	35.2	20.8	
24	15.8	47.3	21.4	156	74.4	29.1	7.60	3.60	21.4	5.10	98.8	20.1	
25	14.0	69.8	20.1	96.0	65.4	26.9	7.60	5.10	18.2	4.10	197	19.4	
26	18.8	57.0	32.8	80.4	65.4	26.2	7.10	40.1	15.2	3.60	240	18.8	
27	12.2	46.3	27.7	84.0	60.0	24.8	6.60	26.2	13.4	3.60	192	18.2	
28	12.2	36.0	25.5	100	59.0	22.8	6.10	54.9	12.2	3.10	97.4	18.8	
29	12.2		20.1	110	66.5	20.8	6.60	36.8	12.2	3.60	65.4	24.2	
30	12.8		19.4	104	67.6	17.6	6.60	24.8	12.2	3.10	64.3	32.0	
31	13.4		18.8		69.8		6.10	18.8		3.60		31.3	
SD1	15.1	44.8	21.0	19.5	98.4	83.2	14.9	3.70	14.2	9.06	6.28	105	
SD2	34.0	38.1	39.0	46.3	102	40.4	11.8	5.49	65.1	5.90	11.2	31.3	
SD3	15.3	48.4	24.7	101	72.6	27.2	6.92	20.7	21.0	3.96	101	22.7	
MAX	73.2	201	74.4	288	141	149	17.6	54.9	158	11.1	244	388	
DAT	17	5	16	23	9	7	1	28	16	1	26	5	
SR	21.3	43.4	28.1	55.6	90.5	50.3	11.1	10.3	33.5	6.23	39.5	51.9	
MIN	9.92	12.2	15.8	16.4	59.0	17.6	6.10	2.60	7.10	3.10	2.60	18.2	
DAT	13	1	8	3	28	30	28	13	5	28	2	27	
		GMIN = 2.60		SRGOD= 36.7		GMAX = 388							
		DATUM 13 8				DATUM 5 12							

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1970

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	180	24.8	18.2	67.6	85.2	81.6	41.8	14.0	9.34	5.10	14.6	22.1
2	139	22.1	17.6	85.2	63.2	74.4	38.5	12.8	8.76	15.2	12.8	25.5
3	63.2	20.8	16.4	67.6	50.0	67.6	36.0	12.2	8.18	10.5	11.7	30.6
4	45.4	21.4	23.5	56.0	44.5	58.0	33.5	12.2	7.60	15.8	11.1	25.5
5	58.0	45.4	27.7	45.4	39.3	47.3	32.8	12.2	8.76	11.7	10.5	22.1
6	131	100	65.4	40.1	36.0	53.9	32.0	12.2	8.18	8.76	10.5	20.1
7	215	69.8	43.6	38.5	36.8	67.6	32.0	11.7	7.60	8.18	10.5	18.8
8	222	49.1	33.5	149	50.9	86.4	32.8	11.1	7.10	7.60	10.5	17.6
9	129	41.8	27.7	374	69.8	92.4	31.3	11.1	7.10	6.60	12.2	16.4
10	84.0	43.6	24.8	208	87.6	94.8	29.9	11.1	7.10	6.60	25.5	15.8
11	59.0	49.1	24.8	132	108	96.0	29.1	11.1	7.10	6.60	29.1	15.2
12	88.8	49.1	38.5	96.0	118	86.4	29.1	10.5	7.10	6.10	21.4	14.6
13	187	42.7	32.0	74.4	100	81.6	28.4	9.92	6.60	6.10	18.8	13.4
14	124	52.9	47.3	116	92.4	76.8	27.7	9.34	6.60	5.60	15.8	12.8
15	93.6	126	67.6	124	92.4	74.4	24.8	9.34	6.10	5.60	93.6	12.8
16	194	81.6	58.0	80.4	104	72.0	41.8	9.92	6.10	5.60	178	11.7
17	240	57.0	44.5	60.0	101	81.6	81.6	9.34	6.10	5.60	84.0	11.7
18	134	43.6	36.0	52.9	88.8	84.0	50.9	9.34	6.10	5.60	43.6	11.1
19	85.2	36.0	30.6	56.0	79.2	85.2	33.5	8.76	6.10	5.10	54.9	10.5
20	60.0	30.6	27.7	78.0	81.6	76.8	28.4	8.76	6.10	5.10	70.9	10.5
21	50.9	26.2	24.2	88.8	86.4	76.8	24.8	8.18	6.10	13.4	84.0	9.92
22	43.6	24.2	22.8	88.8	87.6	69.8	23.5	8.18	6.10	98.8	269	9.92
23	40.1	24.2	22.8	84.0	122	63.2	22.1	8.18	5.60	91.2	127	9.92
24	36.8	25.5	23.5	93.6	81.6	56.0	20.8	8.18	5.60	49.1	78.0	9.92
25	32.8	23.5	27.7	101	61.0	52.9	19.4	8.18	5.60	28.4	59.0	9.34
26	29.1	22.1	32.8	105	61.0	54.9	18.8	8.18	5.10	24.8	36.8	17.0
27	27.7	20.8	43.6	113	65.4	52.9	17.0	8.18	5.10	20.8	36.8	12.8
28	24.8	18.8	197	119	68.7	45.4	17.0	7.60	5.10	18.8	30.6	47.3
29	23.5		163	178	70.9	44.5	16.4	7.10	5.10	17.0	28.4	59.0
30	22.1		91.2	122	70.9	41.8	15.8	7.10	5.10	15.2	24.2	366
31	24.2		61.0		74.4		15.2	9.34		14.0		332
SD1	127	43.9	29.8	113	56.3	72.4	34.1	12.1	7.97	9.60	13.0	21.5
SD2	127	56.9	40.7	87.0	96.5	81.5	37.5	9.63	6.40	5.70	61.0	12.4
SD3	32.3	23.2	64.5	109	77.3	55.8	19.2	8.04	5.45	35.6	77.4	80.3
MAX	382	170	292	454	139	113	136	14.0	9.34	98.8	348	366
DAT	17	15	28	9	23	11	17	1	1	22	22	30
SR	93.2	42.6	45.6	103	76.7	69.9	29.9	9.85	6.61	17.6	50.5	39.4
MIN	22.1	18.8	16.4	38.5	36.0	41.8	15.2	7.10	5.10	5.10	10.5	9.34
DAT	30	28	3	7	6	30	31	29	26	1	5	25
GMIN =		5.10		SRGOD=		48.7		GMAX =		454		
DATUM		26 9						DATUM		9 4		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1971

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	194	40.1	14.0	26.2	93.6	50.9	14.0	7.60	4.60	18.2	8.76	163
2	156	49.1	13.4	50.0	124	47.3	13.4	7.60	5.10	15.8	8.18	132
3	163	39.3	12.8	57.0	119	47.3	12.2	8.18	5.10	13.4	8.18	80.8
4	119	33.5	12.2	49.1	143	44.5	11.7	8.18	4.60	12.2	7.60	56.0
5	92.4	29.1	11.7	57.0	118	41.0	11.1	8.76	4.60	12.2	7.10	40.5
6	76.8	24.8	11.1	101	96.0	37.7	11.1	9.34	4.60	11.1	7.10	35.2
7	62.1	23.5	11.1	69.8	85.2	36.8	11.1	8.18	4.60	10.5	7.10	31.3
8	50.0	22.1	11.1	56.0	84.0	36.0	11.1	7.60	4.10	9.92	7.10	28.5
9	44.5	20.8	11.1	54.9	81.6	35.2	11.1	7.10	4.10	8.76	7.10	25.2
10	40.1	19.4	10.5	57.0	84.0	42.7	11.1	7.10	4.60	8.18	8.18	23.4
11	29.9	18.2	10.5	63.2	86.4	40.1	10.5	6.60	9.92	7.60	34.3	19.9
12	27.7	17.6	10.5	61.0	82.8	37.7	10.5	6.60	14.6	7.10	41.8	17.7
13	25.5	16.4	10.5	56.0	81.6	32.8	10.5	6.10	14.0	7.10	44.5	16.6
14	22.1	16.4	10.5	47.3	81.6	32.8	9.92	6.10	14.6	7.10	49.1	14.5
15	20.1	16.4	11.1	39.3	79.2	30.6	9.92	5.60	22.1	32.0	33.5	13.5
16	18.8	18.2	20.8	39.3	79.2	29.1	9.34	5.60	36.8	132	26.9	13.0
17	18.8	26.2	24.8	40.1	79.2	27.7	9.34	5.60	32.8	79.2	22.1	12.0
18	18.2	23.5	24.8	43.6	79.2	25.5	8.76	5.60	24.8	42.7	17.6	11.5
19	17.6	23.5	24.8	46.3	76.8	23.5	8.18	5.60	18.8	29.1	41.0	11.0
20	17.0	20.8	41.8	59.0	74.4	22.1	8.18	5.60	17.0	22.1	173	10.5
21	26.2	20.8	38.5	63.2	72.0	20.8	7.60	5.60	15.2	17.6	79.2	10.5
22	96.0	20.1	104	65.4	68.7	20.1	7.60	5.10	12.8	14.6	43.6	10.0
23	84.0	19.4	143	63.2	63.2	19.4	7.60	5.10	11.7	14.0	101	9.56
24	52.9	17.6	76.8	111	57.0	18.2	7.10	5.10	10.5	13.4	67.6	9.56
25	46.3	16.4	53.9	122	53.9	17.0	7.10	5.10	9.92	13.4	46.3	9.12
26	53.9	15.8	44.5	92.4	50.9	16.4	7.10	5.10	8.18	12.2	35.2	9.12
27	52.9	15.2	36.0	65.4	50.9	15.8	7.60	4.60	8.18	10.5	30.6	9.12
28	69.8	14.6	33.5	51.9	54.9	15.8	7.60	4.60	8.18	9.34	45.4	9.12
29	46.3		32.0	61.0	51.9	15.2	8.76	4.60	28.4	8.76	156	8.68
30	36.0		30.6	70.9	50.9	14.6	9.92	4.60	29.9	8.76	188	9.12
31	32.0		27.7		51.9		7.60	4.60		8.76		9.12
SD1	99.8	30.2	11.9	57.8	103	41.9	11.8	7.96	4.60	12.0	7.64	61.6
SD2	21.6	19.7	19.0	49.5	80.0	30.2	9.51	5.90	20.5	36.6	48.4	14.0
SD3	54.2	17.5	56.4	76.6	56.9	17.3	7.78	4.92	14.3	11.9	79.3	9.37
MAX	194	56.0	194	230	153	54.9	14.0	9.34	36.8	160	266	163
DAT	1	2	23	25	4	1	1	6	16	16	30	1
SR	58.4	22.8	30.0	61.3	79.2	29.8	9.63	6.22	13.1	19.9	45.1	27.7
MIN	17.0	14.6	10.5	26.2	50.9	14.6	7.10	4.60	4.10	7.10	7.10	8.68
DAT	20	28	10	1	26	30	24	27	8	12	5	29
GMIN =		4.10		SRGOD=		33.7		GMAX =		266		
DATUM		8 9						DATUM		30 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1972

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	11.0	25.8	24.0	33.4	37.8	35.2	8.24	11.5	9.12	22.8	17.7	22.8
2	10.0	22.8	21.6	37.0	41.4	32.7	9.56	11.5	8.68	20.4	15.5	45.2
3	10.5	20.4	19.3	37.8	48.1	33.4	9.12	14.0	8.24	17.7	13.0	39.6
4	10.0	16.6	18.8	39.6	49.1	31.3	8.24	17.2	8.24	16.6	11.0	30.6
5	14.0	14.0	17.2	44.2	37.8	29.2	7.36	16.1	8.68	15.0	10.0	25.8
6	16.6	12.5	19.9	46.2	47.2	27.8	6.92	13.0	8.24	13.5	9.56	22.2
7	15.0	11.0	19.3	39.6	48.1	26.4	7.36	11.5	8.24	12.0	9.12	19.9
8	14.5	11.0	17.7	43.3	52.0	26.4	6.92	11.0	7.80	11.5	8.68	18.2
9	17.2	11.0	20.4	44.2	50.1	25.8	6.48	10.0	18.2	11.0	8.24	16.6
10	17.2	20.4	21.6	49.1	49.1	24.6	6.04	9.56	29.2	11.5	7.36	15.0
11	15.5	27.8	25.2	51.0	53.0	23.4	5.60	8.68	24.0	12.5	6.48	13.5
12	14.5	43.3	27.8	55.0	60.0	22.2	5.60	7.36	18.8	13.0	57.0	12.5
13	13.0	59.0	25.2	56.0	46.2	21.0	5.60	6.48	15.5	15.0	44.2	12.0
14	11.5	37.0	21.6	58.0	39.6	20.4	5.60	6.04	13.0	19.9	25.8	11.5
15	11.0	29.2	20.4	60.0	54.0	19.3	7.36	5.60	18.8	18.2	31.3	11.0
16	11.0	23.4	21.6	68.0	64.0	18.2	14.5	5.23	191	16.1	75.3	10.5
17	11.0	20.4	20.4	80.8	62.0	17.2	12.0	5.23	92.6	14.0	44.2	10.0
18	11.0	17.2	19.3	68.0	50.1	16.1	9.56	4.86	44.2	13.0	33.4	9.56
19	10.5	15.0	19.3	43.3	56.0	14.5	9.12	5.23	26.4	11.5	62.0	9.12
20	10.0	18.8	21.0	40.5	78.6	13.0	9.12	14.0	20.4	11.0	37.0	9.12
21	10.0	33.4	23.4	58.0	62.0	11.5	11.5	55.0	16.1	17.2	91.4	8.68
22	9.56	35.2	25.2	60.0	52.0	10.5	13.5	26.4	13.5	35.2	85.4	8.24
23	9.12	29.9	24.6	53.0	47.2	10.5	13.5	16.1	11.5	24.6	62.0	7.80
24	8.68	26.4	25.2	48.1	46.2	10.0	13.0	13.0	10.5	19.9	89.0	7.36
25	8.68	24.6	25.8	80.8	46.2	10.0	19.3	12.0	9.56	17.2	106	6.92
26	8.68	25.2	24.6	103	46.2	9.56	22.2	10.0	9.12	15.0	64.0	6.92
27	8.68	26.4	25.8	74.2	45.2	9.12	19.9	9.12	75.3	13.5	41.4	6.48
28	11.0	27.1	26.4	50.1	50.1	9.12	15.5	9.12	115	13.5	32.0	6.48
29	13.0	26.4	25.8	38.7	50.1	9.12	13.5	8.68	59.0	22.8	26.4	6.04
30	22.8		27.8	35.2	32.0	8.68	11.5	8.68	31.3	21.6	22.8	6.04
31	25.2		29.9		32.7		11.0	9.12		20.4		5.60
SD1	13.6	16.5	20.0	41.4	46.1	29.3	7.62	12.5	11.5	15.2	11.0	25.6
SD2	11.9	29.1	22.2	58.1	56.3	18.5	8.41	6.87	46.5	14.4	41.7	10.9
SD3	12.3	28.3	25.9	60.1	46.4	9.81	14.9	16.1	35.1	20.1	62.0	6.96
MAX	25.8	72.0	32.0	115	83.0	39.6	27.1	65.0	327	42.3	155	50.1
DAT	31	13	31	26	20	1	26	21	16	22	25	2
SR	12.6	24.5	22.8	53.2	49.5	19.2	10.5	12.0	31.0	16.7	38.2	14.2
MIN	8.68	11.0	17.2	33.4	32.0	8.68	5.60	4.86	7.80	11.0	6.48	5.60
DAT	24	7	5	1	30	30	11	18	8	9	11	31
GMIN =		4.86		SRGOD=		25.3		GMAX =		327		
DATUM		18 8						DATUM		16 9		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1973

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	6.04	9.56	8.24	18.8	59.0	29.2	10.5	9.56	7.80	12.5	8.24	13.5
2	5.60	15.0	7.80	20.4	69.0	27.1	10.0	9.12	7.36	10.5	7.80	12.0
3	5.23	13.5	7.80	23.4	79.7	25.8	12.0	9.12	6.92	9.12	7.36	11.5
4	5.23	11.5	6.92	25.8	92.6	25.2	11.0	8.68	6.04	8.24	6.48	11.5
5	4.86	10.5	6.92	21.0	109	24.0	9.56	8.24	5.60	7.80	6.04	11.5
6	4.49	10.0	6.92	16.6	120	22.8	9.12	7.36	5.23	6.92	6.04	11.5
7	4.49	10.0	7.36	15.0	121	22.8	8.24	6.92	5.23	6.92	89.0	11.5
8	4.12	10.5	12.5	15.5	113	22.2	7.36	6.48	5.23	6.92	81.9	11.0
9	4.12	10.0	15.0	17.7	99.2	30.6	6.92	6.48	4.49	6.92	46.2	26.4
10	4.49	9.56	12.5	24.0	85.4	28.5	9.56	6.04	4.49	6.92	27.1	37.0
11	4.86	13.5	11.5	75.3	58.0	22.8	11.0	5.60	4.12	6.92	21.6	25.2
12	4.86	12.5	11.0	46.2	44.2	19.9	8.68	5.23	4.49	6.04	19.3	19.9
13	4.86	11.0	11.0	32.7	50.1	18.8	8.24	4.49	4.12	6.04	17.2	16.6
14	4.49	10.0	11.0	29.2	53.0	18.2	7.36	4.49	4.12	6.04	15.5	14.5
15	4.49	90.2	10.5	24.6	60.0	17.7	6.92	4.86	3.75	19.3	13.5	16.1
16	4.86	65.0	9.12	22.2	60.0	15.5	6.92	4.49	4.12	31.3	13.0	14.0
17	6.92	43.3	9.12	20.4	55.0	14.0	6.92	4.49	3.75	22.2	12.0	12.5
18	19.9	29.2	9.12	19.9	54.0	12.5	6.48	4.49	3.38	18.2	11.5	15.0
19	77.5	22.8	9.56	19.9	56.0	12.0	6.48	4.49	8.24	14.5	10.5	17.2
20	39.6	18.8	9.56	22.8	69.0	12.0	6.48	4.49	32.0	12.5	10.0	35.2
21	27.1	16.6	9.12	25.2	68.0	12.0	6.48	4.49	16.1	11.5	10.0	59.0
22	29.9	14.5	8.68	24.0	66.0	11.5	6.04	4.86	18.2	84.2	9.56	130
23	22.2	13.5	8.68	22.2	68.0	11.0	5.60	4.12	33.4	51.0	9.12	80.8
24	15.5	13.0	9.56	28.5	64.0	10.0	5.23	3.75	17.2	25.8	8.68	49.1
25	18.8	12.0	10.0	57.0	61.0	9.12	6.92	3.75	12.5	18.8	8.68	37.8
26	13.5	11.0	10.5	43.3	47.2	9.12	12.0	3.75	10.5	15.0	9.56	121
27	12.5	10.0	14.0	34.3	37.0	8.68	16.6	3.75	11.5	12.5	45.2	125
28	11.5	9.12	17.7	34.3	32.0	8.24	14.5	6.48	45.2	11.5	27.1	65.0
29	10.5		17.2	38.7	30.6	7.80	10.5	8.24	22.2	10.5	39.6	42.3
30	10.5		17.7	38.7	29.9	7.80	10.0	7.80	15.5	10.0	16.1	32.0
31	10.0		17.7		29.2		9.56	8.24		8.24		25.8
SD1	4.87	11.0	9.20	19.8	94.8	25.8	9.43	7.80	5.84	8.28	28.6	15.7
SD2	17.2	31.6	10.1	31.3	55.9	16.3	7.55	4.71	7.21	14.3	14.4	18.6
SD3	16.5	12.5	12.8	34.6	48.4	9.53	9.40	5.38	20.2	23.5	18.4	69.8
MAX	77.5	157	19.3	97.8	142	41.4	16.6	9.56	61.0	150	236	254
DAT	19	15	8	11	6	9	27	1	28	22	6	26
SR	13.0	18.8	10.8	28.6	65.8	17.2	8.81	5.95	11.1	15.6	20.5	35.9
MIN	4.12	9.12	6.92	15.0	29.2	7.80	5.23	3.75	3.38	6.04	6.04	11.0
DAT	8	28	4	7	31	29	24	24	18	12	5	8
GMIN =		3.38		SRGOD=		21.0		GMAX =		254		
DATUM		18 9						DATUM		26 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1974

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	26.4	7.36	9.12	34.3	96.4	58.0	23.4	3.75	3.01	44.2	59.0	42.3
2	32.7	7.36	8.68	32.0	110	55.0	17.7	3.75	2.27	46.2	45.2	33.4
3	30.6	7.36	8.24	32.0	67.0	47.2	15.0	3.75	2.27	97.8	36.1	29.9
4	27.8	26.4	6.92	29.2	65.0	48.1	13.5	4.49	2.64	60.0	30.6	27.1
5	25.2	27.8	11.5	28.5	92.6	49.1	13.5	4.12	1.90	35.2	26.4	25.2
6	22.8	22.2	21.0	27.1	72.0	47.2	12.0	4.12	1.90	43.3	24.6	23.4
7	20.4	67.0	18.2	26.4	62.0	42.3	10.5	3.75	2.64	74.2	25.2	19.3
8	17.7	45.2	15.0	24.6	51.0	38.7	9.56	4.49	4.12	182	27.1	18.8
9	16.1	30.6	12.5	22.8	54.0	36.1	9.12	4.12	3.01	133	26.4	17.2
10	15.0	23.4	12.0	22.2	49.1	33.4	9.12	3.75	3.38	81.9	26.4	16.1
11	15.0	19.9	11.5	22.8	46.2	40.5	8.68	3.38	3.75	53.0	25.8	16.6
12	14.0	18.2	11.0	21.0	51.0	32.0	8.24	4.12	3.75	33.4	24.6	18.8
13	13.5	17.2	11.0	26.4	52.0	25.8	7.80	3.75	3.38	56.0	23.4	43.3
14	13.5	19.9	10.5	32.0	54.0	22.2	7.80	3.38	3.01	147	22.2	31.3
15	13.0	21.0	10.0	32.7	65.0	20.4	6.92	3.38	3.38	150	21.6	24.0
16	13.0	18.2	10.0	29.2	67.0	22.8	6.92	3.01	3.01	327	21.0	21.0
17	12.0	16.6	9.12	30.6	50.1	23.4	7.36	3.01	3.38	131	19.3	19.3
18	11.0	14.5	9.12	34.3	47.2	25.2	6.92	3.01	2.64	80.8	18.8	18.2
19	10.0	14.5	10.0	29.2	43.3	23.4	7.36	2.64	2.64	53.0	18.8	17.7
20	9.56	14.0	12.5	25.2	57.0	21.6	6.48	2.27	2.64	35.2	19.9	17.2
21	8.24	13.5	14.0	24.0	64.0	19.9	5.60	2.64	3.38	72.0	21.0	16.6
22	8.24	12.5	17.7	24.6	64.0	21.6	5.23	2.64	50.1	125	19.9	16.1
23	8.24	12.0	22.8	24.6	74.2	21.0	4.86	3.01	56.0	471	18.2	15.5
24	8.24	11.0	25.8	22.8	63.0	19.9	4.49	2.64	35.2	446	16.6	15.5
25	8.24	11.0	29.9	24.0	106	18.2	4.12	2.64	117	193	15.0	15.5
26	8.24	11.0	29.9	23.4	90.2	17.2	4.12	3.01	112	117	69.0	15.5
27	8.24	9.56	32.7	23.4	70.0	17.7	3.75	3.75	78.6	84.2	59.0	12.5
28	7.36	10.0	33.4	26.4	60.0	16.6	3.75	4.12	41.4	56.0	42.3	12.5
29	7.36		33.4	43.3	61.0	16.1	3.75	3.01	23.4	54.0	113	12.5
30	7.36		32.0	61.0	61.0	25.8	3.38	3.01	19.9	57.0	63.0	12.5
31	7.36		27.8		57.0		3.75	3.38		54.0		11.5
SD1	23.5	26.5	12.3	27.9	71.9	45.5	13.3	4.01	2.71	79.8	32.7	25.3
SD2	12.5	17.4	10.5	28.3	53.3	25.7	7.45	3.20	3.16	107	21.5	22.7
SD3	7.92	11.3	27.2	29.8	70.0	19.4	4.25	3.08	53.7	157	43.7	14.2
MAX	33.4	106	35.2	70.0	152	62.0	24.0	5.23	205	574	168	56.0
DAT	2	7	28	30	1	1	1	4	25	23	29	13
SR	14.4	18.9	17.0	28.7	65.2	30.2	8.22	3.42	19.9	116	32.6	20.5
MIN	7.36	7.36	6.92	21.0	43.3	16.1	3.38	2.27	1.90	33.4	15.0	11.5
DAT	28	1	4	12	19	29	30	20	5	12	25	31
GMIN =		1.90		SRGOD=		31.4		GMAX =		574		
DATUM		5 9						DATUM		23 10		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1975

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	11.5	7.36	4.86	123	31.3	16.6	8.24	4.86	4.49	3.38	12.5	17.7
2	11.0	7.36	4.86	177	37.8	15.0	15.5	4.86	4.86	3.01	11.5	17.2
3	10.5	7.36	4.86	135	32.7	13.5	18.8	4.86	4.49	3.38	11.0	16.6
4	10.0	6.92	4.86	83.0	31.3	13.5	15.5	4.49	4.49	3.38	10.0	15.5
5	9.12	6.48	5.23	55.0	32.7	14.5	12.5	4.49	4.86	3.38	9.56	14.5
6	8.24	7.36	5.23	50.1	38.7	14.0	15.5	4.49	4.86	3.75	9.56	14.0
7	8.68	6.92	5.60	57.0	47.2	12.5	19.9	4.49	4.86	3.01	9.56	13.5
8	8.24	6.48	6.04	64.0	52.0	12.5	16.6	4.12	4.86	3.01	8.68	12.5
9	7.36	6.48	6.48	58.0	57.0	13.5	13.5	4.49	4.49	2.64	8.68	12.5
10	7.36	6.48	9.12	52.0	43.3	15.0	11.5	4.12	4.49	2.64	8.24	12.0
11	6.92	6.92	8.68	89.0	39.6	14.5	10.5	3.75	4.12	2.64	15.0	11.5
12	6.04	6.48	10.5	64.0	36.1	13.5	9.56	3.75	3.75	13.5	15.0	11.0
13	5.60	6.04	25.2	45.2	37.0	12.5	9.12	4.12	4.49	171	14.0	11.0
14	6.04	6.04	36.1	37.8	43.3	11.0	8.24	4.86	4.86	109	13.0	11.0
15	6.48	6.04	49.1	35.2	47.2	10.5	7.36	4.86	4.49	73.1	11.5	11.0
16	6.48	6.04	33.4	37.8	43.3	9.56	7.36	4.12	4.49	47.2	11.0	10.5
17	6.92	6.04	25.8	34.3	41.4	9.12	7.36	4.12	4.49	93.8	48.1	31.3
18	7.36	6.04	21.0	36.1	43.3	9.56	6.48	4.12	3.75	136	307	106
19	7.80	5.60	18.2	32.7	43.3	9.56	5.60	4.12	3.38	102	331	53.0
20	8.24	5.60	17.2	32.7	38.7	9.56	6.48	4.12	3.75	68.0	173	30.6
21	7.80	5.60	18.2	34.3	33.4	9.12	5.60	4.49	3.75	62.0	100	24.0
22	7.36	4.86	19.9	36.1	32.0	8.68	5.23	4.49	3.75	50.1	67.0	19.9
23	7.36	4.86	18.2	51.0	29.9	8.68	4.49	3.75	3.75	36.1	45.2	17.2
24	7.36	4.49	18.2	48.1	28.5	9.12	3.38	3.75	3.38	29.2	34.3	15.0
25	7.36	4.86	17.2	42.3	27.1	9.12	2.64	3.01	2.64	24.6	29.2	13.5
26	6.92	4.86	15.0	37.8	24.6	9.56	1.90	4.86	2.64	21.0	24.0	12.5
27	6.92	5.23	14.0	29.2	22.8	8.68	1.14	5.60	2.64	18.2	21.0	11.5
28	7.80	4.86	19.3	25.2	21.0	8.68	2.27	6.04	3.01	16.1	19.3	11.0
29	8.24		77.5	22.2	20.4	8.24	4.49	6.04	3.38	15.0	19.3	11.0
30	7.80		62.0	24.0	19.3	8.24	4.49	4.49	3.01	13.5	18.2	10.5
31	7.80		60.0		17.7		4.86	5.23		13.0		10.0
SD1	9.20	6.92	5.71	85.4	40.4	14.1	14.8	4.53	4.68	3.16	9.93	14.6
SD2	6.79	6.08	24.5	44.5	41.3	10.9	7.81	4.19	4.16	81.6	93.9	28.7
SD3	7.52	4.95	30.9	35.0	25.2	8.81	3.68	4.70	3.19	27.2	37.8	14.2
MAX	12.5	7.36	121	186	63.0	17.7	23.4	6.04	5.23	329	488	168
DAT	1	2	29	2	8	1	6	29	7	13	18	18
SR	7.83	6.06	20.7	55.0	35.3	11.3	8.58	4.48	4.01	37.0	47.2	19.0
MIN	5.60	4.49	4.86	22.2	17.7	8.24	1.14	3.01	2.64	2.64	8.24	10.0
DAT	13	24	1	29	31	29	27	25	25	9	10	31
		GMIN = 1.14		SRGOD= 21.4		GMAX = 488						
		DATUM 27 7				DATUM 18 11						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1976

Broj : 60115 Stanica : PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka : MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv : SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	9.12	12.5	11.0	16.1	76.4	35.2	12.0	7.36	7.36	4.86	85.4	19.9
2	8.68	14.0	11.5	17.7	65.0	33.4	11.5	7.36	19.3	4.86	60.0	138
3	8.68	14.0	12.5	21.6	107	60.0	11.5	6.92	22.2	4.86	50.1	147
4	8.68	13.5	12.0	25.8	133	47.2	10.5	6.92	34.3	4.86	76.4	81.9
5	8.68	13.5	11.0	31.3	100	36.1	9.56	7.36	81.9	4.49	113	67.0
6	8.24	12.5	10.5	32.7	91.4	43.3	9.56	8.24	46.2	9.12	75.3	57.0
7	8.24	12.0	9.56	32.0	92.6	73.1	9.12	7.80	24.6	8.68	102	46.2
8	7.80	12.0	9.12	27.8	97.8	56.0	8.68	6.48	18.2	7.36	130	150
9	8.24	11.0	8.68	29.9	85.4	44.2	9.12	6.04	15.0	6.48	77.5	107
10	7.36	10.5	8.68	27.1	78.6	37.0	8.68	6.04	12.5	6.04	54.0	65.0
11	7.80	10.0	8.24	23.4	76.4	32.0	8.24	6.04	11.0	5.60	43.3	76.4
12	7.36	10.0	8.68	21.0	68.0	29.9	7.80	7.80	10.0	5.23	36.1	59.0
13	7.36	12.5	7.80	18.8	68.0	27.1	7.36	7.80	9.12	5.23	80.8	44.2
14	6.48	13.0	7.36	17.7	62.0	25.2	7.36	7.80	9.12	7.80	140	36.1
15	6.48	14.0	7.36	17.7	57.0	22.8	7.80	7.80	8.68	8.68	90.2	32.0
16	5.60	16.6	8.24	18.8	56.0	21.6	7.80	7.36	8.24	16.1	64.0	28.5
17	5.23	16.1	7.80	20.4	55.0	22.8	8.24	7.80	7.80	223	49.1	55.0
18	5.60	16.1	8.68	25.8	59.0	28.5	7.80	9.12	6.92	117	41.4	153
19	5.60	14.5	8.24	28.5	60.0	24.0	6.04	10.5	6.48	73.1	47.2	86.6
20	5.23	14.0	8.68	33.4	53.0	21.0	6.04	14.0	6.48	50.1	47.2	58.0
21	5.60	13.5	8.24	37.8	59.0	19.3	6.04	12.0	6.04	37.0	41.4	44.2
22	5.60	13.0	8.68	36.1	47.2	18.8	6.04	10.5	6.04	28.5	49.1	36.1
23	5.60	11.5	8.68	37.0	42.3	18.2	5.60	12.5	6.04	22.8	47.2	29.9
24	5.60	12.0	58.0	65.0	45.2	17.7	9.12	14.0	5.60	17.7	39.6	26.4
25	12.5	12.0	71.0	100	47.2	16.1	9.56	12.0	5.60	14.0	33.4	24.0
26	19.9	11.5	36.1	73.1	43.3	14.5	9.12	10.5	5.60	13.5	29.2	23.4
27	27.8	11.0	25.2	50.1	38.7	14.0	8.68	9.12	5.60	12.5	25.8	22.2
28	17.2	11.0	22.2	37.8	62.0	13.5	8.24	8.24	5.60	12.5	24.6	20.4
29	13.5	11.0	19.9	81.9	61.0	12.5	8.24	7.36	5.23	48.1	21.6	19.9
30	11.0		17.7	128	43.3	12.5	8.24	6.92	5.23	79.7	20.4	32.0
31	10.0		16.1		38.7		7.80	7.36		160		27.1
SD1	8.37	12.6	10.5	26.2	92.7	46.5	10.0	7.05	28.2	6.16	82.4	87.9
SD2	6.27	13.7	8.11	22.5	61.4	25.5	7.45	8.60	8.38	51.2	63.9	62.9
SD3	12.2	11.8	26.5	64.7	48.0	15.7	7.88	10.0	5.66	40.6	33.2	27.8
MAX	58.0	16.6	110	169	168	81.9	12.0	15.0	117	279	189	327
DAT	26	16	25	29	4	7	1	23	4	17	14	2
SR	9.06	12.7	15.4	37.8	66.8	29.2	8.43	8.61	14.1	32.9	59.8	58.5
MIN	5.23	10.0	7.36	16.1	38.7	12.5	5.60	6.04	5.23	4.49	20.4	19.9
DAT	17	11	14	1	27	29	23	9	29	5	30	1
GMIN =		4.49		SRGOD=		29.5		GMAX =		327		
DATUM		5 10						DATUM		2 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1977

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	22.2	58.0	32.0	238	73.1	22.2	10.0	9.56	14.5	17.2	13.5	35.2
2	20.4	61.0	27.1	252	71.0	20.4	10.0	8.24	13.0	17.2	22.8	54.0
3	18.8	48.1	24.0	207	67.0	21.0	9.56	7.36	13.0	78.6	19.9	49.1
4	18.2	38.7	22.2	153	68.0	21.0	10.0	6.92	12.0	48.1	18.2	37.0
5	17.2	32.0	19.9	118	63.0	19.9	10.0	6.92	11.5	29.9	16.6	27.8
6	16.1	27.8	18.8	103	58.0	18.8	10.0	6.48	11.0	24.0	15.5	23.4
7	15.0	24.6	18.8	87.8	53.0	19.3	10.0	6.48	10.5	21.0	14.5	28.5
8	15.0	22.8	19.3	78.6	41.4	18.2	9.56	6.04	10.0	18.8	14.0	26.4
9	14.5	21.0	21.0	92.6	35.2	17.7	9.56	6.48	10.0	18.8	13.5	25.2
10	14.5	19.3	21.6	84.2	34.3	18.2	9.12	6.04	9.56	32.7	13.5	50.1
11	15.5	87.8	22.8	59.0	32.0	39.6	8.68	6.48	9.12	169	13.5	38.7
12	96.4	216	26.4	43.3	29.9	56.0	8.68	6.48	8.24	121	13.0	30.6
13	79.7	136	115	35.2	32.7	42.3	8.24	6.04	8.24	74.2	13.0	25.8
14	49.1	102	73.1	30.6	34.3	29.9	8.24	6.04	8.24	47.2	28.5	22.8
15	38.7	66.0	43.3	33.4	36.1	25.2	8.24	6.04	7.80	34.3	24.0	20.4
16	43.3	50.1	34.3	31.3	37.0	21.6	7.80	5.60	7.80	28.5	67.0	19.3
17	34.3	41.4	29.2	27.8	35.2	18.8	7.80	5.23	8.24	25.2	77.5	19.3
18	27.8	33.4	27.1	25.8	43.3	17.2	7.80	5.23	37.8	22.8	76.4	18.2
19	25.2	29.2	25.8	25.2	58.0	15.5	7.36	5.23	39.6	21.0	52.0	16.1
20	22.2	28.5	44.2	25.2	60.0	15.0	6.92	5.23	57.0	19.9	36.1	15.0
21	19.3	32.7	121	25.2	55.0	14.5	6.92	4.86	112	19.3	29.9	14.0
22	18.2	83.0	93.8	25.2	48.1	14.0	6.92	250	55.0	18.2	87.8	13.5
23	17.7	80.8	68.0	25.2	44.2	13.0	7.36	166	47.2	18.2	150	13.5
24	17.7	66.0	61.0	35.2	38.7	12.5	7.80	95.0	58.0	17.7	102	13.0
25	18.8	57.0	60.0	44.2	35.2	12.0	7.36	71.0	37.8	16.6	70.0	13.0
26	18.8	58.0	55.0	35.2	30.6	12.0	6.92	45.2	29.2	16.1	123	12.5
27	24.6	50.1	59.0	37.8	30.6	11.5	7.36	28.5	24.0	15.5	100	12.5
28	37.0	38.7	56.0	50.1	31.3	11.5	7.36	22.8	21.6	14.5	63.0	12.0
29	66.0		67.0	61.0	26.4	11.0	6.92	18.8	19.9	14.5	46.2	29.2
30	91.4		87.8	70.0	23.4	10.5	6.92	16.6	18.8	14.0	37.8	123
31	57.0		269		22.8		6.92	15.0		13.5		73.1
SD1	17.2	35.3	22.5	141	56.4	19.7	9.78	7.05	11.5	30.6	16.2	35.7
SD2	43.2	79.0	44.1	33.7	39.8	28.1	7.98	5.76	19.2	56.3	40.1	22.6
SD3	35.1	58.3	90.7	40.9	35.1	12.3	7.16	66.7	42.3	16.2	81.0	29.9
MAX	160	304	327	306	84.2	95.0	11.0	517	150	232	245	148
DAT	12	12	31	1	1	11	1	22	21	11	22	30
SR	32.0	57.5	53.7	72.0	43.5	20.0	8.27	27.8	24.4	33.8	45.8	29.4
MIN	14.5	19.3	18.8	25.2	22.8	10.5	6.92	4.86	7.80	13.5	13.0	12.0
DAT	9	10	6	19	31	30	20	21	15	31	12	28
		GMIN = 4.86		SRGOD= 37.1		GMAX = 517						
		DATUM 21 8				DATUM 22 8						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1978

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	38.7	33.4	95.0	22.2	74.2	60.0	22.8	10.0	40.5	166	11.0	10.0
2	27.8	26.4	70.0	21.6	231	60.0	22.2	10.0	18.8	125	11.0	9.12
3	24.0	22.8	55.0	20.4	177	62.0	21.6	9.56	14.5	90.2	10.5	9.12
4	20.4	20.4	49.1	22.8	115	62.0	19.9	9.56	13.0	66.0	10.5	8.24
5	18.8	19.3	47.2	25.8	90.2	60.0	19.3	9.12	12.5	62.0	10.0	8.24
6	16.6	17.7	48.1	25.8	86.6	50.1	19.3	9.12	21.6	58.0	10.0	8.24
7	15.5	16.6	49.1	24.6	125	58.0	19.3	9.12	68.0	44.2	9.12	7.80
8	15.0	15.5	42.3	37.0	126	58.0	18.2	9.12	44.2	37.0	9.12	7.36
9	14.0	15.0	35.2	51.0	92.6	58.0	17.2	9.12	25.2	30.6	8.68	7.36
10	13.5	14.0	30.6	42.3	73.1	56.0	16.1	9.12	20.4	27.1	8.24	6.92
11	13.0	30.6	26.4	37.8	64.0	56.0	15.5	9.12	17.2	24.6	8.24	6.92
12	13.0	61.0	24.0	37.0	58.0	56.0	15.0	8.68	22.2	22.2	8.24	7.36
13	14.0	131	22.2	102	45.2	56.0	15.0	8.68	50.1	21.0	7.80	11.0
14	13.0	275	20.4	268	148	56.0	14.5	8.68	32.0	19.3	7.80	57.0
15	12.5	138	20.4	162	95.0	54.0	14.0	8.24	25.8	18.8	7.36	52.0
16	13.0	72.0	21.6	128	74.2	74.2	14.0	8.24	21.0	18.2	7.36	42.3
17	16.6	52.0	30.6	77.5	69.0	55.0	13.5	8.24	18.2	17.2	7.36	180
18	22.8	43.3	140	54.0	70.0	46.2	13.0	8.24	16.1	16.6	7.36	162
19	19.3	41.4	74.2	42.3	72.0	46.2	13.0	8.24	14.5	16.1	6.92	125
20	17.2	90.2	48.1	35.2	76.4	42.3	12.5	8.24	14.5	15.0	6.92	115
21	16.1	78.6	42.3	31.3	80.8	38.7	12.5	8.24	15.5	16.1	6.48	78.6
22	15.0	57.0	37.8	28.5	106	35.2	12.0	8.24	15.0	14.5	6.48	56.0
23	14.5	36.1	31.3	27.1	268	32.0	12.0	8.24	13.5	13.0	6.04	48.1
24	13.5	24.0	27.8	27.8	162	28.5	12.0	7.80	13.0	13.0	6.04	38.7
25	14.0	35.2	26.4	29.9	112	27.8	11.5	7.80	12.5	12.5	5.60	33.4
26	14.0	92.6	23.4	50.1	90.2	26.4	11.0	7.80	12.0	12.0	5.60	32.0
27	13.0	180	22.2	74.2	76.4	28.5	11.0	7.80	13.0	12.0	7.36	32.0
28	12.5	100	20.4	133	74.2	33.4	11.0	7.80	76.4	12.0	11.0	33.4
29	15.0		19.3	102	70.0	27.1	11.0	7.80	87.8	11.5	10.5	52.0
30	89.0		19.9	78.6	62.0	24.0	10.5	7.80	48.1	11.5	10.0	76.4
31	43.3		21.6		57.0		10.0	30.6		11.5		78.6
SD1	20.4	20.1	52.2	29.4	119	58.4	19.6	9.38	27.9	70.6	9.82	8.24
SD2	15.4	93.4	42.8	94.4	77.2	54.2	14.0	8.46	23.2	18.9	7.54	75.9
SD3	23.6	75.4	26.6	58.2	105	30.2	11.3	9.99	30.7	12.7	7.51	50.8
MAX	218	353	160	399	329	95.0	23.4	77.5	186	264	11.0	180
DAT	30	14	18	14	23	16	1	31	29	1	1	17
SR	20.0	62.1	40.1	60.7	101	47.6	14.9	9.30	27.2	33.4	8.29	45.2
MIN	12.5	14.0	19.3	20.4	45.2	24.0	10.0	7.80	12.0	11.5	5.60	6.92
DAT	15	10	29	3	13	30	31	24	26	29	25	10
GMIN =		5.60		SRGOD=		39.0		GMAX =		399		
DATUM		25 11						DATUM		14 4		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1979

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	142	78.6	20.4	58.0	100	74.2	24.6	9.12	15.5	12.0	83.0	30.2
2	91.4	56.0	19.9	49.1	87.8	76.4	24.0	9.12	14.0	11.5	53.0	27.2
3	58.0	46.2	19.3	39.6	78.6	75.3	26.4	8.68	13.5	11.0	37.0	25.1
4	46.2	65.0	19.3	35.2	83.0	67.0	36.1	8.24	13.0	10.5	29.2	23.0
5	37.8	66.0	19.3	59.0	95.0	58.0	41.4	8.24	12.5	10.0	25.2	21.6
6	32.0	54.0	19.3	168	97.8	50.1	31.3	7.80	13.5	24.0	60.0	19.7
7	27.1	46.2	19.3	96.4	97.8	45.2	26.4	7.80	14.0	74.2	64.0	19.1
8	24.6	38.7	19.3	66.0	138	40.5	23.4	7.80	13.0	33.4	35.2	17.9
9	23.4	33.4	18.8	50.1	125	37.0	21.6	7.36	12.0	25.2	29.2	17.3
10	24.6	34.3	18.2	42.3	106	34.3	20.4	7.36	12.0	22.8	30.6	16.6
11	60.0	58.0	17.7	35.2	100	32.7	18.8	7.80	11.5	19.3	95.0	16.6
12	104	52.0	17.2	33.4	95.0	32.7	17.7	9.12	11.5	16.1	131	47.0
13	59.0	178	16.6	37.8	91.4	32.0	16.6	8.24	11.0	33.4	70.0	33.4
14	42.3	186	16.6	35.2	80.8	33.4	16.1	7.36	10.5	191	52.0	26.5
15	32.7	130	17.2	37.0	71.0	52.0	15.5	6.92	10.0	65.0	159	24.4
16	27.8	131	24.0	40.5	74.2	63.0	14.5	6.92	10.0	40.5	543	27.2
17	25.2	102	44.2	45.2	74.2	198	14.0	6.92	9.56	30.6	591	25.1
18	22.8	95.0	30.6	52.0	77.5	232	13.5	6.48	9.12	32.0	409	23.0
19	21.6	66.0	28.5	47.2	89.0	107	13.0	21.6	9.12	40.5	287	21.6
20	20.4	52.0	29.2	37.8	99.2	74.2	12.5	66.0	9.12	30.6	191	28.6
21	19.3	42.3	49.1	32.0	100	50.1	12.5	44.2	9.12	24.0	112	115
22	18.2	36.1	46.2	29.2	102	38.7	12.0	32.7	9.12	20.4	81.2	87.6
23	17.7	32.0	37.8	28.5	93.8	33.4	11.0	25.8	11.0	17.7	61.4	80.2
24	17.2	28.5	40.5	27.1	93.8	31.3	11.0	21.0	32.0	16.1	51.5	59.6
25	56.0	25.8	29.9	42.3	87.8	29.9	11.0	52.0	29.2	14.0	46.1	48.8
26	112	24.0	29.2	290	85.4	29.2	10.5	57.0	19.3	13.0	40.9	40.0
27	62.0	22.8	104	525	81.9	27.8	11.0	36.1	16.1	12.5	36.6	35.0
28	51.0	21.6	205	294	79.7	26.4	11.0	26.4	14.0	12.0	33.4	30.2
29	205		180	227	80.8	25.2	10.5	22.8	13.0	58.0	30.2	30.2
30	204		121	130	77.5	25.2	10.0	19.9	12.0	128	29.4	31.8
31	126		80.8		75.3		9.56	17.7		135		61.4
SD1	50.7	51.8	19.3	66.4	101	55.8	27.6	8.15	13.3	23.5	44.6	21.8
SD2	41.6	105	24.2	40.1	85.2	85.7	15.2	14.7	10.1	49.9	253	27.3
SD3	80.8	29.1	84.0	163	87.1	31.7	10.9	32.3	16.5	41.0	52.3	56.3
MAX	373	231	260	652	189	377	47.2	102	76.4	191	673	130
DAT	29	14	28	27	1	18	4	25	24	14	16	21
SR	58.4	64.3	43.8	89.7	90.9	57.7	17.7	18.9	13.3	38.2	117	35.8
MIN	17.2	21.6	16.6	27.1	71.0	25.2	9.56	6.48	9.12	10.0	25.2	16.6
DAT	24	28	13	24	15	29	31	18	18	5	5	10
GMIN =		6.48		SRGOD=		53.5		GMAX =		673		
DATUM		18 8						DATUM		16 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1980

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	63.2	31.8	11.6	35.8	31.0	68.2	19.7	6.48	5.32	3.92	19.1	69.2	
2	43.5	56.9	11.1	34.2	45.2	78.2	19.7	6.48	5.32	3.92	18.5	52.4	
3	35.0	40.0	11.6	40.0	50.6	68.2	21.6	6.48	5.04	3.92	17.9	44.3	
4	28.6	35.0	11.6	35.8	53.3	59.6	19.1	6.48	5.04	3.92	46.1	39.2	
5	25.1	30.2	11.1	31.0	63.2	59.6	16.6	6.04	5.04	3.92	94.2	35.0	
6	23.7	28.6	10.5	26.5	140	64.2	15.4	6.04	4.76	3.92	195	31.8	
7	21.6	29.4	12.7	24.4	130	60.5	14.9	6.04	4.76	3.92	136	56.9	
8	19.7	37.5	19.7	23.0	108	59.6	14.9	6.04	4.76	3.92	83.2	55.1	
9	18.5	34.2	23.7	22.3	99.3	62.3	14.9	5.60	4.76	41.8	57.8	40.9	
10	17.3	31.0	19.1	21.0	93.1	73.2	14.3	5.60	4.48	196	105	32.6	
11	16.6	28.6	17.3	19.7	84.3	79.2	13.8	5.60	4.48	96.8	90.9	27.9	
12	15.4	25.8	17.3	19.1	84.3	69.2	13.2	5.60	4.48	189	63.2	25.1	
13	14.3	23.7	16.0	18.5	86.5	67.2	12.2	6.48	4.48	309	211	22.3	
14	13.8	21.6	15.4	18.5	82.2	67.2	11.1	6.04	4.20	184	359	21.0	
15	13.8	19.1	17.3	21.0	86.5	68.2	10.5	5.60	4.20	109	182	19.7	
16	23.0	18.5	17.3	25.8	145	61.4	10.5	5.60	4.20	74.2	109	19.1	
17	25.1	17.3	16.6	28.6	157	52.4	10.0	6.04	4.20	68.2	76.2	18.5	
18	21.6	16.6	16.0	33.4	107	47.0	9.56	6.48	3.92	165	54.2	19.1	
19	19.1	16.0	14.9	35.8	77.2	44.3	9.56	5.60	3.92	152	47.0	20.4	
20	18.5	14.9	15.4	35.8	69.2	45.2	9.12	5.32	3.92	92.0	43.5	21.6	
21	17.3	14.3	27.9	76.2	65.2	40.0	9.12	5.32	3.92	62.3	37.5	26.5	
22	16.6	13.8	52.4	78.2	65.2	39.2	9.56	5.32	3.92	44.3	32.6	33.4	
23	16.6	13.2	114	51.5	65.2	40.0	8.68	5.32	3.92	36.6	28.6	30.2	
24	22.3	13.2	80.2	41.8	79.2	40.0	8.24	5.04	3.92	30.2	25.8	25.8	
25	45.2	12.7	56.9	35.8	77.2	35.8	8.24	5.04	3.92	28.6	23.7	23.7	
26	54.2	12.7	44.3	33.4	68.2	30.2	7.80	5.04	3.92	53.3	21.6	21.6	
27	31.8	12.2	38.3	31.0	65.2	27.9	7.80	4.76	3.92	42.6	56.9	21.0	
28	30.2	12.2	36.6	30.2	81.2	26.5	7.36	4.76	3.92	33.4	152	19.1	
29	25.8	11.6	37.5	31.0	90.9	23.0	7.36	5.04	3.92	27.9	130	17.3	
30	22.3		43.5	30.2	85.4	21.0	7.36	5.04	3.92	24.4	100	16.6	
31	21.0		43.5		80.2		6.92	4.76		21.6		15.4	
SD1	29.6	35.5	14.3	29.4	81.4	65.4	17.1	6.13	4.93	26.9	77.3	45.7	
SD2	18.1	20.2	16.4	25.6	97.9	60.1	11.0	5.84	4.20	144	124	21.5	
SD3	27.6	12.9	52.3	43.9	74.8	32.4	8.04	5.04	3.92	36.8	60.9	22.8	
MAX	85.4	85.4	152	112	214	86.5	23.7	6.92	5.32	415	447	75.2	
DAT	1	1	23	21	16	11	3	13	1	13	13	1	
SR	25.2	23.2	28.4	33.0	84.4	52.6	11.9	5.65	4.35	68.2	87.3	29.8	
MIN	13.8	11.6	10.5	18.5	31.0	21.0	6.92	4.76	3.92	3.92	17.9	15.4	
DAT	14	29	6	13	1	30	31	27	18	1	3	31	
		GMIN = 3.92		SRGOD= 37.8		GMAX = 447							
		DATUM 18 9				DATUM 13 11							

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1981

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	15.4	8.24	13.8	69.2	43.5	47.0	10.5	5.60	4.76	22.3	28.6	10.5	
2	14.3	8.24	13.2	61.4	47.0	45.2	9.56	5.60	4.76	19.1	26.5	21.6	
3	14.3	8.24	45.2	57.8	53.3	44.3	9.12	5.60	4.48	83.2	24.4	16.6	
4	14.3	8.68	96.8	52.4	65.2	44.3	8.68	5.32	4.48	39.2	21.6	14.3	
5	23.7	18.5	55.1	43.5	84.3	40.9	8.68	5.32	4.48	28.6	20.4	13.2	
6	19.1	15.4	36.6	41.8	63.2	35.8	8.24	6.04	5.04	20.4	19.1	12.2	
7	16.6	12.7	28.6	44.3	46.1	30.2	7.80	7.80	5.32	15.4	17.9	28.6	
8	15.4	11.6	25.1	47.0	43.5	27.2	7.36	7.36	5.04	12.2	16.6	75.2	
9	14.3	11.1	23.7	47.9	50.6	27.2	7.36	7.36	5.04	10.5	15.4	77.2	
10	13.8	11.6	23.7	48.8	57.8	32.6	6.92	6.48	4.48	9.56	14.3	94.2	
11	13.2	15.4	26.5	47.0	62.3	40.0	6.92	6.04	5.04	9.12	13.8	118	
12	12.2	72.2	30.2	38.3	84.3	33.4	6.92	5.60	7.80	8.68	13.8	225	
13	16.6	47.0	36.6	36.6	68.2	31.0	6.48	5.60	7.36	10.0	13.2	285	
14	49.7	31.8	35.0	43.5	52.4	26.5	6.48	5.60	6.48	14.3	13.2	169	
15	31.8	24.4	35.8	49.7	47.9	23.7	6.48	5.60	10.5	12.7	12.7	94.2	
16	27.2	20.4	35.8	50.6	56.9	23.0	6.04	5.32	12.2	10.5	12.7	63.2	
17	21.0	18.5	35.8	49.7	59.6	21.6	6.04	5.04	8.68	9.56	12.2	50.6	
18	18.5	17.3	36.6	54.2	59.6	27.2	5.60	5.04	7.80	9.12	11.1	41.8	
19	16.0	16.0	50.6	62.3	63.2	34.2	7.80	5.04	7.36	8.68	11.1	124	
20	14.3	14.9	42.6	43.5	61.4	21.6	8.68	5.04	6.92	8.24	11.1	107	
21	13.8	14.9	41.8	35.8	61.4	17.9	8.68	5.04	6.48	8.24	11.1	63.2	
22	12.2	18.5	30.2	35.0	63.2	16.0	7.36	5.32	6.04	59.6	11.1	50.6	
23	11.6	17.9	30.2	38.3	61.4	14.3	6.92	5.60	5.60	118	11.1	49.7	
24	11.1	16.6	31.0	43.5	54.2	13.8	6.48	5.60	5.32	136	11.1	43.5	
25	10.5	16.0	29.4	75.2	50.6	13.2	6.48	5.32	5.04	79.2	11.1	66.2	
26	10.0	15.4	35.0	75.2	53.3	12.7	6.48	5.32	5.04	47.9	11.1	56.9	
27	9.56	14.9	64.2	139	53.3	12.7	6.48	5.04	5.04	61.4	10.5	46.1	
28	9.12	14.3	71.2	96.8	50.6	12.2	6.48	5.04	5.04	99.3	10.5	38.3	
29	9.12		61.4	67.2	47.0	11.6	6.48	5.04	20.4	73.2	11.6	33.4	
30	8.68		65.2	49.7	44.3	11.1	5.60	5.04	33.4	47.0	11.1	69.2	
31	8.68		69.2		45.2		5.60	4.76		32.6		50.6	
SD1	16.1	11.4	36.2	51.4	55.5	37.5	8.42	6.25	4.79	26.0	20.5	36.4	
SD2	22.0	27.8	36.6	47.5	61.6	28.2	6.74	5.39	8.01	10.1	12.5	128	
SD3	10.4	16.1	48.1	65.6	53.1	13.5	6.64	5.19	9.74	69.3	11.0	51.6	
MAX	67.2	88.7	118	186	94.2	51.5	11.1	8.24	38.3	222	30.2	420	
DAT	14	12	4	27	5	1	1	7	30	22	1	13	
SR	16.0	18.6	40.5	54.8	56.6	26.4	7.25	5.60	7.51	36.3	14.7	71.3	
MIN	8.68	8.24	13.2	35.0	43.5	11.1	5.60	4.76	4.48	8.24	10.5	10.5	
DAT	30	1	2	22	1	30	18	31	3	20	27	1	
		GMIN =	4.48			SRGOD=	29.8			GMAX =	420		
		DATUM	3 9							DATUM	13 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1982

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	40.0	10.0	9.12	109	19.1	33.4	10.0	6.04	4.76	3.92	11.1	16.6
2	57.8	9.56	9.12	81.2	17.3	31.0	10.0	6.04	4.76	3.92	10.5	20.4
3	49.7	9.56	9.56	69.2	19.7	28.6	9.56	5.60	4.76	3.92	10.5	18.5
4	39.2	9.12	9.12	59.6	26.5	27.2	9.56	5.60	4.76	4.20	10.0	17.3
5	33.4	9.12	9.12	52.4	35.8	24.4	9.56	5.60	4.48	4.20	10.0	14.3
6	28.6	9.12	9.56	47.0	39.2	21.6	9.12	5.60	4.48	32.6	10.0	12.2
7	27.9	9.12	10.0	45.2	45.2	20.4	9.12	5.32	4.48	195	9.56	11.6
8	26.5	9.12	10.5	45.2	50.6	19.1	9.56	5.32	4.48	92.0	9.12	11.1
9	23.7	8.68	10.5	50.6	63.2	18.5	9.56	5.32	4.48	87.6	8.68	11.1
10	21.6	8.68	10.5	52.4	57.8	17.3	9.56	5.04	4.20	50.6	8.24	14.3
11	21.6	8.68	11.1	52.4	63.2	16.6	9.56	5.04	4.20	46.1	8.24	36.6
12	52.4	8.68	12.2	48.8	67.2	16.6	9.56	5.04	4.20	40.0	8.24	37.5
13	47.9	8.24	11.1	40.0	61.4	35.0	13.8	5.04	4.20	35.8	8.24	29.4
14	36.6	8.24	11.6	51.5	54.2	54.2	12.2	5.04	4.20	31.0	36.6	39.2
15	29.4	8.24	11.6	121	47.0	45.2	11.1	5.04	4.20	50.6	88.7	50.6
16	25.8	8.24	11.6	101	48.8	28.6	11.1	4.76	4.20	46.1	43.5	34.2
17	23.0	8.24	11.6	83.2	48.8	23.0	10.5	4.76	4.20	35.8	60.5	30.2
18	21.0	8.24	11.6	94.2	44.3	19.1	10.0	4.76	4.20	23.7	66.2	124
19	19.1	8.24	28.6	75.2	43.5	17.3	10.0	4.76	4.20	21.0	42.6	160
20	17.9	8.24	24.4	56.9	47.0	16.6	9.56	4.48	4.20	19.7	33.4	73.2
21	16.6	8.24	20.4	44.3	45.2	14.9	9.12	4.48	4.20	17.3	24.4	48.8
22	15.4	8.24	17.9	37.5	43.5	13.8	9.12	9.56	4.20	14.3	21.0	152
23	14.9	8.24	15.4	33.4	45.2	13.2	8.68	8.24	4.20	13.8	20.4	225
24	14.3	8.24	14.3	29.4	47.0	12.7	8.24	7.36	4.20	16.6	19.7	121
25	13.8	9.12	13.2	26.5	46.1	12.2	8.24	6.48	4.20	16.6	18.5	74.2
26	13.2	9.12	12.7	24.4	44.3	11.6	7.80	6.04	4.20	17.9	15.4	47.0
27	12.7	9.56	12.2	23.0	45.2	11.1	7.36	5.60	3.92	16.0	11.1	43.5
28	12.2	9.56	13.2	22.3	45.2	11.1	7.36	5.32	3.92	14.3	13.2	35.0
29	11.1		14.3	22.3	40.9	10.5	6.92	5.04	3.92	13.2	16.6	30.2
30	10.5		47.0	21.0	39.2	10.0	6.48	5.04	3.92	12.2	17.9	26.5
31	10.0		204		36.6		6.48	4.76		12.2		23.0
SD1	34.8	9.21	9.71	61.2	37.4	24.1	9.56	5.55	4.56	47.8	9.77	14.7
SD2	29.5	8.33	14.5	72.4	52.5	27.2	10.7	4.87	4.20	35.0	39.6	61.5
SD3	13.2	8.79	35.0	28.4	43.5	12.1	7.80	6.17	4.09	14.9	17.8	75.1
MAX	66.2	10.0	225	142	79.2	73.2	16.6	9.56	4.76	195	179	343
DAT	2	1	31	1	11	14	13	22	1	7	15	22
SR	25.4	8.77	20.2	54.0	44.5	21.2	9.32	5.55	4.28	32.0	22.4	51.2
MIN	10.0	8.24	9.12	21.0	17.3	10.0	6.48	4.48	3.92	3.92	8.24	11.1
DAT	31	13	1	30	2	30	30	20	27	1	10	8
GMIN =		3.92		SRGOD=		25.0		GMAX =		343		
DATUM		27 9						DATUM		22 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1983

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	20.4	11.1	12.2	39.2	71.2	23.7	11.6	5.60	5.60	5.60	4.76	14.9	
2	19.1	10.5	12.2	56.0	104	22.3	11.6	5.60	7.80	5.32	5.32	11.6	
3	17.9	10.0	11.6	79.2	81.2	21.6	11.6	5.60	7.36	5.32	7.36	9.56	
4	16.6	9.56	11.1	56.9	61.4	21.6	11.6	5.60	6.92	5.04	8.68	8.68	
5	15.4	9.12	11.1	47.0	61.4	21.0	11.1	5.32	10.0	4.76	8.24	8.24	
6	14.9	9.12	11.1	38.3	47.0	19.1	10.5	5.32	9.12	4.76	6.48	7.80	
7	14.3	52.4	11.1	32.6	45.2	20.4	15.4	5.32	8.24	4.76	6.04	6.92	
8	13.2	47.9	12.2	29.4	41.8	24.4	14.9	5.04	7.80	4.76	5.60	6.48	
9	12.7	49.7	13.2	32.6	43.5	21.6	16.6	5.04	7.36	4.48	5.32	6.04	
10	12.2	87.6	16.0	40.9	55.1	18.5	13.2	5.04	6.92	4.48	5.04	6.04	
11	11.6	95.5	18.5	52.4	50.6	16.6	12.2	5.04	6.04	4.48	5.04	6.48	
12	11.1	81.2	19.7	62.3	47.0	14.9	11.6	5.04	6.04	4.76	5.04	9.12	
13	11.1	54.2	17.9	109	45.2	13.8	11.6	5.04	10.0	4.76	4.76	7.36	
14	10.5	43.5	16.6	84.3	45.2	13.2	11.1	5.04	7.36	4.76	4.76	6.48	
15	11.1	35.0	16.0	55.1	45.2	13.8	11.1	5.04	6.04	4.76	4.76	6.04	
16	10.5	29.4	16.6	40.9	43.5	16.0	11.6	5.04	5.60	4.48	4.76	6.04	
17	10.0	25.8	16.6	32.6	42.6	25.1	14.9	5.04	6.04	4.20	4.76	12.7	
18	9.56	23.0	16.6	29.4	41.8	25.1	13.8	5.32	38.3	4.76	4.48	85.4	
19	10.0	20.4	19.1	29.4	39.2	20.4	11.6	5.32	23.0	5.32	4.48	142	
20	10.0	18.5	21.0	32.6	35.8	17.9	10.5	5.04	15.4	5.32	4.20	158	
21	9.56	17.9	21.6	51.5	31.8	16.0	10.0	4.76	11.6	5.04	4.20	94.2	
22	9.12	17.3	23.7	61.4	29.4	14.9	10.0	4.76	10.0	4.76	4.20	50.6	
23	8.68	15.4	27.2	61.4	27.2	14.9	10.0	4.76	9.12	4.76	4.20	33.4	
24	8.68	14.3	38.3	64.2	29.4	15.4	9.56	4.76	8.24	4.48	4.20	24.4	
25	8.24	13.2	83.2	67.2	32.6	14.3	9.12	5.04	7.36	4.48	4.20	19.7	
26	8.24	13.2	204	67.2	48.8	14.3	8.68	12.2	6.92	4.20	4.20	18.5	
27	8.24	12.7	155	66.2	43.5	13.8	8.68	10.0	6.92	4.20	3.92	17.3	
28	8.24	12.2	89.8	67.2	33.4	12.7	8.68	7.80	6.48	4.20	92.0	16.0	
29	7.80		57.8	71.2	28.6	12.2	8.24	6.92	6.04	4.20	52.4	14.3	
30	8.24		43.5	71.2	25.8	12.2	7.80	6.48	6.04	4.20	22.3	14.9	
31	11.1		40.0		24.4		6.48	6.04		4.20		14.3	
SD1	15.7	29.7	12.2	45.2	61.2	21.4	12.8	5.35	7.71	4.93	6.28	8.63	
SD2	10.5	42.6	17.9	52.8	43.6	17.7	12.0	5.10	12.4	4.76	4.70	44.0	
SD3	8.74	14.5	71.3	64.9	32.3	14.1	8.84	6.68	7.87	4.43	19.6	28.9	
MAX	21.0	109	309	139	125	27.9	17.9	14.9	71.2	5.60	232	204	
DAT	1	11	26	13	2	7	7	26	18	1	28	20	
SR	11.6	30.0	35.0	54.3	45.3	17.7	11.1	5.74	9.32	4.70	10.2	27.2	
MIN	7.80	9.12	11.1	29.4	24.4	12.2	6.48	4.76	5.60	4.20	3.92	6.04	
DAT	29	5	4	8	31	29	31	21	1	17	27	9	
		GMIN = 3.92		SRGOD= 21.8		GMAX = 309							
		DATUM 27 11				DATUM 26 3							

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1984

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	12.7	14.3	31.8	35.8	40.0	64.2	13.2	4.48	3.92	25.8	7.36	19.1
2	11.6	17.9	39.2	31.0	73.2	67.2	12.2	4.20	3.92	52.4	7.36	16.6
3	11.1	17.9	39.2	104	81.2	65.2	11.6	4.20	3.64	83.2	6.92	14.3
4	12.2	16.6	32.6	148	84.3	60.5	11.1	4.20	3.64	92.0	6.48	13.2
5	31.8	18.5	29.4	88.7	90.9	52.4	9.56	4.20	3.36	54.2	6.04	12.2
6	21.6	17.3	25.1	59.6	94.2	52.4	8.68	4.20	3.36	38.3	5.60	11.1
7	17.3	15.4	22.3	56.0	83.2	57.8	8.24	4.20	3.36	59.6	22.3	10.5
8	14.3	14.3	19.7	54.2	86.5	48.8	8.24	4.20	3.08	89.8	28.6	10.0
9	21.0	13.2	17.3	48.8	80.2	40.9	7.80	4.20	3.08	67.2	17.9	9.56
10	77.2	12.2	15.4	43.5	84.3	36.6	7.80	4.20	3.08	47.0	14.3	8.68
11	39.2	11.1	14.3	39.2	205	35.0	7.80	4.20	3.08	35.8	12.2	8.24
12	28.6	9.56	13.2	40.9	158	35.0	7.80	4.20	3.08	27.2	10.0	8.24
13	21.6	9.12	12.2	40.0	121	30.2	7.80	4.20	3.08	23.0	9.56	8.24
14	18.5	8.68	11.1	39.2	95.5	30.2	7.80	3.92	3.08	19.7	8.68	7.80
15	16.0	8.24	11.1	38.3	74.2	30.2	7.36	3.92	3.08	16.6	12.2	7.36
16	16.0	7.80	11.1	45.2	78.2	30.2	6.92	3.92	30.2	14.9	43.5	6.92
17	14.3	7.36	10.5	50.6	99.3	25.8	6.92	3.92	71.2	13.8	63.2	8.24
18	13.8	6.92	10.5	43.5	92.0	23.0	6.48	3.92	47.0	12.7	165	59.6
19	12.7	6.48	10.5	41.8	84.3	21.0	6.04	3.92	21.6	11.6	103	50.6
20	23.0	6.48	10.5	35.8	92.0	21.6	5.60	3.92	13.2	11.1	198	34.2
21	30.2	6.04	10.5	36.6	301	21.6	5.60	3.64	43.5	13.2	127	24.4
22	42.6	6.04	11.1	36.6	175	21.0	5.32	3.64	67.2	14.3	73.2	19.7
23	81.2	14.3	11.6	33.4	127	19.1	5.04	3.64	61.4	13.2	47.0	16.6
24	60.5	17.9	11.6	37.5	111	17.3	5.04	3.64	85.4	12.2	37.5	13.8
25	48.8	16.6	11.1	36.6	88.7	16.6	4.76	4.48	353	11.1	34.2	12.7
26	33.4	21.6	14.3	32.6	83.2	14.3	4.76	4.76	172	10.0	30.2	11.6
27	25.8	39.2	72.2	35.0	81.2	13.8	4.76	4.48	96.8	9.56	30.2	10.5
28	20.4	42.6	50.6	31.8	77.2	13.8	4.76	4.20	69.2	9.12	33.4	10.0
29	17.3	38.3	38.3	31.8	76.2	13.8	4.48	4.20	47.9	8.24	27.2	9.56
30	16.6		56.0	33.4	67.2	13.8	4.48	4.20	33.4	8.24	22.3	8.68
31	15.4		46.1		57.8		4.48	4.20		7.80		8.24
SD1	23.1	15.8	27.2	67.0	79.8	54.6	9.84	4.23	3.44	61.0	12.3	12.5
SD2	20.4	8.17	11.5	41.4	110	28.2	7.05	4.00	19.9	18.6	62.5	19.9
SD3	35.7	22.5	30.3	34.5	113	16.5	4.86	4.10	103	10.6	46.2	13.3
MAX	112	48.8	84.3	200	349	75.2	13.2	4.76	467	130	309	76.2
DAT	10	28	27	3	21	1	1	26	25	4	18	18
SR	26.7	15.2	23.2	47.6	101	33.1	7.17	4.11	42.1	29.4	40.3	15.2
MIN	11.1	6.04	10.5	31.0	40.0	13.8	4.48	3.64	3.08	7.80	5.60	6.92
DAT	3	21	17	2	1	27	29	21	8	31	6	16
GMIN =		3.08		SRGOD=		32.1		GMAX =		467		
DATUM		8 9						DATUM		25 9		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1985

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII		
1	8.24	16.6	8.24	16.6	40.0	22.3	8.68	3.36	2.80	2.48	101	25.8		
2	7.80	14.3	8.24	17.3	31.0	20.4	9.12	3.36	2.80	2.48	96.8	38.3		
3	7.36	13.2	12.2	20.4	44.3	17.9	9.56	3.36	2.80	2.48	71.2	38.3		
4	6.92	11.6	13.2	25.8	111	17.3	8.68	3.36	2.80	2.48	35.0	33.4		
5	9.56	10.5	12.7	33.4	89.8	16.0	8.24	3.36	2.64	2.48	28.6	20.4		
6	11.1	10.0	13.2	38.3	81.2	14.9	7.80	3.36	2.64	2.48	56.0	20.4		
7	8.68	9.56	13.8	63.2	101	14.3	7.36	3.92	2.64	2.48	57.8	40.9		
8	8.24	9.12	13.8	59.6	95.5	13.8	6.92	5.04	2.64	2.48	27.2	35.8		
9	8.24	10.0	13.2	50.6	104	25.8	6.48	4.48	2.64	2.48	17.9	31.0		
10	7.80	81.2	12.7	63.2	94.2	17.9	6.04	4.20	2.64	2.48	13.2	14.9		
11	6.92	133	14.3	71.2	81.2	14.3	5.60	3.92	2.64	2.32	11.1	35.0		
12	6.48	81.2	15.4	61.4	81.2	14.3	5.60	3.64	2.64	2.32	9.56	31.0		
13	6.48	48.8	14.3	45.2	75.2	12.7	5.60	3.36	2.64	2.32	43.5	16.0		
14	6.04	34.2	14.3	33.4	71.2	12.2	5.32	3.08	2.64	2.32	240	15.4		
15	6.04	26.5	14.3	26.5	64.2	11.6	5.04	3.08	2.64	2.32	49.7	14.9		
16	5.60	21.6	13.8	24.4	60.5	11.1	4.76	3.08	2.64	2.32	30.2	13.8		
17	5.60	18.5	19.1	24.4	56.0	10.5	4.76	3.08	2.64	2.32	36.6	12.7		
18	5.60	15.4	30.2	22.3	55.1	10.0	4.76	3.08	2.64	2.32	158	11.6		
19	5.60	13.8	29.4	23.7	50.6	9.56	4.76	3.08	2.64	2.32	432	11.1		
20	6.04	12.2	23.7	25.8	47.0	9.56	4.48	3.08	2.64	2.32	321	11.1		
21	6.04	11.1	20.4	28.6	42.6	11.6	4.48	3.08	2.48	2.32	229	11.1		
22	7.36	10.0	18.5	31.8	37.5	12.2	4.20	2.80	2.48	2.32	145	11.1		
23	27.2	9.56	17.9	38.3	31.8	16.6	4.20	2.80	2.48	2.32	93.1	10.5		
24	52.4	8.68	17.3	33.4	28.6	23.0	3.92	2.80	2.48	2.32	69.2	10.5		
25	83.2	8.68	19.1	38.3	27.9	18.5	3.92	2.80	2.48	2.32	52.4	10.0		
26	45.2	8.24	19.7	41.8	30.2	15.4	3.92	2.80	2.48	2.32	47.9	10.5		
27	33.4	8.24	17.3	54.2	26.5	12.7	3.92	2.80	2.48	2.32	48.8	11.1		
28	33.4	8.24	17.9	68.2	25.1	11.1	3.64	2.80	2.48	2.32	40.0	11.1		
29	27.2		20.4	95.5	25.1	10.0	3.64	2.80	2.48	2.32	35.0	77.2		
30	21.6		18.5	61.4	24.4	9.56	3.64	2.80	2.48	2.48	30.2	259		
31	18.5		16.6		23.7		3.36	2.80		9.12		297		
SD1	8.39	18.6	12.1	38.8	79.2	18.1	7.89	3.78	2.70	2.48	50.5	29.9		
SD2	6.04	40.5	18.9	35.8	64.2	11.6	5.07	3.25	2.64	2.32	133	17.3		
SD3	32.3	9.09	18.5	49.2	29.4	14.1	3.89	2.83	2.48	2.95	79.1	65.4		
MAX	121	158	38.3	112	133	27.2	11.6	5.32	2.80	99.3	520	371		
DAT	25	11	18	29	9	23	3	8	1	31	19	31		
SR	16.1	23.7	16.6	41.3	56.7	14.6	5.56	3.27	2.61	2.60	87.6	38.4		
MIN	5.60	8.24	8.24	16.6	23.7	9.56	3.36	2.80	2.48	2.32	9.56	10.0		
DAT	16	26	1	1	31	19	31	22	21	11	12	25		

GMIN =			2.32		SRGOD=			25.6		GMAX =			520	
DATUM			11 10							DATUM			19 11	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1986

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	213	22.3	24.4	57.8	66.2	46.1	13.2	6.04	3.64	3.08	9.12	7.36	
2	112	39.2	42.6	54.2	85.4	36.6	12.7	6.04	3.64	3.08	8.24	7.36	
3	73.2	27.9	140	54.2	82.2	29.4	12.7	5.60	3.64	3.08	7.36	6.92	
4	127	22.3	98.0	54.2	71.2	26.5	12.2	5.60	3.64	3.08	6.92	6.48	
5	103	19.1	75.2	51.5	70.2	29.4	11.6	5.60	3.64	3.08	6.04	6.04	
6	67.2	16.6	55.1	56.0	68.2	167	13.8	5.32	3.92	3.08	6.04	5.60	
7	47.9	14.3	46.1	61.4	63.2	145	12.7	5.32	3.64	3.08	5.60	5.60	
8	37.5	13.2	40.9	68.2	62.3	95.5	12.2	5.32	3.36	3.08	5.32	5.04	
9	29.4	12.2	35.8	68.2	61.4	68.2	12.2	5.60	3.36	3.08	5.32	5.04	
10	24.4	11.1	33.4	70.2	64.2	52.4	11.1	5.60	3.08	3.08	5.04	5.04	
11	21.0	10.5	33.4	53.3	54.2	43.5	10.5	5.04	3.08	3.08	4.76	4.76	
12	19.1	10.0	36.6	43.5	53.3	37.5	10.0	5.04	3.08	3.08	4.76	4.76	
13	16.0	10.0	36.6	47.0	52.4	35.0	10.0	4.76	3.08	2.80	4.48	4.76	
14	14.3	9.56	33.4	47.0	50.6	32.6	9.12	4.76	3.36	2.80	4.48	4.48	
15	14.3	9.56	30.2	35.8	54.2	33.4	9.12	4.76	3.08	2.80	4.48	4.48	
16	13.8	11.6	30.2	31.0	54.2	29.4	9.12	4.76	3.08	2.80	4.48	11.6	
17	12.7	12.7	27.2	27.2	58.7	25.8	9.12	4.76	3.08	2.80	4.48	17.9	
18	11.6	56.9	23.7	31.0	62.3	27.2	8.68	4.48	2.80	2.80	4.20	12.7	
19	11.1	371	21.0	107	60.5	30.2	8.68	4.48	2.80	2.80	4.20	10.5	
20	10.5	211	18.5	107	60.5	25.8	8.24	4.48	2.80	3.36	4.20	11.6	
21	10.0	119	16.6	67.2	72.2	22.3	7.80	4.48	2.64	4.20	4.20	10.0	
22	10.0	75.2	16.0	47.9	72.2	20.4	8.24	4.48	2.64	4.76	4.20	8.68	
23	16.6	60.5	15.4	42.6	81.2	17.9	8.68	4.20	2.64	4.20	13.8	8.24	
24	39.2	50.6	14.3	47.9	68.2	18.5	8.68	4.20	2.64	48.8	38.3	7.36	
25	76.2	49.7	17.9	56.9	60.5	17.9	8.24	3.92	2.64	42.6	32.6	6.92	
26	39.2	40.0	134	66.2	54.2	16.0	7.80	3.92	2.64	19.7	19.1	6.48	
27	26.5	32.6	131	71.2	48.8	14.9	7.36	3.92	3.36	19.1	13.8	6.48	
28	20.4	27.2	92.0	67.2	48.8	13.8	6.48	3.92	3.36	21.6	11.1	6.04	
29	17.3		77.2	59.6	49.7	13.2	6.48	3.92	3.08	16.6	9.56	5.32	
30	14.9		71.2	55.1	41.8	13.2	6.48	3.92	3.08	13.2	8.68	5.32	
31	15.4		63.2		46.1		6.48	3.92		10.5		5.32	
SD1	83.5	19.8	59.2	59.6	69.5	69.6	12.4	5.60	3.56	3.08	6.50	6.05	
SD2	14.4	71.3	29.1	53.0	56.1	32.0	9.26	4.73	3.02	2.91	4.45	8.75	
SD3	26.0	56.9	59.0	58.2	58.5	16.8	7.52	4.07	2.87	18.7	15.5	6.92	
MAX	313	441	207	174	85.4	232	14.9	6.04	3.92	131	47.0	22.3	
DAT	1	19	26	19	2	6	6	1	1	24	24	16	
SR	40.8	48.8	49.4	56.9	61.3	39.5	9.67	4.78	3.15	8.55	8.83	7.23	
MIN	10.0	9.56	14.3	27.2	41.8	13.2	6.48	3.92	2.64	2.80	4.20	4.48	
DAT	21	14	24	17	30	29	28	25	21	13	18	14	
		GMIN = 2.64		SRGOD= 28.1		GMAX = 441							
		DATUM 21 9				DATUM 19 2							

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1987

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	5.32	41.8	13.8	44.3	36.6	72.2	17.3	6.04	3.64	3.64	4.48	48.8	
2	6.48	28.6	12.7	32.6	46.1	60.5	16.0	6.04	3.64	3.36	4.20	36.6	
3	27.2	23.0	12.7	24.4	56.0	56.0	15.4	5.32	3.64	3.36	4.20	28.6	
4	16.0	19.1	12.2	19.7	57.8	56.9	14.9	5.32	3.64	3.36	4.20	23.7	
5	12.2	16.6	11.1	17.9	49.7	68.2	14.3	5.32	3.64	3.08	4.20	20.4	
6	10.5	15.4	10.0	16.6	68.2	62.3	12.7	5.60	3.64	3.08	4.20	26.5	
7	9.56	14.3	9.56	20.4	72.2	57.8	12.2	5.60	3.36	3.08	4.20	32.6	
8	8.68	13.8	9.12	25.1	51.5	59.6	10.5	5.32	3.36	3.36	4.20	42.6	
9	7.80	12.7	8.24	30.2	36.6	58.7	10.0	5.32	3.36	4.76	3.92	108	
10	7.36	12.2	7.80	39.2	31.0	58.7	9.56	5.04	3.36	3.92	8.24	71.2	
11	21.6	12.2	6.92	60.5	36.6	52.4	9.56	5.04	3.36	3.64	18.5	49.7	
12	52.4	15.4	6.92	47.0	43.5	50.6	9.12	5.04	3.36	6.92	12.7	33.4	
13	32.6	32.6	6.48	33.4	42.6	50.6	8.24	5.04	3.36	31.8	10.5	25.8	
14	114	28.6	6.48	26.5	100	47.0	7.80	5.04	3.36	15.4	21.6	30.2	
15	128	26.5	6.04	22.3	155	45.2	7.80	4.76	3.08	10.5	111	139	
16	96.8	24.4	5.60	20.4	127	47.0	7.80	4.76	3.08	8.68	103	84.3	
17	57.8	23.7	5.60	18.5	108	38.3	7.80	4.48	3.08	7.80	58.7	53.3	
18	46.1	20.4	5.32	17.3	96.8	29.4	7.80	4.48	3.08	6.92	35.8	38.3	
19	37.5	17.9	5.32	20.4	95.5	24.4	7.80	4.48	3.08	6.48	27.2	29.4	
20	29.4	20.4	12.2	34.2	90.9	23.7	6.92	4.48	3.08	6.48	20.4	25.1	
21	24.4	31.0	23.7	47.9	108	30.2	6.48	4.48	3.08	6.04	14.9	20.4	
22	21.6	30.2	14.3	59.6	93.1	27.2	6.48	4.48	3.08	5.60	13.2	17.9	
23	19.1	30.2	16.6	49.7	68.2	26.5	6.48	4.48	3.08	5.32	11.1	15.4	
24	17.9	24.4	14.3	34.2	56.9	24.4	6.48	3.92	3.08	5.32	37.5	13.8	
25	17.3	21.0	12.2	31.0	58.7	21.6	6.48	3.92	3.08	5.04	165	12.7	
26	15.4	17.9	11.1	36.6	57.8	20.4	6.48	3.92	3.08	4.76	264	11.6	
27	14.9	15.4	10.5	40.9	63.2	19.1	6.04	3.92	3.08	4.76	247	11.1	
28	17.3	14.3	10.5	35.8	63.2	19.1	6.04	3.92	3.36	4.48	147	9.56	
29	96.8		14.3	30.2	64.2	18.5	6.04	3.92	4.20	4.48	93.1	9.56	
30	128		92.0	30.2	96.8	19.1	5.60	3.92	3.92	4.48	71.2	9.12	
31	69.2		72.2		87.6		5.60	3.64		4.48		8.68	
SD1	11.1	19.8	10.7	27.0	50.6	61.1	13.3	5.49	3.53	3.50	4.60	43.9	
SD2	61.6	22.2	6.69	30.0	89.6	40.9	8.06	4.76	3.19	10.5	41.9	50.8	
SD3	40.2	23.0	26.5	39.6	74.3	22.6	6.20	4.05	3.30	4.98	106	12.7	
MAX	184	52.4	128	69.2	174	80.2	19.1	6.48	4.48	41.8	476	179	
DAT	30	1	30	22	14	1	1	6	29	13	26	15	
SR	37.7	21.6	15.0	32.2	71.6	41.5	9.09	4.74	3.34	6.27	51.0	35.1	
MIN	5.32	12.2	5.32	16.6	31.0	18.5	5.60	3.64	3.08	3.08	3.92	8.68	
DAT	1	10	18	6	10	29	30	31	15	5	9	31	
		GMIN =	3.08			SRGOD=	27.4			GMAX =	476		
		DATUM	15 9							DATUM	26 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1988

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	8.68	47.0	34.2	70.2	61.4	43.5	9.12	4.48	4.48	11.6	6.48	19.7	
2	8.24	31.0	23.7	50.6	59.6	62.3	9.12	4.48	4.20	10.5	6.48	214	
3	8.24	25.1	19.1	40.0	61.4	40.9	8.68	4.48	4.20	10.0	6.48	214	
4	7.36	17.9	16.0	32.6	62.3	32.6	7.80	4.48	3.92	9.56	6.48	139	
5	7.36	49.7	14.9	32.6	65.2	29.4	7.36	4.48	3.92	10.0	6.48	87.6	
6	6.92	57.8	14.3	53.3	73.2	25.8	7.36	4.20	3.92	9.56	6.48	73.2	
7	6.48	23.7	13.8	64.2	80.2	23.7	6.92	4.20	3.92	9.56	6.04	65.2	
8	6.48	67.2	13.8	71.2	78.2	21.6	6.92	3.92	3.92	10.5	5.60	47.0	
9	7.80	94.2	13.2	62.3	70.2	19.1	6.48	3.92	3.92	12.2	5.60	38.3	
10	7.36	60.5	12.2	54.2	69.2	17.9	6.48	4.20	3.64	33.4	5.60	31.8	
11	6.48	45.2	11.6	48.8	64.2	17.3	5.60	4.48	3.64	21.6	5.60	26.5	
12	6.04	35.0	11.1	52.4	58.7	17.3	5.60	4.20	3.64	16.6	6.04	23.0	
13	5.60	28.6	11.1	61.4	59.6	17.9	5.60	4.20	3.64	13.8	6.04	20.4	
14	5.60	24.4	10.5	67.2	60.5	17.9	5.60	4.20	3.92	12.2	6.48	18.5	
15	5.32	20.4	11.1	56.9	64.2	16.0	5.60	3.92	236	11.1	7.36	16.6	
16	5.04	18.5	13.8	40.0	67.2	15.4	5.60	3.92	187	9.56	7.36	15.4	
17	5.04	17.3	73.2	33.4	61.4	14.3	5.60	4.20	174	9.12	7.36	13.8	
18	4.76	16.0	51.5	27.2	50.6	15.4	5.60	4.48	150	8.68	7.36	13.2	
19	4.76	14.9	35.0	25.8	45.2	17.3	5.60	4.48	77.2	8.68	7.36	11.6	
20	4.76	14.3	25.8	28.6	44.3	17.9	5.60	4.48	39.2	7.80	9.12	11.6	
21	4.76	13.8	21.0	34.2	41.8	16.0	5.60	4.48	27.9	7.36	13.8	11.1	
22	4.76	12.7	18.5	46.1	41.8	14.3	5.32	4.20	39.2	7.36	174	10.5	
23	4.76	11.6	86.5	53.3	42.6	12.7	5.32	4.48	53.3	8.24	72.2	10.0	
24	5.04	14.3	67.2	57.8	38.3	11.6	5.04	4.48	36.6	12.2	37.5	10.0	
25	4.76	31.8	47.9	85.4	40.0	11.1	5.04	4.48	27.9	10.0	25.8	9.56	
26	14.3	22.3	40.9	80.2	37.5	11.1	5.04	4.48	21.6	8.68	20.4	9.12	
27	13.8	19.1	45.2	69.2	31.8	10.5	5.04	4.48	18.5	8.24	16.6	9.12	
28	11.1	17.3	40.0	67.2	29.4	10.0	5.04	4.48	15.4	7.80	13.8	9.12	
29	9.56	16.0	31.0	68.2	52.4	9.56	4.76	4.48	14.3	7.80	12.7	8.68	
30	121		25.1	71.2	49.7	9.12	4.76	4.48	12.7	7.36	11.6	8.68	
31	89.8		35.8		36.6		4.76	4.48		6.92		8.24	
SD1	7.49	47.4	17.5	53.1	68.1	31.7	7.62	4.28	4.00	12.7	6.17	93.0	
SD2	5.34	23.5	25.5	44.2	57.6	16.7	5.60	4.26	87.8	11.9	7.01	17.1	
SD3	25.8	17.7	41.7	63.3	40.2	11.6	5.07	4.45	26.7	8.36	39.8	9.47	
MAX	179	115	122	92.0	89.8	79.2	9.12	4.48	236	41.8	276	428	
DAT	30	9	23	25	7	1	1	1	15	10	22	2	
SR	13.3	29.9	28.7	53.5	54.8	20.0	6.06	4.34	39.5	10.9	17.7	38.9	
MIN	4.76	11.6	10.5	25.8	29.4	9.12	4.76	3.92	3.64	6.92	5.60	8.24	
DAT	18	23	14	19	28	30	29	8	10	31	8	31	
		GMIN = 3.64		SRGOD= 26.4		GMAX = 428							
		DATUM 10 9				DATUM 2 12							

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1989

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	8.68	6.48	62.3	41.8	41.8	19.1	12.2	5.60	13.8	8.68	3.92	15.4	
2	8.24	6.48	136	44.3	38.3	19.1	11.1	10.0	11.1	8.24	3.64	12.7	
3	8.24	6.92	69.2	46.1	37.5	21.0	9.56	9.12	11.6	7.36	3.36	11.1	
4	8.24	6.92	57.8	40.9	36.6	21.0	9.12	7.80	14.9	6.92	3.36	10.0	
5	8.24	6.92	40.9	46.1	36.6	25.8	8.24	7.36	13.2	6.48	4.48	10.0	
6	7.80	6.92	31.8	42.6	35.8	24.4	7.36	6.48	12.2	6.48	21.6	9.56	
7	7.80	6.92	25.8	36.6	40.9	23.0	7.36	5.60	11.1	6.04	169	9.12	
8	7.36	6.92	22.3	28.6	33.4	21.6	6.92	5.60	9.56	41.8	84.3	8.68	
9	7.36	6.92	20.4	25.8	27.2	19.1	6.48	5.60	8.68	121	47.0	8.68	
10	7.36	6.92	18.5	26.5	26.5	17.3	6.04	5.60	28.6	270	29.4	8.24	
11	7.36	6.92	17.3	29.4	33.4	15.4	6.04	5.60	35.8	196	22.3	8.24	
12	7.36	6.92	16.0	29.4	36.6	13.8	6.04	6.04	23.0	96.8	17.9	7.80	
13	7.80	6.92	15.4	36.6	40.0	13.2	6.04	6.04	17.9	59.6	14.3	7.80	
14	7.80	6.92	15.4	53.3	48.8	12.7	6.48	5.32	14.9	35.0	12.2	7.80	
15	7.80	6.92	16.0	39.2	45.2	12.2	6.48	5.32	16.0	24.4	11.1	7.36	
16	7.80	6.92	15.4	34.2	40.0	12.2	6.48	5.04	15.4	19.1	10.5	16.6	
17	7.80	6.48	16.6	47.0	38.3	12.7	6.48	4.76	13.2	15.4	9.12	27.2	
18	7.80	6.48	19.7	142	37.5	13.8	6.48	4.76	11.1	13.2	8.24	38.3	
19	7.80	6.48	26.5	78.2	37.5	14.3	6.48	4.48	9.56	11.1	7.36	52.4	
20	7.80	6.48	32.6	56.9	34.2	13.8	6.48	4.48	9.12	10.5	6.48	49.7	
21	7.80	6.48	41.8	48.8	31.8	13.2	6.48	3.92	8.24	9.12	6.04	28.6	
22	7.80	6.48	61.4	64.2	27.9	12.7	6.04	3.92	8.24	8.24	5.60	25.8	
23	7.80	6.48	54.2	65.2	28.6	12.7	5.60	3.92	7.80	6.92	50.6	13.2	
24	7.36	6.48	37.5	49.7	25.8	14.9	5.32	4.20	7.80	6.48	53.3	11.1	
25	7.36	23.7	30.2	39.2	24.4	17.3	6.48	4.20	6.92	6.04	109	9.12	
26	7.36	165	28.6	35.8	21.6	14.9	9.12	3.92	6.92	5.60	96.8	7.80	
27	7.36	99.3	30.2	36.6	20.4	14.9	7.80	3.92	6.48	5.04	54.2	7.36	
28	6.92	53.3	30.2	42.6	19.1	15.4	7.36	5.32	6.48	5.04	32.6	6.48	
29	6.92		33.4	50.6	19.1	13.8	7.36	50.6	6.92	4.76	24.4	5.60	
30	6.92		37.5	47.0	19.7	13.2	6.48	33.4	7.80	4.20	18.5	5.32	
31	6.48		40.0		19.7		5.60	20.4		3.92		5.04	
SD1	7.93	6.83	48.5	37.9	35.5	21.1	8.44	6.88	13.5	48.3	37.0	10.3	
SD2	7.71	6.74	19.1	54.6	39.2	13.4	6.35	5.18	16.6	48.1	11.9	22.3	
SD3	7.28	45.9	38.6	48.0	23.5	14.3	6.69	12.5	7.36	5.94	45.1	11.4	
MAX	9.12	247	245	200	54.2	26.5	14.3	94.2	50.6	331	266	52.4	
DAT	1	26	2	18	14	5	1	29	11	10	7	19	
SR	7.63	18.0	35.5	46.8	32.4	16.3	7.15	8.33	12.5	33.2	31.4	14.6	
MIN	6.48	6.48	15.4	25.8	19.1	12.2	5.32	3.92	6.48	3.92	3.36	5.04	
DAT	31	1	13	9	28	15	24	21	27	31	3	31	
GMIN =			3.36	SRGOD=			22.0	GMAX =			331		
DATUM			3 11					DATUM			10 10		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1990

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	11.1	40.9	11.6	10.0	25.8	13.8	4.48	2.80	2.48	2.48	47.0	47.0	
2	10.0	31.8	11.1	9.56	23.0	12.7	3.92	2.80	2.48	2.48	73.2	36.6	
3	10.0	26.5	11.6	10.0	24.4	12.2	3.92	2.80	2.48	2.48	56.0	29.4	
4	9.56	22.3	10.5	10.0	24.4	12.2	3.64	2.80	2.48	2.48	44.3	25.1	
5	9.56	17.9	10.0	9.12	21.6	12.2	3.64	2.80	2.48	2.48	36.6	22.3	
6	9.12	15.4	9.12	8.68	21.0	11.6	3.64	2.80	2.48	2.64	28.6	20.4	
7	8.68	14.3	9.12	10.0	20.4	11.1	3.36	2.80	2.32	4.48	23.7	18.5	
8	8.68	13.8	9.12	36.6	19.1	11.1	3.36	2.80	2.32	83.2	19.7	17.3	
9	8.24	13.2	8.68	31.0	18.5	11.1	3.36	3.08	2.32	75.2	16.6	16.6	
10	8.24	12.7	8.68	52.4	19.1	10.5	3.36	3.08	2.32	38.3	14.9	142	
11	7.80	11.6	8.68	35.8	20.4	10.0	3.36	2.80	2.32	21.0	13.2	145	
12	7.80	11.1	8.68	24.4	19.1	9.56	3.36	2.80	2.32	15.4	11.6	79.2	
13	7.36	15.4	10.0	23.7	19.1	9.12	3.92	2.64	2.32	11.6	11.1	54.2	
14	7.36	15.4	10.0	20.4	17.9	9.12	3.64	2.64	2.32	10.0	10.0	43.5	
15	6.92	14.3	10.0	18.5	17.9	9.12	3.36	2.64	2.32	8.68	13.8	36.6	
16	6.48	21.0	10.0	16.6	17.9	10.0	3.08	2.64	2.32	8.24	24.4	31.8	
17	6.48	23.0	9.56	16.0	19.1	11.6	2.80	2.64	2.32	7.80	21.0	26.5	
18	6.92	18.5	9.12	15.4	16.6	13.2	2.80	2.64	2.32	7.36	17.9	23.7	
19	6.92	15.4	8.24	16.6	16.6	12.7	3.64	2.64	2.32	6.48	14.9	21.6	
20	6.92	10.0	8.24	17.3	15.4	10.5	3.36	2.64	2.32	8.68	13.8	19.7	
21	6.92	10.0	8.24	57.8	13.2	9.12	3.36	2.64	2.32	47.0	13.2	19.1	
22	6.92	10.0	8.68	77.2	13.8	7.80	3.08	2.64	2.32	31.8	13.2	17.9	
23	6.92	10.0	9.12	186	14.9	7.36	2.80	2.48	2.32	20.4	48.8	16.6	
24	6.92	10.0	9.12	142	15.4	6.48	2.80	2.48	2.48	15.4	193	15.4	
25	6.92	10.0	9.56	92.0	14.9	5.60	2.80	2.48	3.64	12.2	119	14.3	
26	6.92	9.56	9.56	71.2	14.3	5.32	2.80	2.48	3.08	11.6	96.8	13.8	
27	8.68	10.0	12.2	54.2	13.8	5.04	2.80	2.48	2.80	14.9	196	13.8	
28	12.2	13.8	19.7	43.5	15.4	4.76	2.80	2.48	3.36	25.8	179	16.0	
29	27.9		16.0	38.3	15.4	4.48	2.80	2.48	2.80	45.2	107	16.0	
30	93.1		13.2	30.2	15.4	4.48	2.80	2.48	2.64	136	67.2	14.9	
31	58.7		11.1		14.9		2.80	2.48		77.2		13.8	
SD1	9.32	20.9	9.95	18.7	21.7	11.9	3.67	2.86	2.42	21.6	36.1	37.5	
SD2	7.10	15.6	9.25	20.5	18.0	10.5	3.33	2.67	2.32	10.5	15.2	48.2	
SD3	22.0	10.4	11.5	79.2	14.7	6.04	2.88	2.51	2.78	39.8	103	15.6	
MAX	93.1	40.9	23.7	285	27.9	14.3	4.48	3.64	3.92	186	259	390	
DAT	30	1	28	23	1	1	1	1	25	30	27	11	
SR	13.1	16.0	10.3	39.5	18.0	9.46	3.28	2.67	2.50	24.5	51.5	33.2	
MIN	6.48	9.56	8.24	8.68	13.2	4.48	2.80	2.48	2.32	2.48	10.0	13.8	
DAT	16	26	19	6	21	29	17	23	7	1	14	26	
GMIN =			2.32	SRGOD=			18.6	GMAX =			390		
DATUM			7 9					DATUM			11 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1991

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	13.2	6.92	13.2	19.1	35.8	31.8	13.2	10.0	4.48	2.80	9.56	21.8	
2	16.0	6.92	14.3	17.9	33.4	40.0	13.8	13.2	4.48	2.80	9.12	18.4	
3	17.3	6.48	14.3	16.6	36.6	47.0	12.2	12.2	4.48	3.08	8.24	15.3	
4	16.0	6.48	14.9	17.9	93.1	50.6	12.2	10.5	4.48	2.80	7.80	13.0	
5	15.4	6.48	14.3	17.9	77.2	48.8	11.6	9.56	4.48	2.80	38.3	12.5	
6	14.9	6.48	13.8	18.5	64.2	50.6	11.6	9.56	4.48	2.80	99.3	12.1	
7	14.3	6.48	14.9	23.7	38.3	52.4	11.1	9.56	4.48	2.64	59.6	11.3	
8	13.8	8.24	19.7	28.6	23.0	136	10.5	9.12	4.48	2.64	38.3	10.9	
9	13.8	21.6	23.0	29.4	16.6	145	10.0	8.68	4.20	4.20	26.5	9.70	
10	13.2	14.3	25.1	27.2	20.4	89.8	10.0	8.68	4.20	4.76	21.6	7.88	
11	13.2	34.2	25.8	25.8	89.8	71.2	10.0	8.24	3.92	4.48	25.8	7.26	
12	13.2	158	25.1	21.6	87.6	62.3	9.56	7.80	3.92	3.92	25.8	6.95	
13	13.2	79.2	23.0	19.7	65.2	56.0	9.12	7.36	3.92	23.0	21.6	6.64	
14	13.2	43.5	21.6	19.1	57.8	50.6	8.68	7.36	3.36	57.8	21.6	6.33	
15	12.7	30.2	21.0	19.1	58.7	47.0	8.24	7.36	3.36	44.3	89.8	5.71	
16	12.2	23.0	20.4	21.6	61.4	39.2	8.24	7.36	3.08	35.0	59.6	5.71	
17	11.6	19.1	19.7	25.8	169	32.6	8.24	6.92	2.80	37.5	382	5.40	
18	11.1	10.0	17.9	50.6	94.2	28.6	7.80	6.92	2.80	21.0	196	5.18	
19	10.5	14.3	16.0	101	63.2	32.6	7.80	6.48	2.80	13.8	111	4.96	
20	10.0	13.8	15.4	69.2	67.2	27.9	7.36	6.48	2.64	63.2	79.2	4.96	
21	9.12	13.8	17.9	48.8	42.6	24.4	7.36	6.48	2.64	112	175	4.96	
22	9.12	13.8	25.8	35.8	49.7	21.6	6.92	6.04	2.64	127	200	4.74	
23	8.68	13.8	33.4	33.4	59.6	20.4	6.92	6.04	2.48	71.2	124	4.52	
24	8.24	13.8	42.6	27.2	64.2	18.5	6.48	5.60	2.48	41.8	77.6	4.52	
25	8.24	13.2	46.1	24.4	50.6	17.3	6.48	5.60	2.48	28.6	113	4.52	
26	8.24	13.2	53.3	21.0	38.3	16.6	6.48	5.32	2.48	21.6	98.6	4.30	
27	8.24	12.7	45.2	26.5	31.8	15.4	6.04	5.04	2.80	18.5	68.0	4.30	
28	7.36	12.7	35.0	31.0	27.9	15.4	6.04	5.04	5.04	14.3	44.3	4.30	
29	7.36		31.0	31.8	25.8	14.9	9.12	4.76	4.48	11.6	34.0	4.30	
30	7.36		27.2	33.4	23.7	14.3	12.2	4.76	3.64	10.5	27.2	4.08	
31	7.36		23.0		25.1		11.1	4.48		10.0		4.08	
SD1	14.8	9.04	16.8	21.7	43.9	69.2	11.6	10.1	4.42	3.13	31.8	13.3	
SD2	12.1	42.5	20.6	37.3	81.4	44.8	8.50	7.23	3.26	30.4	101	5.91	
SD3	8.12	13.4	34.6	31.3	39.9	17.9	7.74	5.38	3.12	42.5	96.2	4.42	
MAX	17.9	186	54.2	116	179	172	13.8	13.2	5.04	182	498	24.4	
DAT	3	12	26	19	17	9	2	2	28	22	17	1	
SR	11.6	22.2	24.3	30.1	54.6	44.0	9.24	7.50	3.60	25.9	76.4	7.76	
MIN	7.36	6.48	13.2	16.6	16.6	14.3	6.04	4.48	2.48	2.64	7.80	4.08	
DAT	28	3	1	3	9	30	27	31	23	7	4	30	
		GMIN = 2.48		SRGOD= 26.3		GMAX = 498							
		DATUM 23 9				DATUM 17 11							

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1992

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	4.08	4.52	4.08	12.5	52.0	23.7	5.71	2.30	2.00	2.00	34.0	13.0
2	4.08	4.52	4.08	18.9	47.0	16.3	5.40	2.15	1.85	2.00	24.4	12.1
3	4.08	4.30	3.86	20.7	43.4	12.5	5.18	2.00	1.85	2.00	18.9	11.3
4	4.08	4.30	3.86	23.0	36.4	10.9	4.96	2.00	1.70	14.4	15.8	13.0
5	4.08	4.30	3.86	24.4	33.2	8.90	4.74	2.00	1.70	19.5	12.5	18.9
6	4.08	4.30	3.86	30.0	30.0	7.88	4.74	2.00	1.61	45.2	10.1	165
7	4.08	4.30	3.86	51.0	30.8	6.95	5.18	2.00	1.52	359	8.90	101
8	4.08	4.30	3.86	36.4	30.0	6.95	5.71	2.00	1.52	90.4	8.19	57.0
9	4.08	4.30	3.86	27.2	25.8	7.26	5.40	2.00	1.52	47.0	7.26	74.0
10	4.08	4.08	3.86	30.8	23.7	7.26	5.71	2.00	1.52	22.4	6.64	59.2
11	4.08	4.08	3.86	27.2	23.0	7.26	5.40	2.00	1.34	17.8	6.33	38.0
12	4.08	4.08	3.86	21.8	21.3	24.4	5.40	2.00	1.34	110	6.64	39.8
13	3.86	4.08	3.86	17.2	19.5	32.4	6.64	2.00	1.34	60.3	20.7	24.4
14	3.86	4.08	3.86	15.8	17.2	36.4	6.33	2.00	1.34	39.8	15.3	20.7
15	3.86	4.08	3.86	15.3	15.8	21.8	5.71	2.00	1.34	29.3	12.1	17.2
16	3.64	4.08	4.08	15.3	15.8	15.3	5.40	2.00	1.34	33.2	10.1	16.3
17	3.64	5.18	4.08	41.6	15.3	15.3	5.18	2.00	1.34	104	168	15.3
18	3.86	6.02	3.86	65.8	13.0	14.9	4.96	2.00	1.34	307	355	14.4
19	4.30	4.96	3.86	39.8	10.1	14.4	4.96	2.00	1.34	197	190	13.4
20	4.30	4.74	3.86	27.2	8.50	13.9	4.74	2.00	1.34	82.6	116	12.5
21	4.30	4.74	3.86	23.0	7.88	12.1	4.30	2.00	1.34	47.0	77.6	12.1
22	4.30	4.52	3.86	18.4	8.50	10.1	4.08	2.00	1.34	87.8	53.0	10.9
23	4.52	4.52	3.86	16.3	9.70	8.50	4.08	2.00	1.34	77.6	35.6	10.1
24	4.52	4.30	43.4	19.5	10.5	7.57	3.42	2.60	1.34	56.0	27.9	9.30
25	4.52	4.30	71.6	27.9	10.5	7.26	3.20	2.90	1.34	51.0	24.4	8.90
26	4.52	4.30	38.0	38.0	9.70	6.33	2.90	2.60	1.34	36.4	21.8	8.50
27	4.52	4.30	38.0	47.0	8.90	6.64	2.60	2.30	1.34	41.6	19.5	7.88
28	4.52	4.08	33.2	52.0	8.19	6.64	2.45	2.00	1.34	30.0	18.4	7.57
29	4.52	4.08	23.0	52.0	7.88	6.02	2.30	2.00	1.34	47.0	16.3	7.26
30	4.52		17.2	51.0	9.70	6.02	2.30	2.00	1.70	53.0	15.3	7.26
31	4.52		25.8		16.3		2.30	2.00		45.2		6.95
SD1	4.08	4.32	3.90	27.5	35.2	10.9	5.27	2.05	1.68	60.4	14.7	52.5
SD2	3.95	4.54	3.90	28.7	16.0	19.6	5.47	2.00	1.34	98.1	90.0	21.2
SD3	4.48	4.35	27.4	34.5	9.80	7.72	3.08	2.22	1.38	52.1	31.0	8.79
MAX	4.52	7.88	110	87.8	57.0	36.4	7.26	2.90	2.00	333	368	303
DAT	26	17	24	17	1	14	13	25	1	18	18	6
SR	4.18	4.40	12.3	30.2	20.0	12.7	4.56	2.09	1.47	69.6	45.2	26.9
MIN	3.64	4.08	3.86	12.5	7.88	6.02	2.30	2.00	1.34	2.00	6.33	6.95
DAT	16	10	3	1	21	29	29	3	11	1	11	31

GMIN = 1.34			SRGOD= 19.5					GMAX = 368				
DATUM 11 9								DATUM 18 11				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1993

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	6.64	3.86	3.05	8.90	22.4	5.71	3.20	2.75	2.60	8.50	5.71	13.4
2	6.64	3.64	3.20	9.30	20.7	5.40	3.20	2.60	2.60	10.1	5.40	13.0
3	6.33	3.64	4.52	15.3	20.1	5.40	3.42	2.60	2.60	59.2	5.40	14.9
4	6.02	3.64	4.30	17.8	18.4	5.18	3.64	2.60	2.60	116	10.9	15.3
5	6.02	3.64	4.08	15.8	20.7	5.18	3.20	2.60	5.40	61.4	90.4	14.9
6	6.02	3.64	3.86	13.9	21.3	5.18	3.20	2.60	8.50	36.4	287	13.9
7	6.02	3.64	3.64	13.9	18.9	4.96	3.20	2.75	6.33	24.4	204	13.0
8	5.71	3.64	3.42	13.0	17.2	4.96	3.20	2.90	5.40	16.3	104	18.4
9	5.71	3.64	3.42	12.5	16.3	4.74	3.20	3.05	4.52	15.3	68.0	20.1
10	5.40	3.64	3.42	11.7	12.5	4.74	3.20	4.08	4.08	34.8	50.0	23.7
11	5.40	3.64	3.42	13.0	10.5	4.52	3.20	4.30	3.86	18.4	36.4	31.6
12	5.18	3.64	3.42	46.1	9.30	4.52	3.20	4.08	8.90	17.2	26.5	64.7
13	5.18	3.64	3.42	47.0	8.50	4.30	3.20	3.64	10.1	13.4	30.0	38.0
14	4.96	3.64	3.42	34.8	7.88	4.30	3.05	3.42	6.64	10.9	45.2	33.2
15	4.96	3.42	3.42	39.8	8.90	4.30	2.90	3.20	6.02	8.50	33.2	339
16	4.96	3.42	3.64	41.6	18.4	4.08	2.90	2.90	7.57	7.88	57.0	211
17	4.74	3.42	4.08	30.0	17.2	4.08	2.90	2.90	6.64	7.26	36.4	175
18	4.52	3.42	4.08	24.4	15.3	4.08	2.90	2.90	5.71	6.64	28.6	93.0
19	4.52	3.42	4.52	21.3	13.0	4.08	2.90	2.75	4.96	6.02	24.4	55.0
20	4.52	3.42	5.40	21.8	11.7	3.86	2.90	2.75	4.52	5.40	21.3	39.8
21	4.52	3.42	6.02	27.9	11.7	3.86	2.90	2.75	4.30	5.40	18.9	34.0
22	4.52	3.20	6.02	34.8	11.7	3.86	3.05	2.75	4.08	5.18	17.2	98.6
23	4.52	3.20	7.26	34.8	10.9	3.64	2.90	2.60	3.86	5.18	15.8	75.2
24	4.52	3.20	7.57	34.0	8.90	3.64	2.90	2.60	3.64	19.5	14.9	55.0
25	4.30	3.20	8.19	33.2	8.50	3.64	2.90	2.60	3.64	16.7	14.4	98.6
26	4.30	3.20	28.6	32.4	8.19	3.64	2.75	2.60	3.64	10.9	13.9	82.6
27	4.30	3.20	21.3	30.8	7.88	3.42	2.75	2.60	3.42	9.70	13.4	87.8
28	4.08	3.20	14.4	30.0	7.26	3.20	2.75	2.60	3.42	8.19	13.0	55.0
29	4.08		10.9	27.9	6.95	3.20	2.75	2.60	4.52	7.26	12.5	38.9
30	4.08		9.70	23.0	7.26	3.20	2.75	2.60	10.1	6.64	13.0	30.8
31	4.08		8.90		6.02		2.75	2.60		6.33		26.5
SD1	6.05	3.66	3.69	13.2	18.9	5.14	3.27	2.85	4.46	38.2	83.1	16.1
SD2	4.89	3.51	3.88	32.0	12.1	4.21	3.00	3.28	6.49	10.2	33.9	108
SD3	4.30	3.23	11.7	30.9	8.66	3.53	2.83	2.63	4.46	9.18	14.7	62.1
MAX	6.95	4.08	43.4	57.0	22.4	5.71	3.20	4.30	10.9	116	287	449
DAT	1	1	26	12	1	1	1	11	30	3	6	15
SR	5.06	3.48	6.60	25.4	13.0	4.30	3.03	2.91	5.14	18.9	43.9	62.1
MIN	4.08	3.20	3.05	8.90	6.02	3.20	2.75	2.60	2.60	5.18	5.40	13.0
DAT	28	22	1	1	31	28	26	2	1	22	2	2
GMIN =		2.60		SRGOD=		16.2		GMAX =		449		
DATUM		2 8						DATUM		15 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1994

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	23.7	12.1	15.8	21.8	74.0	28.6	12.1	7.26	5.40	5.18	45.2	9.70
2	21.3	11.3	15.8	56.0	66.9	27.9	11.7	6.95	5.40	5.18	27.2	9.30
3	19.5	10.9	16.3	43.4	50.0	24.4	11.3	6.95	5.18	4.96	21.3	9.30
4	17.8	10.5	15.3	30.0	46.1	24.4	10.9	6.95	5.18	4.96	17.2	8.90
5	68.0	10.1	14.4	25.1	52.0	24.4	10.9	6.64	5.40	8.50	15.3	8.50
6	55.0	9.70	13.4	31.6	56.0	23.0	10.9	6.64	5.40	8.50	13.9	8.19
7	37.2	9.30	13.0	33.2	47.0	19.5	11.7	6.33	5.18	7.57	13.0	8.19
8	41.6	9.30	12.5	28.6	39.8	17.8	11.7	6.02	4.96	6.95	12.5	8.19
9	37.2	9.30	12.5	27.9	36.4	17.2	11.3	5.40	4.96	6.64	13.4	7.88
10	31.6	8.90	12.1	49.0	39.8	16.7	10.9	5.40	4.96	6.02	15.3	7.88
11	27.2	8.50	13.0	110	46.1	16.3	10.1	5.40	4.96	5.71	104	7.88
12	23.0	8.50	14.9	475	46.1	15.8	10.1	5.40	4.74	5.40	102	7.57
13	21.3	8.50	17.2	256	44.3	16.7	9.70	5.40	4.74	5.40	61.4	7.57
14	19.5	8.19	21.8	148	47.0	21.8	9.70	5.40	4.74	5.40	36.4	7.57
15	18.9	7.88	25.1	93.0	59.2	21.3	10.9	5.18	8.90	5.18	27.2	7.26
16	18.4	7.88	25.8	77.6	61.4	20.1	10.1	5.18	10.1	5.18	23.0	7.26
17	20.1	9.70	23.0	131	62.5	18.4	9.70	5.18	10.1	4.96	20.7	7.26
18	24.4	27.2	21.8	165	61.4	16.7	9.30	5.18	6.02	4.74	17.8	7.26
19	23.7	21.3	18.9	113	87.8	16.3	8.90	5.18	5.18	4.74	16.3	7.26
20	23.7	19.5	17.8	85.2	69.2	15.8	8.90	5.18	30.0	4.74	14.9	7.26
21	28.6	17.8	17.2	75.2	57.0	16.3	8.19	5.18	13.9	4.52	13.9	7.26
22	24.4	16.3	17.8	69.2	55.0	15.3	7.88	4.96	17.2	4.52	13.4	7.26
23	21.8	15.3	18.4	66.9	55.0	14.9	7.88	4.96	12.5	4.52	12.5	7.57
24	19.5	17.8	20.1	68.0	53.0	14.4	7.88	4.96	10.1	4.52	12.5	7.57
25	17.8	21.8	25.8	70.4	51.0	14.4	7.88	5.40	7.26	13.9	12.1	7.88
26	17.2	20.1	30.0	68.0	46.1	13.0	7.88	7.26	6.33	10.9	11.7	8.19
27	16.3	17.8	33.2	71.6	41.6	12.5	7.57	6.95	6.02	9.30	11.3	8.50
28	15.3	16.7	25.8	80.0	38.0	12.1	7.57	6.02	5.71	9.30	10.5	8.19
29	13.9		20.1	71.6	34.0	13.0	7.26	5.71	5.40	116	10.1	7.88
30	13.4		16.7	75.2	31.6	12.5	7.26	5.71	5.40	155	10.1	7.88
31	12.5		17.8		30.8		7.26	5.40		72.8		27.2
SD1	35.3	10.1	14.1	34.7	50.8	22.4	11.3	6.45	5.20	6.45	19.4	8.60
SD2	22.0	12.7	19.9	165	58.5	17.9	9.74	5.27	8.95	5.14	42.4	7.42
SD3	18.2	17.9	22.1	71.6	44.8	13.8	7.68	5.68	8.98	36.8	11.8	9.58
MAX	128	23.7	34.0	598	108	30.0	12.1	7.26	35.6	262	133	107
DAT	5	25	25	12	19	1	1	1	20	29	11	31
SR	25.0	13.3	18.8	90.5	51.2	18.0	9.53	5.80	7.71	16.8	24.5	8.57
MIN	12.5	7.88	12.1	21.8	30.8	12.1	7.26	4.96	4.74	4.52	10.1	7.26
DAT	31	15	10	1	31	28	29	22	12	21	29	15
GMIN =		4.52		SRGOD=		24.1		GMAX =		598		
DATUM		21 10						DATUM		12 4		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1995

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	186	28.6	57.0	24.4	59.2	46.1	8.19	8.90	33.2	13.4	4.74	21.3	
2	267	23.0	45.2	23.0	66.9	61.4	7.88	12.5	27.2	12.5	4.74	17.2	
3	104	21.3	41.6	24.4	65.8	61.4	7.26	8.50	21.8	11.7	4.96	14.9	
4	61.4	18.4	39.8	32.4	53.0	45.2	7.26	6.64	25.8	11.3	4.96	13.4	
5	36.4	17.2	41.6	38.9	47.0	34.8	7.26	5.40	45.2	10.9	4.96	12.5	
6	28.6	27.2	53.0	42.5	42.5	31.6	6.64	4.96	82.6	10.1	4.52	13.4	
7	23.0	14.4	41.6	45.2	47.0	30.0	6.64	4.52	55.0	10.1	4.52	19.5	
8	21.8	14.4	34.8	46.1	59.2	28.6	5.71	4.08	38.0	9.30	4.52	21.8	
9	17.2	13.4	31.6	41.6	62.5	25.8	5.40	3.64	87.8	8.90	4.52	18.9	
10	16.3	16.3	27.2	33.2	65.8	23.7	4.96	3.64	55.0	8.50	4.52	16.3	
11	15.3	16.3	25.1	28.6	72.8	23.0	4.52	3.42	38.0	8.50	4.52	14.4	
12	14.4	14.9	23.0	24.4	91.7	21.8	4.08	3.20	28.6	7.88	4.52	13.4	
13	13.4	13.9	21.3	22.4	229	22.4	4.08	3.05	23.0	7.26	4.52	20.1	
14	12.5	13.9	20.7	20.1	256	21.8	4.08	2.90	20.7	6.64	5.40	21.3	
15	12.5	13.4	19.5	19.5	172	20.1	4.08	2.90	93.0	6.95	12.5	23.7	
16	10.9	13.4	18.4	19.5	93.0	18.4	4.08	2.90	95.8	6.64	10.1	20.7	
17	10.9	13.4	18.4	18.9	72.8	17.8	5.40	2.75	55.0	6.64	25.8	18.4	
18	10.5	13.4	18.4	18.4	68.0	16.3	7.88	2.60	34.8	6.33	82.6	20.7	
19	10.1	53.0	17.2	18.4	65.8	15.3	8.90	2.45	30.0	6.02	49.0	31.6	
20	10.1	34.8	20.7	20.7	62.5	14.9	6.64	2.30	49.0	6.02	24.4	32.4	
21	9.70	27.2	34.8	27.2	63.6	14.4	5.18	2.00	85.2	6.02	17.2	25.8	
22	9.30	24.4	25.8	36.4	58.1	13.4	4.96	1.85	53.0	6.02	14.4	21.8	
23	9.30	21.8	23.0	49.0	52.0	13.0	4.52	1.70	45.2	5.71	11.7	34.8	
24	11.7	30.0	21.8	54.0	51.0	12.5	4.08	1.61	39.8	5.40	10.1	179	
25	16.3	57.0	19.5	72.8	56.0	12.1	3.64	1.52	30.0	5.40	9.30	179	
26	13.4	65.8	19.5	101	55.0	10.9	3.64	28.6	25.8	5.18	8.90	283	
27	53.0	120	18.9	80.0	57.0	10.5	3.64	70.4	18.4	4.96	12.5	515	
28	45.2	87.8	51.0	57.0	57.0	10.1	3.42	36.4	17.2	4.96	35.6	279	
29	30.0		38.0	49.0	54.0	9.30	4.08	72.8	16.3	4.96	47.0	158	
30	23.7		31.6	53.0	54.0	8.50	6.64	65.8	14.9	4.74	28.6	107	
31	30.0		27.2		48.0		6.64	39.8		4.74		85.2	
SD1	76.2	19.4	41.3	35.2	56.9	38.9	6.72	6.28	47.2	10.7	4.70	16.9	
SD2	12.1	20.0	20.3	21.1	118	19.2	5.37	2.85	46.8	6.89	22.3	21.7	
SD3	22.9	54.3	28.3	57.9	55.1	11.5	4.59	29.3	34.6	5.28	19.5	170	
MAX	484	138	80.0	119	345	71.6	12.1	141	175	13.9	90.4	646	
DAT	2	27	28	26	14	2	18	29	9	1	18	27	
SR	36.6	29.6	29.9	38.1	76.1	23.2	5.53	13.3	42.8	7.54	15.5	72.7	
MIN	9.30	13.4	17.2	18.4	42.5	8.50	3.42	1.52	14.9	4.74	4.52	12.5	
DAT	22	9	19	18	6	30	28	25	30	30	6	5	
		GMIN = 1.52		SRGOD= 32.6		GMAX = 646							
		DATUM 25 8				DATUM 27 12							

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1996

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	158	17.2	13.4	33.2	95.8	34.0	7.88	4.30	6.64	25.8	33.2	57.0
2	107	15.8	13.4	41.6	141	31.6	7.88	4.08	8.19	23.0	27.2	44.3
3	72.8	15.3	12.5	190	122	30.8	7.26	4.08	7.26	27.2	23.7	38.0
4	52.0	15.3	12.5	138	156	30.0	7.26	4.08	6.64	33.2	21.8	31.6
5	41.6	18.9	10.9	94.4	148	28.6	6.95	4.08	10.1	27.2	20.7	28.6
6	34.8	20.7	10.1	61.4	123	27.9	6.64	4.08	9.30	23.0	18.4	27.9
7	30.8	18.4	9.70	51.0	116	27.2	6.64	4.08	7.88	23.0	17.2	27.2
8	29.3	17.2	9.30	43.4	111	23.0	6.64	4.08	7.26	21.8	15.3	23.0
9	30.0	16.3	8.50	41.6	107	21.3	6.33	4.08	6.64	20.7	14.9	21.3
10	28.6	15.3	8.19	39.8	95.8	19.5	6.02	4.08	6.02	19.5	14.4	20.7
11	26.5	13.9	7.88	37.2	82.6	18.4	6.02	4.08	5.40	18.4	13.4	20.1
12	25.8	13.4	7.88	33.2	87.8	17.2	5.71	4.08	6.02	16.3	13.0	19.5
13	24.4	13.4	9.30	31.6	100	16.3	5.40	4.74	168	15.3	12.5	18.4
14	21.3	18.4	9.30	33.2	82.6	16.3	5.40	6.33	182	14.4	12.5	45.2
15	18.9	18.4	10.1	30.0	101	14.4	5.40	5.18	89.1	25.8	11.7	93.0
16	17.2	16.3	21.8	26.5	98.6	13.0	5.40	5.40	56.0	41.6	11.3	59.2
17	16.3	15.3	25.8	23.7	85.2	12.5	5.40	5.40	34.8	151	10.9	38.0
18	15.3	14.4	21.8	21.8	82.6	11.3	5.40	4.96	25.8	190	38.0	31.6
19	14.4	13.0	20.7	20.7	77.6	10.9	5.18	4.74	23.0	116	161	28.6
20	13.4	59.2	18.4	20.1	70.4	10.9	4.96	4.52	125	75.2	122	25.8
21	13.4	82.6	17.2	23.7	66.9	10.1	4.96	4.30	87.8	51.0	202	47.0
22	12.5	51.0	16.3	33.2	59.2	10.1	4.96	4.08	59.2	38.9	141	45.2
23	11.7	34.8	15.8	43.4	51.0	10.9	4.96	4.08	82.6	32.4	222	57.0
24	11.7	27.2	15.3	52.0	46.1	10.5	4.96	4.52	87.8	28.6	172	104
25	30.0	21.8	14.4	56.0	41.6	9.70	4.52	4.52	101	24.4	113	120
26	51.0	18.4	15.3	59.2	39.8	9.30	4.52	4.96	76.4	20.7	82.6	104
27	34.8	16.3	36.4	63.6	40.7	9.30	4.52	4.52	71.6	19.5	93.0	65.8
28	27.2	15.3	128	59.2	65.8	8.90	4.52	4.30	51.0	18.4	75.2	47.0
29	23.0	15.3	68.0	61.4	62.5	8.50	4.52	4.08	38.0	17.2	90.4	38.0
30	20.7		43.4	61.4	39.8	8.19	4.52	4.30	30.0	21.8	70.4	34.8
31	18.4		39.8		36.4		4.52	4.52		46.1		37.2
SD1	58.5	17.0	10.8	73.4	122	27.4	6.95	4.10	7.59	24.4	20.7	32.0
SD2	19.4	19.6	15.3	27.8	86.8	14.1	5.43	4.94	71.5	66.4	40.6	37.9
SD3	23.1	31.4	37.3	51.3	50.0	9.55	4.68	4.38	68.5	29.0	126	63.6
MAX	188	177	172	220	195	37.2	7.88	7.26	229	229	313	136
DAT	1	20	28	3	4	1	1	14	14	18	21	25
SR	33.3	22.4	21.7	50.8	85.0	17.0	5.65	4.47	49.2	39.6	62.5	45.1
MIN	11.7	13.0	7.88	20.1	36.4	8.19	4.52	4.08	5.40	14.4	10.9	18.4
DAT	23	19	11	20	31	30	25	2	11	14	17	13
GMIN =		4.08		SRGOD=		36.4		GMAX =		313		
DATUM		2 8						DATUM		21 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1997

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	38.0	10.9	18.4	12.5	36.4	18.4	7.26	4.96	4.52	3.64	9.30	34.0
2	44.3	10.9	16.3	12.1	36.4	18.4	7.26	4.96	4.52	3.64	9.30	32.4
3	72.8	10.9	14.4	11.7	41.6	18.4	6.95	4.96	4.30	3.86	9.30	51.0
4	87.8	10.5	14.4	11.7	53.0	18.4	6.64	4.96	4.30	3.86	8.50	63.6
5	104	10.1	14.4	12.5	63.6	20.7	6.64	4.74	4.08	3.64	7.88	40.7
6	72.8	10.1	15.3	12.1	63.6	20.1	6.33	4.74	4.08	3.64	7.57	31.6
7	53.0	9.70	15.3	11.7	83.9	19.5	6.02	4.74	4.08	3.64	10.9	27.2
8	42.5	9.30	14.4	11.3	204	25.8	6.02	4.74	4.08	3.64	47.0	24.4
9	35.6	8.90	13.9	10.9	226	23.0	6.02	4.74	4.08	3.64	122	21.8
10	34.8	8.50	12.5	10.1	128	21.8	5.71	4.96	4.08	3.64	116	19.5
11	52.0	8.50	12.1	10.1	90.4	20.7	5.71	4.96	4.08	4.08	158	18.4
12	49.0	8.50	11.7	10.5	77.6	18.9	5.71	4.96	3.86	7.88	80.0	16.7
13	39.8	8.50	11.3	10.9	77.6	17.8	5.71	4.74	3.86	39.8	59.2	30.0
14	34.8	9.30	11.7	10.5	75.2	16.3	5.40	4.52	3.64	59.2	141	28.6
15	30.0	9.30	11.7	10.1	70.4	16.3	5.40	4.08	4.30	63.6	87.8	23.7
16	27.2	30.0	11.7	10.1	61.4	15.3	5.40	4.08	4.52	31.6	53.0	20.7
17	24.4	20.7	11.7	10.1	58.1	13.9	5.40	4.52	4.30	21.8	38.0	18.4
18	23.0	16.7	11.7	9.30	53.0	13.0	6.64	4.52	4.08	18.4	30.0	16.3
19	20.7	14.9	19.5	9.30	55.0	13.0	13.0	4.74	4.08	15.8	25.8	15.3
20	19.5	13.4	59.2	9.30	53.0	12.5	10.9	5.40	3.86	14.4	22.4	43.4
21	18.4	12.5	30.8	10.9	49.0	12.1	8.19	5.40	3.64	12.5	20.7	122
22	17.2	12.1	23.7	131	49.0	10.9	7.26	6.02	3.64	10.9	18.4	82.6
23	16.3	11.7	20.7	175	42.5	10.5	6.64	5.40	3.64	10.5	47.0	49.0
24	15.8	11.3	18.4	93.0	34.8	10.1	6.64	4.96	3.86	10.9	43.4	38.0
25	15.3	11.3	16.7	59.2	31.6	9.30	6.02	4.96	3.86	15.8	31.6	31.6
26	14.9	12.1	15.8	39.8	28.6	8.90	6.02	4.74	3.64	15.3	26.5	27.2
27	14.4	19.5	14.4	36.4	28.6	8.50	5.40	4.52	3.64	12.5	23.7	30.0
28	13.9	23.0	14.4	38.0	25.8	7.88	5.40	4.52	3.64	10.9	23.0	57.0
29	13.0		14.9	34.8	25.8	7.88	5.40	4.52	3.64	10.5	25.1	49.0
30	12.5		14.4	32.4	23.0	7.57	5.18	5.18	3.64	9.30	23.0	38.0
31	11.7		13.4		20.7		4.96	4.52		8.90		31.6
SD1	58.6	9.98	14.9	11.7	93.7	20.5	6.49	4.85	4.21	3.68	34.8	34.6
SD2	32.0	14.0	17.2	10.0	67.2	15.8	6.93	4.65	4.06	27.7	69.5	23.1
SD3	14.9	14.2	18.0	65.1	32.7	9.36	6.10	4.98	3.68	11.6	28.2	50.5
MAX	131	45.2	90.4	252	347	27.2	14.4	6.02	4.52	138	237	165
DAT	5	16	20	23	8	8	19	22	1	14	11	21
SR	34.5	12.6	16.7	28.9	63.5	15.2	6.49	4.83	3.98	14.2	44.2	36.6
MIN	11.7	8.50	11.3	9.30	20.7	7.57	4.96	4.08	3.64	3.64	7.57	15.3
DAT	31	10	13	18	31	30	31	15	14	1	6	19
GMIN =		3.64		SRGOD=		23.6		GMAX =		347		
DATUM		14 9						DATUM		8 5		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1998

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	27.2	12.5	13.0	6.95	38.9	18.4	10.9	5.40	10.9	41.6	21.8	10.9
2	25.1	11.7	12.5	7.26	38.0	17.2	10.5	5.40	9.30	77.6	21.8	14.4
3	25.8	11.7	12.5	7.57	52.0	16.3	10.1	5.40	7.88	128	25.8	14.4
4	25.8	17.2	11.7	7.88	155	15.8	9.70	5.40	7.57	80.0	36.4	65.8
5	28.6	18.4	12.1	12.5	287	15.3	9.30	5.40	7.26	48.0	48.0	128
6	27.2	14.9	12.5	21.8	156	15.8	8.90	5.40	28.6	38.0	61.4	98.6
7	26.5	13.4	12.5	15.3	107	15.3	8.50	5.18	21.8	31.6	119	53.0
8	23.7	13.0	11.7	17.2	78.8	14.9	11.7	5.18	14.4	28.6	101	38.0
9	21.8	12.5	13.9	38.0	63.6	13.4	10.9	5.18	18.4	31.6	63.6	28.6
10	19.5	11.7	13.9	90.4	59.2	13.4	9.30	5.18	16.3	190	45.2	23.0
11	18.4	11.3	12.5	134	53.0	12.5	8.50	5.18	12.5	165	40.7	20.7
12	16.3	11.3	11.3	179	49.0	148	7.88	5.18	13.4	95.8	53.0	18.4
13	16.3	11.7	10.9	110	43.4	123	7.88	4.96	211	59.2	43.4	16.3
14	15.3	13.4	10.1	78.8	43.4	80.0	7.57	4.96	256	44.3	36.4	14.9
15	14.4	15.3	9.70	56.0	36.4	51.0	7.57	4.96	141	36.4	47.0	13.4
16	14.4	15.8	9.30	48.0	31.6	36.4	7.26	4.96	93.0	30.8	46.1	12.5
17	16.7	16.7	8.90	58.1	26.5	30.0	7.26	5.18	59.2	26.5	36.4	12.1
18	20.7	16.7	8.50	89.1	23.7	25.8	7.26	4.96	38.0	25.8	29.3	11.3
19	18.4	15.8	8.19	86.5	21.8	23.0	6.95	4.96	30.8	25.8	25.1	10.9
20	25.8	15.3	7.88	63.6	20.7	20.7	6.64	4.74	25.8	39.8	21.8	10.1
21	30.8	14.9	7.88	53.0	20.7	18.9	6.64	4.74	23.0	165	19.5	10.9
22	23.7	14.4	7.57	49.0	23.0	17.2	6.64	4.96	20.7	77.6	16.7	15.3
23	21.3	14.4	7.57	47.0	23.0	16.3	6.64	4.74	18.9	45.2	15.8	12.5
24	19.5	14.4	7.26	49.0	21.3	15.3	6.33	4.74	17.2	35.6	14.9	11.3
25	17.2	13.9	6.95	47.0	20.7	14.4	6.33	4.74	15.3	30.0	14.4	10.5
26	16.3	13.4	6.95	45.2	27.2	14.4	6.02	4.74	14.9	57.0	13.4	9.70
27	15.3	13.0	6.95	45.2	34.0	13.4	6.02	4.52	14.9	48.0	12.5	9.30
28	14.9	13.0	6.95	44.3	29.3	12.5	6.02	6.02	175	36.4	12.5	8.90
29	14.4		6.95	51.0	25.8	12.1	5.71	59.2	104	30.0	11.7	8.50
30	13.4		6.64	53.0	21.8	11.7	5.71	20.7	66.9	25.8	10.9	8.19
31	12.5		6.64		19.5		5.71	14.4		24.4		7.88
SD1	25.1	13.7	12.6	22.5	104	15.6	9.98	5.31	14.2	69.5	54.4	47.5
SD2	17.7	14.3	9.73	90.3	35.0	55.0	7.48	5.00	88.1	54.9	37.9	14.1
SD3	18.1	13.9	7.12	48.4	24.2	14.6	6.16	12.1	47.1	52.3	14.2	10.3
MAX	38.0	24.4	14.4	245	339	361	15.8	172	410	323	158	148
DAT	20	4	10	11	5	12	8	29	14	21	7	6
SR	20.2	14.0	9.74	53.7	53.3	28.4	7.82	7.63	49.8	58.7	35.5	23.5
MIN	12.5	11.3	6.64	6.95	19.5	11.7	5.71	4.52	7.26	24.4	10.9	7.88
DAT	31	11	30	1	31	30	29	27	5	31	30	31
		GMIN = 4.52		SRGOD= 30.2		GMAX = 410						
		DATUM 27 8				DATUM 14 9						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1999

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	7.57	7.57	15.3	14.4	81.3	37.2	8.50	4.74	4.30	3.20	6.64	16.3	
2	7.88	7.26	15.3	15.3	80.0	36.4	8.50	4.96	4.52	3.20	6.33	15.3	
3	13.9	6.95	15.3	15.8	77.6	34.0	8.19	5.18	6.33	3.20	6.02	13.9	
4	13.4	6.64	15.8	15.3	76.4	33.2	7.57	4.96	6.02	3.20	5.40	13.4	
5	11.7	6.64	45.2	14.9	104	27.9	7.88	4.96	4.96	3.20	5.18	31.6	
6	10.5	6.64	57.0	18.4	90.4	25.1	7.88	4.74	4.30	3.20	4.96	63.6	
7	10.1	6.33	51.0	21.8	72.8	21.3	7.26	4.52	4.74	3.20	4.74	31.6	
8	10.1	7.26	40.7	28.6	68.0	20.1	6.95	4.52	4.30	3.20	4.74	24.4	
9	10.1	6.64	31.6	39.8	70.4	18.4	6.95	4.30	4.08	3.20	4.74	20.7	
10	10.1	43.4	25.1	41.6	69.2	17.8	7.88	4.30	4.08	3.05	16.7	25.8	
11	13.4	104	23.0	36.4	70.4	16.7	7.57	4.08	3.86	3.05	38.9	82.6	
12	39.8	39.8	21.8	30.0	72.8	16.3	7.26	4.08	3.86	3.05	21.3	59.2	
13	33.2	25.1	21.8	31.6	74.0	14.9	6.33	4.08	3.64	3.05	14.4	47.0	
14	39.8	19.5	23.0	39.8	76.4	13.9	6.02	4.08	3.64	3.05	11.7	39.8	
15	27.2	15.3	22.4	30.8	77.6	13.0	6.02	4.30	3.64	3.05	9.30	122	
16	21.8	13.4	21.8	31.6	95.8	13.4	6.02	4.30	3.64	2.90	10.1	475	
17	18.4	12.1	20.7	98.6	90.4	13.9	5.71	4.30	3.42	2.90	33.2	577	
18	16.7	10.9	18.4	110	63.6	13.9	5.71	4.30	3.20	3.05	82.6	327	
19	16.3	9.70	15.3	74.0	55.0	13.9	5.18	4.08	3.20	22.4	95.8	182	
20	13.4	8.90	14.4	49.0	57.0	12.5	4.96	4.08	3.20	21.8	141	138	
21	12.5	8.50	12.5	38.0	75.2	11.7	4.96	4.08	3.20	11.7	76.4	104	
22	11.7	21.8	12.5	34.0	59.2	33.2	4.96	3.86	3.42	9.30	279	72.8	
23	11.3	63.6	11.7	55.0	46.1	37.2	4.96	3.86	4.08	7.57	190	53.0	
24	10.5	30.0	11.3	70.4	43.4	19.5	4.96	3.86	4.08	25.8	95.8	41.6	
25	10.1	24.4	10.9	59.2	43.4	16.3	5.18	3.64	3.64	26.5	59.2	35.6	
26	9.70	19.5	10.9	49.0	38.9	13.0	5.71	3.64	3.64	19.5	36.4	36.4	
27	9.70	17.2	10.9	46.1	38.0	11.7	6.02	3.64	3.42	13.0	27.2	98.6	
28	10.1	16.3	11.7	55.0	36.4	10.9	5.40	3.64	3.20	10.1	23.0	168	
29	9.30		14.9	65.8	37.2	9.70	5.18	3.42	3.20	8.19	20.7	151	
30	8.50		15.3	77.6	36.4	8.90	4.96	3.42	3.20	7.26	17.8	85.2	
31	7.88		14.9		37.2		4.96	4.08		6.95		56.0	
SD1	10.5	10.5	31.2	22.6	79.0	27.1	7.76	4.72	4.76	3.19	6.54	25.7	
SD2	24.0	25.9	20.3	53.2	73.3	14.2	6.08	4.17	3.53	6.83	45.8	205	
SD3	10.1	25.2	12.5	55.0	44.7	17.2	5.20	3.74	3.51	13.3	82.6	82.0	
MAX	53.0	193	65.8	134	122	63.6	10.9	5.18	6.33	47.0	376	600	
DAT	11	11	5	17	16	22	5	3	3	19	22	17	
SR	14.7	20.2	21.0	43.6	65.0	19.5	6.31	4.19	3.93	7.94	45.0	103	
MIN	7.57	6.33	10.9	14.4	36.4	8.90	4.96	3.42	3.20	2.90	4.74	13.4	
DAT	1	7	25	1	28	30	20	29	18	16	7	4	
		GMIN = 2.90		SRGOD= 29.7		GMAX = 600							
		DATUM 16 10				DATUM 17 12							

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2000

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	45.2	10.1	11.7	38.0	49.0	14.4	7.88	5.71	93.0	10.1	36.4	30.0
2	36.4	10.9	30.0	45.2	39.8	13.9	7.88	5.71	55.0	19.5	61.4	27.2
3	30.8	12.1	25.8	33.2	41.6	13.4	7.57	5.71	31.6	87.8	34.8	24.4
4	27.2	12.5	20.7	63.6	41.6	12.5	7.57	5.71	19.5	65.8	68.0	23.0
5	24.4	11.7	21.8	287	36.4	12.5	7.57	5.40	48.0	148	144	20.7
6	23.0	11.7	19.5	175	33.2	12.5	7.57	5.40	41.6	30.0	75.2	19.5
7	21.3	11.7	18.4	113	31.6	12.5	7.26	5.40	30.0	24.4	295	18.4
8	19.5	12.5	16.7	80.0	31.6	12.5	6.95	5.40	21.8	20.7	279	17.2
9	18.4	12.5	16.3	53.0	31.6	11.7	6.33	5.40	17.2	21.8	134	16.3
10	17.2	13.4	16.3	42.5	30.8	11.3	6.02	5.40	16.3	21.8	82.6	16.3
11	16.3	13.0	12.5	38.0	29.3	11.3	6.02	5.40	13.4	21.8	50.0	15.8
12	15.3	12.5	17.2	33.2	29.3	11.3	6.02	5.40	12.5	148	39.8	15.3
13	15.3	12.5	17.2	36.4	28.6	10.9	6.02	5.40	11.7	33.2	33.2	14.4
14	14.9	12.5	17.2	44.3	25.8	10.9	6.33	5.40	11.7	27.2	28.6	14.4
15	14.9	12.1	17.2	53.0	24.4	10.1	6.64	5.40	10.5	38.0	27.2	13.9
16	13.4	11.7	17.2	53.0	24.4	10.1	10.9	4.96	10.1	33.2	23.0	19.5
17	13.0	23.0	16.3	59.2	24.4	10.1	10.9	4.96	10.1	17.2	21.8	18.4
18	13.0	20.7	16.3	61.4	23.0	9.70	9.30	4.96	9.70	16.3	20.7	17.8
19	12.5	17.2	15.3	63.6	21.8	9.30	8.50	5.40	12.1	15.3	39.8	16.7
20	11.7	16.7	14.9	68.0	20.7	9.30	7.57	5.40	21.8	14.4	110	15.8
21	11.7	15.8	13.4	72.8	20.7	9.30	7.57	5.40	20.7	13.9	80.0	15.3
22	10.9	15.3	13.0	75.2	19.5	8.90	7.26	5.40	21.8	16.3	61.4	14.4
23	12.1	14.4	12.5	70.4	19.5	8.90	6.64	5.40	21.8	12.5	49.0	14.4
24	12.5	13.4	12.5	63.6	18.4	8.50	6.33	5.40	19.5	12.5	39.8	13.9
25	10.9	13.4	13.0	55.0	17.2	8.50	6.02	5.40	16.7	12.1	61.4	13.4
26	10.5	13.0	15.3	41.6	16.3	8.50	6.02	5.40	15.3	11.7	90.4	68.0
27	10.1	12.5	19.5	43.4	15.8	8.50	6.02	5.40	13.4	11.7	85.2	343
28	10.1	12.5	21.8	41.6	15.3	8.19	6.02	6.02	12.5	11.7	59.2	401
29	9.70	12.5	21.8	41.6	15.3	7.88	6.02	4.96	11.7	11.3	43.4	327
30	9.70		28.6	51.0	15.3	7.88	6.02	4.96	10.9	10.9	34.8	237
31	9.70		34.8		14.4		5.71	4.96		11.7		155
SD1	26.3	11.9	19.7	93.1	36.7	12.7	7.26	5.52	37.4	45.0	121	21.3
SD2	14.0	15.2	16.1	51.0	25.2	10.3	7.82	5.27	12.4	36.5	39.4	16.2
SD3	10.7	13.6	18.7	55.6	17.1	8.50	6.33	5.34	16.4	12.4	60.5	146
MAX	49.0	28.6	39.8	397	52.0	14.4	11.7	6.02	335	113	534	561
DAT	1	17	2	5	1	1	16	28	1	3	7	28
SR	16.8	13.6	18.2	66.6	26.0	10.5	7.11	5.37	22.1	30.7	73.6	63.8
MIN	9.70	10.1	11.7	33.2	14.4	7.88	5.71	4.96	9.70	10.1	20.7	13.4
DAT	29	1	1	3	31	29	31	16	18	1	18	25
GMIN =		4.96		SRGOD=		29.5		GMAX =		561		
DATUM		16 8						DATUM		28 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2001

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII		
1	104	70.4	38.0	33.2	75.2	131	11.3	8.50	4.74	16.7	11.3	40.7		
2	70.4	55.0	36.4	30.0	69.2	128	11.3	8.50	5.18	15.3	10.5	34.0		
3	49.0	43.4	95.8	28.6	65.8	23.0	10.9	8.50	5.71	14.9	10.5	28.6		
4	45.2	38.0	172	28.6	63.6	75.2	10.9	8.50	6.33	13.9	10.5	25.8		
5	40.7	34.8	151	30.8	55.0	55.0	10.9	8.50	6.64	13.4	10.1	23.7		
6	36.4	33.2	141	30.0	53.0	33.2	10.5	8.50	20.1	13.0	10.1	22.4		
7	33.2	31.6	98.6	27.2	52.0	27.2	10.1	8.50	14.9	12.5	10.5	20.1		
8	31.6	29.3	65.8	36.4	55.0	23.0	10.1	8.50	12.1	12.1	10.5	19.5		
9	47.0	28.6	51.0	43.4	49.0	21.3	10.1	8.50	11.3	12.1	38.9	18.9		
10	45.2	27.2	43.4	35.6	49.0	20.1	10.1	8.50	11.3	11.3	156	17.8		
11	38.0	25.8	39.8	30.8	45.2	18.9	10.1	8.19	15.8	11.3	81.3	16.7		
12	34.8	24.4	38.0	27.9	30.0	17.8	10.1	8.19	14.9	11.3	71.6	16.7		
13	34.0	23.0	39.8	31.6	34.0	16.7	10.1	7.88	13.0	11.3	191	15.8		
14	30.0	23.0	45.2	30.0	31.6	16.3	9.70	7.26	11.3	10.9	227	15.3		
15	27.9	21.8	47.0	27.2	30.8	15.8	9.70	6.95	23.7	10.9	117	14.9		
16	25.8	27.2	41.6	25.1	31.6	15.3	9.70	6.64	35.6	10.9	76.4	13.9		
17	24.4	19.5	41.6	47.0	31.6	14.4	10.1	6.64	66.9	10.9	48.0	13.9		
18	23.0	18.9	53.0	57.0	34.8	14.4	10.1	6.33	86.5	10.5	38.9	13.9		
19	21.8	18.4	57.0	48.0	33.2	14.4	9.70	6.02	78.8	9.70	34.0	13.4		
20	21.3	17.8	51.0	70.4	30.0	14.4	9.30	6.02	42.5	9.70	35.6	13.0		
21	20.7	17.2	41.6	182	29.3	14.4	9.30	5.71	26.5	9.70	30.8	13.0		
22	19.5	17.2	53.0	134	30.8	14.4	9.30	5.71	21.3	11.3	27.9	13.0		
23	19.5	16.7	77.6	90.4	28.6	13.4	9.30	5.40	17.8	10.9	27.9	13.0		
24	18.9	16.7	65.8	63.6	25.8	13.4	9.30	4.96	16.7	10.5	27.9	13.9		
25	19.5	23.0	68.0	55.0	31.6	13.0	9.30	4.96	27.9	10.1	25.1	13.0		
26	82.6	25.8	74.0	61.4	30.8	12.5	10.5	4.74	25.1	12.1	22.4	13.0		
27	211	24.4	68.0	68.0	27.9	12.5	10.5	4.74	26.5	13.0	22.4	13.0		
28	131	21.8	57.0	61.4	24.4	11.7	9.70	4.52	23.7	13.0	91.7	12.5		
29	148		47.0	57.0	23.0	11.3	9.30	4.52	20.1	12.5	86.5	12.5		
30	175		39.8	63.6	21.8	11.3	8.90	4.30	17.8	11.7	55.0	18.9		
31	113		36.4		21.8		8.50	4.30		11.7		32.4		
SD1	50.3	39.2	89.3	32.4	58.7	53.7	10.6	8.50	9.83	13.5	27.9	25.1		
SD2	28.1	22.0	45.4	39.5	33.3	15.8	9.86	7.01	38.9	10.7	92.1	14.8		
SD3	87.2	20.4	57.1	83.6	26.9	12.8	9.45	4.90	22.3	11.5	41.8	15.3		
MAX	313	87.8	182	239	81.3	85.2	12.5	9.30	161	19.5	305	61.4		
DAT	27	1	4	21	1	4	26	1	17	17	1	31		
SR	56.2	27.6	63.7	51.8	39.2	27.4	9.96	6.74	23.7	11.9	53.9	18.3		
MIN	18.9	16.7	36.4	25.1	21.8	11.3	8.50	4.30	4.74	9.70	10.1	12.5		
DAT	24	23	2	16	30	29	31	30	1	19	5	28		

			GMIN =	4.30				SRGOD=	32.5				GMAX =	313
			DATUM	30 8									DATUM	27 1

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2002

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	29.8	16.6	19.2	11.8	27.4	19.2	6.36	6.36	6.04	33.0	19.2	34.8	
2	22.1	16.6	19.2	11.8	26.6	16.0	6.36	6.36	6.04	28.2	17.8	42.0	
3	19.2	16.0	20.7	14.2	26.6	14.2	6.36	6.04	6.36	25.0	17.8	56.4	
4	17.8	15.4	28.2	14.2	25.0	13.0	6.36	5.72	6.36	20.7	31.4	60.8	
5	16.6	15.4	29.8	14.2	25.0	11.8	6.36	7.00	6.36	18.5	57.5	56.4	
6	15.4	15.4	29.8	13.6	23.6	11.3	6.04	10.4	7.00	16.6	38.4	46.0	
7	14.2	16.6	26.6	12.4	21.4	10.8	6.04	19.2	7.96	15.4	30.6	38.4	
8	13.6	17.8	31.4	11.8	20.0	13.6	6.04	16.6	7.96	14.2	25.8	31.4	
9	12.4	17.2	28.2	11.8	20.0	14.8	6.04	12.4	7.96	14.2	22.8	28.2	
10	11.8	16.6	52.0	19.2	19.2	15.4	5.72	11.8	7.96	40.2	20.7	23.6	
11	11.3	15.4	46.0	47.0	18.5	20.0	5.72	12.4	9.88	401	18.5	22.1	
12	11.3	14.8	29.8	72.6	18.5	17.8	5.72	22.1	8.92	322	17.2	20.7	
13	10.8	14.2	23.6	163	18.5	14.8	5.72	20.7	8.92	213	38.4	19.2	
14	10.8	14.2	22.8	167	19.2	13.0	6.04	14.8	7.96	139	88.0	17.8	
15	10.8	14.2	23.6	102	17.8	11.8	5.72	10.8	7.00	99.2	52.0	16.6	
16	10.8	13.6	24.3	72.6	16.6	10.4	5.40	9.88	6.68	65.4	38.4	22.1	
17	10.8	13.0	24.3	60.8	15.4	9.88	6.04	8.92	6.36	46.0	31.4	23.6	
18	10.8	14.2	25.0	59.7	14.8	9.88	6.36	7.96	6.36	37.5	26.6	22.1	
19	10.8	77.6	25.0	48.0	14.2	9.88	6.04	7.96	6.04	33.9	25.8	21.4	
20	10.4	48.0	25.8	43.0	13.6	9.40	7.00	7.00	5.72	29.8	27.4	20.7	
21	10.4	34.8	30.6	40.2	13.0	8.92	7.00	6.68	5.40	26.6	25.8	19.2	
22	10.4	34.8	39.3	37.5	14.2	8.92	6.36	6.36	6.36	22.8	42.0	17.8	
23	9.88	25.8	33.0	26.6	14.2	7.96	6.04	6.36	63.0	34.8	88.0	17.2	
24	9.88	25.8	25.0	33.0	13.0	7.96	5.72	6.36	156	63.0	54.2	16.6	
25	10.8	23.6	20.7	29.8	12.4	7.96	6.36	6.36	117	72.6	40.2	16.0	
26	11.8	22.1	17.8	28.2	11.8	7.96	7.00	6.04	123	47.0	36.6	15.4	
27	11.8	20.7	15.4	26.6	11.8	7.48	6.36	6.36	99.2	34.8	31.4	14.2	
28	11.8	19.2	14.2	33.0	14.2	7.00	6.36	6.36	58.6	29.8	27.4	26.6	
29	13.0		13.0	30.6	31.4	7.00	6.36	6.36	36.6	26.6	23.6	129	
30	15.4		11.8	29.8	31.4	6.68	6.36	6.36	33.0	23.6	22.1	70.2	
31	16.6		11.8		23.6		6.36	6.36		21.4		48.0	
SD1	17.3	16.4	28.5	13.5	23.5	14.0	6.17	10.2	7.00	22.6	28.2	41.8	
SD2	10.9	23.9	27.0	83.6	16.7	12.7	5.98	12.3	7.38	139	36.4	20.6	
SD3	12.0	25.9	21.1	31.5	17.4	7.78	6.39	6.36	69.8	36.6	39.1	35.5	
MAX	39.3	165	60.8	219	36.6	21.4	9.40	29.0	228	536	121	185	
DAT	1	19	10	14	30	1	20	7	24	11	23	29	
SR	13.3	21.8	25.4	42.9	19.1	11.5	6.18	9.50	28.1	65.0	34.6	32.7	
MIN	9.88	13.0	11.8	11.8	11.8	6.68	5.40	5.72	5.40	14.2	17.2	14.2	
DAT	23	17	30	1	26	30	16	4	21	8	12	27	
		GMIN = 5.40		SRGOD= 25.8		GMAX = 536							
		DATUM 16 7				DATUM 11 10							

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2003

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	67.8	18.5	8.92	18.5	70.2	15.4	7.96	3.80	3.20	3.20	80.2	77.6	
2	48.0	16.6	9.40	18.5	72.6	16.0	7.00	3.80	3.20	3.20	247	54.2	
3	50.0	16.0	9.88	19.2	73.8	14.8	6.68	3.80	2.75	3.20	354	42.0	
4	70.2	25.0	9.88	17.8	75.0	14.2	6.36	3.80	2.60	3.20	163	34.8	
5	65.4	95.0	9.88	16.6	77.6	14.2	6.36	3.80	2.75	42.0	99.2	30.6	
6	36.6	50.0	9.88	15.4	72.6	13.0	6.04	3.65	2.75	143	63.0	26.6	
7	117	34.8	9.88	14.2	72.6	11.8	5.72	3.65	2.75	63.0	46.0	23.6	
8	108	26.6	9.88	13.0	70.2	11.8	5.72	3.50	2.75	60.8	36.6	20.7	
9	129	22.1	9.88	11.8	65.4	11.3	5.40	3.50	3.20	72.6	29.8	19.2	
10	181	19.2	9.88	13.0	63.0	12.4	5.40	3.50	31.4	38.4	26.6	17.8	
11	99.2	17.8	9.88	99.2	54.2	11.8	5.08	3.50	15.4	27.4	23.6	16.0	
12	64.2	16.6	10.8	75.0	50.0	10.8	5.08	3.50	9.88	20.7	20.7	15.4	
13	48.0	15.4	11.8	54.2	46.0	10.4	5.08	3.35	10.8	16.6	19.2	16.0	
14	38.4	14.2	11.8	38.4	39.3	9.88	5.08	3.35	8.92	14.2	17.2	16.6	
15	33.0	13.0	10.8	31.4	34.8	8.92	4.76	3.35	6.68	11.8	15.4	16.0	
16	29.8	12.4	10.4	36.6	33.0	8.92	3.80	3.50	5.72	10.8	14.8	14.8	
17	26.6	11.8	9.88	48.0	29.8	8.44	3.80	3.50	5.08	9.88	14.2	13.0	
18	25.0	11.3	9.88	48.0	26.6	7.96	3.80	3.50	4.44	8.92	14.8	12.4	
19	23.6	10.8	9.88	38.4	25.0	9.88	3.80	3.35	4.12	8.92	16.0	11.8	
20	22.1	10.8	9.40	34.8	25.0	9.88	3.80	3.35	3.80	13.0	14.8	10.8	
21	20.7	9.88	8.92	34.8	25.0	8.92	3.80	3.35	3.80	213	13.0	10.4	
22	22.1	9.88	8.44	33.0	28.2	7.96	3.80	3.35	3.65	192	13.0	16.6	
23	24.3	9.40	7.96	30.6	26.6	7.96	3.80	3.20	3.65	354	11.8	22.1	
24	23.6	8.92	7.96	28.2	26.6	7.48	3.80	3.20	3.50	213	10.8	17.8	
25	21.4	8.92	7.96	27.4	25.8	7.00	3.80	3.20	3.50	126	15.4	15.4	
26	20.0	8.92	7.96	26.6	23.6	7.00	3.80	3.20	3.50	82.8	48.0	14.2	
27	19.2	8.92	8.92	33.0	22.1	7.00	3.80	3.20	3.50	67.8	195	13.0	
28	17.8	8.92	9.88	37.5	20.7	7.00	3.80	3.20	3.35	77.6	251	12.4	
29	17.8		13.0	54.2	17.8	7.00	3.80	3.20	3.35	54.2	210	11.8	
30	19.2		15.4	60.8	17.8	7.96	3.80	3.20	3.35	85.4	123	15.4	
31	19.2		17.8		16.6		3.80	3.20		134		17.8	
SD1	87.3	32.4	9.74	15.8	71.3	13.5	6.26	3.68	5.73	43.3	115	34.7	
SD2	41.0	13.4	10.5	50.4	36.4	9.69	4.41	3.42	7.48	14.2	17.1	14.3	
SD3	20.5	9.22	10.4	36.6	22.8	7.53	3.80	3.23	3.52	145	89.1	15.2	
MAX	268	131	19.2	117	16.6	19.2	7.96	4.12	69.0	518	501	99.2	
DAT	9	5	31	11	4	1	1	1	10	23	2	1	
SR	48.7	19.0	10.2	34.3	42.8	10.2	4.79	3.44	5.58	70.1	73.6	21.2	
MIN	17.8	8.92	7.96	11.8	16.6	7.00	3.80	3.20	2.60	3.20	10.8	10.4	
DAT	28	24	23	9	31	25	16	23	4	1	24	21	
GMIN =			2.60	SRGOD=			28.7	GMAX =			518		
DATUM			4 9					DATUM			23 10		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2004

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	16.6	17.8	58.6	40.2	60.8	38.4	10.4	3.05	2.09	7.48	5.72	42.0
2	15.4	16.6	45.0	38.4	60.8	46.0	9.88	2.90	2.09	6.04	5.08	413
3	14.2	16.0	35.7	38.4	60.8	46.0	9.88	2.90	2.02	5.08	4.44	330
4	13.0	14.8	29.8	40.2	67.8	54.2	9.40	2.90	2.02	4.44	4.44	108
5	11.8	13.6	25.0	50.0	126	52.0	8.92	2.90	2.02	4.12	4.12	185
6	11.3	13.6	22.1	48.0	221	52.0	8.92	2.90	2.02	3.80	3.80	129
7	10.8	14.2	19.2	48.0	213	52.0	7.96	3.20	2.02	3.50	4.76	96.4
8	10.4	14.2	29.0	111	163	46.0	7.96	3.05	2.02	3.20	10.4	67.8
9	9.88	14.2	29.0	111	111	42.0	7.96	2.90	2.02	3.20	19.2	48.0
10	9.88	14.2	25.0	102	77.6	38.4	7.48	3.20	1.95	3.05	16.6	38.4
11	8.92	13.6	22.1	203	58.6	35.7	7.00	3.05	1.95	5.08	14.2	31.4
12	8.44	13.0	20.0	153	52.0	33.0	6.36	2.90	1.88	10.4	33.0	26.6
13	7.96	11.8	19.2	129	58.6	29.8	13.0	2.90	1.88	7.96	93.6	22.1
14	9.88	10.8	19.2	153	60.8	26.6	7.00	3.20	1.88	13.0	232	20.0
15	56.4	9.88	20.0	111	54.2	23.6	6.36	3.50	1.88	34.8	114	17.8
16	43.0	8.92	22.1	77.6	48.0	22.1	6.04	3.05	1.88	77.6	64.2	15.4
17	29.0	8.44	25.0	58.6	40.2	20.7	6.04	2.90	1.88	108	63.0	14.2
18	48.0	7.96	27.4	58.6	38.4	20.0	5.40	2.75	1.88	126	29.8	63.0
19	185	7.48	31.4	58.6	38.4	19.2	5.40	2.60	1.88	67.8	27.4	56.4
20	199	7.96	33.0	67.8	42.0	18.5	4.44	2.60	1.88	48.0	25.0	34.8
21	96.4	7.48	34.8	84.1	46.0	17.8	3.80	2.45	1.88	29.8	23.6	26.6
22	56.4	8.92	42.0	65.4	46.0	16.6	3.35	2.45	1.88	22.1	20.7	23.6
23	40.2	25.0	117	57.5	44.0	15.4	3.35	2.45	1.81	16.0	19.2	19.2
24	31.4	38.4	133	60.8	50.0	15.4	3.20	2.30	1.81	13.0	16.6	17.8
25	26.6	33.0	88.0	59.7	36.6	14.2	2.90	2.30	42.0	10.8	15.4	15.4
26	22.1	150	64.2	57.5	34.8	13.6	3.05	2.30	58.6	10.4	13.0	26.6
27	20.7	264	58.6	56.4	38.4	12.4	3.20	2.16	48.0	8.44	11.8	199
28	28.2	146	49.0	56.4	39.3	11.8	3.50	2.16	26.6	7.00	11.8	105
29	29.8	93.6	42.0	56.4	52.0	11.8	3.50	2.16	15.4	7.00	11.8	80.2
30	23.6		37.5	60.8	60.8	10.8	3.20	2.16	10.4	6.36	33.0	54.2
31	20.7		36.6		46.0		3.20	2.16		6.04		40.2
SD1	12.3	14.9	31.8	62.7	116	46.7	8.88	2.99	2.03	4.39	7.86	146
SD2	59.6	9.98	23.9	107	49.1	24.9	6.70	2.95	1.89	49.9	69.6	30.2
SD3	36.0	85.2	63.9	61.5	44.9	14.0	3.30	2.28	20.8	12.4	17.7	55.3
MAX	330	375	163	243	322	65.4	10.8	3.65	96.4	194	352	501
DAT	19	27	23	10	6	4	1	15	24	17	14	2
SR	36.0	35.0	40.7	77.1	69.3	28.5	6.20	2.72	8.25	21.9	31.7	76.4
MIN	7.96	7.48	19.2	38.4	34.8	10.8	2.90	2.16	1.81	3.05	3.80	14.2
DAT	13	19	7	2	26	30	25	27	23	10	6	17

GMIN =			1.81	SRGOD=				36.1	GMAX =			501
DATUM			23 9						DATUM			2 12

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2005

Broj : 60115 Stanica :PERNICA Kota "0" = 178.72
Nacin osmat.: limnigraf Rijeka :MORACA km od usca = 72.40
Pocetak rada: 1965 Sliv :SKADARSKOG JEZERA Pov.sliva = 440.9

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	36.4	10.1	21.8	68.0	50.0	30.0	11.7	3.50	6.30	47.0	13.4	151	
2	30.0	10.1	19.5	55.0	60.3	25.8	11.7	3.35	7.90	36.4	13.0	122	
3	27.2	9.70	17.2	45.2	77.6	24.4	11.3	3.20	8.50	25.8	12.5	77.6	
4	24.4	9.30	27.9	41.6	93.0	23.0	10.9	3.35	8.19	17.2	12.1	111	
5	21.8	9.30	98.6	41.6	95.8	22.4	10.9	3.20	7.88	15.3	11.7	95.8	
6	20.7	9.30	59.2	43.4	87.8	28.6	10.1	2.90	7.88	15.3	11.3	271	
7	18.9	9.30	36.4	48.0	80.0	61.4	10.1	2.90	7.57	13.4	10.9	165	
8	17.8	9.30	27.2	52.0	63.6	38.0	9.70	4.44	7.26	12.5	10.5	104	
9	17.2	9.30	21.8	53.0	55.0	33.2	9.70	5.08	6.95	12.1	10.1	65.8	
10	16.3	9.30	19.5	59.2	56.0	30.0	9.30	5.72	6.95	11.7	9.30	49.0	
11	15.8	8.90	17.2	72.8	65.8	24.4	10.1	3.80	6.64	10.9	9.30	39.8	
12	15.3	8.90	16.3	94.4	66.9	21.8	10.9	3.50	6.64	10.9	8.90	34.8	
13	15.3	10.1	17.2	85.2	68.0	19.5	10.5	3.20	6.64	10.1	8.50	31.6	
14	15.3	26.5	19.5	70.4	63.6	18.4	10.1	3.20	6.33	10.1	8.50	30.0	
15	14.9	26.5	19.5	55.0	63.6	18.4	9.70	3.05	6.64	9.70	11.9	27.2	
16	14.4	19.5	21.8	53.0	59.2	17.8	9.30	3.20	6.02	9.30	87.8	24.4	
17	13.4	17.2	27.2	65.8	61.4	17.2	10.1	3.50	6.02	9.30	55.0	23.7	
18	13.4	15.8	32.4	66.9	68.0	17.2	23.0	3.50	68.0	8.90	36.4	25.1	
19	13.0	15.3	41.6	55.0	72.8	16.3	17.8	3.80	113	8.50	30.0	19.5	
20	12.1	14.4	47.0	72.8	63.6	15.8	13.4	5.08	57.0	8.50	27.2	16.3	
21	11.3	16.7	43.4	93.0	47.0	14.9	11.7	5.08	34.8	8.19	30.0	16.3	
22	12.1	36.4	39.8	65.8	45.2	14.9	10.9	11.8	25.8	24.4	27.2	15.3	
23	13.4	43.4	41.6	45.2	47.0	14.4	10.1	48.0	20.7	149	24.4	13.0	
24	13.0	39.8	45.2	38.0	48.0	13.4	10.1	41.1	17.2	75.2	23.0	10.9	
25	12.1	40.7	48.0	35.6	49.0	13.0	9.70	23.6	15.3	39.8	23.0	9.30	
26	11.7	45.2	53.0	36.4	53.0	13.0	9.30	14.2	13.4	25.8	38.0	10.9	
27	11.7	36.4	82.6	51.0	52.0	12.5	9.30	10.8	12.5	21.3	168	51.0	
28	11.7	25.8	172	63.6	47.0	12.5	8.90	7.96	11.7	18.4	128	161	
29	10.9		128	66.9	43.4	12.5	7.50	7.00	11.3	16.3	75.2	148	
30	10.5		95.8	63.6	38.0	11.7	6.30	5.72	15.8	14.9	82.6	138	
31	10.1		82.6		34.0		4.88	5.08		14.4		113	
SD1	23.1	9.50	34.9	50.7	71.9	31.7	10.5	3.76	7.54	20.7	11.5	121	
SD2	14.3	16.3	26.0	69.1	65.3	18.7	12.5	3.58	28.3	9.62	39.1	27.2	
SD3	11.7	35.5	75.6	55.9	45.8	13.3	8.97	16.4	17.9	37.1	61.9	62.4	
MAX	39.8	53.0	182	107	110	82.6	27.2	68.0	265	211	190	271	
DAT	1	26	28	21	5	7	18	23	18	23	27	6	
SR	16.2	19.4	46.5	58.6	60.5	21.2	10.6	8.19	17.9	22.9	37.5	70.0	
MIN	10.1	8.90	16.3	35.6	34.0	11.7	4.88	2.90	6.02	8.19	8.50	9.30	
DAT	31	11	12	25	31	30	31	6	16	21	13	25	
		GMIN =	2.90			SRGOD=	32.6			GMAX =	271		
		DATUM	6 8							DATUM	6 12		