

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1987

Broj : 60058 Stanica :BRODSKE NJIVE Kota "0" = 8.32
Nacin osmat.: limnigraf Rijeka :RIJ. CRNOJEVICA km od usca = 3.03
Pocetak rada: 1987 Sliv :SKADAR. JEZERA Pov.sliva = 79.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	7.68	39.2	10.2	12.4	5.18	15.1	3.01	1.79	1.15	1.10	1.65	12.0
2	7.68	23.7	10.6	11.3	4.98	13.1	2.67	1.79	1.15	1.10	1.65	7.45
3	22.5	18.8	14.3	11.3	4.98	9.55	2.67	1.65	1.15	1.10	1.65	5.81
4	11.6	16.4	16.4	10.6	4.98	8.95	2.67	1.65	1.15	1.10	1.55	4.78
5	11.6	14.3	11.6	10.6	4.58	9.55	2.67	1.65	1.15	1.10	1.55	6.23
6	6.23	11.6	9.85	9.85	4.18	13.1	2.33	1.92	1.15	1.10	1.55	23.7
7	5.60	10.6	8.35	8.95	5.60	10.6	2.33	1.79	1.15	1.10	1.45	16.0
8	3.18	9.55	8.95	8.95	10.2	10.6	2.33	1.79	1.15	1.10	1.45	22.0
9	3.18	9.55	8.95	8.35	8.13	9.55	2.33	1.65	1.15	1.25	1.45	35.0
10	3.18	8.95	8.35	8.35	7.23	8.35	2.33	1.65	1.15	1.15	44.1	12.7
11	12.4	8.95	8.13	7.68	6.63	8.13	2.33	1.65	1.15	1.15	70.1	8.95
12	85.0	12.4	7.23	8.13	6.02	7.23	2.19	1.65	1.15	7.23	16.4	6.83
13	15.5	20.9	6.23	7.68	6.02	6.63	2.19	1.65	1.15	38.6	7.68	5.60
14	177	15.1	5.18	6.63	6.23	6.02	2.19	1.65	1.15	11.3	5.60	15.5
15	98.9	13.5	4.58	5.60	34.3	2.84	2.19	1.65	1.15	5.60	8.35	144
16	36.2	17.3	4.18	5.18	18.3	2.67	2.06	1.55	1.10	3.78	15.5	42.9
17	24.3	15.1	4.18	5.18	15.1	2.33	2.06	1.55	1.10	2.84	8.95	13.5
18	18.3	13.5	4.18	4.58	12.4	2.06	2.06	1.55	1.10	3.78	6.23	8.35
19	17.3	11.3	5.18	4.58	7.03	2.06	2.06	1.45	1.10	9.85	4.98	6.63
20	16.4	9.25	6.23	3.58	6.23	4.18	2.06	1.45	1.10	5.39	4.58	5.39
21	14.3	8.13	18.3	3.58	5.18	18.3	2.06	1.45	1.10	3.78	70.1	4.58
22	13.5	11.3	13.1	44.8	13.1	17.3	1.92	1.35	1.10	3.01	14.3	3.98
23	12.7	15.5	11.3	37.4	11.6	11.6	1.92	1.35	1.10	2.67	7.68	3.58
24	12.4	13.5	9.55	13.5	11.3	9.85	1.79	1.35	1.10	2.33	18.3	3.18
25	12.4	11.6	9.55	11.3	9.55	6.23	1.79	1.35	1.10	2.06	14.3	3.01
26	13.1	11.3	8.35	9.55	8.35	6.23	1.79	1.25	1.10	1.92	18.8	2.67
27	14.3	10.6	7.68	7.23	8.13	6.02	1.79	1.15	1.10	1.92	23.7	2.50
28	41.7	9.85	7.68	6.23	8.13	6.02	1.65	1.15	1.10	1.79	15.5	2.33
29	37.4		11.6	5.60	7.90	5.60	1.65	1.15	1.10	1.79	9.85	2.19
30	82.8		59.2	5.18	16.4	2.84	1.65	1.15	1.10	1.65	20.9	2.19
31	47.1		48.5		32.5		1.65	1.15		1.65		2.19
SD1	8.24	16.3	10.8	10.1	6.00	10.8	2.53	1.73	1.15	1.12	5.80	14.6
SD2	50.1	13.7	5.53	5.88	11.8	4.42	2.14	1.58	1.13	8.95	14.8	25.8
SD3	27.4	11.5	18.6	14.4	12.0	9.00	1.79	1.26	1.10	2.23	21.3	2.95
MAX	177	39.2	59.2	44.8	34.3	18.3	3.38	1.92	1.15	38.6	44.1	144
DAT	14	1	30	22	15	21	1	6	1	13	10	15
SR	28.6	14.0	11.9	10.1	10.0	8.09	2.14	1.52	1.13	4.04	14.0	14.1
MIN	3.18	8.13	4.18	3.58	4.18	2.06	1.65	1.15	1.10	1.10	1.45	2.19
DAT	8	21	16	20	6	18	28	27	16	1	7	29
GMIN =		1.10		SRGOD=		9.94		GMAX =		177		
DATUM		16 9						DATUM		14 1		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1988

Broj : 60058 Stanica :BRODSKE NJIVE Kota "0" = 8.32
Nacin osmat.: limnigraf Rijeka :RIJ. CRNOJEVICA km od usca = 3.03
Pocetak rada: 1987 Sliv :SKADAR. JEZERA Pov.sliva = 79.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII					
1	2.06	10.6	20.3	62.7	6.23	2.67	1.15	1.05	.905	1.25	2.19	9.25					
2	1.92	6.83	12.4	24.8	5.18	7.45	1.15	1.05	.905	1.25	2.06	119					
3	1.92	10.6	7.68	12.4	4.38	3.98	1.15	1.05	.905	1.15	2.50	94.7					
4	1.92	8.35	6.43	7.90	3.98	3.01	1.10	1.05	.905	1.10	6.43	36.8					
5	1.92	99.9	6.02	6.23	3.58	2.50	1.10	1.05	.905	1.10	4.78	13.5					
6	1.92	49.3	11.6	5.18	3.18	3.38	1.10	1.05	.905	1.45	3.78	9.55					
7	1.79	12.4	12.4	4.58	2.84	3.58	1.10	1.05	.905	3.18	3.01	10.6					
8	1.92	21.4	8.95	4.18	2.67	2.84	1.10	1.00	.905	4.38	2.67	7.68					
9	6.43	50.8	7.45	3.78	2.50	2.50	1.10	1.00	.905	6.02	2.33	6.02					
10	5.18	22.0	6.23	3.58	2.33	2.19	1.05	1.00	.905	3.58	2.19	4.98					
11	4.18	11.6	5.39	3.18	2.19	1.92	1.05	1.00	.905	2.50	2.06	4.18					
12	3.58	8.65	4.78	2.84	2.19	1.79	1.05	1.00	.905	2.06	1.92	3.58					
13	3.18	7.03	4.58	2.67	2.06	1.55	1.05	.954	.905	1.92	1.92	3.18					
14	2.84	5.39	8.13	25.4	1.92	1.55	1.05	.954	1.05	1.65	2.67	3.01					
15	2.50	4.58	9.55	8.35	1.92	1.45	1.05	.954	9.55	1.55	3.58	2.84					
16	2.33	4.18	8.35	6.02	1.92	1.45	1.05	.905	11.3	1.45	3.01	2.67					
17	2.19	3.58	46.3	4.98	1.65	1.35	1.05	.905	3.78	1.45	2.67	2.50					
18	2.19	3.38	34.3	4.18	1.65	1.35	1.05	.905	7.45	1.35	2.33	2.19					
19	2.06	3.01	10.9	3.78	1.65	1.35	1.05	.905	3.98	1.25	4.98	2.06					
20	2.06	2.84	7.90	3.38	1.65	1.25	1.05	.905	2.33	1.25	58.3	1.92					
21	2.33	2.50	6.43	3.01	1.55	1.25	1.05	.905	1.92	3.98	47.1	1.92					
22	5.18	2.33	5.39	2.84	1.55	1.25	1.05	.905	6.83	10.6	96.8	1.79					
23	8.13	2.19	78.4	2.50	1.55	1.15	1.05	.905	5.81	6.63	22.5	1.65					
24	8.13	7.23	39.8	2.50	1.55	1.15	1.05	.905	3.38	4.18	9.55	1.65					
25	5.81	48.5	11.6	8.35	1.55	1.15	1.05	.905	2.50	3.18	7.23	1.65					
26	59.2	14.3	7.68	7.90	1.55	1.15	1.05	.905	2.06	2.50	5.81	1.65					
27	20.3	7.90	6.63	6.83	1.45	1.15	1.05	.905	1.65	2.19	4.78	1.65					
28	7.90	6.83	6.23	5.60	1.45	1.15	1.05	.905	1.55	2.06	3.78	1.55					
29	6.02	6.23	5.39	5.81	2.67	1.15	1.05	.905	1.45	1.92	3.58	1.55					
30	44.1		4.58	7.68	2.06	1.15	1.05	.905	1.35	1.79	3.18	1.55					
31	39.8		12.7		1.65		1.05	.905		1.92		1.55					
SD1	2.70	29.2	9.95	13.5	3.69	3.41	1.11	1.04	.905	2.45	3.19	31.2					
SD2	2.71	5.42	14.0	6.48	1.88	1.50	1.05	.939	4.22	1.64	8.34	2.81					
SD3	18.8	10.9	16.8	5.30	1.69	1.17	1.05	.905	2.85	3.72	20.4	1.65					
MAX	108	152	143	129	6.83	10.2	1.15	1.05	24.3	12.4	141	166					
DAT	30	5	23	1	1	2	1	1	16	22	30	2					
SR	8.42	15.3	13.7	8.44	2.40	2.03	1.07	.958	2.66	2.64	10.7	11.6					
MIN	1.79	2.19	4.58	2.50	1.45	1.15	1.05	.905	.905	1.10	1.92	1.55					
DAT	7	23	13	23	27	23	10	16	1	4	12	28					

GMIN =			.905			SRGOD=			6.61			GMAX =			166		
DATUM			16 8									DATUM			2 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1989

Broj : 60058 Stanica :BRODSKE NJIVE Kota "0" = 8.32
Nacin osmat.: limnigraf Rijeka :RIJ. CRNOJEVICA km od usca = 3.03
Pocetak rada: 1987 Sliv :SKADAR. JEZERA Pov.sliva = 79.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.55	1.05	16.0	2.19	7.03	1.05	.859	.721	1.10	1.65	1.00	2.84
2	1.45	1.05	107	2.19	6.43	1.10	.859	.721	.954	1.25	1.00	2.50
3	1.45	1.05	26.6	2.06	6.02	1.25	.859	.721	7.90	1.10	.954	2.19
4	1.45	1.05	72.2	1.92	4.38	1.15	.859	.721	5.39	1.00	.954	2.06
5	1.45	1.05	18.3	1.92	3.18	1.10	.813	.721	2.33	1.00	1.00	1.79
6	1.35	1.00	9.55	1.92	3.18	1.10	.813	.721	1.65	.954	2.33	1.65
7	1.35	1.00	7.23	1.79	2.84	1.05	.813	.675	1.35	.905	26.0	1.65
8	1.35	1.00	6.02	1.65	2.67	1.00	.813	.675	1.15	17.8	16.9	1.55
9	1.35	1.00	5.18	1.55	2.84	1.00	.813	.675	1.05	42.9	6.83	1.45
10	1.25	1.00	4.58	1.45	2.84	1.00	.767	.675	6.02	74.3	4.58	1.45
11	1.25	1.00	3.78	1.35	2.67	1.00	.767	.675	6.23	33.1	3.38	1.35
12	1.25	1.00	3.18	1.35	2.33	.954	.767	.721	3.01	10.9	2.84	1.25
13	1.25	.954	2.84	1.55	2.19	.954	.767	.721	2.06	5.81	2.33	1.25
14	1.15	.954	2.50	2.84	2.06	.954	.767	.675	1.65	3.78	2.19	1.79
15	1.15	.954	2.19	2.67	1.92	.954	.767	.675	1.65	3.58	1.92	2.33
16	1.15	.954	2.19	2.33	1.92	.954	.905	.675	1.45	2.84	1.79	7.68
17	1.15	.954	2.06	2.33	1.79	1.05	.813	.675	1.25	2.33	1.65	6.23
18	1.10	.954	2.06	40.4	1.79	1.00	.767	.675	1.10	2.06	1.55	4.18
19	1.10	.954	1.79	14.3	1.65	.954	.767	.675	1.05	1.92	1.45	3.18
20	1.10	.954	1.55	5.81	1.65	.954	.767	.675	1.05	1.65	1.35	13.5
21	1.10	.954	1.92	3.98	1.55	.954	.767	.655	1.00	1.55	1.25	8.13
22	1.10	.954	5.81	3.01	1.55	.905	.767	.655	1.00	1.45	1.35	5.39
23	1.10	.954	5.39	2.33	1.45	.905	.767	.655	.954	1.35	11.6	3.98
24	1.10	.954	4.38	2.06	1.35	.905	.721	.655	.905	1.35	16.0	3.38
25	1.10	1.00	3.58	1.79	1.35	.905	.721	.655	.859	1.25	33.7	2.84
26	1.10	20.3	3.38	1.55	1.35	.905	.721	.655	.813	1.25	17.8	2.50
27	1.10	30.1	3.01	1.35	1.25	.905	.721	.655	.813	1.15	7.68	3.98
28	1.05	11.3	2.84	1.45	1.25	.905	.721	.954	.954	1.15	5.60	2.06
29	1.05		2.67	1.79	1.25	.905	.721	2.33	1.25	1.10	4.38	1.92
30	1.05		2.50	3.78	1.15	.905	.721	4.78	1.65	1.05	3.38	1.79
31	1.05		2.19		1.10		.721	1.55		1.00		1.65
SD1	1.40	1.02	27.3	1.86	4.14	1.08	.827	.703	2.89	14.3	6.15	1.91
SD2	1.17	.963	2.41	7.49	2.00	.973	.785	.684	2.05	6.80	2.05	4.27
SD3	1.08	8.31	3.42	2.31	1.33	.910	.734	1.29	1.02	1.24	10.3	3.42
MAX	1.55	78.4	153	78.4	7.45	1.45	1.05	7.90	14.7	108	50.0	27.2
DAT	1	27	2	18	1	3	16	30	3	10	25	21
SR	1.21	3.09	10.8	3.89	2.45	.988	.780	.905	1.99	7.24	6.16	3.21
MIN	1.05	.954	1.55	1.35	1.10	.905	.721	.655	.813	.905	.954	1.25
DAT	28	13	20	11	31	22	24	21	26	7	3	12

GMIN = .655			SRGOD= 3.57					GMAX = 153				
DATUM 21 8								DATUM 2 3				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1990

Broj : 60058 Stanica :BRODSKE NJIVE Kota "0" = 8.32
Nacin osmat.: limnigraf Rijeka :RIJ. CRNOJEVICA km od usca = 3.03
Pocetak rada: 1987 Sliv :SKADAR. JEZERA Pov.sliva = 79.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.25	7.23	2.19	1.92	2.19	1.10	.655	.615	.575	.655	19.3	7.15
2	1.15	4.98	1.92	1.65	2.06	1.05	.635	.615	.575	.635	7.45	5.78
3	1.10	3.78	1.79	1.55	1.79	1.00	.635	.615	.615	.635	4.98	4.90
4	1.10	3.01	1.79	1.45	1.65	.954	.635	.615	.767	.635	3.58	4.36
5	1.05	2.50	1.65	1.55	1.55	.905	.635	.615	.635	.615	2.84	4.18
6	1.00	2.19	1.65	1.35	1.45	.905	.635	.595	.655	.595	2.19	4.36
7	1.00	2.06	1.45	2.19	1.35	.859	.635	.595	.675	1.15	1.92	4.72
8	.954	1.92	1.35	4.98	1.25	.859	.635	.615	.655	23.7	1.65	5.34
9	.905	1.65	1.35	3.78	1.25	.859	.615	.635	.635	16.0	1.45	7.15
10	.859	1.65	1.25	50.0	1.15	.813	.615	.635	.615	5.60	1.25	69.8
11	.859	1.55	1.15	22.5	1.15	.813	.615	.615	.615	2.84	1.15	63.0
12	.813	1.92	1.15	7.90	1.10	.767	.615	.615	.595	1.92	1.15	23.6
13	.813	11.6	1.10	5.18	1.10	.721	.635	.595	.595	1.45	1.15	17.6
14	.813	6.63	1.10	3.78	1.05	.767	.635	.595	.595	1.15	1.10	20.7
15	.767	5.18	1.05	3.18	1.00	.767	.635	.595	.595	1.05	2.19	25.8
16	.767	7.03	1.05	4.78	1.00	.813	.615	.595	.595	1.00	5.81	11.7
17	.767	6.02	1.05	6.83	.954	.813	.615	.595	.595	.954	3.98	8.23
18	.767	4.58	1.00	5.39	.954	.767	.615	.595	.575	.905	3.01	6.92
19	.767	3.58	.954	7.45	.954	.721	.635	.595	.575	.859	2.50	6.00
20	.767	3.01	.954	12.7	.905	.721	.615	.595	.575	1.05	2.33	5.56
21	.721	2.84	.954	65.4	.905	.721	.615	.595	4.58	14.3	2.19	4.90
22	.721	2.84	.954	54.0	2.50	.675	.615	.595	2.06	7.45	1.92	4.36
23	.721	2.84	.954	36.8	2.50	.675	.595	.595	1.05	3.78	6.23	4.00
24	.721	2.67	.905	16.0	1.55	.675	.615	.595	1.05	2.50	61.8	3.64
25	.721	2.33	.905	7.45	1.35	.675	.595	.595	1.92	1.92	20.3	3.28
26	.767	2.19	1.05	5.39	1.15	.675	.615	.595	1.05	3.38	14.8	2.94
27	1.35	2.06	3.58	4.18	1.15	.655	.635	.595	.905	7.03	20.2	2.94
28	5.39	2.19	2.67	3.38	1.15	.655	.615	.575	.767	16.0	22.5	15.9
29	3.98		2.67	2.84	1.15	.655	.615	.575	.721	19.3	24.1	13.7
30	27.2		2.84	2.33	1.25	.655	.615	.575	.675	81.7	9.50	7.69
31	18.8		2.33		1.15		.615	.575		22.0		5.78
SD1	1.04	3.10	1.64	7.04	1.57	.930	.633	.615	.640	5.02	4.66	11.8
SD2	.790	5.11	1.06	7.97	1.02	.767	.623	.599	.591	1.32	2.44	18.9
SD3	5.55	2.49	1.80	19.8	1.44	.672	.613	.588	1.48	16.3	18.4	6.28
MAX	44.1	13.1	4.18	112	4.18	1.10	.655	.635	12.0	111	82.8	153
DAT	30	13	27	10	22	1	1	9	21	30	24	10
SR	2.56	3.64	1.51	11.6	1.34	.790	.623	.600	.903	7.83	8.48	12.1
MIN	.721	1.55	.905	1.35	.905	.655	.595	.575	.575	.595	1.10	2.94
DAT	21	11	24	6	20	27	23	28	1	6	14	26

GMIN =			.575	SRGOD=				4.33	GMAX =			153
DATUM			28 8						DATUM			10 12

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1991

Broj : 60058 Stanica :BRODSKE NJIVE Kota "0" = 8.32
Nacin osmat.: limnigraf Rijeka :RIJ. CRNOJEVICA km od usca = 3.03
Pocetak rada: 1987 Sliv :SKADAR. JEZERA Pov.sliva = 79.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	5.12	1.00	4.36	2.16	3.82	1.60	.946	.784	.592	.838	1.36	6.69
2	12.5	1.00	4.72	2.02	3.28	1.48	.946	.784	.546	.730	1.24	4.90
3	9.00	1.00	4.00	1.88	2.78	1.36	.946	.784	.546	.730	1.24	4.18
4	6.00	.946	3.64	1.74	2.62	1.24	1.24	.784	.546	.684	1.36	3.64
5	4.90	.946	3.10	4.00	2.30	1.24	1.00	.730	.546	.638	66.4	3.28
6	4.36	.946	2.62	7.42	2.02	1.12	1.60	.730	.546	.638	33.4	2.94
7	4.72	.946	6.23	4.72	3.10	1.12	1.12	.730	.546	.592	14.0	2.62
8	4.36	6.00	8.50	3.46	8.75	10.3	.946	.730	.546	1.24	9.00	2.30
9	4.36	39.8	5.56	2.94	5.56	18.9	.892	.684	.546	3.28	5.78	2.02
10	4.54	11.5	4.54	2.46	4.00	6.00	.892	.684	.546	1.74	4.54	1.88
11	4.18	18.0	3.64	2.16	3.46	3.82	.892	.684	.546	1.24	3.46	1.74
12	3.82	116	3.28	2.02	3.10	2.94	.838	.684	.546	.946	2.62	1.60
13	3.64	53.5	2.94	1.88	2.78	2.46	.838	.684	.546	28.0	2.62	1.36
14	3.28	14.0	2.62	1.74	2.46	2.16	.838	.684	.546	61.4	2.46	1.36
15	3.10	8.50	2.30	1.74	2.30	1.88	.838	.638	.546	15.1	37.9	1.36
16	3.10	6.00	2.16	1.74	2.46	1.60	.838	.638	.500	15.5	68.9	1.24
17	2.94	5.78	2.02	1.74	6.69	1.48	.838	.638	.500	36.0	128	1.24
18	2.62	6.69	1.74	11.2	5.78	1.36	.838	.638	.546	10.9	67.3	1.12
19	2.30	9.00	1.60	11.5	4.72	1.24	.784	.638	.500	5.56	28.0	1.60
20	2.02	8.75	1.60	9.75	4.00	1.24	.784	.638	.500	11.5	15.1	1.74
21	1.88	7.15	1.48	8.50	3.28	1.12	.784	.592	.500	20.7	19.8	4.18
22	1.74	6.00	1.48	5.78	2.94	1.00	.784	.592	.500	18.9	47.5	3.64
23	1.60	5.56	1.36	4.36	2.30	1.00	.784	.592	.500	7.42	26.3	2.62
24	1.48	4.90	1.36	4.36	2.62	1.00	.784	.592	.500	4.72	22.5	2.30
25	1.48	4.36	1.36	4.90	5.12	1.00	.784	.592	.500	3.28	58.2	2.02
26	1.36	3.82	1.36	4.54	3.64	1.00	.784	.592	.500	2.62	55.0	1.88
27	1.36	3.46	1.36	21.1	2.78	1.00	.784	.592	11.2	2.30	32.8	1.88
28	1.24	3.28	1.36	14.0	2.46	1.00	.784	.592	6.23	1.88	17.2	1.74
29	1.24		1.48	6.92	2.16	1.00	1.48	.592	1.88	1.74	12.0	1.60
30	1.12		1.88	4.72	1.88	.946	1.36	.592	1.00	1.48	9.00	1.48
31	1.12		2.30		1.74		.892	.592		1.36		1.36
SD1	5.99	6.41	4.73	3.28	3.82	4.44	1.05	.742	.551	1.11	13.8	3.45
SD2	3.10	24.6	2.39	4.55	3.78	2.02	.833	.656	.528	18.6	35.6	1.44
SD3	1.42	4.82	1.53	7.92	2.81	1.01	.909	.592	2.33	6.04	30.0	2.25
MAX	15.9	143	12.2	59.8	10.0	46.8	2.16	.784	27.4	88.0	179	6.69
DAT	2	12	8	27	8	9	6	1	27	14	17	1
SR	3.43	12.5	2.84	5.25	3.45	2.49	.931	.661	1.14	8.51	26.5	2.37
MIN	1.12	.946	1.36	1.74	1.74	.946	.784	.592	.500	.592	1.24	1.12
DAT	30	4	23	4	31	30	19	21	16	7	2	18

GMIN =			.500	SRGOD=				5.75	GMAX =			179
DATUM			16 9						DATUM			17 11

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1992

Broj : 60058 Stanica :BRODSKE NJIVE Kota "0" = 8.32
Nacin osmat.: limnigraf Rijeka :RIJ. CRNOJEVICA km od usca = 3.03
Pocetak rada: 1987 Sliv :SKADAR. JEZERA Pov.sliva = 79.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII					
1	1.36	2.94	1.60	8.50	1.74	.838	.892	.592	.500	5.12	21.6	1.60					
2	1.36	2.62	1.74	19.3	1.60	.784	.892	.592	.546	2.78	17.2	1.48					
3	1.24	2.30	1.74	18.0	1.48	.784	.838	.592	.546	2.94	8.23	1.48					
4	1.24	2.16	1.88	11.7	1.36	.730	.838	.592	.546	35.3	5.78	1.48					
5	1.24	2.02	1.88	7.42	1.36	.730	.838	.592	.500	16.7	4.72	1.74					
6	1.24	1.88	2.02	5.78	1.36	.730	.838	.592	.546	8.23	3.82	31.6					
7	1.24	1.88	2.02	11.7	1.24	.730	.838	.592	.546	30.4	3.46	16.7					
8	1.24	2.30	2.02	15.1	1.24	.684	.838	.592	.546	8.23	3.10	10.0					
9	1.24	2.94	2.02	10.9	1.12	.684	.838	.592	.546	4.72	2.62	50.5					
10	1.36	2.94	1.88	14.8	1.12	.684	.784	.592	.592	3.64	2.46	15.5					
11	4.00	6.23	1.74	12.2	1.00	.684	.784	.592	.546	3.28	2.30	8.75					
12	4.72	6.23	1.60	8.50	1.00	3.10	.784	.592	.546	5.78	14.0	6.46					
13	3.28	4.72	1.60	6.00	.946	8.50	.784	.592	.500	4.90	38.5	7.69					
14	2.62	4.72	1.48	4.54	.946	6.92	.784	.592	.500	4.72	22.5	6.00					
15	2.30	4.72	1.74	3.82	.946	3.28	.730	.592	.500	6.46	13.4	4.72					
16	2.02	4.90	2.02	3.46	.892	2.16	.730	.592	.500	12.8	8.50	4.00					
17	1.88	8.50	1.88	39.2	.838	1.74	.730	.546	.546	34.0	23.0	3.28					
18	1.74	10.3	1.74	63.0	.838	1.48	.730	.546	.546	55.0	59.8	2.94					
19	1.60	6.23	1.48	16.7	.838	1.48	.730	.546	.500	15.9	30.4	2.62					
20	1.48	4.36	1.36	8.50	.838	1.60	.684	.500	.546	7.69	11.7	2.30					
21	1.48	3.64	1.24	5.56	.838	1.48	.684	.500	.546	5.34	7.15	2.02					
22	4.36	2.94	1.24	4.54	.892	1.24	.684	.500	.546	4.90	5.12	1.88					
23	7.69	2.62	4.72	4.00	.946	1.12	.684	.500	.546	5.56	4.00	1.74					
24	7.96	2.30	32.8	3.46	.892	1.00	.684	.500	.592	21.1	3.28	1.60					
25	7.42	2.02	17.2	2.94	.838	1.00	.684	.500	.592	13.7	2.78	1.60					
26	6.00	1.88	8.50	2.62	.838	.946	.638	.458	.592	8.75	2.62	1.48					
27	4.72	1.74	6.46	2.30	.784	.946	.638	.500	.592	7.69	2.30	1.48					
28	4.00	1.60	5.56	2.16	.784	.946	.638	.500	.592	6.92	2.02	1.36					
29	3.64	1.60	5.12	1.88	.730	.892	.638	.500	8.75	6.46	1.88	1.24					
30	3.28		5.56	1.74	.838	.892	.592	.500	30.4	8.23	1.74	1.24					
31	3.28		11.7		.892		.592	.546		7.69		1.24					
SD1	1.28	2.40	1.88	12.3	1.36	.738	.843	.592	.541	11.8	7.30	13.2					
SD2	2.56	6.09	1.66	16.6	.908	3.09	.747	.569	.523	15.1	22.4	4.88					
SD3	4.89	2.26	9.10	3.12	.843	1.05	.651	.500	4.37	8.76	3.29	1.53					
MAX	8.75	13.4	60.6	94.3	1.74	18.0	.892	.638	77.2	71.5	84.0	85.0					
DAT	23	18	24	17	1	13	1	2	30	18	18	9					
SR	2.98	3.63	4.37	10.7	1.03	1.63	.744	.552	1.81	11.8	11.0	6.38					
MIN	1.24	1.60	1.24	1.74	.730	.684	.592	.458	.500	2.78	1.74	1.24					
DAT	3	28	21	30	29	8	30	26	1	2	30	29					

GMIN =			.458			SRGOD=			4.70			GMAX =			94.3		
DATUM			26 8									DATUM			17 4		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1993

Broj : 60058 Stanica :BRODSKE NJIVE Kota "0" = 8.32
Nacin osmat.: limnigraf Rijeka :RIJ. CRNOJEVICA km od usca = 3.03
Pocetak rada: 1987 Sliv :SKADAR. JEZERA Pov.sliva = 79.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII					
1	1.12	3.46	1.00	6.92	1.36	.838	.684	.638	.592	1.74	1.12	10.0					
2	1.12	2.78	8.50	6.23	1.36	.838	.684	.638	.592	19.8	1.00	9.00					
3	1.12	2.30	11.7	18.4	1.24	.838	.638	.638	.592	61.4	1.36	12.2					
4	1.00	2.02	9.75	21.6	1.24	.838	.638	.638	.638	50.5	13.1	7.96					
5	.946	1.74	6.69	12.0	1.12	.838	.638	.638	1.88	18.0	64.7	5.78					
6	.946	1.60	4.90	10.3	1.12	.784	.638	.638	1.74	7.42	49.8	4.54					
7	.946	1.48	4.00	8.50	1.12	.730	.638	.638	.892	4.54	28.0	3.82					
8	.946	1.36	3.28	6.46	1.00	.730	.638	.638	.784	3.28	10.3	12.0					
9	.946	1.36	2.94	5.34	1.00	.730	.638	.638	.730	8.23	8.50	13.4					
10	.946	1.24	2.78	4.54	.946	.730	.638	.730	.684	13.7	7.42	16.3					
11	.892	1.24	2.94	11.2	.946	.730	.638	.684	.684	5.78	5.34	9.25					
12	.892	1.24	3.46	21.6	.946	.730	.638	.684	.684	4.00	4.36	12.8					
13	.892	1.24	3.82	14.0	.946	.684	.638	.684	.684	3.10	26.9	8.75					
14	.892	1.12	4.18	8.50	.946	.684	.638	.684	.684	2.46	25.2	7.42					
15	.892	1.12	4.54	6.00	3.64	.684	.638	.684	3.10	2.16	9.25	110					
16	.892	1.00	4.72	4.72	4.72	.684	.638	.684	3.28	1.88	53.5	70.7					
17	.892	1.00	4.72	4.00	2.62	.684	.592	.638	1.60	1.74	18.9	22.5					
18	.892	1.00	4.90	3.64	2.02	.684	.592	.638	1.12	1.60	9.00	11.2					
19	.892	.946	5.56	3.10	1.88	.684	.592	.638	.946	1.48	6.23	10.6					
20	.892	.946	5.12	2.78	1.60	.684	.592	.638	.838	1.36	4.90	6.00					
21	.892	.946	4.36	2.46	1.48	.684	.592	.638	.784	1.24	4.90	5.12					
22	.892	.946	3.64	2.30	1.36	.684	.592	.638	.730	1.24	5.12	10.6					
23	.838	.946	3.28	2.16	1.24	.684	.592	.638	.684	1.24	4.90	10.3					
24	.838	.892	2.94	2.02	1.12	.684	.592	.638	.638	2.94	4.72	9.25					
25	.784	.892	2.78	1.88	1.00	.684	.592	.638	.638	2.30	4.18	44.7					
26	3.82	.892	37.3	1.74	1.00	.684	.546	.592	.638	1.88	3.64	20.7					
27	2.62	.838	45.4	1.60	.946	.638	.546	.592	.638	1.60	3.46	69.8					
28	2.02	.838	20.7	1.60	.946	.638	.546	.592	.638	1.48	3.46	23.6					
29	1.74		11.2	1.48	.892	.684	.546	.592	2.62	1.36	3.10	11.2					
30	8.23		8.75	1.48	.892	.684	.638	.592	3.46	1.24	6.00	7.69					
31	5.12		7.96		.838		.638	.592		1.12		5.78					
SD1	1.00	1.93	5.55	10.0	1.15	.789	.647	.647	.912	18.9	18.5	9.50					
SD2	.892	1.09	4.40	7.95	2.03	.693	.620	.666	1.36	2.56	16.4	26.9					
SD3	2.53	.899	13.5	1.87	1.06	.675	.584	.613	1.15	1.60	4.35	19.9					
MAX	10.9	4.18	79.1	51.3	11.2	.838	.684	.946	9.75	90.0	94.3	118					
DAT	30	1	26	3	15	1	1	10	25	3	4	15					
SR	1.51	1.34	7.99	6.62	1.40	.719	.616	.641	1.14	7.48	13.1	18.8					
MIN	.784	.838	1.00	1.48	.838	.638	.546	.592	.592	1.12	1.00	3.82					
DAT	25	27	1	29	31	27	26	26	1	31	2	7					

GMIN =			.546			SRGOD=			5.14			GMAX =			118		
DATUM			26 7									DATUM			15 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1994

Broj : 60058 Stanica :BRODSKE NJIVE Kota "0" = 8.32
Nacin osmat.: limnigraf Rijeka :RIJ. CRNOJEVICA km od usca = 3.03
Pocetak rada: 1987 Sliv :SKADAR. JEZERA Pov.sliva = 79.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	5.12	2.02	7.42	1.36	1.88	1.24	.892	.730	.730	.784	4.00	.946
2	11.5	2.02	6.46	2.30	1.74	1.24	.892	.730	.730	.784	2.94	.892
3	9.25	1.88	6.92	5.12	1.74	1.12	.838	.730	.730	.730	2.46	.892
4	6.46	1.88	6.23	2.62	1.60	1.12	.838	.730	.892	.784	1.74	.892
5	32.8	1.74	5.56	2.62	1.60	1.12	.838	.730	.784	4.72	1.48	.892
6	35.3	1.74	4.72	9.00	9.75	1.00	.838	.730	.730	2.16	1.36	.892
7	10.9	1.74	4.00	16.3	7.69	1.00	.838	.730	.730	1.48	1.36	.892
8	6.92	1.60	3.64	18.9	4.36	.946	.838	.730	.684	1.12	1.88	.838
9	5.56	1.48	3.46	32.8	3.28	.946	.838	.684	.684	1.00	4.18	.838
10	4.54	1.48	3.28	54.3	2.94	.946	.838	.684	.684	.892	4.72	2.02
11	4.00	1.48	3.10	134	2.62	1.00	.784	.684	.684	.838	41.2	4.54
12	4.36	1.48	2.94	103	2.30	1.00	.784	.684	.638	.838	19.8	2.78
13	4.54	1.36	2.62	49.0	2.16	1.12	.784	.684	.638	.838	9.75	2.16
14	4.18	1.36	2.46	18.0	2.16	2.94	.784	.684	.638	.838	4.90	2.02
15	3.82	1.36	2.30	10.0	2.02	1.88	.784	.684	.784	.838	3.64	1.88
16	4.18	1.36	2.16	7.15	1.88	1.48	.784	.684	1.00	.784	2.94	1.74
17	11.7	2.62	2.02	9.00	1.74	1.36	.784	.684	.838	.784	2.62	1.74
18	19.3	51.3	2.02	16.7	1.74	1.24	.730	.946	.946	.784	2.16	1.74
19	17.6	17.6	1.88	10.6	3.10	1.24	.730	.892	.892	.784	2.02	1.60
20	9.75	13.7	1.74	6.69	2.94	1.12	.730	.784	6.00	.784	1.74	1.48
21	10.6	10.9	1.60	4.90	2.62	1.00	.730	.784	4.72	.784	1.48	3.28
22	8.50	8.50	1.48	4.18	2.30	1.00	.730	.730	2.16	.784	1.48	6.92
23	6.23	7.42	1.48	3.64	2.02	.946	.784	.730	1.48	.784	1.36	5.78
24	5.12	40.5	1.36	3.10	1.88	.946	.784	.730	1.12	.838	1.24	10.9
25	4.18	59.8	1.36	2.78	1.74	.946	.784	.730	1.00	2.78	1.24	17.2
26	3.64	19.8	1.36	2.62	1.60	.946	.730	.784	.892	1.74	1.12	12.0
27	3.28	11.5	1.36	2.30	1.60	.892	.730	.784	.892	4.72	1.00	7.96
28	2.94	8.75	1.48	2.16	1.60	.892	.730	.730	.838	2.78	1.00	5.34
29	2.78		1.48	2.02	1.48	.892	.730	.730	.838	19.8	.946	4.00
30	2.30		1.36	2.02	1.36	.892	.730	.730	.784	42.6	.946	3.64
31	2.16		1.36		1.24		.730	.730		7.15		22.5
SD1	12.8	1.76	5.17	14.5	3.66	1.07	.849	.721	.738	1.45	2.61	.999
SD2	8.34	9.36	2.32	36.4	2.27	1.44	.768	.741	1.31	.811	9.08	2.17
SD3	4.70	20.9	1.43	2.97	1.77	.935	.745	.745	1.47	7.71	1.18	9.05
MAX	97.6	123	7.96	146	25.2	3.28	.892	2.30	11.7	116	67.3	68.9
DAT	5	24	1	11	6	14	1	18	20	30	11	31
SR	8.50	9.94	2.92	18.0	2.54	1.15	.786	.736	1.17	3.46	4.29	4.23
MIN	2.16	1.36	1.36	1.36	1.24	.892	.730	.684	.638	.730	.946	.838
DAT	31	13	24	1	31	27	18	9	12	3	29	8

GMIN = .638			SRGOD= 4.75					GMAX = 146				
DATUM 12 9								DATUM 11 4				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1995

Broj : 60058 Stanica :BRODSKE NJIVE Kota "0" = 8.32
Nacin osmat.: limnigraf Rijeka :RIJ. CRNOJEVICA km od usca = 3.03
Pocetak rada: 1987 Sliv :SKADAR. JEZERA Pov.sliva = 79.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	66.4	20.7	6.23	7.15	4.54	1.88	.946	.730	2.94	1.74	.946	14.0
2	49.0	9.50	5.12	6.92	3.82	1.88	.892	.730	2.02	1.60	1.24	9.50
3	14.0	6.23	6.46	12.0	3.28	1.74	.892	.730	1.48	1.36	9.25	6.23
4	8.75	4.90	19.8	15.1	3.10	1.60	.892	.684	4.00	1.36	4.90	4.72
5	6.00	4.18	52.0	11.2	2.78	1.60	.892	.684	6.46	1.24	3.10	4.00
6	4.72	3.46	29.2	8.75	2.62	1.48	.892	.684	8.75	1.12	2.46	5.56
7	4.00	3.10	17.2	6.92	2.46	1.48	.892	.638	4.90	1.12	2.16	9.00
8	3.46	3.10	15.5	5.56	2.16	1.36	1.00	.684	2.94	1.00	1.88	8.23
9	2.94	3.28	14.4	8.23	2.16	1.36	.946	.638	2.62	1.00	1.74	6.92
10	3.10	24.1	16.3	7.15	2.02	1.36	.892	.638	2.78	1.00	1.74	6.00
11	3.10	12.0	10.9	5.34	1.88	1.36	.946	.638	2.16	1.00	1.60	4.72
12	3.82	6.92	8.23	4.54	1.88	1.24	.946	.638	1.74	1.00	1.60	5.34
13	3.82	4.90	6.46	4.00	17.2	1.24	.946	.684	1.48	.946	3.46	7.42
14	3.46	4.18	5.34	3.46	87.0	1.24	.946	.638	1.24	1.00	7.69	7.69
15	3.10	3.64	4.72	3.10	24.1	1.24	.946	.638	14.0	1.12	20.2	6.92
16	2.78	3.46	4.36	4.36	9.25	1.24	.946	.730	8.50	1.12	7.42	6.46
17	2.46	3.28	13.1	8.50	6.23	1.12	.946	1.00	4.36	1.00	23.0	5.78
18	2.16	3.46	14.4	6.00	4.90	1.12	.946	1.24	2.94	1.00	67.3	13.1
19	2.62	64.7	7.96	4.72	4.18	1.12	.946	2.02	2.30	1.00	18.0	92.1
20	6.00	15.9	6.00	4.00	7.96	1.12	.892	2.16	30.4	1.00	9.00	60.6
21	5.34	8.23	9.00	3.46	11.2	1.12	.838	1.60	26.3	.946	5.78	15.5
22	4.90	5.56	6.23	3.10	8.50	1.12	.838	.946	25.2	.946	4.54	8.23
23	5.34	4.54	4.72	2.94	5.78	1.12	.838	.838	11.5	.946	3.82	16.3
24	14.4	5.78	4.00	2.62	4.54	1.12	.784	.784	6.23	.946	3.46	49.8
25	18.4	13.1	3.64	9.00	3.82	1.12	.730	.946	4.36	.946	3.10	32.2
26	8.50	20.2	3.28	66.4	3.28	1.00	.730	25.8	3.28	.946	2.94	33.4
27	8.50	12.0	2.94	34.0	2.94	1.00	.730	13.7	2.78	.946	7.42	54.3
28	8.23	8.50	46.1	12.0	2.78	1.00	.730	3.64	2.46	.946	49.8	28.6
29	10.0		23.0	7.42	2.46	1.00	.730	7.42	2.16	.946	42.6	12.8
30	11.5		13.1	5.34	2.16	1.00	.730	3.64	1.88	.946	24.1	9.00
31	55.8		9.25		2.02		.730	2.78		.946		9.75
SD1	16.2	8.25	18.2	8.90	2.89	1.57	.914	.684	3.89	1.25	2.94	7.42
SD2	3.33	12.2	8.15	4.80	16.5	1.20	.941	1.04	6.91	1.02	15.9	21.0
SD3	13.7	9.74	11.4	14.6	4.50	1.06	.764	5.64	8.61	.946	14.8	24.5
MAX	115	96.5	99.8	80.1	104	2.02	1.12	65.6	92.1	1.88	100	125
DAT	1	19	28	26	14	1	8	26	20	1	18	19
SR	11.2	10.1	12.5	9.44	7.84	1.28	.869	2.56	6.47	1.07	11.2	17.9
MIN	2.16	3.10	2.94	2.62	1.88	1.00	.730	.638	1.24	.946	.946	4.00
DAT	18	7	27	24	11	26	25	7	14	13	1	5
GMIN =		.638		SRGOD=		7.69		GMAX =		125		
DATUM		7 8						DATUM		19 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1996

Broj : 60058 Stanica :BRODSKE NJIVE Kota "0" = 8.32
Nacin osmat.: limnigraf Rijeka :RIJ. CRNOJEVICA km od usca = 3.03
Pocetak rada: 1987 Sliv :SKADAR. JEZERA Pov.sliva = 79.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	71.5	6.46	3.10	11.2	4.90	1.60	.784	.684	1.74	3.10	1.35	15.5
2	36.6	4.90	3.10	24.7	12.8	1.48	.784	.684	1.88	2.78	1.15	14.7
3	18.9	5.56	2.78	112	6.00	1.36	.784	.638	1.12	30.4	1.05	8.95
4	11.2	13.7	2.78	66.4	4.90	1.36	.784	.638	1.24	24.7	1.00	6.83
5	9.50	26.9	2.46	31.0	5.78	1.36	.784	.638	6.92	9.00	.954	4.78
6	7.42	21.1	2.30	12.8	4.90	1.24	.784	.638	2.78	5.56	.905	3.58
7	6.46	10.3	2.16	9.00	4.00	1.12	.784	.638	1.74	4.36	.905	2.84
8	10.9	10.9	2.16	6.46	3.46	1.12	.730	.638	1.36	4.00	.905	2.33
9	13.4	10.3	2.02	4.90	2.94	1.12	.730	.638	1.24	4.18	.859	1.92
10	10.0	7.15	2.02	4.18	2.78	1.00	.730	.638	1.12	4.18	.859	1.79
11	8.23	5.34	1.88	3.82	2.46	1.00	.730	.638	.946	3.64	.859	1.92
12	6.23	4.54	2.02	3.46	4.36	1.00	.730	.638	1.36	3.28	.859	2.50
13	5.12	5.78	6.69	3.10	6.69	.946	.730	1.88	18.0	2.78	.859	2.33
14	4.00	46.1	9.50	45.4	6.00	.946	.730	2.78	21.6	2.62	.859	31.3
15	3.28	18.0	10.3	55.8	7.69	.946	.730	2.16	7.96	7.42	.813	75.3
16	2.94	9.75	44.7	15.9	15.9	.946	.730	1.00	3.82	6.00	.813	24.3
17	2.78	6.92	26.9	9.25	8.23	.892	.730	.892	2.46	32.8	.813	7.68
18	2.46	5.34	11.2	7.42	5.78	.892	.684	.838	1.88	76.3	7.45	4.98
19	2.30	4.54	8.50	6.23	4.54	.892	.684	.784	2.78	32.2	47.1	3.58
20	2.16	22.5	7.15	4.90	3.82	.892	.684	.730	19.8	12.5	27.2	2.84
21	2.02	61.4	7.42	4.18	3.28	.892	.684	.730	7.96	7.42	55.8	23.1
22	2.02	26.9	6.23	3.64	2.94	.892	.684	.730	7.15	5.12	35.6	8.95
23	1.88	12.8	5.12	3.28	2.62	.892	.684	.730	35.3	4.00	85.0	5.60
24	2.94	8.50	4.72	2.94	2.30	.838	.684	.730	24.7	1.65	47.8	4.98
25	64.7	6.00	4.18	2.62	2.16	.838	.684	.730	18.0	1.45	18.3	17.8
26	39.8	4.90	4.00	2.46	2.02	.838	.684	.684	36.6	1.25	19.3	83.9
27	10.9	4.18	21.1	2.30	1.88	.838	.684	.638	31.6	1.10	47.8	22.5
28	6.69	3.82	99.8	2.16	1.88	.838	.684	.638	9.25	1.00	26.0	7.90
29	4.90	3.46	28.0	2.02	1.88	.838	.684	.638	5.34	1.00	79.5	5.18
30	7.96		13.1	1.88	1.74	.838	.684	.730	4.00	1.00	23.7	6.63
31	10.0		20.2		1.60		.684	.730		1.55		19.8
SD1	19.6	11.7	2.49	28.3	5.25	1.28	.768	.647	2.11	9.23	.994	6.32
SD2	3.95	12.9	12.9	15.5	6.55	.935	.716	1.23	8.06	18.0	8.76	15.7
SD3	14.0	14.7	19.4	2.75	2.21	.854	.684	.701	18.0	2.41	43.9	18.8
MAX	71.5	111	135	138	22.5	1.60	.784	4.36	105	94.3	134	106
DAT	1	20	28	3	16	1	1	13	26	18	29	26
SR	12.6	13.0	11.9	15.5	4.59	1.02	.721	.855	9.39	9.62	17.9	13.8
MIN	1.88	3.46	1.88	1.88	1.60	.838	.684	.638	.946	1.00	.813	1.79
DAT	23	29	11	30	31	24	18	3	11	28	15	10
GMIN =		.638		SRGOD=		9.19		GMAX =		138		
DATUM		3 8						DATUM		3 4		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1997

Broj : 60058 Stanica :BRODSKE NJIVE Kota "0" = 8.32
Nacin osmat.: limnigraf Rijeka :RIJ. CRNOJEVICA km od usca = 3.03
Pocetak rada: 1987 Sliv :SKADAR. JEZERA Pov.sliva = 79.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	36.2	.905	7.23	2.33	2.67	.767	.595	.537	.518	.518	1.92	15.5	
2	12.0	.905	4.18	2.19	2.19	.721	.595	.537	.518	.518	1.55	7.68	
3	22.5	.859	3.01	2.19	1.92	.721	.595	.537	.518	.615	1.25	36.2	
4	38.6	.859	2.19	1.92	1.65	.721	.595	.537	.518	.615	1.10	47.1	
5	33.7	.813	1.92	1.79	1.45	.675	.595	.537	.518	.556	1.00	14.7	
6	20.3	.813	1.65	1.79	1.35	.675	.575	.537	.518	.537	.954	7.45	
7	9.85	.813	1.45	1.45	1.35	.675	.575	.537	.518	.518	1.10	4.98	
8	6.83	.813	1.35	1.35	19.3	.675	.575	.537	.518	.518	3.58	3.58	
9	4.98	.767	1.15	1.15	33.7	.655	.575	.537	.518	.518	12.7	2.84	
10	7.68	.767	1.10	1.10	10.6	.655	.575	.537	.518	.518	13.1	2.19	
11	58.3	.767	1.05	1.10	5.18	.655	.575	.537	.518	1.05	49.3	1.79	
12	38.6	.721	1.00	1.10	3.18	.655	.575	.537	.518	2.84	10.9	1.92	
13	12.0	.721	1.00	1.15	2.50	.635	.575	.537	.518	2.06	6.23	37.4	
14	7.03	.721	1.00	1.10	2.06	.635	.575	.537	.518	16.0	65.4	9.55	
15	4.98	.767	.954	1.10	1.65	.635	.575	.537	.537	28.4	17.3	5.39	
16	3.58	2.50	.954	1.25	1.55	.635	.575	.537	.537	5.60	6.23	3.38	
17	2.84	40.4	.905	1.65	1.35	.615	.575	.537	.518	2.19	3.58	2.50	
18	2.19	8.65	.905	1.65	1.25	.615	.575	.537	.518	1.25	2.50	2.06	
19	1.92	4.58	.859	1.55	1.10	.615	.575	.518	.518	1.00	2.06	1.79	
20	1.65	3.18	2.50	1.45	1.05	.615	.575	.518	.518	.905	1.65	19.3	
21	1.45	2.33	2.67	2.50	1.00	.615	.556	.518	.499	.859	1.65	59.2	
22	1.35	1.92	1.65	60.9	1.00	.615	.556	.518	.499	.813	1.25	36.8	
23	1.25	1.65	1.25	35.6	.954	.615	.556	.518	.518	.767	24.3	15.5	
24	1.15	1.55	1.10	14.3	.905	.595	.537	.518	.518	.767	9.85	8.35	
25	1.10	1.35	1.05	6.63	.905	.595	.537	.518	.518	8.65	4.78	5.60	
26	1.10	2.84	1.00	4.18	.859	.595	.537	.518	.518	3.78	3.18	3.98	
27	1.05	4.38	.954	3.01	.813	.595	.537	.518	.499	1.92	2.33	12.0	
28	1.00	10.9	.954	2.33	.813	.595	.537	.518	.499	1.35	4.98	69.0	
29	.954		1.35	2.67	.813	.595	.537	.518	.499	1.15	6.23	31.3	
30	.954		4.38	3.18	.813	.595	.537	.518	.499	1.10	4.58	10.2	
31	.905		3.01		.767		.537	.518		1.35		6.23	
SD1	19.3	.831	2.52	1.73	7.62	.694	.585	.537	.518	.543	3.83	14.2	
SD2	13.3	6.30	1.11	1.31	2.09	.631	.575	.533	.522	6.13	16.5	8.51	
SD3	1.11	3.37	1.76	13.5	.877	.601	.542	.518	.507	2.05	6.31	23.5	
MAX	86.1	56.6	11.3	106	49.3	.767	.595	.537	.537	87.2	92.6	137	
DAT	11	17	1	22	8	1	1	1	15	14	14	28	
SR	10.9	3.51	1.80	5.52	3.44	.642	.567	.529	.515	2.88	8.88	15.7	
MIN	.905	.721	.859	1.10	.767	.595	.537	.518	.499	.518	.954	1.79	
DAT	31	12	19	10	31	24	24	19	21	1	6	11	

GMIN =			.499	SRGOD=				4.59	GMAX =			137	
DATUM			21 9						DATUM			28 12	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1998

Broj : 60058 Stanica :BRODSKE NJIVE Kota "0" = 8.32
Nacin osmat.: limnigraf Rijeka :RIJ. CRNOJEVICA km od usca = 3.03
Pocetak rada: 1987 Sliv :SKADAR. JEZERA Pov.sliva = 79.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII		
1	3.98	1.45	.813	.675	2.19	.905	.575	.537	.635	2.84	1.79	2.06		
2	3.18	2.06	.813	.655	1.79	.859	.575	.537	.615	24.3	1.65	20.3		
3	9.85	2.19	.813	.655	1.55	.813	.556	.537	.595	28.4	2.19	16.9		
4	12.7	78.4	.767	.655	5.18	.767	.556	.537	.575	6.63	3.98	22.0		
5	8.95	39.8	.767	.675	70.1	.767	.556	.537	.575	4.18	3.78	38.6		
6	15.5	10.6	.767	.675	35.0	.721	.556	.537	1.35	3.58	6.02	41.0		
7	7.90	6.43	.721	.635	11.6	.675	.556	.537	.721	2.84	26.0	16.9		
8	5.39	4.38	.721	.635	6.02	.675	.556	.537	.675	2.06	23.7	9.55		
9	3.58	3.18	5.39	.635	3.78	.675	.556	.537	1.35	2.50	7.23	6.63		
10	2.84	2.50	8.35	.635	2.67	.655	.556	.537	.954	23.1	4.38	5.60		
11	2.33	2.06	3.58	.635	1.92	.655	.556	.537	.721	31.3	3.78	4.98		
12	1.92	1.79	2.19	1.00	1.55	.721	.556	.537	.905	7.90	33.1	6.69		
13	1.65	1.79	1.65	1.25	1.35	.813	.556	.537	34.3	4.58	14.7	6.23		
14	1.55	2.06	1.35	6.43	1.25	.721	.556	.537	53.2	2.84	8.13	5.56		
15	1.45	2.67	1.15	6.43	1.10	.675	.556	.537	13.1	2.06	28.4	4.72		
16	4.38	2.19	1.10	3.01	1.05	.655	.556	.537	6.23	1.65	38.6	4.18		
17	12.7	1.92	1.00	6.02	.954	.655	.575	.537	3.18	1.35	9.55	3.82		
18	18.3	1.55	.954	20.9	.905	.635	.575	.537	19.3	1.15	6.02	3.28		
19	6.83	1.35	.905	16.4	.905	.635	.556	.537	5.81	1.10	4.18	2.78		
20	70.1	1.25	.905	10.6	.954	.615	.556	.537	2.84	1.05	3.18	2.46		
21	39.8	1.10	.905	7.90	.905	.615	.556	.537	1.92	3.98	2.50	7.42		
22	10.2	1.05	.859	4.78	.905	.615	.556	.537	1.35	2.84	1.92	38.5		
23	6.02	1.00	.813	3.01	.859	.615	.556	.537	1.10	1.92	2.84	11.2		
24	3.98	.954	.813	2.67	.813	.595	.556	.537	1.00	1.55	3.98	6.92		
25	2.84	.905	.813	2.67	.813	.595	.556	.537	.905	1.35	16.4	4.90		
26	2.06	.905	.767	2.06	1.55	.595	.537	.537	1.10	48.5	16.4	4.18		
27	1.65	.905	.767	1.65	3.58	.595	.537	.537	2.50	24.3	7.45	3.64		
28	1.45	.859	.721	1.45	1.65	.575	.537	.813	12.7	7.23	4.78	3.10		
29	1.35		.721	1.92	1.15	.575	.537	6.63	8.13	4.18	3.18	2.78		
30	1.15		.721	3.18	1.05	.575	.537	1.05	4.58	2.84	2.50	2.62		
31	1.10		.675		.954		.537	.675		2.19		2.30		
SD1	7.39	15.1	1.99	.653	14.0	.751	.560	.537	.804	10.0	8.07	18.0		
SD2	12.1	1.86	1.48	7.27	1.19	.678	.560	.537	14.0	5.50	15.0	4.47		
SD3	6.51	.960	.780	3.13	1.29	.595	.546	1.18	3.53	9.17	6.20	7.96		
MAX	119	119	13.5	25.4	107	.905	.575	11.6	96.8	101	88.3	69.0		
DAT	20	4	10	18	5	1	1	29	14	26	15	5		
SR	8.60	6.33	1.40	3.68	5.36	.675	.555	.763	6.10	8.27	9.74	10.1		
MIN	1.10	.859	.675	.635	.813	.575	.537	.537	.575	1.05	1.65	2.06		
DAT	31	28	31	7	24	28	26	1	4	20	2	1		

			GMIN =	.537				SRGOD=	5.12				GMAX =	119
			DATUM	26 7									DATUM	20 1

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1999

Broj : 60058 Stanica :BRODSKE NJIVE Kota "0" = 8.32
Nacin osmat.: limnigraf Rijeka :RIJ. CRNOJEVICA km od usca = 3.03
Pocetak rada: 1987 Sliv :SKADAR. JEZERA Pov.sliva = 79.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	2.16	3.46	4.72	1.24	2.62	1.00	1.48	.784	.838	.730	1.60	3.10
2	4.36	2.94	4.36	1.12	2.30	.946	1.24	.784	.784	.730	1.48	2.94
3	31.6	2.46	4.00	1.00	2.02	.946	1.24	.784	.784	.684	1.36	2.78
4	12.2	2.16	3.82	.892	1.88	.946	1.12	.784	.784	.684	1.24	2.62
5	7.42	2.02	20.7	.838	1.74	.946	1.12	.784	.730	.784	1.00	2.78
6	5.12	2.02	15.5	.784	1.60	.946	1.00	.784	.730	.784	1.00	25.8
7	4.36	1.88	9.00	.784	1.48	.946	1.00	.784	.730	.730	1.00	10.0
8	3.82	11.2	7.69	.730	1.48	.946	.946	.784	.730	.684	1.48	6.46
9	3.46	12.2	6.00	2.94	1.36	.946	.946	.784	.684	.684	1.74	5.12
10	3.64	55.0	4.36	9.50	1.24	.892	.946	.784	.684	.684	5.12	4.54
11	10.6	77.2	3.10	5.12	1.24	.892	.946	.730	.684	.684	10.0	12.2
12	25.8	18.0	2.46	3.28	1.24	.892	.946	.730	.684	.638	6.92	12.2
13	40.5	8.50	2.02	11.7	1.36	.892	.946	.838	.684	.638	4.72	10.0
14	42.6	5.56	1.60	37.9	1.36	.892	.946	.784	.684	.638	4.00	13.4
15	13.4	4.36	1.36	10.0	1.36	.892	.892	.784	.684	.638	6.46	68.1
16	8.50	3.64	1.24	5.12	1.24	.892	.892	.730	.684	.638	8.50	184
17	5.56	3.10	1.00	8.50	1.24	.946	.892	.730	.684	.638	14.0	128
18	4.36	2.78	1.00	22.5	1.24	1.36	.892	.730	.684	.638	29.2	53.5
19	3.64	2.30	.892	14.0	1.24	1.48	.892	.730	.684	6.23	26.9	20.7
20	2.94	2.16	.838	7.96	1.24	1.00	.838	.730	.684	4.72	56.6	10.6
21	2.62	2.02	.784	5.34	1.24	4.00	.838	.730	.784	2.30	11.7	6.63
22	2.30	14.0	.784	4.36	1.24	7.42	.838	.730	4.00	3.28	12.8	6.23
23	2.02	58.2	2.30	10.6	1.24	6.46	.838	.730	1.36	3.28	23.6	5.18
24	1.74	14.0	6.00	12.2	1.24	3.10	.838	.730	.892	9.50	10.0	4.18
25	1.60	8.50	4.72	7.42	1.24	2.16	.838	.730	.838	14.0	6.69	3.01
26	1.48	7.96	3.10	5.78	1.24	1.74	.838	.730	.784	7.42	5.12	4.58
27	2.62	6.69	2.30	4.72	1.24	1.48	.838	.730	.730	4.00	4.54	16.4
28	25.8	5.56	2.30	4.00	1.24	1.48	.838	.730	.730	2.62	4.00	54.9
29	10.6		2.30	3.46	1.00	1.24	.838	.684	.730	2.16	3.64	67.2
30	6.00		1.88	2.94	1.00	1.24	.784	.684	.730	1.88	3.28	20.3
31	4.18		1.48		1.00		.784	.784		1.88		10.2
SD1	7.81	9.53	8.02	1.98	1.77	.946	1.10	.784	.748	.718	1.70	6.61
SD2	15.8	12.8	1.55	12.6	1.28	1.01	.908	.752	.684	1.61	16.7	51.3
SD3	5.54	14.6	2.54	6.08	1.17	3.03	.828	.727	1.16	4.76	8.54	18.1
MAX	90.0	147	49.0	76.3	2.78	12.0	1.48	.946	7.69	18.9	105	213
DAT	13	11	5	13	1	22	1	13	22	25	19	16
SR	9.58	12.1	3.99	6.89	1.40	1.66	.943	.753	.863	2.44	8.99	25.1
MIN	1.48	1.88	.784	.730	1.00	.892	.784	.684	.684	.638	1.00	2.62
DAT	26	7	21	8	29	10	30	29	9	12	5	4

GMIN = .638			SRGOD= 6.20					GMAX = 213				
DATUM 12 10								DATUM 16 12				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2000

Broj : 60058 Stanica :BRODSKE NJIVE Kota "0" = 8.32
Nacin osmat.: limnigraf Rijeka :RIJ. CRNOJEVICA km od usca = 3.03
Pocetak rada: 1987 Sliv :SKADAR. JEZERA Pov.sliva = 79.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	7.45	4.18	3.78	5.18	3.18	1.55	1.00	1.00	2.06	.905	48.5	6.02
2	6.63	5.18	53.2	6.02	3.01	1.55	1.00	1.00	2.19	3.18	31.9	4.78
3	5.81	6.02	26.6	5.39	3.01	1.55	.954	1.00	1.15	26.6	12.4	4.18
4	5.39	7.68	12.7	16.4	3.01	1.45	.954	1.00	1.00	11.6	38.0	3.78
5	4.58	6.02	14.3	56.6	3.01	1.35	.954	1.00	4.38	6.43	48.5	3.18
6	4.38	5.18	13.1	30.1	2.84	1.35	.954	.954	3.18	3.58	17.3	2.84
7	3.98	4.98	9.25	15.5	2.67	1.35	.954	.954	1.65	2.33	31.3	2.50
8	3.58	4.98	7.23	10.2	2.50	1.35	.954	.954	1.35	4.18	31.3	2.33
9	3.38	6.23	6.02	7.68	2.50	1.45	.954	.954	1.15	8.13	12.7	2.33
10	3.01	18.8	5.18	6.63	2.50	1.55	.954	.954	1.05	5.18	7.90	2.19
11	3.01	10.6	4.78	6.23	2.50	1.35	.954	.954	.954	8.13	5.81	2.50
12	3.01	7.45	4.98	5.81	2.33	1.35	.954	.954	.954	12.7	4.78	2.50
13	2.67	6.63	5.81	5.39	2.33	1.25	.954	.954	.954	6.23	3.98	2.50
14	2.67	6.23	5.18	5.18	2.33	1.25	.954	.905	.954	3.98	3.38	2.33
15	2.33	5.60	4.78	4.78	2.19	1.25	1.35	.905	.954	3.01	3.01	2.33
16	2.33	4.98	7.45	4.78	2.06	1.25	6.23	.905	.954	2.19	2.50	3.01
17	2.06	80.6	8.35	4.78	1.92	1.15	3.38	.905	.954	2.06	2.33	5.39
18	2.06	31.3	6.83	4.58	1.92	1.10	1.79	.905	.954	1.92	2.33	26.0
19	1.92	13.5	5.60	4.38	1.92	1.10	1.55	.905	.905	1.79	12.4	23.7
20	1.79	16.4	4.78	4.18	1.92	1.05	1.35	.905	.905	1.65	36.8	19.8
21	1.79	16.9	4.18	4.18	1.92	1.05	1.35	.859	.905	1.55	19.8	17.3
22	1.79	11.6	3.78	3.98	1.92	1.05	1.25	.859	.905	1.55	21.4	15.1
23	2.67	8.35	3.38	3.78	1.92	1.05	1.15	.859	.905	1.45	13.1	13.5
24	5.18	6.63	3.18	3.98	1.92	1.05	1.10	.859	.905	1.35	8.35	13.9
25	3.58	5.81	2.84	3.38	1.92	1.00	1.10	.859	.905	1.25	15.5	14.7
26	3.01	4.98	2.67	3.38	1.79	1.00	1.05	.859	.905	1.25	33.7	34.3
27	2.67	4.58	10.6	3.38	1.65	1.00	1.05	.859	.905	1.25	61.8	137
28	2.67	4.18	13.5	3.18	1.55	1.00	1.05	.859	.905	1.15	21.4	211
29	2.50	3.98	8.13	3.18	1.55	1.00	1.05	.859	.905	1.15	11.3	126
30	2.67		6.43	3.18	1.55	1.00	1.05	.859	.905	1.10	7.45	103
31	3.01		5.39		1.55		1.00	.859		6.23		47.1
SD1	4.82	6.93	15.1	16.0	2.82	1.45	.963	.977	1.92	7.21	28.0	3.41
SD2	2.38	18.3	5.85	5.01	2.14	1.21	1.95	.920	.944	4.37	7.73	9.01
SD3	2.87	7.45	5.83	3.56	1.75	1.02	1.11	.859	.905	1.75	21.4	66.6
MAX	8.35	114	91.6	86.1	3.38	2.67	9.25	1.00	8.13	42.9	95.8	228
DAT	1	17	2	5	1	8	16	1	1	31	27	28
SR	3.34	11.0	8.84	8.18	2.22	1.23	1.33	.917	1.26	4.36	19.0	27.6
MIN	1.79	3.98	2.67	3.18	1.55	1.00	.954	.859	.905	.905	2.33	2.19
DAT	20	29	26	28	28	25	3	21	19	1	17	10

GMIN =			.859	SRGOD=				7.43	GMAX =			228
DATUM			21 8						DATUM			28 12

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2001

Broj : 60058 Stanica :BRODSKE NJIVE Kota "0" = 8.32
Nacin osmat.: limnigraf Rijeka :RIJ. CRNOJEVICA km od usca = 3.03
Pocetak rada: 1987 Sliv :SKADAR. JEZERA Pov.sliva = 79.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	28.4	29.5	36.8	4.98	3.78	1.79	.954	.859	.813	1.79	1.00	7.68
2	28.4	14.3	34.3	4.18	3.38	1.55	.954	.813	.905	1.79	1.00	5.39
3	28.4	9.25	96.8	3.98	3.18	1.55	.905	.813	1.00	1.65	1.00	4.18
4	28.4	7.03	61.8	3.58	3.01	1.55	.905	.813	.859	1.79	.954	3.38
5	28.4	6.43	31.3	3.18	2.84	1.45	.905	.813	24.8	1.92	.954	2.84
6	28.4	7.23	16.0	3.01	2.67	1.35	.905	.813	10.2	1.79	.954	2.33
7	28.4	6.43	13.5	2.67	2.84	1.25	.905	.813	2.84	1.79	1.00	2.19
8	28.4	5.60	9.25	7.45	3.78	1.25	.859	.813	1.65	1.65	1.25	1.92
9	38.0	4.98	7.23	35.6	3.18	1.25	.859	.813	1.35	1.45	1.55	1.92
10	27.2	4.58	6.83	14.3	3.78	1.15	.859	.813	1.79	1.15	38.0	1.55
11	12.4	4.18	6.63	8.13	3.38	1.15	.859	.767	1.65	1.10	29.5	1.55
12	10.2	3.78	6.23	6.63	3.01	1.15	.859	.767	1.55	1.00	8.95	1.45
13	16.4	3.58	5.60	15.5	2.67	1.10	.859	.767	1.35	1.00	13.5	1.35
14	22.0	3.38	9.85	13.9	2.50	1.10	.859	.767	1.10	1.00	29.5	1.25
15	13.1	3.01	8.13	11.6	2.33	1.10	.859	.767	1.05	1.00	24.3	1.15
16	9.25	2.67	6.63	11.6	2.19	1.05	.859	.767	1.10	.954	10.6	1.15
17	7.68	2.50	5.81	73.2	2.19	1.05	.859	.767	13.5	.954	6.83	1.15
18	6.63	2.50	7.23	56.6	2.06	1.05	.859	.767	18.3	.954	5.18	1.10
19	5.81	2.33	7.68	26.0	2.06	1.00	.859	.767	9.55	.905	4.38	1.05
20	5.18	2.33	6.43	35.6	1.92	1.00	.859	.767	4.78	.905	13.1	1.00
21	4.78	2.19	5.60	26.6	1.92	1.00	.859	.767	3.18	.905	8.95	1.00
22	4.38	2.06	4.78	19.8	1.79	1.00	.859	.905	2.33	.954	6.23	1.00
23	4.78	2.06	4.38	14.3	1.79	1.00	.859	1.00	1.92	.954	7.03	1.79
24	6.02	4.38	3.78	10.9	1.65	.954	.859	.859	2.06	.954	23.7	16.4
25	7.23	13.9	3.58	8.13	1.92	.954	.859	.859	2.67	.954	9.85	8.35
26	29.5	18.3	3.18	6.83	4.58	.954	.859	.859	3.38	1.15	7.03	4.98
27	107	14.7	3.01	6.02	3.58	.954	.859	.813	3.98	1.45	6.02	4.78
28	98.9	10.2	2.67	5.18	2.50	.954	.859	.813	2.67	1.15	65.4	5.18
29	111		2.84	4.78	2.19	.954	.813	.813	2.19	1.10	60.0	4.18
30	81.7		5.39	4.18	1.92	.954	.813	.767	1.79	1.05	15.5	23.1
31	45.6		5.18		1.79		.813	.767		1.05		54.9
SD1	29.2	9.53	31.4	8.29	3.24	1.41	.901	.818	4.62	1.68	4.77	3.34
SD2	10.9	3.03	7.02	25.9	2.43	1.08	.859	.767	5.39	.977	14.6	1.22
SD3	45.5	8.47	4.04	10.7	2.33	.968	.846	.838	2.62	1.06	21.0	11.4
MAX	169	39.2	121	122	6.83	1.79	.954	1.25	44.8	1.79	156	122
DAT	28	1	3	17	26	1	1	23	5	1	28	31
SR	29.1	6.91	13.8	14.9	2.66	1.15	.868	.809	4.21	1.23	13.4	5.52
MIN	4.38	2.06	2.67	2.67	1.65	.954	.813	.767	.813	.905	.954	1.00
DAT	22	22	28	7	24	24	29	11	1	19	4	20

GMIN =			.767	SRGOD=				7.89	GMAX =			169
DATUM			11 8						DATUM			28 1

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2002

Broj : 60058 Stanica :BRODSKE NJIVE Kota "0" = 8.32
Nacin osmat.: limnigraf Rijeka :RIJ. CRNOJEVICA km od usca = 3.03
Pocetak rada: 1987 Sliv :SKADAR. JEZERA Pov.sliva = 79.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	55.8	4.18	6.23	1.55	4.78	2.67	.954	.905	1.00	4.58	3.18	14.3
2	20.3	5.18	5.39	1.45	3.98	2.19	.954	.905	1.00	3.78	3.01	17.3
3	9.25	5.39	4.98	1.45	3.58	2.06	.954	.905	1.00	2.84	2.84	27.2
4	6.83	4.58	4.38	1.45	3.18	1.92	.954	.905	1.00	2.50	7.90	24.3
5	6.02	3.98	3.98	1.79	2.84	1.79	.954	.905	1.00	2.19	38.0	28.4
6	4.78	3.58	3.78	2.67	2.50	1.65	.954	.905	1.00	2.19	13.9	17.3
7	4.18	11.6	3.58	3.01	2.33	1.55	.954	1.10	1.05	2.06	7.90	9.85
8	3.58	18.8	3.18	3.18	2.19	1.55	.954	1.25	1.05	1.92	6.23	7.68
9	3.18	8.95	3.01	2.67	2.19	1.45	.954	1.00	1.05	2.67	5.39	6.43
10	2.84	6.83	12.4	6.23	2.06	1.45	.954	29.5	1.05	5.81	4.58	5.39
11	2.67	6.23	10.9	18.3	1.92	1.45	.954	9.55	1.05	40.4	3.98	4.78
12	2.33	5.81	7.23	28.4	1.79	1.35	.905	4.38	1.05	92.6	3.58	4.38
13	2.19	4.98	5.81	95.8	1.79	1.25	.905	3.01	1.00	56.6	11.6	4.38
14	2.19	4.38	4.98	39.2	1.79	1.15	.905	2.06	.954	22.5	45.6	6.02
15	2.19	3.78	4.58	14.7	1.65	1.15	.905	1.65	.954	11.3	14.7	5.39
16	2.19	3.38	3.98	8.65	1.65	1.10	.905	1.45	.905	7.23	10.2	13.9
17	5.60	3.01	3.58	6.83	1.65	1.10	.954	1.25	.859	6.23	7.23	26.0
18	10.6	2.84	3.38	6.43	1.55	1.10	1.00	1.15	.859	5.18	6.02	13.5
19	8.95	20.9	3.01	5.81	1.55	1.05	.954	1.10	.859	4.58	6.23	14.7
20	7.68	18.3	2.67	4.78	1.45	1.05	.954	1.10	.859	4.18	7.90	10.6
21	6.23	8.65	2.50	4.18	1.45	1.05	.954	1.05	.859	3.98	7.03	7.68
22	5.39	26.0	2.33	3.58	1.45	1.05	.954	1.05	6.63	3.58	7.45	6.43
23	5.18	27.2	2.19	3.38	1.35	1.00	.905	1.05	27.2	17.3	44.1	5.60
24	4.58	11.6	2.19	3.01	1.35	1.00	.905	1.05	23.7	16.9	18.8	5.18
25	5.81	8.95	2.06	2.67	1.35	.954	.905	1.00	20.3	12.0	8.95	4.78
26	8.35	7.45	1.92	2.50	1.25	.954	.954	1.00	22.0	7.68	7.23	4.38
27	6.63	7.23	1.92	2.33	1.25	.954	1.00	1.00	23.1	6.02	6.23	3.98
28	5.60	7.23	1.79	13.1	1.79	.954	.954	1.00	8.35	4.98	5.39	7.68
29	5.60		1.65	9.55	7.45	.954	.954	1.00	6.43	4.58	4.58	110
30	5.81		1.65	6.63	6.02	.954	.954	1.00	5.60	3.98	10.2	41.7
31	4.98		1.65		3.58		.954	1.00		3.58		16.0
SD1	11.7	7.31	5.09	2.54	2.96	1.83	.954	3.83	1.02	3.05	9.29	15.8
SD2	4.66	7.36	5.01	22.9	1.68	1.18	.934	2.67	.935	25.1	11.7	10.4
SD3	5.83	13.0	1.99	5.09	2.57	.982	.945	1.02	14.4	7.69	12.0	19.4
MAX	111	58.3	23.1	128	10.9	3.01	1.05	93.7	59.2	126	66.3	147
DAT	1	22	10	13	29	1	27	10	23	11	14	29
SR	7.34	8.96	3.96	10.2	2.41	1.33	.944	2.46	5.46	11.8	11.0	15.3
MIN	2.19	2.84	1.65	1.45	1.25	.954	.905	.905	.859	1.92	2.84	3.98
DAT	13	18	29	2	26	25	12	1	17	8	3	27

GMIN =			.859	SRGOD=				6.74	GMAX =			147
DATUM			17 9						DATUM			29 12
