

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1948

Broj : 60132 Stanica :GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka :SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv :ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	27.7	6.00	1.20	1.20	4.70	2.44	1.82	.640	.320	.200	.095	.200
2	27.7	6.00	1.20	1.20	4.70	2.44	1.82	.640	.320	.200	.095	.200
3	27.7	6.00	1.20	1.20	4.70	2.44	1.82	.640	.320	.200	.095	.200
4	27.7	3.40	1.20	1.20	4.70	2.44	1.82	.640	.320	.200	.095	.200
5	27.7	3.40	1.20	1.20	2.44	2.44	1.82	.640	.320	.200	.095	.200
6	27.7	3.40	1.20	1.20	2.44	2.44	1.82	.440	.320	.200	.095	.200
7	27.7	3.40	1.20	1.20	2.44	2.44	1.20	.440	.320	.200	.095	.200
8	27.7	1.82	1.20	1.20	2.44	2.44	1.20	.440	.320	.200	.158	.200
9	27.7	1.82	1.20	1.20	2.44	2.44	1.20	.440	.320	.200	.158	.158
10	25.8	1.82	1.20	2.44	2.44	2.44	1.20	.440	.320	.200	.158	.158
11	25.8	1.82	1.20	2.44	2.44	1.82	1.20	.440	.320	.200	.200	.158
12	25.8	1.82	1.20	2.44	2.44	1.82	1.20	.440	.320	.200	.200	.158
13	25.8	1.82	1.20	2.44	2.44	1.82	1.20	.440	.320	.200	.200	.158
14	25.8	1.82	1.20	2.44	2.44	1.82	1.20	.320	.320	.200	.640	.158
15	24.0	1.82	1.20	2.44	2.44	1.82	1.20	.320	.320	.200	.640	.158
16	24.0	1.82	.920	4.70	2.44	1.20	.920	.320	.320	.320	.920	.200
17	24.0	1.82	.920	4.70	2.44	1.20	.920	.320	.320	.320	.920	.200
18	24.0	1.82	.920	4.70	2.44	1.20	.920	.320	.320	1.20	.920	.200
19	24.0	1.82	.920	4.70	2.44	1.20	.920	.320	.320	4.70	.920	.200
20	24.0	1.82	.920	4.70	2.44	1.20	.920	.320	.320	4.70	1.20	.200
21	24.0	1.82	.920	4.70	4.70	1.20	.640	.320	.320	3.40	1.20	.200
22	15.0	3.40	.920	4.70	6.00	1.20	.640	.320	.320	3.40	.920	.200
23	15.0	3.40	.920	4.70	7.80	1.20	.640	.320	.320	3.40	.920	.200
24	13.2	3.40	.920	4.70	7.80	1.20	.640	.320	.320	1.20	.920	.200
25	13.2	3.40	.920	4.70	7.80	1.20	.640	.320	.320	1.20	.640	.200
26	9.60	1.20	.920	4.70	3.40	1.20	.640	.320	.320	1.20	.640	.200
27	9.60	1.20	.920	4.70	3.40	1.20	.640	.320	.320	1.20	.320	.200
28	9.60	1.20	.920	4.70	2.44	1.82	.640	.320	.320	1.20	.320	.200
29	9.60	1.20	.920	4.70	2.44	1.82	.640	.320	.320	.920	.320	.200
30	6.00		.920	4.70	2.44	1.82	.640	.320	.320	.920	.200	.200
31	6.00		.920		2.44		.640	.320		1.20		.200
SD1	27.5	3.71	1.20	1.32	3.34	2.44	1.57	.540	.320	.200	.114	.192
SD2	24.7	1.82	1.06	3.57	2.44	1.51	1.06	.356	.320	1.22	.676	.179
SD3	11.9	2.25	.920	4.70	4.61	1.39	.640	.320	.320	1.75	.640	.200
MAX	27.7	6.00	1.20	4.70	7.80	2.44	1.82	.640	.320	4.70	1.20	.200
DAT	1	1	1	16	23	1	1	1	1	20	20	1
SR	21.1	2.60	1.06	3.20	3.50	1.78	1.08	.403	.320	1.08	.477	.191
MIN	6.00	1.20	.920	1.20	2.44	1.20	.640	.320	.320	.200	.095	.158
DAT	30	26	16	1	5	16	21	14	1	1	1	9
GMIN =			.095	SRGOD=			3.08	GMAX =			27.7	
DATUM			1 11					DATUM			1 1	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1949

Broj : 60132 Stanica :GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka :SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv :ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.920	.200	.158	.640	3.40	1.82	1.20	.320	.320	.320	.320	11.4
2	6.00	.200	.158	.640	3.40	1.82	1.20	.320	.320	.320	.320	11.4
3	6.00	.158	.158	.640	1.82	1.82	1.20	.320	.320	.320	.320	11.4
4	6.00	.158	.158	.640	1.82	1.82	1.20	.200	.320	.320	.320	6.00
5	6.00	.158	.158	.920	1.82	2.44	1.20	.200	.320	.320	.320	6.00
6	4.70	.158	.158	.920	1.82	2.44	1.20	.200	.320	.200	.640	3.40
7	4.70	.158	.158	1.20	1.20	1.20	.920	.200	.320	.200	13.2	3.40
8	4.70	.200	.158	1.20	1.20	.920	.920	.200	.320	.200	15.0	3.40
9	4.70	.200	.158	1.20	1.20	.920	.920	.200	.320	.200	15.0	3.40
10	4.70	.200	.158	1.82	.920	.920	.920	.200	.320	.200	15.0	7.80
11	4.70	.158	.158	1.20	.920	.920	.640	.200	.320	.200	13.2	7.80
12	4.70	.158	.158	1.20	1.20	.920	.640	.200	.320	.200	13.2	7.80
13	3.40	.158	.158	1.20	1.20	.920	.640	.200	.320	.200	13.2	7.80
14	1.82	.158	.158	1.20	1.82	.640	.640	.320	.320	.200	13.2	7.80
15	1.82	.158	.200	1.20	1.82	.640	.640	.320	.440	.200	13.2	7.80
16	1.20	.158	.200	2.44	1.20	.640	.440	.260	.440	.200	24.0	6.00
17	1.20	.158	.200	2.44	1.20	.640	.440	.320	.440	.158	24.0	6.00
18	1.20	.158	.200	1.82	1.82	.640	.440	.320	.440	.158	24.0	6.00
19	1.20	.158	.320	1.20	1.82	.920	.440	.440	.440	.158	24.0	4.70
20	1.20	.158	.640	1.20	1.82	.920	.440	.440	.320	.158	18.6	3.40
21	1.20	.158	.920	1.20	3.40	.920	.320	.440	.320	.158	16.8	3.40
22	1.20	.158	.920	1.20	9.60	1.20	.320	.440	.320	.158	13.2	3.40
23	1.20	.158	.920	1.20	.640	1.20	.320	.440	.320	.158	13.2	3.40
24	.920	.158	.640	2.44	16.8	1.20	.320	.440	.320	.158	13.2	2.44
25	.920	.158	.920	2.44	16.8	2.44	.320	.440	.320	.158	13.2	2.44
26	.200	.158	.920	2.44	11.4	3.40	.320	.440	.320	.158	11.4	2.44
27	.200	.158	.920	2.44	6.00	3.40	.320	.320	.320	.158	11.4	2.44
28	.200	.158	.920	3.40	6.00	2.44	.200	.320	.320	.158	15.0	2.44
29	.200		.920	3.40	6.00	2.44	.200	.320	.320	.200	18.6	1.82
30	.200		.640	3.40	4.70	2.44	.200	.320	.320	.200	18.6	1.82
31	.200		.640		3.40		.200	.320		.200		1.82
SD1	4.84	.179	.158	.982	1.86	1.61	1.09	.236	.320	.260	6.04	6.76
SD2	2.24	.158	.239	1.51	1.48	.780	.540	.302	.380	.183	18.1	6.51
SD3	.604	.158	.844	2.36	7.70	2.11	.276	.385	.320	.169	14.5	2.53
MAX	6.00	.200	.920	3.40	16.8	3.40	1.20	.440	.440	.320	38.8	11.4
DAT	2	1	21	28	24	1	1	20	15	1	16	1
SR	2.50	.166	.427	1.62	3.81	1.50	.623	.310	.340	.203	12.9	5.18
MIN	.200	.158	.158	.640	.640	.640	.200	.200	.320	.158	.320	1.82
DAT	26	3	1	1	23	14	28	4	1	17	1	29
GMIN =			.158	SRGOD=			2.46	GMAX =			38.8	
DATUM			3 2					DATUM			16 11	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1950

Broj : 60132 Stanica :GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka :SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv :ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.20	.200	2.44	1.20	6.00	.920	.440	.320	.116	.320	40.6	6.00
2	1.20	.200	2.44	1.20	6.00	.920	.440	.320	.116	.320	38.8	13.2
3	1.20	.200	2.44	1.20	6.00	.920	.440	.200	.116	.320	36.9	11.4
4	.920	.200	2.44	2.44	4.70	.920	.440	.200	.116	.320	33.2	7.80
5	.920	.200	2.44	2.44	4.70	.920	.440	.200	.116	.320	31.4	1.20
6	.640	.320	1.82	2.44	4.70	.640	.440	.200	.116	.320	29.5	2.44
7	.640	.320	1.82	2.44	3.40	.640	.440	.200	.116	.320	27.7	4.70
8	.640	.320	1.82	2.44	3.40	.920	.200	.200	.116	.320	20.4	6.00
9	.640	.640	1.82	1.82	3.40	.920	.200	.200	.116	.200	16.8	9.60
10	.640	.640	1.82	1.82	2.44	.920	.200	.158	.116	.200	9.60	22.2
11	.640	.920	1.82	1.82	2.44	1.20	.200	.158	.116	.200	7.80	24.0
12	.640	1.20	1.82	1.82	2.44	1.20	.200	.158	.116	.200	1.20	33.2
13	.640	4.70	1.82	1.82	1.82	1.20	.200	.158	.116	.200	1.20	36.9
14	.640	4.70	1.20	9.60	1.82	1.20	.200	.158	.116	.200	1.20	38.8
15	.640	4.70	1.20	9.60	1.82	1.20	.200	.158	.116	.200	9.60	40.6
16	.440	4.70	1.20	9.60	1.20	1.20	.200	.158	.116	.200	9.60	42.5
17	.640	4.70	1.20	9.60	1.20	1.20	.200	.158	.116	.200	7.80	35.1
18	.640	4.70	1.20	9.60	1.20	1.20	.200	.158	.116	.200	6.00	36.9
19	.640	3.40	1.20	9.60	.920	.920	.200	.158	.116	.200	7.80	33.2
20	.440	3.40	1.20	7.80	.920	.920	.200	.116	.158	.200	7.80	31.4
21	.440	3.40	1.20	7.80	.920	.640	.200	.116	.158	.200	9.60	18.6
22	.440	3.40	1.20	7.80	.920	.640	.200	.116	.158	.200	9.60	16.8
23	.320	3.40	1.82	7.80	1.20	.640	.200	.116	.158	.200	9.60	11.4
24	.320	3.40	1.82	7.80	1.20	.640	.200	.116	.158	.200	13.2	11.4
25	.320	3.40	1.82	11.4	1.20	.640	.200	.116	.158	.440	13.2	13.2
26	.320	3.40	1.82	18.6	.920	.440	.200	.116	.158	18.6	11.4	11.4
27	.320	3.40	1.82	18.6	.920	.440	.200	.116	.158	68.5	9.60	9.60
28	.320	3.40	1.82	18.6	.920	.440	.200	.116	.158	52.5	7.80	9.60
29	.320		1.82	16.8	.920	.440	.200	.116	.158	52.5	6.00	7.80
30	.320		1.82	16.8	.920	.440	.200	.116	.158	58.5	6.00	1.20
31	.320		1.20		.920		.200	.116		57.5		.920
SD1	.864	.324	2.13	1.94	4.47	.864	.368	.220	.116	.296	28.5	8.45
SD2	.600	3.71	1.39	7.09	1.58	1.14	.200	.154	.120	.200	6.00	35.3
SD3	.342	3.40	1.65	13.2	.996	.540	.200	.116	.158	28.1	9.60	10.2
MAX	1.20	4.70	2.44	18.6	6.00	1.20	.440	.320	.158	68.5	40.6	42.5
DAT	1	13	1	26	1	11	1	1	20	27	1	16
SR	.594	2.41	1.72	7.41	2.31	.849	.254	.162	.131	10.1	14.7	17.7
MIN	.320	.200	1.20	1.20	.920	.440	.200	.116	.116	.200	1.20	.920
DAT	23	1	14	1	19	26	8	20	1	9	12	31
		GMIN = .116			SRGOD= 4.88			GMAX = 68.5				
		DATUM 20 8						DATUM 27 10				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1951

Broj : 60132 Stanica : GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka : SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv : ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	4.70	2.44	7.80	15.0	7.80	7.80	1.20	.440	.260	1.20	2.44	3.40
2	4.70	1.82	4.70	13.2	7.80	7.80	1.20	.440	.260	1.20	15.0	3.40
3	4.70	1.20	1.20	11.4	7.80	6.00	1.20	.440	.260	1.20	15.0	3.40
4	4.70	1.20	1.20	9.60	7.80	6.00	1.20	.440	.260	1.82	13.2	4.70
5	3.40	1.20	1.82	6.00	7.80	4.70	.920	.440	.260	1.82	13.2	4.70
6	3.40	3.40	2.44	6.00	6.00	4.70	.920	.440	.260	1.82	7.80	6.00
7	2.44	6.00	3.40	6.00	6.00	6.00	.920	.440	.320	1.82	6.00	7.80
8	2.44	6.00	13.2	11.4	4.70	6.00	.920	.440	.320	1.20	4.70	9.60
9	2.44	11.4	15.0	1.82	4.70	6.00	.920	.440	.320	1.20	4.70	11.4
10	2.44	7.80	13.2	1.82	6.00	6.00	.920	.440	.320	1.20	4.70	11.4
11	2.44	1.20	9.60	1.20	7.80	7.80	.920	.440	.320	1.20	6.00	11.4
12	2.44	1.20	6.00	1.82	9.60	7.80	.640	.320	.320	1.20	15.0	11.4
13	2.44	1.82	7.80	2.44	11.4	7.80	.640	.320	.320	1.20	20.4	9.60
14	1.82	1.82	9.60	2.44	11.4	7.80	.640	.320	.320	1.20	24.0	9.60
15	1.82	2.44	9.60	3.40	11.4	7.80	.640	.320	.320	1.20	24.0	9.60
16	1.20	4.70	9.60	6.00	11.4	7.80	.640	.320	.320	1.20	22.2	9.60
17	1.20	4.70	9.60	6.00	11.4	7.80	.640	.320	.320	1.20	20.4	7.80
18	1.20	6.00	7.80	6.00	11.4	7.80	.640	.320	.320	1.82	13.2	7.80
19	1.20	7.80	6.00	6.00	11.4	7.80	.440	.320	.320	1.82	11.4	7.80
20	1.20	7.80	7.80	6.00	7.80	6.00	.440	.320	.320	1.82	9.60	1.20
21	1.20	9.60	9.60	6.00	7.80	6.00	.440	.320	.320	2.44	9.60	1.20
22	1.20	9.60	9.60	6.00	7.80	1.20	.440	.200	.320	2.44	9.60	1.20
23	1.20	9.60	7.80	6.00	7.80	1.82	.440	.260	.320	2.44	7.80	1.20
24	1.20	7.80	6.00	6.00	9.60	2.44	.440	.260	.320	2.44	3.40	1.82
25	1.20	9.60	6.00	6.00	9.60	2.44	.440	.260	.320	3.40	3.40	1.82
26	1.20	9.60	6.00	7.80	9.60	2.44	.440	.260	1.20	3.40	3.40	1.82
27	6.00	9.60	6.00	7.80	9.60	1.20	.440	.260	3.40	3.40	3.40	1.82
28	4.70	11.4	4.70	7.80	9.60	1.20	.440	.260	6.00	3.40	3.40	9.60
29	3.40		7.80	7.80	9.60	1.20	.440	.260	6.00	3.40	3.40	7.80
30	3.40		13.2	7.80	9.60	1.20	.440	.260	4.70	2.44	3.40	6.00
31	3.40		13.2		9.60		.440	.260		2.44		3.40
SD1	3.54	4.25	6.40	8.22	6.64	6.10	1.03	.440	.284	1.45	8.67	6.58
SD2	1.70	3.95	8.34	4.13	10.5	7.62	.628	.332	.320	1.39	16.6	8.58
SD3	2.55	9.60	8.17	6.90	9.11	2.11	.440	.260	2.29	2.88	5.08	3.43
MAX	4.70	11.4	15.0	15.0	11.4	7.80	1.20	.440	6.00	3.40	24.0	11.4
DAT	1	28	9	1	13	1	1	1	28	25	14	10
SR	2.59	5.67	7.65	6.42	8.76	5.28	.692	.341	.965	1.93	10.1	6.11
MIN	1.20	1.20	1.20	1.20	4.70	1.20	.440	.200	.260	1.20	2.44	1.20
DAT	16	3	3	11	8	22	19	22	1	1	1	20
GMIN =		.200		SRGOD=		4.69		GMAX =		24.0		
DATUM		22 8						DATUM		14 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1952

Broj : 60132 Stanica :GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka :SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv :ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.20	7.80	1.20	9.60	1.20	1.82	1.06	.500	.380	1.82	9.60	16.8
2	1.20	6.00	1.20	9.60	1.20	1.20	.780	.500	.380	4.70	9.60	16.8
3	1.20	6.00	1.20	9.60	1.20	1.20	.780	.500	.380	4.70	9.60	18.6
4	1.20	6.00	1.20	9.60	1.20	1.20	.780	.500	.380	4.70	9.60	18.6
5	1.82	4.70	1.20	9.60	1.20	1.20	.780	.500	.380	3.40	7.80	20.4
6	1.82	4.70	1.20	9.60	1.20	1.20	.780	.500	.380	2.44	7.80	20.4
7	1.82	4.70	1.20	7.80	1.20	1.20	.500	.500	.380	2.44	7.80	20.4
8	1.82	4.70	1.20	7.80	1.20	1.20	.500	.500	.500	1.82	9.60	18.6
9	1.82	11.4	1.20	6.00	1.20	1.20	.500	.500	.500	1.82	9.60	18.6
10	1.82	6.00	1.20	6.00	1.20	1.20	.500	.500	.500	1.82	7.80	18.6
11	2.44	6.00	1.20	4.70	1.20	1.20	.780	.500	.500	2.44	7.80	16.8
12	2.44	4.70	1.20	4.70	4.70	1.20	.780	.500	.500	3.40	6.00	16.8
13	2.44	4.70	1.20	2.44	4.70	1.20	.780	.500	.500	4.70	6.00	15.0
14	2.44	4.70	1.20	1.82	4.70	1.20	.780	.500	.500	6.00	4.70	13.2
15	2.44	6.00	1.20	1.20	4.70	1.20	.780	.500	.380	6.00	27.7	13.2
16	2.44	6.00	1.20	1.20	3.40	1.20	.780	.500	.380	4.70	27.7	33.2
17	3.40	7.80	1.20	1.20	3.40	.920	.780	.500	.380	4.70	27.7	25.8
18	3.40	7.80	1.20	1.20	3.40	.920	.780	.500	.380	3.40	27.7	33.2
19	4.70	6.00	1.20	1.20	3.40	.920	.780	.500	.500	3.40	25.8	42.5
20	4.70	6.00	1.20	1.20	2.44	.920	.780	.500	.500	3.40	25.8	38.8
21	4.70	4.70	1.20	1.20	2.44	.920	.780	.500	.500	3.40	25.8	24.0
22	4.70	4.70	1.20	1.20	2.44	.920	.780	.500	.500	3.40	24.0	20.4
23	6.00	3.40	1.20	1.20	2.44	.920	.780	.500	.380	3.40	24.0	9.60
24	6.00	3.40	1.20	1.20	1.82	.920	.780	.500	.380	2.44	22.2	9.60
25	6.00	2.44	1.82	1.20	1.82	.920	.780	.500	.380	2.44	22.2	9.60
26	6.00	2.44	6.00	1.20	1.82	.920	.500	.500	.380	2.44	20.4	9.60
27	7.80	1.82	7.80	1.20	1.82	.920	.500	.380	.380	2.44	20.4	13.2
28	7.80	1.82	7.80	1.20	1.82	.640	.500	.380	1.06	3.40	18.6	13.2
29	9.60	1.20	9.60	1.20	1.82	.640	.500	.380	1.06	4.70	16.8	15.0
30	9.60		9.60	1.20	1.82	.640	.500	.380	1.51	6.00	15.0	33.2
31	7.80		9.60		1.82		.500	.380		6.00		42.5
SD1	1.57	6.20	1.20	8.52	1.20	1.26	.696	.500	.416	2.97	8.88	18.8
SD2	3.08	5.97	1.20	2.09	3.60	1.09	.780	.500	.452	4.21	18.7	24.9
SD3	6.91	2.88	5.18	1.20	1.99	.836	.627	.445	.653	3.64	20.9	18.2
MAX	9.60	7.80	9.60	9.60	4.70	1.82	1.06	.500	1.51	11.4	27.7	92.3
DAT	29	17	29	1	12	1	1	1	1	30	31	19
SR	3.95	5.09	2.61	3.94	2.26	1.06	.699	.481	.507	3.61	16.2	20.5
MIN	1.20	1.20	1.20	1.20	1.20	.640	.500	.380	.380	1.82	4.70	9.60
DAT	1	29	1	15	1	28	7	27	1	1	14	23
GMIN = .380			SRGOD= 5.07					GMAX = 92.3				
DATUM 27 8								DATUM 19 12				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1953

Broj : 60132 Stanica : GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka : SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv : ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	42.5	.920	2.44	2.44	9.60	15.0	.920	.440	.200	.200	.200	.200	
2	40.6	.920	2.44	2.44	9.60	15.0	.920	.440	.200	.200	.200	.200	
3	38.8	.920	2.44	3.40	6.00	18.6	.920	.440	.200	.200	.200	.200	
4	36.9	.920	2.44	3.40	6.00	22.2	.640	.440	.320	.200	.200	.158	
5	24.0	.920	1.82	4.70	6.00	20.4	.640	.440	.320	.200	.200	.158	
6	22.2	.920	1.82	4.70	6.00	18.6	.640	.440	.320	.200	.200	.158	
7	20.4	.320	1.82	4.70	6.00	16.8	.640	.440	.320	.200	.200	.158	
8	20.4	.320	1.20	4.70	6.00	13.2	.640	.440	.320	.200	.200	.158	
9	18.6	.320	1.20	4.70	6.00	13.2	.640	.440	.320	.200	.200	.158	
10	18.6	.320	.920	4.70	6.00	13.2	.640	.440	.320	.200	.200	.158	
11	16.8	.320	.920	4.70	6.00	13.2	.640	.440	.320	.200	.200	.158	
12	6.00	.320	.920	4.70	6.00	11.4	.640	.440	.320	.200	.200	.158	
13	6.00	.320	.640	4.70	6.00	11.4	.640	.440	.320	.200	.200	.158	
14	4.70	.320	.640	4.70	6.00	9.60	.640	.320	.320	.200	.200	.158	
15	4.70	.320	.640	4.70	6.00	9.60	.640	.320	.320	.200	.200	.158	
16	3.40	.440	.640	3.40	6.00	9.60	.640	.320	.320	.200	.200	.158	
17	3.40	.640	.640	3.40	6.00	9.60	.640	.320	.320	.200	.200	.158	
18	2.44	1.20	.640	3.40	6.00	7.80	.440	.320	.320	.200	.200	.158	
19	2.44	1.20	.640	3.40	6.00	4.70	.440	.320	.320	.200	.200	.158	
20	1.82	1.20	.640	3.40	6.00	4.70	.440	.320	.320	.200	.200	.158	
21	1.82	1.20	.920	3.40	6.00	4.70	.440	.320	.200	.200	.200	.158	
22	1.20	1.82	.920	3.40	6.00	3.40	.440	.320	.200	.200	.200	.158	
23	1.20	1.82	.920	3.40	6.00	3.40	.440	.320	.200	.200	.200	.158	
24	1.20	1.82	1.20	3.40	6.00	3.40	.440	.320	.200	.200	.200	.158	
25	1.20	1.82	1.20	4.70	4.70	3.40	.440	.320	.320	.200	.200	.158	
26	1.20	2.44	1.20	4.70	4.70	3.40	.440	.320	.320	.200	.200	.158	
27	1.20	2.44	1.20	6.00	4.70	2.44	.440	.320	.200	.200	.200	.158	
28	1.20	2.44	1.20	6.00	4.70	2.44	.440	.320	.200	.200	.200	.158	
29	1.20		1.82	9.60	4.70	2.44	.440	.320	.200	.200	.200	.158	
30	1.20		1.82	9.60	6.00	2.44	.440	.200	.200	.200	.200	.158	
31	.920		1.82		15.0		.440	.200		.200		.158	
SD1	28.3	.680	1.85	3.99	6.72	16.6	.724	.440	.284	.200	.200	.171	
SD2	5.17	.628	.696	4.05	6.00	9.16	.580	.356	.320	.200	.200	.158	
SD3	1.23	1.98	1.29	5.42	6.23	3.15	.440	.298	.224	.200	.200	.158	
MAX	62.5	2.44	2.44	9.60	15.0	22.2	.920	.440	.320	.200	.200	.200	
DAT	1	28	1	29	31	4	1	1	4	1	1	1	
SR	11.2	1.03	1.28	4.49	6.31	9.64	.577	.363	.276	.200	.200	.162	
MIN	.920	.320	.640	2.44	4.70	2.44	.440	.200	.200	.200	.200	.158	
DAT	31	7	13	1	25	27	18	30	1	1	1	4	
		GMIN =	.158			SRGOD=	2.99			GMAX =	62.5		
		DATUM	4 12							DATUM	1 1		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1954

Broj : 60132 Stanica : GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka : SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv : ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.158	.200	.920	6.00	11.4	7.80	1.20	.440	.320	.440	1.20	4.70
2	.158	.200	15.0	6.00	11.4	6.00	1.20	.440	.320	.440	1.20	6.00
3	.158	.200	20.4	6.00	13.2	6.00	1.20	.440	.320	.440	1.20	7.80
4	.158	.200	29.5	6.00	13.2	6.00	1.20	.440	.320	.640	1.20	13.2
5	.158	.200	22.2	6.00	20.4	6.00	1.20	.440	.320	.640	1.82	18.6
6	.158	.200	29.5	6.00	24.0	6.00	1.20	.440	.320	.640	2.44	24.0
7	.158	.158	22.2	7.80	24.0	4.70	1.20	.440	.320	.920	3.40	24.0
8	.158	.158	11.4	7.80	20.4	4.70	1.20	.440	.320	1.20	3.40	22.2
9	.158	.158	9.60	7.80	15.0	4.70	1.20	.440	.320	2.44	2.44	20.4
10	.158	.158	7.80	6.00	13.2	4.70	.920	.440	.320	2.44	2.44	18.6
11	.158	.158	6.00	6.00	13.2	4.70	.920	.440	.320	3.40	2.44	16.8
12	.158	.158	4.70	6.00	11.4	3.40	.920	.440	.320	3.40	2.44	15.0
13	.158	.158	4.70	6.00	11.4	3.40	.920	.440	.320	3.40	1.82	13.2
14	.158	.158	6.00	6.00	9.60	3.40	.920	.440	.320	2.44	1.82	13.2
15	.158	.158	6.00	6.00	9.60	3.40	.920	.440	.320	2.44	1.82	11.4
16	.200	.158	6.00	6.00	9.60	3.40	.640	.440	.320	1.82	2.44	9.60
17	.200	.158	6.00	6.00	7.80	3.40	.640	.440	.320	1.82	2.44	9.60
18	.200	.200	6.00	6.00	7.80	2.44	.640	.440	.320	1.20	2.44	7.80
19	.200	.200	4.70	6.00	7.80	2.44	.640	.440	.320	.920	1.82	6.00
20	.200	.158	4.70	6.00	7.80	2.44	.640	.440	.320	.920	1.82	4.70
21	.200	.158	4.70	6.00	9.60	2.44	.640	.440	.200	.920	1.82	4.70
22	.200	.158	4.70	4.70	9.60	2.44	.640	.440	.200	.920	1.20	3.40
23	.200	.158	4.70	4.70	9.60	1.82	.440	.440	.200	.920	1.20	2.44
24	.200	.158	6.00	4.70	9.60	1.82	.440	.440	.200	.920	1.20	2.44
25	.200	.158	6.00	4.70	9.60	1.82	.440	.440	.200	.920	1.82	1.82
26	.200	.158	6.00	4.70	7.80	1.82	.440	.440	.200	3.40	1.82	1.20
27	.200	.200	6.00	6.00	7.80	1.82	.440	.440	.200	3.40	2.44	.920
28	.200	.320	11.4	7.80	7.80	1.82	.440	.440	.200	2.44	2.44	.920
29	.200		11.4	11.4	7.80	1.20	.440	.440	.200	1.82	3.40	.920
30	.200		9.60	11.4	7.80	1.20	.440	.440	.440	1.82	4.70	.920
31	.200		7.80		7.80		.440	.440		1.20		.920
SD1	.158	.183	16.9	6.54	16.6	5.66	1.17	.440	.320	1.02	2.07	15.9
SD2	.179	.166	5.48	6.00	9.60	3.24	.780	.440	.320	2.18	2.13	10.7
SD3	.200	.183	7.12	6.61	8.62	1.82	.476	.440	.224	1.70	2.20	1.87
MAX	.200	.320	29.5	11.4	24.0	7.80	1.20	.440	.440	3.40	4.70	24.0
DAT	16	28	4	30	6	1	1	1	30	26	30	6
SR	.180	.177	9.73	6.38	11.5	3.57	.799	.440	.288	1.63	2.14	9.27
MIN	.158	.158	.920	4.70	7.80	1.20	.440	.440	.200	.440	1.20	.920
DAT	1	7	1	22	17	29	23	1	21	1	1	27
GMIN =			.158	SRGOD=			3.88	GMAX =			29.5	
DATUM			1 1					DATUM			4 3	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1955

Broj : 60132 Stanica :GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka :SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv :ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	4.70	3.40	15.0	6.00	.920	1.51	.500	.780	.500	4.70	18.6	1.20
2	4.70	3.40	15.0	6.00	2.44	1.51	.500	.780	.500	4.70	18.6	1.20
3	4.70	4.70	13.2	6.00	3.40	1.51	.500	.780	.500	4.70	16.8	1.20
4	4.70	4.70	13.2	6.00	3.40	1.51	.500	.780	.500	4.70	16.8	1.20
5	6.00	4.70	11.4	6.00	3.40	1.51	.780	.780	.500	4.70	15.0	1.20
6	6.00	4.70	11.4	6.00	3.40	1.51	.780	.780	.500	6.00	15.0	1.20
7	6.00	4.70	11.4	6.00	4.70	1.51	.780	1.06	.500	6.00	13.2	1.20
8	13.2	4.70	9.60	6.00	4.70	1.06	.780	1.06	.780	6.00	13.2	1.20
9	13.2	4.70	9.60	6.00	2.44	1.06	.780	1.06	.780	6.00	9.60	1.20
10	13.2	4.70	9.60	6.00	2.44	1.06	.780	1.06	.780	4.70	7.80	1.20
11	6.00	4.70	9.60	6.00	2.44	1.06	.780	1.06	1.06	4.70	3.40	1.20
12	6.00	6.00	7.80	6.00	2.44	.500	.780	1.06	1.06	4.70	3.40	1.82
13	6.00	6.00	7.80	4.70	2.44	.500	.780	.780	1.06	4.70	4.70	1.82
14	15.0	6.00	7.80	3.40	2.44	.500	.780	.780	1.51	4.70	6.00	1.20
15	15.0	6.00	6.00	2.44	2.44	.500	.780	.780	2.13	4.70	6.00	1.20
16	20.4	11.4	6.00	1.82	3.40	.500	.500	.780	5.35	4.70	6.00	15.0
17	20.4	7.80	6.00	1.20	3.40	.500	.500	.780	8.70	4.70	4.70	15.0
18	24.0	11.4	6.00	1.20	3.40	.780	.500	.780	8.70	6.00	4.70	15.0
19	29.5	15.0	6.00	.920	3.40	.780	.500	.500	8.70	20.4	3.40	13.2
20	29.5	15.0	6.00	.500	2.44	.780	.500	.500	6.90	20.4	3.40	13.2
21	15.0	15.0	7.80	.500	2.44	.780	.780	.500	6.90	13.2	3.40	13.2
22	15.0	13.2	7.80	.500	2.44	.780	.780	.500	5.35	13.2	3.40	13.2
23	11.4	13.2	7.80	.500	1.20	.780	.780	.500	5.35	20.4	3.40	11.4
24	11.4	13.2	6.00	.500	1.20	.780	.780	.500	4.05	33.2	3.40	7.80
25	11.4	13.2	6.00	.500	1.20	.780	.780	.500	4.05	33.2	3.40	7.80
26	7.80	13.2	4.70	.500	1.20	.780	.780	.780	2.75	33.2	2.44	6.00
27	7.80	15.0	4.70	.500	1.20	.500	.500	.780	2.75	33.2	2.44	6.00
28	4.70	15.0	4.70	.500	1.20	.500	.500	.780	8.70	31.4	1.82	4.70
29	4.70		4.70	.500	1.20	.500	.500	.780	8.70	9.60	1.82	4.70
30	3.40		6.00	.500	.920	.500	.500	.780	8.70	9.60	1.20	6.00
31	3.40		6.00		.920		.500	16.8		9.60		6.00
SD1	7.64	4.44	11.9	6.00	3.12	1.38	.668	.892	.584	5.22	14.5	1.20
SD2	17.2	8.93	6.90	2.82	2.82	.640	.640	.780	4.52	7.97	4.57	7.86
SD3	8.73	13.9	6.02	.500	1.37	.668	.653	2.11	5.73	21.8	2.67	7.89
MAX	29.5	15.0	15.0	6.00	4.70	.920	.320	.440	6.00	80.2	18.6	15.0
DAT	20	19	1	1	7	1	5	7	17	24	1	16
SR	11.1	8.74	8.21	3.11	2.41	.894	.654	1.29	3.61	12.0	7.23	5.72
MIN	3.40	3.40	4.70	.500	.920	.500	.500	.500	.500	4.70	1.20	1.20
DAT	30	1	26	20	1	12	1	19	1	1	30	1
		GMIN = .500			SRGOD= 5.40				GMAX = 80.2			
		DATUM 20 4							DATUM 24 10			

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1956

Broj : 60132 Stanica :GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka :SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv :ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	11.4	3.40	4.70	4.70	7.80	4.70	1.20	.200	.200	.158	6.00	13.2
2	13.2	3.40	4.70	4.70	7.80	6.00	1.20	.200	.200	.158	6.00	11.4
3	11.4	3.40	4.70	4.70	7.80	9.60	1.20	.200	.200	.158	6.00	11.4
4	11.4	3.40	4.70	6.00	7.80	9.60	1.20	.200	.200	.200	4.70	9.60
5	11.4	3.40	4.70	6.00	6.00	6.00	.920	.200	.200	.200	4.70	9.60
6	9.60	3.40	4.70	6.00	6.00	6.00	.920	.200	.200	.200	6.00	7.80
7	9.60	3.40	2.44	6.00	6.00	4.70	.920	.200	.200	.200	6.00	7.80
8	9.60	3.40	2.44	4.70	6.00	4.70	.920	.320	.200	.200	4.70	4.70
9	9.60	3.40	2.44	3.40	6.00	2.44	.640	.320	.200	.200	4.70	3.40
10	7.80	3.40	2.44	2.44	4.70	2.44	.640	.320	.200	.200	4.70	2.44
11	4.70	3.40	4.70	2.44	4.70	2.44	.640	.200	.200	.200	4.70	2.44
12	4.70	3.40	4.70	2.44	4.70	1.82	.640	.200	.200	.200	4.70	2.44
13	4.70	2.44	4.70	3.40	4.70	1.82	.640	.200	.200	.200	4.70	1.82
14	3.40	2.44	2.44	3.40	4.70	1.82	.640	.200	.200	.200	4.70	1.82
15	3.40	2.44	2.44	3.40	4.70	1.82	.640	.200	.200	.200	4.70	1.82
16	3.40	3.40	2.44	3.40	6.00	1.20	.640	.200	.200	.200	11.4	1.82
17	4.70	3.40	2.44	3.40	6.00	1.20	.640	.200	.200	.200	11.4	.920
18	4.70	3.40	1.82	6.00	6.00	1.20	.640	.200	.200	.200	11.4	.920
19	13.2	3.40	1.20	6.00	6.00	1.20	.640	.200	.200	.200	11.4	.920
20	13.2	3.40	1.20	6.00	6.00	1.20	.640	.200	.200	.200	11.4	.920
21	9.60	2.44	1.20	4.70	4.70	3.40	.440	.200	.200	.200	11.4	.920
22	7.80	2.44	1.20	4.70	4.70	3.40	.440	.200	.200	.200	11.4	.920
23	7.80	2.44	1.20	6.00	3.40	2.44	.440	.200	.200	.200	11.4	.920
24	7.80	2.44	2.44	7.80	3.40	2.44	.440	.200	.200	.200	6.00	.640
25	9.60	2.44	2.44	7.80	4.70	2.44	.440	.200	.200	.200	6.00	.640
26	7.80	2.44	3.40	7.80	4.70	1.82	.320	.200	.158	.200	9.60	.440
27	7.80	9.60	4.70	7.80	4.70	1.82	.320	.200	.158	.320	9.60	.440
28	6.00	9.60	4.70	9.60	4.70	1.82	.320	.200	.158	.320	9.60	.440
29	4.70	9.60	6.00	11.4	4.70	1.20	.200	.200	.200	.440	9.60	.440
30	4.70		6.00	11.4	4.70	1.20	.200	.200	.200	.440	13.2	.440
31	4.70		6.00		4.70		.200	.200		.440		.440
SD1	10.5	3.40	3.80	4.86	6.59	5.62	.976	.236	.200	.187	5.35	8.13
SD2	6.01	3.11	2.81	3.99	5.35	1.57	.640	.200	.200	.200	8.05	1.58
SD3	7.12	4.83	3.57	7.90	4.46	2.20	.342	.200	.187	.287	9.78	.607
MAX	40.6	9.60	6.00	11.4	7.80	9.60	1.20	.320	.200	.440	13.2	13.2
DAT	2	27	29	29	1	3	1	8	1	29	30	1
SR	7.85	3.74	3.40	5.58	5.44	3.13	.643	.212	.196	.227	7.73	3.35
MIN	3.40	2.44	1.20	2.44	3.40	1.20	.200	.200	.158	.158	4.70	.440
DAT	14	13	19	10	23	16	29	1	26	1	4	26
		GMIN = .158			SRGOD= 3.45			GMAX = 40.6				
		DATUM 26 9						DATUM 2 1				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1957

Broj : 60132 Stanica : GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka : SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv : ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	3.40	.640	3.40	2.44	4.70	3.40	.920	.440	.440	.440	.920	1.20
2	3.40	.640	3.40	2.44	4.70	3.40	.920	.440	.440	1.20	.920	1.20
3	3.40	.640	3.40	2.44	4.70	3.40	.920	.440	.320	4.70	.640	.920
4	1.82	.920	3.40	3.40	6.00	3.40	.920	.320	.320	6.00	.640	.920
5	1.20	.920	2.44	3.40	6.00	3.40	.920	.320	.320	6.00	.640	.920
6	.920	.920	2.44	3.40	6.00	3.40	.920	.200	.200	6.00	.640	.920
7	.920	.920	2.44	3.40	6.00	2.44	.920	.200	.200	4.70	.640	.920
8	.920	.920	1.20	3.40	9.60	1.82	.920	.200	.200	4.70	2.44	.640
9	.640	.920	1.20	3.40	9.60	1.82	.920	.200	.320	3.40	6.00	.440
10	.640	.920	1.20	3.40	6.00	1.82	.440	.200	.320	3.40	22.2	1.20
11	.640	1.20	1.20	6.00	6.00	1.82	.440	.200	.320	2.44	35.1	2.44
12	.640	1.82	1.20	9.60	6.00	1.82	.440	.320	.200	1.20	35.1	4.70
13	.440	2.44	1.20	11.4	4.70	1.82	.440	.320	.200	1.20	25.8	9.60
14	.440	6.00	1.20	11.4	3.40	1.82	.440	.200	.200	.920	16.8	29.5
15	.440	9.60	1.20	20.4	3.40	1.20	.440	.200	.200	.920	9.60	29.5
16	.440	24.0	1.20	11.4	3.40	1.20	.320	.200	.320	.920	7.80	31.4
17	.440	33.2	1.20	7.80	3.40	1.20	.320	.320	.320	.920	6.00	24.0
18	.440	33.2	.920	6.00	3.40	1.20	.320	.320	.200	.640	3.40	9.60
19	.440	24.0	.920	6.00	4.70	1.82	.320	.320	.200	.640	2.44	7.80
20	.440	20.4	1.82	4.70	4.70	1.82	.320	.320	.200	.640	3.40	6.00
21	.440	20.4	3.40	4.70	4.70	1.20	.440	.440	.200	.640	3.40	4.70
22	.640	11.4	3.40	4.70	4.70	1.20	.440	.320	.320	3.40	3.40	3.40
23	.640	7.80	3.40	4.70	4.70	1.20	.440	.320	.320	4.70	2.44	3.40
24	.640	6.00	4.70	4.70	4.70	1.20	.440	.320	.320	4.70	2.44	3.40
25	.640	6.00	4.70	4.70	4.70	1.20	.320	.320	.200	3.40	1.82	2.44
26	.640	4.70	3.40	4.70	4.70	.920	.320	.440	.200	2.44	1.82	1.82
27	.440	3.40	3.40	4.70	4.70	.920	.320	.440	.320	1.20	1.82	1.20
28	.440	3.40	3.40	6.00	4.70	.920	.320	.440	.440	.920	1.20	.920
29	.440		3.40	6.00	4.70	.640	.320	.320	.440	.920	1.20	.920
30	.440		3.40	6.00	4.70	.640	.320	.320	.320	.920	1.20	.640
31	.440		3.40		4.70		.320	.440		.920		.640
SD1	1.73	.836	2.45	3.11	6.33	2.83	.872	.296	.308	4.05	3.57	.928
SD2	.480	15.6	1.21	9.47	4.31	1.57	.380	.272	.236	1.04	14.5	15.5
SD3	.531	7.89	3.64	5.09	4.70	1.00	.364	.375	.308	2.20	2.07	2.13
MAX	3.40	33.2	4.70	20.4	9.60	3.40	.920	.440	.440	6.00	35.1	31.4
DAT	1	17	24	15	8	1	1	1	1	4	11	16
SR	.900	8.12	2.47	5.89	5.10	1.80	.533	.316	.284	2.42	6.73	6.04
MIN	.440	.640	.920	2.44	3.40	.640	.320	.200	.200	.440	.640	.440
DAT	13	1	18	1	14	29	16	6	6	1	3	9
GMIN =			.200	SRGOD=			3.34	GMAX =			35.1	
DATUM			6 8					DATUM			11 11	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1958

Broj : 60132 Stanica :GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka :SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv :ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	.920	.640	20.4	9.60	24.0	6.00	.920	.320	.179	.158	1.20	3.40	
2	1.20	.640	13.2	6.00	24.0	6.00	.640	.320	.179	.179	2.44	3.40	
3	2.44	.440	13.2	6.00	20.4	6.00	.640	.320	.179	.920	15.0	3.40	
4	3.40	.440	9.60	6.00	20.4	4.70	.200	.320	.260	7.80	24.0	3.40	
5	3.40	.640	6.00	7.80	20.4	4.70	.200	.320	.260	3.40	13.2	2.44	
6	3.40	.640	6.00	20.4	18.6	4.70	.200	.320	.260	1.82	11.4	2.44	
7	4.70	.920	4.70	15.0	18.6	4.70	.200	.320	.260	1.20	9.60	2.44	
8	4.70	.920	4.70	13.2	18.6	3.40	.200	.320	.179	.920	11.4	2.44	
9	4.70	.920	4.70	6.00	18.6	3.40	.200	.440	.179	.640	15.0	1.82	
10	6.00	1.20	4.70	3.40	16.8	3.40	.200	.440	.179	.640	16.8	1.82	
11	6.00	1.20	3.40	1.82	16.8	3.40	.320	.440	.137	.440	24.0	3.40	
12	7.80	1.20	3.40	1.20	16.8	3.40	.320	.440	.137	.440	29.5	3.40	
13	9.60	1.82	3.40	1.20	16.8	3.40	.320	.440	.137	.440	24.0	4.70	
14	6.00	1.82	3.40	1.82	18.6	2.44	.320	.440	.137	.320	25.8	15.0	
15	3.40	3.40	4.70	7.80	18.6	2.44	.320	.440	.179	.320	29.5	31.4	
16	4.70	3.40	4.70	11.4	16.8	2.44	.320	.320	.179	.320	25.8	35.1	
17	3.40	3.40	3.40	7.80	16.8	2.44	.440	.320	.137	.320	16.8	29.5	
18	3.40	4.70	3.40	6.00	16.8	2.44	.440	.320	.137	.320	15.0	31.4	
19	2.44	24.0	2.44	3.40	18.6	2.44	.440	.320	.137	.320	13.2	48.5	
20	1.82	27.7	3.40	1.82	24.0	2.44	.440	.320	.137	.200	9.60	42.5	
21	2.44	20.4	3.40	1.20	27.7	1.82	.440	.320	.137	.200	9.60	38.8	
22	3.40	11.4	3.40	1.20	22.2	1.82	.440	.320	.137	1.82	9.60	42.5	
23	4.70	6.00	3.40	1.20	20.4	1.82	.440	.200	.137	.640	7.80	38.8	
24	3.40	3.40	2.44	22.2	16.8	1.82	.440	.200	.137	.440	6.00	38.8	
25	3.40	1.20	2.44	18.6	15.0	1.82	.640	.200	.179	.440	6.00	44.5	
26	3.40	1.20	3.40	16.8	11.4	1.82	.640	.200	.179	.440	4.70	44.5	
27	3.40	4.70	4.70	16.8	9.60	1.82	.440	.200	.179	.440	3.40	36.9	
28	1.82	24.0	6.00	9.60	7.80	1.20	.440	.179	.137	.320	3.40	25.8	
29	1.20		6.00	9.60	7.80	1.20	.440	.200	.137	.320	3.40	13.2	
30	1.20		7.80	7.80	7.80	1.20	.320	.260	.137	.320	3.40	9.60	
31	.920		18.6		6.00		.320	.320		.320		6.00	
SD1	3.49	.740	8.72	9.34	20.0	4.70	.360	.344	.211	1.77	12.0	2.70	
SD2	4.86	7.26	3.56	4.43	18.1	2.73	.368	.380	.145	.344	21.3	24.5	
SD3	2.66	9.04	5.60	10.5	13.9	1.63	.455	.236	.150	.518	5.73	30.9	
MAX	9.60	24.0	20.4	22.2	27.7	6.00	.920	.440	.440	7.80	25.8	60.5	
DAT	13	28	1	24	21	1	1	9	4	4	14	19	
SR	3.64	5.44	5.95	8.09	17.2	3.02	.396	.317	.169	.865	13.0	19.7	
MIN	.920	.440	2.44	1.20	6.00	1.20	.200	.179	.137	.158	1.20	1.82	
DAT	1	3	19	12	31	28	4	28	11	1	1	9	
		GMIN = .137			SRGOD= 6.50			GMAX = 60.5					
		DATUM 11 9						DATUM 19 12					

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1959

Broj : 60132 Stanica :GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka :SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv :ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	16.8	1.20	1.20	4.70	7.80	4.70	1.82	.440	.920	.440	1.20	3.40	
2	15.0	2.44	1.20	4.70	11.4	4.70	1.20	.440	.640	.440	1.20	3.40	
3	11.4	2.44	1.20	4.70	9.60	4.70	1.20	.640	.640	.440	1.20	6.00	
4	11.4	1.82	1.82	4.70	6.00	4.70	1.20	.640	.440	.320	1.20	6.00	
5	11.4	1.82	1.82	4.70	6.00	3.40	1.20	.640	.440	.320	1.20	9.60	
6	7.80	1.82	2.44	3.40	4.70	3.40	1.20	.440	.440	.320	2.44	13.2	
7	6.00	1.82	2.44	3.40	4.70	3.40	1.20	.440	.440	.320	1.82	15.0	
8	4.70	1.20	4.70	6.00	4.70	3.40	1.20	.440	.440	.320	1.82	11.4	
9	4.70	1.20	7.80	7.80	3.40	3.40	1.20	.440	.320	.320	1.82	9.60	
10	2.44	1.20	6.00	7.80	3.40	3.40	.640	.440	.320	.320	1.20	6.00	
11	2.44	.920	6.00	7.80	3.40	3.40	.640	.440	.320	.320	1.20	11.4	
12	6.00	.920	6.00	6.00	3.40	4.70	.640	.440	.320	.640	1.20	15.0	
13	11.4	.920	4.70	6.00	3.40	4.70	.640	.440	.320	.920	1.20	22.2	
14	7.80	.920	4.70	3.40	3.40	2.44	.640	.440	.320	.640	1.20	29.5	
15	7.80	.640	4.70	3.40	3.40	2.44	.640	.440	.320	.440	.920	36.9	
16	6.00	.640	3.40	3.40	2.44	4.70	.640	.440	.320	.440	.920	33.2	
17	6.00	.640	2.44	4.70	2.44	4.70	.440	.440	.320	.440	.640	29.5	
18	6.00	.640	2.44	6.00	2.44	4.70	.440	.440	.320	.440	.640	18.6	
19	4.70	.640	2.44	6.00	2.44	3.40	.440	.440	.320	.320	.640	16.8	
20	4.70	.640	2.44	6.00	2.44	3.40	.440	.440	.640	.320	.640	11.4	
21	4.70	.640	2.44	3.40	2.44	3.40	.440	.440	.920	.320	.640	3.40	
22	4.70	.920	2.44	3.40	2.44	6.00	.440	.440	.440	.320	.640	2.44	
23	3.40	.920	2.44	3.40	2.44	6.00	.440	.440	.440	.320	1.82	1.20	
24	3.40	.640	2.44	3.40	2.44	9.60	.440	.440	.440	.320	1.82	1.20	
25	3.40	.640	2.44	3.40	2.44	6.00	.440	.440	.440	.320	1.82	1.20	
26	3.40	.640	2.44	2.44	2.44	3.40	.440	.440	.440	.320	1.82	1.20	
27	2.44	.920	2.44	2.44	3.40	2.44	.440	.440	.320	.320	1.82	1.20	
28	1.82	.920	2.44	3.40	4.70	2.44	.440	.640	.320	.640	2.44	1.20	
29	1.82		2.44	4.70	9.60	2.44	.440	.640	.320	.920	2.44	.920	
30	1.20		3.40	4.70	9.60	1.82	.440	.640	.320	1.20	2.44	.920	
31	1.20		3.40		7.80		.440	.920		1.82		.640	
SD1	9.16	1.70	3.06	5.19	6.17	3.92	1.21	.500	.504	.356	1.51	8.36	
SD2	6.28	.752	3.93	5.27	2.92	3.86	.560	.440	.352	.492	.920	22.5	
SD3	2.86	.780	2.61	3.47	4.52	4.35	.440	.538	.440	.620	1.77	1.41	
MAX	16.8	2.44	7.80	7.80	11.4	9.60	1.82	.920	.920	1.20	2.44	36.9	
DAT	1	2	9	9	2	24	1	31	1	31	6	15	
SR	6.00	1.10	3.18	4.64	4.54	4.04	.726	.494	.432	.494	1.40	10.4	
MIN	1.20	.640	1.20	2.44	2.44	1.82	.440	.440	.320	.320	.640	.640	
DAT	30	15	1	26	16	30	17	1	9	4	17	31	
		GMIN =		.320		SRGOD=		3.15		GMAX =		36.9	
		DATUM		9 9						DATUM		15 12	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1960

Broj : 60132 Stanica :GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka :SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv :ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	4.70	3.40	6.00	15.0	4.70	3.40	3.40	.320	.440	.640	2.44	.640
2	4.70	2.44	6.00	11.4	6.00	3.40	3.40	.320	.440	.440	2.44	.440
3	4.70	2.44	6.00	7.80	4.70	2.44	3.40	.320	.440	.320	2.44	.440
4	4.70	1.20	3.40	7.80	3.40	2.44	1.20	.320	.440	.260	1.20	.440
5	4.70	1.20	3.40	6.00	2.44	2.44	1.20	.320	.440	.179	1.20	.440
6	4.70	1.20	3.40	4.70	1.82	2.44	.920	.440	.440	.179	1.20	2.44
7	4.70	1.20	3.40	3.40	1.82	2.44	.920	.440	.440	.179	3.40	11.4
8	4.70	.920	3.40	3.40	2.44	2.44	.920	.440	.440	.320	4.70	22.2
9	4.70	.920	3.40	2.44	6.00	2.44	.440	.440	.320	1.82	1.82	27.7
10	4.70	.920	3.40	2.44	9.60	2.44	.440	.440	.320	4.70	1.20	36.9
11	3.40	.920	15.0	1.20	11.4	3.40	.440	.320	.320	9.60	2.44	38.8
12	3.40	3.40	20.4	1.20	11.4	3.40	.440	.320	.320	13.2	1.20	40.6
13	3.40	9.60	22.2	1.20	9.60	3.40	.440	.320	.320	11.4	3.40	36.9
14	2.44	16.8	22.2	1.20	9.60	2.44	.440	.320	.320	9.60	13.2	33.2
15	2.44	18.6	22.2	2.44	9.60	2.44	.440	.440	.320	7.80	27.7	29.5
16	2.44	18.6	24.0	3.40	9.60	2.44	.320	.440	.320	7.80	24.0	27.7
17	2.44	15.0	24.0	2.44	9.60	2.44	.320	.440	.320	6.00	18.6	25.8
18	2.44	15.0	24.0	2.44	9.60	2.44	.320	.440	.320	6.00	16.8	27.7
19	2.44	15.0	22.2	2.44	7.80	1.82	.320	.440	.320	4.70	15.0	27.7
20	2.44	13.2	22.2	4.70	7.80	1.82	.320	.440	.440	4.70	11.4	27.7
21	2.44	13.2	22.2	6.00	6.00	1.82	.320	.440	.440	4.70	9.60	27.7
22	1.20	15.0	22.2	6.00	6.00	1.82	.320	.440	.440	4.70	7.80	29.5
23	.920	13.2	20.4	3.40	6.00	1.82	.320	.440	.440	3.40	6.00	27.7
24	.920	7.80	18.6	2.44	6.00	1.82	.320	.440	.440	3.40	4.70	24.0
25	.920	6.00	11.4	2.44	6.00	1.82	.440	.440	.440	3.40	4.70	20.4
26	.920	4.70	9.60	4.70	4.70	1.20	.440	.440	.440	3.40	4.70	18.6
27	.920	3.40	15.0	6.00	4.70	1.20	.320	.440	.440	3.40	4.70	18.6
28	1.82	2.44	16.8	7.80	3.40	1.20	.320	.440	.640	3.40	3.40	15.0
29	3.40	2.44	16.8	7.80	3.40	.920	.320	.440	.640	2.44	3.40	15.0
30	4.70		18.6	4.70	3.40	.920	.320	.440	.920	2.44	3.40	13.2
31	3.40		18.6		3.40		.320	.440		2.44		6.00
SD1	4.70	1.58	4.18	6.44	4.29	2.63	1.62	.380	.416	.904	2.20	10.3
SD2	2.73	12.6	21.8	2.27	9.60	2.60	.380	.392	.332	8.08	13.4	31.6
SD3	1.96	7.58	17.3	5.13	4.82	1.45	.342	.440	.528	3.37	5.24	19.6
MAX	4.70	18.6	24.0	15.0	11.4	3.40	3.40	.440	.920	13.2	27.7	50.5
DAT	1	15	16	1	11	1	1	6	30	12	15	12
SR	3.09	7.25	14.5	4.61	6.19	2.23	.768	.405	.425	4.10	6.94	20.5
MIN	.920	.920	3.40	1.20	1.82	.920	.320	.320	.320	.179	1.20	.440
DAT	23	8	4	11	6	29	16	1	9	5	4	2
		GMIN = .179		SRGOD= 5.93		GMAX = 50.5						
		DATUM 5 10				DATUM 12 12						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1961

Broj : 60132 Stanica :GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka :SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv :ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	16.8	.920	.640	1.20	9.60	4.70	.920	.440	.200	.158	15.0	11.4
2	16.8	.920	.640	1.20	9.60	4.70	.920	.440	.158	.158	15.0	9.60
3	16.8	.920	.640	1.20	9.60	4.70	.920	.320	.158	.158	13.2	7.80
4	16.8	.920	.640	1.20	7.80	4.70	.640	.320	.158	.158	13.2	6.00
5	15.0	.920	.640	1.82	7.80	3.40	.640	.320	.158	.158	9.60	6.00
6	15.0	.920	.640	1.82	6.00	3.40	.640	.320	.158	.158	7.80	6.00
7	15.0	.920	.440	1.82	4.70	3.40	.640	.200	.158	.158	6.00	6.00
8	13.2	.920	.440	1.82	4.70	3.40	.640	.200	.158	.158	4.70	6.00
9	13.2	.640	.640	2.44	3.40	1.20	.640	.200	.158	.158	9.60	9.60
10	11.4	.640	.640	2.44	3.40	1.20	.640	.200	.158	.158	13.2	11.4
11	9.60	.640	.640	2.44	3.40	1.20	.440	.200	.158	.158	6.00	15.0
12	9.60	.640	.920	3.40	3.40	.920	.440	.200	.158	.158	4.70	18.6
13	3.40	.640	.920	3.40	4.70	.920	.440	.200	.158	.200	4.70	18.6
14	3.40	.640	.920	2.44	4.70	.920	.440	.200	.158	.200	4.70	15.0
15	3.40	.440	1.20	2.44	4.70	.920	.440	.200	.158	.200	4.70	15.0
16	3.40	.440	1.20	2.44	4.70	.920	.440	.200	.200	.200	4.70	15.0
17	3.40	.440	1.20	2.44	6.00	.920	.440	.200	.200	.200	2.44	16.8
18	3.40	.440	1.20	2.44	6.00	.920	.440	.200	.200	.440	2.44	22.2
19	2.44	.440	1.20	3.40	6.00	.640	.320	.200	.158	52.5	1.82	24.0
20	2.44	.440	1.20	3.40	6.00	.640	.320	.200	.158	48.5	1.82	20.4
21	1.20	.440	1.82	3.40	7.80	.640	.320	.200	.158	48.5	1.82	20.4
22	1.20	.440	1.82	3.40	7.80	.640	.320	.158	.158	52.5	1.82	18.6
23	1.20	.440	1.82	3.40	7.80	.640	.320	.158	.200	40.6	1.82	16.8
24	.920	.440	1.82	3.40	7.80	.640	.320	.158	.200	35.1	1.20	15.0
25	.920	.640	1.82	6.00	7.80	.920	.320	.158	.200	33.2	1.20	15.0
26	.920	.640	1.20	6.00	6.00	.920	.320	.158	.200	27.7	1.20	15.0
27	.920	.640	1.20	6.00	6.00	.920	.320	.158	.200	24.0	3.40	13.2
28	.920	.640	1.20	7.80	6.00	.920	.320	.158	.200	18.6	4.70	13.2
29	.920		1.20	7.80	4.70	.920	.320	.158	.158	16.8	6.00	9.60
30	.920		1.20	7.80	4.70	.920	.320	.116	.158	16.8	13.2	9.60
31	.920		1.20		4.70		.320	.116		15.0		9.60
SD1	15.0	.864	.600	1.70	6.66	3.48	.724	.296	.162	.158	10.7	7.98
SD2	4.45	.520	1.06	2.82	4.96	.892	.416	.200	.171	10.3	3.80	18.1
SD3	.996	.540	1.48	5.50	6.46	.808	.320	.154	.183	29.9	3.64	14.2
MAX	16.8	.920	1.82	7.80	9.60	4.70	.920	.440	.200	52.5	15.0	24.0
DAT	1	1	21	28	1	1	1	1	1	19	1	19
SR	6.63	.649	1.06	3.34	6.04	1.73	.481	.215	.172	14.0	6.06	13.4
MIN	.920	.440	.440	1.20	3.40	.640	.320	.116	.158	.158	1.20	6.00
DAT	24	15	7	1	9	19	19	30	2	1	24	4
		GMIN = .116			SRGOD= 4.53			GMAX = 52.5				
		DATUM 30 8						DATUM 19 10				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1962

Broj : 60132 Stanica :GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka :SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv :ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	6.00	.320	.640	26.5	5.80	10.3	5.80	.616	.200	.440	7.10	55.5
2	6.00	.320	1.20	26.5	4.80	10.3	5.80	.616	.200	.440	7.10	42.2
3	6.00	.200	3.40	24.9	4.80	8.70	5.80	.616	.200	.440	10.3	33.3
4	4.70	.200	6.00	24.9	3.80	8.70	7.10	.616	.200	.440	10.3	26.5
5	4.70	.200	13.2	23.3	3.80	7.10	7.10	.616	.200	.440	11.9	23.3
6	4.70	.158	83.5	23.3	3.80	7.10	7.10	.440	.156	.440	11.9	21.6
7	4.70	.158	81.3	23.3	3.80	7.10	5.80	.440	.156	.440	13.5	20.0
8	3.40	.158	79.1	20.0	4.80	4.80	5.80	.440	.156	.320	15.1	18.4
9	3.40	.116	48.5	20.0	4.80	4.80	4.80	.440	.156	.320	18.4	13.5
10	3.40	.116	40.6	20.0	4.80	3.80	4.80	.440	.112	.200	18.4	10.3
11	3.40	.116	40.6	18.4	5.80	1.91	4.80	.440	.112	.200	18.4	8.70
12	2.44	.116	33.2	18.4	5.80	1.50	3.80	.440	.112	.200	18.4	8.70
13	2.44	.158	20.4	18.4	5.80	1.50	3.13	.440	.112	.320	20.0	10.3
14	2.44	.200	10.3	18.4	7.10	1.50	1.91	.440	.156	.320	20.0	13.5
15	2.44	.200	10.3	16.8	7.10	1.50	1.08	.320	.156	.320	20.0	13.5
16	2.44	.200	10.3	15.1	7.10	1.50	1.08	.320	.156	.320	20.0	13.5
17	2.44	.200	10.3	15.1	7.10	1.50	1.08	.320	.156	1.50	23.3	18.4
18	1.82	.200	11.9	11.9	7.10	1.91	.616	.320	.200	1.50	23.3	20.0
19	1.82	.200	15.1	11.9	5.80	1.91	.616	.320	.200	1.50	24.9	20.0
20	1.82	.320	15.1	10.3	5.80	3.13	.616	.320	.200	1.08	28.2	20.0
21	1.82	.320	15.1	11.9	5.80	3.13	.616	.320	.200	1.08	31.6	24.9
22	1.20	.320	16.8	10.3	5.80	3.13	.616	.320	.200	1.08	35.0	24.9
23	1.20	.320	18.4	10.3	4.80	3.80	.440	.320	.200	1.08	42.2	26.5
24	.920	.320	18.4	10.3	4.80	4.80	.440	.320	.320	1.50	45.9	29.9
25	.920	.200	20.0	8.70	3.80	4.80	.440	.320	.320	1.50	49.7	31.6
26	.920	.200	21.6	8.70	3.80	5.80	.440	.320	.200	1.91	51.6	35.0
27	.920	.200	23.3	7.10	3.13	5.80	.440	.320	.200	3.80	57.5	38.6
28	.920	.200	23.3	7.10	3.13	5.80	.440	.320	.200	3.80	65.5	43.1
29	.640		24.9	5.80	3.13	5.80	.320	.320	.200	3.80	71.5	44.0
30	.640		26.5	5.80	2.46	5.80	.320	.320	.440	4.80	71.5	45.9
31	.440		26.5		2.46		.320	.200		4.80		47.8
SD1	4.70	.195	35.7	23.3	4.50	7.27	5.99	.528	.174	.392	12.4	26.5
SD2	2.35	.191	17.8	15.5	6.45	1.79	1.87	.368	.156	.726	21.6	14.7
SD3	.958	.260	21.3	8.60	3.92	4.87	.439	.309	.248	2.65	52.2	35.7
MAX	6.00	.320	94.5	26.5	7.10	10.3	7.10	.616	.440	4.80	71.5	55.5
DAT	1	1	6	1	14	1	4	1	30	30	30	1
SR	2.61	.212	24.8	15.8	4.92	4.64	2.69	.399	.193	1.30	28.7	25.9
MIN	.440	.116	.640	5.80	2.46	1.50	.320	.200	.112	.200	7.10	8.70
DAT	31	9	1	29	30	12	29	31	10	10	1	11
GMIN =			.112	SRGOD=			9.40	GMAX =			94.5	
DATUM			10 9					DATUM			6 3	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1963

Broj : 60132 Stanica :GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka :SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv :ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	31.6	16.8	1.50	1.91	4.80	5.80	1.91	.616	.616	1.91	4.80	3.80	
2	23.3	15.1	1.50	1.91	3.80	5.80	1.91	.616	.616	1.91	3.80	3.80	
3	16.8	13.5	1.50	2.46	3.80	5.80	1.91	.616	.440	1.91	3.13	3.80	
4	13.5	10.3	1.50	2.46	5.80	5.80	1.91	.616	.440	1.91	1.91	8.70	
5	15.1	10.3	1.91	2.46	7.10	3.80	1.91	.616	.440	3.80	3.13	10.3	
6	18.4	7.10	1.91	2.46	7.10	3.80	1.91	.616	.616	3.13	3.80	13.5	
7	16.8	5.80	1.91	1.50	7.10	3.80	1.91	.616	.616	3.13	5.80	13.5	
8	15.1	5.80	2.46	1.50	5.80	3.80	1.50	.616	.616	3.13	4.80	18.4	
9	13.5	5.80	2.46	1.50	5.80	3.80	1.50	.440	.616	3.13	4.80	18.4	
10	10.3	4.80	2.46	1.08	5.80	3.80	1.50	.440	.616	3.13	3.80	21.6	
11	7.10	3.80	3.13	1.08	5.80	4.80	1.50	.440	.616	3.13	3.80	20.0	
12	7.10	5.80	3.13	1.91	5.80	7.10	1.50	.440	.616	3.13	3.80	20.0	
13	5.80	8.70	3.13	1.91	5.80	5.80	1.50	.320	.616	3.80	3.13	18.4	
14	5.80	10.3	3.80	2.46	5.80	5.80	1.50	.320	.616	5.80	4.80	18.4	
15	5.80	7.10	5.80	3.80	5.80	5.80	1.50	.320	.616	8.70	5.80	18.4	
16	3.80	7.10	7.10	4.80	4.80	3.80	1.50	.320	.848	7.10	4.80	23.3	
17	3.80	8.70	10.3	4.80	4.80	3.80	1.50	.320	.848	7.10	4.80	23.3	
18	4.80	7.10	13.5	4.80	4.80	3.80	1.50	.320	.848	5.80	4.80	23.3	
19	7.10	8.70	10.3	4.80	5.80	3.80	1.50	.320	.848	7.10	3.80	26.5	
20	10.3	13.5	7.10	5.80	5.80	3.80	1.50	.320	1.08	8.70	3.80	26.5	
21	11.9	10.3	4.80	7.10	5.80	3.80	1.08	.320	1.08	10.3	3.13	28.2	
22	13.5	10.3	4.80	8.70	5.80	3.13	1.08	.440	1.91	10.3	3.13	28.2	
23	15.1	7.10	3.80	7.10	5.80	3.13	1.08	.440	1.91	16.8	2.46	26.5	
24	11.9	7.10	2.46	7.10	5.80	2.46	1.08	.440	1.91	18.4	2.46	26.5	
25	8.70	7.10	2.46	7.10	5.80	2.46	1.08	.616	3.13	21.6	1.91	26.5	
26	4.80	5.80	1.91	7.10	5.80	2.46	1.08	.616	3.13	24.9	1.08	26.5	
27	3.13	5.80	1.91	7.10	5.80	2.46	.848	.616	3.80	26.5	2.46	24.9	
28	3.13	3.80	1.91	5.80	4.80	1.91	.848	.616	3.80	26.5	3.80	24.9	
29	4.80		1.50	5.80	4.80	1.91	.848	.616	2.46	23.3	4.80	23.3	
30	5.80		1.08	5.80	4.80	1.91	.616	.616	1.91	21.6	3.80	23.3	
31	7.10		1.91		3.80		.616	.616		18.4		23.3	
SD1	17.4	9.53	1.91	1.92	5.69	4.60	1.79	.581	.563	2.71	3.98	11.6	
SD2	6.14	8.08	6.73	3.62	5.50	4.83	1.50	.344	.755	6.04	4.33	21.8	
SD3	8.17	7.16	2.59	6.87	5.35	2.56	.932	.541	2.50	19.9	2.90	25.6	
MAX	31.6	16.8	13.5	8.70	7.10	5.80	1.91	.616	3.80	26.5	5.80	28.2	
DAT	1	1	18	22	5	1	1	1	28	27	7	21	
SR	10.5	8.34	3.71	4.14	5.51	4.00	1.39	.490	1.27	9.87	3.74	19.9	
MIN	3.13	3.80	1.08	1.08	3.80	1.91	.616	.320	.440	1.91	1.08	3.80	
DAT	27	11	30	10	2	28	30	13	3	1	26	1	
GMIN =			.320	SRGOD=			6.08	GMAX =			31.6		
DATUM			13 8					DATUM			1 1		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1964

Broj : 60132 Stanica : GORNJE POLJE Kota "0" = 628.34
 Nacin osmat.: letva Rijeka : SUSICA km od usca = 3.10
 Pocetak rada: 1948 Sliv : ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	3.80	3.80	8.70	33.3	18.4	1.50	1.08	.848	.616	.440	7.80	29.5
2	3.80	3.80	8.70	33.3	3.13	1.50	1.08	.848	.616	.440	7.80	31.4
3	3.80	3.13	11.9	31.6	3.13	1.50	.848	.848	.616	.440	13.2	18.6
4	3.13	3.13	11.9	29.9	3.80	1.91	.848	.848	.616	.440	11.4	15.0
5	3.13	2.46	15.1	33.3	3.80	1.91	.848	.848	.616	.440	9.60	15.0
6	2.46	2.46	15.1	33.3	4.80	1.91	.848	.848	.616	.440	9.60	11.4
7	2.46	1.50	15.1	33.3	5.80	1.50	.848	.848	.616	.440	7.80	9.60
8	2.46	1.08	18.4	29.9	5.80	1.50	.848	.848	.616	.440	7.80	6.00
9	2.46	1.08	18.4	29.9	8.70	1.50	.848	.848	.616	.616	6.00	4.70
10	2.46	.848	18.4	28.2	10.3	1.50	.848	.848	.440	3.80	6.00	6.00
11	2.46	.848	18.4	28.2	11.9	1.50	.848	.848	.440	59.5	4.70	6.00
12	2.46	.616	20.0	26.5	13.5	1.08	.848	.848	.440	79.5	4.70	6.00
13	1.91	.616	20.0	24.9	15.1	1.08	1.50	.616	.440	49.7	4.70	4.70
14	1.91	.616	20.0	24.9	16.8	1.08	1.50	.616	.440	42.2	4.70	4.70
15	1.91	.616	20.0	24.9	18.4	1.08	1.50	.616	.440	35.0	6.00	4.70
16	1.91	1.08	23.3	23.3	2.46	1.08	1.08	.616	.440	28.2	6.00	3.40
17	1.91	1.08	23.3	23.3	2.46	1.08	1.08	.616	.440	18.4	6.00	1.20
18	1.91	1.08	23.3	23.3	1.91	1.08	1.08	.616	.440	11.9	6.00	6.00
19	1.50	1.08	24.9	21.6	1.91	1.08	1.08	.616	.440	15.0	6.00	16.8
20	1.50	1.91	24.9	20.0	1.91	1.08	.848	.616	.440	15.0	6.00	24.0
21	1.08	3.13	28.2	20.0	1.91	.848	.848	.616	.440	13.2	4.70	29.5
22	1.08	3.80	31.6	18.4	1.91	.848	.848	.616	.440	13.2	3.40	31.4
23	.848	4.80	31.6	18.4	1.50	.848	.848	.616	.616	13.2	3.40	29.5
24	.848	4.80	31.6	20.0	1.50	1.08	.848	.616	.616	13.2	2.44	27.7
25	.616	10.3	29.9	23.3	1.50	1.08	.848	.616	.440	13.2	2.44	24.0
26	.616	10.3	29.9	23.3	1.50	1.08	.848	.616	.440	15.0	2.44	24.0
27	.616	10.3	29.9	23.3	1.50	1.08	.848	.616	.440	15.0	2.44	25.8
28	.320	8.70	35.0	21.6	1.50	1.08	.848	.616	.440	15.0	2.44	29.5
29	.320	8.70	35.0	21.6	1.50	1.08	.848	.616	.440	15.0	2.44	29.5
30	.200		36.8	21.6	1.50	1.08	.848	.616	.440	13.2	3.40	29.5
31	.200		36.8		1.50		.848	.616		7.80		29.5
SD1	3.00	2.33	14.2	31.6	6.77	1.62	.894	.848	.598	.794	8.70	14.7
SD2	1.94	.954	21.8	24.1	8.64	1.12	1.14	.662	.440	35.4	5.48	7.75
SD3	.613	7.20	32.4	21.2	1.57	1.01	.848	.616	.475	13.4	2.95	28.2
MAX	3.80	10.3	36.8	33.3	18.4	1.91	1.50	.848	.616	79.5	13.2	31.4
DAT	1	15	31	1	1	4	13	1	1	12	3	2
SR	1.81	3.37	23.1	25.6	5.53	1.25	.956	.706	.505	16.4	5.71	17.2
MIN	.200	.616	8.70	18.4	1.50	.848	.848	.616	.440	.440	2.44	1.20
DAT	30	12	1	22	23	21	3	13	10	1	24	17
GMIN =		.200		SRGOD=		8.55		GMAX =		79.5		
DATUM		30 1						DATUM		12 10		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1965

Broj : 60132 Stanica :GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka :SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv :ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	24.0	9.60	1.20	4.70	13.2	13.2	3.40	.640	.920	.920	.179	24.0	
2	22.2	11.4	4.70	4.70	13.2	13.2	3.40	.440	.920	.920	.158	24.0	
3	20.4	9.60	36.9	4.70	11.4	13.2	2.44	.440	.920	.920	.158	24.0	
4	20.4	9.60	25.8	3.40	11.4	13.2	2.44	.440	.920	.920	.137	20.4	
5	20.4	7.80	24.0	3.40	11.4	13.2	2.44	.440	.920	.920	.095	20.4	
6	20.4	7.80	24.0	4.70	9.60	13.2	2.44	.440	.920	.640	.095	15.0	
7	4.70	7.80	18.6	4.70	9.60	13.2	2.44	.440	.920	.640	.073	13.2	
8	1.20	6.00	15.0	4.70	9.60	13.2	2.44	.440	.920	.640	.073	15.0	
9	1.20	4.70	15.0	6.00	9.60	11.4	2.44	.320	.920	.640	.158	15.0	
10	4.70	4.70	11.4	13.2	9.60	11.4	2.44	.320	.920	.640	.440	15.0	
11	3.40	2.44	7.80	15.0	11.4	11.4	2.44	.320	.920	.640	3.40	15.0	
12	3.40	1.82	7.80	15.0	11.4	11.4	2.44	.320	.640	.640	3.40	18.6	
13	3.40	1.20	6.00	15.0	11.4	11.4	2.44	.320	.640	.640	6.00	18.6	
14	2.44	1.20	4.70	15.0	9.60	11.4	1.82	.200	.640	.640	6.00	18.6	
15	2.44	1.20	3.40	13.2	9.60	11.4	1.82	.200	.640	.640	4.70	15.0	
16	2.44	1.20	2.44	13.2	9.60	11.4	1.20	.200	.640	.320	4.70	13.2	
17	2.44	1.20	2.44	11.4	9.60	9.60	1.20	.200	.640	.320	4.70	9.60	
18	2.44	1.20	1.82	9.60	11.4	9.60	1.20	.200	.640	.320	4.70	9.60	
19	3.40	1.20	1.20	9.60	11.4	9.60	1.20	.200	.640	.320	4.70	9.60	
20	3.40	1.20	1.20	9.60	13.2	9.60	.920	.320	.640	.320	9.60	6.00	
21	2.44	1.20	1.20	16.8	13.2	9.60	.920	.320	.640	.320	9.60	6.00	
22	2.44	1.20	1.20	15.0	13.2	7.80	.920	.320	.640	.320	16.8	6.00	
23	2.44	1.20	1.20	13.2	13.2	7.80	.920	.200	.640	.320	15.0	6.00	
24	2.44	1.20	2.44	13.2	13.2	7.80	.920	.200	.640	.320	15.0	3.40	
25	1.82	1.20	31.4	11.4	13.2	7.80	.920	.440	.640	.320	16.8	3.40	
26	1.20	1.20	25.8	11.4	13.2	7.80	.920	.920	.640	.320	15.0	3.40	
27	1.20	1.20	25.8	9.60	13.2	7.80	.920	.920	.640	.320	11.4	6.00	
28	.920	1.20	15.0	7.80	13.2	6.00	.920	.920	.920	.320	15.0	7.80	
29	.920		13.2	7.80	13.2	6.00	.640	.920	.920	.200	22.2	7.80	
30	3.40		7.80	6.00	13.2	4.70	.640	.920	.920	.200	24.0	7.80	
31	6.00		4.70		13.2		.640	.920		.179		6.00	
SD1	14.0	7.90	17.7	5.42	10.9	12.8	2.63	.436	.920	.780	.157	18.6	
SD2	2.92	1.39	3.88	12.7	10.9	10.7	1.67	.248	.668	.480	5.19	13.4	
SD3	2.29	1.20	11.8	11.2	13.2	7.31	.844	.636	.724	.285	16.1	5.78	
MAX	24.0	11.4	51.5	16.8	13.2	13.2	3.40	.920	.920	.920	24.0	24.0	
DAT	1	2	3	21	1	1	1	26	1	1	30	1	
SR	6.26	3.66	11.1	9.77	11.7	10.3	1.69	.446	.771	.508	7.14	12.4	
MIN	.920	1.20	1.20	3.40	9.60	4.70	.640	.200	.640	.179	.073	3.40	
DAT	28	13	1	4	6	30	29	14	12	31	7	24	
GMIN =			.073	SRGOD=			6.32	GMAX =			51.5		
DATUM			7 11					DATUM			3 3		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1966

Broj : 60132 Stanica :GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka :SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv :ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	9.60	.920	4.70	4.70	9.60	9.60	1.82	2.44	4.70	1.20	16.8	11.4
2	9.60	.920	4.70	4.70	9.60	6.00	1.82	2.44	4.70	1.82	15.0	15.0
3	9.60	.920	4.70	4.70	9.60	6.00	1.82	2.44	4.70	1.82	7.80	20.4
4	6.00	.920	4.70	4.70	9.60	6.00	1.82	1.82	4.70	1.82	6.00	25.8
5	6.00	.920	4.70	4.70	9.60	6.00	1.82	1.20	3.40	1.82	4.70	25.8
6	6.00	.920	4.70	3.40	9.60	4.70	1.82	1.20	3.40	1.82	6.00	16.8
7	4.70	.920	4.70	3.40	7.80	4.70	1.82	1.20	2.44	1.20	11.4	15.0
8	4.70	1.20	4.70	3.40	7.80	3.40	1.82	1.20	2.44	1.20	11.4	11.4
9	4.70	1.20	4.70	6.00	7.80	3.40	1.20	.920	1.20	1.20	9.60	7.80
10	2.44	3.40	3.40	6.00	7.80	2.44	1.20	.920	1.20	1.82	7.80	6.00
11	2.44	11.4	3.40	9.60	20.4	2.44	1.20	.920	1.20	7.80	6.00	4.70
12	2.44	9.60	3.40	9.60	20.4	2.44	1.20	.920	.920	6.00	7.80	4.70
13	2.44	15.0	2.44	7.80	20.4	2.44	1.20	.640	.920	6.00	9.60	4.70
14	2.44	13.2	3.40	7.80	16.8	2.44	1.20	.640	.920	6.00	9.60	25.8
15	2.44	13.2	3.40	7.80	16.8	2.44	.920	.640	.920	4.70	9.60	25.8
16	2.44	13.2	3.40	9.60	13.2	1.82	.920	.920	.920	4.70	6.00	22.2
17	1.20	13.2	3.40	9.60	13.2	1.82	.920	.920	.920	3.40	9.60	15.0
18	1.20	9.60	3.40	13.2	11.4	1.82	.920	.640	.920	3.40	9.60	13.2
19	1.20	7.80	3.40	13.2	11.4	1.82	.920	.640	.920	3.40	16.8	9.60
20	1.20	6.00	3.40	13.2	11.4	1.82	.920	.640	.640	3.40	20.4	6.00
21	1.20	4.70	3.40	13.2	7.80	1.82	.920	.640	.500	4.70	20.4	4.70
22	1.20	4.70	3.40	9.60	6.00	1.82	1.20	.640	.440	4.70	15.0	4.70
23	1.82	6.00	2.44	7.80	4.70	1.82	1.82	.640	.380	3.40	11.4	4.70
24	1.82	9.60	2.44	6.00	4.70	1.82	2.44	.640	.320	3.40	9.60	4.70
25	1.82	9.60	2.44	6.00	3.40	1.82	2.44	.440	.260	4.70	15.0	4.70
26	1.82	9.60	2.44	7.80	3.40	1.82	2.44	.440	.260	11.4	15.0	3.40
27	.920	6.00	2.44	9.60	3.40	1.82	2.44	.440	.179	11.4	11.4	3.40
28	.920	4.70	3.40	9.60	6.00	1.82	2.44	.440	.179	11.4	9.60	3.40
29	.920		4.70	9.60	9.60	1.82	2.44	.440	.260	18.6	15.0	3.40
30	.920		6.00	9.60	9.60	1.82	2.44	.440	.440	18.6	15.0	3.40
31	.920		6.00		9.60		2.44	.440		18.6		3.40
SD1	6.33	1.22	4.57	4.57	8.88	5.22	1.70	1.58	3.29	1.57	9.65	15.5
SD2	1.94	11.2	3.30	10.1	15.5	2.13	1.03	.752	.920	4.88	10.5	13.2
SD3	1.30	6.86	3.55	8.88	6.20	1.82	2.13	.513	.322	10.1	13.7	3.99
MAX	9.60	15.0	6.00	13.2	20.4	9.60	2.44	2.44	4.70	18.6	20.4	54.5
DAT	1	12	30	19	11	1	24	1	1	29	20	4
SR	3.13	6.41	3.80	7.86	10.1	3.06	1.64	.934	1.51	5.66	11.3	10.7
MIN	.920	.920	2.44	3.40	3.40	1.82	.920	.440	.179	1.20	4.70	3.40
DAT	27	1	13	6	25	16	15	25	27	1	5	26
GMIN =		.179		SRGOD=		5.49		GMAX =		54.5		
DATUM		27 9						DATUM		4 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1967

Broj : 60132 Stanica : GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka : SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv : ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	2.44	1.20	1.20	44.5	9.60	7.80	2.44	.920	.640	.640	.440	15.0
2	2.44	1.20	1.82	38.8	7.80	7.80	2.44	.920	.640	.640	.440	11.4
3	1.82	1.20	6.00	31.4	6.00	7.80	2.44	.920	.640	.440	.440	9.60
4	1.82	1.20	4.70	24.0	7.80	6.00	2.44	.920	.640	.320	.440	6.00
5	1.82	1.20	4.70	20.4	13.2	6.00	2.44	.920	.640	.200	.440	4.70
6	3.40	1.20	4.70	18.6	13.2	6.00	2.44	.920	.640	.158	.440	3.40
7	3.40	1.20	3.40	16.8	13.2	6.00	1.82	.920	.640	.116	3.40	3.40
8	3.40	1.20	3.40	24.0	13.2	6.00	1.82	.640	.640	.116	2.44	3.40
9	2.44	1.20	3.40	24.0	11.4	6.00	1.82	.640	.440	.116	2.44	2.44
10	2.44	.920	4.70	22.2	11.4	6.00	1.82	.640	.440	.116	2.44	2.44
11	1.82	.920	6.00	22.2	11.4	6.00	3.40	.640	.440	.116	1.82	3.40
12	1.82	.920	6.00	22.2	9.60	6.00	3.40	.640	.440	.116	1.82	3.40
13	1.20	.920	7.80	22.2	11.4	6.00	2.44	.640	.440	.158	1.20	3.40
14	1.20	.920	6.00	22.2	9.60	6.00	1.82	.640	.440	.158	1.20	2.44
15	1.20	.920	6.00	22.2	9.60	7.80	1.82	.640	.440	.158	.920	1.20
16	1.20	.640	6.00	22.2	13.2	9.60	1.82	.640	.640	.158	.920	1.20
17	1.20	.640	4.70	20.4	13.2	9.60	1.82	.640	.640	.158	.920	1.20
18	.920	.640	3.40	20.4	13.2	9.60	1.20	.640	.640	.158	.920	.920
19	.920	.640	3.40	18.6	13.2	9.60	1.20	.640	.640	.116	.640	.920
20	.920	.920	2.44	18.6	9.60	9.60	1.20	.640	.640	.116	.640	.920
21	.920	.920	2.44	18.6	9.60	7.80	1.20	.640	.640	.116	.640	.920
22	.920	1.20	1.82	20.4	9.60	6.00	1.20	.640	.640	.116	.640	.640
23	.920	1.20	1.82	25.8	9.60	6.00	1.20	.640	.640	.116	.640	.640
24	.920	1.20	1.82	25.8	9.60	4.70	1.20	.920	.920	.116	.640	.920
25	1.20	1.20	1.82	22.2	9.60	4.70	.920	.920	.920	.116	.640	2.44
26	4.70	.920	1.82	20.4	9.60	4.70	.920	.920	.920	.116	.640	22.2
27	2.44	.920	1.82	18.6	9.60	3.40	.920	.920	.640	.116	.640	31.4
28	1.82	1.20	1.82	18.6	9.60	3.40	.920	.920	.640	.158	20.4	31.4
29	1.20		2.44	16.8	9.60	2.44	.920	.920	.640	.200	20.4	24.0
30	1.20		18.6	16.8	9.60	2.44	.920	.920	.640	.320	20.4	22.2
31	1.20		29.5		9.60		.920	.640		.440		20.4
SD1	2.54	1.17	3.80	26.5	10.7	6.54	2.19	.836	.600	.286	1.34	6.18
SD2	1.24	.808	5.17	21.1	11.4	7.98	2.01	.640	.540	.141	1.10	1.90
SD3	1.59	1.10	5.97	20.4	9.60	4.56	1.02	.818	.724	.175	6.57	14.3
MAX	4.70	1.20	29.5	44.5	13.2	9.60	2.44	.920	.920	.640	20.4	50.5
DAT	1	1	31	1	5	16	1	1	24	1	28	27
SR	1.78	1.02	5.02	22.7	10.5	6.36	1.72	.766	.621	.200	3.00	7.68
MIN	.920	.640	1.20	16.8	6.00	2.44	.920	.640	.440	.116	.440	.640
DAT	18	16	1	7	3	29	25	8	9	7	1	22
GMIN =			.116	SRGOD=			5.11	GMAX =			50.5	
DATUM			7 10					DATUM			27 12	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1968

Broj : 60132 Stanica :GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka :SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv :ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	24.0	.640	7.80	7.80	9.60	3.40	1.82	.440	.440	3.40	.640	13.2
2	27.7	.640	6.00	7.80	9.60	3.40	1.82	.440	.440	2.44	.640	6.00
3	27.7	.640	4.70	6.00	9.60	3.40	1.82	.440	.320	2.44	.640	6.00
4	24.0	.640	3.40	6.00	9.60	3.40	1.82	.440	.320	2.44	3.40	4.70
5	18.6	.640	2.44	13.2	9.60	3.40	1.82	.440	.320	2.44	3.40	3.40
6	15.0	.920	1.82	13.2	9.60	3.40	1.20	.440	.320	2.44	3.40	3.40
7	15.0	1.20	1.82	13.2	9.60	3.40	1.20	.440	.320	1.82	3.40	3.40
8	11.4	1.82	1.20	13.2	7.80	3.40	1.20	.440	.320	1.82	3.40	3.40
9	7.80	1.82	1.20	11.4	6.00	3.40	1.20	.440	.320	1.20	3.40	3.40
10	6.00	1.82	1.20	11.4	9.60	3.40	1.20	.440	.320	1.20	18.6	3.40
11	4.70	3.40	2.44	7.80	9.60	15.0	.920	.440	.320	.920	18.6	3.40
12	2.44	3.40	2.44	6.00	9.60	15.0	.920	.440	.640	.920	13.2	2.44
13	2.44	6.00	2.44	4.70	9.60	11.4	.920	.440	.640	.920	9.60	2.44
14	2.44	6.00	1.82	4.70	9.60	9.60	.920	.920	.640	.640	11.4	2.44
15	1.82	6.00	1.82	6.00	9.60	6.00	.920	.920	.640	.640	4.70	2.44
16	1.82	6.00	1.82	9.60	9.60	4.70	.640	.640	.640	.640	4.70	2.44
17	1.82	6.00	1.82	6.00	7.80	4.70	.640	.640	.640	.640	6.00	2.44
18	1.82	6.00	3.40	9.60	7.80	4.70	.640	.640	.640	.640	29.5	4.70
19	1.20	4.70	4.70	9.60	7.80	4.70	.640	.440	1.20	.640	29.5	29.5
20	1.20	3.40	4.70	9.60	7.80	3.40	.640	.440	6.00	.640	29.5	29.5
21	1.20	3.40	4.70	9.60	7.80	4.70	.640	.440	4.70	.640	27.7	29.5
22	1.20	2.44	7.80	9.60	7.80	4.70	.640	.440	4.70	.640	27.7	27.7
23	1.20	2.44	18.6	9.60	6.00	4.70	.640	.440	4.70	.640	24.0	27.7
24	1.20	9.60	18.6	9.60	6.00	3.40	.640	.640	4.70	.640	24.0	30.4
25	1.20	11.4	13.2	9.60	6.00	3.40	.440	.640	4.70	.640	24.0	20.4
26	1.20	11.4	11.4	9.60	6.00	3.40	.440	.640	4.70	.640	22.2	15.0
27	.920	11.4	11.4	9.60	4.70	2.44	.440	.440	4.70	.640	22.2	9.60
28	.920	10.5	9.60	9.60	4.70	2.44	.440	.440	4.70	.640	22.2	6.00
29	.920	9.60	9.60	9.60	4.70	2.44	.440	.440	4.70	.640	18.6	4.70
30	.640		7.80	9.60	4.70	1.82	.440	.440	3.40	.640	18.6	3.40
31	.640		7.80		4.70		.440	.440		.640		3.40
SD1	17.7	1.08	3.16	10.3	9.06	3.40	1.51	.440	.344	2.16	4.09	5.03
SD2	2.17	5.09	2.74	7.36	8.88	7.92	.780	.596	1.20	.724	15.7	8.17
SD3	1.02	8.02	11.0	9.60	5.74	3.34	.513	.495	4.57	.640	23.1	16.2
MAX	24.0	11.4	18.6	13.2	9.60	15.0	1.82	.920	6.00	3.40	29.5	30.4
DAT	1	25	24	5	1	11	1	14	20	1	18	24
SR	6.78	4.62	5.79	9.09	7.82	4.89	.921	.510	2.04	1.16	14.3	9.99
MIN	.640	.640	1.20	4.70	4.70	1.82	.440	.440	.320	.640	.640	2.44
DAT	30	1	8	13	27	30	25	1	3	14	1	12
GMIN =			.320	SRGOD=			5.64	GMAX =			30.4	
DATUM			3 9					DATUM			24 12	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1969

Broj : 60132 Stanica : GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka : SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv : ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	3.40	3.40	13.2	4.70	29.5	11.4	3.40	1.82	3.40	4.70	.320	13.2
2	3.40	3.40	13.2	4.70	29.5	11.4	3.40	1.20	3.40	3.40	.320	11.4
3	3.40	3.40	13.2	4.70	24.0	9.60	3.40	1.20	2.44	3.40	.320	11.4
4	3.40	13.2	13.2	3.40	24.0	9.60	3.40	1.20	1.82	3.40	.260	11.4
5	3.40	20.4	9.60	3.40	18.6	7.80	3.40	1.20	1.82	3.40	.260	13.2
6	3.40	18.6	9.60	3.40	15.0	9.60	3.40	1.20	1.20	2.44	.260	20.4
7	3.40	13.2	6.00	3.40	15.0	15.0	3.40	1.20	1.20	2.44	.260	20.4
8	3.40	6.00	6.00	3.40	15.0	15.0	3.40	.920	1.82	2.44	.260	20.4
9	3.40	4.70	6.00	3.40	15.0	11.4	3.40	.920	2.44	1.82	.260	18.6
10	3.40	4.70	6.00	3.40	15.0	11.4	3.40	.920	2.44	1.82	.260	16.8
11	3.40	4.70	6.00	4.70	15.0	9.60	4.70	.920	1.82	1.82	.260	15.0
12	3.40	4.70	6.00	3.40	15.0	7.80	6.00	.920	1.82	1.20	.320	15.0
13	3.40	4.70	6.00	11.4	15.0	7.80	6.00	.640	1.82	1.20	.320	13.2
14	3.40	4.70	6.00	15.0	15.0	6.00	4.70	.640	1.82	1.20	.380	13.2
15	24.0	6.00	6.00	15.0	15.0	6.00	4.70	.640	1.82	1.20	.380	11.4
16	18.6	6.00	6.00	15.0	15.0	6.00	3.40	.640	3.40	1.20	.440	11.4
17	16.8	6.00	7.80	15.0	15.0	6.00	3.40	.640	11.4	1.20	.500	9.60
18	15.0	6.00	7.80	15.0	15.0	6.00	3.40	.640	11.4	1.20	.500	9.60
19	11.4	4.70	6.00	15.0	15.0	6.00	3.40	.640	11.4	.920	.640	6.00
20	11.4	4.70	4.70	15.0	15.0	6.00	2.44	.920	11.4	.920	.640	6.00
21	9.60	4.70	4.70	15.0	15.0	6.00	2.44	.920	15.0	.920	.640	4.70
22	6.00	4.70	4.70	15.0	15.0	4.70	2.44	.920	13.2	.920	.640	4.70
23	6.00	6.00	4.70	15.0	15.0	4.70	2.44	.920	11.4	.920	.920	3.40
24	4.70	6.00	4.70	29.5	15.0	4.70	2.44	.920	9.60	.920	3.40	3.40
25	4.70	6.00	3.40	29.5	13.2	4.70	2.44	.920	7.80	.780	13.2	3.40
26	4.70	11.4	3.40	29.5	13.2	4.70	1.82	4.70	6.00	.780	15.0	3.40
27	4.70	11.4	3.40	29.5	13.2	3.40	1.82	4.70	6.00	.640	15.0	3.40
28	4.70	9.60	3.40	29.5	13.2	3.40	1.82	4.70	4.70	.640	15.0	3.40
29	3.40		3.40	29.5	13.2	3.40	1.82	4.70	4.70	.500	15.0	3.40
30	3.40		4.70	29.5	11.4	3.40	1.82	4.70	4.70	.440	15.0	6.00
31	3.40		13.2		11.4		1.82	4.70		.380		16.8
SD1	3.40	9.10	9.60	3.79	20.1	11.2	3.40	1.18	2.20	2.93	.278	15.7
SD2	11.1	5.22	6.23	12.4	15.0	6.72	4.21	.724	5.81	1.21	.438	11.0
SD3	5.03	7.47	4.88	25.1	13.5	4.31	2.10	2.98	8.31	.713	9.38	5.09
MAX	24.0	20.4	13.2	29.5	29.5	15.0	6.00	4.70	15.0	4.70	15.0	20.4
DAT	15	5	1	24	1	8	12	26	21	1	26	6
SR	6.45	7.25	6.84	13.8	16.1	7.42	3.20	1.67	5.44	1.59	3.37	10.4
MIN	3.40	3.40	3.40	3.40	11.4	3.40	1.82	.640	1.20	.380	.260	3.40
DAT	1	1	25	4	30	27	26	13	6	31	4	23
		GMIN = .260		SRGOD= 6.96		GMAX = 29.5						
		DATUM 4 11				DATUM 24 4						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1970

Broj : 60132 Stanica : GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka : SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv : ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	16.8	4.70	3.40	15.0	18.6	11.4	6.00	1.82	.920	.320	3.40	9.60
2	16.8	4.70	3.40	13.2	18.6	11.4	6.00	1.20	.920	.260	3.40	7.80
3	15.0	4.70	3.40	15.0	18.6	11.4	6.00	1.20	.920	.200	2.44	7.80
4	13.2	4.70	3.40	15.0	16.8	11.4	4.70	1.20	.920	.200	2.44	6.00
5	7.80	13.2	6.00	15.0	15.0	11.4	4.70	1.20	.920	.200	1.82	6.00
6	15.0	13.2	9.60	15.0	15.0	11.4	4.70	1.20	.920	.179	1.82	4.70
7	27.7	13.2	9.60	15.0	13.2	11.4	4.70	1.20	.920	.179	1.82	4.70
8	27.7	13.2	9.60	27.7	11.4	13.2	4.70	1.20	.920	.179	1.82	4.70
9	27.7	11.4	6.00	36.9	11.4	13.2	4.70	1.20	.920	.179	1.82	4.70
10	20.4	11.4	6.00	36.9	11.4	13.2	3.40	1.20	.920	.179	3.40	3.40
11	15.0	9.60	6.00	33.2	13.2	13.2	3.40	1.20	.920	.179	3.40	3.40
12	11.4	9.60	6.00	29.5	13.2	11.4	3.40	1.20	.920	.179	3.40	3.40
13	16.8	9.60	11.4	24.0	13.2	11.4	3.40	1.20	.920	.179	2.44	3.40
14	27.7	11.4	15.0	18.6	13.2	11.4	2.44	1.20	.920	.200	2.44	3.40
15	27.7	11.4	15.0	18.6	13.2	11.4	2.44	1.20	.920	.320	15.0	3.40
16	27.7	9.60	15.0	18.6	13.2	11.4	2.44	.920	.920	.440	15.0	2.44
17	27.7	9.60	15.0	16.8	13.2	11.4	6.00	.920	.920	.640	15.0	2.44
18	27.7	7.80	13.2	16.8	13.2	9.60	6.00	.920	.920	.780	15.0	2.44
19	27.7	7.80	13.2	15.0	11.4	9.60	4.70	.920	.920	.920	15.0	2.44
20	20.4	7.80	13.2	15.0	11.4	9.60	4.70	.920	.920	1.20	15.0	2.44
21	16.8	7.80	13.2	13.2	11.4	9.60	3.40	.920	.780	1.82	15.0	1.82
22	15.0	6.00	9.60	13.2	11.4	9.60	3.40	.920	.640	11.4	15.0	1.82
23	11.4	6.00	9.60	13.2	15.0	9.60	3.40	.920	.500	11.4	13.2	1.82
24	9.60	6.00	7.80	13.2	15.0	9.60	2.44	.920	.500	9.60	13.2	1.82
25	7.80	6.00	7.80	13.2	13.2	7.80	2.44	.920	.440	6.00	13.2	1.82
26	6.00	4.70	13.2	15.0	13.2	7.80	2.44	.920	.440	4.70	11.4	1.82
27	6.00	4.70	20.4	15.0	13.2	7.80	2.44	.920	.380	4.70	11.4	1.82
28	6.00	4.70	20.4	15.0	11.4	7.80	2.44	.920	.380	3.40	11.4	13.2
29	24.0		20.4	15.0	11.4	6.00	1.82	.920	.380	3.40	11.4	29.5
30	4.70		20.4	18.6	11.4	6.00	1.82	.920	.320	3.40	9.60	33.2
31	4.70		16.8		11.4		1.82	.920		3.40		33.2
SD1	18.8	9.44	6.04	20.5	15.0	11.9	4.96	1.26	.920	.208	2.42	5.94
SD2	23.0	9.42	12.3	20.6	12.8	11.0	3.89	1.06	.920	.504	10.2	2.92
SD3	10.2	5.74	14.5	14.5	12.5	8.16	2.53	.920	.476	5.75	12.5	11.1
MAX	27.7	13.2	20.4	36.9	18.6	13.2	6.00	1.82	.920	11.4	15.0	59.5
DAT	7	8	27	9	1	8	1	1	1	22	15	30
SR	17.1	8.38	11.1	18.5	13.4	10.4	3.75	1.08	.772	2.27	8.36	6.79
MIN	4.70	4.70	3.40	13.2	11.4	6.00	1.82	.920	.320	.179	1.82	1.82
DAT	30	1	1	2	8	29	29	16	30	6	5	21
		GMIN = .179			SRGOD= 8.48			GMAX = 59.5				
		DATUM 6 10						DATUM 30 12				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1971

Broj : 60132 Stanica : GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka : SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv : ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	38.8	18.6	2.44	11.4	24.0	13.2	2.44	.640	.137	1.20	.920	33.2
2	38.8	16.8	1.82	15.0	24.0	13.2	2.44	.640	.137	.920	.640	35.1
3	38.8	16.8	1.82	18.6	24.0	13.2	1.82	.640	.137	.920	.640	40.6
4	38.8	13.2	1.82	18.6	24.0	13.2	1.82	.640	.137	.920	.440	40.6
5	33.2	11.4	1.82	25.8	24.0	13.2	1.82	.640	.137	.920	.440	29.5
6	33.2	7.80	1.82	25.8	24.0	13.2	1.82	.640	.137	.640	.440	25.8
7	29.5	6.00	1.20	24.0	24.0	11.4	1.82	.640	.137	.640	.440	24.0
8	25.8	6.00	1.20	27.7	24.0	11.4	1.20	.640	.137	.640	.440	22.2
9	22.2	6.00	1.20	27.7	24.0	11.4	1.20	.640	.137	.640	.440	16.8
10	20.4	4.70	1.20	27.7	22.2	9.60	1.20	.440	.137	.440	.440	15.0
11	18.6	4.70	1.20	25.8	22.2	9.60	1.20	.440	.137	.440	.640	13.2
12	18.6	4.70	1.20	25.8	20.4	9.60	1.20	.440	.137	.440	.920	11.4
13	16.8	4.70	1.20	24.0	20.4	7.80	1.20	.440	.137	.440	1.20	7.80
14	15.0	4.70	1.20	24.0	20.4	7.80	.920	.640	.137	.440	2.44	7.80
15	15.0	3.40	1.20	22.2	18.6	7.80	.920	.640	.137	1.06	2.44	7.80
16	13.2	3.40	2.44	20.4	18.6	6.00	.920	.640	.137	13.2	4.70	6.00
17	11.4	3.40	6.00	18.6	18.6	6.00	.920	.640	.137	11.4	4.70	6.00
18	11.4	13.2	7.80	16.8	18.6	6.00	.920	.640	.179	11.4	3.40	6.00
19	11.4	4.70	7.80	16.8	18.6	4.70	.920	.640	.179	9.60	3.40	6.00
20	16.8	4.70	7.80	15.0	16.8	4.70	.640	.640	.179	9.60	4.70	29.5
21	16.8	3.40	7.80	15.0	16.8	4.70	.640	.640	.179	6.00	13.2	4.70
22	18.6	3.40	7.80	15.0	16.8	3.40	.640	.640	.179	4.70	13.2	4.70
23	25.8	3.40	13.2	15.0	16.8	3.40	.640	.640	.137	4.70	13.2	4.70
24	25.8	2.44	15.0	15.0	16.8	3.40	.640	.640	.137	3.40	13.2	4.70
25	25.8	2.44	15.0	24.0	15.0	3.40	.640	.640	.137	1.82	13.2	4.70
26	24.0	2.44	13.2	24.0	15.0	3.40	.640	.640	.137	1.20	11.4	4.70
27	24.0	2.44	11.4	24.0	15.0	3.40	.640	.640	.137	1.20	11.4	4.70
28	24.0	2.44	9.60	24.0	16.8	2.44	.640	.640	.137	1.20	18.6	4.70
29	24.0		7.80	24.0	16.8	2.44	.640	.440	.179	1.20	20.4	4.70
30	24.0		7.80	24.0	16.8	2.44	.640	.320	.380	.920	29.5	4.70
31	24.0		6.00		16.8		.640	.200		.920		4.70
SD1	32.0	10.7	1.63	22.2	23.8	12.3	1.76	.620	.137	.788	.528	28.3
SD2	14.8	5.16	3.78	20.9	19.3	7.00	.976	.580	.150	5.80	2.85	10.1
SD3	23.3	2.80	10.4	20.4	16.3	3.24	.640	.553	.174	2.48	15.7	4.70
MAX	38.8	18.6	15.0	27.7	24.0	13.2	2.44	.640	.380	13.2	29.5	40.6
DAT	1	1	24	8	1	1	1	1	1	30	16	3
SR	23.4	6.47	5.44	21.2	19.7	7.51	1.11	.583	.153	3.01	6.37	14.1
MIN	11.4	2.44	1.20	11.4	15.0	2.44	.640	.200	.137	.440	.440	4.70
DAT	17	24	7	1	25	28	20	31	1	10	4	21
GMIN =			.137	SRGOD=			9.11	GMAX =			40.6	
DATUM			1 9					DATUM			3 12	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1972

Broj : 60132 Stanica : GORNJE POLJE Kota "0" = 628.34
 Nacin osmat.: letva Rijeka : SUSICA km od usca = 3.10
 Pocetak rada: 1948 Sliv : ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	2.44	4.70	18.6	9.60	20.4	7.80	1.51	1.82	1.20	11.4	7.80	18.6
2	2.44	4.70	18.6	11.4	18.6	7.80	1.51	1.82	1.20	11.4	7.80	18.6
3	2.44	3.40	18.6	11.4	18.6	7.80	1.51	1.82	1.20	9.60	6.00	13.2
4	3.40	2.44	16.8	11.4	16.8	7.80	1.51	1.82	1.20	9.60	6.00	11.4
5	6.00	1.82	15.0	11.4	16.8	7.80	1.51	2.44	1.20	7.80	4.70	11.4
6	9.60	1.20	15.0	11.4	15.0	7.80	1.20	2.44	1.20	7.80	4.70	9.60
7	9.60	1.20	13.2	13.2	15.0	7.80	1.20	1.82	1.20	6.00	3.40	9.60
8	7.80	1.20	13.2	13.2	13.2	7.80	1.20	1.82	1.20	6.00	3.40	7.80
9	7.80	2.44	13.2	13.2	13.2	6.00	1.20	1.20	2.44	6.00	2.44	6.00
10	6.00	15.0	11.4	13.2	13.2	6.00	1.20	1.20	9.60	4.70	2.44	4.70
11	6.00	15.0	9.60	13.2	13.2	6.00	1.20	1.20	9.60	4.70	2.44	4.70
12	6.00	15.0	9.60	13.2	13.2	6.00	1.20	.920	6.00	4.70	6.00	4.70
13	6.00	15.0	9.60	13.2	13.2	4.70	1.20	.920	4.70	4.70	11.4	4.70
14	6.00	15.0	6.00	15.0	13.2	4.70	1.82	.920	3.40	4.70	15.0	4.70
15	6.00	15.0	6.00	15.0	13.2	3.40	1.82	.780	3.40	4.70	15.0	4.70
16	4.70	11.4	6.00	20.4	11.4	2.44	1.82	.640	27.7	3.40	15.0	3.40
17	3.40	6.00	6.00	20.4	11.4	2.44	1.82	.500	27.7	3.40	15.0	3.40
18	2.44	4.70	6.00	20.4	11.4	2.44	1.82	.440	24.0	3.40	13.2	3.40
19	2.44	2.44	6.00	20.4	11.4	2.44	1.82	.440	18.6	3.40	13.2	2.44
20	2.44	2.44	6.00	20.4	11.4	2.44	1.82	.640	15.0	3.40	13.2	2.44
21	2.44	11.4	6.00	18.6	11.4	2.44	1.20	7.80	15.0	9.60	27.7	2.44
22	2.44	18.6	6.00	18.6	11.4	2.44	1.20	4.70	13.2	9.60	27.7	2.44
23	2.44	18.6	4.70	18.6	11.4	2.44	1.20	3.40	9.60	9.60	27.7	1.82
24	1.82	18.6	4.70	18.6	11.4	2.44	1.20	1.82	6.00	7.80	27.7	1.82
25	1.20	18.6	4.70	18.6	11.4	1.82	1.20	1.82	6.00	6.00	27.7	1.82
26	1.20	18.6	4.70	22.2	9.60	1.82	1.20	1.82	18.6	6.00	25.8	1.82
27	1.20	18.6	4.70	22.2	9.60	1.82	1.20	1.82	18.6	6.00	24.0	1.82
28	1.82	18.6	4.70	22.2	9.60	1.82	1.20	1.82	16.8	9.60	22.2	1.20
29	4.70	18.6	4.70	22.2	9.60	1.82	1.20	1.20	15.0	9.60	22.2	1.20
30	6.00		6.00	20.4	9.60	1.51	1.20	1.20	11.4	9.60	20.4	1.20
31	6.00		6.00		9.60		1.82	1.20		9.60		1.20
SD1	5.75	3.81	15.4	11.9	16.1	7.44	1.35	1.82	2.16	8.03	4.87	11.1
SD2	4.54	10.2	7.08	17.2	12.3	3.70	1.63	.740	14.0	4.05	11.9	3.86
SD3	2.84	17.8	5.17	20.2	10.4	2.04	1.26	2.60	13.0	8.45	25.3	1.71
MAX	9.60	18.6	18.6	22.2	20.4	7.80	1.82	7.80	64.5	11.4	27.7	18.6
DAT	7	22	1	26	1	1	14	21	16	1	21	1
SR	4.33	10.4	9.07	16.4	12.9	4.39	1.41	1.75	9.73	6.90	14.0	5.43
MIN	1.20	1.20	4.70	9.60	9.60	1.51	1.20	.440	1.20	3.40	2.44	1.20
DAT	25	6	23	1	26	30	6	18	1	16	9	28
GMIN = .440			SRGOD= 8.01					GMAX = 64.5				
DATUM 18 8								DATUM 16 9				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1973

Broj : 60132 Stanica :GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka :SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv :ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.20	6.00	2.44	15.0	18.6	6.00	1.20	.320	1.20	3.40	1.20	2.44
2	1.20	13.2	1.82	15.0	18.6	6.00	1.20	.380	1.20	3.40	1.20	2.44
3	1.20	13.2	1.82	15.0	18.6	6.00	1.20	.380	1.20	2.44	1.20	2.44
4	1.20	9.60	1.20	15.0	18.6	4.70	1.20	.440	1.20	1.82	1.20	1.82
5	.920	6.00	1.20	13.2	18.6	4.70	.920	.500	1.20	1.82	1.20	1.82
6	.920	4.70	1.20	13.2	18.6	4.70	.920	.500	1.20	1.20	1.20	1.82
7	.920	1.82	1.20	13.2	18.6	4.70	.920	.640	1.20	1.20	1.51	1.82
8	.920	1.82	1.20	13.2	18.6	4.70	.920	.780	1.20	.920	4.70	1.82
9	.920	1.20	3.40	13.2	18.6	3.40	.920	.780	.920	.920	4.70	3.40
10	.920	1.20	3.40	13.2	16.8	3.40	.920	.920	.920	.920	4.70	6.00
11	.920	1.82	3.40	13.2	15.0	3.40	.920	.920	.920	.920	4.70	6.00
12	.920	6.00	2.44	16.8	15.0	3.40	.780	1.06	.920	.920	4.70	4.70
13	.920	6.00	2.44	16.8	15.0	3.40	.780	1.20	.920	.920	4.70	3.40
14	.920	6.00	1.82	15.0	13.2	2.44	.640	.920	.920	.920	3.40	3.40
15	.920	13.2	1.82	13.2	13.2	2.44	.640	.920	.920	1.20	3.40	3.40
16	.920	15.0	1.20	11.4	13.2	2.44	.500	.920	.920	2.44	3.40	2.44
17	.920	15.0	1.20	11.4	11.4	2.44	.440	.920	.920	2.44	3.40	2.44
18	9.60	15.0	1.20	9.60	11.4	2.44	.440	.920	.920	2.44	3.40	1.82
19	15.0	13.2	1.20	7.80	11.4	2.44	.380	.920	.920	2.44	3.40	1.82
20	15.0	13.2	1.20	7.80	11.4	2.44	.380	.920	.920	2.44	3.40	9.60
21	15.0	13.2	1.20	15.0	11.4	2.44	.320	.920	.920	2.44	3.40	13.2
22	13.2	11.4	.920	15.0	11.4	1.82	.260	.920	.920	1.20	3.40	20.4
23	13.2	9.60	.920	15.0	11.4	1.82	.260	.920	.920	1.20	3.40	20.4
24	13.2	6.00	.920	15.0	11.4	1.82	.260	.920	.920	1.20	3.40	18.6
25	13.2	6.00	.920	18.6	11.4	1.82	.260	.920	.920	1.20	2.44	15.0
26	11.4	4.70	3.40	18.6	11.4	1.82	.260	.920	.920	1.20	2.44	16.8
27	11.4	4.70	7.80	18.6	9.60	1.82	.260	.920	.920	1.20	2.44	29.5
28	11.4	2.44	13.2	18.6	9.60	1.20	.260	1.20	.920	1.20	2.44	29.5
29	9.60		13.2	18.6	7.80	1.20	.260	1.20	.920	1.20	2.44	22.2
30	7.80		13.2	18.6	7.80	1.20	.260	1.20	1.20	1.20	2.44	18.6
31	7.80		13.2		6.00		.260	1.20		1.20		16.8
SD1	1.03	5.87	1.89	13.9	18.4	4.83	1.03	.564	1.14	1.80	2.28	2.58
SD2	4.60	10.4	1.79	12.3	13.0	2.73	.590	.962	.920	1.71	3.79	3.90
SD3	11.6	7.25	6.26	17.2	9.93	1.70	.265	1.02	.948	1.31	2.82	20.1
MAX	15.0	15.0	13.2	18.6	18.6	6.00	1.20	1.20	1.20	3.40	4.70	42.5
DAT	19	16	28	25	1	1	1	2	1	1	8	27
SR	5.92	7.90	3.41	14.5	13.7	3.08	.617	.855	1.00	1.60	2.97	9.22
MIN	.920	1.20	.920	7.80	6.00	1.20	.260	.320	.920	.920	1.20	1.82
DAT	5	9	22	19	31	28	22	1	9	8	1	4
		GMIN = .260			SRGOD= 5.37			GMAX = 42.5				
		DATUM 22 7						DATUM 27 12				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1974

Broj : 60132 Stanica : GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka : SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv : ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	15.0	.920	3.40	9.60	11.4	11.4	2.44	.780	.179	15.0	22.2	13.2
2	15.0	.920	2.44	9.60	24.0	11.4	2.44	.780	.200	20.4	20.4	13.2
3	13.2	.920	2.44	9.60	18.6	11.4	2.44	.640	.260	20.4	18.6	13.2
4	13.2	.920	2.44	9.60	16.8	11.4	1.82	.640	.320	18.6	16.8	13.2
5	11.4	13.2	2.44	9.60	16.8	9.60	1.82	.500	.320	16.8	16.8	11.4
6	11.4	13.2	7.80	9.60	15.0	9.60	1.82	.500	.440	13.2	15.0	11.4
7	9.60	13.2	7.80	7.80	15.0	9.60	1.82	.440	.440	13.2	15.0	9.60
8	9.60	13.2	7.80	7.80	15.0	7.80	1.82	.440	.640	22.2	15.0	9.60
9	7.80	11.4	7.80	7.80	15.0	7.80	1.82	.380	.920	22.2	15.0	9.60
10	7.80	11.4	7.80	7.80	15.0	6.00	1.82	.320	.920	20.4	15.0	9.60
11	7.80	9.60	6.00	7.80	15.0	6.00	1.82	.260	.920	18.6	13.2	9.60
12	6.00	9.60	6.00	7.80	15.0	6.00	1.82	.200	.920	18.6	13.2	15.0
13	6.00	9.60	4.70	9.60	15.0	4.70	1.82	.200	.920	20.4	13.2	15.0
14	4.70	13.2	4.70	9.60	15.0	4.70	1.82	.179	.640	33.2	13.2	13.2
15	4.70	15.0	4.70	9.60	15.0	4.70	1.82	.179	.640	33.2	13.2	13.2
16	3.40	15.0	4.70	13.2	15.0	4.70	1.20	.158	.640	38.8	13.2	11.4
17	3.40	15.0	4.70	13.2	15.0	4.70	1.20	.158	.640	31.4	13.2	11.4
18	3.40	15.0	4.70	13.2	15.0	4.70	1.20	.158	.640	24.0	13.2	9.60
19	2.44	15.0	6.00	13.2	15.0	4.70	1.20	.158	.640	22.2	13.2	9.60
20	2.44	15.0	6.00	11.4	15.0	4.70	1.20	.158	.640	20.4	11.4	9.60
21	1.82	13.2	9.60	11.4	15.0	4.70	1.20	.158	.920	16.8	11.4	7.80
22	1.82	13.2	9.60	9.60	15.0	4.70	1.20	.158	11.4	29.5	11.4	7.80
23	1.82	11.4	9.60	9.60	13.2	4.70	1.20	.158	15.0	33.2	11.4	7.80
24	1.82	7.80	9.60	7.80	13.2	4.70	1.20	.158	15.0	44.5	11.4	7.80
25	1.20	6.00	9.60	7.80	13.2	3.40	1.20	.158	18.6	38.8	11.4	7.80
26	1.20	6.00	9.60	7.80	13.2	3.40	.920	.158	18.6	33.2	13.2	7.80
27	1.20	4.70	9.60	7.80	13.2	3.40	.920	.158	16.8	27.7	13.2	7.80
28	.920	4.70	9.60	7.80	13.2	3.40	.920	.158	15.0	22.2	13.2	6.90
29	.920		9.60	9.60	13.2	3.40	.920	.158	15.0	22.2	13.2	7.80
30	.920		9.60	9.60	13.2	3.40	.920	.158	15.0	24.0	13.2	7.80
31	.920		9.60		11.4		.920	.179		22.2		7.80
SD1	11.4	7.93	5.22	8.88	16.3	9.60	2.01	.542	.464	18.2	17.0	11.4
SD2	4.43	13.2	5.22	10.9	15.0	4.96	1.51	.181	.724	26.1	13.0	11.8
SD3	1.32	8.38	9.60	8.88	13.4	3.92	1.05	.160	14.1	28.6	12.3	7.72
MAX	15.0	15.0	9.60	13.2	24.0	11.4	2.44	.920	18.6	44.5	22.2	15.0
DAT	1	15	21	16	2	1	1	1	25	24	1	12
SR	5.58	9.94	6.77	9.54	14.8	6.16	1.51	.290	5.11	24.4	14.1	10.2
MIN	.920	.920	2.44	7.80	11.4	3.40	.920	.158	.179	13.2	11.4	6.90
DAT	28	1	2	7	1	25	26	16	1	6	20	28
GMIN = .158			SRGOD= 9.03			GMAX = 44.5						
DATUM 16 8						DATUM 24 10						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1975

Broj : 60132 Stanica :GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka :SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv :ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	6.00	3.40	3.40	24.0	11.4	7.80	6.00	2.44	4.70	3.40	11.4	5.10
2	6.00	3.40	3.40	24.0	11.4	7.80	6.00	1.51	4.70	3.40	11.4	4.20
3	6.00	3.40	3.40	22.2	11.4	7.80	6.00	.920	4.70	3.40	11.4	4.20
4	6.00	3.40	3.40	22.2	11.4	7.80	6.00	.500	4.70	3.40	9.60	4.20
5	6.00	3.40	3.40	20.4	11.4	7.80	6.00	.320	4.70	3.40	7.80	3.41
6	6.00	3.40	4.70	20.4	11.4	7.80	6.00	.260	4.70	3.40	6.00	3.41
7	4.70	3.40	4.70	20.4	11.4	7.80	6.00	.158	4.70	3.40	6.00	3.41
8	4.70	3.40	4.70	20.4	11.4	7.80	6.00	.158	4.70	3.40	6.00	3.41
9	4.70	3.40	4.70	18.6	13.2	7.80	6.00	.137	4.70	3.40	6.00	2.73
10	4.70	3.40	4.70	18.6	13.2	7.80	4.70	.095	4.70	3.40	6.00	2.73
11	4.70	3.40	4.70	20.4	13.2	7.80	4.70	.084	4.70	3.40	6.00	2.73
12	4.70	3.40	4.70	20.4	13.2	7.80	4.70	.084	4.70	3.40	6.00	2.73
13	4.70	3.40	13.2	18.6	11.4	7.80	4.70	.084	4.70	13.2	6.00	2.73
14	4.70	3.40	13.2	18.6	11.4	7.80	4.70	.084	4.70	15.0	6.00	2.73
15	4.70	3.40	15.0	16.8	13.2	7.80	4.70	.084	4.70	18.6	7.80	2.73
16	4.70	3.40	16.8	15.0	13.2	7.80	3.40	.084	4.70	16.8	9.60	2.73
17	4.70	3.40	16.8	15.0	13.2	7.80	3.40	.116	4.70	15.0	13.2	2.73
18	4.70	3.40	16.8	13.2	13.2	7.80	3.40	.116	4.70	16.8	24.0	13.5
19	4.70	3.40	16.8	13.2	13.2	7.80	3.40	.158	4.70	22.2	27.7	11.8
20	4.70	3.40	16.8	13.2	13.2	7.80	3.40	.158	4.70	20.4	27.7	8.60
21	4.70	3.40	15.0	13.2	13.2	6.00	3.40	.200	4.70	20.4	27.7	6.00
22	4.70	3.40	15.0	13.2	13.2	6.00	3.40	.380	4.70	18.6	25.8	5.10
23	4.70	3.40	13.2	13.2	11.4	6.00	3.40	.640	4.70	18.6	22.2	4.20
24	4.70	3.40	13.2	13.2	11.4	6.00	3.40	1.20	4.70	16.8	20.4	4.20
25	4.70	3.40	15.0	13.2	9.60	6.00	3.40	1.82	4.70	16.8	20.4	4.20
26	4.70	3.40	18.6	11.4	9.60	6.00	3.40	2.44	4.70	15.0	18.6	3.41
27	4.70	3.40	18.6	11.4	9.60	6.00	3.40	3.40	4.70	15.0	16.8	3.41
28	4.70	3.40	24.0	11.4	9.60	6.00	3.40	3.40	3.40	15.0	15.0	2.73
29	4.70		25.8	11.4	9.60	6.00	3.40	3.40	3.40	15.0	6.00	2.73
30	4.70		24.0	11.4	7.80	6.00	3.40	4.70	3.40	13.2	5.10	2.73
31	4.70		24.0		7.80		3.40	4.70		13.2		2.73
SD1	5.48	3.40	4.05	21.1	11.8	7.80	5.87	.650	4.70	3.40	8.16	3.68
SD2	4.70	3.40	13.5	16.4	12.8	7.80	4.05	.105	4.70	14.5	13.4	5.30
SD3	4.70	3.40	18.8	12.3	10.3	6.00	3.40	2.39	4.31	16.1	17.8	3.77
MAX	6.00	3.40	25.8	24.0	13.2	7.80	6.00	4.70	4.70	22.2	46.5	13.5
DAT	1	2	29	1	9	1	1	30	1	19	19	18
SR	4.95	3.40	12.3	16.6	11.6	7.20	4.41	1.09	4.57	11.5	13.1	4.23
MIN	4.70	3.40	3.40	11.4	7.80	6.00	3.40	.084	3.40	3.40	5.10	2.73
DAT	7	1	1	26	30	21	16	11	28	1	30	9
		GMIN = .084		SRGOD= 7.92		GMAX = 46.5						
		DATUM 11 8				DATUM 19 11						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1976

Broj : 60132 Stanica :GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka :SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv :ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	2.05	1.60	1.60	3.41	13.5	5.10	2.05	.390	.390	1.60	11.8	6.00
2	2.05	1.60	1.60	5.10	15.2	5.10	2.05	.390	.390	1.60	13.5	11.8
3	2.05	1.60	1.60	5.10	15.2	5.10	2.05	.390	.390	1.60	13.5	18.6
4	2.05	1.60	1.60	5.10	15.2	5.10	2.05	.390	2.05	1.60	16.9	18.6
5	2.05	1.60	1.60	5.10	15.2	5.10	2.05	.390	10.1	1.60	16.9	18.6
6	2.05	1.60	1.60	5.10	15.2	5.10	2.05	.390	10.1	1.60	16.9	18.6
7	2.05	1.60	1.60	5.10	15.2	4.20	2.05	.390	8.60	1.60	20.3	18.6
8	2.05	1.60	1.60	7.30	15.2	4.20	1.60	.390	8.60	1.60	20.3	18.6
9	1.60	1.60	1.60	8.60	15.2	4.20	1.60	.390	6.00	1.60	18.6	16.9
10	1.60	1.60	1.60	10.1	15.2	4.20	1.60	.390	4.20	1.60	15.2	16.9
11	1.60	1.60	1.60	10.1	15.2	3.41	1.60	.390	3.41	1.60	13.5	15.2
12	1.60	1.60	1.60	13.5	15.2	3.41	1.60	.390	3.41	1.60	13.5	13.5
13	1.60	1.60	1.60	13.5	10.9	3.41	1.60	.390	3.41	1.60	13.5	13.5
14	1.60	2.05	1.60	16.9	13.5	3.41	1.60	.390	3.41	1.60	16.9	11.8
15	1.15	2.05	1.60	16.9	13.5	3.41	1.60	.390	2.73	1.60	16.9	11.8
16	1.15	2.73	1.60	16.9	11.8	3.41	1.60	.390	2.73	2.05	16.9	10.1
17	1.15	2.73	1.60	16.9	11.8	3.41	1.60	.390	2.73	16.9	13.5	10.1
18	1.15	2.73	1.60	16.9	11.8	3.41	1.60	.390	2.73	16.9	11.8	22.0
19	1.15	2.73	1.60	16.9	10.1	3.41	1.60	.390	2.05	13.5	11.8	25.6
20	1.15	2.05	1.60	16.9	10.1	2.73	1.60	.390	2.05	11.8	11.8	22.0
21	1.15	2.05	1.60	16.9	10.1	2.73	1.60	.390	2.05	8.60	11.8	16.9
22	1.15	2.05	1.60	16.9	10.1	2.73	1.60	.390	2.05	6.00	11.8	15.2
23	1.15	1.60	1.60	16.9	10.1	2.73	1.15	.390	2.05	5.10	11.8	11.8
24	1.60	1.60	8.60	16.9	10.1	2.73	.822	.390	1.60	4.20	10.1	10.1
25	1.60	1.60	7.30	16.9	10.1	2.73	.606	.390	1.60	3.41	10.1	10.1
26	1.60	1.60	5.10	16.9	10.1	2.73	.498	.390	1.60	3.41	8.60	8.60
27	1.60	1.60	4.20	15.2	8.60	2.73	.390	.390	1.60	3.41	8.60	8.60
28	1.60	1.60	4.20	15.2	8.60	2.73	.390	.390	1.60	2.73	8.60	8.60
29	1.60	1.60	4.20	15.2	6.00	2.73	.390	.390	1.60	2.73	6.00	8.60
30	1.60		3.41	15.2	6.00	2.73	.390	.390	1.60	2.73	6.00	6.00
31	1.60		3.41		5.10		.390	.390		11.8		6.00
SD1	1.96	1.60	1.60	6.00	15.0	4.74	1.92	.390	5.08	1.60	16.4	16.3
SD2	1.33	2.19	1.60	15.5	12.4	3.34	1.60	.390	2.87	6.91	14.0	15.6
SD3	1.48	1.70	4.11	16.2	8.63	2.73	.748	.390	1.74	4.92	9.34	10.0
MAX	2.05	2.73	8.60	16.9	15.2	5.10	2.05	.276	10.1	16.9	20.3	37.0
DAT	1	16	24	14	2	1	1	28	5	17	7	19
SR	1.59	1.83	2.49	12.6	11.9	3.60	1.40	.390	3.23	4.49	13.2	13.8
MIN	1.15	1.60	1.60	3.41	5.10	2.73	.390	.390	.390	1.60	6.00	6.00
DAT	15	1	1	1	31	20	27	1	1	1	29	1

GMIN = .390			SRGOD= 5.88					GMAX = 37.0				
DATUM 27 7								DATUM 19 12				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1977

Broj : 60132 Stanica :GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka :SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv :ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	7.30	11.8	8.60	18.6	5.10	4.20	2.05	.498	4.20	7.30	3.41	5.10
2	7.30	13.5	8.60	18.6	5.10	3.41	1.60	.314	3.41	6.00	3.41	5.10
3	6.00	13.5	7.30	18.6	5.10	3.41	1.60	.276	3.41	3.41	3.41	5.10
4	6.00	10.1	6.00	15.2	5.10	3.41	1.60	.276	2.73	3.41	3.41	5.10
5	6.00	8.60	6.00	15.2	5.10	3.41	1.60	.238	2.05	2.05	2.73	5.10
6	6.00	7.30	5.10	15.2	5.10	2.73	1.60	.238	2.05	2.05	2.73	4.20
7	6.00	7.30	5.10	13.5	5.10	2.73	1.60	.238	1.60	1.60	2.73	4.20
8	6.00	7.30	5.10	11.8	5.10	2.73	1.60	.238	1.60	1.15	2.73	4.20
9	4.20	7.30	5.10	10.1	5.10	2.73	1.38	.238	1.60	1.15	2.73	3.41
10	4.20	7.30	5.10	10.1	5.10	2.73	1.38	.238	1.60	1.15	2.73	3.41
11	2.05	11.8	5.10	10.1	5.10	2.73	1.15	.238	1.60	4.20	2.73	3.41
12	7.30	16.9	6.00	10.1	5.10	2.73	1.15	.238	1.60	22.0	2.73	2.05
13	11.8	16.9	16.9	8.60	5.10	2.73	1.15	.276	1.15	18.6	2.73	2.05
14	11.8	16.9	16.9	7.30	5.10	2.73	1.15	.276	1.15	13.5	3.41	2.05
15	10.1	15.2	11.8	7.30	5.10	2.73	1.15	.314	.822	10.1	11.8	2.05
16	10.1	13.5	11.8	7.30	5.10	2.73	1.15	.352	.822	5.10	18.6	2.05
17	8.60	10.1	11.8	7.30	5.10	2.73	1.15	.390	.822	5.10	18.6	2.05
18	8.60	8.60	8.60	6.00	5.10	2.73	1.15	.606	1.60	4.20	18.6	1.60
19	8.60	7.30	8.60	6.00	5.10	2.73	1.15	.714	2.73	3.41	16.9	1.60
20	7.30	7.30	11.8	6.00	5.10	2.73	1.15	.930	7.30	3.41	13.5	1.60
21	6.00	8.60	20.3	5.10	5.10	2.73	1.15	1.15	29.2	3.41	10.1	1.60
22	6.00	11.8	20.3	5.10	5.10	2.73	1.15	2.05	20.3	3.41	10.1	1.60
23	6.00	11.8	16.9	5.10	5.10	2.73	1.15	20.3	20.3	3.41	7.30	1.60
24	6.00	11.8	13.5	5.10	5.10	2.73	1.15	20.3	18.6	3.41	6.00	1.60
25	5.10	11.8	11.8	5.10	5.10	2.73	1.15	11.8	18.6	3.41	6.00	1.60
26	4.20	11.8	11.8	5.10	5.10	2.73	.930	6.00	16.9	3.41	6.00	1.60
27	6.00	10.1	10.1	5.10	5.10	2.73	.930	6.00	13.5	3.41	6.00	1.60
28	7.30	10.1	10.1	5.10	5.10	2.73	.822	5.10	11.8	3.41	6.00	1.60
29	7.30		10.1	5.10	5.10	2.05	.822	5.10	11.8	3.41	6.00	1.60
30	10.1		10.1	5.10	5.10	2.05	.714	5.10	11.8	3.41	5.10	3.41
31	10.1		11.8		5.10		.714	4.20		3.41		8.60
SD1	5.90	9.40	6.20	14.7	5.10	3.15	1.60	.279	2.43	2.93	3.00	4.49
SD2	8.63	12.4	10.9	7.60	5.10	2.73	1.15	.433	1.96	8.96	11.0	2.05
SD3	6.74	11.0	13.3	5.10	5.10	2.59	.971	7.92	17.3	3.41	6.86	2.40
MAX	11.8	16.9	20.3	18.6	5.10	4.20	2.05	20.3	34.0	22.0	18.6	8.60
DAT	14	13	22	1	1	1	1	24	21	12	17	31
SR	7.08	10.9	10.3	9.13	5.10	2.82	1.23	3.04	7.22	5.05	6.94	2.96
MIN	2.05	7.30	5.10	5.10	5.10	2.05	.714	.238	.822	1.15	2.73	1.60
DAT	11	6	6	21	1	29	30	5	15	8	5	18
		GMIN = .238		SRGOD= 5.93		GMAX = 34.0						
		DATUM 5 8				DATUM 21 9						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1978

Broj : 60132 Stanica : GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka : SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv : ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	8.60	10.1	20.3	5.10	18.6	11.8	5.10	1.60	1.15	7.30	2.73	4.20
2	7.30	8.60	18.6	5.10	18.6	10.1	5.10	1.60	1.15	22.0	2.73	4.20
3	7.30	6.00	18.6	5.10	18.6	8.60	4.20	1.60	1.15	18.6	2.73	3.41
4	7.30	5.10	16.9	4.20	18.6	8.60	4.20	1.15	1.15	16.9	2.73	2.73
5	6.00	4.20	15.2	3.41	16.9	8.60	4.20	1.15	2.05	16.9	2.73	2.73
6	6.00	3.41	13.5	3.41	16.9	8.60	4.20	1.15	5.10	15.2	2.73	2.05
7	5.10	2.73	11.8	2.73	16.9	8.60	4.20	1.15	5.10	11.8	2.05	2.05
8	5.10	2.73	11.8	2.73	16.9	8.60	4.20	1.15	5.10	11.8	2.05	2.05
9	4.20	2.73	10.1	10.1	16.9	7.30	4.20	1.15	5.10	10.1	2.05	2.05
10	4.20	2.05	10.1	11.8	16.9	7.30	3.41	1.15	5.10	10.1	2.05	2.05
11	4.20	2.05	8.60	11.8	16.9	7.30	3.41	1.15	5.10	8.60	1.60	2.05
12	4.20	2.05	8.60	13.5	16.9	6.00	3.41	1.15	5.10	7.30	1.60	2.05
13	4.20	16.9	7.30	16.9	16.9	6.00	2.73	1.15	5.10	6.00	1.60	2.05
14	4.20	22.0	7.30	16.9	16.9	6.00	2.73	1.15	5.10	6.00	1.60	16.9
15	4.20	20.3	8.60	18.6	15.2	5.10	2.73	1.15	5.10	5.10	1.15	16.9
16	4.20	18.6	8.60	18.6	15.2	5.10	2.05	.822	5.10	5.10	1.15	16.9
17	4.20	15.2	16.9	18.6	15.2	5.10	2.05	.714	5.10	5.10	1.15	16.9
18	4.20	13.5	16.9	18.6	13.5	5.10	2.05	.606	4.20	4.20	1.15	16.9
19	6.00	10.1	16.9	13.5	13.5	5.10	2.05	.498	4.20	3.41	1.15	16.9
20	6.00	8.60	13.5	11.8	13.5	5.10	2.05	.498	4.20	3.41	1.15	15.2
21	6.00	6.00	11.8	10.1	11.8	5.10	2.05	.352	4.20	3.41	1.15	13.5
22	5.10	5.10	11.8	8.60	16.9	5.10	2.05	.314	4.20	3.41	1.15	13.5
23	5.10	5.10	10.1	8.60	16.9	5.10	1.60	.314	4.20	3.41	1.15	11.8
24	5.10	4.20	10.1	8.60	16.9	5.10	1.60	.314	4.20	3.41	1.15	10.1
25	5.10	4.20	8.60	7.30	16.9	5.10	1.60	.314	4.20	3.41	1.15	10.1
26	4.20	20.3	7.30	11.8	16.9	5.10	1.60	.314	4.20	3.41	1.15	10.1
27	4.20	20.3	7.30	11.8	15.2	5.10	1.60	.498	4.20	3.41	1.15	8.60
28	4.20	20.3	6.00	11.8	15.2	5.10	1.60	.714	4.20	2.73	5.10	8.60
29	4.20		6.00	13.5	15.2	5.10	1.60	.822	4.20	2.73	5.10	8.60
30	15.2		5.10	18.6	13.5	5.10	1.60	.822	6.00	2.73	5.10	15.2
31	11.8		5.10		13.5		1.60	1.15		2.73		15.2
SD1	6.11	4.76	14.7	5.37	17.6	8.81	4.30	1.28	3.22	14.1	2.46	2.75
SD2	4.56	12.9	11.3	15.9	15.4	5.59	2.53	.889	4.83	5.42	1.33	12.3
SD3	6.38	10.7	8.11	11.1	15.4	5.10	1.68	.539	4.38	3.16	2.34	11.4
MAX	15.2	22.0	20.3	18.6	18.6	11.8	5.10	1.60	6.00	54.2	5.10	16.9
DAT	30	14	1	17	1	1	1	1	30	2	30	19
SR	5.71	9.37	11.3	10.8	16.1	6.50	2.80	.892	4.14	7.41	2.04	8.89
MIN	4.20	2.05	5.10	2.73	11.8	5.10	1.60	.314	1.15	2.73	1.15	2.05
DAT	9	10	30	7	21	15	23	22	1	28	15	6
		GMIN = .314			SRGOD= 7.15			GMAX = 54.2				
		DATUM 22 8						DATUM 2 10				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1979

Broj : 60132 Stanica :GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka :SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv :ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	15.2	20.3	4.20	13.5	18.6	6.00	4.20	1.15	2.05	5.10	20.3	6.00
2	13.5	18.6	4.20	11.8	16.9	6.00	4.20	1.15	2.05	4.20	20.3	6.00
3	13.5	18.6	4.20	10.1	15.2	6.00	4.20	1.15	2.05	3.41	20.3	5.10
4	11.8	18.6	4.20	8.60	13.5	6.00	4.20	1.15	1.15	2.05	20.3	4.20
5	10.1	16.9	3.41	18.6	11.8	5.10	5.10	.822	1.15	2.05	20.3	4.20
6	10.1	13.5	3.41	18.6	11.8	5.10	5.10	.822	1.15	2.05	20.3	4.20
7	7.30	11.8	3.41	15.2	11.8	4.20	4.20	.714	1.15	2.05	20.3	4.20
8	6.00	8.60	3.41	13.5	11.8	4.20	4.20	.606	1.15	2.05	20.3	4.20
9	6.00	6.00	3.41	11.8	11.8	4.20	4.20	.498	1.15	2.05	20.3	4.20
10	6.00	6.00	3.41	11.8	11.8	4.20	4.20	.498	1.15	2.05	20.3	4.20
11	6.00	6.00	3.41	10.1	11.8	4.20	3.41	.390	1.15	2.05	27.4	6.00
12	5.10	6.00	3.41	10.1	11.8	4.20	3.41	.390	1.15	2.05	27.4	11.8
13	5.10	13.5	3.41	8.60	10.1	4.20	3.41	.498	1.15	2.05	27.4	11.8
14	5.10	16.9	3.41	8.60	10.1	4.20	2.73	.606	1.15	2.05	27.4	11.8
15	5.10	20.3	3.41	7.30	10.1	4.20	2.73	.606	1.15	2.05	27.4	11.8
16	4.20	20.3	2.73	6.00	8.60	4.20	2.73	.714	1.15	2.05	41.0	11.8
17	4.20	18.6	2.73	6.00	8.60	6.00	2.05	.822	1.15	1.60	41.0	11.8
18	4.20	16.9	2.73	6.00	8.60	15.2	2.05	.822	1.15	1.60	41.0	10.1
19	4.20	13.5	2.73	6.00	8.60	13.5	2.05	1.15	1.15	1.60	41.0	10.1
20	4.20	13.5	2.73	6.00	8.60	10.1	2.05	5.10	1.15	1.60	39.0	6.00
21	4.20	13.5	2.73	6.00	8.60	8.60	2.05	5.10	1.15	1.60	35.0	5.10
22	4.20	11.8	2.73	6.00	7.30	6.00	2.05	5.10	1.15	1.60	31.0	5.10
23	4.20	11.8	2.73	6.00	7.30	6.00	2.05	4.20	1.60	1.60	29.2	5.10
24	4.20	10.1	2.73	6.00	7.30	5.10	2.05	4.20	2.05	1.60	27.4	5.10
25	5.10	7.30	2.73	6.00	7.30	5.10	2.05	3.41	7.30	1.60	22.0	5.10
26	16.9	6.00	3.41	20.3	7.30	5.10	1.60	3.41	7.30	1.60	18.6	5.10
27	16.9	5.10	4.20	45.4	6.00	4.20	1.60	3.41	7.30	1.60	15.2	5.10
28	20.3	5.10	11.8	45.4	6.00	4.20	1.60	3.41	7.30	1.60	13.5	5.10
29	22.0		20.3	35.0	6.00	4.20	1.60	2.73	7.30	1.60	11.8	5.10
30	22.0		20.3	29.2	6.00	4.20	1.15	2.73	7.30	15.2	8.60	5.10
31	22.0		16.9		6.00		1.15	2.73		20.3		5.10
SD1	9.95	13.9	3.73	13.4	13.5	5.10	4.38	.856	1.42	2.71	20.3	4.65
SD2	4.74	14.6	3.07	7.47	9.69	7.00	2.66	1.11	1.15	1.87	34.0	10.3
SD3	12.9	8.84	8.23	20.5	6.83	5.27	1.72	3.68	4.97	4.54	21.2	5.10
MAX	22.0	20.3	20.3	92.2	18.6	15.2	4.20	5.10	7.30	20.3	41.0	11.8
DAT	29	1	30	27	1	18	1	20	30	31	16	12
SR	9.32	12.7	5.11	13.8	9.90	5.79	2.88	1.94	2.51	3.09	25.2	6.63
MIN	4.20	5.10	2.73	6.00	6.00	4.20	1.15	.390	1.15	1.60	8.60	4.20
DAT	16	27	16	16	27	7	30	11	4	17	30	4
GMIN = .390			SRGOD= 8.16			GMAX = 92.2						
DATUM 11 8						DATUM 27 4						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1980

Broj : 60132 Stanica :GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka :SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv :ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	4.20	11.8	1.60	6.00	5.10	13.5	3.41	1.60	1.15	1.15	5.10	16.9
2	4.20	11.8	1.60	6.00	5.10	13.5	3.41	1.60	1.15	1.15	5.10	15.2
3	4.20	11.8	1.60	6.00	5.10	13.5	3.41	1.60	1.15	1.15	5.10	13.5
4	4.20	10.1	1.60	5.10	5.10	13.5	3.41	1.60	1.15	.822	5.10	11.8
5	4.20	8.60	1.60	5.10	5.10	11.8	3.41	1.60	1.15	.822	11.8	10.1
6	4.20	7.30	1.60	5.10	18.6	10.1	2.73	1.60	.822	.822	11.8	10.1
7	4.20	6.00	1.60	5.10	18.6	10.1	2.73	1.60	.822	.822	11.8	8.60
8	4.20	5.10	1.60	3.41	16.9	7.30	2.73	1.60	.714	.822	16.9	7.30
9	4.20	5.10	4.20	3.41	13.5	7.30	2.73	1.60	.606	.822	16.9	6.00
10	4.20	5.10	4.20	3.41	13.5	7.30	2.05	1.60	.606	11.8	16.9	6.00
11	4.20	5.10	4.20	3.41	11.8	6.00	2.05	1.15	.390	13.5	15.2	6.00
12	4.20	5.10	3.41	3.41	11.8	6.00	2.05	1.15	.352	16.9	13.5	6.00
13	4.20	5.10	3.41	3.41	10.1	6.00	2.05	1.15	.352	22.0	13.5	6.00
14	3.41	4.20	3.41	3.41	10.1	5.10	2.05	1.15	.314	22.0	29.2	6.00
15	3.41	3.41	3.41	3.41	13.5	5.10	2.05	1.15	.238	20.3	29.2	6.00
16	3.41	3.41	3.41	3.41	20.3	5.10	1.60	1.15	.238	20.3	25.6	6.00
17	3.41	3.41	2.73	3.41	20.3	4.20	1.60	1.15	.176	20.3	20.3	6.00
18	3.41	3.41	2.73	3.41	20.3	4.20	1.60	1.15	.152	18.6	16.9	5.10
19	3.41	2.73	2.73	3.41	20.3	4.20	1.60	1.15	.128	18.6	13.5	5.10
20	3.41	2.73	2.73	4.20	18.6	4.20	1.60	1.15	.128	15.2	13.5	4.20
21	3.41	2.05	5.10	5.10	18.6	3.41	1.60	1.15	.176	13.5	10.1	4.20
22	3.41	2.05	13.5	11.8	16.9	3.41	1.60	1.15	.238	11.8	8.60	4.20
23	3.41	2.05	13.5	11.8	13.5	3.41	1.60	1.15	.238	11.8	6.00	4.20
24	4.20	2.05	13.5	10.1	11.8	3.41	1.60	1.15	.352	10.1	6.00	3.41
25	10.1	2.05	11.8	10.1	11.8	3.41	1.60	1.15	.606	10.1	6.00	3.41
26	10.1	1.60	10.1	8.60	11.8	3.41	1.60	1.15	.606	8.60	6.00	3.41
27	7.30	1.60	10.1	6.00	8.60	3.41	1.60	1.15	.822	8.60	6.00	3.41
28	7.30	1.60	8.60	6.00	8.60	3.41	1.60	1.15	1.15	7.30	16.9	3.41
29	6.00	1.60	8.60	5.10	7.30	3.41	1.60	1.15	1.15	6.00	16.9	3.41
30	6.00		8.60	5.10	13.5	3.41	1.60	1.15	1.15	6.00	16.9	3.41
31	6.00		7.30		13.5		1.60	1.15		6.00		3.41
SD1	4.20	8.27	2.12	4.86	10.7	10.8	3.00	1.60	.932	2.02	10.6	10.6
SD2	3.65	3.86	3.22	3.49	15.7	5.01	1.83	1.15	.247	18.8	19.0	5.64
SD3	6.11	1.85	10.1	7.97	12.4	3.41	1.60	1.15	.649	9.07	9.94	3.63
MAX	10.1	11.8	13.5	11.8	20.3	13.5	3.41	1.60	1.15	22.0	29.2	16.9
DAT	26	1	23	23	17	1	1	1	1	13	14	1
SR	4.70	4.76	5.29	5.44	12.9	6.40	2.12	1.30	.609	9.93	13.2	6.51
MIN	3.41	1.60	1.60	3.41	5.10	3.41	1.60	1.15	.128	.822	5.10	3.41
DAT	14	26	1	8	1	21	16	11	19	4	1	24
GMIN = .128			SRGOD= 6.10					GMAX = 29.2				
DATUM 19 9								DATUM 14 11				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1981

Broj : 60132 Stanica : GORNJE POLJE Kota "0" = 628.34
 Nacin osmat.: letva Rijeka : SUSICA km od usca = 3.10
 Pocetak rada: 1948 Sliv : ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	3.41	1.60	2.73	13.5	11.8	6.00	3.41	1.15	1.15	1.60	13.5	2.05
2	3.41	1.60	13.5	13.5	11.8	6.00	3.41	1.15	1.15	2.05	13.5	2.05
3	3.41	1.60	13.5	13.5	11.8	6.00	3.41	1.15	1.15	2.05	11.8	2.05
4	3.41	1.60	13.5	13.5	11.8	6.00	3.41	1.15	1.15	2.05	10.1	2.05
5	3.41	1.60	11.8	13.5	11.8	5.10	3.41	1.15	1.15	2.05	8.60	2.05
6	3.41	1.60	10.1	13.5	11.8	5.10	3.41	1.15	1.15	2.05	6.00	2.05
7	3.41	1.60	10.1	13.5	11.8	5.10	3.41	1.15	1.15	2.05	6.00	3.41
8	2.73	1.60	8.60	11.8	11.8	5.10	3.41	1.15	1.15	2.05	6.00	11.8
9	2.73	1.60	6.00	11.8	11.8	5.10	3.41	1.15	1.15	2.05	6.00	11.8
10	2.73	1.60	6.00	11.8	10.1	5.10	3.41	1.15	1.15	2.05	5.10	18.6
11	2.73	5.10	5.10	10.1	10.1	5.10	3.41	1.15	1.15	2.05	5.10	20.3
12	2.73	5.10	5.10	10.1	10.1	5.10	3.41	.822	1.15	2.05	3.41	27.4
13	2.73	5.10	5.10	10.1	10.1	5.10	3.41	.606	1.15	2.05	3.41	37.0
14	2.73	5.10	6.00	10.1	10.1	5.10	3.41	.498	1.15	2.05	2.73	37.0
15	2.73	5.10	6.00	8.60	10.1	5.10	3.41	.352	1.15	2.05	2.73	35.0
16	2.73	4.20	10.1	8.60	8.60	5.10	2.73	.352	1.15	1.60	2.73	35.0
17	2.73	4.20	10.1	8.60	8.60	5.10	2.73	.276	1.15	1.60	2.73	35.0
18	2.73	3.41	10.1	7.30	8.60	5.10	2.73	.276	1.15	1.60	2.73	31.0
19	2.73	3.41	10.1	7.30	8.60	5.10	2.73	.200	1.15	1.60	2.73	29.2
20	2.73	3.41	10.1	6.00	8.60	4.20	2.05	.152	1.15	1.60	2.73	29.2
21	2.73	3.41	10.1	6.00	7.30	4.20	2.05	.152	1.15	2.73	2.73	29.2
22	2.73	3.41	10.1	6.00	7.30	4.20	2.05	.104	1.15	15.2	2.05	25.6
23	2.73	2.73	10.1	7.30	7.30	4.20	2.05	.152	1.15	15.2	2.05	23.8
24	2.05	2.73	10.1	13.5	7.30	4.20	2.05	.200	1.15	15.2	2.05	22.0
25	2.05	2.73	10.1	13.5	7.30	4.20	1.15	.276	1.15	15.2	2.05	20.3
26	2.05	2.73	11.8	13.5	6.00	4.20	1.15	.390	1.15	15.2	2.05	18.6
27	2.05	2.73	11.8	13.5	6.00	4.20	1.15	.498	1.15	15.2	2.05	16.9
28	2.05	2.73	11.8	13.5	6.00	4.20	1.15	.714	1.15	15.2	2.05	13.5
29	1.60		11.8	11.8	6.00	3.41	1.15	.822	1.15	15.2	2.05	13.5
30	1.60		13.5	11.8	6.00	3.41	1.15	.822	1.15	15.2	2.05	13.5
31	1.60		13.5		6.00		1.15	.822		15.2		13.5
SD1	3.21	1.60	9.58	13.0	11.6	5.46	3.41	1.15	1.15	2.00	8.66	5.79
SD2	2.73	4.41	7.78	8.68	9.35	5.01	3.00	.468	1.15	1.83	3.10	31.6
SD3	2.11	2.90	11.3	11.0	6.59	4.04	1.48	.450	1.15	14.1	2.12	19.1
MAX	3.41	5.10	13.5	13.5	11.8	6.00	3.41	1.15	1.15	15.2	13.5	37.0
DAT	1	11	2	1	1	1	1	1	1	31	1	13
SR	2.66	2.98	9.62	10.9	9.11	4.84	2.59	.682	1.15	6.23	4.63	18.9
MIN	1.60	1.60	2.73	6.00	6.00	3.41	1.15	.104	1.15	1.60	2.05	2.05
DAT	29	1	1	20	26	29	25	22	1	1	22	1
GMIN = .104			SRGOD= 6.22					GMAX = 37.0				
DATUM 22 8								DATUM 13 12				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1982

Broj : 60132 Stanica :GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka :SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv :ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	10.1	2.05	.822	25.6	4.20	4.20	2.05	1.15	.352	1.15	3.41	5.10	
2	8.60	2.05	.822	23.8	4.20	4.20	2.05	1.15	.498	1.15	3.41	4.20	
3	8.60	1.60	.822	20.3	3.41	4.20	2.05	1.15	.498	1.15	2.73	4.20	
4	6.00	1.60	.822	18.6	3.41	4.20	1.60	1.15	.606	1.15	2.73	4.20	
5	6.00	1.60	.822	18.6	3.41	4.20	1.60	.822	.822	2.05	2.73	4.20	
6	5.10	1.60	.822	16.9	3.41	4.20	1.60	.822	.822	20.3	2.05	4.20	
7	5.10	1.60	1.60	16.9	3.41	3.41	1.60	.606	1.15	18.6	2.05	4.20	
8	5.10	1.60	2.05	13.5	3.41	3.41	1.60	.498	1.15	13.5	2.05	4.20	
9	5.10	1.60	2.05	11.8	3.41	3.41	1.60	.498	1.15	11.8	2.05	5.10	
10	5.10	1.60	3.41	10.1	3.41	3.41	1.60	.352	1.15	8.60	2.05	7.30	
11	4.20	1.60	3.41	10.1	3.41	3.41	1.60	.314	1.15	8.60	2.05	7.30	
12	4.20	1.60	3.41	10.1	2.73	2.73	1.60	.314	1.15	8.60	2.05	7.30	
13	4.20	1.60	3.41	8.60	2.73	2.73	1.60	.238	1.15	7.30	2.05	7.30	
14	4.20	1.60	3.41	6.00	2.73	2.73	1.60	.176	1.15	6.00	2.05	7.30	
15	4.20	1.60	4.20	4.20	2.73	2.73	1.60	.176	1.15	6.00	11.8	7.30	
16	3.41	1.60	4.20	4.20	2.73	2.73	1.15	.152	1.15	6.00	15.2	7.30	
17	3.41	1.60	4.20	11.8	2.73	2.73	1.15	.128	1.15	6.00	15.2	7.30	
18	3.41	1.15	4.20	11.8	2.73	2.73	1.15	.128	1.15	6.00	15.2	7.30	
19	3.41	1.15	3.41	11.8	2.73	2.73	1.15	.104	1.15	6.00	13.5	20.3	
20	3.41	1.15	3.41	11.8	2.73	2.73	1.15	.080	1.15	6.00	10.1	20.3	
21	3.41	.822	3.41	8.60	2.73	2.73	1.15	.080	1.15	5.10	10.1	20.3	
22	3.41	.822	2.73	8.60	2.73	2.73	1.15	.080	1.15	5.10	10.1	20.3	
23	3.41	.822	2.73	6.00	2.73	2.73	1.15	.080	1.15	5.10	8.60	20.3	
24	3.41	.822	2.73	6.00	2.73	2.73	1.15	.080	1.15	5.10	8.60	20.3	
25	3.41	.822	2.73	5.10	2.73	2.05	1.15	.104	1.15	5.10	8.60	18.6	
26	3.41	.822	2.73	5.10	4.20	2.05	1.15	.152	1.15	5.10	8.60	18.6	
27	2.73	.822	2.73	5.10	4.20	2.05	1.15	.152	1.15	5.10	6.00	16.9	
28	2.73	.822	2.73	5.10	4.20	2.05	1.15	.200	1.15	5.10	6.00	13.5	
29	2.73		2.73	5.10	4.20	2.05	1.15	.238	1.15	5.10	5.10	13.5	
30	2.73		3.41	5.10	4.20	2.05	1.15	.238	1.15	5.10	5.10	13.5	
31	2.73		25.6		4.20		1.15	.314		5.10		13.5	
SD1	6.48	1.69	1.40	17.6	3.57	3.88	1.74	.820	.820	7.94	2.53	4.69	
SD2	3.80	1.46	3.73	9.04	2.80	2.80	1.37	.181	1.15	6.65	8.92	9.90	
SD3	3.10	.822	4.93	5.98	3.53	2.32	1.15	.156	1.15	5.10	7.68	17.2	
MAX	10.1	2.05	25.6	33.0	4.20	4.20	2.05	1.15	1.15	20.3	15.2	20.3	
DAT	1	1	31	1	1	1	1	1	1	6	16	19	
SR	4.42	1.36	3.41	10.9	3.31	3.00	1.41	.378	1.04	6.52	6.38	10.8	
MIN	2.73	.822	.822	4.20	2.73	2.05	1.15	.080	.352	1.15	2.05	4.20	
DAT	27	21	1	15	12	25	16	20	1	1	6	2	
GMIN = .080			SRGOD= 4.42					GMAX = 33.0					
DATUM 20 8								DATUM 1 4					

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1983

Broj : 60132 Stanica :GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka :SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv :ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	3.41	3.41	2.73	16.9	10.1	4.20	2.73	.104	.128	1.60	2.05	10.1
2	3.41	3.41	2.05	16.9	10.1	4.20	2.73	.104	.176	1.60	2.05	6.00
3	3.41	3.41	2.05	15.2	10.1	4.20	2.73	.104	.238	1.60	2.05	6.00
4	2.73	3.41	1.60	13.5	8.60	4.20	2.73	.104	.314	1.60	1.60	4.20
5	2.73	3.41	1.60	13.5	7.30	4.20	2.73	.104	.390	1.60	1.60	4.20
6	2.73	3.41	1.60	13.5	7.30	4.20	2.05	.104	.606	1.60	1.15	3.41
7	2.05	3.41	1.60	11.8	6.00	4.20	2.05	.104	.822	1.60	1.15	3.41
8	2.05	3.41	2.05	11.8	6.00	4.20	2.05	.104	1.15	1.60	1.15	2.73
9	1.60	3.41	2.05	11.8	6.00	4.20	2.05	.104	1.60	1.60	1.15	2.73
10	1.60	11.8	2.73	11.8	10.1	4.20	2.05	.104	1.60	1.60	1.15	2.73
11	1.60	13.5	3.41	11.8	10.1	4.20	2.05	.104	1.60	1.60	1.15	2.05
12	1.60	13.5	2.73	11.8	8.60	4.20	2.05	.104	1.60	1.60	1.15	2.05
13	1.60	13.5	2.05	11.8	7.30	4.20	2.05	.104	1.60	1.60	1.15	2.05
14	1.60	13.5	1.60	11.8	6.00	4.20	2.05	.104	1.60	1.60	1.15	1.60
15	1.60	13.5	2.05	11.8	6.00	4.20	1.60	.104	1.60	1.60	1.15	1.60
16	1.60	10.1	2.73	10.1	5.10	4.20	1.60	.104	1.60	1.60	1.15	1.60
17	1.60	10.1	2.73	10.1	5.10	4.20	1.60	.104	2.05	1.60	1.15	4.20
18	1.60	10.1	3.41	8.60	5.10	4.20	1.60	.104	3.41	2.05	1.15	20.3
19	1.60	7.30	3.41	8.60	4.20	4.20	1.60	.104	3.41	2.05	1.15	20.3
20	1.60	6.00	3.41	7.30	4.20	4.20	1.60	.104	3.41	2.05	1.15	20.3
21	1.60	6.00	3.41	7.30	4.20	3.41	1.60	.104	3.41	2.05	1.15	18.6
22	1.60	5.10	4.20	8.60	4.20	3.41	1.60	.104	3.41	1.60	1.15	15.2
23	1.60	5.10	5.10	8.60	4.20	3.41	1.60	.104	2.73	1.60	1.15	13.5
24	1.60	5.10	5.10	10.1	4.20	3.41	1.15	.104	2.73	1.60	1.15	10.1
25	1.60	4.20	8.60	10.1	4.20	3.41	.822	.104	2.73	1.60	1.15	8.60
26	1.60	4.20	18.6	10.1	4.20	2.73	.606	.104	2.05	1.60	1.15	6.00
27	1.60	3.41	27.4	10.1	4.20	2.73	.390	.104	1.60	1.60	1.15	4.20
28	1.60	3.41	27.4	10.1	4.20	2.73	.314	.104	1.60	1.60	20.3	4.20
29	1.60		22.0	8.60	4.20	2.73	.238	.104	1.60	1.60	20.3	4.20
30	1.60		20.3	8.60	4.20	2.73	.176	.104	1.60	1.60	18.6	3.41
31	2.05		16.9		4.20		.128	.104		1.60		3.41
SD1	2.57	4.25	2.01	13.7	8.16	4.20	2.39	.104	.702	1.60	1.51	4.55
SD2	1.60	11.1	2.75	10.4	6.17	4.20	1.78	.104	2.19	1.74	1.15	7.60
SD3	1.64	4.57	14.5	9.22	4.20	3.07	.784	.104	2.35	1.64	6.72	8.31
MAX	3.41	13.5	34.0	16.9	10.1	4.20	2.73	.104	3.41	2.05	20.3	20.3
DAT	1	11	27	1	1	1	1	1	18	18	28	18
SR	1.93	6.79	6.66	11.1	6.11	3.82	1.62	.104	1.75	1.66	3.13	6.87
MIN	1.60	3.41	1.60	7.30	4.20	2.73	.128	.104	.128	1.60	1.15	1.60
DAT	9	1	4	20	19	26	31	1	1	1	6	14
GMIN =			.104	SRGOD=			4.27	GMAX =			34.0	
DATUM			1 8					DATUM			27 3	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1984

Broj : 60132 Stanica :GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka :SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv :ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	3.41	5.10	6.00	10.1	6.00	15.2	3.41	1.60	.080	15.2	3.41	4.20
2	3.41	5.10	6.00	16.9	11.8	13.5	3.41	1.60	.080	11.8	3.41	4.20
3	3.41	4.20	6.00	20.3	15.2	11.8	2.73	1.15	.128	11.8	3.41	4.20
4	3.41	3.41	6.00	20.3	15.2	11.8	2.73	1.15	.176	22.0	3.41	4.20
5	5.10	2.73	6.00	20.3	15.2	11.8	2.73	1.15	.200	22.0	2.73	3.41
6	5.10	2.73	4.20	16.9	15.2	11.8	2.73	1.15	.276	18.6	2.73	3.41
7	5.10	2.73	4.20	13.5	15.2	11.8	2.73	1.15	.314	15.2	2.73	2.73
8	5.10	2.73	3.41	13.5	15.2	10.1	2.05	1.15	.390	18.6	2.73	2.73
9	5.10	2.73	3.41	11.8	15.2	10.1	2.05	1.15	.390	18.6	2.73	2.73
10	5.10	2.73	3.41	11.8	13.5	8.60	2.05	1.15	.606	16.9	2.73	2.73
11	4.20	2.73	2.73	6.00	20.3	6.00	2.05	1.15	.822	16.9	2.73	2.05
12	4.20	2.73	2.73	8.60	22.0	6.00	2.05	.822	.822	16.9	2.73	2.05
13	4.20	2.73	2.05	8.60	22.0	6.00	2.05	.822	1.15	15.2	2.73	2.05
14	4.20	2.73	2.05	8.60	22.0	5.10	2.05	.714	1.15	11.8	2.73	2.05
15	4.20	2.73	2.05	6.00	22.0	5.10	2.05	.606	1.15	8.60	2.73	2.05
16	4.20	2.73	2.05	6.00	20.3	5.10	1.60	.606	1.15	6.00	2.73	1.60
17	4.20	2.73	2.05	6.00	20.3	5.10	1.60	.390	2.05	6.00	3.41	1.60
18	4.20	2.73	2.05	6.00	18.6	5.10	1.60	.314	8.60	5.10	3.41	15.2
19	3.41	2.73	2.05	5.10	16.9	5.10	1.60	.276	11.8	5.10	22.0	15.2
20	3.41	2.73	2.05	5.10	16.9	5.10	1.60	.200	13.5	4.20	22.0	13.5
21	5.10	2.73	2.05	5.10	23.8	5.10	1.60	.128	18.6	4.20	18.6	10.1
22	13.5	2.73	2.05	5.10	25.6	5.10	1.60	.128	18.6	4.20	13.5	8.60
23	16.9	4.20	4.20	5.10	23.8	4.20	1.60	.080	20.3	4.20	10.1	6.00
24	16.9	4.20	4.20	5.10	23.8	4.20	1.60	.080	20.3	4.20	10.1	6.00
25	13.5	4.20	4.20	5.10	23.8	4.20	1.60	.074	82.2	3.41	8.60	6.00
26	10.1	4.20	6.00	5.10	20.3	4.20	1.60	.068	45.4	3.41	7.30	5.10
27	7.30	4.20	6.00	5.10	18.6	4.20	1.60	.062	33.0	3.41	6.00	5.10
28	6.00	4.20	6.00	4.20	18.6	4.20	1.60	.062	27.4	3.41	6.00	5.10
29	6.00	4.20	6.00	4.20	15.2	4.20	1.60	.062	22.0	3.41	6.00	5.10
30	5.10		10.1	5.10	15.2	4.20	1.60	.062	18.6	3.41	5.10	5.10
31	5.10		10.1		15.2		1.60	.074		3.41		4.20
SD1	4.42	3.42	4.86	15.5	13.8	11.6	2.66	1.24	.264	17.1	3.00	3.45
SD2	4.04	2.73	2.19	6.60	20.1	5.37	1.83	.590	4.22	9.58	6.72	5.74
SD3	9.59	3.87	5.54	4.92	20.4	4.38	1.60	.080	30.6	3.70	9.13	6.04
MAX	16.9	5.10	10.1	20.3	25.6	15.2	3.41	1.60	82.2	22.0	22.0	15.2
DAT	23	1	30	3	22	1	1	1	25	4	19	18
SR	6.13	3.32	4.24	9.02	18.2	7.13	2.02	.619	11.7	9.91	6.28	5.11
MIN	3.41	2.73	2.05	4.20	6.00	4.20	1.60	.062	.080	3.41	2.73	1.60
DAT	1	5	13	28	1	23	16	27	1	25	5	16
		GMIN = .062			SRGOD= 6.97			GMAX = 82.2				
		DATUM 27 8						DATUM 25 9				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1985

Broj : 60132 Stanica :GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka :SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv :ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	2.73	8.60	1.15	2.73	10.1	2.05	.390	.314	.152	.200	16.9	8.60
2	2.05	5.10	1.15	2.39	10.1	1.60	.390	.314	.128	.200	16.9	5.10
3	1.60	3.41	1.60	5.10	10.1	1.60	.390	.314	.104	.200	13.5	5.10
4	1.60	2.05	1.60	5.10	10.1	1.60	.390	.314	.104	.200	7.30	5.10
5	1.60	1.60	1.60	5.10	10.1	1.60	.390	.238	.080	.200	4.20	5.10
6	1.60	1.60	1.60	5.10	10.1	1.15	.390	.238	.074	.200	2.05	4.20
7	1.15	1.60	1.60	10.1	10.1	1.15	.390	.238	.074	.200	13.5	4.20
8	1.15	2.05	1.60	10.1	13.5	1.15	.390	.238	.068	.200	10.1	4.20
9	.822	2.05	1.60	10.1	13.5	.822	.390	.238	.068	.200	6.00	3.41
10	.822	20.3	1.60	10.1	13.5	.822	.390	.238	.068	.200	2.73	3.41
11	.606	20.3	1.60	10.1	13.5	.822	.390	.238	.068	.200	2.73	3.41
12	.606	20.3	1.60	10.1	13.5	.822	.390	.238	.068	.200	2.73	2.73
13	.606	15.2	2.05	10.1	11.8	.606	.390	.238	.068	.200	6.00	2.73
14	.606	10.1	3.41	10.1	10.1	.606	.390	.238	.068	.200	6.00	2.73
15	.606	6.00	5.10	10.1	10.1	.606	.390	.238	.068	.200	10.1	2.73
16	.822	5.10	5.10	8.60	7.30	.606	.314	.238	.074	.200	18.6	2.73
17	.822	5.10	5.10	8.60	6.00	.606	.314	.238	.080	.200	20.3	2.73
18	.822	4.20	5.10	7.30	6.00	.606	.314	.238	.080	.200	22.0	2.73
19	.822	3.41	5.10	6.00	6.00	.606	.314	.238	.104	.200	22.0	2.05
20	1.15	2.73	4.20	5.10	5.10	.606	.314	.238	.104	.200	35.0	2.05
21	1.15	2.73	3.41	5.10	5.10	.606	.314	.238	.128	.200	35.0	2.05
22	1.15	2.05	3.41	5.10	4.20	.606	.314	.238	.128	.200	31.0	2.05
23	2.05	2.05	5.10	5.10	4.20	.606	.314	.200	.152	.200	27.4	2.05
24	5.10	1.60	5.10	5.10	3.41	.606	.314	.200	.176	.200	23.8	2.05
25	11.8	1.60	4.20	6.00	3.41	.606	.314	.200	.176	.200	23.8	2.05
26	11.8	1.15	4.20	7.30	2.73	.606	.238	.200	.176	.238	20.3	2.05
27	11.8	1.15	3.41	10.1	2.73	.606	.238	.200	.200	.238	18.6	2.05
28	11.8	1.15	3.41	10.1	2.73	.606	.238	.200	.200	.238	18.6	2.05
29	11.8		2.73	10.1	2.73	.606	.238	.176	.200	.238	16.9	5.10
30	10.1		2.73	10.1	2.73	.606	.238	.176	.200	.238	13.5	31.0
31	10.1		2.73		2.73		.238	.152		.314		37.0
SD1	1.51	4.84	1.51	6.59	11.1	1.35	.390	.268	.092	.200	9.32	4.84
SD2	.747	9.24	3.84	8.61	8.94	.649	.352	.238	.078	.200	14.5	2.66
SD3	8.06	1.68	3.68	7.41	3.34	.606	.273	.198	.174	.228	22.9	8.14
MAX	11.8	20.3	5.10	10.1	13.5	2.05	.390	.314	.200	.314	35.0	37.0
DAT	25	10	15	7	8	1	1	1	1	31	20	31
SR	3.59	5.51	3.03	7.54	7.65	.870	.336	.234	.115	.210	15.6	5.31
MIN	.606	1.15	1.15	2.39	2.73	.606	.238	.152	.068	.200	2.05	2.05
DAT	11	26	1	2	26	13	26	31	8	1	6	19
GMIN =			.068	SRGOD=			4.13	GMAX =			37.0	
DATUM			8 9					DATUM			31 12	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1986

Broj : 60132 Stanica : GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka : SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv : ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	36.0	3.41	6.00	15.2	10.1	3.41	3.41	.314	.606	.238	1.60	.238
2	37.0	6.00	15.2	13.5	10.1	3.41	3.41	.314	.606	.238	.822	.238
3	31.0	6.00	16.9	11.8	10.1	3.41	2.73	.314	.390	.238	.606	.238
4	27.4	4.20	16.9	11.8	10.1	3.41	2.05	.314	.390	.238	.390	.238
5	22.0	3.41	16.9	11.8	10.1	3.41	1.15	.314	.314	.238	.314	.238
6	18.6	2.73	13.5	11.8	9.25	7.30	.822	.314	.314	.238	.238	.238
7	15.2	2.05	13.5	10.1	8.60	15.2	.822	.314	.314	.238	.238	.238
8	13.5	2.05	20.3	10.1	8.60	20.3	.822	.314	.314	.238	.238	.238
9	11.8	1.60	18.6	10.1	8.60	13.5	.822	.314	.314	.238	.200	.176
10	8.60	1.60	18.6	10.1	8.60	13.5	.822	.314	.314	.238	.200	.176
11	7.30	1.15	18.6	13.5	7.30	11.8	.822	.314	.314	.238	.152	.238
12	6.00	1.15	16.9	13.5	7.30	11.8	.606	.314	.314	.238	.128	.238
13	5.10	1.15	16.9	13.5	7.30	10.1	.606	.314	.314	.238	.128	.238
14	5.10	1.15	11.8	13.5	7.30	10.1	.606	.314	.314	.238	.080	.238
15	4.20	1.15	10.1	11.8	7.30	8.60	.606	.314	.314	.238	.074	.238
16	3.41	1.15	10.1	11.8	7.30	7.30	.390	.390	.314	.238	.074	.238
17	3.41	1.15	8.60	11.8	7.30	6.00	.390	.390	.314	.238	.074	1.60
18	2.73	2.73	7.30	10.1	7.30	6.00	.390	.390	.314	.238	.080	1.60
19	2.73	31.0	6.00	10.1	5.10	6.00	.390	.390	.314	.238	.128	1.60
20	2.73	31.0	5.10	13.5	5.10	5.10	.390	.390	.314	.238	.128	1.60
21	2.05	31.0	4.20	13.5	5.10	5.10	.390	.390	.314	.238	.176	1.60
22	2.05	27.4	4.20	13.5	5.10	5.10	.390	.390	.314	.238	.238	1.15
23	2.05	23.8	4.20	13.5	4.20	4.20	.390	.606	.314	.238	.314	1.15
24	2.05	18.6	4.20	11.8	4.20	4.20	.390	.606	.314	.238	5.10	1.15
25	2.05	18.6	4.20	10.1	4.20	4.20	.390	.606	.314	.314	5.10	1.15
26	5.10	13.5	8.60	10.1	3.75	4.20	.390	.606	.314	5.10	5.10	.822
27	4.20	10.1	22.0	10.1	3.75	4.20	.390	.606	.314	5.10	5.10	.822
28	3.41	8.60	22.0	10.1	3.75	4.20	.390	.606	.314	5.10	1.60	.822
29	2.05		22.0	10.1	3.41	4.20	.390	.606	.314	5.10	.930	.606
30	2.05		20.3	10.1	3.41	4.20	.390	.606	.314	4.20	.390	.606
31	2.05		18.6		3.41		.390	.606		2.73		.606
SD1	22.1	3.30	15.6	11.6	9.41	8.69	1.69	.314	.388	.238	.485	.226
SD2	4.27	7.28	11.1	12.3	6.86	8.28	.520	.352	.314	.238	.105	.783
SD3	2.65	19.0	12.2	11.3	4.03	4.38	.390	.567	.314	2.60	2.40	.953
MAX	36.0	31.0	22.0	15.2	10.1	20.3	3.41	.606	.606	5.10	5.10	1.60
DAT	1	19	27	1	1	8	1	23	1	26	24	17
SR	9.45	9.19	13.0	11.7	6.68	7.12	.850	.416	.339	1.08	.998	.663
MIN	2.05	1.15	4.20	10.1	3.41	3.41	.390	.314	.314	.238	.074	.176
DAT	21	11	21	7	29	1	16	1	5	1	15	9
GMIN =		.074		SRGOD=		5.09		GMAX =		36.0		
DATUM		15 11						DATUM		1 1		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1987

Broj : 60132 Stanica :GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka :SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv :ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII		
1	.606	16.9	2.73	27.4	10.1	8.60	2.05	.390	.314	.238	.390	27.4		
2	.606	15.2	2.73	22.0	8.60	8.60	1.60	.390	.314	.238	.390	22.0		
3	.606	13.5	6.00	18.6	8.60	8.60	1.60	.390	.314	.238	.390	20.3		
4	.606	10.1	6.00	13.5	8.60	7.30	1.60	.390	.314	.238	.390	18.6		
5	.606	10.1	5.10	11.8	7.30	7.30	1.60	.390	.314	.238	.390	18.6		
6	.606	8.60	5.10	8.60	7.30	7.30	1.15	.390	.314	.238	.390	13.5		
7	.606	6.00	3.41	6.00	7.30	6.00	1.15	.390	.314	.238	.390	13.5		
8	.606	4.20	2.73	5.10	18.6	6.00	1.15	.390	.314	.238	.390	11.8		
9	.606	3.41	2.73	5.10	18.6	6.00	1.15	.390	.314	.390	.390	11.8		
10	.606	2.73	2.05	6.00	16.9	5.10	1.15	.390	.314	.390	.390	10.1		
11	.822	2.73	2.05	7.30	16.9	5.10	.822	.390	.314	.390	.390	10.1		
12	10.1	10.1	2.05	7.30	15.2	5.10	.822	.390	.314	.390	.390	8.60		
13	10.1	10.1	1.60	7.30	15.2	5.10	.822	.390	.238	1.15	.390	7.30		
14	29.2	10.1	1.60	6.00	23.8	4.20	.822	.390	.238	1.15	.606	7.30		
15	31.0	7.30	1.60	6.00	23.8	4.20	.822	.390	.238	1.15	.822	10.1		
16	31.0	13.5	1.15	6.00	29.2	3.41	.822	.390	.238	.822	5.10	13.5		
17	23.8	13.5	1.15	6.00	29.2	3.41	.606	.390	.238	.822	5.10	13.5		
18	18.6	13.5	1.15	5.10	29.2	3.41	.606	.390	.238	.822	5.10	11.8		
19	15.2	11.8	1.15	5.10	27.4	3.41	.606	.390	.238	.822	5.10	11.8		
20	11.8	10.1	1.15	5.10	27.4	3.41	.606	.390	.238	.822	4.20	11.8		
21	10.1	10.1	10.1	5.10	25.6	5.10	.606	.314	.176	.822	3.41	11.8		
22	7.30	7.30	10.1	11.8	22.0	5.10	.606	.314	.176	.822	15.2	10.1		
23	6.00	7.30	8.60	11.8	20.3	5.10	.606	.314	.128	.606	29.2	8.60		
24	6.00	6.00	6.00	11.8	18.6	4.20	.390	.314	.128	.606	39.0	8.60		
25	6.00	5.10	5.10	11.8	16.9	4.20	.390	.314	.080	.606	39.0	8.60		
26	5.10	4.20	5.10	11.8	13.5	4.20	.390	.314	.080	.606	39.0	7.30		
27	5.10	3.41	5.10	11.8	11.8	3.41	.390	.314	.080	.606	39.0	7.30		
28	5.10	3.41	5.10	10.1	11.8	2.73	.390	.314	.128	.606	39.0	6.00		
29	6.00		5.10	10.1	11.8	2.73	.390	.314	.128	.390	33.0	6.00		
30	22.0		31.0	10.1	10.1	2.73	.390	.314	.238	.390	27.4	5.10		
31	18.6		31.0		10.1		.390	.314		.390		5.10		
SD1	.606	9.07	3.86	12.4	11.2	7.08	1.42	.390	.314	.268	.390	16.8		
SD2	18.2	10.3	1.46	6.12	23.7	4.07	.736	.390	.253	.834	2.72	10.6		
SD3	8.85	5.85	11.1	10.6	15.7	3.95	.449	.314	.134	.586	30.3	7.68		
MAX	31.0	16.9	31.0	27.4	29.2	8.60	2.05	.390	.314	1.15	39.0	27.4		
DAT	15	1	30	1	18	1	1	1	1	13	24	1		
SR	9.19	8.58	5.66	9.72	16.8	5.03	.855	.363	.234	.564	11.1	11.5		
MIN	.606	2.73	1.15	5.10	7.30	2.73	.390	.314	.080	.238	.390	5.10		
DAT	1	10	16	8	5	28	24	21	25	1	1	30		
GMIN = .080			SRGOD= 6.63					GMAX = 39.0						
DATUM 25 9									DATUM 24 11					

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1988

Broj : 60132 Stanica :GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka :SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv :ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	11.4	.640	4.70	10.5	1.82	6.00	1.20	.440	.128	18.6	4.70	4.70
2	8.70	1.20	8.70	7.80	4.70	6.00	1.20	.440	.390	14.1	2.75	11.4
3	6.00	2.44	13.2	6.00	6.00	6.00	1.20	.320	.822	4.70	1.82	9.60
4	4.70	1.20	13.2	6.00	7.80	4.70	1.20	.320	2.73	1.06	1.20	6.00
5	4.70	1.20	9.60	6.00	6.00	4.70	.920	.320	2.05	.440	1.20	4.70
6	4.70	1.20	9.60	6.00	6.00	4.70	.920	.320	2.05	.440	2.44	3.40
7	4.70	1.20	6.00	6.00	6.00	4.70	.920	.200	1.60	.440	1.82	3.40
8	3.40	.920	6.00	6.00	6.00	3.40	.920	.200	1.60	.320	1.82	3.40
9	3.40	.920	6.00	6.00	6.00	3.40	.640	.200	1.60	.320	1.82	2.44
10	3.40	.920	6.00	6.00	4.70	3.40	.640	.200	1.60	.200	1.20	2.44
11	3.40	.920	6.00	6.00	4.70	3.40	.640	.200	1.60	.200	1.20	3.40
12	2.44	3.40	6.00	6.00	4.70	3.40	.640	.200	1.60	.200	1.20	3.40
13	2.44	9.60	6.00	4.70	4.70	3.40	.640	.200	1.15	.320	1.20	3.40
14	2.44	16.8	6.00	3.40	4.70	2.44	.640	.200	1.15	.320	1.20	2.44
15	2.44	18.6	6.00	2.44	4.70	2.44	.640	.200	.822	.320	.920	1.20
16	2.44	18.6	6.00	1.82	6.00	2.44	.640	.200	.822	.320	.920	1.20
17	2.44	15.0	7.80	1.20	6.00	2.44	.640	.200	.822	1.82	.640	1.20
18	1.82	15.0	7.80	1.20	6.00	2.44	.640	.200	1.60	1.82	.640	.920
19	1.82	15.0	6.00	.920	6.00	2.44	.640	.200	2.73	1.82	.640	.920
20	1.82	13.2	4.70	.500	6.00	2.44	.640	.200	7.30	1.20	.640	.920
21	1.82	13.2	4.70	.500	4.70	1.82	.440	.200	29.2	1.20	.640	.920
22	1.20	15.0	4.70	.500	4.70	1.82	.440	.158	20.3	1.20	.640	.640
23	1.20	13.2	4.70	.500	3.40	1.82	.440	.158	20.3	1.20	1.82	.640
24	.920	7.80	4.70	.500	3.40	1.82	.440	.158	18.6	1.82	1.82	.920
25	.920	6.00	3.40	.500	4.70	1.82	.440	.158	18.6	1.82	1.82	2.44
26	.920	4.70	3.40	.500	4.70	1.82	.320	.158	16.9	2.44	1.82	22.2
27	.920	3.40	3.40	.500	4.70	1.82	.320	.158	13.5	6.00	1.82	31.4
28	.920	2.44	3.40	.500	4.70	1.20	.320	.158	11.8	6.00	2.44	31.4
29	.640	2.44	3.40	.500	4.70	1.20	.200	.158	11.8	6.00	2.44	24.0
30	.640		4.70	.500	4.70	1.20	.200	.116	11.8	7.80	2.44	22.2
31	.440		13.2		4.70		.200	.116		7.80		20.4
SD1	5.51	1.18	8.30	6.63	5.50	4.70	.976	.296	1.46	4.06	2.08	5.15
SD2	2.35	12.6	6.23	2.82	5.35	2.73	.640	.200	1.96	.834	.920	1.90
SD3	.958	7.58	4.88	.500	4.46	1.63	.342	.154	17.3	3.93	1.77	14.3
MAX	11.4	18.6	13.2	10.5	7.80	6.00	1.20	.440	34.0	18.6	4.70	50.5
DAT	1	15	3	1	4	1	1	1	21	1	1	27
SR	2.88	7.11	6.42	3.32	5.08	3.02	.643	.215	6.90	2.98	1.59	7.34
MIN	.440	.640	3.40	.500	1.82	1.20	.200	.116	.128	.200	.640	.640
DAT	31	1	25	20	1	28	29	30	1	10	17	22
		GMIN = .116			SRGOD= 3.94			GMAX = 50.5				
		DATUM 30 8						DATUM 27 12				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1989

Broj : 60132 Stanica :GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka :SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv :ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.822	.390	22.0	5.10	5.10	1.38	1.60	.238	.352	.390	.390	4.20
2	.822	.390	29.2	6.00	5.10	1.38	1.60	.238	.390	.390	.352	3.41
3	.822	.390	29.2	8.60	5.10	1.38	1.38	.238	.390	.390	.352	2.05
4	.822	.390	22.0	8.60	5.10	1.60	1.38	.238	.822	.390	.352	1.60
5	.606	.390	16.9	7.30	5.10	2.05	1.15	.238	.390	.390	.352	1.60
6	.606	.314	11.8	7.30	5.10	2.05	1.15	.238	.390	.390	1.15	1.38
7	.606	.314	7.30	7.30	4.20	2.73	.930	.238	.390	.390	27.4	1.38
8	.606	.314	6.00	6.00	4.20	2.73	.822	.238	.352	.390	27.4	1.15
9	.606	.314	5.10	6.00	4.20	2.05	.822	.238	.352	10.1	22.0	.822
10	.606	.314	4.20	5.10	4.20	1.83	.822	.238	.822	13.5	16.9	.822
11	.606	.314	2.73	5.10	4.20	1.60	.606	.238	2.05	25.6	10.1	.606
12	.606	.314	2.73	5.10	4.20	1.60	.606	.238	2.05	22.0	6.00	.390
13	.606	.314	2.73	6.00	3.41	1.60	1.60	.238	1.60	13.5	2.73	.390
14	.390	.314	2.05	8.60	3.41	1.60	1.60	.238	1.60	10.1	2.73	.390
15	.390	.314	2.05	8.60	3.41	1.60	1.60	.238	1.15	6.00	2.05	.390
16	.390	.314	2.05	8.60	3.41	1.38	2.05	.200	.822	4.20	1.60	.606
17	.390	.314	2.05	10.1	3.41	1.38	2.05	.200	.606	3.41	1.60	1.60
18	.390	.314	2.05	29.2	3.07	1.15	1.83	.176	.606	2.73	1.15	1.60
19	.390	.314	2.05	25.6	3.07	1.15	2.05	.176	.606	2.73	1.15	1.60
20	.390	.314	2.05	18.6	3.07	1.15	1.60	.176	.390	1.83	.930	2.05
21	.390	.314	7.30	11.8	3.07	.822	1.15	.176	.390	1.60	.822	2.05
22	.390	.314	7.30	10.1	2.73	.822	.822	.176	.390	1.60	.822	2.05
23	.390	.314	6.00	7.30	2.39	.822	.606	.176	.390	1.15	11.8	2.05
24	.390	.314	6.00	6.00	2.39	.822	.390	.176	.352	1.15	8.60	1.60
25	.390	.390	6.00	5.10	2.05	1.15	.352	.176	.390	.822	16.9	1.15
26	.390	10.1	5.10	4.20	2.05	1.15	.352	.176	.390	.822	15.2	.930
27	.390	23.8	5.10	4.20	1.60	1.15	.314	.314	.390	.606	13.5	.930
28	.390	22.0	5.10	4.20	1.60	1.60	.314	.314	.390	.606	10.1	.822
29	.390		5.10	5.10	1.60	1.60	.314	.314	.390	.606	6.00	.606
30	.390		5.10	5.10	1.38	1.60	.314	.352	.390	.606	6.00	.498
31	.390		5.10		1.38		.276	.352		.390		.390
SD1	.692	.352	15.4	6.73	4.74	1.92	1.17	.238	.465	2.67	9.66	1.84
SD2	.455	.314	2.25	12.6	3.47	1.42	1.56	.212	1.15	9.21	3.00	.962
SD3	.390	7.19	5.75	6.31	2.02	1.15	.473	.246	.386	.905	8.97	1.19
MAX	.822	23.8	29.2	29.2	5.10	2.73	2.05	.352	2.05	25.6	27.4	4.20
DAT	1	27	2	18	1	7	16	30	11	11	8	1
SR	.508	2.29	7.72	8.53	3.36	1.50	1.05	.232	.666	4.15	7.21	1.33
MIN	.390	.314	2.05	4.20	1.38	.822	.276	.176	.352	.390	.352	.390
DAT	14	6	14	26	30	21	31	18	1	1	2	12
GMIN = .176			SRGOD= 3.21					GMAX = 29.2				
DATUM 18 8								DATUM 2 3				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1990

Broj : 60132 Stanica : GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka : SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv : ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.390	6.00	.390	.822	3.41	.390	.238	.176	.276	.390	11.8	16.9
2	.390	3.41	.390	.822	2.73	.390	.238	.238	.276	.390	7.30	13.5
3	.314	2.05	.390	.822	2.39	.390	.238	.314	.200	.390	6.00	10.1
4	.314	2.05	.390	.714	2.39	.390	.238	.314	.176	.390	5.10	5.10
5	.276	1.15	.352	.606	2.05	.390	.238	.314	.176	.390	3.41	3.75
6	.276	.822	.352	.390	2.05	.390	.238	.314	.128	.390	2.73	3.41
7	.238	.606	.352	.390	1.60	.390	.238	.314	.104	.390	2.05	3.41
8	.200	.606	.352	.822	1.15	.314	.238	.314	.080	13.5	1.83	2.05
9	.176	.390	.314	5.10	.930	.314	.238	.314	.080	20.3	1.60	2.05
10	.176	.390	.314	4.65	.930	.314	.238	.390	.068	6.00	1.38	10.1
11	.176	.352	.314	4.65	.930	.238	.238	.390	.068	2.73	1.15	27.4
12	.176	.352	.314	4.20	.822	.238	.238	.390	.056	1.60	1.15	22.0
13	.176	.352	.314	4.20	.822	.238	.238	.314	.050	.822	.930	18.6
14	.176	.314	.314	3.41	.822	.238	.238	.314	.050	.606	.930	13.5
15	.176	.238	.238	3.07	.822	.238	.238	.314	.050	.314	.930	11.8
16	.176	.314	.238	2.73	.822	.238	.238	.352	.050	.314	.930	7.95
17	.176	.606	.238	2.05	.606	.238	.238	.352	.050	.314	1.83	6.00
18	.176	.606	.238	2.05	.606	.238	.238	.352	.050	.314	1.83	4.65
19	.176	.390	.200	2.05	.606	.238	.238	.352	.050	.314	1.83	3.41
20	.152	.390	.200	2.05	.498	.238	.238	.390	.056	.314	1.83	2.05
21	.152	.390	.176	7.30	.606	.238	.238	.314	.062	.606	2.73	1.60
22	.128	.390	.176	13.5	.606	.238	.238	.314	.068	1.60	13.5	1.60
23	.128	.352	.176	18.6	1.15	.238	.238	.314	.068	.822	15.2	1.60
24	.128	.314	.176	23.8	.822	.238	.238	.314	.080	.822	23.8	1.15
25	.128	.314	.176	23.8	.822	.238	.176	.314	.128	.822	23.8	1.15
26	.104	.314	.176	15.2	.822	.238	.176	.390	.176	.822	16.9	.822
27	.104	.314	.606	11.8	.822	.238	.176	.390	.238	.822	22.0	.822
28	.176	.314	.822	8.60	.606	.238	.176	.390	.314	1.60	27.4	.822
29	.176		.822	6.00	.606	.238	.176	.352	.314	2.73	27.4	1.60
30	10.1		.822	5.10	.606	.238	.176	.314	.390	11.8	22.0	1.60
31	10.1		.822		.606		.176	.314		11.8		1.60
SD1	.275	1.75	.360	1.51	1.96	.367	.238	.300	.156	4.25	4.32	7.04
SD2	.174	.391	.261	3.05	.736	.238	.238	.352	.053	.764	1.33	11.7
SD3	1.95	.338	.450	13.4	.734	.238	.199	.338	.184	3.11	19.5	1.31
MAX	10.1	6.00	.822	23.8	3.41	.390	.238	.390	.390	20.3	27.4	38.0
DAT	30	1	28	25	1	1	1	10	1	9	28	11
SR	.836	.860	.360	5.98	1.13	.281	.224	.330	.131	2.72	8.38	6.52
MIN	.104	.238	.176	.390	.498	.238	.176	.176	.050	.314	.930	.822
DAT	26	15	21	6	20	11	25	1	13	15	13	26
GMIN = .050			SRGOD= 2.31					GMAX = 38.0				
DATUM 13 9								DATUM 11 12				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1991

Broj : 60132 Stanica :GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka :SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv :ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.60	.238	2.73	3.75	5.10	4.20	1.15	.390	.390	.176	1.15	18.6
2	1.38	.238	2.73	3.41	11.8	4.20	1.15	.390	.390	.152	1.15	16.9
3	1.38	.200	2.73	2.73	10.1	4.20	.822	.390	.390	.152	1.15	13.5
4	1.15	.176	2.39	2.73	10.1	4.20	.822	.390	.390	.128	1.15	10.1
5	1.15	.176	1.60	2.73	8.60	4.20	.822	.390	.390	.128	1.15	8.60
6	.930	.176	1.60	2.73	8.60	3.41	.606	.390	.390	.104	23.8	7.30
7	.822	.176	1.60	3.41	11.8	3.41	.606	.390	.390	.104	16.9	6.00
8	.822	.176	1.60	3.41	11.8	4.20	.606	.390	.390	.080	13.5	5.10
9	.822	5.10	2.05	3.41	10.1	27.4	.606	.390	.390	.074	10.1	4.20
10	.822	6.00	2.73	3.41	8.60	23.8	.498	.390	.390	.074	6.00	3.41
11	.822	23.8	3.41	2.73	8.60	18.6	.498	.390	.390	.074	4.20	3.41
12	.822	22.0	3.41	2.73	7.30	15.2	.498	.390	.390	.128	4.20	3.41
13	.714	16.9	3.41	2.73	7.30	11.8	.498	.390	.390	.238	4.20	3.41
14	.714	13.5	2.73	2.39	7.30	10.1	.498	.390	.390	.390	5.10	2.73
15	.714	8.60	2.73	2.39	7.30	7.30	.390	.390	.390	.822	29.2	2.73
16	.606	5.10	2.05	2.05	13.5	5.10	.390	.390	.390	1.60	31.0	2.05
17	.606	2.05	2.05	2.05	13.5	4.20	.390	.390	.390	2.05	37.0	1.60
18	.606	.822	1.83	2.73	13.5	3.41	.390	.390	.390	3.41	37.0	1.60
19	.606	.390	1.60	13.5	11.8	3.41	.390	.390	.390	6.00	31.0	1.60
20	.606	.390	1.60	13.5	10.1	3.41	.314	.390	.390	8.60	27.4	1.15
21	.498	.390	1.60	13.5	7.95	2.73	.314	.390	.390	11.8	31.0	1.15
22	.498	.390	1.60	8.60	7.30	2.73	.314	.390	.352	25.6	41.0	1.15
23	.390	.606	1.15	6.00	7.30	2.73	.314	.390	.352	22.0	41.0	1.15
24	.390	.822	1.15	5.10	8.60	2.05	.314	.390	.314	15.2	41.0	1.15
25	.390	.822	1.15	4.20	10.1	2.05	.314	.390	.314	7.30	41.0	.930
26	.390	.822	4.20	5.10	10.1	1.60	.314	.390	.276	5.10	41.0	.930
27	.390	1.60	4.20	6.00	10.1	1.60	.314	.390	.276	3.75	37.0	.822
28	.314	1.60	4.20	6.00	10.1	1.15	.390	.390	.200	2.73	27.4	.822
29	.238		4.20	6.00	6.00	1.15	.390	.390	.200	2.05	22.0	.606
30	.238		4.20	6.00	5.10	1.15	.390	.390	.176	1.60	18.6	.606
31	.238		3.75		5.10		.390	.390		1.15		.606
SD1	1.09	1.27	2.18	3.17	9.66	8.32	.769	.390	.390	.117	7.60	9.37
SD2	.682	9.36	2.48	4.68	10.0	8.25	.426	.390	.390	2.33	21.0	2.37
SD3	.361	.882	2.85	6.65	7.98	1.89	.342	.390	.285	8.93	34.1	.902
MAX	1.60	23.8	4.20	13.5	13.5	27.4	1.15	.390	.390	25.6	52.0	18.6
DAT	1	11	26	19	16	9	1	1	1	22	22	1
SR	.699	4.04	2.52	4.83	9.18	6.16	.507	.390	.355	3.96	20.9	4.11
MIN	.238	.176	1.15	2.05	5.10	1.15	.314	.390	.176	.074	1.15	.606
DAT	29	4	23	16	1	28	20	1	30	9	1	29
		GMIN = .074		SRGOD= 4.78		GMAX = 52.0						
		DATUM 9 10				DATUM 22 11						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1992

Broj : 60132 Stanica : GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka : SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv : ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.380	.260	.260	5.20	5.20	1.51	.820	.380	.260	.174	3.35	3.35
2	.380	.260	.260	5.20	5.20	1.51	.820	.260	.260	.200	3.35	3.35
3	.380	.260	.260	5.20	5.20	1.51	.660	.260	.260	.200	3.35	11.8
4	.380	.260	.260	5.20	4.56	1.14	.660	.260	.260	.260	3.35	27.9
5	.380	.260	.260	5.20	4.24	1.14	.500	.260	.260	.320	2.85	26.7
6	.380	.260	.260	5.20	3.92	1.14	.500	.260	.260	.380	2.85	24.4
7	.380	.260	.260	5.20	3.35	1.14	.500	.260	.260	.500	2.85	17.5
8	.320	.260	.260	5.20	3.35	.820	.500	.260	.260	.500	2.85	16.4
9	.320	.260	.260	5.20	3.35	.820	.500	.260	.260	.820	2.85	14.1
10	.260	.260	.260	5.20	3.10	.820	.820	.260	.260	.820	2.35	14.1
11	.260	.260	.260	5.20	2.85	.820	.820	.320	.260	.500	2.35	9.65
12	.260	.260	.260	5.20	2.85	.820	1.14	.320	.260	.500	2.35	7.61
13	.260	.260	.260	5.20	2.35	2.35	1.14	.320	.260	.500	2.35	5.96
14	.260	.260	.260	4.56	2.35	2.85	.820	.320	.260	.500	2.35	5.20
15	.260	.260	.260	3.92	1.93	2.85	.820	.260	.260	.820	2.35	3.92
16	.260	.260	.260	3.92	1.93	2.35	.820	.260	.260	.820	14.1	2.35
17	.260	.320	.260	5.96	1.93	1.93	.820	.260	.260	.820	22.1	2.35
18	.260	.380	.260	9.65	1.93	1.51	.820	.260	.260	80.2	22.1	2.35
19	.260	.380	.260	9.65	1.93	1.14	.500	.260	.260	40.6	22.1	1.93
20	.260	.380	.260	11.8	1.93	1.14	.500	.320	.174	27.9	17.5	1.93
21	.260	.380	.260	11.8	2.35	1.14	.500	.320	.148	17.5	15.2	1.93
22	.260	.260	.260	10.8	2.35	1.14	.500	.320	.122	17.5	13.0	1.93
23	.260	.260	.260	9.65	2.35	1.14	.380	.260	.122	15.2	9.65	1.51
24	.260	.260	.260	8.63	2.35	.820	.380	.260	.122	13.0	7.61	1.51
25	.380	.260	.260	7.61	1.93	.820	.380	.260	.122	10.8	6.72	1.51
26	.380	.260	5.20	5.96	1.93	.820	.380	.260	.122	8.63	5.20	1.51
27	.380	.260	8.63	5.96	1.51	.820	.380	.260	.122	5.96	5.20	1.51
28	.380	.260	5.96	5.20	1.51	.820	.380	.260	.122	5.20	3.35	1.51
29	.380	.260	4.56	5.20	1.51	.820	.380	.260	.148	3.92	3.35	1.51
30	.260		36.6	5.20	1.51	.820	.380	.260	.174	3.92	3.35	1.51
31	.260		2.85		1.51		.380	.260		3.35		1.51
SD1	.356	.260	.260	5.20	4.15	1.15	.628	.272	.260	.417	3.00	16.0
SD2	.260	.302	.260	6.51	2.20	1.78	.820	.290	.251	15.3	11.0	4.32
SD3	.315	.273	5.92	7.60	1.89	.916	.402	.271	.132	9.54	7.26	1.59
MAX	.380	.380	36.6	11.8	5.20	2.85	1.14	.380	.260	80.2	22.1	27.9
DAT	1	18	30	20	1	14	12	1	1	18	17	4
SR	.310	.279	2.27	6.44	2.72	1.28	.610	.277	.215	8.46	7.08	7.11
MIN	.260	.260	.260	3.92	1.51	.820	.380	.260	.122	.174	2.35	1.51
DAT	10	1	1	15	27	8	23	2	22	1	10	23
GMIN =			.122	SRGOD=			3.09	GMAX =			80.2	
DATUM			22 9					DATUM			18 10	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1993

Broj : 60132 Stanica :GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka :SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv :ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.14	.380	.174	.820	1.93	.380	.260	.260	.174	.500	.500	2.35
2	1.14	.380	.174	1.14	1.93	.380	.260	.260	.174	.500	.500	1.93
3	.820	.380	.174	1.14	1.93	.380	.260	.260	.174	6.72	.500	1.93
4	.820	.380	.174	1.14	1.93	.260	.200	.260	.174	23.3	.500	1.93
5	.500	.380	.174	1.14	1.93	.260	.200	.260	.174	17.5	.820	1.51
6	.500	.380	.174	1.14	1.51	.260	.200	.260	.380	13.0	1.14	1.51
7	.500	.380	.174	.820	1.14	.260	.200	.260	.380	6.72	18.7	1.51
8	.500	.380	.174	.820	1.14	.260	.174	.260	.260	5.20	15.2	1.51
9	.500	.380	.174	.820	1.14	.260	.174	.260	.260	5.20	10.8	1.93
10	.500	.260	.174	.820	1.14	.260	.174	.260	.260	4.56	5.20	2.35
11	.500	.260	.174	.820	1.14	.260	.174	.200	.260	3.92	5.20	2.35
12	.500	.260	.174	.820	1.14	.260	.174	.200	.260	2.35	5.20	2.35
13	.500	.260	.174	1.93	1.14	.260	.174	.200	.260	1.93	4.56	2.35
14	.500	.260	.174	2.35	1.14	.260	.174	.200	.260	1.51	4.56	6.72
15	.500	.260	.174	3.35	1.93	.260	.174	.174	.380	1.51	5.20	24.4
16	.500	.260	.174	3.92	1.93	.260	.174	.174	.260	1.14	5.20	24.4
17	.500	.260	.174	3.92	1.51	.260	.174	.174	.260	1.14	5.20	24.4
18	.500	.260	.174	3.92	1.51	.260	.174	.174	.260	.820	6.72	21.0
19	.380	.174	.174	3.35	1.51	.260	.174	.174	.260	.500	6.72	17.5
20	.380	.174	.174	3.35	1.14	.260	.174	.174	.260	.500	7.61	11.8
21	.380	.174	.174	3.35	.820	.260	.174	.174	.260	.500	7.61	9.65
22	.380	.174	.174	2.85	.820	.260	.174	.174	.260	.500	6.72	9.65
23	.380	.174	.174	2.85	.820	.260	.260	.174	.174	.500	5.96	13.0
24	.380	.174	.174	2.85	.820	.200	.260	.174	.174	.500	5.20	14.1
25	.380	.174	.174	2.35	.820	.200	.260	.174	.174	.500	3.92	15.2
26	.380	.174	1.14	2.35	.820	.200	.260	.174	.174	.500	3.92	17.5
27	.380	.174	1.14	1.93	.500	.200	.260	.174	.174	.500	3.92	22.1
28	.380	.174	1.14	1.93	.500	.260	.260	.174	.174	.500	2.85	21.0
29	.380	.820	1.93	.500	.260	.260	.260	.174	.174	.500	2.85	18.7
30	.380	.820	1.93	.500	.260	.260	.260	.260	.500	.500	2.35	14.1
31	.380	.820	.380	.380	.380	.260	.260	.260	.500	.500		13.0
SD1	.692	.368	.174	.980	1.57	.296	.210	.260	.241	8.32	5.39	1.85
SD2	.476	.243	.174	2.77	1.41	.260	.174	.184	.272	1.53	5.62	13.7
SD3	.380	.174	.614	2.43	.664	.236	.244	.190	.224	.500	4.53	15.3
MAX	1.14	.380	1.14	3.92	1.93	.380	.260	.260	.500	23.3	18.7	43.4
DAT	1	1	26	16	1	1	1	1	30	4	7	15
SR	.512	.268	.330	2.06	1.20	.264	.211	.211	.246	3.36	5.18	10.4
MIN	.380	.174	.174	.820	.380	.200	.174	.174	.174	.500	.500	1.51
DAT	19	19	1	1	31	24	8	15	1	1	1	5
GMIN = .174			SRGOD= 2.04			GMAX = 43.4						
DATUM 19 2						DATUM 15 12						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1994

Broj : 60132 Stanica : GORNJE POLJE Kota "0" = 628.34
 Nacin osmat.: letva Rijeka : SUSICA km od usca = 3.10
 Pocetak rada: 1948 Sliv : ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	7.61	3.35	1.51	1.93	5.96	1.93	.380	.260	.320	.380	.500	.260	
2	5.20	3.35	1.51	2.35	5.96	1.93	.380	.260	.320	.380	.500	.260	
3	3.35	2.85	1.14	2.85	5.96	1.93	.380	.260	.260	.260	.500	.260	
4	3.35	2.85	1.14	2.85	5.20	1.93	.380	.260	.260	.260	.380	.260	
5	7.61	2.85	1.14	2.85	5.20	1.93	.380	.260	.260	.260	.380	.260	
6	8.63	2.35	1.14	2.85	5.20	1.93	.380	.260	.260	.200	.380	.260	
7	8.63	2.35	1.14	3.92	4.56	1.93	.380	.260	.260	.200	.260	.260	
8	7.61	2.35	.820	17.5	4.56	1.51	.380	.260	.260	.174	.260	.260	
9	6.72	1.93	.820	25.6	4.56	1.30	.380	.260	.260	.174	.260	.260	
10	6.72	1.93	.820	25.6	3.92	1.30	.380	.260	.260	.148	.260	.200	
11	5.96	1.51	.820	27.9	3.92	1.30	.380	.440	.260	.148	1.51	.200	
12	5.20	1.14	1.14	36.6	3.35	1.14	.380	.500	.260	.148	2.35	.200	
13	4.56	1.14	1.51	36.6	3.35	1.14	.380	.500	.260	.148	2.35	.200	
14	4.56	.820	1.93	36.6	3.35	1.14	.380	.500	.260	.174	1.93	.200	
15	3.92	.500	2.35	32.7	3.35	.820	.380	.500	.260	.174	1.51	.200	
16	3.92	.820	2.35	32.7	2.85	.820	.260	.500	.260	.200	1.14	.260	
17	3.92	1.14	2.35	30.3	2.85	.820	.260	.440	.380	.200	1.14	.260	
18	4.56	1.93	2.35	30.3	3.35	.820	.260	.440	.380	.200	.820	.260	
19	4.56	1.93	2.35	26.7	3.35	.820	.260	.440	.380	.200	.820	.260	
20	4.56	1.93	3.35	24.4	3.35	.820	.260	.380	.380	.200	.500	.260	
21	3.92	1.51	3.35	21.0	2.85	.820	.260	.380	.380	.200	.500	.260	
22	3.92	1.51	3.35	17.5	2.85	.820	.260	.380	.380	.200	.380	.260	
23	3.92	1.14	2.85	15.2	2.85	.820	.260	.380	.380	.200	.380	.260	
24	3.35	.820	2.85	15.2	2.85	.820	.260	.380	.380	.380	.380	.260	
25	3.35	1.93	2.85	15.2	2.35	.820	.260	.380	.380	.380	.380	.260	
26	3.35	1.93	2.35	14.1	2.35	.500	.260	.380	.380	.380	.260	.260	
27	3.35	1.93	2.35	14.1	2.35	.500	.260	.380	.380	.380	.260	.260	
28	3.35	1.93	2.35	13.0	2.35	.500	.260	.380	.380	.380	.260	.260	
29	3.35		2.35	9.65	2.35	.500	.260	.380	.380	.380	.260	.380	
30	3.35		1.93	7.61	1.93	.500	.260	.380	.380	.380	.260	.380	
31	3.35		1.93		1.93		.260	.380		.380		.380	
SD1	6.54	2.62	1.12	8.83	5.11	1.76	.380	.260	.272	.244	.368	.254	
SD2	4.57	1.29	2.05	31.5	3.31	.964	.320	.464	.308	.179	1.41	.230	
SD3	3.51	1.59	2.59	14.3	2.46	.660	.260	.380	.380	.331	.332	.293	
MAX	8.63	3.35	3.35	53.4	5.96	1.93	.380	.500	.380	.380	2.35	.380	
DAT	6	1	20	12	1	1	1	12	17	1	12	29	
SR	4.83	1.85	1.94	18.2	3.59	1.13	.318	.368	.320	.254	.702	.260	
MIN	3.35	.500	.820	1.93	1.93	.500	.260	.260	.260	.148	.260	.200	
DAT	3	15	8	1	30	26	16	1	3	10	7	10	
GMIN = .148			SRGOD= 2.80					GMAX = 53.4					
DATUM 10 10								DATUM 12 4					

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1995

Broj : 60132 Stanica :GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka :SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv :ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	21.0	3.10	15.2	3.92	7.61	3.92	.500	2.35	2.85	2.85	.380	5.20
2	22.1	2.85	13.0	3.35	6.72	8.63	.500	2.35	2.35	2.85	.380	4.56
3	22.1	2.85	13.0	2.85	6.72	8.63	.500	1.93	1.93	2.85	.380	2.85
4	19.8	3.35	8.63	2.35	5.96	6.72	.500	1.51	1.93	2.85	.380	2.85
5	15.2	3.35	15.2	3.35	5.20	5.96	.500	1.14	2.85	2.35	.380	2.85
6	13.0	3.35	15.2	3.92	5.20	5.20	.500	1.14	19.8	2.35	.380	2.85
7	9.65	2.35	15.2	4.56	5.20	5.20	.500	.820	17.5	1.93	.380	2.85
8	6.72	1.93	15.2	4.56	5.20	4.56	.500	.500	15.2	1.93	.380	3.35
9	4.56	1.51	10.8	4.56	5.20	3.92	.500	.500	13.0	1.51	.380	3.35
10	3.35	1.51	5.96	3.92	5.20	3.92	.500	.500	9.65	1.51	.380	2.35
11	2.35	1.51	4.56	3.35	5.20	3.92	.500	.500	7.61	1.51	.380	1.93
12	1.93	1.51	3.92	3.35	9.65	8.63	.500	.500	5.20	1.14	.380	1.93
13	1.93	1.51	2.85	2.85	11.8	8.63	.500	.500	4.56	1.14	.380	2.85
14	1.51	1.14	2.85	2.85	26.7	6.72	.500	.500	4.56	1.14	.380	3.92
15	1.14	1.14	2.85	2.35	26.7	5.20	.500	.500	5.96	1.14	.380	2.35
16	1.14	1.14	2.85	2.35	24.4	4.56	.500	.500	5.96	1.14	.380	3.92
17	1.14	1.14	2.35	2.35	21.0	3.92	.500	.500	5.20	1.14	.380	4.56
18	1.14	1.14	2.35	2.35	18.7	3.35	.500	.500	5.20	.820	.380	5.20
19	1.14	3.35	1.93	2.35	15.2	2.85	.500	.500	5.20	.820	.380	7.61
20	.820	8.63	1.93	2.35	10.8	2.35	.500	.500	15.2	.820	.380	5.20
21	.500	5.20	1.51	2.35	9.65	2.35	.500	.380	13.0	.820	.380	4.56
22	.500	5.20	1.51	2.35	8.63	1.93	.380	.380	11.8	.820	.380	4.56
23	.500	3.92	1.51	2.35	6.72	1.93	.380	.380	9.65	.500	.380	4.56
24	1.51	3.35	1.51	3.35	5.96	1.51	.380	.380	6.72	.500	.380	23.3
25	1.93	5.20	1.51	5.20	5.20	1.14	.380	.380	5.20	.500	.380	23.3
26	1.93	6.72	1.51	8.63	5.20	1.14	.380	.380	4.56	.500	.380	31.5
27	3.35	19.8	1.51	8.63	4.56	.820	.380	6.72	3.92	.500	3.35	44.8
28	3.35	19.8	1.51	8.63	4.56	.820	.380	5.20	3.92	.500	4.56	42.0
29	3.35		5.96	8.63	3.92	.820	.380	3.92	3.35	.500	8.63	35.3
30	3.10		5.96	8.63	3.92	.820	.380	3.35	2.85	.380	8.63	30.3
31	3.10		4.56		3.92		1.51	2.85		.380		26.7
SD1	13.7	2.62	12.7	3.73	5.82	5.67	.500	1.27	8.71	2.30	.380	3.31
SD2	1.42	2.22	2.84	2.65	17.0	5.01	.500	.500	6.47	1.08	.380	3.95
SD3	2.10	8.65	2.60	5.88	5.66	1.33	.494	2.21	6.50	.536	2.75	24.6
MAX	22.1	19.8	15.2	8.63	26.7	8.63	1.51	6.72	19.8	2.85	8.63	71.2
DAT	3	28	1	30	15	3	21	27	6	4	30	27
SR	5.64	4.20	5.95	4.09	9.37	4.00	.498	1.36	7.22	1.28	1.17	11.1
MIN	.500	1.14	1.51	2.35	3.92	.820	.380	.380	1.93	.380	.380	1.93
DAT	21	14	21	4	29	27	22	21	3	30	1	11
GMIN = .380			SRGOD= 4.66					GMAX = 71.2				
DATUM 22 7								DATUM 27 12				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1996

Broj : 60132 Stanica : GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka : SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv : ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	36.0	10.8	3.60	23.3	11.8	2.85	.380	.174	.260	8.63	1.93	13.0
2	34.7	9.65	3.60	25.6	15.2	2.85	.380	.174	.260	8.63	1.93	9.65
3	30.9	8.63	3.60	64.0	16.4	2.85	.380	.174	.260	8.63	1.93	7.61
4	26.1	8.63	3.10	54.2	17.5	2.85	.380	.174	.260	9.65	1.93	7.61
5	22.7	7.61	3.10	41.3	17.5	2.85	.380	.174	.260	9.65	1.93	5.20
6	20.4	7.61	3.10	31.5	16.4	2.35	.380	.174	.260	9.65	1.93	3.92
7	16.9	7.61	3.10	29.1	16.4	2.35	.380	.174	.260	9.65	1.93	2.85
8	15.8	9.65	3.10	25.6	15.2	1.93	.380	.174	.260	9.65	1.93	2.85
9	13.5	8.63	3.10	22.1	15.2	1.93	.380	.174	.260	9.65	1.93	2.85
10	11.3	7.61	3.10	14.1	14.1	1.93	.380	.174	.260	9.65	1.93	2.35
11	11.3	7.61	3.10	11.8	14.1	1.93	.380	.174	.260	9.65	1.93	1.93
12	11.3	7.61	3.10	10.8	13.0	1.51	.380	.174	.260	9.65	1.51	1.93
13	10.2	7.61	3.10	9.65	13.0	1.51	.380	.260	.380	9.65	1.51	4.56
14	10.2	6.72	3.10	8.63	15.2	1.51	.380	.260	5.20	14.1	1.51	7.61
15	9.14	6.72	3.60	8.63	15.2	1.51	.260	.260	5.20	15.2	1.51	18.7
16	8.12	5.96	4.88	6.72	14.1	1.14	.260	.260	4.56	19.8	1.51	17.5
17	8.12	5.96	6.34	6.72	13.0	.820	.260	.260	2.85	19.8	1.51	15.2
18	7.10	5.96	6.34	6.72	13.0	.820	.260	.260	1.30	21.0	1.51	10.8
19	6.34	5.96	6.34	5.96	11.8	.820	.260	.260	2.35	23.3	1.51	5.20
20	6.34	5.96	5.58	5.96	9.65	.820	.260	.260	3.35	21.0	18.7	3.92
21	5.58	6.72	5.58	5.96	8.63	.820	.200	.260	8.63	18.7	21.0	9.65
22	5.58	6.72	5.58	5.96	7.61	.820	.200	.260	11.8	15.2	26.7	11.8
23	5.58	6.72	5.58	5.96	6.72	.820	.200	.260	11.8	13.0	26.7	15.2
24	5.58	5.96	5.58	8.63	5.20	.820	.200	.260	14.1	10.8	26.7	15.2
25	6.34	5.96	5.58	10.8	4.56	.500	.200	.260	14.1	7.61	24.4	18.7
26	9.14	5.96	6.34	10.8	3.92	.500	.174	.260	14.1	6.72	23.3	18.7
27	15.8	5.96	8.12	8.63	3.35	.500	.174	.260	13.0	5.20	21.0	16.4
28	11.3	5.96	32.1	9.65	3.35	.500	.174	.260	13.0	3.35	19.8	14.1
29	10.2	5.96	28.5	10.8	3.35	.500	.174	.260	10.8	2.35	18.7	9.65
30	8.12		21.0	11.8	3.35	.500	.174	.260	9.65	1.93	15.2	7.61
31	8.12		26.1		2.85		.174	.260		1.93		7.61
SD1	22.8	8.64	3.25	33.1	15.6	2.47	.380	.174	.260	9.34	1.93	5.79
SD2	8.82	6.61	4.55	8.16	13.2	1.24	.308	.243	2.57	16.3	3.27	8.73
SD3	8.30	6.21	13.6	8.90	4.81	.628	.186	.260	12.1	7.89	22.4	13.1
MAX	36.0	10.8	32.1	74.8	17.5	2.85	.380	.260	14.1	23.3	26.7	18.7
DAT	1	1	28	3	4	1	1	14	24	19	22	25
SR	13.2	7.19	7.36	16.7	11.0	1.45	.288	.227	4.98	11.1	9.18	9.35
MIN	5.58	5.96	3.10	5.96	2.85	.500	.174	.174	.260	1.93	1.51	1.93
DAT	21	16	4	19	31	25	26	1	1	30	12	11
		GMIN = .174		SRGOD= 7.66		GMAX = 74.8						
		DATUM 26 7				DATUM 3 4						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1997

Broj : 60132 Stanica : GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka : SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv : ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	7.61	.820	.500	.500	.380	1.51	.380	.320	.320	.380	.380	2.85
2	6.72	.820	.500	.500	.380	1.51	.380	.320	.320	.380	.380	2.85
3	8.63	.500	.500	.500	.380	1.14	.380	.320	.320	.380	.380	3.35
4	15.2	.500	.500	.500	.380	1.14	.380	.320	.320	.380	.380	10.8
5	18.7	.500	.500	.500	.380	1.14	.380	.320	.320	.380	.380	7.61
6	18.7	.500	.500	.500	.380	1.14	.380	.320	.320	.380	.380	5.20
7	15.2	.500	.500	.500	7.61	1.14	.380	.320	.320	.380	.380	3.35
8	10.8	.500	.500	.500	19.8	.820	.380	.320	.320	.380	.380	2.85
9	7.61	.500	.500	.500	19.8	.820	.380	.320	.320	.380	17.5	2.35
10	5.96	.380	.380	.500	15.2	.500	.380	.320	.320	.380	13.0	1.93
11	5.20	.380	.380	.500	11.8	.500	.380	.320	.320	.380	17.5	1.93
12	5.20	.380	.380	.380	6.72	.500	.380	.320	.320	.380	17.5	1.51
13	5.20	.380	.380	.380	5.20	.500	.380	.320	.320	.380	26.7	3.35
14	4.56	2.85	.380	.380	4.56	.500	.380	.320	.320	.380	26.7	3.35
15	3.92	2.35	.380	.380	4.56	.500	.320	.320	.320	1.93	22.1	2.85
16	3.35	2.35	.380	.500	3.92	.500	.320	.320	.380	1.51	19.8	2.85
17	2.85	1.93	.380	.500	3.35	.500	.320	.320	.380	1.14	18.7	2.35
18	2.35	1.51	.380	.500	3.35	.500	.320	.320	.380	.820	9.65	1.93
19	2.35	1.14	.380	.500	3.35	.500	.320	.320	.380	.500	5.96	1.93
20	1.93	1.14	5.20	.500	4.56	.500	.320	.320	.380	.380	4.56	1.51
21	1.93	.820	3.92	.500	4.56	.380	.320	.320	.380	.380	3.92	17.5
22	1.51	.500	2.85	.440	5.20	.380	.320	.320	.380	.380	3.92	19.8
23	1.51	.500	2.35	.440	7.61	.380	.320	.320	.380	.380	5.20	15.2
24	1.51	.500	1.93	.440	18.7	.380	.320	.320	.380	.380	5.20	11.8
25	1.51	.500	1.51	.440	18.7	.380	.320	.320	.380	.380	3.92	7.61
26	1.14	.500	1.14	.440	15.2	.380	.320	.320	.380	.380	3.35	5.20
27	1.14	.500	1.14	.380	13.0	.380	.320	.320	.380	.380	2.85	4.56
28	1.14	.500	.820	.380	9.65	.380	.320	.320	.380	.380	2.85	11.8
29	1.14	.820	.380	.380	7.61	.380	.320	.320	.380	.380	2.85	11.8
30	.820	.820	.380	.380	6.72	.380	.320	.320	.380	.380	2.85	7.61
31	.820	.500	.500	.380	5.96	.380	.320	.320	.380	.380	2.85	5.20
SD1	11.5	.552	.488	.500	6.47	1.09	.380	.320	.320	.380	3.35	4.31
SD2	3.69	1.44	.862	.452	5.14	.500	.344	.320	.350	.780	16.9	2.36
SD3	1.29	.540	1.62	.422	10.3	.380	.320	.320	.380	.380	3.69	10.7
MAX	18.7	2.85	5.20	.500	19.8	1.51	.380	.320	.380	1.93	39.2	19.8
DAT	5	14	20	1	8	1	1	1	16	15	13	22
SR	5.36	.866	1.01	.458	7.39	.655	.347	.320	.350	.509	7.99	5.96
MIN	.820	.380	.380	.380	.380	.380	.320	.320	.320	.380	.380	1.51
DAT	30	10	10	12	1	21	15	1	1	1	1	12
GMIN =		.320		SRGOD=		2.62		GMAX =		39.2		
DATUM		15 7		SRGOD=		2.62		GMAX =		39.2		
								DATUM		13 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1998

Broj : 60132 Stanica :GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka :SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv :ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	3.35	.500	.380	.380	5.20	1.51	.500	.260	.260	2.35	3.92	1.51
2	3.35	.500	.380	.380	5.20	1.51	.500	.260	.260	2.85	3.92	1.51
3	3.35	.500	.380	.380	5.20	1.51	.500	.260	.260	18.7	3.35	1.51
4	3.92	.820	.380	.500	5.96	1.51	.500	.260	.260	14.1	3.35	3.35
5	4.56	1.93	.380	.500	23.3	1.14	.500	.260	.260	7.61	3.92	7.61
6	4.56	1.51	.380	.500	22.1	1.14	.380	.260	.260	4.56	4.56	18.7
7	3.92	1.14	.380	.500	17.5	1.14	.380	.260	.260	3.92	10.8	15.2
8	3.35	.500	.380	.500	13.0	.820	.380	.260	.260	4.56	16.4	10.8
9	2.85	.500	.380	.500	8.63	.820	.380	.260	.260	7.61	13.0	5.96
10	2.35	.500	.380	3.35	6.72	.820	.380	.174	.260	26.7	8.63	4.56
11	1.93	.500	.380	10.8	5.20	.820	.380	.174	.260	22.1	8.63	3.92
12	1.93	.500	.380	16.4	4.56	.820	.380	.174	.260	19.8	9.65	3.35
13	1.51	.380	.380	14.1	3.92	1.14	.380	.174	7.61	15.2	9.65	2.85
14	1.51	.380	.380	14.1	3.35	1.93	.380	.174	16.4	13.0	9.65	1.93
15	1.51	.380	.380	14.1	3.35	1.93	.380	.174	15.2	9.65	8.63	1.93
16	1.14	.380	.380	14.1	3.35	1.51	.380	.174	9.65	6.72	7.61	1.51
17	1.14	.380	.380	14.1	2.85	1.14	.380	.174	5.96	4.56	7.61	1.51
18	2.85	.380	.380	13.0	2.85	1.14	.380	.174	3.35	3.35	6.72	1.51
19	2.35	.500	.380	13.0	2.35	1.14	.380	.174	2.35	2.85	5.96	1.51
20	2.85	.500	.380	15.2	1.93	1.14	.380	.174	1.93	4.56	5.20	1.51
21	7.61	.500	.380	15.2	1.93	.820	.380	.174	1.51	40.6	3.92	1.14
22	4.56	.500	.380	13.0	1.51	.820	.380	.174	1.51	30.3	2.85	1.14
23	2.85	.500	.380	13.0	1.51	.820	.260	.174	1.14	24.4	2.35	1.14
24	1.93	.500	.380	7.61	1.14	.820	.260	.174	1.14	21.0	2.35	1.14
25	1.51	.500	.380	5.20	1.14	.500	.260	.174	.820	16.4	1.93	.820
26	1.14	.500	.380	5.20	1.93	.500	.260	.174	.820	13.0	1.93	.820
27	1.14	.500	.380	4.56	1.93	.500	.260	.174	.820	9.65	1.93	.500
28	.820	.500	.380	4.56	1.93	.500	.260	.174	4.56	8.63	1.93	.500
29	.820		.380	4.56	1.93	.500	.260	.260	4.56	5.20	1.51	.500
30	.500		.380	4.56	1.51	.500	.260	.260	3.35	4.56	1.51	.500
31	.500		.380		1.51		.260	.260		4.56		.500
SD1	3.56	.840	.380	.749	11.3	1.19	.440	.251	.260	9.30	7.18	7.07
SD2	1.87	.428	.380	13.9	3.37	1.27	.380	.174	6.30	10.2	7.93	2.15
SD3	2.13	.500	.380	7.74	1.63	.628	.282	.197	2.02	16.2	2.22	.791
MAX	7.61	1.93	.380	16.4	23.3	1.93	.500	.260	16.4	49.4	16.4	18.7
DAT	21	5	1	12	5	14	10	1	14	21	8	6
SR	2.51	.596	.380	7.46	5.31	1.03	.365	.207	2.86	12.0	5.78	3.26
MIN	.500	.380	.380	.380	1.14	.500	.260	.174	.260	2.35	1.51	.500
DAT	30	13	1	1	24	25	23	10	1	1	29	27
		GMIN = .174		SRGOD= 3.50		GMAX = 49.4						
		DATUM 10 8				DATUM 21 10						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1999

Broj : 60132 Stanica :GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka :SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv :ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.500	.500	1.51	1.93	9.65	3.35	.820	.320	.320	.260	.260	3.35
2	.500	.500	1.51	1.93	10.8	3.35	.820	.320	.320	.260	.260	2.85
3	1.93	.380	1.51	2.35	10.8	2.85	.500	.320	.320	.320	.260	2.35
4	2.35	.380	1.93	2.35	10.8	2.85	.500	.320	.320	.320	.260	1.93
5	2.35	.380	6.72	2.35	10.8	2.35	.500	.320	.320	.320	.260	1.93
6	1.93	.380	11.8	2.85	10.8	2.35	.380	.320	.320	.320	.260	9.65
7	1.93	.380	11.8	3.35	10.8	2.35	.380	.320	.320	.320	.260	7.61
8	1.51	.380	9.65	3.92	9.65	2.35	.380	.260	.320	.320	.260	6.72
9	1.14	.380	5.96	4.56	9.65	1.93	.380	.260	.320	.320	.260	5.96
10	1.14	.380	4.56	4.56	9.65	1.93	.380	.260	.260	.320	.260	4.56
11	1.93	7.61	3.35	3.35	8.63	1.93	.320	.260	.260	.260	3.92	11.8
12	7.61	5.20	2.35	6.72	8.63	1.93	.320	.260	.260	.260	2.85	10.8
13	7.61	3.35	2.85	8.63	8.63	1.51	.320	.260	.260	.260	1.51	10.8
14	10.8	1.51	2.85	8.63	8.63	1.51	.320	.260	.260	.260	1.14	10.8
15	9.65	.820	2.85	8.63	8.63	1.51	.320	.260	.260	.260	.820	10.8
16	7.61	.500	2.85	8.63	8.63	1.14	.320	.260	.260	.260	.500	35.3
17	5.96	.500	2.85	8.63	7.61	1.14	.320	.320	.260	.320	1.14	37.9
18	4.56	.380	2.35	14.1	7.61	.820	.320	.320	.260	.320	4.56	37.9
19	2.35	.380	2.35	15.2	6.72	.820	.320	.320	.320	.320	6.72	31.5
20	1.51	.380	1.93	13.0	6.72	.820	.320	.320	.320	.320	18.7	36.6
21	1.14	.380	1.51	11.8	5.96	.820	.320	.260	.320	.320	14.1	27.9
22	1.14	.380	1.14	10.8	5.96	.820	.320	.260	.320	.380	37.9	24.4
23	1.14	14.1	1.14	13.0	5.96	2.35	.320	.260	.320	.440	36.6	19.8
24	1.14	8.63	1.14	13.0	5.20	1.51	.320	.260	.320	.660	29.1	15.2
25	.820	5.20	.820	11.8	5.20	1.51	.320	.260	.320	.820	25.6	10.8
26	.820	2.35	.820	11.8	5.20	1.51	.320	.260	.320	.500	18.7	9.65
27	.820	1.51	.820	10.8	4.56	1.51	.320	.260	.260	.500	15.2	9.65
28	.820	1.51	1.14	9.65	4.56	1.14	.320	.260	.260	.380	13.0	17.5
29	.500		1.93	9.65	3.92	1.14	.320	.260	.260	.380	5.96	23.3
30	.500		1.93	9.65	3.92	1.14	.260	.260	.260	.380	4.56	21.0
31	.500		1.93		3.92		.260	.320		.380		18.7
SD1	1.53	.404	5.70	3.01	10.3	2.57	.504	.302	.314	.308	.260	4.69
SD2	5.96	2.06	2.66	9.55	8.04	1.31	.320	.284	.272	.284	4.19	23.4
SD3	.849	4.26	1.30	11.2	4.94	1.35	.309	.265	.296	.467	20.1	18.0
MAX	10.8	14.1	11.8	15.2	10.8	3.35	.820	.260	.260	.820	52.6	37.9
DAT	14	23	6	19	2	1	1	1	1	25	22	17
SR	2.72	2.10	3.16	7.92	7.68	1.74	.375	.283	.294	.357	8.17	15.5
MIN	.500	.380	.820	1.93	3.92	.820	.260	.260	.260	.260	.260	1.93
DAT	1	3	25	1	29	18	30	8	10	1	1	4
GMIN = .260			SRGOD= 4.20			GMAX = 52.6						
DATUM 30 7						DATUM 22 11						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2000

Broj : 60132 Stanica :GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka :SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv :ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	17.5	.380	.500	5.20	5.20	.380	.174	.380	.122	.174	.500	3.92	
2	10.8	.380	1.93	5.96	4.56	.380	.174	.260	.122	34.0	2.85	3.35	
3	7.61	.380	1.93	5.20	3.92	.380	.174	.260	.174	31.5	2.85	3.35	
4	5.96	.380	1.51	5.20	3.92	.380	.174	.174	.260	25.6	2.35	3.35	
5	4.56	.380	1.51	25.6	3.35	.380	.174	.174	.500	22.1	17.5	3.35	
6	3.92	.380	1.14	29.1	3.35	.380	.174	.174	.500	16.4	14.1	3.35	
7	3.35	.380	.820	27.9	2.85	.380	.174	.174	.260	10.8	9.65	2.85	
8	2.85	.380	.820	24.4	2.85	.380	.260	.174	.260	5.96	24.4	2.85	
9	2.35	.500	.500	21.0	2.85	.380	.260	.174	.174	3.92	21.0	2.35	
10	2.35	.500	.500	15.2	2.85	.380	.260	.174	.174	3.35	17.5	1.51	
11	2.35	.500	.500	10.8	2.35	.380	.380	.174	.174	2.85	15.2	1.14	
12	2.35	.820	.820	7.61	2.35	.380	.500	.174	.174	6.72	10.8	.500	
13	1.93	.820	1.14	6.72	1.93	.380	.500	.174	.174	5.96	5.20	.500	
14	1.93	.820	1.14	5.96	1.93	.380	.500	.174	.174	4.56	3.92	.500	
15	1.93	.500	1.14	5.96	1.93	.380	.820	.122	.174	2.85	3.35	.500	
16	1.93	.500	.820	5.96	1.51	.380	.820	.122	.174	2.85	2.35	.500	
17	1.51	.500	.820	5.96	1.51	.380	.500	.122	.174	2.35	1.93	.500	
18	1.51	.500	.820	5.96	1.51	.380	.260	.122	.174	1.93	1.93	.820	
19	1.51	.500	.500	5.96	1.14	.260	.380	.122	.174	1.93	2.35	.820	
20	1.14	.820	.500	5.96	1.14	.260	.260	.122	.174	1.93	3.35	.500	
21	1.14	.820	.500	5.96	.820	.260	.174	.122	.174	1.51	6.72	.500	
22	.820	.820	.500	5.96	.820	.260	.174	.122	.174	1.51	6.72	.500	
23	.820	.500	.380	5.96	.820	.260	.174	.174	.174	1.14	5.20	.500	
24	.820	.500	.380	5.96	.820	.260	.174	.174	.174	.820	5.20	.500	
25	.500	.500	.500	5.96	.820	.260	.174	.174	.174	.500	5.96	.500	
26	.500	.380	1.93	5.96	.500	.260	.174	.174	.174	.500	6.72	.500	
27	.500	.380	2.85	5.20	.500	.260	.174	.174	.174	.500	8.63	.820	
28	.500	.380	5.20	5.20	.500	.260	.174	.122	.174	.500	8.63	57.4	
29	.500	.500	5.20	5.20	.500	.260	.174	.122	.174	.500	5.96	43.4	
30	.500		5.20	5.20	.500	.174	.174	.122	.174	.500	4.56	40.6	
31	.380		5.20		.500		.174	.122		.500		37.9	
SD1	6.12	.404	1.12	16.5	3.57	.380	.200	.212	.255	15.4	11.3	3.02	
SD2	1.81	.628	.820	6.68	1.73	.356	.492	.143	.174	3.39	5.04	.628	
SD3	.635	.531	2.53	5.66	.645	.251	.174	.146	.174	.771	6.43	16.6	
MAX	17.5	.820	5.20	29.1	5.20	.380	.820	.380	.500	34.0	24.4	61.4	
DAT	1	12	28	6	1	1	15	1	5	2	8	28	
SR	2.78	.521	1.52	9.61	1.94	.329	.285	.166	.201	6.33	7.58	7.08	
MIN	.380	.380	.380	5.20	.500	.174	.174	.122	.122	.174	.500	.500	
DAT	31	1	23	1	26	30	1	15	1	1	1	12	
GMIN =			.122	SRGOD=			3.20	GMAX =			61.4		
DATUM			15 8					DATUM			28 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2003

Broj : 60132 Stanica :GORNJE POLJE Kota "0" = 628.34
Nacin osmat.: letva Rijeka :SUSICA km od usca = 3.10
Pocetak rada: 1948 Sliv :ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	10.8	.820	.260	1.14	3.92	.820	.260	.174	.174	.174	11.8	26.7
2	8.63	.820	.260	1.14	4.56	.820	.260	.174	.174	.174	34.0	24.4
3	7.61	.820	.260	1.14	4.56	.820	.260	.174	.174	.174	35.3	21.0
4	7.61	.820	.260	1.14	6.72	.820	.260	.174	.174	.174	34.0	13.0
5	9.65	3.92	.380	1.14	6.72	.820	.260	.174	.174	1.14	30.3	8.63
6	10.8	3.92	.500	1.14	6.72	.820	.260	.174	.174	3.92	25.6	5.20
7	10.8	2.35	.500	.980	5.96	.820	.260	.174	.174	3.92	18.7	3.92
8	18.7	1.93	.500	.980	5.96	.500	.260	.174	.174	3.35	15.2	3.35
9	17.5	1.14	.500	.820	5.96	.500	.260	.174	.174	3.35	10.8	2.85
10	29.1	.820	.500	.820	5.20	.500	.260	.174	.260	2.35	7.61	2.35
11	24.4	.500	.500	3.35	5.20	.500	.260	.174	.260	1.14	5.96	1.93
12	18.7	.500	.500	8.63	4.56	.500	.260	.174	.260	.820	5.20	1.93
13	11.8	.500	.820	7.61	3.92	.500	.260	.174	.260	.500	3.92	1.93
14	7.61	.380	.820	6.72	3.35	.500	.174	.174	.260	.500	3.35	1.93
15	5.20	.380	.500	5.20	3.35	.500	.174	.174	.174	.380	2.85	1.93
16	3.35	.380	.500	4.56	2.85	.500	.174	.174	.174	.260	2.85	1.93
17	3.10	.380	.500	4.56	2.85	.380	.174	.174	.174	.260	2.35	1.93
18	3.10	.380	.500	4.56	2.35	.380	.174	.174	.174	.260	2.35	1.51
19	2.85	.380	.380	4.56	2.35	.380	.174	.174	.174	.260	1.93	1.51
20	2.35	.380	.380	4.56	2.35	.380	.174	.174	.174	.260	1.93	1.14
21	2.35	.380	.380	4.56	1.93	.380	.174	.174	.174	11.8	1.51	1.14
22	1.93	.380	.380	4.56	1.93	.380	.174	.174	.174	9.65	1.51	1.14
23	2.35	.380	.380	5.20	1.51	.380	.174	.174	.174	27.9	1.51	11.8
24	2.35	.260	.380	5.20	1.51	.380	.174	.174	.174	24.4	1.14	10.8
25	2.35	.260	.380	5.20	1.30	.260	.174	.174	.174	18.7	1.14	8.63
26	2.35	.260	.380	4.56	1.30	.260	.174	.174	.174	13.0	1.51	7.61
27	1.93	.260	.380	3.92	1.14	.260	.174	.174	.174	13.0	26.7	5.96
28	1.51	.260	.380	3.35	1.14	.260	.174	.174	.174	13.0	30.3	2.85
29	1.30		1.14	3.35	1.14	.320	.174	.174	.174	10.8	30.3	1.93
30	1.14		1.14	3.35	.980	.320	.174	.174	.174	9.65	29.1	2.35
31	1.14		1.14		.980		.174	.174		9.65		3.92
SD1	13.1	1.74	.392	1.04	5.63	.724	.260	.174	.183	1.87	22.3	11.1
SD2	8.25	.416	.540	5.43	3.31	.452	.200	.174	.208	.464	3.27	1.77
SD3	1.88	.305	.587	4.32	1.35	.320	.174	.174	.174	14.7	12.5	5.28
MAX	29.1	3.92	1.14	8.63	6.72	.820	.260	.174	.260	27.9	35.3	26.7
DAT	10	5	29	12	4	1	1	1	10	23	3	1
SR	7.56	.856	.509	3.60	3.36	.499	.210	.174	.188	5.97	12.7	6.04
MIN	1.14	.260	.260	.820	.980	.260	.174	.174	.174	.174	1.14	1.14
DAT	30	24	1	9	30	25	14	1	1	1	24	20
		GMIN = .174		SRGOD= 3.48		GMAX = 35.3						
		DATUM 14 7				DATUM 3 11						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2004

Broj : 60132 Stanica :GORNJE POLJE Kota "0" = 628.34
 Nacin osmat.: letva Rijeka :SUSICA km od usca = 3.10
 Pocetak rada: 1948 Sliv :ZETE Pov.sliva = 175.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	3.92	1.51	22.1	11.8	7.61	2.85	.500	.260	.260	.500	1.14	32.7	
2	3.92	1.51	15.2	11.8	6.72	2.85	.500	.260	.260	.500	.820	43.4	
3	3.35	1.14	9.65	9.65	5.96	3.35	.500	.260	.260	.380	.500	51.0	
4	2.85	1.14	7.61	9.65	8.63	3.35	.500	.260	.260	.380	.380	47.8	
5	2.35	1.14	5.20	8.63	30.3	5.20	.500	.260	.260	.380	.380	43.4	
6	1.93	1.14	3.92	9.65	30.3	5.20	.500	.260	.260	.380	.380	30.3	
7	1.51	1.14	3.92	13.0	30.3	5.20	.500	.260	.260	.380	.380	24.4	
8	1.14	1.51	3.35	16.4	26.7	4.56	.500	.260	.260	.380	.380	21.0	
9	1.14	1.51	2.85	26.7	26.7	4.56	.380	.260	.260	.380	1.51	15.2	
10	1.14	1.51	2.35	31.5	23.3	3.92	.380	.260	.260	.380	5.20	10.8	
11	.820	1.51	2.35	31.5	18.7	3.35	.380	.260	.260	.380	18.7	8.63	
12	.500	1.14	1.93	35.3	15.2	3.35	.380	.260	.260	.380	21.0	5.96	
13	.500	1.14	1.93	35.3	13.0	2.85	.380	.260	.260	.380	21.0	5.20	
14	.500	1.14	2.35	32.7	10.8	2.85	.380	.260	.260	.380	21.0	3.92	
15	1.14	.820	2.35	30.3	7.61	2.85	.380	.260	.260	.380	16.4	3.92	
16	5.96	.820	2.85	26.7	6.72	2.85	.260	.260	.260	4.56	11.8	3.92	
17	4.56	.820	3.92	23.3	6.72	2.35	.260	.260	.260	21.0	9.65	3.92	
18	4.56	.500	3.92	21.0	5.96	2.35	.260	.260	.260	25.6	5.96	9.65	
19	5.20	.500	3.92	17.5	5.96	2.35	.260	.260	.260	25.6	3.92	9.65	
20	25.6	.500	3.92	17.5	5.20	1.93	.260	.260	.260	21.0	3.35	6.72	
21	22.1	.500	4.56	15.2	5.20	1.93	.260	.260	.260	14.1	3.35	4.56	
22	19.8	.500	4.56	14.1	5.20	1.93	.260	.260	.260	7.61	3.35	3.92	
23	15.2	1.93	14.1	13.0	4.56	1.51	.260	.260	.260	3.35	3.35	3.35	
24	9.65	6.72	23.3	10.8	4.56	1.51	.260	.260	.260	2.85	3.35	3.35	
25	6.72	6.72	25.6	9.65	4.56	1.51	.260	.260	.260	2.85	2.85	2.85	
26	3.92	14.1	25.6	8.63	4.56	1.14	.260	.260	.380	2.35	2.35	2.85	
27	3.35	32.7	21.0	8.63	3.92	1.14	.260	.260	.380	2.35	1.93	5.96	
28	3.35	32.7	17.5	8.63	3.92	.820	.260	.260	.500	1.93	1.93	13.0	
29	2.85	31.5	14.1	7.61	3.35	.820	.260	.260	.500	1.93	1.93	13.0	
30	2.35		14.1	7.61	3.35	.500	.260	.260	.500	1.51	4.56	8.63	
31	2.35		13.0		2.85		.260	.260		1.51		5.96	
SD1	2.33	1.33	7.61	14.9	19.7	4.10	.476	.260	.260	.404	1.11	32.0	
SD2	4.93	.889	2.94	27.1	9.59	2.71	.320	.260	.260	9.97	13.3	6.15	
SD3	8.33	14.2	16.1	10.4	4.18	1.28	.260	.260	.356	3.85	2.89	6.13	
MAX	25.6	32.7	25.6	35.3	30.3	5.20	.500	.260	.500	25.6	21.0	51.0	
DAT	20	27	25	12	5	5	1	1	28	18	12	3	
SR	5.30	5.16	9.13	17.5	10.9	2.70	.349	.260	.292	4.71	5.76	14.5	
MIN	.500	.500	1.93	7.61	2.85	.500	.260	.260	.260	.380	.380	2.85	
DAT	12	18	12	29	31	30	16	1	1	3	4	25	
GMIN =			.260	SRGOD=			6.38	GMAX =			51.0		
DATUM			16 7					DATUM			3 12		