

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
1955

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
 Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
 Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	4.60	12.7	71.0	39.2	7.03	2.46	.860	.600	.550	23.4	34.7	13.9
2	3.50	12.7	57.2	35.6	7.03	2.20	.730	.600	.550	17.6	35.6	13.9
3	3.50	19.0	44.3	30.3	7.03	2.20	.730	.730	.550	12.7	36.5	13.9
4	3.50	29.4	39.2	26.0	7.03	2.20	.730	.730	.550	8.66	45.4	16.1
5	12.7	28.6	32.0	21.9	6.64	2.20	.730	.860	.500	7.03	44.3	13.3
6	32.0	23.4	26.8	18.3	6.64	2.20	.600	.860	.500	6.25	41.0	12.7
7	65.0	52.0	25.1	15.0	6.64	1.82	.550	.990	.550	5.59	41.0	12.7
8	68.0	83.4	19.0	13.9	7.03	1.82	.550	.990	.600	52.0	41.0	12.2
9	69.5	65.0	19.0	12.7	6.25	1.82	.550	.860	.730	43.2	41.0	11.1
10	57.2	49.8	21.9	11.6	5.92	1.63	.550	.860	.730	37.4	41.0	10.5
11	45.4	38.3	22.7	11.1	5.59	1.63	.730	.730	.990	30.3	41.0	10.0
12	32.0	30.3	21.2	10.5	5.59	1.63	.730	.730	1.12	20.5	43.2	9.58
13	28.6	23.4	20.5	9.58	5.59	1.44	.730	.600	1.25	15.0	42.1	9.12
14	36.5	32.0	17.6	8.66	3.50	1.44	.730	.600	23.4	13.9	39.2	8.66
15	65.0	43.2	15.5	7.81	5.26	1.44	.730	.600	25.1	13.3	37.4	8.66
16	62.4	33.8	14.4	8.20	4.93	1.25	.730	.600	32.0	10.5	28.6	11.1
17	57.2	28.6	12.2	7.81	4.93	1.25	.600	.600	43.2	10.0	28.6	11.1
18	68.0	49.8	12.2	7.03	4.60	1.25	.600	.600	36.5	9.58	20.5	16.8
19	106	58.5	12.7	6.64	4.38	1.25	.600	.600	26.8	52.0	19.0	32.0
20	104	69.5	13.9	5.92	4.38	1.25	.550	.600	16.1	62.4	15.5	52.0
21	85.1	72.5	13.9	5.59	4.38	1.25	.550	.550	12.2	59.8	14.4	59.8
22	74.0	59.8	12.2	5.26	4.16	1.12	.550	.550	8.66	74.0	13.9	55.9
23	55.9	47.6	36.5	5.26	3.94	1.12	.550	.550	7.03	88.5	12.2	52.0
24	43.2	48.7	35.6	5.59	3.50	.990	.500	.550	6.25	118	11.6	42.1
25	35.6	57.2	31.1	5.59	3.50	.990	.500	.600	5.59	129	11.1	41.0
26	30.3	83.4	26.8	5.59	3.24	.990	.500	.600	4.93	102	10.5	20.5
27	23.4	88.5	23.4	5.26	3.24	.860	.500	.600	16.1	80.0	9.12	16.8
28	20.5	83.4	23.4	5.59	3.24	.860	.600	.600	19.0	74.0	9.12	49.8
29	17.6		24.3	5.59	2.98	.860	.600	.600	48.7	59.8	8.20	52.0
30	12.7		26.0	6.64	2.72	.860	.600	.550	32.0	47.6	7.81	53.3
31	13.9		38.3		2.72		.730	.550		40.1		54.6
SD1	32.0	37.6	35.5	22.5	6.72	2.05	.658	.808	.581	21.4	40.2	13.0
SD2	60.5	40.7	16.3	8.32	4.88	1.38	.673	.626	20.6	23.7	31.5	16.9
SD3	37.5	67.6	26.5	5.60	3.42	.990	.562	.573	16.0	79.3	10.8	45.3
MAX	106	88.5	71.0	39.2	7.03	2.46	.860	.990	48.7	167	45.4	59.8
DAT	19	27	1	1	1	1	1	7	29	25	4	21
SR	43.1	47.3	26.1	12.1	4.96	1.48	.629	.666	12.4	42.7	27.5	25.7
MIN	3.50	12.7	12.2	5.26	2.72	.860	.500	.550	.500	5.59	7.81	8.66
DAT	2	1	17	22	30	27	24	21	5	7	30	14
-----												
GMIN = .500			SRGOD= 20.3					GMAX = 167				
DATUM 24 7								DATUM 25 10				

---

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I      P R E G L E D      P R O T I C A J A  
1956

Broj               : 60135                      Stanica : DUKLOV MOST                      Kota "0" = 615.20  
Nacin osmat.: limnigraf                Rijeka : ZETA                                      km od usca = 12.30  
Pocetak rada: 1955                      Sliv : MORACE                                      Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	57.2	11.1	10.5	34.7	59.8	7.03	4.93	.730	.275	.225	16.1	52.0
2	52.0	13.9	10.0	32.0	52.0	19.0	4.38	.860	.275	.200	21.2	49.8
3	49.8	16.8	10.0	37.4	50.9	18.3	4.38	.990	.275	.200	27.7	47.6
4	47.6	6.25	11.1	36.5	32.0	17.6	4.60	1.12	.275	.225	30.3	37.4
5	45.4	5.92	12.7	34.7	25.1	12.7	4.38	1.25	.275	.225	32.0	23.4
6	45.4	4.60	13.9	35.6	26.8	12.7	3.94	.550	.275	.225	36.5	27.7
7	41.0	4.38	14.4	32.0	27.7	11.6	3.94	.450	.275	.225	32.0	30.3
8	32.0	4.16	10.5	31.1	17.6	10.5	3.50	.450	.275	.250	25.1	32.0
9	58.5	3.94	9.12	30.3	19.0	9.58	3.50	.500	.200	.225	21.2	36.5
10	46.5	3.72	6.64	28.6	18.3	7.81	2.98	.450	.200	.225	14.4	32.0
11	45.4	3.50	6.25	27.7	45.4	7.03	2.72	.450	.200	.200	8.66	27.7
12	46.5	4.38	5.59	25.1	42.1	6.25	2.72	.450	.200	.200	5.59	20.5
13	49.8	3.94	4.93	16.1	35.6	6.25	2.46	.400	.200	.175	4.93	16.1
14	52.0	3.24	4.93	21.2	32.0	6.25	2.20	.350	.200	.175	8.66	15.0
15	65.0	3.72	3.94	26.8	25.1	5.92	2.01	.350	.200	.150	41.0	12.7
16	41.0	2.98	3.50	26.8	22.7	5.59	1.82	.350	.225	.175	50.9	10.5
17	42.1	2.98	3.50	28.6	20.5	4.93	1.63	.350	.225	.200	59.8	8.66
18	50.9	2.72	3.72	30.3	17.6	4.60	1.63	.350	.225	.250	52.0	6.25
19	52.0	8.20	3.50	32.0	10.5	4.93	1.44	.350	.225	.300	49.8	7.81
20	47.6	17.6	3.94	32.9	15.0	4.60	1.25	.400	.225	.350	49.8	3.50
21	42.1	15.5	8.66	33.8	15.0	4.38	1.25	.350	.225	.550	48.7	2.98
22	52.0	14.4	15.0	34.7	15.5	4.93	1.12	.300	.200	.600	52.0	2.72
23	57.2	8.66	26.8	37.4	13.3	12.7	.990	.300	.200	.990	52.0	3.50
24	52.0	6.25	32.0	38.3	12.7	11.6	.990	.300	.200	2.01	49.8	4.60
25	42.1	5.59	41.0	39.2	11.6	10.5	.860	.350	.225	5.59	48.7	9.12
26	39.2	7.03	48.7	39.2	11.6	8.66	.860	.300	.225	6.25	47.6	9.58
27	32.0	9.12	46.5	44.3	13.9	7.81	.860	.300	.250	8.20	46.5	16.1
28	65.0	12.7	47.6	46.5	10.5	7.03	.860	.275	.250	9.58	48.7	21.2
29	58.5	10.5	37.4	50.9	9.58	5.92	.860	.275	.250	13.3	50.9	21.9
30	52.0		34.7	52.0	8.66	6.64	.600	.275	.250	13.9	50.9	23.4
31	50.9		35.6		8.20		.730	.275		15.0		27.7
SD1	47.5	7.48	10.9	33.3	32.9	12.7	4.05	.735	.260	.222	25.6	36.9
SD2	49.2	5.33	4.38	26.8	26.6	5.63	1.99	.380	.213	.218	33.1	12.9
SD3	49.4	9.97	34.0	41.6	11.9	8.02	.907	.300	.228	6.91	49.6	13.0
MAX	115	17.6	48.7	52.0	59.8	19.0	4.93	1.25	.275	15.0	59.8	52.0
DAT	15	20	26	30	1	2	1	5	1	31	17	1
SR	48.7	7.51	17.0	33.9	23.4	8.78	2.27	.466	.233	2.59	36.1	20.7
MIN	32.0	2.72	3.50	16.1	8.20	4.38	.600	.275	.200	.150	4.93	2.72
DAT	8	18	16	13	31	21	30	28	9	15	13	22
		GMIN = .150		SRGOD= 16.8		GMAX = 115						
		DATUM 15 10				DATUM 15 1						

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
1957

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
 Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
 Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	19.8	2.20	19.0	13.9	15.5	12.2	2.20	.450	.275	.990	2.72	2.46
2	20.5	3.94	15.0	14.4	18.3	12.2	2.20	.450	.275	2.98	2.72	8.66
3	21.9	7.42	13.3	14.4	19.8	10.0	2.01	.400	.275	5.59	2.46	7.42
4	14.4	12.2	12.2	14.4	27.7	8.66	2.01	.400	.275	7.42	3.50	3.72
5	13.9	10.0	10.5	12.7	25.1	8.66	1.82	.350	.300	18.3	4.16	2.98
6	12.2	9.12	9.12	14.4	22.7	8.20	1.82	.350	.275	11.6	3.50	2.46
7	9.58	9.12	8.66	16.1	36.5	8.66	1.44	.350	.250	20.5	3.24	2.46
8	7.81	9.12	8.20	22.7	37.4	8.20	1.25	.350	.275	12.7	3.24	2.01
9	6.64	8.66	16.1	21.9	32.0	7.81	1.25	.350	.275	10.0	49.8	2.01
10	5.59	10.5	19.8	25.1	25.1	7.03	1.12	.350	.250	9.12	52.0	2.46
11	4.93	13.9	16.1	29.4	20.5	6.25	1.12	.325	.250	5.92	120	10.5
12	4.38	20.5	13.3	32.9	19.0	6.25	.990	.325	.250	4.60	97.0	23.4
13	4.16	16.1	11.1	36.5	16.1	5.59	.990	.325	.250	3.94	80.0	41.0
14	4.16	33.8	10.0	41.0	14.4	5.26	.860	.325	.250	3.24	69.5	144
15	4.16	52.0	9.58	40.1	13.9	4.93	.860	.300	.275	2.72	43.2	97.0
16	2.98	78.5	10.5	39.2	12.2	4.38	.730	.300	.275	2.46	38.3	90.2
17	2.46	106	12.2	32.0	10.5	4.60	.730	.300	.350	2.20	29.4	75.5
18	2.01	106	12.2	30.3	11.6	4.16	.730	.300	.350	2.20	21.9	57.2
19	1.82	97.0	13.9	25.1	13.9	4.16	.600	.300	.400	2.20	16.1	44.3
20	1.25	90.2	15.5	20.5	16.1	4.38	.600	.325	.730	1.63	15.0	33.8
21	1.82	74.0	17.6	19.0	20.5	4.16	.730	.400	.990	1.44	13.3	28.6
22	2.01	59.8	21.2	19.8	21.2	3.72	.730	.325	.990	1.44	11.6	20.5
23	2.72	47.6	21.2	19.0	16.1	3.50	.730	.300	.990	10.0	9.58	17.6
24	3.24	38.3	22.7	17.6	13.9	3.50	.730	.300	.990	26.0	7.81	12.7
25	4.93	32.0	23.4	13.9	13.3	3.50	.600	.325	1.12	20.5	7.42	12.7
26	5.59	25.1	22.7	12.7	11.6	3.24	.600	.325	1.12	13.9	6.25	11.6
27	5.59	24.3	21.2	11.6	11.1	2.98	.550	.325	.990	9.58	5.59	10.5
28	4.93	20.5	18.3	10.5	15.5	2.46	.500	.325	.990	7.03	4.93	8.66
29	4.38		16.1	10.0	13.9	2.46	.500	.300	.990	3.72	4.38	8.20
30	1.25		15.5	10.0	12.7	2.20	.450	.300	.990	4.38	3.94	41.0
31	1.25		13.9		12.2		.450	.300		4.16		43.2
SD1	13.2	8.23	13.2	17.0	26.0	9.16	1.71	.380	.273	9.92	12.7	3.66
SD2	3.23	61.4	12.4	32.7	14.8	5.00	.821	.312	.338	3.11	53.0	61.7
SD3	3.43	40.2	19.4	14.4	14.7	3.17	.597	.320	1.02	9.29	7.48	19.6
MAX	21.9	106	23.4	41.0	37.4	12.2	2.20	.450	1.12	26.0	120	202
DAT	3	17	25	14	8	1	1	1	25	24	11	14
SR	6.53	36.4	15.2	21.4	18.4	5.78	1.03	.337	.542	7.50	24.4	28.0
MIN	1.25	2.20	8.20	10.0	10.5	2.20	.450	.300	.250	.990	2.46	2.01
DAT	20	1	8	29	17	30	30	15	7	1	3	8
GMIN =		.250		SRGOD=		13.6		GMAX =		202		
DATUM		7 9						DATUM		14 12		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
1958

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
 Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
 Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	37.4	5.59	65.0	59.8	52.0	16.1	5.92	.860	.350	.250	1.25	7.03
2	26.8	4.60	62.4	52.0	45.4	13.9	4.93	.860	.300	1.63	2.01	6.64
3	20.5	4.38	52.0	45.4	32.9	13.9	4.93	.860	.350	30.3	54.6	6.25
4	16.1	3.94	37.4	41.0	37.4	11.6	4.93	.730	.450	35.6	47.6	5.26
5	12.7	4.16	32.0	41.0	35.6	11.6	4.16	.730	.450	23.4	32.0	4.93
6	10.5	3.94	23.4	80.0	34.7	11.6	4.38	.730	.350	13.9	28.6	4.60
7	10.0	3.94	19.0	74.0	34.7	11.6	3.50	.730	.325	8.20	28.6	4.38
8	10.5	8.20	17.6	71.0	35.6	9.58	3.50	.730	.325	3.50	32.0	3.94
9	11.1	8.66	25.1	53.3	35.6	9.12	3.24	.730	.350	4.38	54.6	3.72
10	14.4	8.66	25.1	43.2	35.6	8.66	2.98	.730	.350	3.50	55.9	3.50
11	12.7	8.66	19.0	33.8	37.4	10.5	2.46	.600	.350	2.72	55.9	3.72
12	25.1	9.58	25.1	26.0	37.4	10.5	2.46	.600	.350	2.01	55.9	15.0
13	41.0	10.5	20.5	21.2	37.4	9.58	2.46	.600	.450	2.01	54.6	54.6
14	43.2	11.1	17.6	21.2	37.4	11.1	2.46	.600	.450	1.63	80.0	41.0
15	33.8	10.5	14.4	28.6	33.8	12.7	2.20	.550	.350	1.63	77.0	65.0
16	25.1	11.6	12.7	47.6	30.3	12.7	2.01	.550	.350	1.44	74.0	93.6
17	20.5	12.2	11.6	61.1	30.3	12.2	2.01	.550	.350	1.44	57.2	90.2
18	10.5	16.1	10.5	59.8	33.8	9.12	1.82	.550	.350	1.25	45.4	80.0
19	13.9	80.0	10.5	47.6	37.4	8.20	1.82	.450	.350	1.25	43.2	134
20	11.6	74.0	15.0	41.0	33.8	7.42	1.63	.450	.325	.990	41.0	115
21	10.5	74.0	19.0	32.0	32.0	7.03	1.63	.450	.325	.990	26.8	97.0
22	35.6	59.8	32.0	30.3	29.4	6.64	1.63	.450	.325	1.25	26.8	104
23	35.6	43.2	19.0	32.0	26.8	6.25	1.25	.450	.325	1.82	21.9	115
24	26.8	33.8	16.1	52.0	30.3	5.59	1.44	.450	.300	4.16	16.1	97.0
25	20.5	26.8	13.3	69.5	27.7	5.26	1.44	.400	.300	3.50	13.3	104
26	15.5	26.8	11.6	65.0	25.1	4.93	1.25	.400	.275	2.98	12.7	129
27	12.2	26.8	30.3	59.8	23.4	3.50	1.12	.400	.275	2.46	9.58	97.0
28	10.5	80.0	41.0	52.0	21.2	5.26	1.12	.350	.250	2.46	7.81	80.0
29	8.66		41.0	59.8	20.5	4.93	.990	.350	.250	2.01	7.81	65.0
30	8.66		43.2	57.2	18.3	5.59	.990	.350	.250	1.63	7.81	50.9
31	7.81		47.6		17.6		.860	.350		1.44		40.1
SD1	17.0	5.61	35.9	56.1	38.0	11.8	4.25	.769	.360	12.5	33.7	5.03
SD2	23.7	24.4	15.7	38.8	34.9	10.4	2.13	.550	.367	1.64	58.4	69.2
SD3	17.5	46.4	28.6	51.0	24.8	5.50	1.25	.400	.287	2.25	15.1	89.0
MAX	43.2	80.0	65.0	80.0	52.0	16.1	5.92	.860	.450	35.6	80.0	192
DAT	14	19	1	6	1	1	1	1	4	4	14	19
SR	19.3	24.0	26.8	48.6	32.3	9.22	2.50	.567	.338	5.35	35.7	55.5
MIN	7.81	3.94	10.5	21.2	17.6	3.50	.860	.350	.250	.250	1.25	3.50
DAT	31	4	18	13	31	27	31	28	28	1	1	10
-----												
GMIN = .250			SRGOD= 21.6				GMAX = 192					
DATUM 28 9							DATUM 19 12					
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
1959

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
 Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
 Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	32.0	9.12	9.58	32.9	19.0	37.4	12.7	1.44	2.72	.730	40.1	23.4
2	26.8	9.12	11.6	34.7	52.0	33.8	12.2	1.44	2.46	.730	45.4	48.7
3	22.7	15.0	12.2	32.0	47.6	32.0	11.1	1.44	2.01	.730	37.4	65.0
4	32.0	14.4	11.6	25.1	41.0	27.7	9.58	1.25	1.82	.730	25.1	59.8
5	30.3	12.7	11.6	19.0	32.0	21.2	8.66	1.25	1.63	.730	17.6	52.0
6	25.1	11.6	12.2	17.6	23.4	17.6	7.42	1.25	2.01	.730	16.1	55.9
7	20.5	10.5	16.1	15.0	20.5	15.0	6.25	1.25	11.6	.730	44.3	52.0
8	16.1	9.58	21.9	18.3	17.6	13.9	5.92	1.25	9.12	.730	59.8	45.4
9	52.0	8.66	37.4	21.9	15.5	11.6	5.59	1.12	5.59	.730	46.5	63.7
10	43.2	7.81	39.2	22.7	13.9	10.5	4.93	1.12	4.16	.730	34.7	71.0
11	32.0	7.42	34.7	35.6	13.3	12.7	4.93	1.12	3.50	.730	25.1	62.4
12	23.4	7.03	35.6	32.9	11.6	36.5	4.38	.990	2.46	.600	20.5	71.0
13	20.5	6.25	35.6	28.6	11.1	43.2	4.38	1.12	2.01	.600	25.1	115
14	16.1	5.59	32.0	23.4	13.9	33.8	4.16	.990	1.63	.550	35.6	120
15	14.4	4.93	26.8	20.5	30.3	26.8	3.94	.990	1.63	.550	32.0	133
16	16.8	4.60	21.9	18.3	30.3	22.7	3.50	.990	1.63	.550	35.6	129
17	65.0	4.38	19.0	16.1	26.8	19.0	2.98	.990	1.63	.550	57.2	100
18	50.9	4.16	16.1	17.6	28.6	16.1	2.98	.990	1.44	.550	49.8	83.4
19	39.2	3.94	13.9	35.6	21.9	15.0	2.98	1.25	1.25	.550	37.4	62.4
20	28.6	3.72	12.7	32.9	19.0	13.9	2.72	1.25	1.12	.500	28.6	46.5
21	21.9	3.72	12.7	30.3	16.8	11.6	2.46	1.25	1.12	.500	21.9	37.4
22	18.3	3.94	12.7	24.3	15.0	10.5	2.20	1.25	.990	.450	18.3	32.0
23	16.1	4.16	12.7	20.5	13.9	10.5	2.20	1.25	.990	.450	15.5	45.4
24	18.3	4.16	12.7	17.6	15.0	10.0	2.01	1.25	.990	.450	13.3	35.6
25	21.2	3.94	12.7	15.5	16.1	9.12	2.01	1.25	.990	.400	11.6	49.8
26	20.5	3.94	12.7	13.9	17.6	8.20	2.01	1.12	.860	.450	10.5	41.0
27	17.6	5.26	12.7	12.7	16.1	7.81	1.82	.990	.730	.550	9.58	52.0
28	15.0	8.66	12.2	11.6	15.0	13.3	1.82	.990	.860	.730	8.66	57.2
29	13.9		11.6	11.1	15.5	12.7	1.63	.990	.730	1.12	7.03	83.4
30	11.6		11.6	10.5	47.6	11.1	1.63	3.24	.730	17.6	19.0	68.0
31	10.5		13.9		41.0		1.44	2.98		37.4		54.6
SD1	30.1	10.8	18.3	23.9	28.3	22.1	8.43	1.28	4.31	.730	36.7	53.7
SD2	30.7	5.20	24.8	26.1	20.7	24.0	3.70	1.07	1.83	.573	34.7	92.3
SD3	16.8	4.72	12.6	16.8	20.9	10.5	1.93	1.51	.899	5.46	13.5	50.6
MAX	52.0	15.0	39.2	35.6	52.0	37.4	12.7	3.24	11.6	37.4	59.8	163
DAT	9	3	10	11	2	1	1	30	7	31	8	14
SR	25.6	7.08	18.4	22.3	23.2	18.8	4.60	1.29	2.35	2.36	28.3	65.0
MIN	10.5	3.72	9.58	10.5	11.1	7.81	1.44	.990	.730	.400	7.03	23.4
DAT	31	20	1	30	13	27	31	12	27	25	29	1
GMIN =		.400		SRGOD=		18.4		GMAX =		163		
DATUM		25 10						DATUM		14 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
1960

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	41.0	32.0	37.4	68.0	41.0	9.12	2.01	.550	.600	7.42	22.7	20.5
2	32.0	25.1	32.0	54.6	43.2	9.12	1.82	.550	.550	4.60	19.0	18.3
3	26.0	19.8	30.3	43.2	41.0	8.66	1.63	.550	.550	5.59	15.5	16.8
4	21.9	16.1	28.6	39.2	39.2	8.20	1.63	.550	.550	2.01	13.3	15.0
5	19.0	13.9	26.8	33.8	32.0	8.20	1.63	.550	.550	1.63	13.9	12.7
6	16.1	12.2	23.4	29.4	31.1	7.81	1.63	.550	.600	1.44	45.4	11.6
7	15.0	10.5	21.9	26.0	31.1	7.03	1.82	.550	.600	1.44	72.5	10.5
8	13.9	9.12	26.8	23.4	32.0	7.03	2.01	.550	.550	2.01	65.0	10.0
9	12.7	8.20	32.0	22.7	32.0	7.03	2.01	.550	.550	6.64	52.0	53.3
10	11.1	7.42	30.3	22.7	26.8	6.25	1.82	.550	.500	8.66	62.4	115
11	10.5	7.03	32.0	21.9	26.8	6.25	1.82	.550	.500	47.6	95.3	97.0
12	9.58	6.25	41.0	21.9	25.1	6.64	1.63	.550	.450	49.8	85.1	86.8
13	39.2	25.1	35.6	21.2	23.4	5.92	1.63	.550	.350	46.5	74.0	74.0
14	42.1	46.5	30.3	21.2	23.4	5.59	1.44	.500	.400	48.7	83.4	61.1
15	23.4	72.5	28.6	21.2	22.7	4.93	1.25	.500	.500	39.2	104	49.8
16	19.0	104	26.8	21.2	21.9	4.60	1.25	.450	.550	38.3	85.1	43.2
17	15.0	83.4	34.7	21.2	32.0	4.38	1.25	.450	.450	37.4	69.5	39.2
18	13.9	86.8	65.0	19.8	28.6	4.38	1.25	.450	.450	33.8	53.3	43.2
19	12.7	86.8	59.8	18.3	25.1	4.38	1.25	.450	.350	29.4	42.1	62.4
20	11.1	100	47.6	19.0	23.4	3.94	1.25	.450	.450	25.1	49.8	69.5
21	10.5	97.0	39.2	19.0	21.9	3.72	1.12	.450	.450	33.8	53.3	69.5
22	10.0	97.0	32.0	19.8	20.5	3.72	1.12	.450	.450	54.6	43.2	95.3
23	8.66	90.2	26.0	18.3	19.0	3.72	.990	.400	.450	41.0	35.6	109
24	8.20	100	20.5	16.8	16.8	2.98	.860	.400	.450	31.1	30.3	93.6
25	7.81	80.0	18.3	16.1	16.1	2.46	.860	.350	.450	22.7	25.1	77.0
26	7.03	65.0	16.8	15.5	15.0	2.46	.860	.350	.450	18.3	21.9	59.8
27	7.81	50.9	34.7	14.4	13.9	2.46	.730	.350	.450	18.3	19.0	46.5
28	19.0	39.2	49.8	14.4	12.7	2.46	.730	.350	.500	16.8	16.8	39.2
29	28.6	34.7	62.4	37.4	11.6	2.20	.730	.450	1.25	15.5	16.8	32.9
30	34.7		74.0	41.0	10.5	2.01	.600	.550	7.03	15.0	20.5	28.6
31	33.8		83.4		9.58		.600	.730		18.3		25.1
SD1	20.9	15.4	29.0	36.3	34.9	7.84	1.80	.550	.560	4.14	38.2	28.4
SD2	19.6	61.8	40.1	20.7	25.2	5.10	1.40	.490	.445	39.6	74.2	62.6
SD3	16.0	72.7	41.6	21.3	15.2	2.82	.836	.439	1.19	25.9	28.3	61.5
MAX	42.1	104	83.4	68.0	43.2	9.12	2.01	.730	7.03	57.2	111	175
DAT	14	16	31	1	2	1	1	31	30	22	15	10
SR	18.8	49.2	37.0	26.1	24.8	5.25	1.33	.491	.733	23.3	46.9	51.2
MIN	7.03	6.25	16.8	14.4	9.58	2.01	.600	.350	.350	1.44	13.3	10.0
DAT	26	12	26	27	31	30	30	25	13	6	4	8
-----												
GMIN = .350			SRGOD= 23.7					GMAX = 175				
DATUM 25 8								DATUM 10 12				
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
1961

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
 Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
 Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	20.5	5.26	3.94	5.26	47.6	11.1	3.24	.990	.275	.225	16.1	30.3
2	19.0	6.64	3.94	4.93	41.0	10.0	2.98	.730	.275	.225	13.9	24.3
3	18.3	8.20	3.50	5.26	34.7	8.66	2.98	.730	.275	.225	11.1	21.2
4	21.2	7.42	2.98	5.92	26.0	8.20	2.72	.730	.275	.225	8.66	18.3
5	50.9	6.64	2.72	6.64	21.2	7.81	2.72	.600	.250	.200	86.8	15.5
6	55.9	5.92	2.46	6.64	20.5	7.03	2.72	.600	.250	.200	80.0	14.4
7	47.6	5.26	2.46	8.20	15.0	6.64	2.20	.600	.275	.175	71.0	26.0
8	38.3	4.60	2.20	8.66	13.3	6.64	2.20	.550	.275	.225	78.5	32.9
9	30.3	4.16	2.46	9.12	11.6	7.42	2.46	.550	.250	.250	90.2	26.0
10	25.1	3.72	3.72	10.5	11.1	8.66	2.46	.500	.300	.200	69.5	20.5
11	21.2	3.50	4.16	10.0	12.7	9.58	2.20	.500	.250	.175	71.0	16.8
12	18.3	3.24	5.26	9.58	16.1	15.5	1.82	.450	.250	.175	97.0	14.4
13	22.7	3.24	6.64	9.58	14.4	15.0	1.82	.450	.250	.175	80.0	12.7
14	26.0	2.98	7.03	8.66	12.7	13.3	1.63	.450	.325	.175	69.5	11.6
15	22.7	2.98	7.42	8.20	11.1	11.6	1.63	.400	.325	.175	66.5	10.5
16	19.8	2.72	9.12	8.20	10.5	9.58	1.63	.350	.300	.175	58.5	10.0
17	16.1	2.98	8.20	7.42	9.58	8.66	1.44	.450	.250	.175	48.7	8.20
18	13.9	3.24	7.81	7.81	10.5	8.20	1.25	.450	.250	.175	37.4	7.42
19	12.2	3.50	7.42	7.03	20.5	6.64	1.25	.350	.250	68.0	30.3	7.03
20	11.1	3.50	7.03	7.81	25.1	5.59	1.44	.350	.250	118	24.3	6.64
21	10.0	3.72	9.12	7.81	32.0	5.26	1.25	.350	.225	100	19.8	5.59
22	9.12	3.72	13.3	7.03	28.6	5.26	1.12	.325	.250	86.8	16.1	4.93
23	8.20	3.94	17.6	6.25	34.7	4.93	1.25	.325	.250	74.0	15.0	4.60
24	7.42	3.94	11.6	9.12	32.0	8.20	1.12	.350	.250	65.0	13.9	4.60
25	7.03	3.94	12.2	35.6	29.4	5.59	1.12	.300	.250	53.3	12.7	4.93
26	8.20	3.72	10.0	32.9	28.6	4.93	.990	.300	.250	41.0	32.9	4.60
27	7.42	3.72	8.66	26.8	23.4	4.38	.860	.300	.250	31.1	32.9	4.93
28	7.42	3.94	7.42	26.8	19.8	3.94	.860	.300	.250	25.1	39.2	35.6
29	7.03		6.64	21.9	16.1	3.50	.860	.275	.225	21.9	42.1	50.9
30	6.64		5.92	22.7	14.4	3.50	.860	.275	.225	19.0	37.4	43.2
31	5.92		5.59		12.7		.860	.300		16.8		32.9
SD1	32.7	5.78	3.04	7.11	24.2	8.22	2.67	.658	.270	.215	52.6	22.9
SD2	18.4	3.19	7.01	8.43	14.3	10.4	1.61	.420	.270	18.7	58.3	10.5
SD3	7.67	3.83	9.82	19.7	24.7	4.95	1.01	.309	.242	48.5	26.2	17.9
MAX	55.9	8.20	17.6	35.6	47.6	15.5	3.24	.990	.325	155	97.0	50.9
DAT	6	3	23	25	1	12	1	1	14	20	12	29
SR	19.2	4.30	6.73	11.7	21.2	7.84	1.74	.457	.261	23.3	45.7	17.1
MIN	5.92	2.72	2.20	4.93	9.58	3.50	.860	.275	.225	.175	8.66	4.60
DAT	31	16	8	2	17	29	27	29	21	7	4	23
GMIN =		.175		SRGOD=		13.3		GMAX =		155		
DATUM		7 10						DATUM		20 10		



## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
1962

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
 Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
 Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	23.4	4.93	12.7	78.5	48.7	8.66	3.24	.600	.250	.175	.600	45.4
2	19.8	4.60	25.1	90.2	31.1	8.66	2.98	.600	.250	.175	18.3	39.2
3	18.3	3.94	21.2	81.7	28.6	8.20	2.72	.600	.250	.150	26.0	34.7
4	16.8	3.72	31.1	72.5	26.8	7.81	2.46	.600	.250	.150	17.6	29.4
5	15.5	3.50	54.6	81.7	26.0	6.25	2.46	.550	.250	.150	10.5	25.1
6	13.9	3.24	107	104	28.6	6.25	2.46	.500	.225	.150	7.03	21.9
7	11.6	2.98	118	88.5	30.3	5.92	2.46	.550	.225	.150	7.42	19.0
8	10.0	3.24	104	68.0	30.3	5.59	2.20	.550	.225	.150	11.1	15.5
9	8.66	2.72	88.5	52.0	30.3	4.93	2.20	.500	.200	.125	13.3	13.9
10	7.81	4.93	72.5	41.0	30.3	4.93	2.20	.450	.200	.125	40.1	12.7
11	7.03	11.1	52.0	45.4	30.3	4.93	2.01	.450	.200	.125	44.3	12.2
12	6.25	11.1	43.2	58.5	29.4	4.93	1.63	.500	.200	.125	50.9	11.1
13	15.0	10.0	46.5	50.9	27.7	4.38	1.63	.400	.175	.125	41.0	10.0
14	15.0	34.7	40.1	44.3	25.1	4.38	1.44	.350	.150	.125	37.4	32.0
15	34.7	44.3	32.9	39.2	23.4	4.38	1.44	.400	.150	.150	32.9	48.7
16	47.6	32.0	27.7	33.8	22.7	4.16	1.25	.325	.150	.200	42.1	50.9
17	45.4	24.3	23.4	32.9	19.8	4.16	1.25	.300	.150	.730	43.2	83.4
18	35.6	17.6	20.5	31.1	18.3	3.94	1.63	.300	.150	3.50	39.2	66.5
19	28.6	11.6	16.1	32.0	16.8	3.72	1.44	.325	.150	1.82	62.4	47.6
20	24.3	9.12	15.5	32.0	16.1	3.72	1.25	.350	.150	1.12	93.6	36.5
21	19.8	7.81	16.1	32.0	16.1	3.50	1.12	.300	.150	.860	116	28.6
22	16.8	6.64	49.8	32.9	15.5	3.50	1.12	.300	.200	.730	109	21.9
23	15.0	5.92	57.2	32.0	14.4	3.24	.990	.300	.175	.550	104	17.6
24	13.3	4.93	58.5	30.3	13.9	3.50	.990	.275	.175	.500	124	15.0
25	11.6	4.60	71.0	29.4	13.3	3.24	.990	.275	.150	.450	122	13.9
26	10.5	4.38	90.2	28.6	12.7	2.98	.860	.250	.150	.500	104	12.7
27	9.12	4.16	80.0	28.6	11.6	2.98	.860	.250	.150	.400	88.5	11.6
28	7.81	3.94	63.7	27.7	11.1	2.98	.860	.250	.150	.400	69.5	10.0
29	7.03		49.8	26.0	10.0	4.60	.730	.250	.225	.500	54.6	9.12
30	6.25		41.0	36.5	9.12	3.94	.730	.250	.225	.400	47.6	11.1
31	5.26		43.2		8.66		.600	.250		.450		47.6
SD1	14.6	3.78	63.5	75.8	31.1	6.72	2.54	.550	.233	.150	15.2	25.7
SD2	25.9	20.6	31.8	40.0	23.0	4.27	1.50	.370	.162	.802	48.7	39.9
SD3	11.1	5.30	56.4	30.4	12.4	3.45	.895	.268	.175	.522	93.9	18.1
MAX	47.6	47.6	127	106	48.7	8.66	3.72	.600	.250	3.50	148	88.5
DAT	16	15	7	6	1	1	1	1	1	18	25	17
SR	17.0	10.2	50.7	48.7	21.8	4.81	1.62	.392	.190	.492	52.6	27.6
MIN	5.26	2.72	12.7	26.0	8.66	2.98	.600	.250	.150	.125	.600	9.12
DAT	31	9	1	29	31	26	31	26	14	9	1	29
GMIN =		.125		SRGOD=		19.7		GMAX =		148		
DATUM		9 10						DATUM		25 11		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
1963

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
 Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
 Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	69.5	11.6	12.7	35.6	35.6	16.8	6.25	1.25	5.92	3.24	.730	25.1
2	81.7	11.1	11.6	34.7	33.8	17.6	5.92	1.25	2.98	2.46	.730	19.8
3	68.0	13.9	10.0	30.3	32.9	17.6	5.59	1.25	1.25	6.25	.730	15.5
4	65.0	22.7	9.12	24.3	37.4	17.6	5.26	1.12	.990	13.3	.730	13.3
5	65.0	32.0	7.81	21.2	41.0	16.8	4.93	1.12	.730	21.9	22.7	23.4
6	74.0	32.0	7.42	19.8	45.4	15.5	4.60	.990	.600	44.3	68.0	40.1
7	93.6	23.4	6.64	19.0	44.3	15.5	4.60	.860	.600	38.3	81.7	34.7
8	116	19.8	6.25	21.2	40.1	15.5	4.38	.860	.600	26.0	71.0	27.7
9	120	16.8	6.25	21.9	37.4	20.5	4.16	.860	1.44	18.3	57.2	21.9
10	109	15.0	7.81	21.9	35.6	20.5	3.94	.860	5.92	13.9	44.3	17.6
11	106	13.9	28.6	24.3	33.8	20.5	3.50	.730	4.38	11.6	37.4	14.4
12	97.0	19.0	34.7	32.9	32.0	36.5	3.94	.730	2.72	9.12	31.1	14.4
13	90.2	38.3	36.5	39.2	29.4	39.2	3.72	.600	1.82	7.81	26.0	43.2
14	83.4	34.7	37.4	40.1	28.6	34.7	3.50	.600	1.25	5.92	21.9	44.3
15	68.0	23.4	32.0	41.0	26.8	29.4	3.50	.550	.990	4.93	24.3	39.2
16	55.9	17.6	26.8	42.1	26.0	25.1	2.98	.550	.990	4.16	25.1	97.0
17	43.2	46.5	23.4	40.1	25.1	21.9	2.98	.550	.860	3.72	26.8	120
18	36.5	100	19.8	39.2	26.0	18.3	2.72	.550	.860	3.24	25.1	102
19	31.1	72.5	19.8	39.2	26.0	16.8	2.46	.550	.730	2.72	23.4	85.1
20	86.8	90.2	19.8	39.2	23.4	15.0	2.46	.550	.730	2.46	19.8	88.5
21	68.0	74.0	32.0	39.2	22.7	13.9	2.46	.500	.600	1.82	17.6	133
22	49.8	50.9	49.8	40.1	26.0	12.7	2.20	.450	.550	1.63	16.1	136
23	40.1	37.4	47.6	40.1	26.8	11.6	2.20	.450	.600	1.44	15.0	118
24	32.9	29.4	43.2	41.0	25.1	10.5	2.01	.450	.500	1.25	13.3	102
25	27.7	22.7	32.0	42.1	22.7	9.58	1.82	.450	.550	1.12	11.1	88.5
26	23.4	19.0	26.8	42.1	21.2	8.66	1.63	.450	4.38	1.12	10.0	71.0
27	20.5	16.1	22.7	40.1	19.8	8.20	1.63	.400	16.8	1.12	17.6	55.9
28	17.6	13.9	21.2	40.1	19.0	7.81	1.44	.400	11.6	1.12	38.3	45.4
29	15.0		21.9	39.2	18.3	7.42	1.44	.400	7.03	.990	42.1	37.4
30	13.9		24.3	37.4	18.3	7.03	1.25	.500	4.38	.990	35.6	32.9
31	12.7		32.0		17.6		1.25	3.24		.860		29.4
SD1	86.2	19.8	8.56	25.0	38.3	17.4	4.96	1.04	2.10	18.8	34.8	23.9
SD2	69.8	45.6	27.9	37.7	27.7	25.7	3.18	.596	1.53	5.57	26.1	64.8
SD3	29.2	32.9	32.1	40.1	21.6	9.74	1.76	.699	4.70	1.22	21.7	77.2
MAX	124	100	50.9	42.1	48.7	40.1	6.25	7.42	18.3	45.4	81.7	181
DAT	9	18	22	11	5	13	1	31	27	6	7	21
SR	60.7	32.8	23.2	34.3	29.0	17.6	3.25	.776	2.78	8.29	27.5	56.0
MIN	12.7	11.1	6.25	19.0	17.6	7.03	1.25	.400	.500	.860	.730	13.3
DAT	31	2	8	7	31	30	30	27	24	31	1	4
GMIN =		.400		SRGOD=		24.7		GMAX =		181		
DATUM		27 8						DATUM		21 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
1964

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	24.3	1.82	8.20	45.4	13.9	5.59	3.24	.860	.300	.275	36.5	91.9
2	22.7	1.82	10.0	49.8	13.3	5.92	2.98	.860	.350	.275	39.2	98.8
3	19.0	1.63	8.66	45.4	12.2	5.26	2.46	.860	.325	.275	61.1	88.5
4	17.6	1.63	7.42	40.1	11.6	4.60	2.20	.600	.325	.250	57.2	102
5	14.4	1.44	6.64	52.0	11.6	4.38	2.01	.600	.300	.225	46.5	88.5
6	13.3	1.25	5.92	63.7	11.1	4.16	1.82	.600	.275	.250	47.6	66.5
7	12.2	1.25	5.59	58.5	10.5	3.72	1.82	.550	.325	.225	47.6	50.9
8	11.1	1.12	4.93	50.9	10.0	3.50	1.63	.550	.300	.225	41.0	40.1
9	10.0	.990	5.26	49.8	9.58	3.50	1.63	.550	.275	2.98	36.5	32.9
10	9.12	.990	10.0	44.3	9.12	3.24	1.44	.600	.275	20.5	39.2	27.7
11	8.20	.990	11.1	38.3	8.66	3.24	1.63	.600	.275	115	41.0	25.1
12	7.42	.990	12.2	32.9	8.20	2.98	2.98	.550	.250	206	40.1	23.4
13	7.03	.990	13.3	26.8	7.81	2.98	6.25	.550	.250	152	36.5	22.7
14	6.25	.860	13.3	23.4	7.42	2.72	5.26	.550	.250	136	36.5	19.0
15	5.92	.860	14.4	21.2	7.03	2.46	4.16	.600	.250	120	33.8	17.6
16	5.26	.860	52.0	19.8	7.42	2.46	3.50	.600	.250	113	28.6	15.5
17	4.93	.730	66.5	18.3	7.81	2.20	2.98	.550	.225	100	25.1	15.5
18	4.38	1.44	50.9	16.8	7.03	2.20	2.72	.500	.250	81.7	21.9	33.8
19	4.16	16.1	38.3	16.1	6.64	2.20	2.20	.500	.275	75.5	19.0	54.6
20	3.94	66.5	32.0	15.0	5.92	2.46	2.01	.500	.250	68.0	17.6	106
21	3.72	58.5	32.9	13.9	5.92	4.16	1.82	.500	.250	68.0	15.5	106
22	3.50	41.0	83.4	13.3	5.59	4.60	1.63	.450	.300	57.2	14.4	91.9
23	3.24	29.4	86.8	12.7	4.93	4.16	1.82	.400	.275	52.0	12.7	78.5
24	2.98	20.5	71.0	12.2	4.60	6.25	1.63	.500	.325	48.7	11.6	63.7
25	2.98	15.5	54.6	17.6	4.38	7.03	1.44	.450	.350	55.9	10.0	48.7
26	2.72	12.2	40.1	22.7	4.38	7.03	1.25	.400	.325	68.0	9.58	68.0
27	2.72	10.0	32.0	21.2	4.38	6.64	1.25	.400	.325	90.2	9.12	104
28	2.46	8.66	27.7	18.3	4.38	5.26	1.12	.350	.350	85.1	8.20	91.9
29	2.20	7.81	43.2	15.5	4.16	3.94	.990	.350	.300	71.0	14.4	88.5
30	2.20		49.8	15.0	4.16	3.72	.990	.325	.300	57.2	28.6	95.3
31	2.01		44.3		4.38		.990	.325		45.4		100
SD1	15.4	1.39	7.26	50.0	11.3	4.39	2.12	.663	.305	2.55	45.2	68.8
SD2	5.75	9.03	30.4	22.9	7.39	2.59	3.37	.550	.252	117	30.0	33.3
SD3	2.79	22.6	51.4	16.2	4.66	5.28	1.36	.405	.310	63.5	13.4	85.1
MAX	25.1	66.5	95.3	65.0	13.9	7.03	6.25	.990	.350	220	61.1	111
DAT	1	20	23	6	1	25	13	1	25	12	3	20
SR	7.80	10.6	30.4	29.7	7.68	4.09	2.25	.535	.289	61.0	29.6	63.1
MIN	2.01	.730	4.93	12.2	4.16	2.20	.990	.325	.225	.225	8.20	15.5
DAT	31	17	8	24	29	17	29	30	17	5	28	16
-----												
GMIN = .225			SRGOD= 20.7					GMAX = 220				
DATUM 17 9								DATUM 12 10				
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
1965

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
 Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
 Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	83.4	49.8	2.72	24.3	40.1	29.4	7.42	1.63	.500	1.63	.225	75.5
2	65.0	50.9	22.7	21.9	36.5	31.1	7.03	1.44	.500	1.44	.225	74.0
3	49.8	48.7	98.8	20.5	34.7	29.4	6.64	1.44	.500	1.25	.250	62.4
4	40.1	38.3	81.7	19.8	32.0	26.8	6.64	1.44	.500	.990	.225	48.7
5	33.8	29.4	58.5	19.8	32.0	24.3	5.59	1.44	.500	.860	.200	41.0
6	29.4	24.3	54.6	20.5	34.7	24.3	5.59	1.44	.450	.730	.200	35.6
7	26.0	20.5	53.3	20.5	35.6	25.1	5.26	1.25	.450	.730	.175	31.1
8	22.7	16.1	44.3	22.7	35.6	24.3	5.26	1.25	.450	.550	.150	33.8
9	20.5	14.4	35.6	32.9	34.7	22.7	5.26	.990	.450	.500	.175	42.1
10	18.3	12.7	30.3	71.0	33.8	21.9	5.26	.990	.450	.450	.500	53.3
11	15.5	11.1	24.3	74.0	33.8	23.4	5.26	.990	.500	.450	2.01	98.8
12	14.4	9.58	21.9	68.0	32.9	30.3	4.16	.860	.500	.450	2.46	98.8
13	12.7	8.20	20.5	59.8	31.1	29.4	4.16	.860	.600	.450	12.7	88.5
14	11.6	7.81	19.8	58.5	29.4	26.8	4.16	.860	.600	.400	43.2	78.5
15	10.5	7.03	18.3	62.4	29.4	23.4	3.94	.860	.550	.350	43.2	65.0
16	9.58	7.03	19.8	55.9	29.4	21.2	3.94	.730	.550	.325	34.7	46.5
17	9.12	6.64	21.2	47.6	29.4	20.5	3.72	.730	.550	.325	26.0	34.7
18	7.81	4.93	20.5	41.0	30.3	19.8	3.50	.730	.550	.300	19.0	26.8
19	9.12	4.60	20.5	38.3	31.1	19.0	2.98	.600	.500	.275	28.6	21.9
20	12.7	4.16	21.2	48.7	31.1	17.6	2.98	.600	.450	.275	44.3	18.3
21	11.1	4.16	23.4	77.0	32.0	15.5	2.98	.600	.400	.250	48.7	16.1
22	10.5	3.94	27.7	77.0	31.1	14.4	2.98	.600	.350	.250	54.6	15.0
23	12.2	3.72	27.7	63.7	30.3	13.3	2.98	.550	.350	.250	52.0	13.9
24	11.1	3.50	33.8	49.8	30.3	12.7	2.98	.550	.350	.250	46.5	12.7
25	10.5	3.24	52.0	42.1	27.7	11.6	2.72	.550	.350	.225	39.2	13.9
26	9.58	3.24	48.7	38.3	26.0	11.1	2.20	.550	.350	.225	32.0	25.1
27	8.66	3.24	43.2	33.8	24.3	10.0	2.20	.550	.350	.225	28.6	26.8
28	8.20	2.98	36.5	32.0	23.4	9.58	2.20	.600	.500	.225	62.4	32.0
29	8.20		31.1	38.3	26.0	8.66	2.01	.550	1.25	.225	71.0	45.4
30	28.6		27.7	44.3	27.7	7.81	1.82	.550	1.82	.250	57.2	46.5
31	43.2		26.8		29.4		1.63	.550		.225		39.2
SD1	38.9	30.5	48.3	27.4	35.0	25.9	6.00	1.33	.475	.913	.232	49.8
SD2	11.3	7.11	20.8	55.4	30.8	23.1	3.88	.782	.535	.360	25.6	57.8
SD3	14.7	3.50	34.4	49.6	28.0	11.5	2.43	.564	.607	.236	49.2	26.1
MAX	83.4	52.0	100	80.0	40.1	32.0	9.58	1.63	1.82	1.63	78.5	142
DAT	1	2	3	21	1	2	1	1	30	1	29	11
SR	21.4	14.4	34.5	44.1	31.2	20.2	4.05	.882	.539	.495	25.0	43.9
MIN	7.81	2.98	2.72	19.8	23.4	7.81	1.63	.550	.350	.225	.150	12.7
DAT	18	28	1	4	28	30	31	23	22	25	8	24
GMIN =		.150		SRGOD=		20.1		GMAX =		142		
DATUM		8 11						DATUM		11 12		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
1966

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
 Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
 Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	32.9	5.92	35.6	26.0	26.8	24.3	4.93	5.59	15.5	3.94	63.7	28.6
2	26.8	5.92	33.8	21.9	26.0	22.7	4.93	4.93	15.0	3.94	49.8	32.0
3	22.7	6.25	31.1	19.0	25.1	22.7	4.60	4.38	9.12	8.66	39.2	77.0
4	19.8	6.64	29.4	17.6	24.3	21.9	4.38	3.72	5.92	12.2	32.9	104
5	16.8	7.03	28.6	17.6	22.7	20.5	4.16	3.72	4.38	8.20	48.7	93.6
6	14.4	7.42	30.3	18.3	21.2	17.6	3.94	3.50	3.94	5.59	61.1	78.5
7	13.3	8.20	30.3	19.0	19.8	16.1	3.72	3.24	3.24	3.94	50.9	49.8
8	12.2	8.20	26.8	20.5	19.0	15.0	3.50	2.98	2.72	2.98	41.0	40.1
9	10.5	8.20	23.4	21.9	17.6	13.9	3.50	2.98	2.46	2.46	32.0	37.4
10	10.5	18.3	21.2	26.8	20.5	12.7	3.24	2.72	2.20	5.26	26.8	34.7
11	9.12	54.6	19.8	43.2	63.7	11.6	3.24	2.46	2.01	23.4	21.9	30.3
12	19.8	91.9	19.0	48.7	66.5	11.1	2.98	2.20	1.82	19.0	31.1	27.7
13	26.0	86.8	26.0	48.7	55.9	10.5	2.72	2.20	1.82	13.9	44.3	41.0
14	17.6	111	31.1	49.8	47.6	10.0	2.72	2.01	1.63	13.9	53.3	77.0
15	13.9	93.6	27.7	47.6	41.0	9.58	2.72	1.82	1.44	11.6	46.5	77.0
16	12.2	69.5	24.3	44.3	35.6	9.12	2.46	1.82	1.25	48.7	37.4	57.2
17	13.9	52.0	20.5	52.0	29.4	8.66	2.20	1.82	1.12	9.58	38.3	42.1
18	25.1	49.8	17.6	59.8	26.0	8.20	2.20	1.63	.860	7.42	59.8	32.9
19	28.6	48.7	15.5	57.2	22.7	7.81	2.01	1.63	.730	5.59	97.0	27.7
20	20.5	43.2	14.4	52.0	19.0	7.42	2.01	1.63	.600	4.93	109	24.3
21	15.5	43.2	12.2	46.5	18.3	7.03	1.82	1.44	.600	3.94	81.7	21.2
22	12.7	43.2	11.1	43.2	16.8	6.25	2.01	1.44	.550	3.94	59.8	18.3
23	11.1	45.4	10.5	40.1	15.5	5.92	2.20	1.63	.500	8.66	47.6	16.8
24	11.1	69.5	10.0	37.4	14.4	5.59	2.98	1.63	.500	8.66	49.8	15.5
25	10.5	75.5	10.0	33.8	13.9	5.26	5.59	1.44	.450	6.25	80.0	13.9
26	10.0	62.4	12.7	32.9	13.9	4.93	5.59	1.25	.500	11.1	68.0	12.2
27	9.12	49.8	14.4	32.0	13.3	4.93	5.59	1.25	.500	45.4	54.6	11.6
28	7.81	41.0	15.0	31.1	32.0	4.93	4.60	1.25	.500	45.4	44.3	10.5
29	7.03		24.3	28.6	40.1	4.60	5.59	1.12	.400	54.6	35.6	9.58
30	6.25		32.0	27.7	38.3	4.60	7.42	1.12	.600	90.2	32.0	8.66
31	6.25		30.3		28.6		6.64	1.63		80.0		8.66
SD1	18.0	8.21	29.1	20.9	22.3	18.7	4.09	3.78	6.45	5.72	44.6	57.6
SD2	18.7	70.1	21.6	50.3	40.7	9.40	2.53	1.92	1.33	15.8	53.9	43.7
SD3	9.76	53.7	16.6	35.3	22.3	5.40	4.55	1.38	.510	32.6	55.3	13.4
MAX	32.9	116	36.5	59.8	71.0	26.0	7.42	5.59	19.8	97.0	111	107
DAT	1	14	1	18	12	1	30	1	1	30	20	4
SR	15.3	43.3	22.2	35.5	28.2	11.2	3.75	2.33	2.76	18.5	51.3	37.4
MIN	6.25	5.92	10.0	17.6	13.3	4.60	1.82	1.12	.400	2.46	21.9	8.66
DAT	30	1	24	4	27	29	21	29	29	9	11	30
-----												
GMIN = .400			SRGOD= 22.5			GMAX = 116						
DATUM 29 9						DATUM 14 2						
-----												

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
1967

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	7.81	9.12	11.1	115	41.0	13.9	6.64	2.46	.600	.450	.225	38.3
2	7.03	8.66	16.8	104	40.1	13.3	6.25	2.20	.600	.400	.225	28.6
3	7.03	8.66	28.6	88.5	38.3	12.2	6.64	2.20	.550	.350	.225	18.3
4	7.03	9.12	24.3	68.0	40.1	11.6	5.59	2.20	.550	.400	.200	13.3
5	7.03	10.0	20.5	49.8	42.1	11.1	5.26	2.20	.500	.325	.200	10.0
6	14.4	10.5	20.5	38.3	41.0	10.5	5.26	2.01	.400	.325	.325	7.81
7	36.5	9.58	20.5	45.4	39.2	9.58	4.93	2.01	.350	.400	12.2	6.64
8	22.7	9.12	20.5	58.5	37.4	9.58	4.60	1.82	.350	.500	22.7	5.59
9	16.1	8.66	20.5	58.5	34.7	9.12	4.60	1.63	.350	.550	26.8	7.03
10	13.3	7.81	24.3	57.2	33.8	8.66	5.59	1.63	.350	.550	16.1	10.0
11	11.6	6.64	27.7	54.6	33.8	8.20	10.0	1.63	.350	.450	10.0	6.25
12	10.0	5.59	29.4	50.9	32.0	7.81	9.58	1.63	.350	.400	6.64	18.3
13	9.12	5.26	32.0	49.8	30.3	7.81	7.42	1.63	.350	.450	4.93	30.3
14	7.81	4.60	33.8	49.8	28.6	10.5	5.59	1.82	.325	.350	3.94	25.1
15	7.03	4.38	34.7	57.2	26.0	17.6	4.93	1.63	.350	.350	3.24	18.3
16	6.25	3.94	28.6	59.8	24.3	17.6	4.60	1.44	.500	.325	2.46	13.3
17	5.59	3.50	22.7	58.5	22.7	15.0	4.38	1.44	.600	.300	2.01	10.5
18	4.93	3.24	19.8	54.6	21.2	12.7	4.16	1.25	.860	.275	1.82	7.81
19	4.93	4.60	16.8	49.8	21.2	12.2	3.94	1.25	.990	.275	1.44	6.25
20	4.38	7.81	14.4	44.3	20.5	11.1	3.72	1.25	.860	.250	1.25	4.93
21	4.16	7.42	12.7	39.2	19.0	13.9	3.72	1.12	.860	.225	1.25	4.16
22	4.16	7.81	11.6	36.5	18.3	20.5	3.50	.990	.730	.225	1.12	3.72
23	3.94	11.1	10.5	45.4	16.8	18.3	3.50	.860	1.82	.225	.990	2.72
24	4.60	12.2	11.1	49.8	19.8	15.5	3.24	.860	1.63	.225	.860	2.72
25	27.7	11.6	11.6	44.3	24.3	12.2	2.98	.860	1.25	.200	.860	10.0
26	26.0	11.1	11.6	37.4	21.9	10.5	2.98	.730	.860	.175	.730	46.5
27	17.6	9.12	12.2	32.0	19.8	9.12	2.98	.730	.600	.175	.730	115
28	13.3	9.12	12.7	31.1	18.3	7.81	2.72	.600	.550	.175	.730	109
29	10.5		16.1	33.8	16.1	7.42	2.72	.860	.500	.175	5.92	91.9
30	9.58		55.9	40.1	15.5	7.03	2.72	.600	.500	.200	39.2	78.5
31	10.0		106		14.4		2.72	.730		.225		98.8
SD1	13.9	9.12	20.8	68.3	38.8	11.0	5.54	2.04	.460	.425	7.92	14.6
SD2	7.16	4.96	26.0	52.9	26.1	12.1	5.83	1.50	.554	.343	3.77	14.1
SD3	12.0	9.93	24.7	39.0	18.6	12.2	3.07	.813	.930	.202	5.24	51.2
MAX	39.2	12.2	116	118	42.1	21.2	10.5	2.46	2.01	.600	42.1	179
DAT	7	24	31	1	5	22	11	1	23	9	30	27
SR	11.0	7.87	23.9	53.4	27.5	11.7	4.76	1.43	.648	.319	5.64	27.4
MIN	3.94	3.24	10.5	31.1	14.4	7.03	2.72	.600	.325	.175	.200	2.72
DAT	23	18	23	28	31	30	28	28	14	26	4	23
-----												
GMIN = .175			SRGOD= 14.7				GMAX = 179					
DATUM 26 10							DATUM 27 12					
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
1968

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
 Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
 Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	122	3.94	27.7	39.2	24.3	20.5	5.92	1.63	2.01	4.16	1.63	19.0
2	148	3.94	22.7	37.4	23.4	16.8	5.26	1.44	2.01	4.93	1.44	15.0
3	120	4.16	12.7	35.6	21.9	14.4	4.93	1.44	1.82	3.72	1.25	12.7
4	88.5	4.16	15.5	38.3	20.5	12.2	4.60	1.44	1.63	3.24	9.12	11.6
5	62.4	4.60	13.3	40.1	19.8	11.1	4.60	1.63	1.63	2.98	23.4	10.0
6	47.6	7.03	11.6	41.0	19.0	10.5	4.38	1.63	1.63	2.72	21.2	9.12
7	40.1	7.42	10.5	41.0	19.0	10.0	4.16	1.63	1.44	2.20	16.8	7.81
8	42.1	13.3	10.0	43.2	18.3	9.12	3.94	1.63	1.25	2.20	15.5	7.42
9	36.5	37.4	9.58	43.2	16.8	8.66	3.94	1.63	1.25	1.82	15.5	7.03
10	29.4	35.6	12.2	41.0	15.5	12.7	3.72	1.63	1.12	1.63	54.6	9.12
11	25.1	39.2	21.9	37.4	15.0	47.6	3.50	1.44	1.12	1.63	68.0	9.12
12	21.2	37.4	22.7	32.0	13.9	52.0	3.24	1.44	.990	1.44	55.9	8.66
13	18.3	32.0	16.1	28.6	13.9	40.1	3.24	1.25	.990	1.25	41.0	8.20
14	15.0	29.4	12.7	26.0	13.3	31.1	2.98	1.63	.990	1.25	30.3	7.42
15	12.2	29.4	11.1	24.3	12.7	26.8	2.98	2.20	.990	1.25	22.7	7.03
16	11.1	46.5	11.6	25.1	11.6	24.3	2.98	3.24	.990	1.12	25.1	6.25
17	10.0	55.9	22.7	26.0	12.7	21.9	2.98	2.72	.990	1.12	58.5	7.81
18	9.58	52.0	24.3	26.8	13.3	22.7	2.72	2.20	2.01	1.12	152	38.3
19	9.58	38.3	23.4	28.6	11.6	22.7	2.46	2.46	20.5	1.12	146	98.8
20	9.58	28.6	23.4	29.4	11.6	20.5	2.46	3.72	26.0	1.12	140	155
21	9.12	21.9	24.3	28.6	11.6	17.6	2.46	3.72	16.1	.990	124	144
22	8.66	17.6	42.1	27.7	13.9	15.5	2.46	2.98	11.1	.990	113	124
23	8.20	17.6	81.7	27.7	16.1	13.9	2.46	2.46	9.12	.990	104	109
24	7.81	23.4	77.0	27.7	14.4	11.1	2.20	2.20	8.66	.860	90.2	93.6
25	7.42	33.8	66.5	27.7	12.2	10.0	2.20	2.01	11.1	.860	74.0	74.0
26	7.03	43.2	55.9	27.7	10.5	9.12	2.20	2.01	15.0	.730	55.9	54.6
27	6.64	48.7	49.8	27.7	10.0	8.20	2.01	2.20	12.7	.860	41.0	42.1
28	5.92	44.3	45.4	26.8	9.58	7.42	2.01	2.20	9.58	2.98	33.8	35.6
29	4.93	34.7	41.0	26.0	8.66	6.64	1.82	2.01	7.42	3.50	28.6	29.4
30	4.60		40.1	25.1	8.66	6.25	1.82	2.01	5.92	2.72	23.4	23.4
31	4.16		39.2		17.6		1.63	2.01		2.01		19.8
SD1	73.7	12.2	14.6	40.0	19.9	12.6	4.55	1.57	1.58	2.96	16.0	10.9
SD2	14.2	38.9	19.0	28.4	13.0	31.0	2.95	2.23	5.56	1.24	73.9	34.7
SD3	6.77	31.7	51.2	27.3	12.1	10.6	2.12	2.35	10.7	1.59	68.8	68.1
MAX	157	59.8	85.1	43.2	24.3	57.2	5.92	4.16	30.3	4.93	183	161
DAT	2	17	23	8	1	12	1	20	20	2	18	20
SR	30.7	27.4	29.0	31.9	14.9	18.0	3.17	2.06	5.94	1.92	52.9	38.9
MIN	4.16	3.94	9.58	24.3	8.66	6.25	1.63	1.25	.990	.730	1.25	6.25
DAT	31	1	9	15	29	30	31	13	12	26	3	16
GMIN =		.730		SRGOD=		21.3		GMAX =		183		
DATUM		26 10						DATUM		18 11		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
1969

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
 Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
 Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	15.5	10.0	35.6	16.1	53.3	12.2	7.03	3.50	7.81	7.42	.600	54.6
2	14.4	9.58	29.4	15.0	50.9	11.6	6.64	3.50	6.64	6.64	.730	45.4
3	12.7	15.5	27.7	14.4	48.7	11.6	6.25	3.50	5.59	5.92	.600	38.3
4	12.2	43.2	28.6	15.0	46.5	11.1	5.92	3.24	4.93	5.26	.600	32.0
5	11.1	115	27.7	11.1	45.4	11.6	5.59	3.24	4.38	4.60	.730	38.3
6	10.0	98.8	24.3	19.8	44.3	23.4	5.59	2.98	4.16	4.16	.600	138
7	8.66	74.0	19.8	21.2	43.2	55.9	5.59	2.98	4.16	3.94	.600	136
8	7.81	54.6	17.6	22.7	44.3	55.9	5.59	2.98	4.38	3.72	.600	106
9	7.42	40.1	15.5	22.7	53.3	44.3	5.59	2.98	6.25	3.24	.990	80.0
10	7.03	38.3	15.0	22.7	58.5	39.2	5.59	2.72	6.64	2.98	.860	58.5
11	6.64	29.4	15.0	21.2	55.9	32.0	6.25	2.72	5.59	2.72	.990	45.4
12	6.25	19.8	15.0	20.5	50.9	25.1	7.03	2.72	5.26	2.46	.990	36.5
13	5.59	17.6	15.0	20.5	47.6	20.5	7.42	2.46	4.60	2.20	.990	28.6
14	5.26	30.3	19.0	42.1	44.3	18.3	7.81	2.46	4.38	2.01	.990	22.7
15	32.0	35.6	48.7	95.3	41.0	15.5	7.42	2.46	9.12	1.82	.990	20.5
16	75.5	59.8	58.5	80.0	39.2	12.7	7.03	2.46	32.9	1.82	.860	20.5
17	93.6	43.2	65.0	65.0	36.5	13.3	6.25	2.46	34.7	1.63	.730	19.8
18	72.5	32.0	58.5	48.7	34.7	12.7	5.92	2.98	43.2	1.63	.730	16.8
19	52.0	23.4	52.0	48.7	32.9	11.6	5.59	2.72	36.5	1.44	.860	15.5
20	41.0	19.0	47.6	31.1	31.1	11.1	5.26	2.46	29.4	1.25	1.12	15.0
21	32.9	27.7	40.1	29.4	28.6	13.3	4.93	2.46	42.1	1.25	1.25	15.0
22	26.0	46.5	32.0	29.4	26.8	13.9	4.93	2.20	41.0	1.12	1.25	15.0
23	19.8	41.0	25.1	42.1	24.3	12.7	4.60	2.20	32.0	1.12	2.98	13.9
24	16.1	49.8	21.9	80.0	21.9	11.6	4.38	2.01	25.1	.990	19.0	12.2
25	13.9	90.2	20.5	81.7	19.8	10.5	4.38	2.46	19.0	.990	46.5	10.5
26	12.2	86.8	26.8	74.0	18.3	10.0	4.16	6.64	15.5	.990	81.7	9.58
27	11.1	62.4	31.1	63.7	17.6	9.58	4.16	9.12	13.9	.860	86.8	8.66
28	9.58	45.4	29.4	59.8	16.1	9.12	3.94	6.25	12.2	.730	77.0	8.66
29	8.66		23.4	55.9	15.0	7.81	3.94	15.0	10.0	.730	59.8	13.3
30	8.66		19.0	54.6	13.9	7.81	3.72	12.7	8.66	.600	49.8	18.3
31	10.5		16.1		13.3		3.72	10.0		.600		24.3
SD1	10.7	49.9	24.1	18.1	48.8	27.7	5.94	3.16	5.49	4.79	.691	72.7
SD2	39.0	31.0	39.4	47.3	41.4	17.3	6.60	2.59	20.6	1.90	.925	24.1
SD3	15.4	56.2	25.9	57.1	19.6	10.6	4.26	6.46	21.9	.907	42.6	13.6
MAX	98.8	127	66.5	98.8	59.8	59.8	8.20	16.1	45.4	8.20	93.6	171
DAT	17	5	17	15	10	7	14	29	18	1	27	6
SR	21.5	45.0	29.7	40.8	36.1	18.5	5.56	4.15	16.0	2.48	14.7	36.1
MIN	5.26	9.58	15.0	11.1	13.3	7.81	3.72	2.01	4.16	.600	.600	8.66
DAT	14	2	10	5	31	29	30	24	6	30	1	27
-----												
GMIN = .600			SRGOD= 22.4				GMAX = 171					
DATUM 30 10							DATUM 6 12					
-----												



## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
1970

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
 Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
 Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	80.0	16.1	11.6	74.0	69.5	32.0	7.42	2.46	1.12	.275	1.82	12.7
2	111	16.1	10.5	83.4	59.8	31.1	7.03	2.46	.990	.450	1.82	10.5
3	102	15.0	10.5	83.4	49.8	27.7	6.64	2.46	.860	.400	1.63	9.58
4	59.8	13.9	11.1	78.5	43.2	25.1	6.25	2.20	.860	.400	1.44	8.66
5	47.6	19.8	19.8	69.5	38.3	22.7	5.92	2.01	.860	.350	1.25	7.42
6	81.7	52.0	36.5	57.2	33.8	21.2	5.59	1.82	.730	.400	1.25	6.64
7	107	61.1	29.4	47.6	31.1	19.8	5.59	1.63	.730	.350	1.25	6.25
8	129	52.0	23.4	83.4	29.4	17.6	5.26	1.44	.600	.350	1.12	5.59
9	113	53.3	19.0	157	29.4	16.8	4.93	1.44	.600	.325	.990	4.93
10	97.0	37.4	16.8	144	31.1	16.8	4.60	1.63	.600	.300	5.92	4.60
11	95.3	40.1	16.8	122	32.9	16.8	4.60	1.82	.550	.300	18.3	4.16
12	95.3	44.3	32.9	109	33.8	16.1	4.60	1.63	.550	.275	14.4	3.72
13	98.8	41.0	37.4	100	33.8	15.5	4.38	1.44	.550	.250	9.58	3.50
14	100	38.3	34.7	95.3	32.9	15.0	4.38	1.44	.500	.250	7.03	3.50
15	91.9	55.9	62.4	104	32.9	14.4	4.38	1.25	.450	.250	34.7	3.50
16	113	57.2	69.5	93.6	32.9	13.3	4.16	1.25	.450	.225	95.3	3.50
17	136	45.4	53.3	78.5	32.0	12.7	5.59	1.25	.400	.225	85.1	3.24
18	118	34.7	50.9	65.0	32.0	12.2	5.92	1.25	.400	.225	63.7	3.24
19	106	28.6	33.8	57.2	31.1	11.6	5.92	1.12	.350	.225	47.6	2.98
20	95.3	22.7	28.6	54.6	29.4	11.6	5.26	1.12	.350	.225	36.5	2.46
21	78.5	19.8	25.1	54.6	27.7	11.1	4.60	.990	.350	.325	36.5	2.20
22	58.5	16.8	21.2	54.6	27.7	10.5	4.38	.990	.350	22.7	74.0	2.01
23	45.4	15.5	20.5	53.3	32.9	10.0	3.94	.990	.325	30.3	77.0	1.82
24	36.5	16.1	22.7	50.9	39.2	10.0	3.94	.990	.325	21.2	62.4	1.82
25	30.3	15.5	34.7	50.9	35.6	9.58	3.72	.990	.300	12.2	47.6	2.01
26	26.0	15.0	37.4	49.8	32.0	9.12	3.50	.990	.300	7.81	33.8	2.72
27	21.2	13.9	42.1	49.8	29.4	8.66	3.50	.990	.300	4.93	26.0	3.50
28	19.8	12.7	72.5	52.0	27.7	8.20	3.24	.860	.300	3.94	20.5	43.2
29	17.6		91.9	74.0	30.3	7.81	2.98	.860	.300	3.24	16.8	78.5
30	17.6		86.8	74.0	32.9	7.81	2.98	.860	.275	2.98	15.0	133
31	16.8		71.0		31.1		2.72	1.12		2.20		134
SD1	92.8	33.7	18.9	87.8	41.5	23.1	5.92	1.95	.795	.360	1.85	7.69
SD2	105	40.8	42.0	87.9	32.4	13.9	4.92	1.36	.455	.245	41.2	3.38
SD3	33.5	15.7	47.8	56.4	31.5	9.28	3.59	.966	.312	10.2	41.0	36.8
MAX	138	62.4	93.6	204	74.0	32.9	7.42	2.46	1.25	48.7	102	144
DAT	17	7	29	9	1	1	1	1	1	23	16	31
SR	75.7	31.1	36.6	77.4	35.0	15.4	4.77	1.41	.521	3.80	28.0	16.6
MIN	16.8	12.7	10.5	47.6	27.7	7.81	2.72	.860	.275	.225	.990	1.82
DAT	31	28	2	7	21	29	31	28	30	16	9	23
GMIN =		.225		SRGOD=		27.1		GMAX =		204		
DATUM		16 10						DATUM		9 4		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
1971

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
 Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
 Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	146	35.6	5.26	19.8	43.2	16.8	3.24	1.25	.300	10.5	1.12	118
2	155	58.5	4.93	35.6	43.2	16.1	2.98	1.12	.300	4.93	1.12	129
3	167	53.3	4.38	59.8	43.2	15.5	2.98	1.12	.300	2.46	.730	124
4	144	43.2	4.16	61.1	43.2	13.9	2.98	1.12	.325	1.44	.730	104
5	138	32.9	4.16	52.0	43.2	12.7	2.46	.990	.325	.990	.730	77.0
6	125	26.0	3.94	75.5	41.0	11.6	2.46	.860	.300	.730	.730	54.6
7	86.8	21.9	3.94	78.5	39.2	10.5	2.46	.600	.275	.500	.600	41.0
8	59.8	16.1	3.50	65.0	37.4	10.0	2.98	.730	.250	.550	.600	34.7
9	47.6	15.0	3.24	54.6	34.7	9.58	2.20	.730	.250	.500	.600	28.6
10	38.3	13.3	2.98	49.8	32.0	9.58	2.20	.600	.275	.450	.550	23.4
11	32.0	12.2	2.72	46.5	31.1	9.12	2.01	.550	.275	.450	.550	19.8
12	26.0	11.1	2.72	43.2	29.4	8.66	2.01	.550	.250	.350	9.58	16.1
13	20.5	10.0	2.46	43.2	27.7	7.81	1.82	.550	.250	.350	10.5	15.5
14	17.6	9.58	2.46	42.1	26.0	7.03	1.82	.500	.275	.350	28.6	13.9
15	15.5	7.81	2.72	39.2	24.3	6.64	1.82	.450	.350	.350	25.1	11.6
16	13.9	7.81	7.03	34.7	23.4	6.25	1.82	.450	.325	36.5	17.6	10.5
17	12.7	9.58	19.0	31.1	20.5	5.92	1.82	.450	.450	46.5	11.6	9.12
18	11.6	12.7	24.3	31.1	19.8	5.59	1.82	.450	.450	37.4	9.12	8.20
19	10.5	12.7	21.9	30.3	18.3	5.26	1.63	.400	.450	30.3	7.42	7.81
20	10.5	14.4	24.3	30.3	17.6	4.93	1.63	.400	.450	18.3	49.8	7.03
21	23.4	15.0	32.9	30.3	16.8	4.38	1.44	.400	.350	12.7	68.0	6.64
22	61.1	13.9	41.0	30.3	16.1	4.16	1.44	.400	.450	8.20	55.9	6.25
23	93.6	11.6	69.5	32.0	15.5	3.94	1.44	.400	.325	5.59	54.6	5.59
24	75.5	10.0	66.5	34.7	13.9	3.94	1.25	.350	.325	4.38	59.8	5.26
25	59.8	9.12	54.6	47.6	13.3	3.72	1.25	.350	.275	3.72	49.8	5.59
26	58.5	7.81	44.3	53.3	12.2	3.72	1.12	.400	.275	3.24	35.6	5.59
27	63.7	7.42	35.6	54.6	11.1	3.24	1.12	.400	.250	2.46	33.8	4.93
28	68.0	6.64	30.3	52.0	11.1	3.50	1.12	.325	.225	2.01	32.9	4.38
29	57.2		24.3	47.6	11.1	3.50	1.12	.300	.730	1.63	59.8	3.94
30	43.2		22.7	44.3	11.6	3.50	1.12	.325	16.1	1.44	97.0	3.72
31	35.6		21.2		15.0		1.25	.300		1.44		3.50
SD1	111	31.6	4.05	55.2	40.0	12.6	2.69	.912	.290	2.30	.751	73.4
SD2	17.1	10.8	11.0	37.2	23.8	6.72	1.82	.475	.353	17.1	17.0	12.0
SD3	58.1	10.2	40.3	42.7	13.4	3.76	1.24	.359	1.93	4.26	54.7	5.04
MAX	187	61.1	72.5	81.7	43.2	16.8	3.24	1.25	16.1	46.5	111	131
DAT	3	2	23	7	1	1	1	1	30	17	30	2
SR	61.9	18.0	19.1	45.0	25.4	7.70	1.90	.575	.858	7.76	24.2	29.3
MIN	10.5	6.64	2.46	19.8	11.1	3.24	1.12	.300	.225	.350	.550	3.50
DAT	19	28	13	1	27	27	26	29	28	12	10	31
		GMIN = .225		SRGOD= 20.2		GMAX = 187						
		DATUM 28 9				DATUM 3 1						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
1972

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	3.50	16.1	39.2	20.5	34.7	7.81	2.20	1.82	3.50	28.6	18.3	23.4
2	7.81	12.7	32.9	20.5	30.3	7.03	2.20	1.82	3.24	21.9	15.0	22.7
3	11.6	10.5	30.3	21.2	27.7	7.03	2.20	1.82	2.98	17.6	12.7	26.0
4	10.5	8.20	23.4	21.2	25.1	7.03	2.20	2.20	2.20	15.5	10.5	25.1
5	16.1	6.25	20.5	20.5	23.4	6.25	1.82	2.98	2.01	13.9	8.66	22.7
6	30.3	5.92	21.9	21.2	21.9	6.25	2.01	3.24	1.63	12.7	7.03	19.8
7	26.8	4.93	35.6	20.5	20.5	5.92	2.01	2.46	1.44	11.1	6.25	16.8
8	18.3	4.60	31.1	21.9	20.5	5.59	1.82	2.20	1.25	10.0	5.59	16.8
9	17.6	5.26	36.5	21.2	20.5	5.59	1.82	1.82	3.50	8.66	4.93	13.9
10	19.0	10.5	39.2	20.5	20.5	5.59	1.25	1.82	26.0	7.81	4.38	12.7
11	18.3	47.6	38.3	20.5	20.5	5.26	1.25	1.63	22.7	7.81	3.94	10.5
12	15.5	42.1	38.3	20.5	20.5	4.93	1.25	1.63	15.0	7.81	13.9	10.0
13	13.3	63.7	37.4	23.4	18.3	4.60	1.25	1.25	10.5	9.58	32.0	8.66
14	11.1	46.5	29.4	28.6	17.6	4.38	1.25	1.44	7.81	13.9	26.8	7.81
15	9.58	35.6	25.1	30.3	16.1	4.38	1.25	1.25	7.81	14.4	21.9	7.03
16	8.20	26.0	21.2	28.6	16.1	4.38	1.44	1.12	69.5	13.3	36.5	6.25
17	7.03	19.0	19.0	43.2	15.0	4.38	1.44	.860	85.1	12.2	41.0	6.25
18	5.92	15.5	17.6	83.4	14.4	4.38	1.44	.990	58.5	11.1	26.0	5.26
19	4.93	13.9	17.6	74.0	13.3	3.94	1.44	.860	41.0	10.0	39.2	4.60
20	4.16	17.6	17.6	58.5	15.0	3.94	1.25	1.63	30.3	8.66	39.2	4.16
21	4.16	46.5	17.6	47.6	16.1	3.94	1.25	33.8	21.9	9.12	57.2	3.72
22	3.94	66.5	17.6	49.8	16.1	3.72	1.25	30.3	16.1	21.2	71.0	3.50
23	3.94	54.6	18.3	49.8	15.0	3.72	1.63	16.1	13.3	23.4	66.5	3.24
24	3.50	44.3	18.3	41.0	13.9	3.50	1.63	10.0	11.6	19.8	55.9	2.98
25	3.50	36.5	18.3	68.0	12.7	3.50	1.63	6.25	9.58	16.1	55.9	2.98
26	3.72	33.8	17.6	72.5	11.6	3.50	1.63	4.38	8.20	13.3	55.9	2.72
27	3.94	37.4	16.8	74.0	11.6	2.98	1.63	3.94	22.7	11.6	46.5	2.46
28	5.59	35.6	16.8	66.5	11.6	2.46	1.63	3.24	54.6	10.0	39.2	2.01
29	10.5	41.0	16.1	52.0	10.5	2.46	1.82	2.72	49.8	16.8	32.9	2.01
30	12.7		18.3	41.0	9.12	2.46	1.63	2.46	36.5	26.8	27.7	1.82
31	17.6		19.8		8.20		1.63	3.24		21.9		1.82
SD1	16.2	8.50	31.1	20.9	24.5	6.41	1.95	2.22	4.78	14.8	9.33	20.0
SD2	9.80	32.8	26.1	41.1	16.7	4.46	1.33	1.27	34.8	10.9	28.0	7.05
SD3	6.64	44.0	17.8	56.2	12.4	3.22	1.58	10.6	24.4	17.3	50.9	2.66
MAX	32.9	71.0	39.2	83.4	37.4	7.81	2.20	33.8	116	32.0	72.5	26.0
DAT	6	13	1	18	1	1	1	21	17	1	22	3
SR	10.7	27.9	24.8	39.4	17.7	4.70	1.62	4.88	21.3	14.4	29.4	9.67
MIN	3.50	4.60	16.1	20.5	8.20	2.46	1.25	.860	1.25	7.81	3.94	1.82
DAT	1	8	29	1	31	28	10	17	8	10	11	30
-----												
GMIN = .860			SRGOD= 17.1					GMAX = 116				
DATUM 17 8								DATUM 17 9				
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I      P R E G L E D      P R O T I C A J A  
1973

Broj           : 60135                      Stanica : DUKLOV MOST                      Kota "0" = 615.20  
Nacin osmat.: limnigraf                Rijeka : ZETA                                km od usca = 12.30  
Pocetak rada: 1955                      Sliv : MORACE                                Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.63	4.93	5.59	21.9	36.5	7.03	2.20	.860	.500	.990	.550	1.12
2	1.63	16.1	4.60	21.9	38.3	6.25	2.20	.860	.550	.730	.500	1.12
3	1.63	26.8	4.16	21.9	39.2	5.59	2.01	.860	.500	.730	.500	.990
4	1.63	19.8	3.72	28.6	42.1	5.59	2.01	.860	.550	.600	.500	.990
5	1.44	14.4	3.24	34.7	42.1	5.26	1.82	.860	.550	.500	.450	.860
6	1.25	10.5	2.98	25.1	43.2	4.93	2.01	1.25	.500	.500	.450	.860
7	1.25	9.58	2.98	18.3	44.3	4.60	1.82	1.25	.450	.450	.730	.990
8	1.25	7.42	3.94	16.1	43.2	4.38	1.82	1.25	.350	.400	4.60	1.12
9	1.25	6.25	9.58	16.8	43.2	4.38	1.63	.990	.350	.450	5.59	1.63
10	1.25	5.59	8.66	20.5	42.1	4.93	1.63	.990	.325	.400	3.94	17.6
11	.990	23.4	7.42	30.3	38.3	4.38	1.63	.990	.300	.350	2.98	15.5
12	.990	34.7	6.25	36.5	33.8	4.16	1.63	.990	.300	.350	2.20	11.1
13	.990	25.1	5.59	32.9	28.6	4.16	1.44	.730	.300	.325	1.63	7.42
14	.990	16.1	5.26	32.0	25.1	3.94	1.25	.600	.300	.300	1.44	5.59
15	.990	39.2	4.93	28.6	23.4	3.94	1.12	.730	.250	.350	1.25	4.60
16	.730	88.5	4.60	21.9	21.2	3.50	1.12	.550	.275	2.98	1.12	4.16
17	1.12	62.4	4.93	19.0	20.5	3.24	1.12	.550	.275	4.60	1.12	3.50
18	1.25	39.2	5.59	17.6	19.0	3.24	.990	.550	.300	2.01	.990	3.24
19	68.0	30.3	5.59	16.1	17.6	3.24	.990	.550	.300	1.63	.860	3.24
20	54.6	19.8	4.93	16.1	16.8	3.24	.730	.550	.350	1.25	.730	7.81
21	33.8	15.0	4.60	18.3	16.8	2.98	.730	.500	.450	.990	.730	40.1
22	28.6	12.7	4.93	26.8	15.5	2.98	.730	.450	.450	.860	.600	54.6
23	32.0	11.1	5.92	30.3	15.0	2.72	.550	.400	.450	.990	.600	72.5
24	30.3	11.1	7.81	26.0	13.9	2.72	.600	.400	.400	.990	.600	62.4
25	20.5	11.1	8.66	44.3	12.7	2.46	.730	.350	.350	.990	.550	52.0
26	16.1	9.58	8.66	47.6	11.6	2.72	.730	.350	.400	.860	.550	44.3
27	12.7	7.81	16.1	44.3	10.5	2.72	.860	.450	.350	.730	.600	106
28	10.0	6.64	19.8	37.4	9.58	2.20	.730	.450	.550	.730	.730	90.2
29	7.81		19.8	33.8	8.66	2.20	.860	.550	3.50	.600	.860	74.0
30	7.03		21.2	32.9	8.20	2.20	.860	.500	1.63	.600	1.12	55.9
31	5.26		21.9		7.42		.860	.500		.600		41.0
SD1	1.42	12.1	4.95	22.6	41.4	5.29	1.91	1.00	.462	.575	1.78	2.73
SD2	13.1	37.9	5.51	25.1	24.4	3.70	1.20	.679	.295	1.41	1.43	6.62
SD3	18.6	10.6	12.7	34.2	11.8	2.59	.749	.445	.853	.813	.694	63.0
MAX	68.0	88.5	21.9	47.6	44.3	7.03	2.20	1.25	3.50	4.60	5.59	161
DAT	19	16	31	26	7	1	1	6	29	17	9	27
SR	11.3	20.9	7.87	27.3	25.4	3.86	1.27	.701	.537	.930	1.30	25.4
MIN	.730	4.93	2.98	16.1	7.42	2.20	.550	.350	.250	.300	.450	.860
DAT	16	1	6	8	31	28	23	25	15	14	5	5
-----												
GMIN = .250			SRGOD= 10.5					GMAX = 161				
DATUM 15 9								DATUM 27 12				
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
1974

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
 Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
 Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	32.0	1.44	7.42	15.0	32.0	15.5	3.94	1.44	.400	21.2	69.5	48.7
2	30.3	1.25	6.64	15.0	91.9	15.0	3.72	1.44	.350	32.9	59.8	37.4
3	33.8	1.25	5.92	15.5	74.0	13.3	3.72	1.25	.350	62.4	47.6	32.0
4	35.6	4.38	4.93	15.5	58.5	12.2	3.50	1.25	.350	62.4	40.1	25.1
5	33.8	35.6	38.3	13.9	72.5	11.6	3.50	1.25	.350	47.6	33.8	20.5
6	26.8	32.0	42.1	13.3	71.0	10.5	3.24	1.25	.325	33.8	31.1	17.6
7	21.2	43.2	32.9	12.7	62.4	9.58	3.24	1.12	.300	33.8	30.3	16.1
8	17.6	57.2	24.3	11.6	53.3	9.12	2.98	.990	.325	75.5	30.3	14.4
9	15.0	38.3	16.8	10.5	44.3	8.20	2.98	.990	.300	90.2	30.3	12.7
10	12.7	27.7	13.3	9.58	38.3	7.81	2.72	.990	.300	77.0	27.7	12.2
11	11.6	17.6	11.6	8.66	33.8	7.03	2.46	.990	.300	62.4	23.4	10.5
12	10.0	13.3	10.5	8.20	30.3	7.42	2.46	.990	.250	49.8	21.9	10.5
13	8.66	11.1	9.58	8.20	26.8	6.64	2.46	.860	.250	40.1	19.0	59.8
14	7.42	13.9	8.66	11.6	23.4	5.92	2.46	.860	.250	107	16.1	54.6
15	6.64	38.3	7.42	14.4	21.9	5.26	2.20	.860	.250	120	15.0	37.4
16	5.92	32.9	7.42	16.8	21.9	4.93	2.20	.730	.250	142	13.9	27.7
17	4.93	26.8	6.64	29.4	20.5	4.93	2.01	.730	.250	122	12.7	20.5
18	4.60	18.3	5.59	40.1	19.0	4.93	2.01	.730	.225	106	12.2	11.1
19	4.38	17.6	5.59	35.6	17.6	4.93	2.01	.600	.225	90.2	11.6	13.9
20	3.94	32.0	7.42	29.4	16.8	4.60	2.01	.600	.225	68.0	11.1	12.7
21	3.72	26.0	8.20	26.8	16.1	4.60	1.63	.600	.300	53.3	11.1	11.1
22	3.50	19.0	9.58	24.3	15.5	4.38	1.63	.600	.600	77.0	10.5	9.58
23	2.72	16.8	11.6	21.9	15.5	6.25	1.63	.600	8.66	111	9.58	8.20
24	2.46	16.8	13.9	19.8	18.3	5.26	1.63	.550	10.5	175	9.12	7.03
25	2.46	16.1	14.4	18.3	17.6	4.93	1.63	.600	25.1	133	8.20	6.64
26	2.20	13.3	15.5	17.6	17.6	4.38	1.63	.550	52.0	111	25.1	6.25
27	2.20	11.6	16.8	20.5	17.6	3.94	1.63	.550	66.5	74.0	52.0	5.59
28	1.82	9.12	17.6	21.9	16.1	3.94	1.63	.500	45.4	65.0	62.4	4.93
29	1.63		17.6	23.4	15.5	3.94	1.63	.500	32.0	83.4	61.1	4.60
30	1.63		16.8	31.1	16.8	3.94	1.44	.450	20.5	77.0	57.2	3.94
31	1.44		15.0		16.8		1.44	.450		72.5		3.50
SD1	25.9	24.2	19.3	13.3	59.8	11.3	3.35	1.20	.335	53.7	40.0	23.7
SD2	6.81	22.2	8.04	20.2	23.2	5.66	2.23	.795	.247	90.8	15.7	25.9
SD3	2.34	16.1	14.3	22.6	16.7	4.56	1.60	.541	26.2	93.8	30.6	6.49
MAX	35.6	57.2	42.1	40.1	91.9	15.5	3.94	1.44	66.5	234	69.5	59.8
DAT	4	8	6	18	2	1	1	1	27	24	1	13
SR	11.4	21.2	13.9	18.7	32.7	7.17	2.37	.835	8.91	79.9	28.8	18.3
MIN	1.44	1.25	4.93	8.20	15.5	3.94	1.44	.450	.225	21.2	8.20	3.50
DAT	31	2	4	12	22	27	30	30	18	1	25	31
-----												
GMIN = .225			SRGOD= 20.4				GMAX = 234					
DATUM 18 9									DATUM 24 10			
-----												

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
1975

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	3.72	1.25	.550	47.6	7.81	4.38	2.01	.730	2.72	.200	6.25	12.7
2	3.50	1.25	.550	59.8	7.42	4.16	3.24	.730	2.01	.200	5.59	11.6
3	3.24	1.12	.500	72.5	7.42	3.94	6.64	.600	1.63	.150	4.60	10.5
4	3.24	.990	.500	77.0	7.03	15.0	5.59	.600	1.25	.150	4.16	9.58
5	2.72	.990	.500	63.7	7.03	17.6	4.16	.600	1.63	.150	3.72	8.66
6	2.46	.990	.730	52.0	7.03	13.9	3.94	.550	1.44	.150	3.50	7.81
7	2.46	.860	7.03	43.2	6.64	8.66	3.94	.550	.990	.150	2.98	7.03
8	2.20	.860	6.25	38.3	7.03	7.03	3.50	.550	.860	.150	2.46	6.25
9	2.01	.860	5.59	37.4	7.81	5.59	3.24	.550	.730	.125	2.46	5.59
10	2.01	.730	4.93	35.6	9.58	5.59	2.98	.550	.600	.150	2.46	4.93
11	1.63	.730	4.93	52.0	9.12	6.25	2.72	.500	.550	.150	3.94	4.38
12	1.63	.730	7.81	53.3	8.66	5.59	2.46	.450	.550	.200	10.5	4.16
13	1.63	.730	13.3	47.6	7.81	4.93	2.46	.450	.600	33.8	11.1	4.16
14	1.44	.600	17.6	36.5	7.81	4.38	2.01	.450	.500	62.4	10.5	7.42
15	1.25	.730	47.6	32.0	12.7	4.16	2.01	.400	.450	59.8	8.66	7.03
16	1.25	.730	52.0	27.7	14.4	3.94	1.82	.400	.450	45.4	7.42	6.25
17	1.25	.730	45.4	23.4	18.3	3.72	1.82	.350	.450	37.4	7.03	5.59
18	1.12	.990	33.8	20.5	16.1	3.50	1.63	.400	.400	62.4	80.0	77.0
19	1.12	.990	25.1	19.0	12.7	3.94	1.63	.350	.350	100	107	68.0
20	1.12	.990	19.0	17.6	11.1	3.72	1.44	.350	.350	77.0	107	52.0
21	.990	.990	25.1	15.0	9.58	3.50	1.25	.325	.325	65.0	98.8	36.5
22	.990	.860	32.9	13.9	8.66	3.24	1.25	.325	.325	52.0	90.2	25.1
23	.860	.730	26.8	13.9	8.20	2.98	1.25	.350	.300	43.2	74.0	19.0
24	.860	.730	20.5	13.9	7.03	2.72	1.12	.275	.275	32.9	54.6	13.9
25	.730	.730	16.1	13.3	6.25	2.72	1.12	.350	.250	25.1	43.2	11.6
26	.730	.730	12.2	12.2	5.92	2.46	.860	.550	.250	19.0	35.6	9.58
27	.860	.600	10.5	11.1	5.59	2.46	.860	.450	.250	13.9	32.0	8.66
28	1.25	.550	10.5	9.58	4.93	2.20	.860	.600	.250	12.2	22.7	7.42
29	1.25		49.8	8.66	4.93	2.20	.860	.730	.225	10.5	18.3	6.25
30	1.25		65.0	8.20	4.93	2.01	.730	.860	.200	8.66	15.0	5.59
31	1.25		52.0		4.60		.730	2.01		7.81		4.93
SD1	2.76	.990	2.71	52.7	7.48	8.58	3.92	.601	1.39	.157	3.82	8.47
SD2	1.34	.795	26.7	33.0	11.9	4.41	2.00	.410	.465	47.9	35.3	23.6
SD3	1.00	.740	29.2	12.0	6.42	2.65	.990	.620	.265	26.4	48.4	13.5
MAX	3.72	1.25	65.0	77.0	18.3	17.6	6.64	2.01	2.72	100	125	77.0
DAT	1	1	30	4	17	5	3	31	1	19	19	18
SR	1.68	.849	19.8	32.5	8.52	5.22	2.26	.546	.705	24.9	29.2	15.1
MIN	.730	.550	.500	8.20	4.60	2.01	.730	.275	.200	.125	2.46	4.16
DAT	25	28	3	30	31	30	30	24	30	9	8	12
GMIN =			.125	SRGOD=			11.8	GMAX =			125	
DATUM			9 10					DATUM			19 11	

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I      P R E G L E D      P R O T I C A J A  
1976

Broj               : 60135                      Stanica : DUKLOV MOST                      Kota "0" = 615.20  
Nacin osmat.: limnigraf              Rijeka : ZETA                                      km od usca = 12.30  
Pocetak rada: 1955                      Sliv : MORACE                                      Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	4.16	3.24	8.66	15.0	74.0	8.20	3.50	.860	.550	.730	68.0	11.6
2	3.72	3.94	9.12	16.8	62.4	7.81	3.50	.860	.600	.600	55.9	36.5
3	3.50	4.93	9.58	19.0	52.0	12.7	2.98	.730	.600	.600	49.8	95.3
4	3.24	7.03	9.12	20.5	57.2	15.5	2.72	.730	6.25	.600	49.8	91.9
5	2.98	6.64	7.42	23.4	58.5	13.9	2.72	.730	41.0	.600	80.0	91.9
6	2.46	7.03	5.92	27.7	55.9	13.9	2.46	.600	37.4	1.63	71.0	85.1
7	1.82	7.81	4.93	28.6	52.0	28.6	2.20	.600	26.8	3.50	68.0	68.0
8	1.82	7.03	3.94	27.7	47.6	30.3	2.20	.600	15.5	2.20	102	74.0
9	1.63	5.26	3.24	30.3	43.2	24.3	2.01	.550	10.0	1.44	83.4	88.5
10	1.63	4.16	3.24	43.2	39.2	20.5	2.01	.550	7.03	1.25	61.1	74.0
11	1.63	3.50	3.94	33.8	36.5	16.8	2.01	.600	5.26	.990	46.5	59.8
12	1.44	2.98	4.16	29.4	33.8	13.9	1.82	.550	3.94	.860	36.5	54.6
13	1.25	2.72	3.72	23.4	30.3	12.7	1.82	.550	3.24	.860	38.3	44.3
14	1.12	2.20	3.24	19.8	26.8	11.1	1.63	.500	2.46	.990	68.0	36.5
15	1.12	2.46	2.98	18.3	23.4	9.58	1.63	.550	2.20	4.38	71.0	30.3
16	.990	12.2	2.98	18.3	21.2	8.66	1.44	.500	2.20	3.94	57.2	26.0
17	.550	11.6	2.98	18.3	19.0	7.81	1.44	.600	2.01	65.0	45.4	28.6
18	.990	15.0	4.60	20.5	17.6	7.42	1.25	.600	1.82	100	35.6	111
19	.860	13.9	7.42	26.0	16.1	7.03	1.25	1.12	1.63	80.0	39.2	102
20	.730	13.3	8.20	28.6	15.0	6.64	1.12	.990	1.63	66.5	41.0	81.7
21	.730	12.7	8.20	30.3	13.9	5.92	1.12	.990	1.44	49.8	35.6	62.4
22	.600	11.6	7.03	30.3	10.5	5.59	.990	.860	1.25	33.8	41.0	48.7
23	.600	10.0	5.59	30.3	11.6	4.93	1.12	.860	1.25	21.9	46.5	37.4
24	1.12	8.66	7.81	31.1	11.1	4.60	1.25	1.25	1.12	15.0	36.5	31.1
25	2.72	7.42	77.0	59.8	11.1	4.38	.990	1.12	.990	10.5	28.6	26.0
26	2.98	6.25	49.8	71.0	10.0	4.16	.990	.990	.990	8.20	22.7	21.9
27	9.12	4.93	35.6	72.5	9.58	3.94	.990	.860	.990	7.03	19.0	18.3
28	5.59	6.25	30.3	59.8	9.58	3.72	.990	.730	.990	5.92	15.5	16.1
29	3.94	7.81	22.7	49.8	10.5	3.50	.990	.600	.860	7.42	13.9	15.5
30	3.50		18.3	85.1	10.0	3.50	.860	.600	.860	7.81	12.2	25.1
31	3.24		16.1		9.12		.860	.550		66.5		21.9
SD1	2.70	5.71	6.52	25.2	54.2	17.6	2.63	.681	14.6	1.31	68.9	71.7
SD2	1.07	7.99	4.42	23.6	24.0	10.2	1.54	.656	2.64	32.4	47.9	57.5
SD3	3.10	8.40	25.3	52.0	10.6	4.42	1.01	.855	1.07	21.3	27.2	29.5
MAX	9.12	15.0	77.0	85.1	74.0	32.0	3.72	1.44	43.2	106	102	120
DAT	27	18	25	30	1	8	1	24	5	31	8	18
SR	2.32	7.33	12.5	33.6	29.0	10.7	1.71	.735	6.10	18.4	48.0	52.1
MIN	.550	2.20	2.98	15.0	9.12	3.50	.860	.500	.550	.600	12.2	11.6
DAT	17	14	15	1	31	29	30	14	1	2	30	1
-----												
GMIN = .500			SRGOD= 18.5					GMAX = 120				
DATUM 14 8								DATUM 18 12				
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I      P R E G L E D      P R O T I C A J A  
1977

Broj               : 60135                      Stanica : DUKLOV MOST                      Kota "0" = 615.20  
Nacin osmat.: limnigraf                Rijeka : ZETA                                      km od usca = 12.30  
Pocetak rada: 1955                      Sliv : MORACE                                      Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	18.3	59.8	33.8	62.4	16.8	4.16	2.01	1.25	8.20	12.2	2.98	32.9
2	15.5	69.5	27.7	69.5	15.5	4.16	1.82	1.12	6.64	10.5	21.2	31.1
3	13.3	59.8	23.4	81.7	15.0	3.94	1.82	.990	5.92	13.3	26.0	46.5
4	12.2	47.6	20.5	78.5	14.4	3.72	1.63	.860	5.26	16.8	18.3	38.3
5	12.7	35.6	17.6	69.5	13.9	3.72	1.63	.730	4.38	15.0	13.3	32.0
6	12.7	27.7	15.5	61.1	13.3	3.72	1.63	.600	3.94	12.2	10.0	26.0
7	12.7	22.7	15.0	53.3	12.2	3.50	1.44	.550	3.50	10.5	8.20	23.4
8	12.2	18.3	14.4	47.6	11.1	3.50	1.44	.500	2.98	9.12	6.64	20.5
9	11.1	16.1	13.9	44.3	10.0	3.24	1.44	.500	2.46	7.81	5.59	19.0
10	10.0	15.0	15.0	42.1	11.6	3.24	1.25	.450	2.20	12.7	4.93	43.2
11	9.58	34.7	15.5	39.2	13.3	1.44	1.25	.450	2.01	68.0	4.16	46.5
12	45.4	81.7	15.5	34.7	12.7	3.50	1.25	.400	1.82	113	3.72	39.2
13	95.3	95.3	62.4	30.3	11.6	4.93	1.12	.450	1.63	90.2	3.50	32.0
14	75.5	95.3	91.9	27.7	10.5	4.60	1.12	.500	1.25	72.5	4.93	24.3
15	54.6	91.9	77.0	27.7	10.0	3.94	1.12	.450	.990	52.0	12.7	19.8
16	46.5	74.0	61.1	28.6	10.5	3.50	.990	.400	.990	38.3	16.1	16.1
17	37.4	61.1	47.6	28.6	10.5	3.24	.990	.350	.990	27.7	48.7	13.9
18	28.6	48.7	35.6	29.4	10.0	2.98	.990	.400	1.25	20.5	57.2	12.7
19	21.2	39.2	30.3	29.4	9.58	2.72	.860	.400	1.82	16.1	50.9	11.6
20	16.8	32.0	30.3	28.6	9.58	2.72	.860	.400	26.8	13.9	40.1	10.0
21	14.4	34.7	100	27.7	9.12	2.72	.860	.400	116	12.2	32.0	8.66
22	12.2	48.7	116	24.3	8.20	2.72	.860	29.4	80.0	10.0	47.6	7.42
23	10.5	62.4	100	21.9	7.81	2.46	.860	47.6	61.1	8.66	104	6.25
24	10.0	63.7	90.2	19.8	7.03	2.20	.730	37.4	58.5	7.42	86.8	5.59
25	12.2	57.2	77.0	19.8	6.64	2.20	.730	33.8	45.4	6.64	72.5	4.93
26	15.0	49.8	59.8	18.3	5.92	2.20	.730	32.0	34.7	5.59	72.5	4.93
27	26.8	46.5	47.6	16.8	5.59	2.20	.860	29.4	26.8	4.93	77.0	4.38
28	53.3	40.1	42.1	16.1	5.59	2.20	.730	25.1	21.2	4.38	63.7	3.94
29	45.4		38.3	16.1	4.93	2.20	.730	19.8	16.8	3.72	52.0	3.94
30	58.5		43.2	16.8	4.60	2.01	.600	13.9	13.9	3.50	40.1	52.0
31	57.2		50.9		4.38		.600	10.0		2.98		74.0
SD1	13.1	37.2	19.7	61.0	13.4	3.69	1.61	.755	4.55	12.0	11.7	31.3
SD2	43.1	65.4	46.7	30.4	10.8	3.36	1.05	.420	3.95	51.2	24.2	22.6
SD3	28.7	50.4	69.6	19.8	6.35	2.31	.754	25.3	47.4	6.37	64.8	16.0
MAX	100	100	116	81.7	16.8	5.26	2.01	81.7	127	146	111	74.0
DAT	13	12	22	3	1	13	1	22	21	12	23	31
SR	28.3	51.0	46.1	37.1	10.1	3.12	1.13	9.37	18.6	22.7	33.6	23.1
MIN	9.58	15.0	13.9	16.1	4.38	1.44	.600	.350	.990	2.98	2.98	3.94
DAT	11	10	9	28	31	11	30	17	15	31	1	28
-----												
GMIN = .350			SRGOD= 23.5					GMAX = 146				
DATUM 17 8								DATUM 12 10				
-----												



## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I      P R E G L E D      P R O T I C A J A  
1978

Broj           : 60135                      Stanica : DUKLOV MOST                      Kota "0" = 615.20  
Nacin osmat.: limnigraf                Rijeka : ZETA                                km od usca = 12.30  
Pocetak rada: 1955                      Sliv : MORACE                                Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	62.4	35.6	102	21.9	69.5	28.6	5.92	2.01	.730	57.2	2.46	19.0
2	47.6	28.6	97.0	21.2	72.5	26.0	5.26	2.01	.600	116	2.20	11.6
3	35.6	19.0	85.1	20.5	85.1	23.4	4.93	2.01	.600	109	2.01	8.66
4	28.6	13.9	72.5	20.5	81.7	21.9	4.60	1.82	.550	91.9	1.82	7.03
5	19.8	11.6	58.5	24.3	72.5	20.5	4.60	1.82	.550	80.0	1.82	5.92
6	16.1	10.5	52.0	25.1	62.4	19.8	4.38	1.82	.990	65.0	1.63	4.60
7	13.3	8.66	47.6	25.1	65.0	16.8	4.38	1.82	6.25	52.0	1.63	3.94
8	11.6	7.81	45.4	29.4	78.5	15.5	4.16	1.82	8.66	39.2	1.44	3.50
9	9.58	7.03	41.0	55.9	74.0	15.0	3.94	1.82	5.59	31.1	1.25	2.98
10	8.66	5.92	34.7	58.5	66.5	13.9	3.72	1.63	3.50	25.1	1.12	2.46
11	7.42	11.6	29.4	55.9	61.1	12.7	3.72	1.63	2.46	19.8	1.12	2.20
12	7.03	47.6	26.0	53.3	55.9	12.2	3.50	1.63	2.20	16.8	.990	2.20
13	8.66	88.5	22.7	57.2	49.8	11.1	3.50	1.63	6.25	14.4	.990	7.42
14	10.5	129	19.8	98.8	74.0	10.5	3.24	1.44	8.20	12.7	.990	41.0
15	9.58	116	20.5	109	80.0	10.0	3.24	1.63	5.92	11.1	.860	62.4
16	8.66	86.8	36.5	124	66.5	13.3	3.24	1.44	4.38	9.12	.860	52.0
17	17.6	63.7	38.3	113	55.9	14.4	2.98	1.44	3.50	8.20	.860	77.0
18	37.4	47.6	85.1	93.6	46.5	12.2	2.98	1.25	2.72	7.42	.730	80.0
19	35.6	41.0	85.1	72.5	40.1	10.5	2.98	1.25	2.20	6.25	.860	69.5
20	26.0	61.1	66.5	57.2	36.5	9.58	2.98	1.25	2.20	5.59	.730	80.0
21	19.8	72.5	58.5	46.5	34.7	8.66	2.98	1.12	2.01	5.92	.600	72.5
22	16.1	59.8	54.6	40.1	34.7	7.81	2.72	1.12	1.82	6.64	.600	58.5
23	13.9	46.5	43.2	37.4	88.5	7.81	2.72	1.12	1.82	6.25	.600	46.5
24	12.2	37.4	35.6	36.5	95.3	7.03	2.46	1.12	1.63	5.26	.550	38.3
25	12.2	32.0	30.3	34.7	86.8	6.64	2.46	.990	1.63	4.60	.550	31.1
26	14.4	48.7	28.6	52.0	74.0	6.25	2.46	.990	1.44	4.38	.550	26.8
27	12.7	90.2	27.7	72.5	61.1	6.25	2.20	.860	1.25	3.94	2.20	18.3
28	11.6	95.3	26.0	86.8	49.8	6.64	2.20	.860	3.72	3.72	33.8	23.4
29	21.2		23.4	91.9	42.1	7.03	2.20	.730	32.0	3.24	38.3	29.4
30	78.5		22.7	81.7	35.6	6.64	2.20	.730	26.8	2.98	26.8	35.6
31	55.9		22.7		31.1		2.01	.600		2.72		42.1
SD1	25.3	14.9	63.6	30.2	72.8	20.1	4.59	1.86	2.80	66.6	1.74	6.97
SD2	16.8	69.3	43.0	83.4	56.6	11.6	3.24	1.46	4.00	11.1	.899	47.4
SD3	24.4	60.3	33.9	58.0	57.6	7.08	2.42	.931	7.41	4.51	10.5	38.4
MAX	90.2	167	106	125	102	30.3	6.25	2.20	35.6	122	41.0	86.8
DAT	30	14	1	16	23	1	1	1	29	2	29	17
SR	22.3	47.3	46.4	57.2	62.2	13.0	3.38	1.40	4.74	26.7	4.36	31.2
MIN	7.03	5.92	19.8	20.5	31.1	6.25	2.01	.600	.550	2.72	.550	2.20
DAT	12	10	14	3	31	26	31	31	4	31	24	11
		GMIN =	.550			SRGOD=	26.6			GMAX =	167	
		DATUM	4 9							DATUM	14 2	

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
1979

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
 Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
 Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	68.0	100	14.4	63.7	106	10.0	7.03	2.46	3.24	2.98	77.0	23.4
2	65.0	81.7	13.3	55.9	91.9	9.12	7.03	2.20	2.98	3.50	59.8	19.8
3	54.6	59.8	12.7	46.5	72.5	8.66	9.12	2.20	2.72	2.98	43.2	17.6
4	42.1	63.7	12.2	39.2	58.5	8.20	15.0	2.20	2.72	2.46	31.1	15.5
5	32.9	75.5	12.2	36.5	48.7	7.81	21.2	2.01	2.46	2.20	23.4	13.9
6	26.0	66.5	11.6	80.0	43.2	7.42	18.3	1.82	2.20	4.60	43.2	12.7
7	21.2	58.5	11.1	88.5	37.4	6.64	14.4	1.82	2.20	25.1	49.8	11.6
8	17.6	48.7	10.0	74.0	38.3	6.25	11.6	1.63	1.82	22.7	40.1	10.5
9	15.0	38.3	9.58	58.5	38.3	5.92	10.0	1.63	1.82	14.4	29.4	9.58
10	18.3	33.8	9.58	46.5	36.5	5.59	8.66	1.82	1.63	10.0	23.4	9.12
11	39.2	42.1	9.12	40.1	33.8	5.26	7.42	1.82	1.63	7.42	45.4	8.66
12	81.7	44.3	8.20	35.6	31.1	5.26	6.64	1.82	1.44	5.59	77.0	27.7
13	53.3	63.7	7.42	32.0	28.6	5.92	5.92	1.82	1.25	12.7	75.5	36.5
14	36.5	100	7.03	29.4	26.0	5.59	5.59	1.63	1.25	40.1	63.7	27.7
15	26.8	106	7.42	27.7	23.4	4.93	5.26	1.63	1.12	32.9	83.4	21.9
16	21.2	125	10.5	26.0	21.9	7.42	4.60	1.44	1.12	27.7	133	22.7
17	16.8	111	26.8	26.0	20.5	23.4	4.38	1.44	.990	21.2	163	26.8
18	13.9	93.6	28.6	27.7	19.0	61.1	4.16	1.44	.990	16.1	177	21.9
19	12.2	77.0	29.4	32.9	18.3	58.5	3.94	2.72	.860	17.6	163	19.0
20	10.0	61.1	33.8	32.0	17.6	44.3	3.72	12.7	.860	16.1	150	20.5
21	8.66	48.7	32.9	27.7	16.8	31.1	3.50	18.3	.730	13.9	134	62.4
22	7.42	39.2	32.9	24.3	17.6	22.7	3.50	15.5	.730	11.1	122	71.0
23	6.64	32.9	27.7	21.2	16.8	18.3	3.24	12.2	.860	9.58	109	69.5
24	7.42	27.7	26.0	19.0	16.1	15.5	3.24	9.12	6.64	7.81	97.0	63.7
25	30.3	23.4	22.7	21.9	16.8	13.3	2.98	7.42	24.3	6.64	77.0	53.3
26	86.8	20.5	20.5	136	15.5	11.6	2.98	5.92	14.4	5.92	59.8	44.3
27	74.0	18.3	32.9	181	14.4	10.5	2.98	5.26	8.20	4.93	49.8	34.7
28	62.4	16.1	90.2	152	13.3	9.12	2.72	4.93	4.93	4.38	42.1	26.0
29	78.5		85.1	131	12.2	8.20	2.72	4.38	3.94	14.4	34.7	23.4
30	115		80.0	116	11.1	7.42	2.46	3.94	3.24	61.1	27.7	20.5
31	113		65.0		10.5		2.46	3.72		85.1		27.7
SD1	36.1	62.7	11.7	58.9	57.1	7.56	12.2	1.98	2.38	9.09	42.0	14.4
SD2	31.2	82.4	16.8	30.9	24.0	22.2	5.16	2.85	1.15	19.7	113	23.3
SD3	53.6	28.4	46.9	83.0	14.6	14.8	2.98	8.24	6.80	20.4	75.3	45.1
MAX	116	131	91.9	272	109	66.5	21.9	21.2	28.6	90.2	179	72.5
DAT	30	16	28	27	1	18	5	20	25	31	18	22
SR	40.7	59.9	25.8	57.6	31.4	14.8	6.67	4.48	3.44	16.6	76.8	28.2
MIN	6.64	16.1	7.03	19.0	10.5	4.93	2.46	1.44	.730	2.20	23.4	8.66
DAT	23	28	14	24	31	15	30	16	21	5	5	11
-----												
GMIN = .730			SRGOD= 30.2					GMAX = 272				
DATUM 21 9								DATUM 27 4				
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
1980

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
 Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
 Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	48.7	20.5	4.16	32.0	26.0	32.0	3.94	.730	.350	.150	10.5	78.5
2	35.6	50.9	3.72	26.0	27.7	49.8	3.72	.600	.325	.150	9.12	55.9
3	27.7	42.1	3.72	25.1	30.3	49.8	3.50	.600	.325	.150	8.66	43.2
4	21.2	32.9	4.16	28.6	30.3	41.0	3.50	.600	.300	.150	13.3	34.7
5	17.6	25.1	4.38	25.1	30.3	35.6	3.24	.550	.300	.150	54.6	29.4
6	15.0	21.2	4.16	19.8	37.4	32.0	2.98	.500	.275	.150	78.5	25.1
7	13.3	23.4	4.60	16.8	48.7	26.0	2.72	.500	.275	.150	93.6	26.8
8	11.6	39.2	10.5	15.0	57.2	23.4	2.72	.500	.275	.150	77.0	32.0
9	10.0	38.3	21.2	13.9	57.2	21.9	2.46	.450	.250	.150	65.0	26.0
10	9.12	32.0	17.6	12.7	55.9	20.5	2.20	.450	.250	19.0	65.0	21.2
11	8.20	27.7	14.4	11.1	50.9	19.0	2.20	.450	.250	36.5	71.0	18.3
12	7.03	23.4	11.1	10.5	46.5	19.0	2.20	.400	.250	49.8	58.5	15.5
13	6.25	19.8	9.12	10.0	42.1	17.6	2.01	.500	.250	104	85.1	14.4
14	5.59	16.8	7.81	10.0	39.2	16.1	2.01	.450	.250	97.0	152	13.3
15	5.26	14.4	7.81	11.1	40.1	15.0	1.82	.500	.225	80.0	129	12.2
16	8.66	12.2	10.0	13.3	57.2	13.9	1.63	.500	.225	62.4	113	11.6
17	16.1	11.1	10.0	15.0	88.5	12.7	1.44	.500	.225	43.2	97.0	11.1
18	12.7	10.0	8.66	16.8	86.8	11.1	1.44	.450	.225	77.0	83.4	14.4
19	10.0	9.12	7.42	19.8	77.0	10.5	1.44	.450	.200	78.5	65.0	19.8
20	8.66	8.66	8.20	21.2	66.5	9.58	1.25	.450	.200	72.5	49.8	25.1
21	9.12	7.42	19.0	30.3	55.9	8.66	1.25	.450	.200	61.1	41.0	32.0
22	10.0	7.03	37.4	52.0	47.6	7.81	1.25	.400	.200	45.4	34.7	36.5
23	10.0	6.64	80.0	53.3	40.1	7.03	1.12	.400	.175	31.1	28.6	29.4
24	17.6	6.25	69.5	45.4	40.1	7.03	1.12	.400	.200	20.5	24.3	21.2
25	47.6	5.92	52.0	35.6	44.3	6.25	.990	.400	.225	16.8	21.2	18.3
26	69.5	5.59	41.0	34.7	41.0	5.59	.860	.350	.225	19.8	18.3	16.8
27	48.7	5.26	32.9	32.9	37.4	4.93	.990	.325	.200	25.1	18.3	16.1
28	33.8	4.93	29.4	29.4	32.0	4.60	.860	.350	.200	21.2	72.5	14.4
29	24.3	4.60	28.6	26.8	30.3	4.38	.990	.325	.200	17.6	98.8	11.6
30	19.0		30.3	26.0	28.6	3.94	.860	.325	.175	14.4	104	10.0
31	15.0		32.0		30.3		.730	.325		12.2		9.12
SD1	21.0	32.6	7.82	21.5	40.1	33.2	3.10	.548	.292	2.04	47.5	37.3
SD2	8.84	15.3	9.45	13.9	59.5	14.4	1.74	.465	.230	70.1	90.4	15.6
SD3	27.7	5.96	41.1	36.6	38.9	6.02	1.00	.368	.200	25.9	46.2	19.6
MAX	78.5	53.3	90.2	55.9	91.9	54.6	3.94	.730	.350	107	157	90.2
DAT	25	2	23	23	17	2	1	1	1	13	14	1
SR	19.4	18.4	20.2	24.0	45.9	17.9	1.92	.457	.241	32.5	61.4	24.0
MIN	5.26	4.60	3.72	10.0	26.0	3.94	.730	.325	.175	.150	8.66	9.12
DAT	15	29	2	13	1	30	31	27	23	1	3	31
		GMIN =	.150			SRGOD=	22.2			GMAX =	157	
		DATUM	1 10							DATUM	14 11	

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
1981

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
 Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
 Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	8.20	1.25	5.59	45.4	33.8	11.1	4.38	.500	.250	.730	24.3	1.82
2	7.81	1.25	4.60	46.5	29.4	10.0	4.16	.500	.250	1.25	18.3	3.72
3	7.42	1.44	5.26	45.4	26.8	9.12	3.72	.450	.275	11.6	14.4	4.60
4	7.03	2.20	59.8	42.1	26.0	9.12	3.72	.450	.225	17.6	12.2	4.16
5	10.5	3.50	71.0	37.4	33.8	8.66	3.24	.450	.225	10.5	10.0	3.72
6	9.58	17.6	52.0	32.0	44.3	7.81	3.24	.400	.250	5.92	8.66	3.24
7	8.66	10.0	37.4	30.3	40.1	7.42	2.98	.400	.250	3.24	7.42	7.03
8	7.03	6.25	31.1	30.3	32.9	6.64	2.72	.400	.225	2.20	5.92	39.2
9	6.25	4.93	26.8	29.4	30.3	6.25	2.46	.400	.250	1.63	5.26	65.0
10	5.59	5.59	23.4	28.6	27.7	5.92	2.20	.400	.250	1.25	4.60	68.0
11	4.93	6.64	28.6	28.6	26.0	5.59	2.20	.350	.275	1.12	3.94	81.7
12	4.38	30.3	30.3	26.8	27.7	5.59	2.01	.350	.275	.990	3.50	116
13	3.94	50.9	30.3	20.5	36.5	5.59	2.01	.350	.225	.860	2.72	134
14	30.3	37.4	41.0	20.5	37.4	5.26	1.82	.350	.250	.860	2.72	127
15	23.4	25.1	42.1	21.9	32.0	4.60	1.82	.350	.275	.860	2.46	116
16	13.9	16.1	40.1	22.7	28.6	4.38	1.63	.325	.250	.730	2.20	104
17	9.12	11.6	58.5	22.7	26.8	4.16	1.63	.325	.250	.730	2.01	90.2
18	7.03	9.58	52.0	25.1	26.0	7.81	1.44	.325	.250	.600	1.82	71.0
19	5.59	7.03	54.6	32.0	25.1	23.4	1.44	.325	.225	.600	1.63	78.5
20	4.93	6.25	52.0	31.1	23.4	16.8	1.44	.325	.225	.550	1.44	91.9
21	4.38	5.26	43.2	28.6	22.7	13.9	1.25	.300	.225	.550	1.44	75.5
22	3.94	5.59	45.4	26.0	21.2	12.2	1.12	.325	.225	11.1	1.25	61.1
23	3.24	13.9	32.0	24.3	21.2	10.5	1.12	.300	.200	62.4	1.25	50.9
24	2.98	11.1	30.3	23.4	19.8	9.58	.990	.300	.200	69.5	1.25	44.3
25	2.46	9.12	28.6	27.7	18.3	8.20	.860	.275	.175	62.4	1.44	69.5
26	2.20	7.81	28.6	33.8	16.8	7.42	.860	.275	.175	48.7	1.63	59.8
27	2.01	7.81	32.0	54.6	16.1	6.64	.730	.275	.175	41.0	1.82	45.4
28	1.82	6.64	37.4	62.4	15.0	6.25	.730	.250	.175	54.6	2.01	39.2
29	1.82		41.0	53.3	13.9	5.59	.600	.275	.200	53.3	2.01	30.3
30	1.63		43.2	43.2	12.7	4.93	.600	.275	.300	41.0	1.82	65.0
31	1.44		44.3		11.6		.550	.250		32.0		66.5
SD1	7.81	5.40	31.7	36.7	32.5	8.20	3.28	.435	.245	5.59	11.1	20.0
SD2	10.8	20.1	43.0	25.2	29.0	8.32	1.74	.338	.250	.790	2.44	101
SD3	2.54	8.40	36.9	37.7	17.2	8.52	.855	.282	.205	43.3	1.59	55.2
MAX	10.5	50.9	71.0	65.0	44.3	26.0	4.60	.550	.300	72.5	27.7	142
DAT	5	13	5	27	6	19	1	1	30	24	1	13
SR	6.89	11.5	37.2	33.2	25.9	8.35	1.92	.349	.233	17.4	5.05	58.7
MIN	1.44	1.25	4.60	20.5	11.6	4.16	.550	.250	.175	.550	1.25	1.82
DAT	31	1	2	13	31	17	31	28	25	20	22	1
-----												
GMIN = .175			SRGOD= 17.3			GMAX = 142						
DATUM 25 9						DATUM 13 12						
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
1982

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
 Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
 Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	54.6	2.46	2.98	88.5	8.66	2.98	.550	.350	.225	.096	4.60	6.25
2	58.5	2.01	3.24	78.5	7.42	2.72	.550	.325	.250	.100	4.16	9.12
3	57.2	1.82	3.72	66.5	7.03	2.46	.450	.300	.225	.100	3.50	13.9
4	47.6	1.63	3.94	57.2	7.03	2.20	.500	.300	.175	.100	2.98	12.2
5	36.5	1.63	3.94	49.8	7.81	2.01	.450	.300	.150	.100	2.46	9.12
6	30.3	1.44	4.93	43.2	8.20	1.82	.450	.300	.150	.200	2.20	7.42
7	32.0	1.25	6.25	36.5	8.66	1.82	.450	.350	.150	15.0	1.82	6.25
8	31.1	1.25	6.64	32.9	9.58	1.63	.450	.350	.150	77.0	1.63	5.26
9	26.0	1.12	6.64	31.1	10.0	1.63	.400	.450	.150	59.8	1.63	4.93
10	21.9	1.12	5.92	30.3	10.5	1.63	.450	.350	.150	39.2	1.44	8.66
11	19.0	1.12	6.25	29.4	10.0	1.63	.450	.350	.150	28.6	1.25	24.3
12	17.6	.990	9.12	28.6	10.5	1.44	.450	.350	.150	17.6	1.12	36.5
13	18.3	.990	8.20	27.7	10.0	1.82	.990	.325	.125	13.9	1.12	30.3
14	17.6	.860	7.03	26.8	9.58	2.20	1.63	.325	.100	11.6	2.20	37.4
15	16.1	.860	5.59	32.0	7.81	3.94	.990	.300	.100	12.7	46.5	41.0
16	14.4	.860	4.60	35.6	7.42	2.72	.730	.300	.100	17.6	52.0	33.8
17	12.7	.860	4.38	34.7	6.64	2.01	.550	.300	.100	20.5	66.5	26.0
18	11.1	.730	4.38	44.3	6.25	1.63	.550	.300	.100	17.6	75.5	52.0
19	10.0	.730	21.9	45.4	5.59	1.44	.450	.275	.100	13.9	58.5	115
20	9.12	.730	29.4	40.1	4.93	1.25	.450	.275	.100	9.58	42.1	100
21	8.20	.600	18.3	34.7	4.60	1.12	.400	.250	.098	7.03	28.6	86.8
22	7.42	.730	12.7	28.6	5.26	.990	.350	.300	.098	5.26	19.8	85.1
23	6.64	.730	9.12	24.3	5.92	.990	.350	.350	.100	4.60	14.4	100
24	5.92	.600	7.03	20.5	4.93	.860	.350	.250	.100	8.66	11.1	109
25	5.26	1.12	5.59	17.6	4.93	.730	.350	.300	.125	19.8	9.58	97.0
26	4.60	1.63	4.60	15.0	6.64	.730	.325	.300	.100	15.0	7.81	85.1
27	4.38	3.50	4.16	13.9	5.92	.730	.350	.250	.100	12.2	6.64	66.5
28	3.94	3.50	4.38	12.2	4.93	.730	.400	.300	.100	10.5	5.59	50.9
29	3.50		5.59	11.1	4.38	.730	.400	.250	.098	8.66	5.59	41.0
30	2.98		13.9	10.0	3.72	.600	.350	.225	.096	7.03	5.92	32.9
31	2.72		85.1		3.24		.325	.275		5.59		25.1
SD1	39.6	1.57	4.82	51.5	8.49	2.09	.470	.337	.177	19.2	2.64	8.31
SD2	14.6	.873	10.1	34.5	7.87	2.01	.724	.310	.113	16.4	34.7	49.6
SD3	5.05	1.55	15.5	18.8	4.95	.821	.359	.277	.102	9.48	11.5	70.9
MAX	61.1	3.72	93.6	91.9	10.5	3.94	1.63	.450	.250	77.0	81.7	120
DAT	2	27	31	1	12	15	14	9	2	8	18	19
SR	19.3	1.32	10.3	34.9	7.03	1.64	.513	.307	.130	14.8	16.3	43.8
MIN	2.72	.600	2.98	10.0	3.24	.600	.325	.225	.096	.096	1.12	4.93
DAT	31	21	1	30	31	30	26	30	30	1	12	9
-----												
GMIN = .096			SRGOD= 12.6				GMAX = 120					
DATUM 30 9									DATUM 19 12			
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I      P R E G L E D      P R O T I C A J A  
1983

Broj           : 60135                      Stanica : DUKLOV MOST                      Kota "0" = 615.20  
Nacin osmat.: limnigraf                Rijeka : ZETA                                km od usca = 12.30  
Pocetak rada: 1955                      Sliv : MORACE                                Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	20.5	8.66	2.20	42.1	15.0	4.16	1.25	.325	.300	.225	.125	19.8
2	16.8	7.81	2.01	38.3	15.0	3.94	1.12	.325	.300	.200	.325	12.2
3	14.4	5.92	2.01	46.5	17.6	3.50	.990	.325	.275	.200	.450	7.42
4	12.7	4.60	2.01	50.9	16.1	3.24	.990	.300	.275	.200	.400	4.93
5	11.1	3.94	2.20	43.2	13.9	2.98	.990	.300	.275	.200	.350	3.72
6	9.58	3.50	2.20	36.5	12.2	2.72	.860	.300	.275	.200	.350	2.72
7	7.81	7.42	2.98	30.3	11.1	2.46	.860	.300	.275	.200	.350	2.01
8	6.25	26.0	4.60	26.0	9.58	3.72	.860	.300	.250	.200	.325	1.63
9	5.92	28.6	7.42	23.4	9.58	3.94	.730	.325	.250	.200	.325	1.12
10	5.26	59.8	11.1	23.4	29.4	3.50	.730	.325	.250	.200	.300	.990
11	4.60	66.5	13.3	26.0	29.4	3.24	.600	.300	.225	.200	.275	.990
12	4.16	78.5	13.3	28.6	21.9	2.98	.600	.325	.225	.200	.250	2.46
13	3.72	55.9	11.6	41.0	16.8	2.72	.600	.325	.325	.200	.225	2.46
14	3.24	39.2	9.12	62.4	13.9	2.46	.550	.300	.300	.200	.225	2.01
15	3.24	29.4	7.42	52.0	11.1	2.20	.550	.300	.300	.200	.225	1.44
16	2.98	21.2	6.64	39.2	9.58	2.20	.550	.300	.300	.200	.200	1.12
17	2.72	16.1	6.25	32.0	8.66	2.01	.550	.300	.275	.200	.200	.990
18	2.46	12.7	5.92	26.0	7.81	2.20	.500	.300	1.63	.200	.200	69.5
19	2.46	10.0	8.20	22.7	7.03	2.20	.500	.275	3.50	.200	.175	102
20	2.46	8.20	10.0	19.8	6.25	2.20	.450	.275	.860	.250	.150	127
21	2.20	7.03	11.1	20.5	5.26	2.20	.450	.275	.450	.250	.125	133
22	2.20	5.59	12.7	21.9	4.93	2.01	.400	.275	.350	.225	.125	107
23	2.01	4.93	13.9	22.7	4.38	2.01	.400	.275	.325	.200	.125	93.6
24	1.82	4.16	19.0	21.9	4.16	2.01	.350	.250	.300	.175	.125	77.0
25	1.63	3.50	28.6	21.2	3.94	2.01	.350	.250	.300	.150	.150	57.2
26	1.63	2.98	47.6	20.5	3.94	1.82	.350	.325	.275	.150	.150	39.2
27	1.63	2.46	77.0	18.3	4.60	1.82	.350	.325	.250	.125	.175	28.6
28	1.44	2.46	77.0	17.6	5.26	1.63	.325	.325	.225	.125	11.6	21.2
29	1.44		65.0	17.6	5.26	1.44	.325	.325	.225	.100	41.0	15.5
30	1.63		49.8	16.1	4.93	1.25	.325	.300	.225	.100	31.1	12.7
31	3.94		46.5		4.60		.325	.275		.100		11.1
SD1	11.0	15.6	3.87	36.1	14.9	3.42	.938	.313	.272	.203	.330	5.65
SD2	3.20	33.8	9.17	35.0	13.2	2.44	.545	.300	.794	.205	.213	31.0
SD3	1.96	4.14	40.7	19.8	4.66	1.82	.359	.291	.292	.155	8.47	54.2
MAX	21.9	85.1	86.8	63.7	33.8	4.16	1.25	.325	3.50	.225	46.5	144
DAT	1	12	27	14	10	1	1	1	19	1	29	20
SR	5.29	18.8	18.7	30.3	10.7	2.56	.606	.301	.453	.186	3.00	31.1
MIN	1.44	2.46	2.01	16.1	3.94	1.25	.325	.250	.225	.100	.125	.990
DAT	28	27	2	30	25	30	28	24	11	29	1	10
-----												
GMIN = .100			SRGOD= 10.1					GMAX = 144				
DATUM 29 10								DATUM 20 12				
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
1984

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
 Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
 Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	9.12	14.4	20.5	37.4	15.0	25.1	2.01	.275	.150	59.8	2.72	12.2
2	7.42	14.4	31.1	26.8	21.9	21.9	2.01	.250	.125	59.8	2.46	10.5
3	6.64	16.1	29.4	52.0	27.7	19.8	1.82	.250	.100	95.3	2.20	9.12
4	6.25	16.1	27.7	90.2	30.3	18.3	1.63	.225	.100	102	2.01	7.81
5	24.3	24.3	20.5	85.1	32.0	15.5	1.44	.225	.098	80.0	1.82	6.64
6	29.4	21.9	14.4	74.0	32.9	14.4	1.44	.200	.098	59.8	1.25	5.59
7	21.9	16.8	10.5	58.5	31.1	13.9	1.44	.225	.098	65.0	.990	4.93
8	16.1	13.3	7.42	49.8	29.4	15.0	1.44	.200	.096	91.9	11.6	4.16
9	21.2	10.5	5.92	45.4	28.6	13.9	1.25	.200	.094	100	8.66	3.72
10	61.1	8.20	4.60	32.9	28.6	12.2	1.12	.200	.094	80.0	6.25	3.24
11	40.1	6.25	4.16	37.4	52.0	10.5	1.12	.225	.092	59.8	4.60	2.72
12	27.7	4.93	3.72	35.6	54.6	9.58	.990	.200	.090	45.4	3.72	2.20
13	19.0	4.16	3.50	37.4	57.2	8.66	.990	.225	.092	36.5	2.98	2.01
14	13.9	3.50	3.24	36.5	74.0	7.81	.860	.225	.092	30.3	2.46	1.82
15	10.5	2.72	2.72	36.5	63.7	7.03	.730	.225	.092	24.3	2.20	1.63
16	9.58	2.20	2.46	35.6	53.3	6.64	.730	.225	.350	21.2	4.93	1.25
17	8.66	1.82	2.46	35.6	44.3	5.92	.860	.225	7.42	17.6	17.6	1.44
18	7.42	1.44	2.46	33.8	40.1	5.59	.860	.200	24.3	15.0	106	33.8
19	6.64	1.25	3.24	31.1	35.6	5.26	.730	.175	11.6	12.7	88.5	44.3
20	13.9	1.12	4.38	27.7	32.9	4.60	.600	.150	4.93	11.1	104	42.1
21	29.4	.860	4.93	25.1	62.4	4.38	.550	.150	4.93	10.0	102	34.7
22	34.7	.730	5.59	23.4	74.0	4.16	.500	.125	17.6	9.58	83.4	26.0
23	68.0	.860	9.12	21.2	62.4	3.94	.450	.125	44.3	9.12	61.1	19.0
24	66.5	9.58	8.66	19.8	53.3	3.72	.450	.100	37.4	8.66	43.2	14.4
25	50.9	16.8	7.42	20.5	47.6	3.24	.400	.175	202	8.20	32.0	12.2
26	32.9	13.9	9.58	19.0	45.4	3.24	.400	.175	167	6.64	25.1	9.58
27	22.7	19.8	35.6	18.3	48.7	2.72	.350	.175	136	5.59	19.8	7.81
28	15.5	29.4	41.0	17.6	44.3	2.46	.325	.175	118	4.93	16.8	6.25
29	13.9	23.4	32.9	15.5	38.3	2.20	.325	.175	91.9	4.16	15.5	5.26
30	19.8		39.2	14.4	32.9	2.20	.300	.150	69.5	3.72	13.9	4.38
31	17.6		46.5		28.6		.275	.150		3.24		3.72
SD1	20.3	15.6	17.2	55.2	27.8	17.0	1.56	.225	.105	79.4	4.00	6.79
SD2	15.7	2.94	3.23	34.7	50.8	7.16	.847	.208	4.91	27.4	33.7	13.3
SD3	33.8	12.8	21.9	19.5	48.9	3.23	.393	.152	88.9	6.71	41.3	13.0
MAX	71.0	31.1	47.6	93.6	75.5	26.0	2.20	.350	242	104	115	72.5
DAT	23	28	31	4	14	1	2	7	25	9	18	18
SR	23.6	10.4	14.4	36.5	42.7	9.13	.916	.194	31.3	36.8	26.3	11.1
MIN	6.25	.730	2.46	14.4	15.0	2.20	.275	.100	.090	3.24	.990	1.25
DAT	4	22	16	30	1	29	31	24	12	31	7	16
-----												
GMIN = .090			SRGOD= 20.3					GMAX = 242				
DATUM 12 9								DATUM 25 9				
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
1985

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
 Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
 Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	3.24	18.3	2.72	18.3	21.2	3.50	.500	2.72	1.63	.300	32.0	35.6
2	2.98	15.0	2.72	19.8	16.8	3.24	.450	2.46	1.63	.325	31.1	26.8
3	2.46	12.7	7.81	21.2	15.0	2.72	.400	2.46	1.63	.325	40.1	21.2
4	2.20	11.1	22.7	25.1	22.7	2.46	.350	2.46	1.63	.325	19.8	18.3
5	2.01	9.58	21.2	29.4	31.1	2.20	.325	2.46	1.82	.325	10.0	16.1
6	1.82	8.20	18.3	31.1	32.0	2.46	.300	1.82	1.82	.325	16.1	13.9
7	1.63	6.64	16.1	35.6	35.6	2.01	.275	2.20	1.82	.325	74.0	12.7
8	1.44	5.59	15.5	44.3	48.7	1.82	.250	2.46	1.82	.325	33.8	11.1
9	1.25	4.93	14.4	45.4	47.6	1.63	.250	2.46	2.01	.400	17.6	9.12
10	1.25	12.7	13.9	45.4	50.9	1.44	.225	2.46	2.01	.500	9.12	8.20
11	1.12	93.6	19.0	47.6	46.5	1.25	.225	2.46	2.01	.550	5.59	7.81
12	.990	107	26.0	48.7	37.4	1.12	.225	2.20	2.01	.550	4.38	8.66
13	.860	85.1	26.0	46.5	32.9	.990	.200	2.20	2.01	.550	6.25	13.9
14	.600	59.8	22.7	42.1	27.7	.860	.200	2.20	2.01	.600	42.1	15.5
15	.600	42.1	28.6	34.7	24.3	.730	.175	2.20	2.01	.730	34.7	12.2
16	.600	32.0	32.9	29.4	21.2	.600	.175	2.20	1.82	.860	29.4	9.12
17	.600	23.4	42.1	27.7	19.0	.550	.150	2.20	2.01	.860	43.2	7.81
18	.600	17.6	48.7	24.3	17.6	.600	.150	2.20	1.82	.860	109	6.25
19	.600	13.3	41.0	21.9	15.5	.600	.150	.730	1.25	.860	206	5.59
20	.600	11.1	30.3	22.7	13.3	.600	.125	1.82	.990	.860	171	4.93
21	.550	8.66	26.0	22.7	11.6	.600	.100	2.01	.860	.860	165	4.16
22	.730	7.42	21.2	21.9	10.5	.550	.098	2.01	.990	.730	150	3.24
23	5.26	6.25	21.2	22.7	9.12	.550	.125	2.01	.860	.730	138	2.98
24	31.1	5.26	24.3	21.9	8.20	.550	.200	2.01	.600	.730	120	2.46
25	66.5	4.38	24.3	21.2	7.03	.500	.200	2.01	.400	.730	106	2.01
26	49.8	3.94	27.7	20.5	6.25	.500	.200	2.01	.350	.730	86.8	1.63
27	34.7	3.72	21.9	21.2	5.59	.500	.175	2.01	.300	.730	78.5	4.60
28	41.0	2.98	20.5	24.3	5.26	.500	.175	2.01	.300	.730	68.0	12.2
29	42.1		22.7	26.0	4.60	.550	.150	2.01	.300	.730	58.5	42.1
30	32.9		21.9	25.1	4.16	.500	.550	1.63	.300	.860	45.4	98.8
31	23.4		19.8		3.94		2.72	1.63		3.72		136
SD1	2.03	10.5	13.5	31.6	32.2	2.35	.333	2.40	1.78	.348	28.4	17.3
SD2	.717	48.5	31.7	34.6	25.5	.790	.177	2.04	1.79	.728	65.2	9.18
SD3	29.8	5.33	22.9	22.8	6.93	.530	.427	1.94	.526	1.03	102	28.2
MAX	72.5	111	52.0	48.7	52.0	3.50	2.98	2.98	2.01	33.8	220	150
DAT	25	12	18	12	10	1	31	1	9	31	19	31
SR	11.5	22.6	22.7	29.6	21.1	1.22	.316	2.12	1.37	.711	65.0	18.5
MIN	.550	2.98	2.72	18.3	3.94	.500	.098	.730	.300	.300	4.38	1.63
DAT	21	28	1	1	31	25	22	19	27	1	12	26
-----												
GMIN = .098			SRGOD= 16.3				GMAX = 220					
DATUM 22 7									DATUM 19 11			
-----												



## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
1986

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
 Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
 Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	136	29.4	41.0	65.0	26.0	5.26	2.46	.300	.096	.082	.350	.400
2	127	54.6	30.3	53.3	26.0	4.60	2.20	.300	.094	.082	.325	.325
3	113	39.2	90.2	45.4	25.1	4.38	2.01	.300	.092	.082	.275	.300
4	116	30.3	86.8	41.0	22.7	3.94	1.82	.300	.092	.082	.225	.300
5	107	23.4	100	37.4	21.9	3.72	1.63	.300	.090	.082	.200	.275
6	91.9	16.8	81.7	35.6	21.2	7.42	1.63	.300	.088	.082	.125	.275
7	77.0	13.3	68.0	33.8	19.0	55.9	1.25	.300	.088	.082	.100	.250
8	59.8	11.1	54.6	33.8	17.6	54.6	1.44	.300	.088	.080	.098	.225
9	47.6	9.58	46.5	33.8	16.8	48.7	1.25	.275	.086	.080	.096	.175
10	37.4	8.66	42.1	34.7	18.3	39.2	1.25	.250	.084	.080	.096	.150
11	30.3	8.20	41.0	37.4	17.6	29.4	1.12	.250	.084	.080	.094	.125
12	23.4	7.03	41.0	37.4	16.1	21.2	.990	.250	.084	.080	.092	.094
13	19.0	5.92	47.6	47.6	15.0	16.8	.860	.225	.084	.080	.092	.090
14	15.5	5.26	47.6	57.2	13.9	13.9	.730	.225	.084	.080	.094	.088
15	13.9	4.93	43.2	52.0	13.3	12.2	.730	.225	.084	.080	.092	.088
16	12.2	5.26	37.4	41.0	12.2	11.1	.730	.200	.084	.080	.092	.175
17	10.5	9.58	35.6	35.6	11.6	9.12	.730	.200	.082	.080	.092	4.93
18	9.58	153	32.0	32.0	10.5	9.58	.600	.175	.082	.080	.090	4.60
19	8.20	196	26.8	39.2	10.0	10.0	.600	.175	.082	.080	.090	2.98
20	6.64	179	21.9	57.2	9.58	9.12	.550	.150	.082	.084	.088	2.46
21	5.92	157	18.3	54.6	9.12	7.81	.550	.150	.082	.082	.088	2.01
22	5.92	134	16.1	47.6	9.12	6.64	.500	.200	.082	.082	.088	1.12
23	12.2	124	13.9	39.2	8.20	5.59	.500	.125	.082	.082	.092	.600
24	36.5	127	12.7	35.6	8.20	5.26	.450	.125	.082	.730	8.66	.450
25	80.0	104	11.6	33.8	8.20	4.60	.450	.125	.080	4.60	19.0	.325
26	55.9	77.0	23.4	32.0	8.20	4.16	.450	.125	.080	2.46	10.0	.300
27	35.6	59.8	100	30.3	7.42	3.72	.350	.100	.080	1.12	5.26	.250
28	24.3	45.4	115	28.6	7.03	3.50	.350	.100	.082	.860	2.98	.200
29	16.1		102	27.7	6.25	3.24	.350	.100	.084	.600	1.25	.175
30	12.7		90.2	26.8	5.92	2.72	.325	.098	.084	.500	.550	.150
31	12.7		77.0		5.59		.325	.096		.450		.100
SD1	91.3	23.6	64.1	41.4	21.5	22.8	1.69	.292	.090	.081	.189	.267
SD2	14.9	57.4	37.4	43.7	13.0	14.2	.764	.208	.083	.080	.092	1.56
SD3	27.1	104	52.7	35.6	7.57	4.72	.418	.122	.082	1.05	4.80	.516
MAX	138	228	115	71.0	26.0	61.1	2.46	.300	.096	5.26	21.9	6.25
DAT	1	19	28	1	1	7	1	1	1	25	24	17
SR	43.9	58.5	51.5	40.2	13.8	13.9	.941	.205	.085	.425	1.69	.774
MIN	5.92	4.93	11.6	26.8	5.59	2.72	.325	.096	.080	.080	.088	.088
DAT	21	15	25	30	31	30	30	31	25	8	20	14
-----												
GMIN = .080			SRGOD= 18.6					GMAX = 228				
DATUM 25 9								DATUM 19 2				
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
1987

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
 Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
 Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.100	57.3	12.0	87.4	25.3	31.5	7.72	1.54	.800	.500	.125	122
2	.100	45.0	11.4	54.2	24.6	26.1	6.40	1.54	.800	.425	.125	104
3	.250	36.6	21.0	46.0	24.6	23.8	6.04	1.54	.800	.425	.125	82.6
4	2.46	28.4	21.7	33.2	26.1	21.0	5.32	1.54	.800	.350	.125	66.8
5	1.82	22.4	16.2	28.4	25.3	18.9	4.96	1.54	.800	.275	.200	54.2
6	1.25	18.9	13.2	26.1	25.3	18.2	4.30	1.54	.800	.275	.200	47.0
7	.730	17.5	10.8	28.4	54.2	17.5	4.30	1.36	.700	.200	.200	41.0
8	.400	15.6	9.04	30.7	57.3	16.8	4.00	1.36	.700	.275	.200	38.3
9	.325	14.4	6.84	33.2	49.0	15.6	3.70	1.36	.700	.275	.275	47.0
10	.275	13.2	6.40	36.6	40.0	15.0	3.40	1.36	.700	.275	.275	49.0
11	.325	12.6	5.68	52.1	33.2	14.4	3.10	1.18	.700	.275	.275	43.0
12	30.3	163	4.96	56.3	30.0	13.2	3.10	1.18	.700	.600	.275	38.3
13	25.1	51.0	4.30	51.0	29.2	12.0	2.86	1.18	.700	1.36	.275	33.2
14	47.6	52.1	3.70	45.0	27.6	10.8	2.62	1.18	.700	5.68	.350	30.7
15	125	44.0	3.40	35.8	59.5	9.92	2.38	1.18	.700	2.86	6.40	74.6
16	118	39.2	2.62	30.7	82.6	9.48	2.38	1.18	.700	1.18	30.7	81.0
17	83.4	41.0	2.86	26.9	79.4	9.04	2.14	1.18	.600	.800	26.1	60.5
18	65.0	38.3	2.62	24.6	68.0	8.60	2.14	1.18	.600	.700	18.2	47.0
19	47.6	33.2	2.38	26.1	57.3	7.72	2.14	1.18	.600	.700	12.0	36.6
20	24.3	30.0	9.92	29.2	49.0	8.16	2.14	1.72	.600	1.00	9.04	30.0
21	39.2	39.2	28.4	33.2	49.0	16.8	1.90	1.36	.600	.900	8.16	24.6
22	30.7	47.0	21.7	46.0	55.3	18.9	1.90	1.18	.600	.800	9.04	21.0
23	23.8	42.0	22.4	51.0	50.0	17.5	1.90	1.00	.600	.700	8.60	16.8
24	17.5	34.0	18.2	46.0	43.0	17.5	1.72	.900	.600	.600	12.6	15.0
25	13.8	25.3	14.4	39.2	36.6	15.0	1.72	.900	.600	.500	47.0	13.8
26	11.4	18.9	13.2	35.8	31.5	12.0	1.72	.900	.600	.425	124	12.0
27	10.8	15.6	12.0	34.0	28.4	9.92	1.72	.900	.600	.350	187	10.4
28	10.8	14.4	11.4	31.5	25.3	8.60	1.72	.900	.600	.275	165	9.92
29	51.0		16.8	28.4	23.8	8.16	1.72	.900	.600	.275	149	9.04
30	95.8		97.5	26.1	23.8	7.72	1.72	.900	.600	.275	138	8.16
31	73.0		115		26.9		1.54	.800		.200		7.28
SD1	.771	26.9	12.9	40.4	35.2	20.4	5.01	1.47	.760	.328	.185	65.2
SD2	56.7	50.4	4.24	37.8	51.6	10.3	2.50	1.23	.660	1.52	10.4	47.5
SD3	34.3	29.5	33.7	37.1	35.8	13.2	1.75	.967	.600	.482	84.8	13.5
MAX	125	65.5	136	100	82.6	31.5	7.72	1.72	.800	5.68	202	131
DAT	15	12	30	1	16	1	1	20	1	14	27	1
SR	30.7	36.1	17.5	38.4	40.7	14.7	3.05	1.21	.673	.765	31.8	41.1
MIN	.100	12.6	2.38	24.6	23.8	7.72	1.54	.800	.600	.200	.125	7.28
DAT	1	11	19	18	29	19	31	31	17	7	1	31
GMIN =		.100		SRGOD=		21.3		GMAX =		202		
DATUM		1 1						DATUM		27 11		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
1988

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
 Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
 Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	6.40	57.3	7.28	66.8	39.2	13.2	4.30	.800	.700	7.72	1.72	12.6
2	5.68	43.0	7.72	58.4	36.6	26.1	4.30	.900	.700	6.84	1.72	85.8
3	5.32	30.0	6.84	49.0	34.0	27.6	3.70	.800	.700	6.40	1.72	147
4	4.96	21.7	6.04	39.2	30.7	22.4	3.70	.800	.600	5.68	1.72	127
5	4.30	30.0	5.68	36.6	27.6	18.2	3.70	.800	.600	4.96	1.54	107
6	4.00	59.5	5.68	42.0	26.9	15.0	3.70	.700	.600	4.30	1.54	94.1
7	3.70	46.0	6.04	47.0	25.3	13.2	3.40	.700	.600	4.30	1.18	74.6
8	3.40	40.0	7.72	50.0	24.6	13.2	3.10	.700	.600	4.60	1.36	59.5
9	9.04	60.5	7.72	51.0	23.1	12.6	2.86	.700	.600	10.8	1.36	48.0
10	8.60	63.0	6.40	49.0	20.3	11.4	2.62	.600	.500	10.4	1.36	35.8
11	6.84	52.1	5.68	44.0	18.9	10.4	2.14	.600	.425	9.04	1.18	28.4
12	6.40	45.0	5.32	41.0	16.8	9.92	1.90	.700	.350	7.72	1.18	23.1
13	6.04	34.9	5.32	41.0	16.2	9.04	1.72	.600	.425	6.40	1.00	17.5
14	4.60	30.7	5.32	51.0	15.0	9.04	1.72	.600	.425	6.04	.900	15.6
15	4.60	24.6	7.28	51.0	14.4	9.48	1.72	.500	55.3	4.96	.800	14.4
16	4.30	21.0	16.8	46.0	16.8	8.60	1.72	.425	187	4.00	.800	12.0
17	3.70	18.2	63.0	37.5	17.5	8.60	1.72	.425	122	3.40	.800	10.4
18	3.40	16.2	65.5	29.2	16.8	8.60	1.72	.425	89.0	3.10	.800	9.04
19	2.86	12.0	44.0	24.6	16.8	9.04	1.54	.425	64.3	2.86	.900	8.16
20	2.86	10.8	32.3	23.8	15.6	9.48	1.36	.350	47.0	2.62	1.18	9.48
21	2.62	9.48	25.3	23.8	16.2	9.92	1.18	.350	33.2	3.70	1.90	6.84
22	2.62	8.60	20.3	24.6	18.2	9.48	1.18	.275	7.72	4.96	30.7	6.04
23	3.10	7.72	52.1	26.1	20.3	8.60	1.18	4.96	25.3	5.68	38.3	5.32
24	6.04	7.28	76.2	27.6	21.0	8.16	1.18	3.40	23.1	4.96	30.0	4.60
25	6.04	12.0	64.3	34.9	17.5	7.28	1.00	2.38	20.3	4.60	22.4	4.30
26	10.8	12.0	53.2	40.0	15.0	6.84	1.00	1.72	16.2	3.70	16.2	3.70
27	21.0	9.48	51.0	41.0	12.6	6.40	.900	1.36	14.4	3.10	11.4	3.10
28	15.6	8.16	50.0	40.0	11.4	6.04	.800	1.18	12.6	2.62	8.60	2.86
29	12.0	6.84	42.0	38.3	12.0	4.96	.800	1.00	10.8	2.62	7.72	2.86
30	39.2		34.9	40.0	15.0	4.60	.800	.900	9.04	2.38	6.40	2.62
31	107		35.8		15.0		.800	.800		2.14		2.14
SD1	5.54	45.1	6.71	48.9	28.8	17.3	3.54	.750	.620	6.60	1.52	79.1
SD2	4.56	26.5	25.1	38.9	16.5	9.22	1.73	.505	56.6	5.01	.954	14.8
SD3	20.5	9.06	45.9	33.6	15.8	7.23	.984	1.67	17.3	3.68	17.4	4.03
MAX	116	66.8	81.0	71.8	40.0	30.0	4.30	8.16	229	12.6	44.0	163
DAT	31	10	24	1	1	3	1	23	15	9	22	2
SR	10.5	27.5	26.5	40.5	20.2	11.2	2.05	.996	24.8	5.05	6.61	31.7
MIN	2.62	6.84	5.32	23.8	11.4	4.60	.800	.275	.350	2.14	.800	2.14
DAT	21	29	12	20	28	30	28	22	12	31	15	31
-----												
GMIN = .275			SRGOD= 17.2					GMAX = 229				
DATUM 22 8								DATUM 15 9				
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
1989

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
 Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
 Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	2.38	.500	59.5	13.2	17.5	4.60	4.60	1.90	4.30	.900	2.62	15.0
2	2.14	.500	104	12.6	21.0	4.60	4.30	1.90	2.62	.900	2.14	13.2
3	2.14	.500	92.4	12.6	23.1	4.60	4.00	1.90	1.72	.900	2.14	11.4
4	1.90	.500	71.8	12.0	22.4	6.84	3.70	1.90	1.72	.800	1.90	9.92
5	1.90	.500	55.3	12.0	19.6	9.48	3.70	1.72	1.90	.800	2.38	9.04
6	1.72	.425	42.0	12.0	17.5	9.48	3.40	1.72	1.72	.700	6.40	8.16
7	1.72	.425	34.0	11.4	15.6	11.4	3.40	1.54	1.72	.700	111	7.28
8	1.72	.425	26.9	10.4	13.8	12.6	3.10	1.54	1.72	1.00	120	6.40
9	1.54	.425	20.3	9.92	12.6	10.8	3.10	1.54	1.54	42.0	87.4	5.68
10	1.54	.425	16.8	9.48	12.0	9.48	2.86	1.36	1.90	60.5	61.8	4.96
11	1.36	.425	15.6	9.04	10.8	8.16	2.86	1.36	11.4	99.2	47.0	4.60
12	1.36	.425	13.8	8.60	9.92	6.84	2.86	1.54	9.04	82.6	30.0	4.00
13	1.18	.350	12.6	8.60	9.48	6.40	3.10	1.54	5.68	60.5	23.1	4.00
14	1.18	.350	12.0	12.6	9.04	5.68	4.00	1.36	4.30	46.0	16.8	4.00
15	1.00	.350	12.0	15.6	8.60	5.32	4.96	1.18	3.70	33.2	13.2	4.30
16	.900	.350	11.4	16.2	8.60	5.32	5.68	1.18	3.10	23.1	12.0	8.60
17	.900	.425	11.4	21.0	8.16	4.96	6.40	1.18	2.62	16.2	9.92	10.4
18	.900	.425	13.2	74.6	7.72	4.96	5.68	1.18	2.38	13.2	9.04	10.4
19	.800	.425	15.6	70.5	8.16	4.96	4.96	1.00	2.14	11.4	8.16	9.92
20	.800	.425	16.2	55.3	8.16	4.96	4.00	1.00	2.14	9.48	6.84	12.6
21	.800	.425	18.2	42.0	7.72	4.60	3.70	.900	1.90	8.60	6.40	15.0
22	.800	.425	25.3	32.3	7.28	4.60	3.10	.900	1.90	7.28	8.16	14.4
23	.700	.425	40.0	26.9	6.84	4.30	2.86	.900	1.72	6.04	26.1	12.6
24	.700	.500	34.9	22.4	6.04	4.30	2.62	.900	1.54	4.96	33.2	10.8
25	.700	2.14	26.9	19.6	5.68	4.30	2.38	.900	1.36	4.00	79.4	9.48
26	.600	61.8	20.3	16.8	5.32	4.00	2.38	.900	1.36	4.00	52.1	8.16
27	.600	89.0	17.5	15.6	4.96	4.30	2.38	.900	1.18	3.70	38.3	7.28
28	.600	69.3	16.2	14.4	4.60	4.60	2.14	.900	1.36	3.40	29.2	6.84
29	.500		15.0	15.0	4.96	4.96	2.14	1.90	1.18	3.10	22.4	6.04
30	.500		14.4	15.6	6.04	4.96	2.14	6.04	1.00	2.86	18.2	5.32
31	.500		13.8		4.96		1.90	7.28		2.62		4.96
SD1	1.87	.463	52.3	11.6	17.5	8.39	3.62	1.70	2.09	10.9	39.8	9.10
SD2	1.04	.395	13.4	29.2	8.86	5.76	4.45	1.25	4.65	39.5	17.6	7.28
SD3	.636	28.0	22.0	22.1	5.85	4.49	2.52	2.04	1.45	4.60	31.3	9.17
MAX	2.62	100	120	89.0	23.8	13.2	6.84	7.72	11.4	99.2	174	15.6
DAT	1	27	2	18	3	8	17	31	11	10	8	1
SR	1.16	8.31	29.0	20.9	10.6	6.21	3.50	1.68	2.73	17.9	29.6	8.54
MIN	.500	.350	11.4	8.60	4.60	4.00	1.90	.900	1.00	.700	1.90	4.00
DAT	29	13	16	12	28	26	31	21	30	6	4	12
GMIN =		.350		SRGOD=		11.7		GMAX =		174		
DATUM		13 2						DATUM		8 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
1990

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	4.30	51.0	6.84	9.48	16.8	4.96	.900	.200	.090	.080	46.0	53.2
2	4.00	37.5	6.84	7.72	15.6	4.30	.800	.200	.090	.070	28.4	40.0
3	3.70	25.3	6.84	6.84	13.8	3.70	.800	.200	.090	.070	20.3	30.0
4	3.40	16.8	6.40	6.04	12.0	3.70	.800	.125	.090	.070	18.2	23.1
5	3.10	12.0	6.04	5.32	10.8	3.70	.700	.125	.090	.070	15.6	18.9
6	2.86	9.04	5.32	4.96	9.92	2.86	.700	.090	.090	.070	12.6	16.2
7	2.62	7.72	4.96	4.60	9.48	2.86	.600	.090	.090	.080	12.0	14.4
8	2.38	6.40	4.30	9.04	8.16	2.62	.600	.090	.090	21.0	9.92	12.6
9	2.38	5.68	4.00	18.9	7.72	2.62	.425	.125	.090	48.0	9.04	11.4
10	2.14	5.32	3.40	31.5	6.84	2.62	.350	.125	.090	25.3	7.28	69.3
11	1.90	4.60	3.10	37.5	6.04	2.38	.350	.125	.090	13.2	6.40	124
12	1.90	4.30	2.86	29.2	7.28	2.14	.275	.125	.080	7.72	5.68	92.4
13	1.90	4.30	2.86	22.4	7.72	2.14	.275	.090	.080	4.96	4.96	79.4
14	1.72	3.70	2.62	16.8	7.28	2.14	.350	.090	.080	3.70	4.30	70.5
15	1.72	3.70	2.62	13.8	6.84	1.90	.350	.090	.080	2.86	3.70	44.0
16	1.54	4.30	2.38	12.0	6.04	2.38	.350	.090	.080	2.14	21.7	28.2
17	1.36	5.68	2.38	11.4	6.40	2.38	.275	.090	.080	1.90	25.3	21.6
18	1.36	5.68	2.14	11.4	5.68	2.38	.275	.090	.080	1.72	18.9	17.5
19	1.18	5.32	1.90	15.6	5.32	2.62	.350	.090	.080	1.72	14.4	14.6
20	1.18	4.96	1.90	23.1	4.96	2.38	.500	.090	.080	1.54	12.0	12.8
21	1.00	4.96	1.90	60.5	4.60	2.14	.425	.090	.080	4.96	9.48	11.6
22	.900	5.32	1.90	73.0	7.28	2.14	.425	.090	.080	21.0	9.04	10.1
23	.900	5.32	2.14	79.4	6.84	2.14	.425	.090	.080	15.0	15.0	14.0
24	.900	5.32	1.90	90.7	6.04	1.72	.425	.090	.080	9.92	65.5	12.8
25	.900	4.96	1.90	77.8	4.60	1.54	.425	.090	.080	7.28	76.2	11.6
26	.900	4.60	2.38	61.8	7.28	1.54	.350	.090	.080	4.96	70.5	10.6
27	.900	4.30	13.2	47.0	7.28	1.36	.350	.090	.080	5.32	64.3	10.1
28	1.36	5.32	16.8	34.9	7.28	1.18	.350	.090	.080	6.84	85.8	10.6
29	9.04		15.6	26.1	7.28	1.00	.350	.090	.080	16.8	81.0	12.8
30	50.0		13.8	21.0	6.40	1.00	.275	.090	.080	36.6	68.0	11.6
31	56.3		10.8		5.68		.200	.090		53.2		10.6
SD1	3.09	17.7	5.49	10.4	11.1	3.39	.667	.137	.090	9.48	17.9	28.9
SD2	1.58	4.65	2.48	19.3	6.36	2.28	.335	.097	.081	4.15	11.7	50.5
SD3	11.2	5.01	7.48	57.2	6.41	1.58	.364	.090	.080	16.5	54.5	11.5
MAX	57.3	56.3	18.2	90.7	18.2	5.32	.900	.200	.090	53.2	85.8	145
DAT	31	1	28	24	1	1	1	1	1	31	28	11
SR	5.48	9.41	5.23	29.0	7.91	2.42	.452	.107	.084	10.3	28.0	29.7
MIN	.900	3.70	1.90	4.60	4.60	1.00	.200	.090	.080	.070	3.70	10.1
DAT	22	14	19	7	21	29	31	6	12	2	15	22
		GMIN =	.070			SRGOD=	10.6			GMAX =	145	
		DATUM	2 10							DATUM	11 12	

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
1991

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
 Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
 Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	5.92	1.38	12.8	12.8	24.4	12.8	3.04	1.38	.370	1.21	4.93	44.6
2	9.10	1.70	17.5	11.6	21.6	11.1	2.77	1.38	.340	1.21	4.12	35.8
3	12.8	1.22	16.9	10.1	18.9	10.6	2.77	1.38	.340	1.21	3.58	29.0
4	11.1	1.06	18.2	9.10	20.3	10.1	2.77	1.38	.340	1.21	3.31	23.7
5	9.60	.900	15.7	8.68	23.7	9.60	2.50	1.22	.340	1.21	5.92	19.6
6	8.26	.900	13.4	9.10	21.6	9.10	2.50	1.22	.310	1.88	65.5	16.3
7	7.84	.900	11.6	10.6	19.6	8.26	2.34	1.22	.310	1.88	47.5	14.6
8	7.84	1.22	12.8	12.2	25.9	19.6	2.34	1.06	.280	2.71	36.8	13.4
9	7.42	11.6	18.2	14.0	31.2	67.0	2.18	1.06	.280	3.69	24.4	11.1
10	7.84	10.6	19.6	12.8	28.2	55.9	2.02	.900	.280	.160	18.2	9.10
11	8.26	18.9	21.0	11.1	28.2	41.6	2.02	.900	.310	.100	14.6	8.26
12	8.26	120	20.3	9.60	27.4	29.0	1.70	.800	.340	.160	13.4	7.00
13	8.26	62.6	18.2	8.68	25.2	21.6	1.54	.700	.310	.340	12.2	6.64
14	8.26	33.9	15.1	8.26	23.0	17.5	1.54	.700	.310	17.5	13.4	5.92
15	7.84	21.0	14.0	7.42	22.3	14.6	1.86	.700	.310	29.7	140	5.20
16	7.00	14.6	12.8	7.42	17.5	12.8	1.70	.700	.280	21.6	122	4.93
17	6.28	10.6	13.4	7.84	32.0	11.1	1.54	.700	.250	29.7	170	4.66
18	5.20	7.84	11.6	11.6	46.5	9.60	1.54	.600	.280	20.3	147	4.39
19	4.66	6.64	10.6	35.8	49.5	8.68	1.54	.600	.280	17.5	126	4.12
20	4.12	6.64	10.1	42.6	39.7	7.42	1.54	.500	.280	20.3	111	3.31
21	3.31	8.26	11.1	41.6	27.4	6.64	1.54	.500	.250	71.4	133	2.77
22	3.04	9.10	12.8	32.0	23.0	5.92	1.38	.500	.250	83.4	170	2.50
23	2.77	10.1	15.7	25.2	21.0	5.20	1.22	.500	.220	77.3	142	2.34
24	2.50	12.2	16.9	21.0	20.3	4.66	1.22	.500	3.69	57.0	128	2.18
25	2.18	11.6	18.2	18.9	23.0	4.39	1.22	.400	1.88	41.6	133	2.02
26	2.02	11.6	20.3	16.9	22.3	4.12	1.22	.370	1.88	26.7	122	1.86
27	1.86	10.1	21.6	18.2	18.9	3.85	1.22	.370	1.88	15.7	103	1.70
28	1.70	9.60	18.9	30.5	17.5	3.58	1.38	.370	2.71	11.6	84.9	1.54
29	1.54		15.7	30.5	15.7	3.31	1.38	.370	2.71	8.68	67.0	1.54
30	1.54		14.0	27.4	14.6	3.31	1.38	.370	1.21	7.00	53.7	1.38
31	1.54		13.4		13.4		1.38	.370		6.28		1.22
SD1	8.77	3.15	15.7	11.1	23.5	21.4	2.52	1.22	.319	1.64	21.4	21.7
SD2	6.81	30.3	14.7	15.0	31.1	17.4	1.65	.690	.295	15.7	87.0	5.44
SD3	2.18	10.3	16.2	26.2	19.7	4.50	1.32	.420	1.67	37.0	114	1.91
MAX	13.4	120	22.3	44.6	49.5	71.4	3.31	1.38	.370	83.4	176	48.5
DAT	3	12	27	20	19	9	1	1	1	22	17	1
SR	5.80	14.9	15.6	17.5	24.6	14.4	1.82	.765	.761	18.7	74.0	9.44
MIN	1.54	.900	10.1	7.42	13.4	3.31	1.22	.370	.220	.100	3.31	1.22
DAT	29	5	20	15	31	29	23	26	23	11	4	31
-----												
GMIN = .100			SRGOD= 16.4					GMAX = 176				
DATUM 11 10								DATUM 17 11				
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
1992

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
 Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
 Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.22	.800	.800	14.0	15.1	4.39	2.34	1.06	.340	.220	21.0	10.6
2	1.06	.800	.800	27.4	13.4	4.12	2.18	1.06	.310	.220	18.2	9.60
3	1.06	.700	.900	34.9	12.8	3.58	2.18	1.06	.310	.220	15.1	8.68
4	1.06	.700	1.38	34.9	11.1	3.04	2.02	.900	.310	.280	13.4	10.6
5	.900	.700	1.38	35.8	9.60	2.77	1.86	.900	.310	.280	11.6	18.9
6	.900	.600	1.70	33.0	8.68	2.50	1.86	.900	.310	2.50	9.60	62.6
7	.800	.600	1.70	41.6	8.26	2.18	2.34	.900	.280	23.0	8.68	77.3
8	.800	.600	1.70	44.6	7.42	2.18	2.77	.900	.280	21.6	7.84	60.4
9	.800	.700	1.54	40.6	7.00	2.18	4.39	.900	.250	15.7	7.00	61.5
10	.800	.700	1.38	33.0	6.28	2.02	3.58	.800	.250	9.10	6.28	57.0
11	.800	.600	1.22	29.0	5.92	2.02	3.04	.700	.250	5.56	5.56	46.5
12	.700	.700	1.06	24.4	5.20	3.31	2.50	.700	.250	11.6	5.20	35.8
13	.700	.700	1.06	18.9	4.93	10.6	3.85	.700	.250	11.1	11.1	29.0
14	.700	.800	.900	16.3	4.39	18.9	6.28	.700	.250	7.00	15.7	23.0
15	.700	1.06	.900	14.0	4.12	18.9	5.92	.700	.250	5.56	15.7	19.6
16	.700	1.70	1.38	13.4	3.85	14.0	4.93	.700	.250	15.1	12.8	17.5
17	.700	3.31	2.18	28.2	3.58	11.1	3.85	.600	.250	37.8	41.6	15.7
18	.700	5.20	2.02	69.9	3.04	9.60	3.58	.600	.250	237	144	14.0
19	.600	4.39	1.86	53.7	3.04	8.68	3.04	.600	.250	176	124	12.8
20	.600	3.31	1.54	37.8	2.77	7.42	2.34	.600	.250	115	110	10.6
21	.600	2.50	1.38	29.0	2.50	6.28	2.02	.600	.220	80.3	96.0	9.10
22	.600	2.02	1.06	23.7	2.50	5.20	1.86	.600	.220	64.1	83.4	8.68
23	.600	1.70	.900	19.6	2.50	4.66	1.86	.600	.220	55.9	64.1	7.84
24	.600	1.38	3.85	17.5	2.34	4.39	1.70	.600	.220	55.9	43.6	7.00
25	.600	1.06	24.4	18.9	2.34	3.85	1.54	.500	.220	60.4	29.0	5.92
26	.700	.900	29.0	18.2	2.18	3.58	1.38	.500	.220	51.5	20.3	5.56
27	.800	.800	31.2	18.2	2.18	3.31	1.22	.400	.220	43.6	16.9	5.20
28	.900	.800	30.5	17.5	2.02	3.04	1.22	.400	.220	38.7	14.6	4.66
29	.900	.800	23.0	16.9	2.02	2.50	1.22	.400	.220	33.9	13.4	4.39
30	.900		16.9	15.7	2.02	2.34	1.06	.400	.250	29.7	11.6	4.12
31	.800		14.6		2.77		1.06	.370		25.2		3.58
SD1	.940	.690	1.33	34.0	9.96	2.90	2.55	.938	.295	7.31	11.9	37.7
SD2	.690	2.18	1.41	30.6	4.08	10.5	3.93	.660	.250	62.2	48.6	22.5
SD3	.727	1.33	16.1	19.5	2.31	3.91	1.47	.488	.223	49.0	39.3	6.00
MAX	1.22	5.56	33.0	75.8	15.1	21.6	6.64	1.06	.340	286	151	87.9
DAT	1	18	27	18	1	14	14	1	1	18	18	6
SR	.784	1.40	6.59	28.0	5.35	5.75	2.61	.689	.256	39.8	33.2	21.5
MIN	.600	.600	.800	13.4	2.02	2.02	1.06	.370	.220	.220	5.20	3.58
DAT	19	6	1	16	28	10	30	31	21	1	12	31
-----												
GMIN = .220			SRGOD= 12.2					GMAX = 286				
DATUM 21 9								DATUM 18 10				
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
1993

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
 Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
 Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	3.04	.370	.280	7.42	6.28	1.54	.340	.250	.160	3.58	3.04	18.9
2	3.04	.370	.310	7.00	5.56	1.54	.310	.250	.160	2.02	2.50	18.9
3	2.77	.370	.370	11.6	4.93	1.38	.310	.250	.160	31.2	2.34	19.6
4	2.50	.370	.500	24.4	4.39	1.38	.310	.250	.160	80.3	2.18	21.0
5	2.34	.370	.600	19.6	4.39	1.38	.310	.250	.160	68.5	18.9	18.9
6	2.18	.370	.600	16.3	4.12	1.22	.310	.250	.160	51.5	83.4	16.3
7	2.02	.340	.600	15.7	3.58	1.06	.310	.250	.160	33.9	87.9	14.0
8	2.02	.340	.500	14.6	3.31	1.06	.310	.250	.190	29.0	81.9	12.8
9	1.86	.340	.500	12.8	3.04	1.06	.310	.250	.190	16.9	68.5	16.9
10	1.70	.310	.400	12.2	2.77	.900	.310	.250	.190	16.3	51.5	18.2
11	1.54	.310	.400	11.6	2.50	.800	.310	.250	.220	12.2	41.6	18.2
12	1.54	.310	.400	16.9	2.34	.800	.280	.250	.220	15.1	32.0	23.0
13	1.54	.310	.400	24.4	2.18	.700	.280	.220	.220	12.8	27.4	26.7
14	1.38	.310	.400	25.2	2.18	.600	.280	.220	.220	11.1	35.8	23.0
15	1.38	.280	.400	25.2	2.77	.600	.280	.220	.220	9.60	33.9	43.6
16	1.22	.280	.400	24.4	10.6	.600	.280	.220	.250	8.26	42.6	91.0
17	1.06	.280	.600	21.6	10.1	.500	.280	.220	.250	7.00	43.6	83.4
18	.900	.280	.800	17.5	8.26	.500	.280	.220	.250	6.28	32.0	80.3
19	.900	.280	1.06	15.1	6.64	.500	.280	.190	.220	5.56	24.4	65.5
20	.800	.280	1.38	13.4	5.56	.400	.280	.190	.220	5.20	21.0	52.6
21	.800	.250	1.54	12.8	4.66	.370	.280	.190	.220	4.93	17.5	43.6
22	.700	.250	1.38	13.4	4.39	.370	.280	.190	.220	4.93	14.6	38.7
23	.700	.250	1.38	13.4	3.85	.370	.280	.190	.220	4.12	12.8	42.6
24	.700	.250	1.38	12.2	3.04	.370	.280	.160	.220	14.6	11.6	40.6
25	.600	.250	1.38	10.6	2.77	.370	.280	.160	.220	18.2	11.1	57.0
26	.600	.280	11.1	9.60	2.50	.340	.250	.160	.220	12.8	10.6	83.4
27	.600	.280	22.3	9.10	2.18	.340	.250	.160	.220	8.68	9.60	101
28	.600	.280	15.7	8.26	2.02	.340	.250	.160	.220	10.6	9.60	86.4
29	.500		10.6	7.84	1.86	.340	.250	.160	.250	4.93	9.10	62.6
30	.500		7.84	7.00	1.70	.340	.250	.160	4.39	4.12	9.60	46.5
31	.400		7.42		1.54		.250	.160		3.58		35.8
SD1	2.35	.355	.466	14.2	4.24	1.25	.313	.250	.169	33.3	40.2	17.5
SD2	1.23	.292	.624	19.5	5.31	.600	.283	.220	.229	9.31	33.4	50.7
SD3	.609	.261	7.46	10.4	2.77	.355	.264	.168	.640	8.32	11.6	58.0
MAX	3.31	.370	24.4	25.9	6.28	1.54	.340	.250	47.0	83.4	92.5	94.3
DAT	1	1	27	13	1	1	1	1	47	4	6	16
SR	1.37	.306	3.00	14.7	4.06	.736	.286	.211	.346	16.7	28.4	42.6
MIN	.400	.250	.280	7.00	1.54	.340	.250	.160	.160	2.02	2.18	12.8
DAT	31	21	1	2	31	26	26	24	1	2	4	8
GMIN =		.160		SRGOD=		9.45		GMAX =		94.3		
DATUM		24 8						DATUM		16 12		



## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
1994

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
 Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
 Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	29.0	7.42	15.1	10.1	23.0	5.56	2.18	1.06	.340	.280	11.1	.900
2	23.7	6.64	13.4	11.1	21.0	5.20	2.18	1.06	.340	.280	7.42	.800
3	20.3	6.28	14.0	23.0	18.9	4.93	2.18	1.06	.340	.280	3.58	.800
4	17.5	5.92	14.0	14.0	17.5	4.66	2.02	1.06	.400	.280	2.50	.700
5	25.9	5.56	13.4	16.3	16.3	4.39	2.02	1.06	.400	.280	2.02	.600
6	27.4	5.20	11.6	17.5	15.7	4.39	2.02	.900	.370	.280	1.54	.600
7	41.6	5.20	10.1	25.9	15.7	4.12	2.02	.900	.340	.280	1.38	.600
8	43.6	4.93	9.60	25.2	15.1	3.85	2.02	.900	.340	.280	1.22	.500
9	46.5	4.93	9.10	23.7	13.4	3.58	2.02	.800	.340	.280	1.06	.400
10	47.5	4.93	9.10	32.0	12.8	3.58	2.02	.800	.340	.280	1.06	.400
11	39.7	4.93	9.60	96.0	12.2	3.31	1.86	.700	.340	.280	6.28	.400
12	33.9	4.93	10.1	157	11.6	3.31	1.86	.700	.310	.250	29.0	.370
13	29.0	4.66	11.6	149	11.6	3.31	1.86	.700	.280	.250	24.4	.370
14	24.4	4.39	12.8	131	11.1	3.31	1.86	.700	.280	.250	16.9	.370
15	19.6	3.85	15.7	115	11.1	3.58	1.70	.600	.310	.250	11.6	.370
16	17.5	3.58	16.3	99.5	10.6	3.58	1.70	.600	.340	.250	7.84	.340
17	31.2	3.04	16.9	91.0	10.6	3.31	1.54	.600	.340	.250	5.56	.340
18	32.0	10.1	15.7	108	9.10	3.31	1.54	.600	.340	.220	4.66	.340
19	31.2	23.0	14.0	103	11.6	3.31	1.38	.600	.310	.220	4.12	.340
20	25.2	22.3	12.2	87.9	14.6	3.04	1.38	.500	.340	.220	3.31	.340
21	28.2	18.9	11.1	72.9	14.0	3.04	1.38	.500	.370	.220	2.77	.340
22	28.2	16.3	11.1	59.3	12.8	3.04	1.38	.400	.400	.220	2.34	.340
23	23.7	15.1	11.1	50.5	11.6	2.77	1.38	.400	.500	.220	2.18	.340
24	19.6	14.0	11.6	44.6	9.60	2.50	1.38	.400	.500	.250	2.02	.340
25	16.3	18.9	11.6	37.8	8.68	2.50	1.38	.400	.370	.400	1.70	.600
26	14.6	25.9	13.4	33.9	8.68	2.50	1.38	.400	.340	.370	1.54	.900
27	12.8	20.3	14.0	30.5	8.26	2.50	1.22	.400	.340	.340	1.38	1.38
28	11.1	17.5	12.2	28.2	7.84	2.34	1.22	.370	.310	.310	1.22	1.70
29	10.1		11.6	26.7	7.00	2.18	1.22	.370	.310	2.18	1.06	1.54
30	8.68		10.6	24.4	6.28	2.34	1.22	.370	.310	14.0	.900	1.38
31	7.84		10.1		6.28		1.22	.340		12.8		2.02
SD1	32.3	5.70	11.9	19.9	16.9	4.43	2.07	.960	.355	.280	3.29	.630
SD2	28.4	8.48	13.5	114	11.4	3.34	1.67	.630	.319	.244	11.4	.358
SD3	16.5	18.4	11.7	40.9	9.18	2.57	1.31	.395	.375	2.85	1.71	.989
MAX	47.5	25.9	16.9	168	25.2	5.56	2.18	1.06	.500	15.1	30.5	13.4
DAT	10	26	17	12	1	1	1	1	23	30	12	31
SR	25.4	10.3	12.3	58.2	12.4	3.44	1.67	.653	.350	1.18	5.46	.670
MIN	7.84	3.04	9.10	10.1	6.28	2.18	1.22	.340	.280	.220	.900	.340
DAT	31	17	9	1	30	29	27	31	13	18	30	16
-----												
GMIN = .220			SRGOD= 10.9					GMAX = 168				
DATUM 18 10								DATUM 12 4				
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
1995

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
 Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
 Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	25.2	30.5	47.5	21.6	20.3	12.8	4.66	7.84	12.8	10.6	1.06	19.6
2	69.9	22.3	37.8	18.2	18.9	25.9	4.39	7.00	11.6	9.10	1.06	15.1
3	67.0	16.3	32.0	18.9	18.9	30.5	4.12	6.28	11.6	8.26	1.22	11.6
4	51.5	13.4	37.8	25.2	17.5	21.6	3.85	5.56	11.6	7.42	1.06	9.60
5	36.8	10.6	69.9	27.4	16.9	18.9	3.85	4.93	11.6	6.64	1.06	8.26
6	25.9	9.10	72.9	27.4	16.3	17.5	3.85	4.39	53.7	5.92	.900	8.26
7	18.9	7.84	55.9	25.9	15.7	16.3	3.58	3.85	60.4	5.20	.800	8.26
8	13.4	6.64	41.6	24.4	15.1	15.1	3.58	3.58	43.6	4.66	.800	11.1
9	10.6	6.28	33.9	21.6	14.6	14.0	3.58	3.31	58.2	4.39	.800	11.1
10	8.68	15.1	29.0	20.3	14.0	12.8	3.31	3.04	47.5	3.85	.700	7.42
11	7.84	16.9	27.4	18.9	12.8	11.6	3.31	2.77	38.7	3.85	.700	6.28
12	6.64	14.0	24.4	17.5	27.4	25.9	3.31	2.77	29.7	3.31	.700	5.56
13	5.56	11.1	21.6	16.3	33.9	29.0	3.31	2.50	23.7	3.04	.600	5.56
14	5.20	10.1	20.3	15.1	86.4	24.4	3.31	2.50	21.0	2.77	.600	8.26
15	4.12	9.10	16.9	12.8	99.5	20.3	3.04	2.34	42.6	2.77	.700	12.2
16	3.58	8.26	15.1	11.6	74.4	17.5	3.04	2.34	49.5	2.50	.700	7.84
17	3.04	8.68	14.0	10.6	62.6	15.1	3.04	2.34	37.8	2.34	.900	15.1
18	2.77	9.10	15.7	10.1	55.9	14.0	3.04	2.18	38.7	2.18	21.0	23.0
19	2.50	41.6	16.9	9.60	43.6	12.8	2.77	2.18	33.9	2.02	28.2	21.6
20	2.34	49.5	17.5	9.10	30.5	11.6	2.77	2.18	65.5	2.02	20.3	16.3
21	2.18	37.8	24.4	8.68	29.0	11.1	2.77	2.02	84.9	1.86	14.0	15.1
22	2.02	26.7	25.9	8.26	25.9	10.6	2.77	1.86	59.3	1.86	10.1	14.0
23	2.02	20.3	22.3	7.84	24.4	10.1	2.50	1.70	45.6	1.70	7.84	12.8
24	5.56	19.6	18.2	7.84	21.6	9.10	2.50	1.70	44.6	1.54	6.28	69.9
25	23.0	36.8	15.7	16.3	18.9	7.84	2.50	1.54	29.0	1.38	5.20	80.3
26	16.9	49.5	13.4	20.3	17.5	7.00	2.50	1.54	23.7	1.38	4.39	103
27	21.6	65.5	12.2	23.7	16.3	6.28	2.34	1.38	18.9	1.22	4.93	161
28	35.8	58.2	20.3	23.0	15.1	5.92	2.34	23.0	15.7	1.22	22.3	195
29	26.7		35.8	21.6	14.0	5.56	2.34	20.3	14.6	1.22	29.7	135
30	19.6		33.0	20.3	13.4	4.93	2.34	16.3	12.2	1.06	26.7	96.0
31	27.4		25.9		13.4		2.34	14.0		1.06		77.3
SD1	32.8	13.8	45.8	23.1	16.8	18.5	3.88	4.98	32.3	6.60	.946	11.0
SD2	4.36	17.8	19.0	13.2	52.7	18.2	3.09	2.41	38.1	2.68	7.44	12.2
SD3	16.6	39.3	22.5	15.8	19.0	7.84	2.48	7.76	34.9	1.41	13.1	87.2
MAX	77.3	84.9	87.9	29.0	106	32.0	4.66	24.4	113	10.6	31.2	218
DAT	2	27	5	5	15	3	1	28	20	1	29	28
SR	17.9	22.5	28.9	17.3	29.2	14.9	3.13	5.14	35.1	3.49	7.18	38.4
MIN	2.02	6.28	12.2	7.84	12.8	4.93	2.34	1.38	11.6	1.06	.600	5.56
DAT	22	9	27	23	11	30	27	27	2	30	13	12
-----												
GMIN = .600			SRGOD= 18.6				GMAX = 218					
DATUM 13 11							DATUM 28 12					
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
1996

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
 Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
 Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	131	18.9	8.68	35.8	51.5	17.5	2.50	.800	.700	15.7	23.7	52.6
2	124	16.3	7.84	115	74.4	15.1	2.50	.800	.800	13.4	20.3	45.6
3	103	15.1	7.00	147	83.4	12.2	2.34	.800	.900	24.4	16.3	38.7
4	83.4	23.7	5.92	133	96.0	10.6	2.18	.800	.900	47.5	14.0	31.2
5	68.5	41.6	5.56	111	106	9.60	2.18	.800	1.06	36.8	12.2	27.4
6	51.5	31.2	4.93	94.3	86.4	8.68	2.18	.800	1.06	26.7	11.1	23.7
7	39.7	25.2	4.66	89.5	80.3	7.84	2.02	.800	1.22	20.3	9.60	21.0
8	35.8	21.6	4.39	74.4	68.5	7.00	2.02	.800	1.06	15.7	8.68	19.6
9	33.9	18.2	3.85	69.9	62.6	6.64	2.02	.800	1.06	13.4	7.84	16.9
10	33.0	15.7	3.58	60.4	58.2	5.92	1.86	.700	.900	12.2	6.64	15.7
11	31.2	14.6	3.58	43.6	55.9	5.20	1.86	.600	.800	11.1	5.92	15.1
12	30.5	12.8	3.58	41.6	51.5	4.93	1.86	.900	.800	10.1	5.56	15.1
13	29.0	15.7	3.58	37.8	49.5	4.93	1.70	.900	.800	8.68	5.20	15.1
14	27.4	17.5	4.66	33.9	45.6	4.66	1.70	.800	4.39	8.26	4.93	24.4
15	23.0	15.7	11.1	32.0	42.6	4.39	1.54	1.06	15.7	10.1	4.66	58.2
16	22.3	13.4	29.7	29.7	38.7	4.12	1.54	1.06	9.10	15.1	4.12	64.1
17	21.6	11.6	25.9	26.7	36.8	3.85	1.38	1.06	5.56	71.4	3.85	52.6
18	21.0	10.1	23.0	24.4	35.8	3.58	1.38	.900	4.93	104	8.26	43.6
19	20.3	11.1	21.0	23.0	33.9	3.58	1.38	.900	4.39	103	67.0	33.9
20	20.3	46.5	18.2	21.6	32.0	3.31	1.38	.700	25.2	91.0	78.8	29.0
21	21.6	31.2	16.3	20.3	31.2	3.31	1.38	.800	31.2	77.3	89.5	37.8
22	18.9	22.3	16.3	18.9	29.7	3.04	1.22	.800	27.4	60.4	89.5	50.5
23	18.9	17.5	15.7	17.5	27.4	3.31	1.22	.800	28.2	44.6	108	47.5
24	17.5	14.6	16.3	23.0	25.9	3.04	1.22	.800	45.6	32.0	106	51.5
25	18.9	11.6	18.2	25.9	25.2	3.04	1.22	.700	75.8	24.4	101	71.4
26	43.6	10.6	22.3	27.4	23.7	3.04	1.06	.700	57.0	18.9	87.9	84.9
27	43.6	10.1	81.9	30.5	23.0	2.77	1.06	.700	44.6	15.1	94.3	71.4
28	39.7	9.10	92.5	33.9	21.6	2.77	1.06	.700	33.9	12.8	80.3	54.8
29	35.8	9.10	86.4	32.0	21.0	2.77	.900	.600	26.7	11.6	74.4	43.6
30	30.5		54.8	37.8	21.0	2.77	.900	.600	21.0	11.1	65.5	35.8
31	23.7		42.6		20.3		.900	.600		24.4		30.5
SD1	70.4	22.8	5.64	93.0	76.7	10.1	2.18	.790	.966	22.6	13.0	29.2
SD2	24.7	16.9	14.4	31.4	42.2	4.26	1.57	.888	7.17	43.3	18.8	35.1
SD3	28.4	15.1	42.1	26.7	24.5	2.99	1.10	.709	39.1	30.2	89.6	52.7
MAX	131	64.1	126	159	106	17.5	2.77	1.06	86.4	113	111	89.5
DAT	1	20	28	3	5	1	1	15	25	18	23	26
SR	40.7	18.4	21.4	50.4	47.1	5.78	1.60	.793	15.8	32.0	40.5	39.5
MIN	17.5	9.10	3.58	17.5	20.3	2.77	.900	.600	.700	8.26	3.85	15.1
DAT	24	28	10	23	31	27	29	11	1	14	17	11
GMIN =		.600		SRGOD=		26.2		GMAX =		159		
DATUM		11 8						DATUM		3 4		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
1997

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
 Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
 Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	22.3	5.56	5.56	8.26	5.56	45.6	3.31	1.86	1.38	.900	3.85	13.4
2	27.4	5.20	5.20	8.26	5.56	29.7	3.31	1.86	1.22	.900	4.12	14.0
3	53.7	5.20	4.93	7.84	5.20	27.4	3.04	1.70	1.22	.900	4.12	14.6
4	61.5	4.93	4.66	7.84	5.20	21.6	3.04	1.70	1.22	.900	4.12	37.8
5	65.5	4.93	4.39	7.84	4.93	17.5	2.77	1.70	1.22	.900	3.85	29.0
6	47.5	4.66	4.39	7.84	4.93	16.3	2.77	1.70	1.22	.900	3.58	23.0
7	36.8	4.39	4.12	7.84	28.2	15.1	2.77	1.70	1.22	.900	3.58	18.9
8	29.7	4.39	4.12	7.42	68.5	13.4	2.77	1.70	1.22	.900	5.56	17.5
9	25.2	4.12	3.85	7.42	80.3	11.6	2.77	1.86	1.22	.900	50.5	15.1
10	23.0	4.12	3.85	7.42	65.5	10.6	2.50	1.70	1.06	.900	59.3	13.4
11	23.7	3.85	3.58	7.00	53.7	8.68	2.50	1.54	1.06	.900	75.8	11.1
12	23.7	3.85	3.58	7.00	35.8	7.42	2.50	1.54	1.06	.900	89.5	9.60
13	21.6	5.20	3.31	7.00	30.5	6.64	2.34	1.54	1.06	3.31	50.5	15.7
14	18.9	16.3	3.31	6.64	25.2	6.28	2.34	1.54	1.06	10.1	62.6	16.9
15	16.9	14.0	3.31	6.64	21.0	5.56	2.50	1.38	1.38	22.3	92.5	14.6
16	15.1	14.0	3.04	7.42	18.9	5.20	2.77	1.38	1.22	12.8	55.9	14.0
17	14.0	11.6	3.04	8.26	16.3	4.93	2.34	1.54	1.22	7.00	38.7	12.8
18	12.8	10.6	3.04	7.84	15.1	4.93	2.77	1.54	1.22	5.92	29.7	11.6
19	11.6	9.60	2.77	7.42	14.0	4.66	4.12	2.02	1.06	5.56	24.4	11.1
20	10.6	8.26	23.0	7.42	12.8	4.39	3.58	2.02	1.06	5.20	20.3	9.60
21	10.1	8.68	19.6	7.00	12.8	4.39	3.04	3.31	1.06	4.66	17.5	26.7
22	9.10	8.26	17.5	7.00	11.6	4.39	2.50	2.02	1.06	4.12	15.1	68.5
23	8.68	7.84	15.1	7.00	16.3	4.39	2.34	1.70	1.06	4.39	22.3	58.2
24	8.26	7.84	14.0	6.64	75.8	4.39	2.18	1.54	.900	4.66	34.9	49.5
25	7.84	7.42	12.8	6.64	101	4.39	2.18	1.54	.900	6.64	25.9	32.0
26	7.84	7.00	11.6	6.64	77.3	4.12	2.02	1.54	.900	8.26	23.7	27.4
27	7.42	6.64	10.6	6.28	65.5	4.12	2.02	1.38	.900	6.28	22.3	21.6
28	7.00	6.28	9.60	6.28	60.4	3.85	2.02	1.38	.900	5.20	21.0	39.7
29	6.64		9.10	5.92	55.9	3.58	1.86	1.54	.900	4.66	18.9	45.6
30	6.28		8.68	5.92	53.7	3.58	1.86	1.54	.900	3.85	14.6	34.9
31	5.92		8.26		51.5		1.86	1.38		3.85		29.0
SD1	39.3	4.75	4.51	7.80	27.4	20.9	2.91	1.75	1.22	.900	14.3	19.7
SD2	16.9	9.73	5.20	7.26	24.3	5.87	2.78	1.60	1.14	7.40	54.0	12.7
SD3	7.73	7.49	12.4	6.53	52.9	4.12	2.17	1.72	.948	5.14	21.6	39.4
MAX	75.8	16.3	24.4	8.26	117	47.5	4.39	3.85	1.38	32.0	129	74.4
DAT	5	14	20	17	25	1	19	21	1	15	15	22
SR	20.9	7.31	7.54	7.20	35.5	10.3	2.60	1.69	1.10	4.50	30.0	24.4
MIN	5.92	3.85	2.77	5.92	4.93	3.58	1.86	1.38	.900	.900	3.58	9.60
DAT	31	11	19	29	5	29	29	15	24	1	6	12
-----												
GMIN = .900			SRGOD= 12.8			GMAX = 129						
DATUM 24 9						DATUM 15 11						
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I      P R E G L E D      P R O T I C A J A  
1998

Broj               : 60135                      Stanica : DUKLOV MOST                      Kota "0" = 615.20  
Nacin osmat.: limnigraf                Rijeka : ZETA                                      km od usca = 12.30  
Pocetak rada: 1955                      Sliv : MORACE                                      Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII		
1	39.7	18.9	7.00	7.42	22.3	14.6	1.70	.500	.400	24.4	18.2	10.6		
2	39.7	15.7	6.28	7.42	21.0	12.8	1.54	.500	.400	29.7	15.7	11.6		
3	33.9	12.8	5.56	7.00	19.6	12.2	1.70	.500	.400	97.8	15.7	30.5		
4	30.5	11.6	4.93	7.00	17.5	10.1	1.70	.500	.400	68.5	16.3	32.0		
5	25.9	24.4	4.39	6.64	16.3	10.1	1.54	.500	.400	45.6	17.5	83.4		
6	25.2	39.7	3.85	6.64	15.7	9.10	4.39	.500	.400	32.0	22.3	117		
7	24.4	27.4	3.58	53.7	15.1	8.68	3.85	.400	1.38	21.6	43.6	101		
8	23.0	21.6	3.04	72.9	14.6	8.26	2.77	.400	1.06	33.9	72.9	92.5		
9	22.3	17.5	2.77	113	14.0	7.84	2.34	.400	.700	86.4	119	67.0		
10	21.6	15.1	2.77	104	13.4	7.42	2.02	.400	.700	113	43.6	46.5		
11	21.0	12.8	2.18	80.3	11.6	7.00	1.70	.400	.700	86.4	37.8	41.6		
12	21.0	11.6	2.02	57.0	11.1	6.28	1.38	.400	1.38	65.5	43.6	23.0		
13	18.9	10.1	2.02	39.7	11.1	5.56	1.06	.400	28.2	55.9	55.9	16.3		
14	17.5	7.42	2.02	35.8	10.6	4.93	.900	.400	46.5	49.5	47.5	15.1		
15	17.5	14.6	3.31	128	10.1	4.66	.900	.370	61.5	41.6	36.8	14.0		
16	16.3	12.2	9.60	111	30.5	4.12	.800	.370	46.5	27.4	32.0	11.1		
17	14.0	10.1	28.2	96.0	23.0	3.58	.800	.370	32.0	20.3	30.5	10.1		
18	12.8	8.68	25.9	84.9	21.6	3.58	.800	.370	24.4	16.3	27.4	9.10		
19	11.6	17.5	18.9	74.4	20.3	3.31	.800	.370	16.3	14.6	25.9	8.26		
20	10.6	25.9	17.5	65.5	18.9	3.04	.700	.370	10.6	65.5	23.0	7.42		
21	9.60	62.6	15.1	53.7	18.2	3.04	.700	.400	9.10	165	21.6	7.42		
22	8.26	43.6	13.4	51.5	17.5	2.77	.700	.400	7.42	128	21.6	15.7		
23	7.84	29.7	12.8	176	16.3	2.77	.700	.400	6.64	83.4	18.9	14.6		
24	7.42	18.2	12.8	46.5	15.1	2.50	.700	.400	4.66	51.5	16.3	14.0		
25	11.6	14.0	12.8	37.8	14.0	2.50	.600	.400	3.58	32.0	14.0	13.4		
26	89.5	10.6	12.2	33.9	12.8	2.02	.600	.400	2.77	33.9	20.3	11.6		
27	71.4	9.60	12.8	32.0	11.6	2.02	.600	.400	2.77	46.5	17.5	11.1		
28	53.7	8.68	12.8	33.0	10.6	1.86	.600	.400	36.8	39.7	16.3	9.10		
29	39.7		7.84	30.5	10.6	1.70	.600	.400	43.6	25.2	12.8	8.26		
30	39.7		7.84	21.6	10.1	1.70	.500	.400	35.8	24.4	11.6	6.64		
31	24.4		7.42		9.60		.500	.400		35.8		4.66		
SD1	28.6	20.5	4.42	38.6	16.9	10.1	2.36	.460	.624	55.3	38.5	59.2		
SD2	16.1	13.1	11.2	77.3	16.9	4.61	.984	.382	26.8	44.3	36.0	15.6		
SD3	33.0	24.6	11.6	51.7	13.3	2.29	.618	.400	15.3	60.5	17.1	10.6		
MAX	89.5	62.6	28.2	176	30.5	14.6	4.39	.500	61.5	165	119	117		
DAT	26	21	17	23	16	1	6	1	15	21	9	6		
SR	26.1	19.0	9.15	55.8	15.6	5.67	1.30	.414	14.2	53.6	30.5	27.9		
MIN	7.42	7.42	2.02	6.64	9.60	1.70	.500	.370	.400	14.6	11.6	4.66		
DAT	24	14	12	5	31	29	30	15	1	19	30	31		
-----														
			GMIN =	.370				SRGOD=	21.6				GMAX =	176
			DATUM	15 8									DATUM	23 4
-----														

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I      P R E G L E D      P R O T I C A J A  
1999

Broj               : 60135                      Stanica : DUKLOV MOST                      Kota "0" = 615.20  
Nacin osmat.: limnigraf                Rijeka : ZETA                                      km od usca = 12.30  
Pocetak rada: 1955                      Sliv : MORACE                                      Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	5.56	5.20	15.1	17.5	36.8	9.60	3.58	1.22	.400	.400	.600	16.3
2	5.92	4.66	15.7	18.9	35.8	9.10	3.31	1.06	.400	.400	.600	14.6
3	18.9	4.39	17.5	20.3	34.9	8.26	3.04	1.22	.400	.400	.500	14.6
4	23.7	4.12	21.0	21.6	33.9	7.84	3.04	1.06	.400	.400	.500	11.6
5	21.6	3.85	39.7	23.0	33.9	7.42	3.04	1.06	.400	.400	.500	10.6
6	18.2	3.58	80.3	24.4	32.0	7.00	2.77	.900	.400	.400	.500	37.8
7	15.7	3.58	68.5	23.0	32.0	6.28	2.50	.800	.400	.400	.500	32.0
8	15.1	3.58	62.6	23.0	30.5	5.92	2.34	.700	.400	.400	.400	28.2
9	13.4	3.31	47.5	32.0	29.7	5.56	2.34	.600	.400	.400	.400	22.3
10	16.3	7.42	37.8	30.5	28.2	5.20	2.34	.600	.400	.400	.400	21.0
11	21.6	65.5	29.0	30.5	27.4	4.93	2.18	.400	.400	.400	29.7	43.6
12	48.5	45.6	23.0	34.9	26.7	4.66	2.18	.400	.400	.400	24.4	68.5
13	51.5	29.7	24.4	29.7	24.4	4.39	2.18	.400	.400	.400	14.6	58.2
14	62.6	21.6	28.2	47.5	21.6	4.39	2.02	.500	.400	.400	9.10	46.5
15	47.5	15.7	24.4	49.5	18.9	4.12	1.86	.500	.400	.400	7.00	41.6
16	33.0	12.8	23.0	45.6	17.5	3.85	1.86	.400	.400	.400	5.56	146
17	25.2	10.6	21.6	37.8	30.5	3.58	1.70	.400	.400	.400	4.39	222
18	21.0	9.10	17.5	51.5	25.9	3.58	1.70	.400	.400	.400	25.2	195
19	17.5	7.84	15.1	68.5	24.4	3.58	1.38	.400	.400	.400	36.8	172
20	15.7	6.64	13.4	58.2	21.6	3.58	1.38	.400	.400	.400	77.3	155
21	14.0	6.28	11.6	58.2	21.0	3.31	1.38	.400	.400	.400	62.6	138
22	12.2	15.1	10.1	54.8	20.3	3.31	1.22	.400	.400	.400	172	124
23	10.6	65.5	10.1	44.6	18.9	3.85	1.22	.400	.400	.400	165	103
24	9.60	45.6	11.6	62.6	15.1	11.6	1.22	.400	.400	.400	128	83.4
25	8.26	32.0	12.8	59.3	14.0	15.1	1.06	.400	.400	3.58	110	62.6
26	7.84	23.7	10.6	67.0	13.4	10.1	1.06	.400	.400	4.93	106	43.6
27	7.42	19.6	9.60	49.5	12.2	7.00	1.06	.400	.400	2.34	58.2	43.6
28	7.42	17.5	9.60	39.7	11.6	5.20	.900	.400	.400	1.06	35.8	106
29	7.00		9.60	39.7	10.6	4.66	1.06	.400	.400	.800	25.9	135
30	6.28		30.5	37.8	9.60	4.12	1.06	.400	.400	.800	18.9	103
31	5.56		16.9		9.60		1.06	.400		.800		77.3
SD1	15.4	4.37	40.6	23.4	32.8	7.22	2.83	.922	.400	.400	.490	20.9
SD2	34.4	22.5	22.0	45.4	23.9	4.07	1.84	.420	.400	.400	23.4	115
SD3	8.74	28.2	13.0	51.3	14.2	6.82	1.12	.400	.400	1.45	88.2	92.7
MAX	71.4	75.8	84.9	71.4	37.8	16.9	3.85	1.22	.400	5.56	180	225
DAT	14	11	6	19	1	25	1	1	1	26	22	17
SR	19.2	17.6	24.8	40.0	23.3	6.04	1.90	.575	.400	.771	37.4	76.7
MIN	5.56	3.31	9.60	17.5	9.60	3.31	.900	.400	.400	.400	.400	10.6
DAT	1	9	27	1	30	21	28	11	1	1	8	5
-----												
GMIN = .400			SRGOD= 20.7					GMAX = 225				
DATUM 11 8								DATUM 17 12				
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
2000

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
 Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
 Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	57.0	2.02	3.85	31.2	14.0	1.86	.340	.250	.220	.220	3.31	22.3
2	46.5	2.02	16.9	34.9	15.1	1.70	.310	.250	.190	60.4	20.3	18.2
3	36.8	2.02	23.7	33.0	15.7	1.54	.310	.220	.160	168	17.5	15.1
4	32.0	2.02	16.9	37.8	15.7	1.38	.310	.220	.190	142	15.7	13.4
5	28.2	2.02	15.1	153	14.6	1.54	.310	.220	.800	131	83.4	11.1
6	24.4	2.34	15.1	144	13.4	1.70	.280	.190	1.86	96.0	62.6	9.60
7	23.0	2.77	11.6	113	12.2	1.38	.280	.190	1.38	64.1	89.5	8.26
8	21.0	3.85	9.60	96.0	11.6	1.38	.280	.160	.900	41.6	138	7.42
9	17.5	3.85	8.68	71.4	10.6	1.22	.280	.160	.700	30.5	135	5.92
10	16.3	8.68	9.60	53.7	9.60	1.06	.250	.160	.500	21.0	83.4	5.56
11	12.8	8.68	12.2	42.6	9.10	1.06	.250	.190	.400	41.6	62.6	5.20
12	11.6	7.42	14.6	34.9	8.68	.900	.250	.190	.370	35.8	51.5	4.66
13	10.6	7.00	16.3	31.2	8.26	.900	.310	.190	.310	25.9	30.5	4.39
14	9.10	6.64	14.6	29.7	7.42	.800	.280	.160	.280	21.0	20.3	3.85
15	7.84	6.64	13.4	29.0	6.64	.700	.310	.160	.280	17.5	16.3	3.58
16	7.84	6.28	12.8	28.2	5.92	.700	1.22	.160	.250	12.8	14.0	3.85
17	6.64	10.1	11.6	26.7	5.56	.600	4.39	.160	.250	11.6	12.2	5.20
18	6.28	13.4	10.1	25.9	5.20	.600	2.34	.160	.220	11.1	11.1	5.92
19	6.28	11.1	7.84	24.4	4.66	.500	1.54	.160	.220	8.68	21.0	6.64
20	5.92	9.60	6.64	23.7	4.12	.500	1.06	.160	.220	7.00	45.6	6.64
21	5.56	8.26	5.92	22.3	3.58	.400	.900	.160	.250	5.92	67.0	6.28
22	5.56	7.42	5.20	21.6	3.04	.400	.700	.160	1.06	4.93	57.0	5.56
23	5.56	6.28	4.66	19.6	2.77	.370	.600	.130	.800	4.39	49.5	4.93
24	5.20	5.20	4.39	18.9	2.50	.370	.500	.130	.600	3.85	31.2	4.39
25	5.20	4.66	4.93	18.2	2.50	.340	.500	.100	.500	3.04	25.2	4.12
26	4.93	4.12	7.42	16.3	2.34	.340	.370	.100	.400	2.34	32.0	5.92
27	4.66	3.85	22.3	15.1	2.18	.370	.340	.100	.340	2.02	58.2	111
28	4.39	3.85	34.9	14.0	2.18	.370	.310	.100	.280	2.02	52.6	195
29	3.85	3.85	35.8	12.8	2.02	.340	.310	.100	.280	2.02	40.6	184
30	2.77		33.9	12.8	2.02	.340	.280	.100	.220	1.70	29.0	174
31	2.34		33.9		1.86		.280	.130		1.70		161
SD1	30.3	3.16	13.1	76.8	13.3	1.48	.295	.202	.690	75.5	64.9	11.7
SD2	8.49	8.69	12.0	29.6	6.56	.726	1.20	.169	.280	19.3	28.5	4.99
SD3	4.55	5.28	17.6	17.2	2.45	.364	.463	.119	.473	3.08	44.2	77.8
MAX	62.6	14.0	36.8	165	16.3	1.86	4.93	.250	1.86	180	146	256
DAT	1	18	29	5	3	1	17	1	6	3	8	28
SR	14.1	5.72	14.3	41.2	7.26	.855	.645	.162	.481	31.7	45.9	33.0
MIN	2.34	2.02	3.85	12.8	1.86	.340	.250	.100	.160	.220	3.31	3.58
DAT	31	1	1	29	31	25	10	25	3	1	1	15
-----												
GMIN = .100			SRGOD= 16.3				GMAX = 256					
DATUM 25 8							DATUM 28 12					
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
2001

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
 Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
 Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	155	129	33.9	14.0	21.0	2.50	.700	.250	.250	1.70	.220	60.4
2	144	110	38.7	12.8	18.2	2.34	.700	.250	.250	1.54	.220	37.8
3	126	83.4	59.3	11.6	16.9	2.18	.700	.250	.250	1.38	.220	27.4
4	99.5	60.4	113	10.6	15.7	2.18	.600	.250	.250	1.38	.220	21.0
5	80.3	47.5	113	9.60	14.6	2.18	.600	.250	.250	1.22	.220	16.3
6	65.5	38.7	117	9.10	13.4	2.02	.600	.250	.250	1.22	.220	12.8
7	58.2	32.0	119	8.26	12.2	1.86	.500	.250	.250	.900	.220	11.6
8	50.5	29.0	99.5	9.10	11.6	1.70	.500	.250	.250	.800	.220	10.1
9	68.5	27.4	77.3	24.4	11.1	1.70	.500	.250	.250	.600	.220	8.68
10	77.3	26.7	58.2	27.4	11.1	1.54	.400	.250	.250	.600	24.4	6.64
11	62.6	25.2	46.5	22.3	10.1	1.38	.400	.250	.250	.500	33.9	5.56
12	49.5	23.7	41.6	18.2	9.60	1.22	.370	.250	.250	.400	33.9	4.39
13	43.6	22.3	38.7	15.7	8.68	1.22	.370	.250	.250	.370	33.9	3.85
14	38.7	21.0	41.6	14.0	7.84	1.06	.340	.250	.250	.340	117	3.58
15	34.9	19.6	46.5	12.2	7.42	1.06	.340	.250	.250	.310	106	3.04
16	30.5	17.5	42.6	11.1	7.00	1.06	.340	.250	21.0	.280	89.5	3.04
17	26.7	16.3	37.8	19.6	6.64	.900	.340	.250	6.28	.280	68.5	2.77
18	23.7	15.1	33.9	52.6	6.28	.800	.340	.250	30.5	.280	39.7	2.50
19	21.6	13.4	33.0	44.6	5.92	.900	.310	.250	23.0	.280	29.0	2.34
20	19.6	12.8	32.0	53.7	5.56	1.70	.310	.250	17.5	.280	23.0	2.02
21	18.2	11.6	29.7	80.3	5.20	1.38	.310	.250	12.8	.280	21.6	1.70
22	16.9	10.6	28.2	97.8	4.93	1.86	.310	.250	7.00	.250	18.2	1.38
23	15.7	10.1	29.7	84.9	4.66	1.70	.310	.250	4.93	.250	16.3	1.38
24	14.6	9.60	29.7	68.5	4.39	1.54	.280	.250	3.85	.250	15.7	1.54
25	14.0	14.6	28.2	52.6	4.39	1.38	.280	.250	2.77	.250	14.6	1.54
26	22.3	33.9	26.7	41.6	4.12	1.22	.280	.250	2.34	.220	14.0	1.38
27	91.0	36.8	23.0	33.9	3.85	1.06	.280	.250	2.02	.220	12.8	1.38
28	128	29.0	19.6	29.0	3.58	.900	.280	.250	2.02	.220	17.5	1.38
29	146		17.5	25.9	3.31	.800	.280	.250	1.86	.220	128	1.38
30	157		16.3	22.3	3.04	.700	.250	.250	1.70	.220	92.5	1.70
31	147		15.1		2.77		.250	.250		.220		1.70
SD1	92.5	58.4	82.9	13.7	14.6	2.02	.580	.250	.250	1.13	2.64	21.3
SD2	35.1	18.7	39.4	26.4	7.50	1.13	.346	.250	9.95	.332	57.4	3.31
SD3	70.1	19.5	24.0	53.7	4.02	1.25	.283	.250	4.13	.236	35.1	1.50
MAX	180	135	131	110	22.3	3.04	.700	.250	30.5	1.70	128	60.4
DAT	1	1	4	22	1	1	1	1	18	1	29	1
SR	66.0	33.1	48.0	31.3	8.55	1.47	.399	.250	4.78	.557	31.7	8.46
MIN	14.0	9.60	15.1	8.26	2.77	.700	.250	.250	.250	.220	.220	1.38
DAT	25	24	31	7	31	30	30	1	1	26	1	22
GMIN =			.220	SRGOD=			19.5	GMAX =			180	
DATUM			26 10					DATUM			1 1	



## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
2002

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
 Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
 Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	16.3	10.6	11.6	3.58	10.6	9.10	.500	.310	1.70	21.0	7.00	16.3
2	16.3	10.1	12.8	3.58	9.60	7.00	.500	.310	.900	14.6	7.00	21.6
3	11.6	11.6	14.6	3.31	8.26	5.20	.500	.280	.700	12.8	6.64	29.0
4	9.10	10.6	15.7	3.04	7.42	4.66	.500	.280	.600	12.8	6.64	51.5
5	5.56	10.1	17.5	2.77	7.00	4.12	.500	.280	.500	10.1	35.8	49.5
6	3.85	23.0	15.7	2.77	5.92	3.58	.500	.280	.500	7.84	25.9	47.5
7	3.31	21.0	14.6	2.50	5.56	3.04	.400	.250	.400	7.00	23.0	37.8
8	2.50	18.9	14.6	2.34	4.93	2.50	.370	.250	.400	5.56	25.9	29.0
9	2.02	18.9	14.0	2.34	4.66	2.18	.370	.250	.400	4.66	16.3	21.6
10	1.86	17.5	13.4	2.34	4.39	2.50	.340	.250	.400	3.85	12.8	17.5
11	1.70	14.6	25.9	35.8	3.85	2.18	.340	.250	1.70	138	10.6	14.6
12	1.54	11.6	24.4	36.8	3.58	2.18	.340	58.2	2.02	203	9.10	12.8
13	1.38	10.1	18.9	77.3	3.58	2.18	.340	32.0	1.70	176	8.68	12.8
14	1.22	9.10	14.6	86.4	3.58	2.02	.340	15.7	1.38	157	9.60	10.6
15	1.22	7.00	12.8	92.5	3.04	1.86	.340	9.10	1.06	138	11.6	9.60
16	1.22	5.92	11.6	77.3	2.77	1.70	.340	5.92	.800	120	13.4	9.60
17	1.38	5.56	11.1	59.3	2.77	1.54	.340	4.39	.600	101	11.6	35.8
18	1.38	7.00	10.1	39.7	2.50	1.54	.340	3.31	.400	83.4	10.6	25.9
19	1.54	12.8	10.1	32.0	2.34	1.38	.340	2.50	.340	51.5	9.60	28.2
20	1.54	35.8	9.10	24.4	2.18	1.22	.400	1.86	.250	35.8	14.6	21.0
21	1.54	28.2	9.10	21.0	2.02	1.06	.370	1.86	.250	28.2	21.6	18.9
22	1.70	36.8	9.60	18.2	5.92	.900	.370	1.70	.250	21.0	23.0	14.6
23	1.70	33.9	11.1	15.1	4.39	.800	.370	1.70	.310	17.5	51.5	10.6
24	1.70	24.4	10.1	13.4	3.04	.700	.370	1.54	36.8	15.1	49.5	9.10
25	1.70	19.6	9.10	12.2	3.58	.700	.340	1.38	101	14.6	37.8	7.84
26	3.58	17.5	8.26	10.6	3.85	.700	.340	1.38	80.3	12.8	25.9	7.42
27	4.39	14.0	7.00	9.10	4.39	.600	.310	1.22	84.9	11.6	21.6	6.28
28	4.39	11.6	5.92	9.10	3.58	.600	.310	1.06	58.2	10.6	16.3	5.92
29	5.92		4.66	12.8	11.1	.600	.310	.900	41.6	9.60	14.0	101
30	9.10		4.39	12.2	17.5	.600	.310	3.85	32.0	8.68	12.8	103
31	10.6		3.85		12.8		.310	2.77		7.42		77.3
SD1	7.24	15.2	14.4	2.86	6.83	4.39	.448	.274	.650	10.0	16.7	32.1
SD2	1.41	11.9	14.9	56.2	3.02	1.78	.346	13.3	1.02	120	10.9	18.1
SD3	4.21	23.3	7.55	13.4	6.56	.726	.337	1.76	43.6	14.3	27.4	32.9
MAX	16.3	36.8	25.9	92.5	17.5	9.10	.500	58.2	101	214	51.5	103
DAT	1	22	11	15	30	1	1	12	25	11	23	30
SR	4.29	16.3	12.1	24.1	5.51	2.30	.376	5.01	15.1	47.1	18.3	27.9
MIN	1.22	5.56	3.85	2.34	2.02	.600	.310	.250	.250	3.85	6.64	5.92
DAT	14	17	31	8	21	27	27	7	20	10	3	28
GMIN =		.250		SRGOD=		14.9		GMAX =		214		
DATUM		7 8						DATUM		11 10		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
2003

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
 Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
 Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	50.8	6.80	1.56	6.44	15.4	1.56	.200	.090	4.82	4.82	51.9	102
2	45.0	5.72	2.22	6.80	15.4	1.39	.200	.090	4.82	4.82	109	81.9
3	39.6	5.00	2.80	7.16	15.4	1.06	.189	.090	3.69	4.82	187	57.8
4	38.7	5.00	3.28	6.80	14.1	1.23	.178	.090	3.69	4.82	151	41.4
5	43.2	37.8	4.26	6.44	13.5	1.23	.178	.090	3.69	.134	124	31.5
6	47.3	31.5	4.51	6.08	13.0	1.06	.167	.090	3.69	1.89	95.2	23.4
7	64.4	19.1	4.51	5.00	11.5	.900	.156	.090	3.69	4.76	61.8	18.5
8	93.5	13.5	4.51	4.02	10.6	.830	.156	.090	3.69	4.26	45.0	14.7
9	88.4	10.1	4.26	3.28	9.58	.760	.156	6.11	4.82	9.09	32.4	13.0
10	157	7.88	4.02	2.80	8.60	.760	.145	6.11	.101	6.08	27.0	11.1
11	145	6.80	4.26	18.5	7.88	.760	.145	6.11	.090	4.26	19.7	9.58
12	86.7	5.72	5.72	39.6	6.80	.690	.145	6.11	.101	2.80	16.6	8.24
13	56.5	4.76	6.08	37.8	6.44	.620	.145	6.11	.090	2.22	11.1	7.88
14	41.4	4.02	6.08	33.3	5.72	.620	.134	6.11	6.11	1.56	8.60	7.88
15	31.5	3.53	5.00	26.3	5.00	.480	.134	6.11	6.11	.900	8.60	7.52
16	23.4	3.04	3.78	23.4	4.51	.480	.134	6.11	6.11	.830	7.16	6.80
17	18.5	2.55	3.04	23.4	4.51	.480	.123	6.11	6.11	.830	6.44	6.08
18	15.4	2.22	2.38	23.4	3.53	.410	.112	6.11	6.11	.550	5.72	5.00
19	13.5	2.06	2.06	21.2	3.04	.410	.112	6.11	6.11	.550	5.00	4.76
20	12.0	1.89	2.06	18.5	2.80	.410	.112	6.11	6.11	.480	5.00	4.26
21	11.1	1.72	1.56	16.6	2.80	.410	.112	4.82	6.11	24.1	4.26	4.02
22	12.5	1.39	1.39	18.5	2.80	.480	.101	4.82	6.11	38.7	3.78	19.7
23	21.2	1.23	1.23	23.4	2.38	.550	.101	4.82	4.82	124	3.53	43.2
24	20.4	1.06	1.06	21.9	2.38	.410	.101	4.82	4.82	88.4	2.55	27.9
25	17.2	1.06	.830	19.1	2.22	.340	.090	4.82	4.82	72.8	6.44	19.1
26	13.5	1.06	.830	17.2	2.22	.340	.090	4.82	4.82	50.8	36.9	14.1
27	11.5	.900	1.23	16.6	2.06	.270	.090	4.82	4.82	41.4	111	11.1
28	9.58	1.06	2.22	15.4	1.89	.270	.090	4.82	4.82	72.8	134	9.09
29	8.60		3.78	15.4	1.72	.200	.090	4.82	4.82	51.9	136	10.1
30	7.88		4.76	15.4	1.56	.200	.090	4.82	4.82	43.2	121	23.4
31	7.16		5.36		1.56		.090	4.82		59.1		33.3
SD1	66.8	14.2	3.59	5.48	12.7	1.08	.172	1.29	3.67	4.55	88.4	39.5
SD2	44.4	3.66	4.05	26.5	5.02	.536	.130	6.11	4.31	1.50	9.39	6.80
SD3	12.8	1.18	2.20	17.9	2.14	.347	.095	4.82	5.08	60.7	55.9	19.5
MAX	166	50.8	6.44	40.5	15.4	1.72	.200	.090	.101	128	187	109
DAT	10	5	13	12	1	1	1	1	10	23	3	1
SR	40.4	6.73	3.25	16.7	6.48	.654	.131	4.10	4.35	23.5	51.3	21.9
MIN	7.16	.900	.830	2.80	1.56	.200	.090	.090	.090	.134	2.55	4.02
DAT	31	27	25	10	30	29	25	1	11	5	24	21
-----												
GMIN = .090			SRGOD= 15.0					GMAX = 187				
DATUM 25 7								DATUM 3 11				
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
2004

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
 Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
 Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	30.6	9.58	83.5	33.3	17.2	8.60	2.38	.480	.189	.200	1.72	117
2	21.9	8.60	57.8	32.4	16.6	9.09	1.56	.480	.178	.178	1.39	202
3	16.0	7.52	44.1	29.7	16.0	12.5	1.56	.480	.340	.167	1.23	172
4	9.58	6.80	35.1	27.9	17.2	16.6	1.39	.480	.167	.156	1.06	157
5	7.16	8.60	26.3	29.7	42.3	26.3	1.23	.480	.156	.145	.900	147
6	6.08	9.58	21.9	30.6	81.9	31.5	1.23	.410	.145	.145	.900	130
7	5.36	9.58	17.8	33.3	124	40.5	1.06	.410	.134	.134	1.06	115
8	4.51	9.58	16.6	46.2	122	36.9	1.06	.410	.134	.123	9.09	90.1
9	4.02	10.1	16.0	53.0	111	26.3	.900	.480	.123	.123	35.1	71.2
10	3.28	11.1	14.1	83.5	93.5	21.9	.900	.550	.112	.123	19.1	53.0
11	3.04	10.1	12.5	98.6	68.4	17.8	.830	.410	.112	.112	14.1	42.3
12	3.28	8.60	12.0	88.4	54.2	14.7	.830	.410	.101	.112	14.1	35.1
13	3.04	7.16	14.1	83.5	46.2	12.5	.830	.410	.101	.112	24.8	29.7
14	4.02	6.08	17.8	83.5	39.6	11.1	.830	.410	.101	.112	88.4	24.8
15	3.78	5.00	19.7	77.3	35.1	10.1	.760	.340	.101	2.06	115	21.9
16	31.5	4.26	23.4	63.1	29.7	9.09	.760	.340	.090	53.0	78.9	19.1
17	23.4	3.78	27.9	51.9	26.3	8.24	.760	.340	.090	74.3	54.2	17.2
18	19.7	3.04	29.7	45.0	23.4	7.16	.690	.340	.090	68.4	34.2	54.2
19	63.1	2.80	30.6	42.3	20.4	6.44	.690	.340	.090	55.3	23.4	90.1
20	149	2.55	29.7	55.3	18.5	5.72	.620	.340	.090	36.9	29.7	63.1
21	124	2.38	29.7	56.5	17.2	5.36	.620	.340	.090	24.8	31.5	42.3
22	88.4	3.04	30.6	38.7	16.0	4.76	.620	.270	.090	16.6	23.4	31.5
23	59.1	18.5	50.8	40.5	14.1	4.26	.550	.200	.090	11.1	17.8	24.8
24	47.3	38.7	105	34.2	14.1	4.02	.480	.200	.090	9.09	14.1	20.4
25	32.4	39.6	111	22.6	13.5	3.78	.480	.200	.123	6.80	12.0	17.2
26	24.1	63.1	95.2	18.5	13.5	3.53	.480	.189	.123	5.36	10.1	29.7
27	12.0	134	80.4	16.6	12.0	3.28	.550	.189	.123	4.76	8.24	71.2
28	16.0	115	60.5	15.4	11.1	2.80	.550	.189	.270	3.78	10.1	72.8
29	16.6	103	47.3	14.1	10.6	2.55	.550	.189	.620	3.04	12.0	74.3
30	14.7		40.5	19.1	10.1	2.38	.550	.178	.410	2.55	29.7	55.3
31	12.0		35.1		9.09		.550	.178		2.06		42.3
SD1	10.8	9.10	33.3	40.0	64.2	23.0	1.33	.466	.168	.149	7.15	125
SD2	30.4	5.34	21.7	68.9	36.2	10.3	.760	.368	.097	29.0	47.7	39.8
SD3	40.6	57.5	62.4	27.6	12.8	3.67	.544	.211	.203	8.18	16.9	43.8
MAX	151	.167	115	105	132	41.4	2.38	.550	.620	78.9	121	208
DAT	20	27	24	10	7	7	1	9	3	17	14	2
SR	27.7	22.8	39.9	45.5	36.9	12.3	.866	.344	.156	12.3	23.9	68.8
MIN	3.04	2.38	12.0	14.1	9.09	2.38	.480	.178	.090	.112	.900	17.2
DAT	11	21	12	29	31	30	24	30	16	11	5	17
-----												
GMIN = .090			SRGOD= 24.3				GMAX = 208					
DATUM 16 9							DATUM 2 12					
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I [ N J I P R E G L E D P R O T I C A J A  
2005

Broj : 60135 Stanica : DUKLOV MOST Kota "0" = 615.20  
 Nacin osmat.: limnigraf Rijeka : ZETA km od usca = 12.30  
 Pocetak rada: 1955 Sliv : MORACE Pov.sliva = 342.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	32.4	1.39	7.88	90.1	39.6	8.24	2.06	.900	.900	10.1	3.53	119
2	24.8	1.23	5.00	78.9	36.0	7.52	2.22	.830	.830	13.0	2.80	100
3	21.2	1.06	3.53	63.1	36.0	6.80	2.22	.830	.830	10.1	2.38	93.5
4	17.8	1.06	3.53	53.0	36.9	6.44	2.22	.830	.760	6.80	2.06	107
5	15.4	.900	32.4	48.5	37.8	5.72	2.06	.830	.690	5.00	1.72	103
6	13.5	.900	49.6	45.0	36.0	6.08	1.89	.760	.690	4.26	1.56	138
7	12.0	.900	29.7	41.4	33.3	6.80	1.89	.760	.620	3.28	1.39	134
8	11.1	.830	17.2	46.2	31.5	7.52	1.72	.760	.620	2.55	1.23	130
9	10.1	.830	9.58	47.3	27.0	10.6	1.56	.760	.550	2.22	1.06	107
10	8.60	.760	5.72	48.5	24.1	10.6	1.56	.760	.550	2.06	1.23	77.3
11	7.88	.760	4.51	50.8	22.6	9.09	2.80	.690	.480	1.72	.900	53.0
12	7.16	.760	3.78	57.8	23.4	7.88	6.08	.690	.480	1.56	.760	41.4
13	6.44	.900	3.28	60.5	23.4	6.80	7.52	.690	.410	1.39	.760	31.5
14	5.72	11.1	5.72	60.5	24.1	6.08	6.80	.620	.410	1.39	.690	24.8
15	5.00	16.6	8.24	57.8	24.8	5.36	5.00	.620	.340	1.06	.690	22.6
16	4.51	8.24	10.1	46.2	26.3	5.00	4.02	.620	.270	.900	11.1	19.1
17	4.26	5.36	18.5	50.8	24.1	4.76	3.28	.550	.270	1.06	40.5	16.6
18	3.78	4.51	24.1	54.2	22.6	4.76	2.80	.620	1.39	.900	31.5	14.7
19	3.53	3.78	32.4	51.9	24.1	4.51	2.38	.620	17.8	.760	26.3	12.5
20	3.28	3.53	38.7	50.8	26.3	4.26	2.22	.620	24.8	.690	17.8	10.1
21	3.04	4.76	45.0	65.7	24.1	3.78	2.06	.620	19.1	.690	13.0	9.58
22	2.80	25.5	41.4	77.3	21.9	3.53	1.89	.620	12.5	10.1	9.09	8.24
23	2.38	36.9	41.4	65.7	19.1	3.28	1.72	1.56	8.24	51.9	7.16	7.16
24	2.38	23.4	40.5	53.0	17.2	3.04	1.72	3.04	6.08	47.3	6.08	6.08
25	2.22	26.3	37.8	42.3	16.0	2.80	1.56	2.22	4.51	29.7	6.80	5.72
26	2.22	23.4	42.3	36.9	14.7	2.55	1.56	2.06	3.78	19.1	17.8	6.80
27	2.06	17.8	51.9	38.7	13.5	2.38	1.39	1.72	3.28	12.0	68.4	49.6
28	1.89	12.0	93.5	39.6	12.0	2.06	1.23	1.39	2.80	9.09	86.7	157
29	1.72		111	41.4	11.1	2.22	1.06	1.23	2.55	6.80	74.3	149
30	1.56		107	41.4	10.1	2.06	1.06	1.23	3.04	5.00	91.8	138
31	1.39		95.2		9.09		1.06	1.06		4.26		132
SD1	16.7	.986	16.4	56.2	33.8	7.63	1.94	.802	.704	5.94	1.90	111
SD2	5.16	5.55	14.9	54.1	24.2	5.85	4.29	.634	4.66	1.14	13.1	24.6
SD3	2.15	21.3	64.3	50.2	15.3	2.77	1.48	1.52	6.59	17.8	38.1	60.8
MAX	36.0	50.8	111	80.4	41.4	10.6	7.88	3.28	26.3	77.3	111	162
DAT	1	23	29	22	1	9	13	24	20	23	30	28
SR	7.81	8.41	32.9	53.5	24.2	5.42	2.54	1.00	3.99	8.60	17.7	65.3
MIN	1.39	.760	3.28	36.9	9.09	2.06	1.06	.550	.270	.690	.690	5.72
DAT	31	10	13	26	31	28	29	17	16	20	14	25
-----												
GMIN = .270			SRGOD= 19.4					GMAX = 162				
DATUM 16 9								DATUM 28 12				
-----												