

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1949

Broj : 45988                      Stanica : SAVNIK                      Kota "0" = 819.08  
Nacin osmat.: letva              Rijeka : BUKOVICA                      km od usca = .40  
Pocetak rada: 1949              Sliv : PRIDVORICE                      Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII		
1	4.05	2.18	1.16	2.75	4.50	3.60	3.60	1.16	1.16	1.03	1.36	31.0		
2	15.1	1.98	2.18	2.46	4.95	3.60	3.60	1.16	1.16	1.03	1.57	25.6		
3	9.30	1.77	1.57	2.46	5.40	3.60	3.60	1.16	1.16	1.03	1.77	19.4		
4	13.1	1.57	1.36	2.75	5.40	3.60	3.60	1.16	1.03	1.03	1.98	3.60		
5	9.30	1.57	1.16	3.32	4.50	3.60	3.32	1.03	1.03	1.03	1.16	2.89		
6	3.32	1.57	1.16	3.60	4.05	3.32	3.03	1.03	1.03	1.03	9.30	4.28		
7	2.18	1.57	1.16	9.30	4.05	3.03	3.03	1.03	1.03	1.03	46.0	3.82		
8	1.98	1.57	1.16	19.4	3.60	2.46	2.46	1.03	1.03	1.03	38.0	3.60		
9	2.18	1.57	1.03	18.3	3.60	1.98	2.46	1.03	1.03	1.03	31.0	3.82		
10	1.77	1.57	.896	8.61	3.60	1.98	2.46	1.03	1.03	1.03	29.8	24.4		
11	1.57	1.36	1.03	5.40	3.32	1.98	2.18	1.03	1.03	1.03	25.0	26.8		
12	1.98	1.03	1.03	4.95	4.95	1.98	2.18	1.03	1.16	1.03	25.0	26.8		
13	2.18	1.03	1.16	4.95	5.85	3.32	1.98	2.18	1.03	1.03	28.0	28.0		
14	2.18	1.03	1.36	9.30	4.95	3.32	1.98	1.36	1.03	1.03	25.0	31.0		
15	3.03	1.03	1.98	14.0	5.40	2.18	1.77	1.36	.962	1.03	25.0	31.0		
16	2.46	1.03	4.50	14.5	4.50	1.98	1.77	1.16	1.03	1.03	46.0	31.7		
17	2.46	1.03	3.03	9.30	3.60	1.98	1.77	1.16	1.03	1.03	25.0	29.8		
18	2.46	1.03	3.03	9.30	4.05	1.98	1.77	1.16	1.03	1.03	19.4	24.4		
19	2.18	1.03	1.98	8.61	3.60	2.18	1.77	2.46	1.03	1.03	19.4	16.7		
20	1.03	1.03	2.18	8.61	3.60	2.75	1.77	3.32	1.16	1.03	16.7	9.30		
21	1.03	1.03	2.18	13.1	3.60	2.75	1.77	2.75	1.03	1.03	16.2	9.30		
22	3.46	1.03	1.98	12.1	17.2	3.32	1.77	2.46	1.03	1.03	14.5	8.95		
23	5.40	.896	1.98	13.1	14.0	3.03	1.57	1.98	1.03	1.03	17.8	8.95		
24	5.85	.896	2.18	12.1	27.4	3.60	1.36	1.87	1.03	1.03	16.7	8.95		
25	8.95	.896	1.98	9.30	18.3	12.1	1.36	1.77	1.03	1.03	23.9	8.61		
26	9.30	.764	1.98	9.30	10.2	11.2	1.36	1.57	1.03	1.03	25.0	8.61		
27	7.92	.764	1.98	14.0	10.2	8.61	1.36	1.36	1.03	1.03	37.3	8.61		
28	6.54	.764	2.18	12.1	5.85	5.85	1.16	1.36	1.03	1.03	56.7	7.23		
29	4.05		2.18	9.30	9.30	5.40	1.16	1.36	1.03	1.03	54.0	7.57		
30	3.32		2.18	7.92	5.85	4.05	1.16	1.16	1.03	1.03	53.2	7.57		
31	2.75		2.46		5.40		1.16	1.16		1.03		7.57		
SD1	6.23	1.69	1.28	7.29	4.36	3.08	3.12	1.08	1.07	1.03	16.2	12.2		
SD2	2.15	1.06	2.13	8.89	4.38	2.37	1.89	1.62	1.05	1.03	25.4	25.5		
SD3	5.32	.880	2.11	11.2	11.6	5.99	1.38	1.71	1.03	1.03	31.5	8.36		
MAX	15.1	2.18	4.50	19.4	27.4	12.1	3.60	3.32	1.16	1.03	56.7	31.7		
DAT	2	1	16	8	24	25	1	20	1	1	28	16		
SR	4.59	1.24	1.85	9.14	6.93	3.81	2.11	1.48	1.05	1.03	24.4	15.2		
MIN	1.03	.764	.896	2.46	3.32	1.98	1.16	1.03	.962	1.03	1.16	2.89		
DAT	20	26	10	2	11	9	28	5	15	1	5	5		
-----														
			GMIN =	.764				SRGOD=	6.07				GMAX =	56.7
			DATUM	26 2									DATUM	28 11
-----														

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1950

Broj               : 45988                                Stanica :SAVNIK                                Kota "0" = 819.08  
Nacin osmat.: letva                                Rijeka :BUKOVICA                               km od usca = .40  
Pocetak rada: 1949                                Sliv :PRIDVORICE                               Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII		
1	7.57	3.82	4.28	4.50	20.5	9.30	1.36	.764	.698	1.16	46.0	8.61		
2	7.57	3.82	4.05	4.72	20.0	8.61	1.36	.764	.830	1.57	39.6	7.92		
3	6.19	3.60	4.05	4.95	20.0	7.92	1.16	.764	1.03	1.77	28.6	6.54		
4	5.63	3.60	4.05	4.95	20.0	6.89	1.16	.764	1.03	1.57	22.2	6.54		
5	5.63	3.60	3.82	4.95	19.4	5.85	1.03	.764	.896	1.57	26.2	9.30		
6	5.85	3.46	3.82	5.17	18.9	4.72	1.03	.764	.896	1.36	32.4	25.0		
7	6.19	3.46	3.82	5.17	18.9	4.05	1.03	.764	.896	1.16	23.9	20.5		
8	6.19	3.60	3.60	5.40	18.9	3.60	1.03	.764	.830	1.03	19.4	18.3		
9	5.85	3.46	3.60	5.40	19.4	2.18	.896	.764	.764	1.03	15.1	26.2		
10	5.85	3.60	3.60	5.40	19.4	2.75	.896	.764	.764	1.03	12.1	46.0		
11	5.63	3.60	4.05	5.63	19.4	2.18	.830	.764	.764	1.03	10.2	42.8		
12	4.72	3.82	4.28	5.85	18.9	1.98	.830	.764	.764	1.03	9.30	39.6		
13	4.72	3.82	4.28	9.30	18.3	2.18	.830	.764	.764	.896	8.61	82.0		
14	4.72	4.05	4.50	11.6	17.8	18.3	.830	.764	.764	.896	7.92	44.4		
15	3.46	4.28	4.50	13.5	17.8	7.23	.830	.764	.764	.764	18.3	47.6		
16	3.46	4.50	4.50	15.6	17.8	5.40	.830	.764	.764	.764	19.4	41.2		
17	3.60	4.28	4.28	19.4	16.7	3.03	.830	.764	2.18	.764	22.2	46.0		
18	3.82	4.05	4.28	20.5	16.7	2.89	.830	.764	1.16	.764	19.4	39.6		
19	3.60	3.60	4.28	20.5	16.2	2.89	.830	.764	1.03	.632	15.1	28.6		
20	3.82	3.60	4.28	20.5	15.6	2.46	.830	.764	1.03	.632	13.1	23.9		
21	3.82	3.60	4.05	21.1	15.6	2.18	.830	.764	1.57	.632	13.1	20.5		
22	3.60	3.46	4.05	21.1	15.6	1.98	.830	.764	1.57	.632	22.2	17.2		
23	3.60	3.46	4.05	21.1	15.6	1.98	.830	.764	1.57	.632	22.8	13.1		
24	3.60	3.60	3.82	21.6	15.6	1.77	.830	.764	1.36	.632	35.2	14.0		
25	3.60	3.82	3.82	23.3	13.1	1.77	.830	.764	1.36	.764	26.2	14.0		
26	3.46	3.82	3.82	23.3	13.1	1.77	.830	.764	1.16	14.0	23.9	13.1		
27	3.46	4.05	3.60	23.3	11.2	1.67	.830	.764	1.16	39.6	17.2	13.1		
28	3.46	4.28	3.60	22.2	11.2	1.67	.830	.764	1.16	36.6	13.1	11.2		
29	3.46		3.60	20.5	11.6	1.57	.830	.698	1.16	49.2	9.30	10.2		
30	3.60		3.82	20.5	11.6	1.57	.764	.698	1.16	55.8	10.2	8.61		
31	4.28		4.50		11.6		.764	.698		61.2		7.23		
SD1	6.25	3.60	3.87	5.06	19.5	5.59	1.10	.764	.863	1.32	26.5	17.5		
SD2	4.15	3.96	4.32	14.2	17.5	4.85	.830	.764	.998	.817	14.4	43.6		
SD3	3.63	3.76	3.88	21.8	13.3	1.79	.818	.746	1.32	23.6	19.3	12.9		
MAX	7.57	4.50	4.50	23.3	20.5	18.3	1.36	.764	2.18	61.2	46.0	82.0		
DAT	1	16	14	25	1	14	1	1	17	31	1	13		
SR	4.65	3.78	4.02	13.7	16.7	4.08	.911	.758	1.06	9.07	20.1	24.3		
MIN	3.46	3.46	3.60	4.50	11.2	1.57	.764	.698	.698	.632	7.92	6.54		
DAT	15	6	8	1	27	29	30	29	1	19	14	3		
-----														
			GMIN =	.632				SRGOD=	8.61				GMAX =	82.0
			DATUM	19 10									DATUM	13 12
-----														

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1951

Broj               : 45988                                Stanica :SAVNIK                                Kota "0" = 819.08  
Nacin osmat.: letva                                Rijeka :BUKOVICA                                km od usca = .40  
Pocetak rada: 1949                                Sliv :PRIDVORICE                                Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	7.92	2.75	15.1	28.6	16.2	8.61	2.18	.896	1.03	7.23	33.8	4.95
2	7.23	2.46	12.1	23.9	16.2	8.61	2.46	.764	1.03	6.54	29.8	4.05
3	7.23	2.18	9.30	20.5	18.9	7.92	3.60	.764	.896	5.85	14.0	3.60
4	6.54	1.98	7.23	18.3	18.3	8.27	3.60	.632	.896	4.50	9.30	3.32
5	5.85	2.18	6.54	17.2	17.2	7.92	3.32	.632	1.03	4.05	7.92	3.32
6	4.72	2.75	5.85	13.1	19.4	8.61	3.32	.632	.896	3.60	5.85	3.32
7	4.05	3.32	5.85	12.1	18.3	12.1	2.75	.500	.764	2.75	4.95	3.32
8	3.60	4.05	25.0	16.2	17.2	11.2	2.18	.500	.764	2.75	4.50	3.60
9	3.32	4.28	32.4	16.2	14.0	11.2	2.18	.500	.764	2.75	4.50	6.54
10	3.03	3.60	27.4	14.0	14.0	13.1	2.46	.500	.764	2.46	10.2	7.23
11	2.75	3.32	19.4	20.5	39.6	11.2	2.18	.500	.764	2.18	7.23	5.85
12	2.75	3.03	14.0	26.2	29.8	10.2	2.46	.500	.896	2.18	32.4	5.85
13	3.32	3.03	25.0	25.0	26.2	8.61	3.03	.764	.896	2.18	61.2	4.95
14	4.05	6.54	20.5	23.9	25.0	7.23	2.46	.764	.896	1.98	64.8	4.50
15	3.60	5.85	39.6	20.5	20.5	6.54	2.18	.500	.764	1.98	46.0	4.50
16	3.60	5.40	31.0	18.3	25.0	5.85	1.98	.500	.764	1.98	31.0	4.05
17	3.17	6.54	26.2	17.2	21.6	5.40	1.98	.500	.764	1.98	25.0	3.60
18	2.89	5.40	19.4	15.6	20.5	5.85	1.77	.500	.896	1.98	19.4	3.60
19	2.46	7.23	21.6	14.0	19.4	5.85	1.57	.500	.896	2.18	19.4	3.60
20	2.18	13.1	32.4	15.1	17.2	5.85	1.36	.500	1.03	2.18	12.1	3.60
21	1.98	11.2	31.0	18.3	15.1	6.54	1.36	.500	.896	4.50	11.2	3.32
22	1.77	20.5	25.0	18.3	13.1	5.85	1.16	.500	.764	4.05	9.30	3.32
23	1.57	18.3	18.3	16.2	15.1	5.40	1.16	.500	.764	4.05	13.1	3.32
24	1.57	13.1	14.0	13.1	17.2	4.95	1.03	.632	.764	4.50	14.0	3.03
25	1.98	12.1	13.1	11.2	16.2	4.05	1.03	.632	.764	4.50	10.2	3.03
26	2.18	20.5	17.2	9.30	15.1	3.60	.896	.632	1.03	4.50	8.61	2.75
27	4.50	26.2	11.2	13.1	14.0	3.32	.896	.632	4.05	9.30	7.92	3.03
28	3.60	19.4	8.61	15.1	14.0	3.32	.896	.632	7.23	7.23	6.54	3.60
29	3.32		7.92	16.7	13.1	2.75	.896	.632	5.85	5.85	5.85	4.50
30	2.89		11.2	16.2	12.1	2.46	.896	1.16	6.54	4.05	5.40	4.95
31	3.17		15.1		10.2		.896	1.16		3.60		4.50
SD1	5.35	2.96	14.7	18.0	17.0	9.75	2.80	.632	.883	4.25	12.5	4.32
SD2	3.08	5.94	24.9	19.6	24.5	7.26	2.10	.553	.857	2.08	31.9	4.41
SD3	2.59	17.7	15.7	14.8	14.1	4.22	1.01	.692	2.87	5.10	9.21	3.58
MAX	7.92	26.2	39.6	28.6	39.6	13.1	3.60	1.16	7.23	9.30	64.8	7.23
DAT	1	27	15	1	11	10	3	30	28	27	14	10
SR	3.64	8.22	18.3	17.5	18.4	7.08	1.94	.628	1.54	3.85	17.8	4.09
MIN	1.57	1.98	5.85	9.30	10.2	2.46	.896	.500	.764	1.98	4.50	2.75
DAT	23	4	6	26	31	30	26	7	7	14	8	26
GMIN =		.500		SRGOD=		8.56		GMAX =		64.8		
DATUM		7 8						DATUM		14 11		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1952

Broj               : 45988                                Stanica :SAVNIK                                Kota "0" = 819.08  
Nacin osmat.: letva                                Rijeka :BUKOVICA                               km od usca = .40  
Pocetak rada: 1949                                Sliv :PRIDVORICE                               Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	4.05	4.95	2.46	42.8	17.2	4.05	1.16	1.03	.500	22.8	7.23	19.4
2	3.60	4.05	2.18	47.6	15.1	4.05	1.03	1.03	.500	9.30	20.5	22.2
3	4.95	4.95	2.18	49.2	14.0	4.05	1.03	1.03	.500	21.6	16.2	54.0
4	5.85	4.05	1.98	44.4	12.1	3.32	1.03	.896	.500	17.2	14.0	67.5
5	5.40	3.60	1.98	28.6	10.2	3.32	1.03	.896	.500	14.0	10.2	61.2
6	4.50	3.03	1.98	20.5	10.2	3.32	1.03	.764	.500	7.92	7.92	36.6
7	3.60	2.46	1.98	16.2	10.2	3.32	1.03	.764	.500	5.85	5.85	31.0
8	3.32	2.18	1.98	13.1	10.2	3.32	1.03	.764	1.03	5.40	31.0	25.0
9	3.03	2.18	1.98	11.2	10.2	3.32	1.03	.764	1.57	4.95	19.4	19.4
10	2.18	1.98	1.98	13.1	10.2	3.60	1.03	.764	1.03	4.95	14.0	14.0
11	2.46	1.77	1.98	14.0	10.2	3.32	1.77	.632	.896	4.95	12.1	11.2
12	2.46	1.98	1.98	16.2	9.30	3.03	1.36	.632	.896	38.0	10.2	9.30
13	7.92	2.75	1.98	19.4	9.30	2.75	1.16	.632	.896	14.0	8.61	13.1
14	25.0	9.30	1.98	20.5	7.23	2.75	1.16	.632	.896	9.30	7.92	20.5
15	19.4	20.5	1.98	20.5	6.54	2.75	1.16	.632	.896	41.2	10.2	141
16	10.2	17.2	1.98	22.8	5.85	2.75	1.16	.632	1.03	25.0	55.8	92.0
17	8.61	15.1	1.98	22.8	5.85	2.75	1.03	.632	1.03	20.5	57.6	59.4
18	7.23	13.1	1.77	22.8	5.85	2.46	1.03	.632	1.03	16.2	47.6	52.4
19	7.23	10.2	1.77	22.8	5.85	2.46	1.03	.632	1.36	10.2	35.2	44.4
20	5.85	8.61	1.77	21.6	5.40	2.18	.896	.632	1.36	9.30	31.0	25.0
21	5.40	7.92	1.77	20.5	4.95	2.18	.896	.500	1.36	7.92	57.6	19.4
22	4.50	7.23	1.98	20.5	4.50	2.18	.896	.500	1.36	6.54	32.4	14.0
23	3.60	6.54	1.98	20.5	4.05	2.18	.896	.500	1.36	5.85	25.0	12.1
24	3.32	5.40	1.98	19.4	3.60	2.18	.896	.500	1.16	5.85	19.4	9.30
25	3.60	4.95	2.18	20.5	3.60	2.18	.896	.500	1.16	4.95	14.0	7.23
26	4.05	4.05	14.0	20.5	3.32	1.98	.896	.632	1.16	4.50	19.4	5.85
27	4.05	3.60	20.5	20.5	3.32	1.98	.896	.632	1.36	6.54	88.0	4.95
28	14.0	3.03	27.4	20.5	3.32	1.77	.896	.500	22.8	4.95	44.4	13.1
29	10.2	2.46	31.0	20.5	3.32	1.36	.896	.500	7.23	3.60	35.2	47.6
30	7.23		39.6	20.5	3.32	1.16	1.16	.500	5.85	3.60	26.2	46.0
31	5.40		46.0		3.60		1.03	.500		3.32		54.0
SD1	4.05	3.34	2.07	28.7	12.0	3.57	1.04	.870	.713	11.4	14.6	35.0
SD2	9.64	10.1	1.92	20.3	7.14	2.72	1.18	.632	1.03	18.9	27.6	46.8
SD3	5.94	5.02	17.1	20.4	3.72	1.92	.932	.524	4.48	5.24	36.2	21.2
MAX	25.0	20.5	46.0	49.2	17.2	4.05	1.77	1.03	22.8	38.0	88.0	141
DAT	14	15	31	3	1	1	11	1	28	12	27	15
SR	6.52	6.18	7.36	23.1	7.48	2.73	1.05	.671	2.07	11.6	26.1	33.9
MIN	2.18	1.77	1.77	11.2	3.32	1.16	.896	.500	.500	3.32	5.85	4.95
DAT	10	11	18	9	26	30	20	21	1	31	7	27
-----												
GMIN = .500			SRGOD= 10.7					GMAX = 141				
DATUM 21 8								DATUM 15 12				
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1953

Broj : 45988	Stanica : SAVNIK	Kota "0" = 819.08
Nacin osmat.: letva	Rijeka : BUKOVICA	km od usca = .40
Pocetak rada: 1949	Sliv : PRIDVORICE	Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	42.8	2.46	1.77	9.30	22.8	33.8	4.50	.896	.632	.500	.450	.400
2	32.4	2.46	1.77	10.2	20.5	33.8	4.95	.896	.500	.500	.450	.400
3	28.6	2.46	1.77	12.1	20.5	35.2	4.95	.896	.500	.500	.450	.400
4	26.2	2.18	1.77	13.1	20.5	31.0	4.95	.896	.500	.500	.450	.350
5	18.3	1.77	1.77	14.0	18.3	27.4	4.50	.896	.500	.500	.450	.350
6	23.9	1.77	1.77	17.2	14.0	23.9	4.05	.896	.500	.500	.450	.350
7	20.5	1.77	1.57	20.5	14.0	19.4	4.05	.896	.500	.500	.450	.350
8	16.2	1.77	1.57	25.0	14.0	14.0	3.60	.764	.500	.500	.450	.350
9	14.0	1.57	1.57	26.2	25.0	12.1	3.03	.764	.500	.500	.400	.350
10	10.2	1.16	1.57	26.2	25.0	12.1	2.75	.764	.500	.500	.400	.350
11	7.23	1.36	1.57	31.0	25.0	13.1	2.18	.764	.500	.500	.400	.350
12	5.85	2.18	1.36	25.0	27.4	14.0	1.77	.764	.632	.500	.400	.350
13	4.50	1.98	1.36	22.8	27.4	15.1	1.36	.764	.632	.500	.400	.350
14	4.50	1.98	1.16	22.8	23.9	17.2	1.57	.764	.632	.500	.400	.350
15	4.05	2.18	1.16	22.8	19.4	19.4	1.57	.764	.632	.500	.400	.350
16	4.05	2.46	1.16	20.5	19.4	16.2	1.57	.764	.632	.500	.400	.350
17	4.05	2.46	1.16	21.6	19.4	12.1	1.57	.764	.632	.500	.400	.350
18	4.05	2.18	1.16	18.3	18.3	10.2	1.57	.764	.632	.450	.400	.350
19	4.05	2.18	1.16	15.1	18.3	9.30	1.57	.764	.632	.450	.400	.350
20	3.60	1.77	1.16	14.0	16.2	7.92	1.57	.764	.632	.450	.400	.350
21	3.60	1.77	1.16	8.61	14.0	7.92	1.57	.632	.632	.450	.400	.350
22	3.32	1.77	1.16	7.92	13.1	7.23	1.57	.632	.632	.450	.400	.350
23	3.03	1.77	1.16	7.92	12.1	5.85	1.57	.632	.500	.450	.400	.350
24	2.46	1.77	1.77	8.61	12.1	5.40	1.36	.632	.500	.450	.400	.350
25	2.18	1.77	1.98	10.2	13.1	4.95	1.36	.632	.500	.450	.400	.350
26	2.18	1.77	1.98	12.1	14.0	4.05	1.36	.632	.500	.450	.400	.350
27	2.18	1.77	2.46	13.1	14.0	4.05	1.16	.632	.500	.450	.400	.350
28	2.18	1.98	3.32	55.8	14.0	3.60	1.16	.632	.500	.450	.400	.350
29	2.18		4.50	25.0	13.1	4.05	1.03	.632	.500	.450	.400	.350
30	2.18		5.85	25.0	14.0	4.50	1.03	.632	.500	.450	.400	.350
31	2.18		7.92		33.8		.896	.632		.450		.350
SD1	23.3	1.94	1.69	17.4	19.5	24.3	4.13	.856	.513	.500	.440	.365
SD2	4.59	2.07	1.24	21.4	21.5	13.5	1.63	.764	.619	.485	.400	.350
SD3	2.52	1.80	3.02	17.4	15.2	5.16	1.28	.632	.526	.450	.400	.350
MAX	42.8	2.46	7.92	55.8	33.8	35.2	4.95	.896	.632	.500	.450	.400
DAT	1	1	31	28	31	3	2	1	1	1	1	1
SR	9.89	1.95	2.02	18.7	18.6	14.3	2.31	.747	.553	.477	.413	.355
MIN	2.18	1.16	1.16	7.92	12.1	3.60	.896	.632	.500	.450	.400	.350
DAT	25	10	14	22	23	28	31	21	2	18	9	4
GMIN =			.350			SRGOD=	5.87			GMAX =	55.8	
DATUM			4 12							DATUM	28 4	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1954

Broj : 45988 Stanica : SAVNIK Kota "0" = 819.08  
Nacin osmat.: letva Rijeka : BUKOVICA km od usca = .40  
Pocetak rada: 1949 Sliv : PRIDVORICE Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	.350	.350	1.03	26.2	44.4	9.30	1.77	.632	.500	1.16	1.57	8.61	
2	.350	.350	3.60	23.9	38.0	8.61	2.18	.632	.475	1.16	1.57	7.57	
3	.350	.350	19.4	21.6	36.6	8.61	1.98	.632	.450	1.16	1.26	5.40	
4	.350	.350	26.2	19.4	33.8	9.30	1.77	.632	.475	1.16	3.32	4.05	
5	.350	.350	21.6	18.3	49.2	9.30	1.57	.632	.450	.764	5.85	4.05	
6	.350	.350	28.6	18.3	54.0	9.30	1.36	.500	.450	.500	5.40	4.28	
7	.350	.350	18.3	21.6	41.2	8.61	1.16	.500	.425	.500	4.95	3.60	
8	.350	.350	7.92	21.6	25.0	7.92	1.16	.500	.425	2.46	4.95	4.05	
9	.350	.350	6.54	22.8	21.6	7.23	1.03	.500	.425	4.05	4.95	4.28	
10	.350	.350	5.40	22.8	19.4	8.61	1.03	.500	.425	5.85	6.54	4.28	
11	.350	.350	4.95	20.5	19.4	6.54	1.03	.500	.400	8.61	5.85	9.30	
12	.350	.350	4.95	17.2	19.4	6.54	.896	.500	.375	12.1	5.17	32.4	
13	.350	.350	4.50	13.1	19.4	5.40	.764	.500	.375	18.3	4.50	26.2	
14	.350	.350	3.60	11.2	18.3	5.40	.764	.500	.375	9.30	4.05	25.0	
15	.350	.350	4.05	9.30	17.2	4.50	.632	.500	.375	6.54	7.23	17.2	
16	.350	.350	5.40	8.61	16.2	4.05	.632	.500	.375	4.72	6.54	14.0	
17	.350	.350	5.85	7.23	15.1	4.05	.632	.500	.830	4.05	5.40	9.30	
18	.350	.350	5.85	7.23	22.8	3.60	.632	.500	.566	3.32	4.95	7.23	
19	.350	.350	5.85	6.54	28.6	3.60	.632	.500	.475	2.75	4.95	5.40	
20	.350	.350	5.40	6.54	25.0	3.60	.632	.500	.475	2.18	4.50	5.40	
21	.350	.350	4.95	6.54	21.6	3.60	.632	.500	.450	1.98	4.05	4.95	
22	.350	.300	4.95	5.40	21.6	3.60	.632	.500	.425	1.77	3.46	4.95	
23	.350	.300	4.95	5.40	19.4	3.60	.632	.500	1.36	1.77	3.17	4.50	
24	.350	.300	4.95	4.95	18.3	3.32	.632	.450	1.26	1.57	3.03	3.60	
25	.350	.300	8.61	4.05	21.6	2.75	.632	.450	1.03	1.47	2.89	3.32	
26	.350	.300	9.30	3.60	19.4	2.46	.632	.450	.896	1.36	2.75	3.03	
27	.350	.350	9.30	3.60	19.4	2.46	.632	.632	.830	2.75	2.75	2.75	
28	.350	.450	39.6	7.23	17.2	2.18	.632	.632	.632	2.18	3.46	2.75	
29	.350		36.6	32.4	13.1	1.98	.632	.500	.632	1.98	8.61	2.46	
30	.350		31.0	36.6	11.2	1.77	.632	.500	1.16	1.87	10.2	2.18	
31	.350		31.0		9.30		.632	.500		1.77		1.98	
SD1	.350	.350	13.9	21.7	36.3	8.68	1.50	.566	.450	1.88	4.04	5.02	
SD2	.350	.350	5.04	10.7	20.1	4.73	.725	.500	.462	7.19	5.31	15.1	
SD3	.350	.331	16.8	11.0	17.5	2.77	.632	.510	.868	1.86	4.44	3.32	
MAX	.350	.450	39.6	36.6	54.0	9.30	2.18	.632	1.36	18.3	10.2	32.4	
DAT	1	28	28	30	6	1	2	1	23	13	30	12	
SR	.350	.345	12.1	14.5	24.4	5.39	.942	.525	.593	3.58	4.60	7.68	
MIN	.350	.300	1.03	3.60	9.30	1.77	.632	.450	.375	.500	1.26	1.98	
DAT	1	22	1	26	31	30	15	24	12	6	3	31	
GMIN =			.300	SRGOD=			6.29	GMAX =			54.0		
DATUM			22 2					DATUM			6 5		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1955

Broj : 45988	Stanica : SAVNIK	Kota "0" = 819.08
Nacin osmat.: letva	Rijeka : BUKOVICA	km od usca = .40
Pocetak rada: 1949	Sliv : PRIDVORICE	Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	1.98	3.32	19.4	26.2	2.75	2.03	.600	1.11	1.68	3.86	13.9	2.60	
2	2.46	3.32	14.0	21.6	3.03	1.79	.600	.940	2.60	3.14	15.9	2.60	
3	2.46	3.60	12.1	18.3	3.60	1.68	.600	.855	2.14	3.32	19.2	2.37	
4	2.18	4.05	10.2	16.2	3.60	1.68	.570	.770	1.68	3.14	17.0	2.37	
5	3.32	4.05	9.30	13.1	3.60	1.68	.570	.770	1.45	2.96	14.9	2.37	
6	5.63	5.40	7.23	11.2	3.60	1.68	.685	.940	1.11	2.60	12.0	2.37	
7	10.2	17.2	5.85	9.30	3.32	2.14	.855	.940	1.03	2.60	8.75	2.37	
8	13.1	15.1	5.40	8.61	2.75	1.79	1.28	.770	1.03	8.00	6.11	2.37	
9	12.1	11.2	4.50	7.23	2.89	1.68	1.28	1.28	.940	12.5	5.54	2.37	
10	11.2	8.27	4.50	5.85	2.75	1.57	1.11	1.45	1.11	11.0	4.97	2.25	
11	8.61	7.23	4.50	5.85	2.75	1.45	.940	1.11	1.28	8.75	4.97	2.37	
12	4.95	5.85	4.05	5.85	2.32	1.45	.770	.770	1.68	7.25	4.40	2.37	
13	5.40	6.54	3.60	5.40	4.68	1.37	1.45	.770	1.68	6.11	4.40	2.60	
14	8.61	13.1	3.32	5.17	4.40	1.28	1.45	.770	2.60	4.68	18.1	2.78	
15	38.0	9.30	3.32	4.95	4.22	1.11	1.28	.770	2.37	4.40	13.9	2.78	
16	29.8	8.61	3.32	4.50	4.22	1.11	1.28	.770	14.9	4.04	11.0	29.4	
17	42.8	12.1	3.03	4.50	3.86	1.03	1.20	.855	21.4	4.04	9.50	24.8	
18	60.3	31.0	2.75	3.60	3.50	1.03	1.03	.940	15.9	4.97	7.25	21.4	
19	74.0	59.4	3.03	3.60	3.14	.940	.940	.855	8.38	25.9	6.11	28.2	
20	54.0	42.8	3.32	3.32	2.78	.940	.770	.770	4.40	25.9	4.97	29.4	
21	32.4	26.2	3.32	3.17	2.78	.940	.685	.685	4.04	20.3	4.40	27.0	
22	18.3	21.6	4.05	3.03	2.78	.855	.770	.685	3.32	18.1	4.40	21.4	
23	13.1	17.2	5.40	3.03	2.96	.855	.770	.600	2.96	46.0	4.40	18.1	
24	11.2	19.4	5.40	3.03	2.60	.855	.940	.600	2.60	39.0	4.22	12.0	
25	9.30	63.0	5.85	3.32	2.60	.770	.940	.570	2.37	27.0	3.86	12.0	
26	7.92	72.0	7.92	4.05	2.48	.770	1.11	.540	2.37	21.4	3.50	11.0	
27	6.54	39.6	8.61	4.05	2.48	.855	1.28	.685	2.48	19.2	3.14	11.0	
28	5.40	31.0	10.2	5.85	2.48	.940	1.20	.770	5.26	17.0	3.14	10.3	
29	4.95		14.0	7.92	2.48	.940	1.20	.770	6.97	14.9	2.96	9.88	
30	4.50		25.0	10.2	2.37	.940	1.11	.770	5.54	13.0	2.60	9.88	
31	3.60		33.1		2.14		1.11	.855		13.0		12.0	
SD1	6.46	7.55	9.25	13.8	3.19	1.77	.815	.982	1.48	5.31	11.8	2.40	
SD2	32.6	19.6	3.42	4.67	3.59	1.17	1.11	.838	7.46	9.60	8.46	14.6	
SD3	10.7	36.3	11.2	4.77	2.56	.872	1.01	.685	3.79	22.6	3.66	14.1	
MAX	74.0	72.0	33.1	26.2	3.60	2.03	1.45	1.45	21.4	46.0	19.2	29.4	
DAT	19	26	31	1	3	1	13	10	17	23	3	20	
SR	16.4	20.1	8.05	7.73	3.09	1.27	.980	.830	4.24	12.8	7.98	10.5	
MIN	1.98	3.32	2.75	3.03	2.14	.770	.570	.540	.940	2.60	2.60	2.25	
DAT	1	1	18	22	31	25	4	26	9	6	30	10	
		GMIN =	.540			SRGOD=	7.76			GMAX =	74.0		
		DATUM	26 8							DATUM	19 1		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1956

Broj               : 45988                                Stanica :SAVNIK                                Kota "0" = 819.08  
Nacin osmat.: letva                                Rijeka :BUKOVICA                               km od usca = .40  
Pocetak rada: 1949                                Sliv :PRIDVORICE                               Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	14.9	5.26	2.37	8.75	22.5	5.82	2.60	1.11	.600	.570	10.3	17.0
2	13.9	4.40	2.37	9.50	17.5	8.38	2.48	1.03	.600	.570	9.88	13.4
3	13.0	4.04	2.37	9.50	14.4	6.97	2.48	1.03	.600	.570	15.9	8.75
4	11.0	3.32	2.37	9.88	12.0	6.68	2.78	1.03	.600	.570	9.50	7.63
5	9.50	3.14	2.37	9.13	12.0	6.11	2.48	.940	.600	.570	5.26	6.97
6	8.00	2.96	2.37	8.00	12.0	5.26	2.48	.940	.600	.570	3.68	6.11
7	6.39	2.60	2.37	6.68	13.0	5.54	2.25	.940	.600	.570	3.50	5.54
8	5.54	2.37	2.25	5.54	12.0	4.97	2.03	.940	.600	.570	3.32	4.68
9	4.97	2.03	2.25	4.04	12.0	4.40	1.91	.940	.600	.600	2.96	4.22
10	4.40	2.14	2.25	3.14	12.0	4.04	1.79	.855	.600	.600	2.78	3.50
11	4.40	2.14	2.25	3.32	12.0	4.04	1.68	.855	.600	.600	2.60	3.32
12	4.40	2.37	2.25	3.32	19.2	4.04	1.68	.855	.600	.570	2.37	2.96
13	4.04	2.60	2.25	4.04	13.4	3.68	1.68	.855	.600	.570	2.14	2.96
14	3.86	2.60	2.25	8.00	13.0	3.32	1.68	.770	.600	.570	3.68	2.78
15	3.68	2.37	2.25	12.0	12.5	2.60	1.57	.770	.600	.570	10.3	2.60
16	3.32	2.37	2.25	17.0	11.5	2.60	1.45	.770	.600	.570	22.5	2.60
17	3.32	2.96	2.25	18.1	11.5	2.60	1.45	.770	.600	.570	23.6	2.48
18	2.96	3.14	2.03	18.1	11.0	2.60	1.37	.770	.600	.570	14.9	2.25
19	23.6	4.40	2.03	24.8	12.5	2.60	1.45	.770	.600	.570	.540	2.25
20	17.0	4.97	1.91	21.4	12.0	2.60	1.45	.770	.600	.570	11.5	2.25
21	11.0	4.04	2.03	15.9	12.5	2.78	1.45	.685	.600	.570	9.13	2.25
22	11.0	3.32	2.03	14.4	11.5	8.00	1.45	.685	.600	.570	12.0	2.25
23	10.3	2.96	2.14	13.0	10.6	6.68	1.45	.685	.600	.570	13.0	2.37
24	9.50	2.96	2.96	23.6	10.6	4.97	1.45	.600	.600	.570	10.3	2.37
25	8.75	2.96	4.04	23.6	9.50	3.68	1.45	.600	.600	.540	7.25	2.25
26	8.00	2.60	4.04	21.4	11.0	3.32	1.45	.600	.600	.540	6.68	2.25
27	8.00	2.60	6.11	19.8	10.6	2.96	1.37	.600	.570	.570	6.39	2.14
28	7.25	2.37	6.68	19.8	9.50	2.78	1.37	.600	.570	4.04	6.11	2.14
29	6.68	2.37	7.25	18.1	7.63	3.32	1.37	.600	.570	3.86	17.0	2.03
30	6.39		8.00	19.2	7.25	2.96	1.28	.600	.570	2.78	22.5	1.91
31	6.11		8.75		6.68		1.11	.600		3.68		1.91
SD1	9.16	3.23	2.33	7.42	13.9	5.82	2.33	.975	.600	.576	6.71	7.78
SD2	7.06	2.99	2.17	13.0	12.9	3.07	1.55	.795	.600	.573	9.41	2.64
SD3	8.45	2.91	4.91	18.9	9.76	4.14	1.38	.623	.588	1.66	11.0	2.17
MAX	23.6	5.26	8.75	24.8	22.5	8.38	2.60	1.11	.600	4.04	23.6	17.0
DAT	19	1	31	19	1	2	1	1	1	28	17	1
SR	8.23	3.05	3.20	13.1	12.1	4.34	1.74	.792	.596	.961	9.05	4.13
MIN	2.96	2.03	1.91	3.14	6.68	2.60	1.11	.600	.570	.540	.540	1.91
DAT	18	9	20	10	31	15	31	24	27	25	19	30
-----												
GMIN = .540			SRGOD= 5.10					GMAX = 24.8				
DATUM 25 10								DATUM 19 4				
-----												



## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1957

Broj               : 45988                                Stanica :SAVNIK                                Kota "0" = 819.08  
Nacin osmat.: letva                                Rijeka :BUKOVICA                                km od usca = .40  
Pocetak rada: 1949                                Sliv :PRIDVORICE                                Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	2.37	1.45	4.22	6.97	12.0	6.68	1.91	1.11	.600	.940	1.91	1.79
2	3.68	1.37	4.22	8.75	12.0	6.11	1.79	1.11	.600	1.28	1.91	1.45
3	3.32	1.45	3.86	9.13	12.0	5.54	1.68	1.11	.600	4.97	1.68	1.45
4	2.96	1.45	3.86	9.50	13.0	4.68	2.96	.940	.770	6.11	1.68	1.45
5	2.48	1.68	3.68	9.50	10.3	4.40	2.14	.940	.770	8.75	1.68	1.37
6	2.14	1.79	3.68	9.50	8.38	4.40	1.79	.940	2.03	5.54	1.45	1.45
7	2.14	1.91	3.50	9.50	9.88	4.40	1.45	.940	1.68	12.0	1.45	1.68
8	2.03	1.91	3.32	9.13	8.75	4.40	1.45	.855	1.45	7.25	1.45	1.57
9	1.91	2.03	3.68	9.50	8.00	4.04	1.45	.855	1.11	4.97	14.4	2.03
10	1.91	2.25	3.50	9.88	7.25	4.04	1.45	.770	1.03	4.04	8.75	6.68
11	1.91	2.60	3.50	25.9	6.68	3.86	1.37	.770	.940	3.50	54.0	5.82
12	1.68	2.96	3.32	25.9	6.68	3.68	1.57	.770	.940	2.96	24.8	6.11
13	1.68	3.68	3.14	18.6	5.82	3.32	1.45	.770	.855	2.60	14.9	21.4
14	1.68	4.22	2.96	21.4	5.54	3.32	1.45	.770	.855	2.37	11.0	64.7
15	1.68	9.50	2.96	17.0	6.97	2.96	1.45	.685	.855	2.14	8.75	35.4
16	1.91	46.0	2.96	13.9	8.00	2.60	1.28	.685	2.03	2.14	7.25	23.1
17	2.03	57.2	3.32	11.0	8.00	2.25	1.37	.770	1.91	2.03	6.39	18.1
18	2.14	38.4	4.04	9.13	7.25	2.25	1.28	.770	1.68	1.91	5.54	11.0
19	2.14	25.9	4.68	8.75	9.50	2.14	1.20	.685	1.45	1.79	4.97	8.75
20	1.91	19.8	5.82	8.75	9.50	3.68	1.45	1.11	1.28	1.68	4.40	6.11
21	1.91	13.9	6.68	8.75	9.88	3.32	1.45	.940	1.11	1.68	4.04	4.97
22	1.79	11.0	8.75	10.3	8.75	2.96	1.45	1.11	1.03	1.57	3.68	4.40
23	1.79	8.75	10.6	9.50	7.63	2.60	1.79	.940	1.03	2.14	3.32	3.86
24	2.03	7.25	12.5	9.50	7.63	2.37	1.68	.855	.940	3.68	3.14	4.04
25	2.25	6.68	12.0	9.50	6.97	2.14	1.45	.770	.940	3.32	2.96	3.68
26	2.60	6.11	10.6	10.3	6.97	2.03	1.37	.855	.855	2.78	2.78	3.32
27	2.37	5.82	9.50	10.3	7.63	2.60	1.28	.940	.940	2.60	2.60	2.96
28	2.14	5.26	8.00	10.3	7.25	2.37	1.20	.855	1.03	2.37	2.48	2.78
29	1.68		7.63	10.3	10.3	2.03	1.20	.770	.940	2.14	2.37	3.32
30	1.45		7.25	11.5	9.13	1.91	1.20	.770	.940	2.14	2.37	4.04
31	1.45		6.39		8.00		1.20	.685		1.91		8.75
SD1	2.49	1.73	3.75	9.14	10.2	4.87	1.81	.957	1.06	5.59	3.64	2.09
SD2	1.88	21.0	3.67	16.0	7.39	3.01	1.39	.778	1.28	2.31	14.2	20.0
SD3	1.95	8.10	9.08	10.0	8.19	2.43	1.39	.863	.975	2.39	2.97	4.19
MAX	3.68	57.2	12.5	25.9	13.0	6.68	2.96	1.11	2.03	12.0	54.0	64.7
DAT	2	17	24	11	4	1	4	1	6	7	11	14
SR	2.10	10.4	5.62	11.7	8.57	3.44	1.52	.866	1.11	3.40	6.94	8.63
MIN	1.45	1.37	2.96	6.97	5.54	1.91	1.20	.685	.600	.940	1.45	1.37
DAT	30	2	14	1	14	30	19	15	1	1	6	5
GMIN =		.600		SRGOD=		5.32		GMAX =		64.7		
DATUM		1 9						DATUM		14 12		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1958

Broj               : 45988                                Stanica :SAVNIK                                Kota "0" = 819.08  
Nacin osmat.: letva                                Rijeka :BUKOVICA                               km od usca = .40  
Pocetak rada: 1949                                Sliv :PRIDVORICE                               Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	4.97	1.79	19.2	15.9	13.0	8.00	3.32	1.20	.685	.570	1.45	2.60	
2	4.04	1.79	13.0	13.0	12.0	7.25	3.32	1.11	.685	1.28	3.50	2.60	
3	3.68	1.68	9.50	10.3	13.9	6.97	2.60	1.11	.940	7.25	28.2	2.37	
4	3.32	1.68	7.25	9.50	15.9	6.68	2.60	1.11	.940	4.04	11.0	2.37	
5	2.96	1.45	6.68	14.9	21.4	6.68	2.37	1.45	.855	2.60	9.50	2.14	
6	2.60	1.45	4.97	23.6	21.4	6.11	2.37	1.20	.770	2.14	8.75	2.03	
7	2.60	1.68	4.97	19.2	24.8	5.54	2.14	1.11	.770	1.91	6.97	2.03	
8	6.11	1.79	4.40	13.0	27.0	5.54	1.91	1.11	.770	1.68	21.4	1.91	
9	3.68	2.03	4.40	10.3	27.0	4.97	1.68	1.28	.685	1.45	13.9	1.91	
10	2.78	2.14	4.04	8.00	31.8	4.97	1.68	1.11	.685	1.28	13.9	1.91	
11	2.60	2.14	3.68	6.68	30.6	6.68	1.45	1.11	.685	1.28	15.9	3.68	
12	3.14	3.32	4.04	6.11	29.4	7.25	1.68	.940	1.28	1.11	12.0	13.9	
13	3.50	3.32	3.50	5.54	28.2	6.11	1.68	1.11	1.11	1.11	13.0	10.3	
14	3.32	2.96	3.32	6.11	27.0	6.11	1.45	1.11	.940	1.11	14.9	11.0	
15	3.32	2.96	3.14	23.6	24.8	6.68	1.45	1.20	.940	1.11	13.9	35.4	
16	2.96	3.14	2.96	28.2	23.6	5.54	1.45	1.11	.770	.940	12.0	22.5	
17	2.37	3.50	2.60	21.4	28.2	4.97	1.45	.940	.770	1.45	9.50	18.1	
18	2.37	7.25	2.60	15.9	25.9	4.68	1.91	.940	.770	1.11	8.00	27.0	
19	2.14	36.6	2.60	13.0	21.4	4.68	1.91	.940	.770	1.11	7.25	41.8	
20	2.14	25.9	2.60	9.50	20.3	4.04	1.79	.940	.685	1.11	6.68	27.0	
21	2.25	13.9	2.60	8.75	21.4	3.68	1.68	.940	.685	1.03	5.54	20.3	
22	8.75	9.50	2.96	10.3	18.1	3.68	1.45	.855	.600	1.03	4.40	24.8	
23	4.40	7.25	2.60	13.9	15.9	3.50	1.45	.855	.600	1.45	4.22	25.9	
24	3.68	6.11	2.48	21.4	15.9	3.68	1.68	.855	.600	1.45	4.04	19.2	
25	2.78	5.82	2.37	19.2	13.9	3.32	1.68	.770	.600	1.68	3.68	22.5	
26	2.60	5.82	2.37	14.9	13.0	3.32	1.45	.770	.600	1.68	3.68	21.4	
27	2.37	15.9	3.86	13.9	12.0	2.96	1.37	.770	.600	1.91	3.32	17.0	
28	2.25	30.6	6.68	17.0	11.0	4.40	1.28	.770	.600	2.14	3.32	13.9	
29	2.14		8.00	21.4	10.3	4.97	1.28	.770	.600	1.91	2.96	11.0	
30	2.14		10.3	15.9	9.50	3.68	1.28	.685	.600	1.68	2.60	9.50	
31	1.91		10.3		8.75		1.28	.685		1.57		8.00	
SD1	3.67	1.75	7.84	13.8	20.8	6.27	2.40	1.18	.778	2.42	11.9	2.19	
SD2	2.79	9.11	3.10	13.6	25.9	5.67	1.62	1.03	.872	1.14	11.3	21.1	
SD3	3.21	11.9	4.96	15.7	13.6	3.72	1.44	.793	.608	1.59	3.78	17.6	
MAX	8.75	36.6	19.2	28.2	31.8	8.00	3.32	1.45	1.28	7.25	28.2	41.8	
DAT	22	19	1	16	10	1	1	5	12	3	3	19	
SR	3.22	7.27	5.29	14.3	19.9	5.22	1.81	.995	.753	1.72	8.98	13.7	
MIN	1.91	1.45	2.37	5.54	8.75	2.96	1.28	.685	.600	.570	1.45	1.91	
DAT	31	5	25	13	31	27	28	30	22	1	1	8	
GMIN =			.570	SRGOD=			6.93	GMAX =			41.8		
DATUM			1 10					DATUM			19 12		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1959

Broj : 45988	Stanica : SAVNIK	Kota "0" = 819.08
Nacin osmat.: letva	Rijeka : BUKOVICA	km od usca = .40
Pocetak rada: 1949	Sliv : PRIDVORICE	Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII						
1	6.68	3.32	2.14	12.0	6.68	10.3	9.50	1.57	4.04	1.45	11.0	7.25						
2	6.68	3.68	2.60	15.9	20.3	11.0	8.00	1.91	2.96	1.45	8.00	27.0						
3	6.11	3.32	2.96	12.0	12.0	9.50	7.25	1.68	2.60	1.37	6.68	18.1						
4	6.68	2.96	2.96	9.50	9.50	8.00	6.68	1.91	2.37	1.28	6.11	15.9						
5	5.82	2.60	3.68	8.00	9.13	7.25	6.11	1.91	2.14	1.28	4.97	13.4						
6	4.97	2.60	4.04	8.00	8.75	6.68	5.26	1.68	2.96	1.28	6.11	10.3						
7	4.40	2.37	7.25	8.75	8.00	6.11	4.40	1.68	8.00	1.11	13.9	8.75						
8	4.40	2.37	17.0	22.5	8.00	6.11	4.04	1.57	5.54	1.11	11.0	8.00						
9	11.0	2.14	21.4	14.9	7.25	4.97	3.86	1.45	4.04	1.11	8.75	24.8						
10	7.25	2.14	14.9	15.9	7.25	4.40	3.68	1.45	3.50	.940	7.25	17.0						
11	5.54	2.14	11.0	22.5	7.25	4.97	3.32	1.45	2.96	.940	6.11	13.9						
12	4.97	2.14	15.9	14.9	6.68	9.50	3.14	1.28	2.78	1.11	6.11	24.2						
13	4.40	2.14	13.0	12.0	6.68	9.50	3.14	1.37	2.60	.940	8.00	22.5						
14	4.04	1.91	11.0	11.0	10.3	7.25	2.96	1.45	2.37	.940	11.0	33.0						
15	4.04	1.91	8.75	10.3	12.0	6.68	2.78	1.45	2.25	.940	8.00	31.2						
16	14.9	1.79	7.25	10.3	9.50	6.68	2.60	1.45	2.14	.940	6.68	22.5						
17	13.0	1.91	6.68	9.50	8.75	5.54	2.60	1.45	2.14	.855	15.9	17.0						
18	7.25	2.14	6.11	9.50	8.00	4.97	2.48	1.45	1.91	.940	11.0	13.9						
19	8.00	1.91	5.54	9.50	7.25	5.54	2.60	1.68	1.91	.940	8.75	11.5						
20	6.11	1.91	5.54	11.0	8.75	5.54	2.60	2.78	1.68	.940	8.00	9.50						
21	4.97	1.91	6.11	9.50	8.00	4.97	2.48	2.14	1.68	.940	7.25	8.00						
22	4.40	1.68	6.68	8.00	7.25	4.68	2.37	1.91	1.57	.940	6.68	7.25						
23	4.97	1.68	7.25	7.25	6.68	4.22	2.37	1.68	1.57	1.11	6.11	8.00						
24	4.97	1.68	7.25	6.68	7.25	4.97	2.25	1.68	1.57	1.03	4.97	6.68						
25	4.40	1.68	8.00	6.11	7.25	4.97	2.25	1.45	1.45	1.03	4.40	17.0						
26	4.40	1.68	8.00	6.11	8.00	5.54	2.14	1.37	1.45	1.11	4.04	12.0						
27	4.04	1.91	8.75	6.39	7.25	4.40	2.03	1.37	1.45	.940	4.04	9.50						
28	3.86	2.14	8.00	6.11	6.68	4.40	1.91	1.28	1.91	1.11	4.97	31.8						
29	3.68		8.00	6.11	6.11	4.40	1.79	1.28	1.68	2.96	4.40	28.2						
30	3.68		8.75	6.68	12.0	4.04	1.79	.600	1.57	4.97	4.97	18.1						
31	3.32		9.50		13.9		1.68	2.14		18.1		13.4						
SD1	6.40	2.75	7.89	12.7	9.69	7.43	5.88	1.68	3.82	1.24	8.38	15.1						
SD2	7.22	1.99	9.08	12.1	8.52	6.62	2.82	1.58	2.27	.948	8.95	19.9						
SD3	4.24	1.80	7.84	6.89	8.22	4.66	2.10	1.54	1.59	3.11	5.18	14.5						
MAX	14.9	3.68	21.4	22.5	20.3	11.0	9.50	2.78	8.00	18.1	15.9	33.0						
DAT	16	2	9	8	2	2	1	20	7	31	17	14						
SR	5.90	2.21	8.26	10.6	8.79	6.24	3.55	1.60	2.56	1.81	7.50	16.4						
MIN	3.32	1.68	2.14	6.11	6.11	4.04	1.68	.600	1.45	.855	4.04	6.68						
DAT	31	22	1	25	29	30	31	30	25	17	26	24						
<table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">GMIN = .600</td> <td style="width: 33%;">SRGOD= 6.31</td> <td style="width: 33%;">GMAX = 33.0</td> </tr> <tr> <td>DATUM 30 8</td> <td></td> <td>DATUM 14 12</td> </tr> </table>													GMIN = .600	SRGOD= 6.31	GMAX = 33.0	DATUM 30 8		DATUM 14 12
GMIN = .600	SRGOD= 6.31	GMAX = 33.0																
DATUM 30 8		DATUM 14 12																

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1960

Broj               : 45988                                Stanica :SAVNIK                                Kota "0" = 819.08  
Nacin osmat.: letva                                Rijeka :BUKOVICA                               km od usca = .40  
Pocetak rada: 1949                                Sliv :PRIDVORICE                               Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	11.0	7.25	8.00	20.3	7.25	6.68	2.25	1.11	.600	2.60	8.75	6.97
2	9.50	4.97	8.00	18.6	8.75	7.25	2.25	.940	.540	1.91	4.40	6.11
3	8.00	4.40	8.00	12.0	9.13	6.68	2.14	.940	.540	1.45	6.11	5.54
4	7.25	4.04	7.25	10.3	8.75	6.68	2.48	.855	.540	1.28	4.97	4.97
5	6.68	4.04	6.68	9.50	8.00	6.11	2.48	.855	.540	1.11	4.40	4.68
6	6.11	3.32	6.11	9.13	11.0	5.82	2.14	.855	.540	1.11	8.00	4.40
7	6.11	3.32	5.54	8.75	13.9	5.54	2.03	.770	.770	1.11	46.0	4.04
8	4.97	2.96	4.97	9.13	13.0	5.54	2.03	.770	.770	1.91	30.6	4.40
9	4.40	2.96	4.40	10.3	12.0	4.97	1.91	.770	.600	2.96	21.4	18.6
10	4.04	2.96	4.40	10.3	13.9	5.54	2.14	1.28	.600	2.60	15.9	47.6
11	4.04	2.78	4.04	11.0	13.9	6.39	2.03	.940	.600	23.6	38.4	23.6
12	3.68	2.96	6.11	13.0	13.0	5.54	1.91	.770	.600	15.9	23.6	17.0
13	3.32	13.9	7.63	13.0	13.9	4.97	1.79	.770	.540	12.5	15.9	13.9
14	3.68	10.3	7.25	14.9	13.9	4.68	1.57	1.28	.540	19.2	23.6	11.0
15	3.50	23.6	6.68	14.9	14.4	4.40	1.45	1.11	.540	11.0	36.6	10.3
16	3.32	25.9	8.00	13.0	14.9	4.22	1.37	.855	.540	15.9	24.8	9.88
17	3.32	14.9	18.6	13.0	18.1	4.40	1.37	.770	.540	22.5	18.1	9.13
18	3.50	21.4	20.3	11.0	18.1	4.22	1.45	.685	.540	12.0	13.0	9.50
19	2.96	41.8	14.4	10.6	17.0	3.68	1.28	.685	.540	8.75	11.0	25.9
20	2.60	43.2	10.3	11.0	18.6	3.50	1.20	.685	.540	7.25	27.0	18.1
21	2.96	28.2	8.75	9.88	18.1	4.04	1.11	.600	.770	6.11	19.2	17.0
22	2.60	25.9	8.00	9.50	14.9	3.68	1.11	.600	.940	14.9	14.4	25.9
23	2.60	21.4	7.25	9.50	12.0	4.04	1.03	.600	.855	8.75	12.0	24.2
24	2.60	22.5	6.68	8.75	11.0	3.32	1.20	.600	.770	7.25	10.3	17.0
25	2.37	17.0	6.11	8.00	9.50	3.14	1.28	.600	.770	6.68	8.75	13.9
26	2.60	13.9	6.11	7.25	9.50	2.60	1.11	.600	.770	5.54	8.00	11.0
27	2.96	11.0	13.9	6.68	8.00	2.60	1.11	.600	.685	6.11	7.25	9.50
28	4.97	9.88	23.6	6.39	7.25	2.60	1.11	.570	.685	6.11	6.39	8.00
29	7.25	8.00	23.6	7.25	6.11	2.60	1.11	.570	1.91	5.54	6.11	7.25
30	7.25		24.2	7.25	6.39	2.25	1.03	.540	3.68	4.97	8.00	6.68
31	8.00		21.4		6.68		1.03	.540		10.3		6.11
SD1	6.81	4.02	6.34	11.8	10.6	6.08	2.18	.914	.604	1.80	15.1	10.7
SD2	3.39	20.1	10.3	12.5	15.6	4.60	1.54	.855	.552	14.9	23.2	14.8
SD3	4.20	17.5	13.6	8.05	9.95	3.09	1.11	.584	1.18	7.48	10.0	13.3
MAX	11.0	43.2	24.2	20.3	18.6	7.25	2.48	1.28	3.68	23.6	46.0	47.6
DAT	1	20	30	1	20	2	4	10	30	11	7	10
SR	4.78	13.7	10.2	10.8	12.0	4.59	1.60	.778	.780	8.03	16.1	13.0
MIN	2.37	2.78	4.04	6.39	6.11	2.25	1.03	.540	.540	1.11	4.40	4.04
DAT	25	11	11	28	29	30	23	30	2	5	2	7
-----												
GMIN = .540			SRGOD= 8.00					GMAX = 47.6				
DATUM 30 8								DATUM 10 12				
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1961

Broj               : 45988                                Stanica :SAVNIK                                Kota "0" = 819.08  
Nacin osmat.: letva                                Rijeka :BUKOVICA                               km od usca = .40  
Pocetak rada: 1949                                Sliv :PRIDVORICE                               Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	5.54	2.37	2.03	3.68	14.9	4.97	2.25	1.28	.600	.480	2.60	8.00
2	4.97	2.37	2.03	3.68	13.0	4.68	2.14	1.28	.600	.480	2.48	7.25
3	5.54	2.37	2.03	4.97	9.88	4.68	2.03	1.28	.600	.480	2.37	6.68
4	7.25	2.14	1.91	6.11	8.75	4.40	2.03	1.20	.600	.480	2.14	6.11
5	13.9	2.14	1.68	7.25	7.25	4.22	2.03	1.11	.600	.480	33.0	5.54
6	10.3	1.91	1.68	7.63	7.25	4.04	1.91	1.11	.600	.480	15.9	4.97
7	8.38	1.68	1.68	9.13	6.97	3.86	1.91	1.11	.600	.480	10.3	6.11
8	7.25	1.91	1.68	9.50	6.68	4.04	1.68	1.11	.600	.480	15.9	8.00
9	6.11	1.91	2.14	10.3	6.11	3.68	2.37	.940	.600	.480	15.9	6.68
10	5.82	1.91	2.14	12.0	6.68	3.68	2.14	.940	.600	.480	13.9	6.11
11	4.97	1.79	2.78	9.50	6.68	4.40	2.03	.940	.770	.480	31.8	4.97
12	4.68	1.68	3.50	9.50	6.68	4.97	1.91	.770	.600	.480	35.4	4.97
13	4.97	1.68	3.86	10.3	6.68	4.40	1.68	.770	.600	.480	24.8	4.68
14	4.40	1.68	4.04	10.3	6.97	4.04	1.68	.770	.600	.480	20.3	4.40
15	4.68	1.68	4.97	9.50	8.00	3.68	1.68	.770	.570	.480	24.8	4.04
16	4.04	1.45	6.11	8.75	8.00	3.50	1.45	.770	.570	.480	19.2	3.68
17	3.68	1.45	6.11	9.50	8.00	2.96	1.45	.770	.570	.480	14.9	3.32
18	3.50	1.68	5.54	10.6	12.0	2.96	1.45	1.11	.540	.480	11.0	3.68
19	3.32	1.68	6.11	9.50	13.0	2.60	1.45	.940	.510	6.11	9.50	3.32
20	2.96	1.68	6.11	11.0	15.9	2.60	1.45	.855	.510	27.0	8.00	2.96
21	2.78	1.68	6.68	7.25	13.0	2.60	1.37	.770	.510	18.1	7.25	2.96
22	2.78	1.68	6.68	6.68	13.0	2.60	1.37	.770	.510	8.00	6.11	3.50
23	2.96	1.79	5.54	6.68	13.9	2.60	1.37	.770	.510	6.11	4.97	2.78
24	2.78	1.91	4.97	6.97	12.0	2.60	1.37	.600	.480	4.40	4.40	2.60
25	2.78	1.91	4.40	10.3	10.3	2.37	1.28	.600	.480	3.68	4.40	2.60
26	2.78	1.91	4.22	7.25	9.50	2.37	1.28	.600	.480	2.96	6.11	2.60
27	2.60	1.91	4.22	6.97	8.75	2.25	1.28	.600	.480	2.60	7.25	2.60
28	2.25	1.91	4.04	8.38	7.25	2.37	1.11	.600	.480	2.37	8.75	35.4
29	2.37		4.04	8.00	6.68	2.60	1.11	.600	.480	2.37	11.0	18.1
30	2.37		3.86	8.75	6.68	2.37	1.28	.600	.480	2.14	8.00	8.00
31	2.25		3.68		5.54		1.45	.600		2.14		8.00
SD1	7.51	2.07	1.90	7.43	8.75	4.22	2.05	1.14	.600	.480	11.4	6.55
SD2	4.12	1.64	4.91	9.84	9.19	3.61	1.62	.847	.584	3.70	20.0	4.00
SD3	2.61	1.84	4.76	7.72	9.69	2.47	1.30	.646	.489	4.99	6.82	8.10
MAX	13.9	2.37	6.68	12.0	15.9	4.97	2.25	1.28	.770	27.0	35.4	35.4
DAT	5	1	21	10	20	1	1	1	11	20	12	28
SR	4.68	1.85	3.89	8.33	9.23	3.44	1.64	.869	.558	3.12	12.7	6.28
MIN	2.25	1.45	1.68	3.68	5.54	2.25	1.11	.600	.480	.480	2.14	2.60
DAT	28	16	5	1	31	27	28	24	24	1	4	24
-----												
GMIN = .480			SRGOD= 4.72					GMAX = 35.4				
DATUM 24 9								DATUM 12 11				
-----												

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1962

Broj               : 45988                      Stanica :SAVNIK                      Kota "0" = 819.08  
Nacin osmat.: letva                      Rijeka :BUKOVICA                      km od usca = .40  
Pocetak rada: 1949                      Sliv :PRIDVORICE                      Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	7.25	2.37	2.60	46.0	8.75	5.54	2.14	.940	.540	.600	.940	6.68
2	6.68	2.25	4.04	33.0	8.00	4.97	2.14	.770	.510	.600	4.97	5.54
3	6.68	2.48	3.32	23.6	7.25	4.40	2.14	.770	.480	.600	4.97	4.40
4	6.68	2.37	4.97	18.1	8.00	4.04	2.14	.770	.480	.540	3.50	3.68
5	6.68	2.37	28.2	25.9	10.3	4.04	1.91	.770	.480	.540	2.60	3.50
6	4.97	2.37	71.0	23.6	13.9	4.04	2.14	.600	.480	.540	2.37	2.96
7	4.40	2.37	43.2	15.9	18.1	3.68	1.91	.600	.480	.540	2.60	2.60
8	4.04	2.14	23.6	14.4	18.1	3.32	1.68	.600	.480	.540	2.60	2.60
9	3.68	2.14	11.0	10.3	22.5	2.96	1.68	.600	.480	.540	2.96	2.60
10	3.68	2.14	10.3	9.50	25.9	2.60	1.68	.600	.480	.540	8.75	2.37
11	3.68	2.14	8.75	9.50	24.8	2.60	1.45	1.11	.480	.540	8.00	2.25
12	3.32	2.14	11.0	10.3	22.5	3.32	1.45	.770	.480	.540	11.0	2.25
13	4.04	2.14	9.50	9.50	22.5	3.32	1.28	.600	.480	.540	4.97	9.50
14	3.68	13.9	8.00	9.50	22.5	2.96	1.28	.600	.480	.540	8.00	10.3
15	7.25	7.25	6.68	9.50	23.6	2.96	1.28	.600	.480	.600	6.11	6.68
16	14.9	4.97	4.97	9.50	18.1	2.60	1.20	.600	.480	.600	8.75	17.0
17	8.00	4.04	4.97	10.3	13.0	2.96	1.11	.570	.480	3.32	13.0	13.9
18	7.25	3.32	4.04	9.50	13.0	2.60	1.45	.570	.540	3.32	19.2	7.25
19	6.68	2.60	3.68	13.0	12.0	2.96	1.28	.540	.540	1.68	23.6	4.97
20	6.11	2.60	3.32	13.9	12.0	2.60	1.28	.540	.540	1.45	30.6	4.40
21	4.97	2.48	2.96	15.9	12.0	2.60	1.20	.540	.540	1.45	41.8	4.40
22	4.68	2.60	14.9	14.9	9.50	2.37	1.20	.540	.540	1.11	21.4	4.04
23	4.40	2.60	13.0	13.9	8.75	2.37	1.11	.540	.540	.770	19.2	2.96
24	4.04	2.14	11.0	14.9	8.00	2.37	.940	.540	.540	.770	27.0	2.60
25	3.68	2.14	20.3	14.9	7.25	2.37	.770	.540	.540	.770	25.9	2.60
26	3.68	2.14	27.0	15.9	7.25	2.14	.770	.540	.540	.770	15.9	2.60
27	3.32	2.14	15.9	17.0	6.68	2.37	.770	.540	.480	.770	11.0	2.48
28	3.14	2.14	11.0	17.0	6.11	2.37	.770	.540	.480	.770	8.75	2.37
29	2.96		8.75	13.9	6.11	2.14	.770	.540	.480	.770	7.25	2.14
30	2.37		7.25	11.0	5.54	2.14	.770	.480	.480	.770	7.25	6.11
31	2.25		8.00		6.11		.770	.480		.770		28.2
SD1	5.47	2.30	20.2	22.0	14.1	3.96	1.96	.702	.489	.558	3.63	3.69
SD2	6.49	4.51	6.49	10.4	18.4	2.89	1.31	.650	.498	1.31	13.3	7.85
SD3	3.59	2.30	12.7	14.9	7.57	2.32	.895	.529	.516	.863	18.5	5.50
MAX	14.9	13.9	71.0	46.0	24.8	5.54	2.14	1.11	.540	3.32	41.8	28.2
DAT	16	14	6	1	11	1	1	11	1	18	21	31
SR	5.13	3.09	13.1	15.8	13.2	3.06	1.37	.624	.501	.910	11.8	5.68
MIN	2.25	2.14	2.60	9.50	5.54	2.14	.770	.480	.480	.540	.940	2.14
DAT	31	8	1	10	30	26	25	30	3	4	1	29
-----												
GMIN = .480			SRGOD= 6.20					GMAX = 71.0				
DATUM 30 8								DATUM 6 3				
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1963

Broj               : 45988                                Stanica :SAVNIK                                Kota "0" = 819.08  
Nacin osmat.: letva                                Rijeka :BUKOVICA                               km od usca = .40  
Pocetak rada: 1949                                Sliv :PRIDVORICE                               Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	28.2	2.60	2.60	4.40	15.9	9.50	2.96	1.11	2.60	2.78	1.03	4.05
2	14.9	2.60	2.37	4.40	15.9	9.50	2.60	1.11	1.28	2.60	1.03	3.60
3	11.0	3.32	2.37	4.40	17.0	9.50	2.48	1.11	1.11	2.48	1.03	3.17
4	25.9	3.68	2.37	3.68	23.6	8.75	2.37	1.11	1.03	2.60	1.03	3.03
5	15.9	5.54	2.14	3.68	23.6	8.00	2.37	.940	.770	2.78	1.03	2.75
6	15.9	4.04	2.14	3.68	22.5	7.25	2.48	.940	.600	6.68	1.03	4.05
7	30.6	3.68	2.14	4.04	15.9	7.25	2.37	.940	.770	11.0	9.30	8.61
8	46.0	3.32	1.91	3.68	15.9	6.68	2.37	.940	.940	7.25	19.4	4.95
9	33.0	2.96	1.91	3.86	14.9	6.68	2.37	.940	1.28	4.97	25.0	4.28
10	28.2	2.60	2.14	4.04	14.9	7.25	2.14	.940	1.91	4.40	10.2	3.60
11	27.0	2.60	3.68	8.00	15.9	8.00	2.14	.940	2.37	3.68	5.85	3.17
12	25.9	2.96	3.68	28.2	15.9	17.0	2.14	.940	1.68	3.68	4.50	3.03
13	25.9	3.32	11.0	23.6	15.9	12.0	2.37	.940	1.45	3.68	3.60	3.03
14	19.2	3.32	7.25	20.3	17.0	9.50	2.37	.940	1.28	3.68	3.32	4.95
15	13.0	2.60	6.11	19.2	14.9	8.75	2.14	.940	1.11	3.32	3.32	3.60
16	10.3	2.60	4.97	15.9	13.0	8.00	1.91	.940	.940	3.32	4.95	3.32
17	9.50	11.0	2.60	14.9	13.9	7.25	1.68	.940	.770	1.16	3.46	51.6
18	7.25	22.5	4.04	17.0	13.9	6.68	1.68	.940	.770	1.16	3.32	81.0
19	6.68	11.0	3.68	19.2	13.9	6.11	1.68	.940	.770	1.16	6.54	27.4
20	13.9	12.0	3.68	19.2	13.0	6.11	1.45	1.28	.685	1.16	4.95	19.4
21	9.50	9.50	4.40	20.3	11.0	4.97	1.45	1.28	.600	1.16	4.05	16.2
22	7.25	8.00	6.11	20.3	10.3	4.40	1.45	.940	.600	1.16	3.32	59.4
23	6.68	6.11	5.54	22.5	9.50	4.40	1.45	.600	.770	1.09	3.03	54.0
24	6.11	4.97	4.40	22.5	9.50	4.22	1.45	.600	.600	1.09	2.89	36.6
25	5.54	4.40	4.04	22.5	9.50	4.04	1.45	.600	1.11	1.09	2.46	28.0
26	4.40	3.68	3.68	22.5	10.3	3.68	1.45	.540	1.11	1.09	2.46	17.2
27	4.04	3.32	3.68	23.6	11.0	3.68	1.11	.540	2.60	1.09	2.32	12.6
28	4.04	2.96	3.68	21.4	11.0	3.32	1.11	.540	4.40	1.03	2.61	11.2
29	3.68		3.68	20.3	9.50	3.32	1.11	.540	3.68	1.03	5.85	8.61
30	3.32		4.04	17.0	9.50	3.32	1.11	.540	2.96	1.03	5.17	7.57
31	2.96		4.40		9.50		1.11	.600		1.03		6.54
SD1	25.0	3.43	2.21	3.99	18.0	8.04	2.45	1.01	1.23	4.75	7.01	4.21
SD2	15.9	7.39	5.07	18.5	14.7	8.94	1.96	.974	1.18	2.60	4.38	20.0
SD3	5.23	5.37	4.33	21.3	10.1	3.93	1.30	.665	1.84	1.08	3.42	23.4
MAX	46.0	22.5	11.0	28.2	23.6	17.0	2.60	2.60	3.68	11.0	25.0	81.0
DAT	8	18	13	12	4	12	1	31	28	6	8	17
SR	15.0	5.40	3.88	14.6	14.1	6.97	1.88	.875	1.42	2.76	4.93	16.1
MIN	2.96	2.60	1.91	3.68	9.50	3.32	1.11	.540	.600	1.03	1.03	2.75
DAT	31	1	8	4	23	28	27	26	6	28	1	5
		GMIN = .540		SRGOD= 7.36		GMAX = 81.0						
		DATUM 26 8				DATUM 17 12						

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1964

Broj               : 45988                                Stanica :SAVNIK                                Kota "0" = 819.08  
Nacin osmat.: letva                                Rijeka :BUKOVICA                               km od usca = .40  
Pocetak rada: 1949                                Sliv :PRIDVORICE                               Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	5.40	1.57	2.75	13.1	6.54	5.85	2.18	1.77	1.36	2.08	13.1	38.0
2	4.95	1.36	2.18	15.1	6.54	4.95	2.18	1.77	1.36	1.98	13.1	22.8
3	4.95	1.26	2.18	12.1	6.54	4.72	2.08	1.87	1.36	1.98	25.0	17.2
4	3.82	1.26	1.98	15.1	6.89	4.50	2.08	1.77	1.77	1.98	19.4	17.8
5	3.82	1.16	1.98	25.0	7.92	3.60	1.98	1.77	1.77	1.77	16.2	16.2
6	3.60	1.16	1.98	18.3	7.57	3.32	1.98	1.77	1.77	1.77	19.4	10.2
7	5.63	1.16	1.98	13.1	5.85	3.60	1.98	1.57	1.77	1.77	18.3	9.30
8	3.32	1.57	1.98	10.2	5.63	3.32	1.98	1.47	1.47	1.77	17.2	7.92
9	3.03	1.36	1.77	9.30	5.40	3.32	1.77	1.47	1.47	4.05	15.1	7.23
10	2.89	1.16	1.77	7.92	5.40	3.03	1.77	1.57	1.47	27.4	17.2	7.23
11	2.61	1.16	1.77	6.54	5.85	3.03	1.77	1.36	1.36	72.0	15.1	7.23
12	2.46	1.16	1.77	5.85	5.85	2.89	4.05	1.36	1.16	137	14.5	6.54
13	2.32	1.16	1.77	5.85	5.85	2.75	4.95	1.36	1.16	38.0	15.1	5.40
14	2.32	1.16	1.77	5.85	5.63	2.75	3.32	1.36	1.16	42.8	15.1	5.40
15	2.61	1.16	2.46	5.85	5.63	2.46	3.03	1.36	1.16	46.0	13.1	5.40
16	2.18	1.16	17.2	5.40	6.54	2.18	3.03	1.36	1.09	28.6	13.1	4.72
17	2.18	1.16	7.92	5.17	4.95	2.32	2.75	1.36	1.03	23.9	12.6	4.95
18	1.98	1.77	4.95	5.85	4.50	2.46	2.75	1.16	1.03	19.4	9.30	4.50
19	1.98	6.54	4.50	5.85	4.50	2.46	2.46	1.16	1.16	22.8	8.61	22.8
20	1.77	25.0	4.50	5.85	4.50	2.46	2.18	1.77	1.16	19.4	7.92	50.8
21	1.77	7.23	4.95	5.85	4.95	2.46	2.18	1.77	1.16	17.2	7.23	25.0
22	1.77	4.05	39.6	5.85	4.95	2.46	2.18	1.47	2.18	17.2	6.54	19.4
23	1.77	3.32	19.4	5.85	4.50	2.18	2.18	1.36	1.98	16.2	5.85	14.0
24	1.77	3.03	11.2	6.54	4.50	2.32	1.98	1.36	1.77	15.1	5.63	10.2
25	1.77	2.75	7.92	12.1	3.60	2.46	1.98	1.16	1.77	19.4	5.63	9.30
26	1.67	2.46	6.19	9.30	3.60	3.60	1.98	1.16	1.77	22.8	5.40	12.1
27	1.67	2.32	5.85	8.95	4.95	3.32	1.98	1.16	2.18	25.0	5.17	16.2
28	1.67	2.46	5.85	6.54	4.95	2.75	1.77	1.16	2.18	22.8	4.95	13.1
29	1.67	2.32	19.4	6.54	3.82	2.75	1.77	1.16	2.18	19.4	5.40	14.0
30	1.67		11.6	6.54	7.23	2.46	1.77	1.16	2.08	15.6	8.61	15.1
31	1.57		11.2		5.85		1.77	1.16		13.1		14.0
SD1	4.14	1.30	2.05	13.9	6.43	4.02	2.00	1.68	1.56	4.66	17.4	15.4
SD2	2.24	4.14	4.86	5.81	5.38	2.58	3.03	1.36	1.15	45.0	12.4	11.8
SD3	1.71	3.33	13.0	7.41	4.81	2.68	1.96	1.28	1.93	18.5	6.04	14.8
MAX	5.40	25.0	39.6	25.0	7.92	5.85	4.95	1.87	2.18	137	25.0	38.0
DAT	1	20	22	5	5	1	13	3	22	12	3	1
SR	2.66	2.91	6.85	9.04	5.52	3.09	2.32	1.44	1.54	22.6	12.0	14.0
MIN	1.57	1.16	1.77	5.17	3.60	2.18	1.77	1.16	1.03	1.77	4.95	4.50
DAT	31	5	9	17	25	16	9	18	17	5	28	18
GMIN =		1.03		SRGOD=		7.02		GMAX =		137		
DATUM		17 9						DATUM		12 10		



## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1965

Broj               : 45988                                Stanica :SAVNIK                                Kota "0" = 819.08  
Nacin osmat.: letva                                Rijeka :BUKOVICA                               km od usca = .40  
Pocetak rada: 1949                                Sliv :PRIDVORICE                               Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	8.95	11.2	1.77	3.60	12.1	18.9	4.50	1.77	1.57	1.77	1.36	50.8
2	8.61	18.3	2.75	3.32	12.1	18.3	4.05	1.77	1.57	1.77	1.36	23.9
3	7.92	9.30	50.8	3.32	12.1	15.1	4.05	1.77	1.57	1.77	1.36	16.2
4	5.85	6.54	19.4	3.32	11.2	12.1	3.82	1.77	1.57	1.77	1.36	9.30
5	4.95	5.85	9.30	3.60	12.1	13.1	3.60	1.77	1.57	1.77	1.36	9.30
6	4.95	5.40	7.92	5.17	20.5	17.2	3.60	1.77	1.67	1.77	1.36	6.54
7	4.95	4.50	5.85	4.95	16.2	14.0	3.60	1.67	2.18	1.77	1.36	5.85
8	4.05	4.05	4.95	6.54	12.1	12.1	3.32	1.67	1.77	1.77	1.57	7.92
9	3.60	3.60	4.50	12.1	12.1	11.2	3.17	1.67	1.77	1.77	1.57	10.2
10	3.60	3.32	3.60	42.8	12.1	11.2	3.60	1.57	1.67	1.77	1.57	20.5
11	3.60	3.17	3.32	21.6	12.6	13.1	3.32	1.57	1.67	1.77	2.18	54.0
12	3.03	3.03	3.17	19.4	11.2	14.0	3.03	1.57	1.67	1.77	2.18	25.0
13	3.03	2.89	3.03	17.2	12.1	10.2	3.03	1.57	1.77	1.77	5.85	19.4
14	3.03	2.89	3.03	16.2	13.1	9.77	3.03	1.57	1.77	1.77	14.0	13.1
15	3.03	2.75	3.03	14.0	13.1	9.30	3.03	1.57	1.77	1.77	5.85	11.2
16	3.03	2.75	3.03	12.1	14.0	8.61	2.75	1.57	1.77	1.77	4.95	9.30
17	2.46	2.61	3.03	9.30	19.4	7.92	2.46	1.57	1.57	1.77	4.05	7.92
18	2.75	2.46	3.03	8.61	22.8	8.61	2.46	1.57	1.57	1.77	3.60	7.92
19	2.46	2.18	3.17	9.30	25.0	8.27	2.46	1.57	1.57	1.77	14.0	5.85
20	2.46	2.18	3.17	8.61	27.4	7.92	2.18	1.57	1.57	1.77	19.4	5.40
21	2.46	2.18	3.32	17.2	25.0	6.89	2.18	1.57	1.57	1.57	16.2	5.17
22	2.46	2.32	3.60	13.1	20.5	6.54	2.08	1.57	1.57	1.57	31.0	4.95
23	2.46	2.18	4.50	10.2	22.8	6.54	1.98	1.57	1.57	1.57	19.4	4.05
24	2.46	2.18	5.85	9.30	20.5	6.19	1.87	1.57	1.57	1.57	16.2	4.05
25	2.46	1.98	11.2	9.30	18.3	5.85	1.98	3.03	1.57	1.57	12.1	4.05
26	2.18	1.77	7.92	9.30	18.3	5.40	1.98	1.98	1.57	1.57	7.92	4.05
27	2.18	1.77	6.54	8.61	16.2	5.40	1.98	1.77	1.57	1.57	10.2	4.50
28	2.18	1.77	5.85	9.30	16.2	5.17	1.77	1.77	1.57	1.57	38.0	5.85
29	2.18		5.40	18.3	20.5	4.95	1.77	1.67	1.77	1.57	19.4	23.9
30	3.03		4.05	15.1	18.3	4.72	1.77	1.67	1.77	1.57	13.1	19.4
31	9.30		3.60		17.2		1.77	1.67		1.36		18.3
SD1	5.74	7.21	11.1	8.87	13.3	14.3	3.73	1.72	1.69	1.77	1.42	16.1
SD2	2.89	2.69	3.10	13.6	17.1	9.77	2.77	1.57	1.67	1.77	7.61	15.9
SD3	3.03	2.02	5.62	12.0	19.4	5.77	1.92	1.80	1.61	1.55	18.4	8.93
MAX	9.30	18.3	50.8	42.8	25.0	18.9	4.50	1.77	2.18	1.77	38.0	54.0
DAT	31	2	3	10	19	1	1	1	7	1	28	11
SR	3.86	4.11	6.57	11.5	16.7	9.95	2.78	1.70	1.66	1.69	9.13	13.5
MIN	2.18	1.77	1.77	3.32	11.2	4.72	1.77	1.57	1.57	1.36	1.36	4.05
DAT	26	26	1	2	4	30	28	10	1	31	1	23
GMIN = 1.36			SRGOD= 6.94			GMAX = 54.0						
DATUM 31 10						DATUM 11 12						

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1966

Broj               : 45988                      Stanica :SAVNIK                      Kota "0" = 819.08  
Nacin osmat.: letva                      Rijeka :BUKOVICA                      km od usca = .40  
Pocetak rada: 1949                      Sliv :PRIDVORICE                      Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	5.85	3.03	9.30	6.54	18.3	11.2	3.82	2.46	3.03	3.60	19.4	8.61	
2	5.40	3.03	9.30	6.54	18.3	11.2	3.32	2.46	2.46	3.60	14.0	7.23	
3	4.95	3.03	8.61	6.54	18.3	10.7	3.03	2.46	2.18	3.60	9.30	31.0	
4	4.50	3.03	8.61	5.85	18.3	9.77	3.03	2.18	1.98	4.50	8.61	29.8	
5	4.50	2.75	7.92	5.85	17.2	8.61	2.75	1.98	1.98	3.60	15.1	19.4	
6	4.05	2.75	7.92	5.85	16.2	8.61	2.61	1.98	1.98	2.61	15.1	15.1	
7	4.05	3.03	7.23	5.85	15.1	8.61	2.61	1.77	1.98	2.75	14.5	12.1	
8	4.05	3.32	6.54	6.54	14.0	7.92	2.61	1.77	1.77	2.46	12.1	9.30	
9	3.60	3.32	5.85	7.23	10.2	6.54	2.61	1.67	1.67	2.46	11.2	8.61	
10	3.60	3.60	5.40	22.2	13.1	6.54	2.61	1.57	1.67	2.75	8.61	8.61	
11	3.32	5.40	4.95	25.0	17.2	6.54	2.61	1.57	1.57	5.85	7.23	7.92	
12	3.32	31.0	5.40	19.4	17.2	5.85	2.61	1.57	1.57	4.05	9.30	5.85	
13	3.32	18.3	5.85	20.5	17.2	5.85	2.61	1.57	1.57	3.60	13.1	5.85	
14	3.17	14.0	5.40	19.4	16.2	5.63	2.61	1.57	1.57	3.60	15.1	26.2	
15	3.03	12.1	5.40	16.2	15.1	5.40	2.61	1.57	1.57	3.60	14.0	17.2	
16	3.03	10.2	4.95	20.5	14.0	4.95	2.61	1.57	1.57	3.03	10.2	12.1	
17	3.17	7.92	4.50	39.6	12.1	4.95	1.98	1.57	1.57	3.03	9.30	9.30	
18	3.17	7.23	4.50	29.8	11.2	4.05	1.98	1.57	1.57	2.75	10.2	7.92	
19	3.32	7.23	3.60	23.9	11.2	4.05	1.98	1.57	1.57	2.18	12.1	7.23	
20	3.32	6.54	3.60	21.6	9.30	4.05	1.98	1.57	1.57	2.18	12.1	5.85	
21	3.32	7.23	3.60	21.6	9.30	4.05	2.18	1.57	1.57	2.46	12.1	4.95	
22	3.32	10.2	3.32	21.6	7.92	3.60	2.18	1.57	1.57	3.46	9.30	5.40	
23	3.32	11.2	3.32	19.4	7.92	3.60	2.18	1.57	1.36	3.46	13.1	4.95	
24	3.32	33.8	3.32	15.1	7.92	3.60	3.32	1.57	1.36	3.32	15.1	4.50	
25	2.75	19.4	3.32	15.1	8.61	3.60	3.03	1.57	1.36	3.03	31.0	4.05	
26	2.75	16.2	4.05	15.1	7.92	3.32	4.50	1.57	1.36	3.60	19.4	3.60	
27	2.46	13.1	5.17	18.3	8.61	3.32	3.32	1.57	1.36	25.0	14.0	3.60	
28	2.46	10.2	5.85	18.3	22.8	3.32	2.89	1.57	1.36	31.0	12.1	3.60	
29	2.46		10.2	17.2	15.1	3.03	2.89	1.57	1.36	18.3	10.2	3.60	
30	2.46		10.2	18.3	15.1	4.50	2.46	1.36	1.36	25.0	9.30	3.60	
31	2.46		9.30		13.1		2.46	1.36		19.4		3.32	
SD1	4.45	3.09	7.67	7.90	15.9	8.97	2.90	2.03	2.07	3.19	12.8	15.0	
SD2	3.22	12.0	4.81	23.6	14.1	5.13	2.36	1.57	1.57	3.39	11.3	10.5	
SD3	2.83	15.2	5.60	18.0	11.3	3.59	2.86	1.53	1.40	12.5	14.6	4.11	
MAX	5.85	31.0	10.2	39.6	18.3	11.2	4.50	2.46	3.03	31.0	31.0	31.0	
DAT	1	12	29	17	1	1	26	1	1	28	25	3	
SR	3.48	9.72	6.02	16.5	13.7	5.90	2.71	1.70	1.68	6.58	12.9	9.69	
MIN	2.46	2.75	3.32	5.85	7.92	3.03	1.98	1.36	1.36	2.18	7.23	3.32	
DAT	27	5	22	4	22	29	17	30	23	19	11	31	
GMIN =			1.36	SRGOD=			7.51	GMAX =			39.6		
DATUM			30 8					DATUM			17 4		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1967

Broj               : 45988                      Stanica :SAVNIK                      Kota "0" = 819.08  
Nacin osmat.: letva                      Rijeka :BUKOVICA                      km od usca = .40  
Pocetak rada: 1949                      Sliv :PRIDVORICE                      Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	3.60	2.18	3.32	29.8	17.2	8.61	3.60	2.46	1.16	1.16	1.16	7.23
2	3.32	2.18	4.05	19.4	16.2	7.92	3.60	2.32	1.16	1.16	1.16	4.50
3	2.75	2.18	8.61	16.2	19.4	5.85	3.60	2.18	1.16	1.16	1.16	4.05
4	2.46	2.46	6.89	12.1	26.2	5.85	3.60	1.98	1.16	1.16	1.16	3.32
5	3.32	2.46	4.05	9.30	21.6	5.85	3.60	1.98	1.16	1.16	1.16	3.03
6	3.60	2.46	4.05	8.61	19.4	5.40	3.32	1.77	1.16	1.36	1.36	3.03
7	3.60	2.46	4.05	9.30	19.4	5.40	3.03	1.77	1.16	1.36	3.03	2.46
8	3.60	2.46	4.05	20.5	19.4	5.40	3.03	1.77	1.16	1.36	9.30	2.46
9	3.32	2.18	4.50	22.8	19.4	5.40	3.03	1.77	1.16	1.36	5.85	3.32
10	3.32	2.18	5.85	22.8	19.4	5.40	3.03	1.77	1.16	1.36	3.60	3.03
11	3.32	2.18	6.54	25.0	20.5	5.40	3.17	1.77	1.16	1.36	3.03	2.75
12	3.03	2.18	7.23	25.0	19.4	5.40	3.03	1.77	1.16	1.36	2.18	3.32
13	2.75	2.18	9.30	25.0	19.4	5.40	3.03	1.77	1.16	1.16	2.18	3.32
14	2.75	2.18	9.30	29.8	19.4	5.85	3.03	1.77	1.16	1.16	2.08	3.03
15	2.75	2.18	7.23	33.8	16.2	6.54	3.03	1.77	1.16	1.16	1.77	3.03
16	2.46	2.18	6.54	22.8	16.2	6.54	3.03	1.57	1.57	1.16	1.77	2.75
17	2.46	2.18	6.19	21.6	16.2	6.54	2.89	1.57	1.57	1.16	1.77	2.75
18	2.46	2.18	5.85	21.6	14.0	5.85	2.89	1.57	1.57	1.16	1.77	2.75
19	2.46	2.18	4.95	21.1	13.1	5.40	2.89	1.57	1.57	1.16	1.77	2.75
20	2.46	2.18	4.95	17.2	12.1	4.95	2.89	1.57	1.57	1.16	1.77	2.46
21	2.46	2.18	4.50	15.1	13.1	5.40	2.75	1.77	1.36	1.16	1.77	2.18
22	2.61	2.18	3.60	14.0	13.1	5.40	2.75	1.77	1.36	1.16	1.36	1.98
23	2.61	2.18	3.60	13.1	13.1	5.85	2.75	1.77	1.36	1.16	1.36	1.98
24	2.61	2.18	3.60	13.1	14.0	5.40	2.75	1.57	1.36	1.16	1.36	2.18
25	2.46	2.18	3.60	12.1	15.1	5.40	2.61	1.36	1.36	1.16	1.36	3.60
26	2.46	2.46	3.60	11.2	14.0	4.50	2.61	1.36	1.36	1.16	1.36	20.5
27	2.46	2.46	3.60	11.2	9.30	4.50	2.61	1.36	1.36	1.16	1.16	35.2
28	2.46	2.46	3.60	9.30	9.30	4.05	2.75	1.16	1.36	1.16	1.16	20.5
29	2.18		4.95	16.2	8.95	4.05	2.89	1.16	1.26	1.16	1.98	14.0
30	2.18		36.6	19.4	7.92	4.05	2.89	1.16	1.16	1.16	16.2	9.30
31	2.18		50.8		8.61		2.61	1.16		1.16		20.5
SD1	3.29	2.32	4.94	17.1	19.8	6.11	3.34	1.98	1.16	1.26	2.89	3.64
SD2	2.69	2.18	6.81	24.3	16.7	5.79	2.99	1.67	1.36	1.20	2.01	2.89
SD3	2.42	2.29	11.1	13.5	11.5	4.86	2.72	1.42	1.33	1.16	2.91	12.0
MAX	3.60	2.46	50.8	33.8	26.2	8.61	3.60	2.46	1.57	1.36	16.2	35.2
DAT	1	5	31	15	4	1	1	1	16	6	30	27
SR	2.79	2.26	7.73	18.3	15.8	5.59	3.01	1.68	1.28	1.21	2.60	6.36
MIN	2.18	2.18	3.32	8.61	7.92	4.05	2.61	1.16	1.16	1.16	1.16	1.98
DAT	29	1	1	6	30	28	25	28	1	1	1	22
GMIN = 1.16			SRGOD= 5.73			GMAX = 50.8						
DATUM 28 8						DATUM 31 3						

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1968

Broj               : 45988                                Stanica :SAVNIK                                Kota "0" = 819.08  
Nacin osmat.: letva                                Rijeka :BUKOVICA                                km od usca = .40  
Pocetak rada: 1949                                Sliv :PRIDVORICE                                Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	22.2	2.18	6.54	13.1	19.4	6.54	3.32	1.36	2.18	3.32	1.57	3.03	
2	19.4	2.18	5.85	13.1	18.3	4.95	3.32	1.36	2.18	3.03	1.57	2.75	
3	13.1	2.18	4.95	13.1	15.1	4.05	3.32	1.36	2.18	3.03	1.57	2.75	
4	10.2	2.18	4.50	25.0	14.0	4.05	3.32	1.36	2.18	3.03	5.85	2.46	
5	6.54	2.18	4.05	23.9	14.0	4.05	3.03	1.36	2.18	3.03	5.85	2.46	
6	5.85	2.18	3.82	22.8	14.0	4.05	2.75	1.36	2.75	2.75	5.40	2.46	
7	5.85	2.18	3.82	22.8	14.0	4.95	2.75	1.36	3.03	2.75	3.32	1.36	
8	5.85	2.75	3.82	22.8	13.1	4.95	2.46	1.36	2.75	2.18	3.32	1.36	
9	4.95	3.60	3.60	23.9	13.1	4.95	2.46	1.36	2.75	2.18	3.32	1.36	
10	4.50	3.60	3.82	19.4	10.2	5.40	2.46	1.57	2.75	2.18	29.8	1.36	
11	4.05	4.95	3.82	17.2	9.30	16.2	2.18	1.57	2.46	2.18	19.4	1.36	
12	4.05	4.50	3.60	13.1	9.30	14.0	2.18	1.57	2.46	1.98	14.0	1.36	
13	4.05	4.05	3.60	10.2	9.30	11.2	2.18	1.77	2.75	1.98	13.1	1.36	
14	4.05	3.82	3.32	10.2	9.30	7.92	1.98	1.98	2.75	1.98	6.54	1.36	
15	3.60	4.05	3.32	10.2	7.92	7.92	1.98	1.98	2.75	1.98	6.54	1.36	
16	3.32	5.40	3.03	11.2	7.23	8.61	1.98	1.98	2.75	1.98	9.30	1.36	
17	3.32	5.85	3.03	15.1	5.85	9.30	1.98	1.98	2.75	1.98	25.0	1.57	
18	3.32	7.23	3.03	17.2	5.85	9.30	1.77	1.98	2.75	1.98	92.0	14.0	
19	3.03	6.54	3.03	18.3	5.40	8.61	1.98	2.18	22.8	1.77	42.8	23.9	
20	3.03	4.50	4.05	18.3	5.40	8.61	1.98	2.18	9.30	1.77	31.0	22.8	
21	3.03	4.50	4.50	17.2	5.40	5.85	1.87	2.18	9.30	1.77	21.6	20.5	
22	3.03	4.50	15.1	16.2	5.40	5.85	1.77	2.18	4.95	1.77	14.0	15.1	
23	3.03	4.05	38.0	16.2	5.40	5.40	1.77	2.18	5.40	1.77	9.30	11.2	
24	3.03	4.95	23.9	16.2	4.95	4.95	1.57	1.98	4.95	1.77	7.23	10.2	
25	3.03	13.1	17.2	18.3	4.95	4.50	1.57	1.98	5.40	1.57	5.85	6.54	
26	3.03	18.3	16.2	18.3	4.95	4.28	1.57	1.98	4.95	1.57	5.85	6.54	
27	3.03	16.2	16.2	18.3	4.95	4.05	1.57	1.98	4.50	1.57	4.95	5.40	
28	3.03	14.0	12.1	18.3	4.50	4.05	1.57	2.18	4.50	1.57	3.60	4.05	
29	3.03	9.30	11.2	18.3	4.50	4.05	1.57	2.18	3.60	1.57	3.32	3.60	
30	2.46		11.2	19.4	4.05	3.32	1.57	2.18	3.32	1.57	3.32	3.60	
31	2.18		13.1		4.50		1.47	2.18		1.57		3.32	
SD1	9.84	2.52	4.48	20.0	14.5	4.79	2.92	1.38	2.49	2.75	6.16	2.14	
SD2	3.58	5.09	3.38	14.1	7.49	10.2	2.02	1.92	5.35	1.96	26.0	7.04	
SD3	2.90	9.88	16.2	17.7	4.87	4.63	1.62	2.11	5.09	1.64	7.90	8.19	
MAX	22.2	18.3	38.0	25.0	19.4	16.2	3.32	2.18	22.8	3.32	92.0	23.9	
DAT	1	26	23	4	1	11	1	19	19	1	18	19	
SR	5.36	5.69	8.30	17.3	8.83	6.53	2.17	1.81	4.31	2.10	13.3	5.87	
MIN	2.18	2.18	3.03	10.2	4.05	3.32	1.47	1.36	2.18	1.57	1.57	1.36	
DAT	31	1	16	13	30	30	31	1	1	25	1	7	
GMIN =			1.36	SRGOD=			6.76	GMAX =			92.0		
DATUM			1 8					DATUM			18 11		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1969

Broj               : 45988                                Stanica :SAVNIK                                Kota "0" = 819.08  
Nacin osmat.: letva                                Rijeka :BUKOVICA                               km od usca = .40  
Pocetak rada: 1949                                Sliv :PRIDVORICE                               Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	2.18	1.57	2.46	3.60	21.6	3.60	1.77	.500	2.18	1.57	.450	7.92
2	2.18	1.57	2.46	3.03	18.3	3.60	1.77	.500	1.98	1.57	.450	3.60
3	2.18	1.16	2.46	3.03	17.2	3.32	1.77	.500	1.57	1.57	.450	3.03
4	2.18	3.60	2.46	2.75	17.2	3.32	1.77	.450	1.36	1.57	.450	3.60
5	2.18	23.9	2.46	2.75	20.5	3.03	1.77	.450	1.16	1.57	.450	5.85
6	2.18	9.30	2.46	2.46	19.4	3.03	1.77	.450	1.36	1.57	.400	39.6
7	2.18	4.95	2.75	3.60	20.5	12.1	1.77	.450	1.77	1.57	.400	44.4
8	2.18	3.60	2.75	5.85	21.6	9.30	1.77	.450	1.98	1.16	.400	14.0
9	1.98	3.32	2.75	9.30	19.4	8.61	1.77	.400	1.98	1.03	2.18	12.1
10	1.77	3.03	2.75	9.30	17.2	7.92	1.57	.400	1.77	.896	1.57	8.61
11	1.57	2.46	2.75	9.30	17.2	6.54	1.57	.400	1.77	.764	1.36	5.85
12	1.36	1.98	2.75	6.54	16.2	5.85	1.57	.400	1.77	.632	1.16	4.95
13	1.16	2.18	2.75	6.54	14.0	4.95	1.57	.400	1.36	.632	1.16	4.50
14	1.16	3.03	2.75	26.2	14.0	3.60	1.57	.400	1.36	.500	1.16	3.60
15	2.46	3.03	4.50	25.0	15.1	3.60	1.57	.400	1.36	.500	.896	3.32
16	4.95	3.60	10.2	13.1	17.2	3.32	1.36	.450	5.85	.500	.764	3.32
17	4.05	3.60	10.2	11.2	14.0	2.75	1.36	.450	5.85	.500	.500	2.18
18	3.60	2.18	9.30	8.61	13.1	2.75	1.36	.450	5.85	.500	.632	2.18
19	3.60	2.18	8.61	8.61	12.1	2.75	1.16	.450	5.85	.500	.632	1.98
20	3.03	2.18	6.54	8.61	14.0	3.60	1.16	.400	7.23	.500	.632	1.57
21	2.18	3.03	5.85	11.2	14.0	2.75	1.03	.400	17.2	.500	.896	1.36
22	1.98	3.60	4.95	13.1	14.0	2.46	1.03	.400	14.0	.500	1.03	1.16
23	1.77	4.50	4.05	23.9	12.1	2.18	.896	.400	9.30	.500	1.16	1.16
24	1.77	4.50	3.60	33.8	11.2	1.98	.896	.450	5.85	.450	2.18	1.03
25	1.77	5.85	3.32	19.4	9.30	1.98	.632	.500	4.95	.450	5.85	1.03
26	1.77	5.40	3.32	18.3	7.23	1.98	.632	.764	3.60	.450	46.0	1.03
27	1.77	3.03	4.05	18.3	4.95	1.98	.500	1.16	3.03	.450	31.0	1.03
28	1.77	2.46	3.60	18.3	4.05	1.98	.500	3.60	2.18	.450	19.4	1.03
29	1.77		3.60	18.3	3.60	1.98	.500	3.60	1.77	.450	5.85	1.16
30	1.77		3.60	18.3	3.32	1.77	.500	4.50	1.36	.450	9.30	1.36
31	1.77		3.60		3.32		.500	4.05		.450		1.57
SD1	2.12	5.60	2.58	4.57	19.3	5.78	1.75	.455	1.71	1.41	.720	14.3
SD2	2.69	2.64	6.04	12.4	14.7	3.97	1.42	.420	3.83	.553	.890	3.35
SD3	1.83	4.05	3.96	19.3	7.92	2.10	.692	1.80	6.32	.464	12.3	1.17
MAX	4.95	23.9	10.2	33.8	21.6	12.1	1.77	4.50	17.2	1.57	46.0	44.4
DAT	16	5	16	24	1	7	1	30	21	1	26	7
SR	2.20	4.10	4.18	12.1	13.8	3.95	1.27	.922	3.95	.797	4.63	6.10
MIN	1.16	1.16	2.46	2.46	3.32	1.77	.500	.400	1.16	.450	.400	1.03
DAT	13	3	1	6	30	30	27	9	5	24	6	24
GMIN =		.400		SRGOD=		4.82		GMAX =		46.0		
DATUM		9 8						DATUM		26 11		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1970

Broj : 45988	Stanica : SAVNIK	Kota "0" = 819.08
Nacin osmat.: letva	Rijeka : BUKOVICA	km od usca = .40
Pocetak rada: 1949	Sliv : PRIDVORICE	Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.77	2.18	1.98	18.3	19.4	9.30	1.03	.250	.230	.220	1.03	3.03
2	2.18	1.77	1.77	28.6	9.30	7.92	1.03	.250	.230	.230	1.03	3.60
3	3.03	1.77	1.77	25.0	7.23	5.85	1.03	.250	.230	.230	.896	3.60
4	2.46	1.77	1.98	14.0	5.85	5.85	.632	.250	.220	.230	.764	3.03
5	5.85	3.60	2.18	9.30	5.85	4.50	.632	.250	.220	.230	.764	2.46
6	18.3	9.30	2.18	9.30	4.95	5.85	.896	.250	.220	.230	.632	2.46
7	32.4	10.2	2.18	9.30	4.95	6.54	.896	.230	.220	.220	.632	2.18
8	41.2	9.30	1.77	31.0	5.85	9.30	1.03	.230	.220	.220	.632	1.77
9	26.2	5.85	1.77	86.0	5.85	5.85	1.03	.230	.220	.220	1.16	1.77
10	13.1	5.85	1.77	92.0	15.1	9.30	.896	.230	.220	.210	7.92	1.57
11	9.30	7.92	1.77	25.0	17.2	9.30	.896	.230	.220	.200	4.05	1.57
12	10.2	5.85	2.18	9.30	19.4	9.30	.896	.230	.220	.200	2.75	1.36
13	12.1	2.18	2.18	9.30	17.2	7.92	.896	.230	.220	.200	1.57	1.16
14	25.0	5.85	2.18	25.0	17.2	5.85	.500	.230	.220	.200	1.57	1.16
15	31.0	14.0	2.75	25.0	14.0	5.85	.500	.230	.220	.200	22.8	1.16
16	38.0	9.30	5.85	25.0	14.0	7.92	.500	.230	.220	.192	41.2	1.16
17	32.4	5.85	3.60	22.8	14.0	11.2	.896	.230	.220	.192	11.2	1.16
18	27.4	7.92	2.18	14.0	14.0	4.95	.896	.230	.220	.192	9.30	1.03
19	19.4	6.54	2.18	14.0	13.1	5.85	.632	.230	.220	.192	5.85	1.03
20	14.0	4.05	1.57	14.0	13.1	7.92	.500	.230	.220	.192	9.30	1.03
21	9.30	3.03	1.36	20.5	14.0	3.60	.400	.230	.220	.300	9.30	1.03
22	8.61	2.75	1.16	20.5	16.2	3.60	.350	.230	.220	5.40	25.0	1.03
23	7.23	2.46	1.03	22.8	25.0	3.60	.350	.230	.220	11.2	19.4	1.03
24	5.85	2.18	1.16	22.8	21.6	3.60	.300	.230	.220	2.75	14.0	1.03
25	5.40	2.18	2.18	23.9	14.0	2.18	.300	.230	.220	1.98	5.85	.632
26	4.50	1.98	3.60	25.0	11.2	2.18	.250	.230	.220	1.98	4.95	.896
27	3.60	1.98	9.30	25.0	7.23	1.98	.250	.230	.220	1.98	3.60	.764
28	3.60	1.98	19.4	27.4	14.0	1.57	.250	.230	.220	1.16	3.32	4.95
29	3.32		38.0	63.0	7.92	1.16	.250	.230	.220	1.03	3.32	9.30
30	3.03		23.9	38.0	5.85	1.16	.250	.230	.220	1.03	3.32	82.0
31	2.46		14.0		4.95		.250	.230		1.03		31.0
SD1	14.6	5.16	1.94	32.3	8.43	7.03	.910	.242	.223	.224	1.55	2.55
SD2	21.9	6.95	2.64	18.3	15.3	7.61	.711	.230	.220	.196	11.0	1.18
SD3	5.17	2.32	10.5	28.9	12.9	2.46	.291	.230	.220	2.71	9.21	12.2
MAX	41.2	14.0	38.0	92.0	25.0	11.2	1.03	.250	.230	11.2	41.2	82.0
DAT	8	15	29	10	23	17	1	1	1	23	16	30
SR	13.6	4.99	5.19	26.5	12.2	5.70	.626	.234	.221	1.10	7.24	5.51
MIN	1.77	1.77	1.03	9.30	4.95	1.16	.250	.230	.220	.192	.632	.632
DAT	1	2	23	5	6	29	26	7	4	16	6	25
GMIN =	.192	SRGOD=	6.91	GMAX =	92.0	DATUM	16 10	DATUM	10 4			

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1971

Broj : 45988 Stanica : SAVNIK Kota "0" = 819.08  
Nacin osmat.: letva Rijeka : BUKOVICA km od usca = .40  
Pocetak rada: 1949 Sliv : PRIDVORICE Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	31.0	5.85	.632	4.95	27.4	21.1	.240	.245	.230	.230	.210	.500
2	19.4	4.95	.450	5.85	25.0	12.6	.240	.245	.225	.230	.210	.566
3	22.8	4.05	.400	5.40	26.2	3.46	.245	.240	.225	.230	.210	.566
4	23.9	3.60	.400	7.23	26.2	.450	.250	.240	.225	.230	.210	.500
5	14.0	3.32	.450	16.2	26.2	.350	.250	.240	.225	.230	.210	.475
6	5.85	3.03	.500	11.2	26.2	.350	.250	.240	.225	.220	.210	.425
7	3.60	2.75	.500	9.30	26.2	.300	.240	.235	.220	.220	.220	.375
8	2.46	2.46	.500	7.92	26.2	.300	.240	.235	.220	.220	.220	.350
9	2.18	1.98	.500	7.23	27.4	.300	.240	.235	.220	.220	.230	.325
10	2.18	1.57	.500	16.2	27.4	.325	.240	.235	.220	.220	.230	.300
11	1.77	1.16	.500	15.1	27.4	.325	.240	.235	.220	.220	.230	.250
12	1.57	1.16	.500	12.1	26.8	.325	.240	.235	.220	.220	.230	.250
13	1.36	1.16	.400	8.61	26.8	.325	.240	.235	.220	.220	.230	.250
14	1.16	1.16	.450	6.54	26.8	.325	.240	.230	.220	.220	.230	.250
15	1.16	1.16	.896	5.40	20.0	.325	.240	.235	.210	.215	.230	.250
16	1.16	1.16	1.03	4.95	20.0	.300	.240	.230	.210	.215	.200	.250
17	1.03	1.36	1.36	7.23	20.0	.300	.240	.230	.210	.215	.200	.250
18	1.03	1.16	1.57	7.92	20.0	.300	.240	.230	.200	.215	.200	.250
19	.896	1.36	1.98	9.30	21.1	.300	.240	.225	.200	.215	.210	.250
20	.764	1.36	3.60	10.2	21.1	.300	.240	.225	.200	.215	.230	.250
21	1.03	1.16	7.23	11.2	21.1	.300	.240	.225	.200	.215	.235	.250
22	2.18	1.16	19.4	13.1	27.4	.250	.240	.230	.200	.215	.245	.250
23	7.92	1.03	7.92	12.1	26.8	.240	.240	.230	.240	.215	.245	.275
24	6.54	1.03	7.23	21.6	26.2	.240	.240	.230	.240	.215	.245	.300
25	5.40	1.03	4.95	25.0	26.8	.240	.240	.230	.240	.210	.275	.300
26	6.54	.896	4.50	13.1	26.8	.240	.240	.230	.240	.210	.275	.300
27	5.85	.764	4.50	13.1	26.2	.240	.245	.230	.230	.210	.275	.300
28	5.85	.764	4.05	18.3	26.2	.240	.245	.225	.230	.210	.325	.300
29	5.40		2.75	19.4	26.2	.240	.245	.225	.230	.210	.375	.300
30	5.85		2.75	20.5	26.2	.240	.245	.225	.230	.210	.425	.300
31	5.85		2.46		23.9		.245	.225		.210		.300
SD1	12.7	3.36	.483	9.15	26.4	3.95	.243	.239	.224	.225	.216	.438
SD2	1.19	1.22	1.23	8.74	23.0	.312	.240	.231	.211	.217	.219	.250
SD3	5.31	.979	6.16	16.7	25.8	.247	.242	.228	.228	.212	.292	.289
MAX	31.0	5.85	19.4	25.0	27.4	23.9	.250	.245	.240	.230	.425	.566
DAT	1	1	23	26	2	1	5	1	24	1	30	2
SR	6.38	1.91	2.74	11.5	25.1	1.50	.242	.232	.221	.218	.242	.324
MIN	.764	.764	.400	4.95	20.0	.240	.240	.225	.200	.210	.200	.250
DAT	20	27	3	1	15	23	1	19	18	25	16	11
GMIN =			.200	SRGOD=			4.25	GMAX =			31.0	
DATUM			18 9					DATUM			1 1	

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1972

Broj               : 45988                                Stanica :SAVNIK                                Kota "0" = 819.08  
Nacin osmat.: letva                                Rijeka :BUKOVICA                                km od usca = .40  
Pocetak rada: 1949                                Sliv :PRIDVORICE                                Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	1.36	.764	3.32	4.50	5.40	1.98	.300	.632	.350	7.92	2.46	5.85	
2	1.36	.500	3.32	7.92	5.85	1.77	.300	.500	.400	7.92	2.18	5.85	
3	1.36	.500	3.32	7.23	6.54	1.77	.300	.400	.400	5.40	1.98	5.85	
4	1.57	.400	3.32	7.23	6.54	1.77	.250	1.36	.400	3.60	1.77	5.85	
5	1.98	.400	3.60	6.54	5.85	1.77	.250	.896	.450	3.60	1.77	5.40	
6	1.77	.400	3.32	8.61	5.85	1.77	.240	1.03	.450	3.03	1.77	5.40	
7	1.77	.400	3.03	7.92	5.85	1.77	.230	1.03	.450	3.03	1.57	4.95	
8	1.57	.400	2.75	7.92	7.92	1.77	.220	.896	.450	2.46	1.57	4.95	
9	1.57	.400	4.05	6.54	5.85	1.57	.210	.500	.450	2.75	1.36	4.50	
10	1.16	.500	5.85	6.54	6.54	1.16	.210	.450	.450	3.03	1.36	3.60	
11	1.16	.500	5.40	5.85	6.54	1.16	.200	.400	1.98	3.32	1.16	3.03	
12	1.16	.764	5.40	9.30	5.85	1.03	.200	.350	1.77	3.32	9.30	3.03	
13	1.03	1.03	4.50	9.30	5.40	.896	.200	.250	1.36	3.32	5.85	3.03	
14	.896	1.16	4.95	9.30	5.40	.764	.192	.240	1.16	3.03	5.85	3.03	
15	.764	1.16	4.50	8.61	5.40	.632	.220	.230	1.36	2.75	5.85	2.75	
16	.764	.896	3.32	8.61	4.95	.632	.896	.220	38.0	3.32	7.92	2.46	
17	.764	.632	2.46	13.1	4.95	.632	.632	.210	19.4	3.32	6.54	2.18	
18	.764	.500	2.18	13.1	5.40	.500	.450	.200	12.1	3.03	5.85	1.77	
19	.632	.500	2.46	12.1	5.40	.500	.400	.200	9.30	2.46	11.2	1.77	
20	.632	.632	2.75	7.92	5.85	.500	.400	.220	1.77	2.18	9.30	1.57	
21	.500	4.50	3.03	10.2	5.40	.500	.350	1.98	1.16	2.46	35.2	1.57	
22	.500	4.50	3.32	8.61	4.95	.500	.350	1.36	.896	6.54	41.2	1.36	
23	.500	3.60	3.32	9.30	4.50	.450	.300	.896	.896	5.40	25.0	1.16	
24	.500	2.75	4.05	7.92	4.50	.450	.250	.632	.896	4.05	29.8	.896	
25	.500	2.75	4.50	10.2	4.50	.450	.300	.500	.896	3.32	32.4	.896	
26	.450	2.75	4.50	23.9	3.60	.450	1.03	.450	.896	3.32	14.0	.896	
27	.450	3.03	4.05	15.1	3.03	.400	.764	.400	4.50	3.32	11.2	.764	
28	.500	4.05	3.60	12.1	2.46	.400	.896	.350	17.2	3.32	9.30	.632	
29	.764	3.60	4.95	7.92	3.03	.350	.500	.300	13.1	3.32	7.92	.632	
30	.764		4.50	5.85	2.46	.300	.500	.300	8.61	2.75	7.23	.500	
31	.896		4.50		2.18		.500	.400		2.46		.500	
SD1	1.55	.466	3.59	7.09	6.22	1.71	.251	.769	.425	4.27	1.78	5.22	
SD2	.857	.777	3.79	9.72	5.51	.725	.379	.252	8.82	3.00	6.88	2.46	
SD3	.575	3.50	4.03	11.1	3.69	.425	.522	.688	4.91	3.66	21.3	.891	
MAX	1.98	4.50	5.85	23.9	6.54	1.98	1.03	1.98	38.0	7.92	41.2	5.85	
DAT	5	21	10	26	3	1	26	21	16	1	22	1	
SR	.979	1.52	3.81	9.31	5.09	.953	.388	.574	4.72	3.65	10.00	2.79	
MIN	.450	.400	2.18	4.50	2.18	.300	.192	.200	.350	2.18	1.16	.500	
DAT	26	4	18	1	31	30	14	18	1	20	11	30	
-----													
GMIN =			.192	SRGOD=				3.63	GMAX =			41.2	
DATUM			14 7						DATUM			22 11	



## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1973

Broj               : 45988                                Stanica :SAVNIK                                Kota "0" = 819.08  
Nacin osmat.: letva                                Rijeka :BUKOVICA                               km od usca = .40  
Pocetak rada: 1949                                Sliv :PRIDVORICE                               Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.500	.896	.632	2.46	14.0	1.77	.450	.200	.250	.250	.400	.250
2	.500	1.77	.632	4.95	15.1	1.77	.400	.192	.240	.240	.350	.240
3	.632	1.36	.632	4.95	18.3	1.77	.300	.230	.240	.220	.300	.250
4	.632	1.16	.632	4.95	18.3	1.98	.250	.300	.240	.200	.240	.375
5	.500	1.03	.500	4.05	20.5	1.77	.250	.300	.220	.200	.240	.500
6	.632	1.03	.500	2.75	22.8	1.57	.250	.250	.200	.200	.400	.500
7	.500	.896	.500	1.36	31.0	1.57	.240	.240	.192	.200	1.98	.500
8	.450	.764	.632	1.98	29.8	1.57	.230	.230	.192	.250	4.50	1.57
9	.450	.632	.500	4.50	19.4	1.98	.220	.220	.192	.240	3.60	2.46
10	.400	.500	.764	8.61	16.2	1.77	.230	.220	.183	.230	1.77	1.98
11	.350	4.50	.632	29.8	11.2	1.77	.210	.200	.183	.220	1.16	1.98
12	.300	1.57	.500	16.2	8.61	1.57	.200	.200	.175	.220	1.03	1.98
13	.250	1.16	.500	11.2	7.92	1.36	.200	.192	.175	.210	1.03	1.36
14	.250	1.16	.450	5.85	6.54	1.36	.192	.192	.175	.210	.896	1.16
15	.240	4.95	.450	5.40	5.85	1.98	.183	.183	.175	.250	.764	1.16
16	.230	3.60	.450	3.03	6.54	1.57	.175	.183	.175	2.46	.632	.896
17	.250	2.18	.450	1.98	7.23	1.16	.175	.183	.175	1.98	.500	.896
18	.350	1.77	.450	1.98	8.61	1.03	.175	.183	.183	1.77	.450	1.36
19	5.40	1.57	.400	1.98	10.2	1.36	.167	.183	.250	1.77	.400	1.16
20	2.46	1.36	.400	3.03	7.92	1.36	.158	.183	.350	1.57	.350	1.77
21	2.75	1.36	.400	3.60	5.85	.896	.158	.183	.300	1.57	.300	3.32
22	1.77	1.16	.450	4.05	6.54	.500	.158	.183	.250	1.77	.250	11.2
23	1.98	1.36	.450	4.05	7.23	.450	.158	.183	.250	1.03	.250	10.2
24	1.77	1.16	.500	4.95	6.54	.450	.158	.210	.250	1.03	.240	11.2
25	1.57	1.03	.500	8.61	6.54	.400	.230	.230	.250	.764	.240	9.30
26	1.16	1.03	1.03	9.30	4.95	.350	.200	.220	.250	.764	.250	11.2
27	1.03	.764	1.03	7.23	4.05	.400	.400	.230	.300	.764	.300	27.4
28	1.03	.764	1.03	12.1	2.75	.350	.240	.240	1.36	.632	.250	22.8
29	.764		1.16	12.1	2.75	.350	.240	.300	.500	.632	.240	7.23
30	.500		1.16	12.1	2.46	.350	.230	.350	.300	.500	.240	5.85
31	.500		1.57		1.98		.210	.300		.450		4.95
SD1	.520	1.00	.592	4.06	20.5	1.75	.282	.238	.215	.223	1.38	.863
SD2	1.01	2.38	.468	8.05	8.06	1.45	.183	.188	.202	1.07	.721	1.37
SD3	1.35	1.08	.844	7.81	4.69	.450	.217	.239	.401	.901	.256	11.3
MAX	5.40	4.95	1.57	29.8	31.0	1.98	.450	.350	1.36	2.46	4.50	27.4
DAT	19	15	31	11	7	4	1	30	28	16	8	27
SR	.971	1.52	.641	6.64	10.9	1.22	.227	.222	.273	.735	.785	4.74
MIN	.230	.500	.400	1.36	1.98	.350	.158	.183	.175	.200	.240	.240
DAT	16	10	19	7	31	26	20	15	12	4	4	2
GMIN = .158			SRGOD= 2.41					GMAX = 31.0				
DATUM 20 7								DATUM 7 5				

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1974

Broj               : 45988                                Stanica :SAVNIK                                Kota "0" = 819.08  
Nacin osmat.: letva                                Rijeka :BUKOVICA                               km od usca = .40  
Pocetak rada: 1949                                Sliv :PRIDVORICE                               Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	5.85	.250	.500	6.54	11.2	4.95	2.46	.200	.200	7.23	22.8	5.66
2	5.85	.250	.500	5.85	17.2	4.50	1.57	.200	.200	6.54	18.3	4.11
3	5.85	.250	.450	5.40	11.2	3.60	1.03	.192	.192	18.3	13.1	4.11
4	4.95	4.50	.450	5.40	13.1	3.32	1.03	.192	.192	14.0	11.2	3.60
5	4.95	3.60	.500	5.40	19.4	3.03	.764	.192	.192	12.1	8.61	3.60
6	4.50	4.05	.632	5.40	16.2	3.60	.632	.192	.192	7.23	7.92	3.60
7	4.95	7.92	1.57	5.40	13.1	2.75	.500	.192	.192	7.92	5.14	3.60
8	4.05	5.85	1.03	4.95	11.2	2.18	.500	.192	.200	12.1	5.14	3.60
9	3.60	4.05	1.03	4.05	11.2	1.98	.450	.183	.192	28.6	4.63	3.60
10	2.75	3.03	.896	3.60	10.2	1.98	.400	.183	.192	11.2	4.63	3.60
11	2.46	1.98	.896	3.60	9.30	4.05	.300	.175	.192	7.92	4.63	3.60
12	2.18	1.77	.764	3.03	8.61	3.32	.250	.175	.183	5.40	4.63	5.14
13	1.77	1.77	.500	2.75	7.92	2.46	.250	.175	.183	12.1	4.63	5.66
14	1.16	1.98	.500	5.40	7.23	1.98	.240	.175	.175	59.4	4.11	4.11
15	.896	1.77	.450	6.54	6.54	1.77	.240	.175	.175	41.2	4.11	3.60
16	.632	1.57	.450	5.85	7.23	1.57	.240	.167	.175	78.0	4.11	3.60
17	.500	1.16	.450	5.40	7.23	1.57	.240	.167	.175	46.0	4.11	3.60
18	.400	1.03	.764	7.23	7.92	1.77	.230	.167	.175	36.6	4.11	4.11
19	.450	1.16	1.03	4.95	7.92	1.36	.230	.167	.175	22.8	4.11	3.60
20	1.16	1.57	1.57	2.18	6.54	1.16	.220	.158	.175	20.5	4.63	3.60
21	1.16	1.16	1.98	1.57	6.54	1.03	.220	.158	.175	23.9	4.63	3.60
22	.896	1.16	2.18	1.16	5.85	2.46	.220	.158	.200	50.8	4.11	3.60
23	.764	1.16	3.03	1.03	8.61	1.77	.220	.158	1.16	130	4.11	2.96
24	.764	1.03	3.32	.896	9.30	1.36	.220	.167	.764	88.0	3.28	2.96
25	.500	.764	4.95	1.98	11.2	1.16	.220	.175	12.1	61.2	3.28	2.96
26	.450	.764	5.40	3.60	8.61	.896	.210	.183	13.1	31.0	20.0	2.96
27	.400	.632	5.85	5.40	6.54	.896	.210	.183	10.2	29.8	13.6	2.64
28	.400	.500	7.23	5.85	6.54	.764	.210	.183	4.05	20.5	8.91	2.64
29	.400		8.61	11.2	7.23	.632	.210	.192	3.60	22.8	7.54	2.64
30	.300		8.61	10.2	5.40	1.16	.200	.200	3.32	26.2	6.17	2.64
31	.250		7.92		4.95		.200	.200		25.0		2.96
SD1	4.73	3.38	.756	5.20	13.4	3.19	.934	.192	.194	12.5	10.1	3.91
SD2	1.16	1.58	.737	4.69	7.64	2.10	.244	.170	.178	33.0	4.32	4.06
SD3	.571	.896	5.37	4.29	7.34	1.21	.213	.178	4.87	46.3	7.56	2.96
MAX	5.85	7.92	8.61	11.2	23.9	4.95	2.46	.200	13.1	130	20.0	5.66
DAT	1	7	29	29	5	1	1	1	26	23	26	1
SR	2.10	2.02	2.39	4.73	9.39	2.17	.455	.180	1.75	31.1	7.34	3.62
MIN	.250	.250	.450	.896	4.95	.632	.200	.158	.175	5.40	3.28	2.64
DAT	31	1	3	24	31	29	30	20	14	12	24	27
-----												
GMIN = .158			SRGOD= 5.65					GMAX = 130				
DATUM 20 8								DATUM 23 10				
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1975

Broj               : 45988                                Stanica :SAVNIK                                Kota "0" = 819.08  
Nacin osmat.: letva                                Rijeka :BUKOVICA                               km od usca = .40  
Pocetak rada: 1949                                Sliv :PRIDVORICE                               Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	2.64	1.21	.660	42.6	5.66	2.96	1.68	.158	1.05	1.37	3.60	4.95
2	2.64	1.21	.660	45.8	5.14	2.64	1.53	.158	.964	1.37	3.60	4.50
3	2.32	1.21	.660	28.8	5.14	2.32	1.37	.167	.964	1.37	3.60	4.05
4	2.00	1.21	.660	21.2	5.14	2.00	1.21	.175	.882	1.21	3.60	3.60
5	2.00	1.21	.660	16.8	6.86	1.84	1.13	.183	.800	2.00	3.60	3.60
6	1.84	1.21	.730	12.6	5.66	1.84	1.13	.192	.800	2.64	3.28	3.32
7	1.84	1.21	.730	11.6	4.63	1.84	1.05	.200	.800	2.32	3.28	2.75
8	1.84	1.13	.800	12.6	5.14	1.84	.964	.300	.800	2.00	2.96	2.75
9	1.84	1.13	.800	10.6	9.60	2.00	.882	.300	.800	1.84	2.96	2.75
10	1.68	1.13	.800	13.6	8.91	3.28	.800	.350	.800	1.84	2.64	2.75
11	1.53	1.13	1.37	22.4	6.86	3.28	.800	.350	.800	2.64	2.64	2.46
12	1.53	1.13	1.68	17.8	6.17	3.28	.800	.350	.882	8.23	2.96	2.18
13	1.53	1.13	8.91	9.60	6.86	3.28	.800	.520	.964	27.4	2.96	2.18
14	1.37	1.13	16.8	7.54	7.54	3.28	.730	.400	.882	39.4	2.64	2.18
15	1.21	1.13	16.8	8.91	6.17	3.28	.660	.400	.800	15.7	2.64	2.18
16	1.21	1.05	15.7	8.23	6.17	2.96	.590	.400	.800	11.6	3.60	2.18
17	1.21	.964	12.6	8.23	5.66	3.28	.450	.450	.800	18.9	3.60	3.03
18	1.21	.882	10.6	8.91	5.14	3.28	.350	.450	.800	24.8	61.6	15.1
19	1.21	.800	8.23	7.54	5.14	3.28	.300	.660	.800	17.8	73.0	8.61
20	1.21	.730	4.63	6.17	4.63	3.28	.250	.882	.800	16.8	30.2	7.92
21	1.21	.660	4.63	5.66	4.11	2.64	.200	.964	2.32	15.7	14.6	4.50
22	1.21	.660	4.11	4.63	4.11	2.00	.200	1.05	2.32	12.6	9.60	4.05
23	1.21	.660	3.28	4.11	3.60	2.00	.200	.882	2.32	8.91	6.17	3.60
24	1.21	.660	3.28	4.11	3.60	2.00	.200	.882	2.32	7.54	3.60	3.32
25	1.21	.660	3.28	3.60	3.28	2.00	.183	.882	2.00	6.17	3.28	3.32
26	1.21	.660	3.28	4.63	2.96	1.68	.175	1.05	1.84	5.66	2.96	3.32
27	1.21	.660	3.28	5.14	2.96	1.53	.158	1.05	1.84	5.14	2.96	3.03
28	1.21	.660	4.11	5.66	2.96	1.21	.150	1.13	1.68	4.63	4.95	2.75
29	1.37		24.8	5.14	3.28	1.21	.150	1.05	1.53	4.63	4.95	2.75
30	1.37		11.6	6.86	3.28	1.13	.150	1.05	1.53	4.11	4.95	2.46
31	1.21		9.60		3.28		.154	1.13		3.60		2.46
SD1	2.06	1.19	.716	21.6	6.19	2.26	1.17	.218	.866	1.80	3.31	3.50
SD2	1.32	1.01	9.73	10.5	6.03	3.25	.573	.486	.833	18.3	18.6	4.80
SD3	1.24	.660	6.84	4.95	3.40	1.74	.175	1.01	1.97	7.15	5.80	3.23
MAX	2.64	1.21	24.8	45.8	9.60	3.28	1.68	1.13	2.32	39.4	73.0	15.1
DAT	1	1	29	2	9	10	1	28	21	14	19	18
SR	1.53	.972	5.80	12.4	5.15	2.41	.626	.586	1.22	9.03	9.23	3.83
MIN	1.21	.660	.660	3.60	2.96	1.13	.150	.158	.800	1.21	2.64	2.18
DAT	15	21	1	25	26	30	28	1	5	4	10	12
-----												
GMIN =			.150	SRGOD=				4.40	GMAX =			73.0
DATUM			28 7						DATUM			19 11
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1976

Broj : 45988                      Stanica : SAVNIK                      Kota "0" = 819.08  
Nacin osmat.: letva              Rijeka : BUKOVICA                      km od usca = .40  
Pocetak rada: 1949              Sliv : PRIDVORICE                      Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.962	.500	.962	2.46	18.3	2.75	.962	.350	.325	.275	19.4	1.67
2	.896	.500	1.03	3.03	18.3	2.61	.962	.325	1.67	.275	8.61	29.8
3	.896	.500	1.09	3.82	37.3	4.95	.896	.300	1.87	.250	6.89	38.0
4	.764	.500	1.09	4.95	34.5	4.05	.830	.300	4.50	.250	5.85	22.2
5	.698	.500	1.03	6.54	26.2	3.17	.764	.300	9.77	.275	17.2	22.8
6	.698	.500	.896	7.57	24.4	5.40	.764	.300	4.28	.350	12.1	13.5
7	.632	.500	.896	8.95	24.4	13.1	.698	.300	2.32	.325	13.5	8.61
8	.566	.450	.764	8.61	25.0	8.61	.764	.300	1.67	.300	22.2	37.3
9	.566	.400	.698	7.23	19.4	6.89	.698	.300	1.26	.275	11.6	27.4
10	.566	.400	.632	4.95	19.4	5.17	.632	.300	1.03	.250	8.27	17.2
11	.500	.400	.566	3.60	16.7	4.28	.566	.300	.896	.250	5.85	22.2
12	.500	.400	.566	3.17	14.0	3.46	.500	.400	.764	.250	4.72	15.6
13	.425	.400	.500	2.89	12.6	3.17	.500	.450	.632	.250	8.27	9.77
14	.425	.400	.500	3.17	11.6	2.75	.475	.566	.566	.300	22.2	6.54
15	.400	.450	.500	3.46	10.2	2.46	.450	.830	.500	.325	11.6	5.17
16	.400	.698	.500	4.05	8.95	2.18	.425	1.87	.500	.425	7.57	4.28
17	.375	.698	.632	5.17	8.27	2.32	.400	1.36	.475	22.2	5.63	7.57
18	.400	.830	.764	6.89	7.23	3.60	.400	1.03	.425	16.7	4.72	35.9
19	.375	.830	.962	9.30	6.54	2.61	.375	.764	.425	5.63	4.28	21.6
20	.375	.830	1.03	12.6	5.63	2.08	.375	.698	.400	3.32	3.82	15.6
21	.375	.830	1.03	14.0	5.63	1.98	.375	.698	.375	2.61	3.32	9.77
22	.375	.830	.896	13.1	4.95	1.87	.375	.400	.350	1.77	3.46	10.7
23	.350	.830	.896	12.1	4.28	1.67	.375	.566	.350	1.77	3.32	5.40
24	.764	.764	6.19	22.8	4.28	1.57	.500	.566	.325	1.47	3.03	4.50
25	.896	.698	12.1	35.2	4.28	1.47	.450	.566	.325	1.36	2.75	3.82
26	.896	.632	4.95	26.8	4.05	1.36	.400	.475	.325	1.09	2.32	3.32
27	.698	.764	3.46	17.8	3.46	1.26	.400	.425	.300	.962	2.08	3.03
28	.566	.830	3.03	11.6	4.50	1.26	.375	.375	.300	.896	1.98	2.75
29	.566	.896	2.75	25.0	4.72	1.09	.425	.350	.300	.830	1.77	3.03
30	.450		2.18	29.8	3.32	1.03	.400	.350	.275	1.47	1.67	4.72
31	.450		2.18		3.03		.375	.325		40.4		2.89
SD1	.724	.475	.909	5.81	24.7	5.67	.797	.307	2.87	.282	12.6	21.8
SD2	.418	.594	.652	5.43	10.2	2.89	.447	.827	.558	4.97	7.87	14.4
SD3	.581	.786	3.61	20.8	4.23	1.46	.405	.463	.323	4.97	2.57	4.90
MAX	.962	.896	12.1	35.2	37.3	13.1	.962	1.87	9.77	40.4	22.2	38.0
DAT	1	29	25	25	3	7	1	16	5	31	8	3
SR	.574	.612	1.78	10.7	12.8	3.34	.545	.530	1.25	3.45	7.67	13.4
MIN	.350	.400	.500	2.46	3.03	1.03	.375	.300	.275	.250	1.67	1.67
DAT	23	9	13	1	31	30	19	3	30	3	30	1
GMIN =			.250	SRGOD=			4.73	GMAX =			40.4	
DATUM			3 10					DATUM			31 10	

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1977

Broj               : 45988                                Stanica :SAVNIK                                Kota "0" = 819.08  
Nacin osmat.: letva                                Rijeka :BUKOVICA                               km od usca = .40  
Pocetak rada: 1949                                Sliv :PRIDVORICE                               Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	7.23	22.8	7.92	44.4	9.30	4.95	2.18	1.77	1.77	9.30	7.23	19.4
2	6.54	21.6	7.92	49.2	11.2	4.95	2.18	1.36	1.98	9.30	20.5	22.8
3	5.85	18.3	7.23	38.0	10.2	4.50	2.18	1.36	2.75	26.2	8.61	18.3
4	5.85	15.1	7.23	36.6	12.1	3.60	2.18	1.16	2.18	21.6	7.23	18.3
5	5.40	14.0	7.23	27.4	13.1	3.60	2.18	1.16	1.98	15.1	6.54	18.3
6	4.95	12.1	7.23	25.0	15.1	3.32	2.18	1.16	1.77	14.0	6.54	17.2
7	4.95	11.2	6.54	21.6	16.2	3.32	2.18	1.16	1.57	12.1	5.85	18.3
8	4.95	9.30	5.85	22.8	8.61	3.03	2.18	1.16	1.16	11.2	5.85	16.2
9	4.50	7.23	5.40	26.2	7.92	3.03	2.18	1.16	1.16	9.30	5.85	15.1
10	4.50	6.54	4.95	18.3	9.30	3.03	1.98	1.16	1.03	9.30	5.40	16.2
11	4.50	59.4	4.95	15.1	7.92	3.60	1.98	1.16	.896	50.8	5.40	14.0
12	20.5	49.2	4.95	12.1	5.85	3.32	1.98	1.16	.896	36.6	5.40	14.0
13	17.2	36.6	29.8	10.2	4.95	4.50	1.98	1.16	.896	23.9	5.40	14.0
14	14.0	27.4	20.5	10.2	4.95	4.50	1.77	1.16	.896	21.6	5.85	14.0
15	9.30	22.8	18.3	11.2	4.95	4.05	1.77	1.16	.896	18.3	7.92	14.0
16	7.92	15.1	11.2	9.30	4.95	3.60	1.57	1.16	.896	16.2	9.30	13.1
17	7.23	14.0	9.30	9.30	4.95	3.03	1.57	1.16	.896	14.0	18.3	12.1
18	7.23	11.2	8.61	8.61	5.40	3.03	1.57	1.16	1.03	13.1	32.4	12.1
19	5.85	8.61	8.61	8.61	6.54	2.75	1.57	1.16	1.03	12.1	33.8	11.2
20	5.85	8.61	13.1	8.61	8.61	2.75	1.57	1.16	74.0	12.1	25.0	9.30
21	5.85	8.61	33.8	8.61	7.92	2.46	1.57	1.16	22.8	12.1	14.0	8.61
22	4.95	27.4	26.2	7.92	7.92	2.46	1.57	90.0	16.2	12.1	9.30	8.61
23	4.95	22.8	21.6	7.92	6.54	2.75	1.36	61.2	23.9	11.2	47.6	7.92
24	5.85	18.3	19.4	7.92	5.85	3.03	1.36	50.8	18.3	10.2	31.0	7.92
25	6.54	16.2	18.3	7.92	5.85	2.75	1.36	36.6	14.0	9.30	22.8	7.92
26	5.85	14.0	17.2	7.92	5.40	2.75	1.36	20.5	13.1	9.30	44.4	8.61
27	7.23	11.2	16.2	7.92	5.40	2.75	1.16	3.60	15.1	8.61	35.2	9.30
28	7.92	7.92	16.2	7.92	6.54	2.75	1.16	2.75	11.2	7.92	32.4	9.30
29	11.2		17.2	8.61	5.40	2.46	1.16	2.18	10.2	7.92	22.8	27.4
30	28.6		19.4	8.61	4.95	2.46	1.16	1.98	9.30	7.23	18.3	59.4
31	27.4		50.8		4.95		1.16	1.77		7.23		39.6
SD1	5.47	13.8	6.75	31.0	11.3	3.73	2.16	1.26	1.74	13.7	7.96	18.0
SD2	9.96	25.3	12.9	10.3	5.91	3.51	1.73	1.16	8.23	21.9	14.9	12.8
SD3	10.6	15.8	23.3	8.13	6.07	2.66	1.31	24.8	15.4	9.37	27.8	17.7
MAX	28.6	59.4	50.8	49.2	16.2	4.95	2.18	90.0	74.0	50.8	47.6	59.4
DAT	30	11	31	2	7	1	1	22	20	11	23	30
SR	8.73	18.5	14.6	16.5	7.70	3.30	1.72	9.57	8.46	14.8	16.9	16.2
MIN	4.50	6.54	4.95	7.92	4.95	2.46	1.16	1.16	.896	7.23	5.40	7.92
DAT	9	10	10	22	13	21	27	4	11	30	10	23
-----												
GMIN = .896			SRGOD= 11.4					GMAX = 90.0				
DATUM 11 9								DATUM 22 8				
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1978

Broj               : 45988                      Stanica :SAVNIK                      Kota "0" = 819.08  
Nacin osmat.: letva                      Rijeka :BUKOVICA                      km od usca = .40  
Pocetak rada: 1949                      Sliv :PRIDVORICE                      Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	29.8	13.1	29.8	15.1	31.0	16.2	5.85	3.03	3.32	21.6	3.60	3.32
2	22.2	12.1	28.6	15.1	57.6	16.2	5.85	3.03	3.03	28.6	3.60	3.32
3	16.2	11.2	28.6	14.0	47.6	16.2	5.40	3.03	2.75	21.6	3.60	3.32
4	15.1	9.30	28.6	14.0	36.6	17.2	4.95	3.03	2.46	15.1	3.60	3.32
5	13.1	8.61	28.6	14.0	28.6	17.2	4.95	2.75	2.46	18.3	3.60	3.32
6	11.2	8.61	26.2	23.9	26.2	17.2	4.95	2.75	2.75	13.1	3.60	3.32
7	11.2	8.61	25.0	18.3	33.8	16.2	5.40	2.75	6.54	12.1	3.60	3.32
8	11.2	8.61	22.8	17.2	31.0	15.1	4.95	2.75	7.23	11.2	3.32	3.32
9	10.2	8.61	22.8	23.9	29.8	15.1	4.50	2.75	5.40	10.2	3.32	2.75
10	10.2	8.61	21.6	29.8	27.4	15.1	4.05	2.75	4.50	6.54	3.03	2.46
11	10.2	10.2	21.6	26.2	26.2	16.2	3.60	2.46	4.05	5.40	2.75	2.18
12	10.2	21.6	19.4	23.9	17.2	15.1	3.32	2.46	3.32	5.40	2.75	2.18
13	11.2	28.6	18.3	27.4	18.3	14.0	3.03	2.46	11.2	4.95	2.75	4.95
14	11.2	36.6	17.2	63.0	46.0	12.1	3.03	2.46	9.30	4.95	2.75	33.8
15	10.2	33.8	17.2	39.6	32.4	10.2	3.03	2.46	7.92	4.95	2.75	20.5
16	10.2	23.9	18.3	31.0	20.5	17.2	3.03	2.46	6.54	4.95	2.75	13.1
17	12.1	19.4	19.4	26.2	18.3	11.2	3.03	2.46	5.40	4.95	2.75	52.4
18	12.1	17.2	47.6	22.8	18.3	13.1	3.03	2.46	4.50	4.95	2.75	21.6
19	12.1	22.8	36.6	20.5	22.8	13.1	3.03	2.46	4.05	4.95	2.75	20.5
20	10.2	28.6	27.4	18.3	23.9	12.1	3.03	2.18	4.05	4.95	2.75	22.8
21	9.30	27.4	28.6	17.2	26.2	12.1	3.03	2.18	3.60	5.40	2.75	16.2
22	9.30	23.9	26.2	17.2	25.0	10.2	3.03	2.18	3.60	4.95	2.75	12.1
23	7.23	19.4	21.6	17.2	55.8	9.30	3.03	2.18	3.60	4.95	2.75	8.61
24	5.85	16.2	20.5	17.2	35.2	8.61	3.03	2.18	3.60	4.95	2.75	6.54
25	6.54	16.2	18.3	17.2	32.4	8.61	3.03	2.18	3.32	4.95	2.75	5.40
26	5.85	25.0	18.3	18.3	27.4	8.61	3.03	2.18	3.32	4.50	2.75	5.85
27	5.85	55.8	18.3	29.8	28.6	7.92	3.03	2.18	3.32	4.05	2.75	4.50
28	5.85	39.6	16.2	47.6	28.6	8.61	3.03	2.18	3.03	4.05	3.32	4.50
29	7.23		16.2	36.6	20.5	6.54	3.03	2.18	20.5	3.60	3.60	7.92
30	19.4		16.2	28.6	20.5	5.85	3.03	2.18	11.2	3.60	3.32	16.2
31	16.2		16.2		18.3		3.03	2.18		3.60		13.1
SD1	15.0	9.74	26.3	18.5	35.0	16.2	5.09	2.86	4.04	15.8	3.49	3.18
SD2	11.0	24.3	24.3	29.9	24.4	13.4	3.12	2.43	6.03	5.04	2.75	19.4
SD3	8.96	27.9	19.7	24.7	29.0	8.64	3.03	2.18	5.91	4.42	2.95	9.17
MAX	29.8	55.8	47.6	63.0	57.6	17.2	5.85	3.03	20.5	28.6	3.60	52.4
DAT	1	27	18	14	2	5	1	1	29	2	1	17
SR	11.6	20.1	23.3	24.4	29.4	12.7	3.72	2.48	5.33	8.30	3.06	10.5
MIN	5.85	8.61	16.2	14.0	17.2	5.85	3.03	2.18	2.46	3.60	2.75	2.18
DAT	24	5	28	3	12	30	13	20	4	29	11	11
-----												
GMIN = 2.18			SRGOD= 12.9					GMAX = 63.0				
DATUM 20 8								DATUM 14 4				
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1979

Broj : 45988	Stanica : SAVNIK	Kota "0" = 819.08
Nacin osmat.: letva	Rijeka : BUKOVICA	km od usca = .40
Pocetak rada: 1949	Sliv : PRIDVORICE	Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII						
1	13.1	10.2	2.18	16.2	5.40	3.60	1.57	.425	1.03	.764	44.4	2.46						
2	12.1	7.92	2.18	13.1	5.40	3.60	1.57	.400	1.03	.896	33.8	2.18						
3	11.2	7.92	1.98	5.40	5.40	3.60	1.57	.375	.896	1.03	31.0	2.18						
4	9.30	8.61	1.77	4.95	5.40	3.32	1.36	.375	.896	.764	27.4	2.18						
5	7.23	7.92	1.77	7.23	5.40	3.03	2.75	.350	.896	3.03	29.8	2.18						
6	5.85	6.54	1.77	20.5	5.40	3.03	1.77	.350	.896	23.9	26.2	2.18						
7	5.40	5.40	1.77	18.3	6.54	2.75	1.57	.325	.764	35.2	22.8	2.18						
8	4.50	4.95	1.77	16.2	6.54	2.46	1.36	.325	.764	18.3	20.5	1.98						
9	3.60	3.60	1.77	10.2	7.23	2.18	1.36	.325	.764	13.1	17.2	1.98						
10	7.23	3.60	1.77	7.23	9.30	1.98	1.16	.325	.764	10.2	23.9	1.98						
11	5.85	7.92	1.77	4.95	9.30	1.98	1.57	.350	.764	10.2	59.4	2.46						
12	5.85	5.40	1.57	4.95	7.92	1.98	1.16	.375	.764	9.30	39.6	7.23						
13	4.95	28.6	1.57	4.50	8.61	1.77	1.16	.350	.764	12.1	29.8	4.05						
14	4.50	18.3	1.57	4.50	7.92	1.77	1.16	.325	.764	10.2	28.6	3.60						
15	4.05	14.0	1.57	4.50	5.85	1.77	1.03	.300	.764	9.30	49.2	4.05						
16	3.60	10.2	1.57	4.50	5.85	2.18	.896	.300	.632	7.92	103	3.60						
17	3.32	12.1	4.50	4.50	5.85	5.40	.896	.400	.632	8.61	129	3.32						
18	3.03	8.61	3.32	4.95	5.40	21.6	.896	.450	.632	9.30	92.0	2.75						
19	3.03	7.23	3.60	4.50	4.95	18.3	.632	.764	.500	7.92	63.0	2.18						
20	3.03	5.40	3.32	4.05	5.40	7.92	.500	5.40	.500	5.85	49.2	3.03						
21	2.75	4.95	5.40	3.60	5.40	4.05	.450	7.23	.500	4.95	31.0	16.2						
22	2.75	4.05	4.50	3.60	6.54	3.32	.400	8.61	.500	4.50	23.9	10.2						
23	2.75	3.32	5.85	3.32	5.40	3.03	.698	4.95	.764	3.60	12.6	9.30						
24	2.75	3.32	4.50	3.32	7.23	2.75	.632	1.16	1.03	3.32	6.54	7.23						
25	3.03	3.32	4.50	3.03	5.85	2.18	.566	1.03	2.75	3.03	4.95	4.05						
26	2.75	3.03	4.05	21.6	5.40	1.77	.500	1.36	1.77	2.46	4.95	3.32						
27	2.75	2.75	4.05	35.2	4.95	1.57	.500	1.16	1.16	2.18	3.60	3.32						
28	9.30	2.46	32.4	20.5	4.50	1.57	.566	.896	.896	2.18	3.32	3.03						
29	35.2		19.4	13.1	4.50	1.36	.500	.632	.764	3.32	2.75	3.03						
30	29.8		14.0	7.92	4.50	1.57	.450	.500	1.03	28.6	2.75	3.03						
31	32.4		13.1		4.05		.425	.450		54.0		3.32						
SD1	7.95	6.67	1.87	11.9	6.20	2.95	1.60	.358	.870	10.7	27.7	2.15						
SD2	4.12	11.8	2.44	4.59	6.70	6.47	.990	.901	.672	9.07	64.3	3.63						
SD3	11.5	3.40	10.2	11.5	5.30	2.32	.517	2.54	1.12	10.2	9.64	6.00						
MAX	35.2	28.6	32.4	35.2	9.30	21.6	2.75	8.61	2.75	54.0	129	16.2						
DAT	29	13	28	27	10	18	5	22	25	31	17	21						
SR	7.97	7.56	4.99	9.35	6.04	3.91	1.02	1.31	.886	10.0	33.9	3.99						
MIN	2.75	2.46	1.57	3.03	4.05	1.36	.400	.300	.500	.764	2.75	1.98						
DAT	21	28	12	25	31	29	22	15	19	1	29	8						
<table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">GMIN = .300</td> <td style="width: 33%;">SRGOD= 7.53</td> <td style="width: 33%;">GMAX = 129</td> </tr> <tr> <td>DATUM 15 8</td> <td></td> <td>DATUM 17 11</td> </tr> </table>													GMIN = .300	SRGOD= 7.53	GMAX = 129	DATUM 15 8		DATUM 17 11
GMIN = .300	SRGOD= 7.53	GMAX = 129																
DATUM 15 8		DATUM 17 11																

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1980

Broj               : 45988                                Stanica :SAVNIK                                Kota "0" = 819.08  
Nacin osmat.: letva                                Rijeka :BUKOVICA                               km od usca = .40  
Pocetak rada: 1949                                Sliv :PRIDVORICE                               Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	2.75	4.95	.500	6.54	4.95	11.2	1.77	.240	.225	.196	.830	11.2
2	2.18	5.40	.475	7.23	4.50	11.2	1.77	.240	.230	.196	.830	7.57
3	1.77	4.50	.500	7.23	4.05	9.30	1.77	.235	.225	.196	.764	5.85
4	1.77	3.32	.566	5.85	3.60	7.23	1.57	.235	.220	.196	1.36	4.95
5	1.77	3.32	.500	5.85	5.40	6.54	1.36	.235	.220	.196	9.30	3.82
6	1.77	3.60	.475	4.95	20.5	7.92	1.36	.235	.215	.196	22.8	3.32
7	1.77	4.05	.632	3.60	18.3	7.23	1.36	.235	.215	.196	23.3	4.28
8	1.77	4.50	1.03	3.32	15.1	7.23	1.16	.230	.215	.196	7.92	3.60
9	1.57	3.60	1.26	3.03	17.2	6.54	1.03	.235	.210	.245	4.72	2.89
10	1.57	3.32	1.03	2.46	14.0	5.85	1.03	.230	.210	15.6	9.77	2.61
11	1.36	2.75	.896	2.18	18.3	7.23	1.03	.225	.210	12.1	10.7	2.18
12	1.16	2.46	.764	2.18	16.2	6.54	1.03	.225	.210	21.1	5.17	1.98
13	.830	1.98	.698	2.18	12.1	5.85	1.03	.300	.210	59.4	8.61	1.87
14	.764	1.77	.632	2.18	10.2	5.40	.375	.275	.205	42.8	80.0	1.77
15	.830	1.57	.698	2.18	12.1	5.40	.375	.240	.205	20.5	35.9	1.57
16	1.16	1.57	.764	2.75	15.1	4.95	.350	.235	.205	10.2	19.4	1.57
17	1.16	1.36	.698	3.03	19.4	4.50	.325	.240	.205	7.23	10.2	1.47
18	1.16	1.16	.632	4.05	16.2	4.05	.325	.325	.205	26.8	6.54	1.47
19	1.16	1.03	.632	5.85	13.1	4.05	.325	.250	.205	22.2	4.95	1.57
20	1.16	1.03	.764	7.23	12.1	3.60	.300	.240	.200	11.6	4.05	1.77
21	1.16	1.03	1.77	12.1	10.2	3.32	.300	.235	.200	7.57	3.32	1.98
22	.698	.764	3.17	16.2	10.2	2.75	.300	.235	.200	5.40	2.61	1.98
23	.698	.764	18.3	14.0	9.30	2.75	.275	.230	.200	4.28	2.08	1.67
24	1.03	.698	13.1	10.2	11.2	2.75	.275	.230	.200	3.46	1.77	1.57
25	1.77	.698	11.2	7.23	12.1	2.75	.275	.225	.200	3.03	1.67	1.47
26	3.32	.632	8.61	7.92	10.2	2.46	.275	.225	.200	4.95	2.75	1.47
27	2.75	.632	4.95	6.54	8.61	2.18	.250	.220	.200	2.75	3.60	1.36
28	2.46	.566	4.50	4.50	8.61	2.18	.250	.220	.200	1.98	28.0	1.26
29	2.46	.500	5.85	6.54	13.1	1.77	.250	.220	.200	1.57	29.2	1.09
30	2.18		7.23	5.40	16.2	1.77	.245	.215	.196	1.26	19.4	1.03
31	2.18		5.85		11.2		.245	.215		1.03		.962
SD1	1.87	4.06	.697	5.01	10.8	8.02	1.42	.235	.219	1.74	8.16	5.01
SD2	1.07	1.67	.718	3.38	14.5	5.16	.546	.256	.206	23.4	18.6	1.72
SD3	1.88	.698	7.68	9.06	11.0	2.47	.267	.225	.200	3.39	9.44	1.44
MAX	3.32	5.40	18.3	16.2	20.5	11.2	1.77	.325	.230	59.4	80.0	11.2
DAT	26	2	23	22	6	1	1	18	2	13	14	1
SR	1.62	2.19	3.18	5.82	12.0	5.22	.729	.238	.208	9.31	12.1	2.68
MIN	.698	.500	.475	2.18	3.60	1.77	.245	.215	.196	.196	.764	.962
DAT	22	29	2	11	4	29	30	30	30	1	3	31
-----												
GMIN = .196			SRGOD= 4.61				GMAX = 80.0					
DATUM 30 9									DATUM 14 11			
-----												



## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1981

Broj               : 45988                                Stanica :SAVNIK                                Kota "0" = 819.08  
Nacin osmat.: letva                                Rijeka :BUKOVICA                               km od usca = .40  
Pocetak rada: 1949                                Sliv :PRIDVORICE                               Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	1.16	.400	.400	25.0	9.77	5.17	.764	.235	.215	.764	3.17	.425	
2	1.16	.400	.400	23.9	6.54	4.72	.698	.230	.215	.475	2.61	.896	
3	1.03	.400	1.57	20.5	6.54	4.28	.632	.230	.215	4.95	2.08	.764	
4	1.03	.400	18.3	16.2	8.61	4.28	.500	.225	.215	4.72	1.77	.632	
5	.896	.400	11.2	13.1	9.30	4.05	.475	.225	.215	1.67	1.57	.566	
6	.896	.400	4.05	14.0	9.30	3.32	.425	.225	.300	.962	1.36	.500	
7	.896	.400	3.32	14.0	3.60	2.89	.500	.225	.240	.632	1.16	1.67	
8	.764	.400	2.75	11.2	2.75	2.32	.400	.230	.230	.500	1.03	11.2	
9	.764	.400	2.75	8.61	2.18	2.32	.375	.240	.220	.400	.896	26.2	
10	.764	.400	2.46	7.92	4.05	2.18	.375	.235	.220	.400	.830	24.4	
11	.632	.400	2.18	7.92	4.95	2.61	.350	.235	.225	.375	.764	29.2	
12	.632	1.77	2.18	9.30	4.50	2.18	.375	.230	.250	.400	.632	70.2	
13	.764	1.36	7.92	8.61	4.05	2.18	.350	.225	.240	.475	.566	87.0	
14	.764	1.16	7.23	9.30	3.60	1.77	.325	.225	.235	.375	.566	50.8	
15	.632	1.03	10.2	12.1	3.60	1.57	.325	.225	.300	.350	.500	25.0	
16	.500	1.03	4.50	12.1	4.05	1.47	.300	.225	.325	.325	.475	15.6	
17	.500	1.03	5.40	14.0	7.23	1.36	.275	.220	.245	.300	.475	11.2	
18	.500	.896	9.30	17.2	5.40	5.63	.275	.220	.240	.275	.425	6.89	
19	.450	.896	16.2	5.85	4.50	9.77	.325	.220	.225	.250	.425	23.9	
20	.450	.896	10.2	4.72	4.50	3.60	.325	.220	.220	.250	.400	22.8	
21	.450	.896	9.30	6.54	4.05	2.61	.300	.220	.220	.250	.400	12.6	
22	.450	1.36	7.92	5.40	3.32	2.18	.275	.225	.215	.250	.425	8.27	
23	.450	.896	7.92	7.92	3.03	1.87	.250	.225	.215	18.3	.425	6.19	
24	.450	.896	6.54	9.30	2.75	1.67	.250	.225	.215	25.6	.425	4.72	
25	.450	.896	4.95	25.0	2.18	1.47	.245	.220	.215	15.1	.475	9.30	
26	.450	.632	5.85	21.6	1.98	1.36	.245	.220	.215	5.63	.632	6.89	
27	.450	.500	6.54	38.8	1.77	1.26	.245	.220	.215	7.57	.566	4.72	
28	.400	.450	7.92	29.8	1.57	1.03	.240	.220	.215	.196	.500	3.60	
29	.400		16.2	17.8	1.57	.962	.240	.220	.425	14.0	.500	3.17	
30	.400		19.4	12.1	1.36	.896	.235	.215	1.16	7.23	.475	10.7	
31	.400		23.9		1.16		.235	.215		4.50		8.61	
SD1	.936	.400	4.72	15.4	6.26	3.55	.514	.230	.229	1.55	1.65	6.73	
SD2	.582	1.05	7.53	10.1	4.64	3.21	.323	.225	.250	.338	.523	34.3	
SD3	.432	.816	10.6	17.4	2.25	1.53	.251	.220	.331	8.97	.482	7.16	
MAX	1.16	1.36	23.9	38.8	9.77	5.17	.764	.240	1.16	25.6	3.17	87.0	
DAT	1	13	31	27	1	1	1	9	30	24	1	13	
SR	.643	.750	7.71	14.3	4.31	2.77	.359	.225	.270	3.79	.884	15.8	
MIN	.400	.400	.400	4.72	1.16	.896	.235	.215	.215	.196	.400	.425	
DAT	28	1	1	20	31	30	30	30	1	28	20	1	
		GMIN = .196		SRGOD= 4.34		GMAX = 87.0				DATUM 13 12			
		DATUM 28 10											

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1982

Broj               : 45988                                Stanica :SAVNIK                                Kota "0" = 819.08  
Nacin osmat.: letva                                Rijeka :BUKOVICA                               km od usca = .40  
Pocetak rada: 1949                                Sliv :PRIDVORICE                               Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	5.40	3.42	2.07	24.4	4.24	4.24	2.19	1.36	.850	.760	2.19	3.91
2	5.40	3.09	1.82	10.2	4.41	4.08	2.19	1.36	.850	1.02	1.95	3.91
3	4.50	3.09	1.70	9.36	4.24	3.75	2.19	1.36	.760	1.02	1.70	3.91
4	4.50	3.09	1.70	11.1	4.57	3.75	2.19	1.19	.760	1.02	1.70	3.91
5	4.05	2.93	1.53	6.39	4.57	3.91	1.95	1.02	.760	1.36	1.70	3.59
6	4.05	2.68	1.70	6.39	4.57	3.26	1.95	1.36	.760	1.70	1.70	3.26
7	6.09	2.68	2.19	6.39	5.78	3.26	1.95	1.19	.760	2.93	1.53	2.93
8	6.09	2.68	2.19	6.39	6.39	3.26	1.95	1.19	.760	9.36	1.53	2.93
9	5.78	2.68	1.82	6.99	7.60	3.26	1.95	1.19	.760	6.39	1.53	2.93
10	5.48	2.68	1.95	6.39	9.80	3.09	1.95	1.36	1.36	5.18	1.53	2.93
11	5.48	2.68	2.19	5.78	9.36	2.93	1.70	1.36	1.19	5.18	1.53	5.78
12	4.57	2.68	2.44	10.2	9.80	2.93	1.95	1.36	1.19	4.57	1.53	6.39
13	4.57	2.68	2.07	8.48	9.36	3.75	1.70	1.19	1.19	4.57	1.53	6.39
14	4.57	2.44	2.07	8.48	7.60	6.39	1.70	1.19	1.19	4.57	1.53	16.5
15	4.57	2.19	1.82	19.8	6.39	4.08	1.70	.850	1.19	6.39	17.6	12.0
16	4.41	2.19	1.70	16.5	6.09	3.75	1.70	.850	1.19	5.18	9.36	10.2
17	4.41	2.07	1.70	18.7	6.09	3.75	1.70	.850	1.02	4.57	12.0	5.78
18	4.41	2.07	1.95	14.2	6.09	3.09	1.70	.850	1.02	3.91	17.6	17.6
19	3.91	2.07	4.08	13.1	5.78	2.93	1.70	.850	1.02	3.59	9.36	16.5
20	3.75	1.95	3.91	7.60	5.18	2.68	1.70	.850	1.02	3.26	5.18	11.1
21	3.42	1.95	3.09	5.18	4.57	2.19	1.53	.850	.850	2.93	3.59	14.2
22	3.42	1.95	2.93	4.57	5.18	2.07	1.53	.850	.850	2.68	3.59	11.6
23	3.42	2.07	2.68	7.60	4.57	2.07	1.53	1.53	.850	2.44	3.59	17.0
24	3.42	2.19	2.19	6.99	4.57	2.07	1.53	1.36	.850	3.26	3.59	18.2
25	3.42	2.19	2.19	6.39	5.18	1.95	1.53	1.36	.850	3.59	3.59	14.2
26	3.26	2.19	2.19	5.78	4.24	1.95	1.36	1.02	.850	2.93	3.26	17.6
27	3.26	2.19	2.44	5.18	4.24	1.95	1.53	1.02	.760	2.68	2.93	11.1
28	3.26	2.19	2.44	4.41	4.24	1.95	1.36	1.02	.760	2.44	3.91	10.2
29	3.26		3.09	4.24	4.24	1.95	1.36	1.02	.760	2.44	3.91	8.48
30	3.26		4.24	4.24	4.24	1.95	1.36	.850	.760	2.19	4.24	6.39
31	3.26		39.2		4.24		1.36	.760		2.19		5.78
SD1	5.13	2.90	1.87	9.40	5.62	3.59	2.05	1.26	.838	3.07	1.71	3.42
SD2	4.47	2.30	2.39	12.3	7.17	3.63	1.73	1.02	1.12	4.58	7.72	10.8
SD3	3.33	2.12	6.06	5.46	4.50	2.01	1.45	1.06	.814	2.71	3.62	12.2
MAX	5.40	3.42	39.2	24.4	9.80	6.39	2.19	1.53	1.36	9.36	17.6	18.2
DAT	1	1	31	1	10	14	1	23	10	8	15	24
SR	4.28	2.46	3.53	9.05	5.72	3.07	1.73	1.11	.925	3.43	4.35	8.94
MIN	3.26	1.95	1.53	4.24	4.24	1.95	1.36	.760	.760	.760	1.53	2.93
DAT	26	20	5	29	1	25	26	31	3	1	7	7
-----												
GMIN = .760			SRGOD= 4.06					GMAX = 39.2				
DATUM 31 8								DATUM 31 3				
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1983

Broj               : 45988                                Stanica :SAVNIK                                Kota "0" = 819.08  
Nacin osmat.: letva                                Rijeka :BUKOVICA                               km od usca = .40  
Pocetak rada: 1949                                Sliv :PRIDVORICE                               Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	3.79	1.44	1.30	15.4	15.4	2.80	1.65	.821	.864	.907	.821	3.63
2	3.46	1.30	1.30	25.3	27.5	2.68	1.58	.821	.821	.864	.821	2.96
3	2.96	1.23	1.23	25.3	18.7	2.34	1.58	.821	.821	.821	1.02	2.57
4	2.80	1.16	1.16	19.3	12.6	2.34	1.58	.821	1.02	.821	1.37	2.34
5	2.57	1.16	1.16	13.2	9.40	2.45	1.44	.821	1.09	.821	1.37	2.11
6	2.45	1.16	1.16	9.80	8.60	2.57	1.37	.821	1.02	.821	1.23	1.76
7	2.11	3.79	1.16	7.80	6.24	3.13	2.68	.821	.864	.821	1.16	1.65
8	2.00	3.63	1.30	6.49	7.80	2.68	2.34	.821	.821	.821	1.09	1.58
9	1.76	3.79	1.65	8.20	6.24	3.13	2.11	.821	.778	.821	1.02	1.51
10	1.65	16.5	2.22	13.2	5.21	2.68	1.65	.821	.778	.821	.907	1.51
11	1.58	35.4	2.68	19.8	8.60	2.34	1.58	.821	.778	.821	.907	1.65
12	1.51	19.3	3.13	28.6	8.20	2.11	1.37	.864	1.16	.821	.864	1.65
13	1.51	9.80	2.45	60.0	7.00	1.88	1.30	.864	1.51	.778	.821	1.51
14	1.51	6.24	2.22	25.3	7.00	2.00	1.30	.821	1.09	.778	.821	1.44
15	1.51	4.45	2.11	18.7	6.24	2.22	1.30	.778	.864	.821	.778	1.30
16	1.44	3.79	2.11	12.1	6.24	2.57	1.30	.778	.821	.821	.778	1.30
17	1.37	2.80	2.11	9.40	5.47	4.45	1.65	.778	1.23	.821	.778	2.11
18	1.30	1.51	2.45	7.00	6.24	4.45	1.37	.778	7.00	1.23	.778	2.45
19	1.30	2.34	2.80	6.49	4.96	3.63	1.30	.778	3.79	1.23	.778	41.4
20	1.30	2.11	3.46	7.80	4.45	2.80	1.23	.778	2.80	1.16	.778	64.8
21	1.23	1.88	3.95	14.3	4.28	2.57	1.16	.778	2.22	1.02	.778	39.0
22	1.23	1.76	4.96	19.3	3.79	2.34	1.09	.778	1.76	1.02	.778	20.9
23	1.16	1.65	8.60	20.4	3.63	2.34	1.02	.778	1.65	.864	.778	12.1
24	1.16	1.51	13.2	18.7	3.46	2.80	.950	.778	1.44	.821	.778	8.60
25	1.09	1.44	42.0	18.7	3.46	2.80	.950	1.23	1.30	.821	.778	6.49
26	1.09	1.44	101	17.6	4.45	2.45	.950	1.23	1.23	.821	.778	5.21
27	1.09	1.37	50.6	17.0	4.96	2.22	.864	1.30	1.09	.821	.864	4.70
28	1.09	1.30	27.5	16.5	3.79	2.11	.821	1.02	1.02	.821	27.5	3.95
29	1.09		18.7	16.5	3.46	2.00	.821	.864	1.02	.821	12.6	3.46
30	1.09		16.5	17.6	3.13	1.65	.950	.864	.907	.821	5.98	3.29
31	1.44		15.9		2.96		.864	.907		.821		3.13
SD1	2.56	3.52	1.36	14.4	11.8	2.68	1.80	.821	.888	.834	1.08	2.16
SD2	1.43	8.77	2.55	19.5	6.44	2.85	1.37	.804	2.10	.928	.808	12.0
SD3	1.16	1.54	27.5	17.7	3.76	2.33	.949	.957	1.36	.861	5.16	10.1
MAX	3.79	35.4	101	60.0	27.5	4.45	2.68	1.30	7.00	1.23	27.5	64.8
DAT	1	11	26	13	2	17	7	27	18	18	28	20
SR	1.70	4.83	11.0	17.2	7.21	2.62	1.36	.864	1.45	.874	2.35	8.13
MIN	1.09	1.16	1.16	6.49	2.96	1.65	.821	.778	.778	.778	.778	1.30
DAT	25	4	4	8	31	30	28	15	9	13	15	15
-----												
GMIN = .778			SRGOD= 4.96					GMAX = 101				
DATUM 15 8								DATUM 26 3				
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1984

Broj               : 45988                      Stanica :SAVNIK                      Kota "0" = 819.08  
Nacin osmat.: letva                      Rijeka :BUKOVICA                      km od usca = .40  
Pocetak rada: 1949                      Sliv :PRIDVORICE                      Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	5.47	5.47	4.45	26.4	16.5	16.5	1.88	.950	.864	18.7	2.64	6.17
2	4.96	4.96	4.45	29.7	23.1	16.5	1.88	.950	.821	17.6	2.64	5.14
3	4.45	4.96	6.49	64.8	36.6	16.5	1.65	.950	.821	14.6	2.64	3.60
4	4.45	4.96	6.49	75.2	39.0	16.5	1.65	.950	.778	30.2	2.64	3.60
5	10.2	4.96	5.98	39.0	37.8	15.4	1.65	.950	.778	14.6	2.64	3.28
6	8.60	4.96	4.96	31.9	39.0	14.3	1.65	.950	.778	14.6	2.64	3.28
7	7.00	4.96	4.45	27.5	40.2	13.2	1.65	.950	.778	21.2	2.96	3.28
8	5.98	4.96	4.45	25.3	41.4	12.1	1.65	.950	.778	33.0	3.60	2.96
9	7.00	4.45	4.12	22.0	41.4	11.0	1.51	.950	.778	30.2	3.60	2.96
10	7.00	4.12	4.12	22.0	42.6	9.40	1.51	.950	.778	22.4	3.28	2.96
11	6.49	4.12	4.12	19.8	96.0	7.80	1.37	.950	.778	17.8	2.96	2.96
12	5.98	3.79	4.12	22.0	63.2	7.80	1.37	.950	.778	14.6	2.64	2.96
13	5.47	3.79	4.12	24.2	52.0	7.00	1.37	.950	.778	11.6	2.64	2.96
14	4.96	3.79	3.79	23.1	41.4	7.00	1.37	.950	.778	9.60	2.32	2.64
15	4.96	3.79	3.79	22.0	35.4	6.49	1.30	.950	.778	8.91	2.64	2.64
16	4.45	3.46	3.46	19.8	35.4	5.98	1.23	.950	.778	8.23	2.96	2.96
17	4.12	2.80	3.13	19.8	34.2	4.96	1.23	.950	2.57	7.54	3.60	2.96
18	4.12	2.80	3.13	16.5	33.0	4.45	1.30	.950	2.80	6.17	30.2	14.6
19	4.12	2.80	3.13	16.5	33.0	4.45	1.23	.950	2.34	5.66	16.8	14.6
20	5.98	2.80	3.46	16.5	30.8	4.45	1.09	.864	2.11	4.63	26.0	8.91
21	5.98	2.80	3.46	16.5	100	4.12	1.09	.864	4.12	4.63	24.8	8.23
22	7.00	2.80	3.46	15.4	52.0	4.12	.950	.864	4.45	4.11	14.6	8.23
23	24.2	2.80	3.46	14.3	40.2	4.12	.950	.864	10.2	3.60	14.6	8.23
24	27.5	3.79	3.79	18.7	39.0	3.79	.950	.864	3.79	3.60	9.60	3.60
25	15.4	4.45	3.79	22.0	34.2	3.46	.950	.950	4.45	3.60	8.91	3.60
26	9.40	4.12	4.45	24.2	29.7	3.13	.950	.950	64.8	3.28	8.91	3.60
27	7.00	4.96	33.0	27.5	28.6	2.80	.950	.950	39.0	3.28	8.23	3.28
28	4.96	4.45	22.0	20.9	27.5	2.57	.950	.950	33.0	3.12	8.23	3.28
29	5.98	4.45	17.6	18.7	22.0	2.57	.950	.950	26.4	3.12	7.54	2.96
30	6.49		34.2	16.5	18.7	2.34	.950	.864	19.8	2.96	6.86	2.80
31	5.98		24.2		17.6		.950	.864		2.64		2.64
SD1	6.51	4.88	5.00	36.4	35.8	14.1	1.67	.950	.795	21.7	2.93	3.72
SD2	5.06	3.39	3.63	20.0	45.4	6.04	1.29	.941	1.45	9.47	9.28	5.82
SD3	10.9	3.85	13.9	19.5	37.2	3.30	.963	.903	21.0	3.45	11.2	4.59
MAX	27.5	5.47	34.2	75.2	100	16.5	1.88	.950	64.8	33.0	30.2	14.6
DAT	24	1	30	4	21	1	1	1	26	8	18	18
SR	7.60	4.05	7.73	25.3	39.4	7.83	1.29	.931	7.75	11.3	7.81	4.71
MIN	4.12	2.80	3.13	14.3	16.5	2.34	.950	.864	.778	2.64	2.32	2.64
DAT	17	17	17	23	1	30	22	20	4	31	14	14
GMIN =		.778		SRGOD=		10.5		GMAX =		100		
DATUM		4 9						DATUM		21 5		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1985

Broj               : 45988                                Stanica :SAVNIK                                Kota "0" = 819.08  
Nacin osmat.: letva                                Rijeka :BUKOVICA                               km od usca = .40  
Pocetak rada: 1949                                Sliv :PRIDVORICE                               Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	2.64	6.17	2.32	3.60	18.9	3.60	2.00	1.05	.964	.882	3.60	5.14
2	2.96	6.17	2.64	3.60	17.8	3.60	2.00	1.05	.964	.882	3.60	4.63
3	2.96	6.17	2.32	4.11	18.9	3.60	1.84	1.05	.964	.882	8.91	4.63
4	2.64	4.63	2.00	5.14	21.2	2.96	1.84	1.05	.964	.841	3.60	4.63
5	2.96	4.63	2.00	9.60	21.2	2.32	1.68	1.05	.964	.800	3.60	4.63
6	3.28	4.11	2.00	11.6	22.4	2.32	1.53	1.05	.964	.800	4.63	4.63
7	3.28	3.60	2.00	41.0	22.4	2.32	1.53	1.05	1.05	.800	8.91	4.11
8	3.12	3.28	2.00	22.4	22.4	2.00	1.53	1.13	1.05	.800	4.63	3.60
9	2.96	2.96	2.00	26.0	23.6	2.00	1.53	1.05	.964	.800	3.60	3.28
10	2.96	41.0	2.00	33.0	24.8	2.00	1.53	.964	.964	.800	3.60	3.28
11	2.96	49.0	3.28	36.2	22.4	2.96	1.53	.964	.964	.800	3.28	3.28
12	2.96	20.0	3.28	28.8	22.4	2.64	1.53	.964	.964	.800	3.28	4.11
13	2.96	14.6	3.28	21.2	18.9	2.64	1.53	.964	.964	.800	4.11	3.60
14	2.96	10.6	3.28	16.8	17.8	2.32	1.37	.964	.964	.800	7.54	3.28
15	2.96	5.66	3.60	12.6	15.7	2.00	1.37	.964	.964	.800	14.6	3.28
16	3.28	5.66	3.60	11.6	14.6	2.00	1.21	.964	.964	.800	9.60	2.96
17	3.28	5.66	4.63	9.60	14.6	2.00	1.21	.964	.964	.800	9.60	2.80
18	3.28	5.66	4.11	9.60	11.6	2.00	2.96	.964	.964	.800	33.0	2.64
19	2.96	3.60	4.11	8.23	10.6	2.00	1.21	.964	.964	.800	95.0	2.64
20	2.64	2.96	3.28	8.23	9.60	2.00	1.21	.964	.964	.800	58.0	2.32
21	2.64	2.96	2.96	8.23	9.60	2.00	1.21	.964	.964	.800	67.0	2.32
22	3.28	2.64	2.96	11.6	8.91	2.64	1.21	.964	.964	.882	41.0	2.00
23	5.14	2.64	2.96	13.6	8.91	2.64	1.21	.964	.964	.882	26.0	2.00
24	6.17	2.32	3.28	13.6	8.23	3.28	1.21	.964	.964	.882	18.9	1.84
25	10.6	2.32	3.60	14.6	8.23	2.64	1.21	.964	.964	.800	14.6	1.84
26	11.6	2.32	3.60	14.6	6.17	2.32	1.21	.964	.923	.800	11.6	1.84
27	9.60	2.32	3.60	18.9	4.63	2.32	1.13	.964	.923	.800	10.6	2.00
28	8.91	2.32	3.60	22.4	4.11	2.00	1.13	1.00	.923	.800	7.54	2.96
29	8.23		3.60	26.0	3.60	2.00	1.13	1.00	.882	.800	6.17	16.8
30	6.86		3.60	20.0	3.60	2.00	1.09	1.00	.882	.800	5.14	41.0
31	6.17		3.60		3.60		1.05	.964		.882		67.0
SD1	2.98	8.27	2.13	16.0	21.4	2.67	1.70	1.05	.981	.829	4.87	4.26
SD2	3.02	12.3	3.64	16.3	15.8	2.26	1.51	.964	.964	.800	23.8	3.09
SD3	7.20	2.48	3.40	16.4	6.33	2.38	1.16	.974	.935	.830	20.9	12.9
MAX	11.6	49.0	4.63	41.0	24.8	3.60	2.96	1.13	1.05	.882	95.0	67.0
DAT	26	11	17	7	10	1	18	8	7	31	19	31
SR	4.49	8.07	3.07	16.2	14.2	2.44	1.45	.995	.960	.820	16.5	6.94
MIN	2.64	2.32	2.00	3.60	3.60	2.00	1.05	.964	.882	.800	3.28	1.84
DAT	1	24	4	1	29	8	31	10	29	5	11	24
GMIN =		.800		SRGOD=		6.31		GMAX =		95.0		
DATUM		5 10						DATUM		19 11		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1986

Broj               : 45988                                Stanica :SAVNIK                                Kota "0" = 819.08  
Nacin osmat.: letva                                Rijeka :BUKOVICA                               km od usca = .40  
Pocetak rada: 1949                                Sliv :PRIDVORICE                               Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII					
1	58.0	3.60	5.14	21.2	18.9	6.86	2.00	.964	.730	.730	2.64	1.68					
2	33.0	6.17	5.14	20.0	26.0	6.17	1.84	.964	.730	.730	2.64	1.68					
3	30.2	5.66	37.8	20.0	24.8	4.63	1.84	.882	.730	.730	2.00	1.68					
4	41.0	8.91	26.0	17.8	22.4	4.63	1.84	.882	.730	.730	2.00	1.68					
5	26.0	7.54	20.0	16.8	20.0	4.63	1.68	.882	.730	.730	1.84	1.68					
6	22.4	6.17	15.7	15.7	20.0	33.0	1.53	.800	.730	.730	1.53	1.68					
7	17.8	3.60	12.6	16.8	17.8	49.0	1.37	.800	.730	.730	1.21	1.68					
8	14.6	4.63	9.60	14.6	15.7	20.0	1.21	.730	.730	.730	1.21	1.53					
9	11.6	4.11	8.23	22.4	16.8	16.8	1.21	.730	.730	.730	1.21	1.53					
10	10.6	3.60	8.23	21.8	11.6	14.6	1.21	.730	.730	.730	1.13	1.53					
11	8.91	3.60	8.23	17.3	9.60	11.6	1.13	.695	.730	.730	1.13	1.37					
12	8.23	3.28	8.91	14.6	9.60	9.60	1.13	.660	.730	.730	1.13	1.21					
13	4.63	2.32	11.6	14.6	9.60	9.60	1.05	.660	.730	.730	1.13	1.21					
14	3.60	2.00	11.6	12.6	9.60	9.60	1.05	.660	.730	.730	1.13	1.68					
15	6.17	2.00	9.60	11.6	9.60	9.60	1.05	.660	.730	.730	1.13	2.00					
16	5.14	1.84	8.23	9.60	8.91	8.23	1.05	.590	.730	.730	1.13	5.14					
17	4.11	1.68	8.23	8.91	10.6	7.54	1.05	.590	.730	.730	1.13	6.17					
18	3.60	3.60	7.54	9.60	11.6	6.17	1.05	.590	.730	.730	1.13	1.53					
19	3.28	77.0	6.17	26.0	9.60	5.66	1.05	.590	.730	.660	1.13	1.37					
20	2.96	49.0	5.66	33.0	10.6	6.17	1.05	.590	.730	.660	1.13	1.37					
21	2.96	26.0	5.14	20.0	15.7	5.14	1.13	.590	.730	.660	1.13	1.21					
22	3.28	17.8	5.14	14.6	11.6	5.14	1.37	.590	.730	.660	1.13	1.21					
23	3.28	11.6	5.14	13.6	12.6	3.28	1.21	.590	.730	.660	3.60	1.13					
24	3.60	9.60	4.11	14.6	11.6	3.28	1.21	.590	.730	6.17	3.28	1.13					
25	13.6	13.6	4.11	14.6	9.60	2.96	1.21	.590	.730	5.66	2.96	1.13					
26	6.17	10.6	26.0	13.6	8.91	2.64	1.13	.590	.730	5.66	2.64	1.13					
27	5.14	8.91	41.0	20.0	8.91	2.32	1.13	.590	.730	3.60	2.32	1.13					
28	4.11	6.17	34.6	18.9	8.23	2.00	1.13	.590	.730	3.60	2.32	1.13					
29	3.28		26.0	18.9	8.23	1.84	1.13	.590	.730	3.28	2.00	1.13					
30	3.28		26.0	16.8	8.23	1.84	1.05	.590	.730	2.96	2.00	1.13					
31	3.28		26.0		7.54		.964	.590		2.64		1.13					
SD1	26.5	5.40	14.8	18.7	19.4	16.0	1.57	.836	.730	.730	1.74	1.63					
SD2	5.06	14.6	8.58	15.8	9.93	8.38	1.07	.629	.730	.716	1.13	2.31					
SD3	4.73	13.0	18.5	16.6	10.1	3.04	1.15	.590	.730	3.23	2.34	1.14					
MAX	58.0	77.0	41.0	33.0	26.0	49.0	2.00	.964	.730	6.17	3.60	6.17					
DAT	1	19	27	20	2	7	1	1	1	24	23	17					
SR	11.9	10.9	14.1	17.0	13.0	9.15	1.26	.682	.730	1.61	1.74	1.68					
MIN	2.96	1.68	4.11	8.91	7.54	1.84	.964	.590	.730	.660	1.13	1.13					
DAT	20	17	24	17	31	29	31	16	1	19	10	23					
-----																	
GMIN =			.590			SRGOD=			6.95			GMAX =			77.0		
DATUM			16 8									DATUM			19 2		
-----																	

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1987

Broj               : 45988                                Stanica :SAVNIK                                Kota "0" = 819.08  
Nacin osmat.: letva                                Rijeka :BUKOVICA                               km od usca = .40  
Pocetak rada: 1949                                Sliv :PRIDVORICE                               Pov.sliva = 175.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.13	6.86	3.28	9.60	14.6	14.6	1.84	.730	.520	.350	.200	65.2
2	1.21	6.17	2.96	8.23	16.8	13.6	2.00	.730	.520	.250	.200	61.6
3	1.68	6.17	3.60	7.54	16.8	10.6	2.00	.730	.520	.200	.200	58.0
4	1.37	6.17	2.96	6.17	16.8	8.91	2.00	.730	.520	.200	.200	50.8
5	1.21	5.66	2.32	5.66	20.0	18.9	2.00	.730	.520	.200	.200	49.0
6	1.21	5.14	2.00	8.23	22.4	17.8	2.00	.730	.520	.200	.200	44.2
7	1.13	4.63	2.00	9.60	26.0	10.6	1.84	.800	.520	.200	.192	41.0
8	1.13	4.11	2.00	10.6	15.7	8.91	1.84	.800	.520	.200	.192	41.0
9	1.13	3.60	2.00	10.6	13.6	7.54	1.68	.800	.520	.200	.192	41.0
10	1.84	3.60	1.84	17.8	13.6	6.17	1.68	.800	.520	.200	.300	50.8
11	2.96	3.28	1.84	44.2	13.6	5.66	1.68	.800	.450	.200	.300	35.4
12	9.60	5.14	1.68	26.0	14.6	5.66	1.53	.882	.450	.250	.250	27.4
13	9.60	9.60	1.68	21.2	16.8	5.14	1.53	.882	.450	.300	.250	20.0
14	36.2	9.60	1.68	14.6	20.0	4.63	1.37	.882	.450	.200	.350	20.0
15	58.0	8.91	1.68	11.6	52.6	4.63	1.37	.882	.450	.200	.400	23.6
16	41.0	8.91	1.68	8.91	37.8	5.14	1.21	.800	.450	.200	.964	17.8
17	16.8	8.23	1.68	8.23	31.6	5.14	1.21	.800	.400	.200	1.05	15.7
18	15.7	4.63	1.53	9.60	28.8	4.63	1.21	.730	.400	.200	.882	12.6
19	13.6	6.17	1.53	11.6	26.0	4.63	1.21	.730	.350	.200	1.13	9.60
20	13.6	7.54	8.23	14.6	26.0	4.63	1.13	.730	.350	.200	1.37	6.86
21	8.23	12.6	3.60	20.0	26.0	4.11	1.13	.730	.350	.200	1.21	5.14
22	6.86	16.8	2.96	27.4	21.2	3.60	1.13	.730	.300	.200	1.13	4.63
23	5.14	11.6	2.32	26.0	18.9	3.60	1.13	.730	.300	.200	1.21	4.11
24	4.63	9.60	2.00	23.6	14.6	3.60	1.05	.660	.300	.200	14.6	3.60
25	4.11	8.23	1.68	21.2	13.6	3.28	1.05	.660	.250	.200	67.0	3.28
26	3.60	6.17	1.68	20.0	12.6	2.96	.964	.660	.200	.200	97.0	2.96
27	3.60	5.14	1.53	18.9	11.6	2.64	.882	.660	.200	.200	119	2.96
28	5.14	4.11	1.37	14.6	10.6	2.32	.800	.660	.400	.200	87.0	2.96
29	8.91		4.63	14.6	10.6	2.00	.800	.590	1.21	.200	77.0	2.64
30	8.23		37.8	13.6	18.9	1.84	.730	.590	.450	.200	73.0	2.32
31	7.54		20.0		13.6		.730	.590		.200		2.00
SD1	1.30	5.21	2.50	9.40	17.6	11.8	1.89	.758	.520	.220	.208	50.3
SD2	21.7	7.20	2.32	17.1	26.8	4.99	1.35	.812	.420	.215	.695	18.9
SD3	6.00	9.28	7.23	20.0	15.7	3.00	.945	.660	.396	.200	53.8	3.33
MAX	58.0	16.8	37.8	44.2	52.6	18.9	2.00	.882	1.21	.350	119	50.8
DAT	15	22	30	11	15	5	2	12	29	1	27	10
SR	9.55	7.08	4.12	15.5	19.9	6.58	1.38	.741	.445	.211	18.2	23.5
MIN	1.13	3.28	1.37	5.66	10.6	1.84	.730	.590	.200	.200	.192	2.00
DAT	1	11	28	5	28	30	30	29	26	3	7	31
GMIN =		.192		SRGOD=		8.94		GMAX =		119		
DATUM		7 11						DATUM		27 11		

