

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1978

Broj           : 45805                      Stanica :CIROVICI                      Kota "0" = 864.00  
Nacin osmat.: limnigraf                Rijeka :CEHOTINA                      km od usca = 98.50  
Pocetak rada: 1978                      Sliv :DRINE                              Pov.sliva = 120.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	4.07	3.58	9.50	3.58	2.60	4.07	.730	.384	.630	2.97	.680	.448
2	2.60	2.60	9.50	3.83	3.34	3.58	.680	.384	.448	5.30	.630	.416
3	2.11	2.11	8.36	3.58	3.16	3.34	.630	.384	.416	4.81	.630	.448
4	1.95	1.64	7.84	4.32	2.60	2.79	.580	.384	.384	3.83	.580	.384
5	1.64	1.44	8.36	4.56	2.26	2.26	.580	.384	.384	2.60	.530	.448
6	1.44	1.44	8.36	4.32	1.95	1.80	.580	.384	.384	2.97	.530	.384
7	1.34	1.34	8.93	3.83	1.95	1.64	.530	.384	.480	2.60	.530	.416
8	1.14	1.24	7.58	3.34	2.11	1.44	.530	.384	.894	2.11	.530	.416
9	1.06	1.14	3.58	3.83	10.1	1.34	.530	.384	.680	1.80	.530	.416
10	1.06	1.06	4.81	3.58	7.58	1.24	.530	.384	.530	1.54	.530	.416
11	1.06	1.06	3.83	3.34	5.80	1.14	.530	.384	.448	1.34	.480	.416
12	1.06	6.56	3.34	3.16	5.30	1.06	.480	.384	.384	1.14	.480	.416
13	.976	7.06	2.60	3.16	4.32	.976	.480	.384	3.34	1.06	.448	.448
14	.976	15.2	2.26	4.56	14.1	.976	.448	.384	4.81	.976	.448	1.06
15	.976	9.50	2.11	3.83	10.6	.894	.448	.384	2.11	.894	.448	4.81
16	.976	6.30	2.42	5.80	7.32	1.64	.530	.384	1.44	.894	.448	2.60
17	1.06	5.06	2.60	6.56	5.30	1.14	.480	.384	1.06	.894	.416	2.97
18	1.24	3.83	13.1	5.80	4.07	.976	.480	.384	.894	.812	.416	5.80
19	1.24	3.34	12.8	4.81	3.16	.894	.448	.384	.730	.730	.416	4.81
20	1.14	5.30	8.10	4.07	2.60	.812	.448	.384	.730	.680	.416	17.4
21	1.06	5.80	6.30	3.83	2.60	.730	.448	.352	1.34	.630	.384	10.6
22	1.06	5.06	5.55	3.58	2.11	.812	.416	.352	1.06	1.44	.384	6.81
23	.894	4.32	4.32	3.83	4.32	.730	.416	.352	.894	1.24	.384	5.06
24	.894	3.83	4.32	3.58	2.60	.680	.416	.352	.812	1.06	.384	3.58
25	.894	4.32	4.32	3.34	2.11	.680	.416	.352	.730	.894	.384	2.79
26	.894	6.56	3.58	2.97	3.34	.630	.416	.320	.630	.812	.384	2.26
27	.812	10.3	3.34	2.60	3.34	.630	.416	.320	.630	.812	.416	1.95
28	.730	10.9	2.97	2.42	8.36	1.14	.384	.320	.630	.730	.530	1.64
29	.730		2.79	3.58	8.36	.894	.384	.384	5.80	.730	.530	1.64
30	10.1		2.97	2.97	5.80	.812	.384	.384	4.81	.730	.448	2.26
31	5.80		3.58		5.06		.384	.352		.730		2.97
SD1	1.84	1.76	7.68	3.88	3.77	2.35	.590	.384	.523	3.05	.570	.419
SD2	1.07	6.32	5.32	4.51	6.26	1.05	.477	.384	1.59	.942	.442	4.07
SD3	2.17	6.39	4.00	3.27	4.36	.774	.407	.349	1.73	.892	.423	3.78
MAX	10.1	15.2	13.1	6.56	14.1	4.07	.730	.384	5.80	5.30	.680	17.4
DAT	30	14	18	17	14	1	1	1	29	2	1	20
SR	1.71	4.71	5.61	3.89	4.78	1.39	.489	.372	1.28	1.61	.478	2.79
MIN	.730	1.06	2.11	2.42	1.95	.630	.384	.320	.384	.630	.384	.384
DAT	28	10	15	28	6	26	28	26	4	21	21	4
-----												
GMIN =			.320	SRGOD=				2.41	GMAX =			17.4
DATUM			26 8						DATUM			20 12
-----												

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1979

Broj           : 45805                      Stanica :CIROVICI                      Kota "0" = 864.00  
Nacin osmat.: limnigraf                Rijeka :CEHOTINA                      km od usca = 98.50  
Pocetak rada: 1978                      Sliv :DRINE                              Pov.sliva = 120.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	3.58	7.84	1.24	.976	6.05	.730	2.26	.480	.894	.480	5.80	4.81
2	2.60	6.05	1.24	1.06	4.81	.812	1.64	.480	.730	.448	4.07	4.56
3	2.11	5.06	1.14	1.14	3.83	.730	1.54	.480	.730	.448	2.79	3.83
4	1.64	4.32	1.06	1.14	3.16	.680	1.95	.448	.680	.448	2.26	3.34
5	1.80	4.32	1.06	1.24	2.60	.680	2.11	.448	.680	.448	1.95	2.97
6	1.54	4.32	1.06	4.56	2.11	.630	1.80	.448	.976	1.34	4.81	2.79
7	1.34	6.30	.976	6.30	1.95	.630	1.54	.448	1.34	3.83	5.06	2.60
8	.730	5.80	.976	4.07	1.64	.630	1.44	.416	1.14	2.11	3.58	2.42
9	.976	4.81	.976	2.97	1.64	.630	1.44	.416	.976	1.54	2.97	2.26
10	1.24	3.83	.812	2.26	1.54	.630	1.34	.416	.894	1.34	2.42	2.11
11	2.26	4.07	.894	1.95	1.54	.580	1.24	.530	.812	1.14	2.42	2.11
12	9.50	5.80	.812	1.64	2.97	.730	1.06	.894	.730	1.06	2.42	3.34
13	5.80	10.3	.812	1.44	4.81	.680	.976	.730	.680	.976	2.26	3.16
14	3.83	9.50	.812	1.34	4.07	.630	.894	.580	.680	.976	2.11	2.79
15	2.97	8.10	.812	1.24	3.16	.580	.976	.530	.630	.894	2.11	2.79
16	2.26	7.58	.812	1.06	2.60	.580	.894	.480	.680	.812	13.1	2.97
17	1.95	7.32	1.06	1.06	2.26	.976	.976	.530	.730	.812	77.8	2.97
18	1.64	7.32	.894	1.06	2.11	2.60	1.06	.730	.630	.730	36.9	2.79
19	1.54	5.80	.894	1.24	1.80	1.44	.894	2.79	.630	.730	44.0	2.60
20	1.44	4.32	.894	1.06	1.54	1.14	.812	7.32	.580	.730	25.5	2.60
21	1.34	2.97	.812	1.06	1.44	1.14	.730	4.56	.580	.730	14.1	3.16
22	1.24	2.42	.812	1.06	1.34	1.24	.730	3.83	.530	.730	10.3	4.07
23	1.24	2.11	.812	.976	1.24	1.44	.680	2.60	.530	.730	8.64	4.81
24	1.34	1.80	.730	.894	1.14	2.11	.630	2.11	.530	.730	7.58	6.05
25	2.11	1.64	.730	.894	1.34	1.64	.580	1.64	.530	.730	6.81	6.05
26	6.81	1.64	.680	1.64	1.14	1.44	.580	1.44	.530	.680	6.05	5.30
27	7.32	1.44	.680	48.1	1.06	1.44	.530	1.34	.480	.680	5.55	4.32
28	6.56	1.44	.894	29.8	.894	1.44	.530	1.14	.480	.680	5.06	3.58
29	7.32		.976	12.5	.894	2.42	.530	1.24	.480	.730	4.56	3.34
30	16.7		1.14	8.36	.894	3.34	.530	1.14	.480	2.26	4.81	3.34
31	11.2		1.06		.812		.480	.976		6.05		4.32
SD1	1.76	5.27	1.05	2.57	2.93	.678	1.71	.448	.904	1.24	3.57	3.17
SD2	3.32	7.01	.870	1.31	2.69	.994	.978	1.51	.678	.886	20.9	2.81
SD3	5.74	1.93	.848	10.5	1.11	1.77	.594	2.00	.515	1.34	7.35	4.39
MAX	16.7	10.3	1.24	60.9	6.05	5.55	3.34	8.93	7.06	7.06	106	6.56
DAT	30	13	1	27	1	29	4	20	7	31	17	24
SR	3.68	4.94	.921	4.80	2.21	1.15	1.08	1.34	.699	1.16	10.6	3.49
MIN	.730	1.44	.680	.894	.812	.580	.480	.416	.480	.448	1.95	2.11
DAT	8	27	26	24	31	11	31	8	27	2	5	10
GMIN =			.416	SRGOD=			2.97	GMAX =			106	
DATUM			8 8					DATUM			17 11	

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1980

Broj           : 45805                      Stanica :CIROVICI                      Kota "0" = 864.00  
Nacin osmat.: limnigraf                Rijeka :CEHOTINA                      km od usca = 98.50  
Pocetak rada: 1978                      Sliv :DRINE                              Pov.sliva = 120.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	4.32	3.83	1.44	6.56	2.42	2.26	.976	.812	.580	.480	1.64	7.32
2	3.83	5.80	1.34	6.05	2.60	2.11	.894	.730	.580	.480	1.54	6.05
3	3.58	5.06	1.34	6.56	2.60	1.80	.894	.730	.580	.480	1.54	5.30
4	2.97	4.56	1.44	5.80	2.26	1.80	.894	.680	.580	.480	1.44	4.56
5	2.79	4.56	1.34	4.81	2.26	1.64	.894	.680	.530	.480	1.34	4.07
6	2.60	5.30	1.24	4.07	2.11	1.80	.812	.680	.530	.480	1.34	3.58
7	2.60	5.55	1.34	3.34	1.95	1.64	.812	.630	.530	.480	1.44	4.07
8	2.42	6.56	1.44	3.16	1.80	1.64	.812	.630	.530	.480	1.34	3.58
9	2.26	6.56	1.64	2.97	1.64	1.54	.730	.630	.530	.480	1.24	3.16
10	2.11	6.30	1.80	2.97	1.54	1.44	.730	.630	.530	1.80	1.64	2.79
11	2.11	5.80	1.64	2.79	1.54	1.44	.730	.630	.530	2.26	2.60	2.79
12	1.95	5.80	1.54	2.60	1.54	1.34	.730	.630	.530	8.64	2.79	2.60
13	1.95	5.06	1.44	2.42	1.54	1.24	.730	.630	.530	30.3	12.8	2.42
14	1.80	4.32	1.44	2.26	1.44	1.14	.730	.630	.530	14.1	37.4	2.42
15	1.80	3.83	1.54	2.42	1.54	1.14	.730	.630	.530	7.32	8.93	2.42
16	2.26	3.34	1.95	2.79	3.34	1.06	.680	.630	.480	5.06	8.10	2.42
17	2.79	3.16	1.95	3.16	3.16	1.06	.680	.630	.480	3.58	6.05	2.60
18	2.60	2.97	1.80	3.58	2.79	1.06	.680	.630	.480	3.34	5.06	2.79
19	2.42	2.60	1.95	4.07	2.42	1.44	.680	.680	.480	3.16	4.56	2.97
20	2.26	2.42	2.79	4.32	2.79	1.80	.680	.680	.480	2.79	3.58	3.34
21	2.11	2.11	4.07	4.81	6.56	1.44	.680	.680	.480	4.07	3.16	3.34
22	2.11	1.95	6.30	5.30	5.80	1.34	.680	.630	.480	3.58	2.79	3.34
23	2.11	1.80	12.8	4.07	5.80	1.24	.680	.580	.480	3.16	2.42	3.16
24	2.42	1.80	13.1	3.58	4.56	1.14	.680	.580	.480	2.60	2.26	2.79
25	3.34	1.64	9.78	2.97	7.32	1.06	.680	.580	.480	2.26	2.11	2.60
26	5.06	1.64	8.10	2.60	5.80	1.06	.680	.530	.480	2.60	1.95	2.79
27	4.56	1.54	7.06	2.60	4.81	.976	.730	.530	.530	3.83	2.42	2.79
28	3.58	1.44	7.06	2.42	4.07	1.06	.976	.530	.530	3.16	5.80	2.60
29	3.34	1.44	7.06	2.42	3.16	.976	.812	.530	.530	2.79	10.1	2.60
30	2.97		7.84	2.42	2.79	.976	.894	.530	.480	2.42	10.6	2.42
31	2.79		7.84		2.60		.976	.530		1.95		2.11
SD1	2.95	5.41	1.44	4.63	2.12	1.77	.845	.683	.550	.612	1.45	4.45
SD2	2.19	3.93	1.80	3.04	2.21	1.27	.705	.640	.505	8.06	9.19	2.68
SD3	3.13	1.71	8.27	3.32	4.84	1.13	.770	.566	.495	2.95	4.36	2.78
MAX	5.06	7.06	16.7	7.06	7.32	2.42	1.54	.894	.580	51.2	43.5	9.50
DAT	26	8	23	1	25	1	30	1	4	12	13	1
SR	2.77	3.75	3.98	3.66	3.11	1.39	.773	.628	.517	3.84	5.00	3.28
MIN	1.80	1.44	1.24	2.26	1.44	.976	.680	.530	.480	.480	1.24	2.11
DAT	14	28	6	14	14	27	16	26	16	1	9	31
GMIN =		.480		SRGOD=		2.72		GMAX =		51.2		
DATUM		16 9						DATUM		12 10		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1981

Broj           : 45805                      Stanica :CIROVICI                      Kota "0" = 864.00  
Nacin osmat.: limnigraf                Rijeka :CEHOTINA                      km od usca = 98.50  
Pocetak rada: 1978                      Sliv :DRINE                              Pov.sliva = 120.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	2.11	1.24	1.95	11.5	2.26	1.06	.894	.630	.730	.894	1.54	2.11
2	2.11	1.24	2.11	9.78	2.26	.976	.894	.580	.680	.894	1.34	2.97
3	1.95	1.24	3.34	8.36	1.95	.976	.812	.580	.730	2.42	1.24	2.79
4	2.11	1.44	8.36	6.81	1.95	.976	.812	.580	.894	1.95	1.14	2.60
5	2.26	1.64	8.36	5.55	1.95	.894	.730	.580	.976	1.54	1.06	2.26
6	2.11	1.64	6.56	4.81	1.95	.894	.730	.580	1.80	1.34	1.14	2.11
7	1.95	1.54	5.80	4.32	1.64	.894	.730	.580	1.64	1.14	1.24	3.16
8	1.80	1.44	6.05	4.07	1.54	.894	.730	.630	1.34	1.06	1.14	7.32
9	1.64	1.54	6.56	4.07	1.54	.812	.730	.630	1.14	.976	1.14	10.6
10	1.64	1.95	7.32	4.32	1.44	.812	.730	.630	1.06	.894	1.06	11.2
11	1.64	2.60	9.21	4.32	1.44	.730	.730	.580	1.06	.894	1.06	10.1
12	1.54	4.07	13.4	3.58	1.64	.730	.730	.730	1.14	.894	1.06	11.5
13	1.54	4.07	17.8	3.16	1.44	.730	.730	.894	1.06	.812	1.14	15.2
14	2.26	3.34	15.9	2.97	1.44	.730	.730	.812	1.06	.730	1.14	11.5
15	2.26	2.97	11.2	2.97	1.44	.730	.730	.730	5.06	.730	1.24	8.36
16	2.26	2.60	9.50	2.97	1.44	.730	.812	.680	3.16	.730	1.34	6.81
17	1.95	2.42	9.50	2.79	3.83	.730	.730	.730	2.26	.730	1.44	6.05
18	1.80	2.26	10.1	2.60	2.60	1.64	.680	1.06	1.80	.730	1.54	5.06
19	1.80	2.11	11.5	2.26	2.60	4.07	.630	.812	1.54	.730	1.64	14.1
20	1.64	2.11	9.50	2.26	2.26	1.95	.630	.730	1.34	.730	1.80	14.1
21	1.64	1.95	8.36	2.42	2.11	1.44	.630	.680	1.24	.680	2.11	9.21
22	1.54	2.26	8.36	2.97	1.80	1.34	.630	.894	1.14	.730	2.60	7.32
23	1.44	2.60	8.10	2.97	1.64	1.80	.630	.812	1.06	.730	2.79	6.30
24	1.44	2.42	7.84	2.97	1.54	1.44	.630	.812	.976	1.64	3.34	4.56
25	1.44	2.42	7.58	3.16	1.54	1.24	.630	.812	.894	2.26	3.83	7.32
26	1.44	2.26	9.50	2.97	1.44	1.14	.630	.812	.894	1.95	4.07	6.81
27	1.34	2.11	11.2	2.97	1.34	1.06	.630	.730	.812	2.11	3.34	5.55
28	1.34	1.95	11.2	2.97	1.24	.976	.630	.730	.812	2.79	2.97	4.56
29	1.34		12.5	2.79	1.24	.894	.630	.812	.976	2.42	2.79	4.32
30	1.24		12.8	2.42	1.14	.894	.630	.730	.894	2.11	2.42	7.06
31	1.24		12.2		1.06		.630	.730		1.80		7.32
SD1	1.97	1.49	5.64	6.36	1.85	.919	.779	.600	1.10	1.31	1.20	4.71
SD2	1.87	2.86	11.8	2.99	2.01	1.28	.713	.776	1.95	.771	1.34	10.3
SD3	1.40	2.25	9.97	2.86	1.46	1.22	.630	.778	.970	1.75	3.03	6.39
MAX	2.42	4.56	20.7	11.5	3.83	4.07	.894	1.64	5.80	2.79	4.07	22.9
DAT	14	12	13	1	17	19	1	18	15	28	26	19
SR	1.74	2.19	9.15	4.07	1.76	1.14	.705	.720	1.34	1.29	1.86	7.10
MIN	1.24	1.24	1.95	2.26	1.06	.730	.630	.580	.680	.680	1.06	2.11
DAT	30	1	1	19	31	11	19	2	2	21	5	1
	GMIN =		.580		SRGOD=		2.77		GMAX =		22.9	
	DATUM		2 8						DATUM		19 12	

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1982

Broj           : 45805                      Stanica :CIROVICI                      Kota "0" = 864.00  
Nacin osmat.: limnigraf                Rijeka :CEHOTINA                      km od usca = 98.50  
Pocetak rada: 1978                      Sliv :DRINE                              Pov.sliva = 120.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	6.30	1.06	.730	9.50	3.34	1.24	.630	.580	.530	.448	.480	.530
2	7.84	1.06	.812	8.64	4.56	1.14	.630	.530	.530	.448	.480	.530
3	7.32	.976	.894	8.36	4.07	1.06	.630	.530	.530	.448	.448	.530
4	6.30	.894	.894	7.06	3.83	1.06	.630	.530	.530	.448	.448	.530
5	5.30	.812	.976	6.05	3.58	1.06	.630	.730	.530	.480	.448	.480
6	4.81	.812	1.06	5.30	3.16	.976	.630	.894	.530	.480	.448	.480
7	4.07	.812	1.06	4.81	2.79	.976	.730	.730	.530	.630	.448	.480
8	2.97	.812	1.06	4.56	2.42	1.06	.680	.976	.530	.730	.448	.480
9	2.79	.894	1.14	4.32	2.26	.894	.680	.976	.530	.680	.448	.480
10	2.79	.894	1.34	3.58	1.95	.894	.630	.894	.680	.630	.448	.448
11	2.60	.812	1.54	3.34	1.80	.894	.630	.812	.812	.630	.448	.448
12	2.42	.812	1.44	2.97	1.64	.894	.630	.730	.730	.580	.448	.480
13	2.42	.812	1.24	2.60	1.54	.894	.812	.680	.680	.580	.448	.530
14	2.11	.812	1.34	2.60	1.54	.976	.680	.630	.630	.580	.448	.630
15	1.95	.812	1.34	4.07	1.54	.976	.680	.630	.630	.530	.530	.730
16	1.64	.812	1.24	4.56	1.44	.894	.630	.630	.580	.530	.530	.680
17	1.64	.812	1.34	7.32	1.34	.894	.630	.580	.580	.530	.580	.680
18	1.64	.812	1.64	8.36	1.24	.894	.630	.580	.530	.530	.730	.680
19	1.54	.812	2.97	7.58	1.24	.812	.580	.580	.530	.530	.680	.730
20	1.54	.812	2.97	6.56	1.24	.812	.580	.580	.530	.530	.680	.812
21	1.44	.812	2.26	5.55	1.34	.812	.580	.580	.530	.530	.630	.894
22	1.34	.730	1.95	4.56	1.34	.730	.580	.680	.480	.530	.630	.812
23	1.24	.730	1.64	4.07	1.24	.730	.580	.680	.480	.530	.580	.812
24	1.24	.730	1.44	3.34	1.14	.730	.580	.630	.480	.530	.580	.730
25	1.24	.812	1.44	2.97	1.14	.680	.680	.630	.480	.480	.580	.730
26	1.14	.812	1.34	2.79	1.14	.680	.630	.630	.480	.480	.530	.680
27	1.06	.730	1.34	2.79	1.34	.680	.630	.630	.480	.480	.530	.680
28	1.06	.730	1.80	2.60	1.54	.680	.630	.580	.480	.480	.530	.680
29	1.06		2.42	2.42	1.24	.630	.580	.580	.480	.480	.530	.680
30	1.06		5.06	2.42	1.34	.630	.580	.530	.480	.480	.530	.680
31	1.06		12.5		1.24		.580	.530		.480		.680
SD1	5.05	.903	.997	6.22	3.20	1.04	.650	.737	.545	.542	.454	.497
SD2	1.95	.812	1.71	5.00	1.46	.894	.648	.643	.623	.555	.552	.640
SD3	1.18	.761	3.02	3.35	1.28	.698	.603	.607	.485	.498	.565	.733
MAX	8.36	1.06	13.4	11.5	4.81	1.24	.812	2.79	1.64	1.06	1.64	.894
DAT	2	1	31	1	1	1	13	5	10	7	17	21
SR	2.68	.830	1.94	4.85	1.95	.876	.633	.661	.551	.531	.524	.627
MIN	1.06	.730	.730	2.42	1.14	.630	.580	.530	.480	.448	.448	.448
DAT	27	22	1	29	24	29	19	2	22	1	3	10
GMIN =		.448		SRGOD=		1.39		GMAX =		13.4		
DATUM		1 10						DATUM		31 3		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1983

Broj           : 45805                      Stanica :CIROVICI                      Kota "0" = 864.00  
Nacin osmat.: limnigraf                Rijeka :CEHOTINA                      km od usca = 98.50  
Pocetak rada: 1978                      Sliv :DRINE                              Pov.sliva = 120.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.680	1.14	1.14	6.30	.894	.580	1.34	.630	.894	1.06	.580	1.95
2	.680	1.14	1.14	6.05	.894	.530	1.24	.630	.812	.976	.630	1.54
3	.680	1.14	1.14	5.80	.894	.530	3.16	.630	.730	.894	.730	1.44
4	.680	.976	1.06	4.32	.812	.530	3.16	.580	.730	.894	1.14	1.34
5	.730	.976	1.06	3.83	.812	.530	2.42	.580	1.14	.812	1.24	1.24
6	.730	.976	1.06	2.97	.730	.530	2.11	.580	1.06	.812	1.14	1.24
7	.730	1.34	1.14	2.60	.730	.680	1.64	.630	1.06	.812	1.06	1.24
8	.894	2.42	1.34	2.42	.730	.894	1.54	.630	.976	.730	.976	1.24
9	.976	2.26	2.79	2.26	.730	.730	1.64	.630	.894	.730	.976	1.24
10	.894	4.81	4.07	2.26	.680	.680	1.34	.630	.894	.730	.894	1.14
11	.894	12.8	5.06	2.11	.680	.630	1.24	.630	.812	.730	.812	1.14
12	.894	13.1	5.06	2.11	.680	.630	1.14	.894	.730	.730	.812	1.06
13	.894	7.32	3.58	2.11	.680	.630	1.06	1.34	.730	.730	.730	1.06
14	.812	5.55	2.97	2.11	.680	.730	1.06	1.44	.730	.680	.680	1.14
15	.812	4.32	2.79	1.80	.630	1.80	1.06	1.14	.680	.680	.680	1.24
16	.730	3.58	2.79	1.64	.630	2.79	1.06	1.06	.630	.630	.680	1.24
17	.812	2.79	2.97	1.54	.630	7.06	.976	.976	.630	.630	.630	1.14
18	.812	2.42	3.16	1.54	.630	6.30	.894	.894	2.26	.630	.630	2.42
19	.812	2.11	3.83	1.54	.630	4.07	.894	1.14	5.55	.630	.630	5.30
20	.812	1.80	4.07	1.54	.630	2.60	.812	1.06	5.55	.630	.630	7.84
21	.812	1.64	4.56	1.44	.580	2.11	.812	.976	3.58	.630	.630	11.2
22	.812	1.54	5.55	1.34	.580	2.42	.730	.894	2.60	.630	.630	7.32
23	.894	1.44	6.56	1.34	.580	2.42	.730	.812	1.80	.630	.630	5.80
24	.812	1.24	5.80	1.24	.580	2.60	.730	.730	1.54	.630	.580	4.32
25	.812	1.24	7.32	1.14	.580	1.95	.730	.680	1.34	.630	.580	3.34
26	.730	1.14	17.8	1.14	.580	1.54	.680	1.06	1.54	.580	.580	2.97
27	.730	1.14	12.5	1.06	.580	1.34	.680	1.14	1.24	.580	.580	3.83
28	.730	1.14	8.10	1.06	.530	1.24	.630	1.14	1.24	.580	.730	3.34
29	.894		6.81	.976	.580	1.24	.630	.976	1.14	.580	3.58	2.97
30	.976		6.56	.894	.580	1.44	.630	.894	1.06	.580	2.42	2.60
31	1.14		6.81		.580		.630	.894		.580		2.42
SD1	.767	1.72	1.59	3.88	.791	.621	1.96	.615	.919	.845	.937	1.36
SD2	.828	5.58	3.63	1.80	.650	2.72	1.02	1.06	1.83	.670	.691	2.36
SD3	.849	1.32	8.03	1.16	.575	1.83	.692	.927	1.71	.603	1.09	4.56
MAX	1.14	26.0	22.4	6.56	.894	8.36	3.83	5.80	6.81	1.06	4.07	11.2
DAT	31	11	26	1	1	17	3	12	18	1	28	21
SR	.816	2.98	4.54	2.28	.669	1.73	1.21	.868	1.49	.703	.907	2.82
MIN	.680	.976	1.06	.894	.530	.530	.630	.580	.630	.580	.580	1.06
DAT	1	4	4	30	28	2	28	4	16	26	1	12
	GMIN =	.530		SRGOD=	1.74		GMAX =	26.0				
	DATUM	28 5					DATUM	11 2				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1984

Broj           : 45805                    Stanica :CIROVICI                    Kota "0" = 864.00  
Nacin osmat.: limnigraf            Rijeka :CEHOTINA                    km od usca = 98.50  
Pocetak rada: 1978                   Sliv :DRINE                            Pov.sliva = 120.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	2.11	2.60	6.56	7.32	4.32	1.24	.630	.530	.580	2.11	.976	2.60	
2	1.95	2.42	10.6	6.81	4.81	1.24	.630	.530	.580	1.80	.976	2.26	
3	1.80	2.42	8.93	12.8	4.81	1.14	.630	.530	.580	1.64	.976	1.95	
4	1.80	2.42	7.06	13.8	4.56	1.14	.630	.530	.530	1.54	.976	1.80	
5	1.95	2.79	5.55	10.1	4.32	1.06	.630	.530	.530	1.44	.894	1.54	
6	1.95	2.79	4.81	8.36	3.83	1.06	.580	.530	.530	1.34	.894	1.44	
7	1.80	2.79	4.07	8.93	3.34	1.06	.580	.630	.530	1.95	.976	1.34	
8	1.64	2.60	3.58	8.10	2.97	1.06	.580	.894	.530	7.32	.976	1.24	
9	1.80	2.60	3.16	7.06	2.79	.976	.580	.730	.480	8.93	.894	1.24	
10	2.42	2.26	2.79	6.81	2.60	.976	.580	.630	.480	5.80	.894	1.24	
11	2.42	2.11	2.60	6.05	8.64	.976	.580	.580	.480	4.32	.894	1.24	
12	2.26	1.95	2.26	7.84	7.58	.894	.580	.580	.480	3.34	.894	1.24	
13	2.26	1.80	2.11	8.93	6.81	.894	.580	.530	.480	2.97	.894	1.14	
14	2.11	1.64	2.11	8.93	5.55	.894	.580	.894	.480	2.42	.894	1.14	
15	1.95	1.64	1.95	8.36	4.56	.812	.580	.730	.480	2.11	.812	1.14	
16	2.11	1.54	1.80	7.84	3.83	.812	.580	.630	.480	1.95	5.30	1.14	
17	1.95	1.54	1.80	7.32	3.34	.812	.580	.630	.530	1.64	2.97	1.14	
18	1.95	1.44	1.80	7.06	2.79	.812	.580	.630	.630	1.64	4.32	1.14	
19	2.11	1.44	2.11	6.30	2.42	.812	.580	.630	.630	1.54	10.1	1.14	
20	2.26	1.44	1.95	5.55	2.26	.812	.580	.580	.630	1.44	6.81	1.06	
21	2.79	1.44	1.95	5.30	2.97	.812	.580	.580	.630	1.34	5.06	1.06	
22	4.07	1.34	2.11	5.06	2.26	.730	.530	.530	.630	1.34	4.07	1.06	
23	6.81	1.44	1.95	4.32	2.11	.730	.530	.530	.630	1.24	3.34	1.06	
24	6.30	2.42	1.95	5.55	2.11	.730	.530	.530	.680	1.24	2.79	1.06	
25	5.30	3.83	1.80	7.06	1.95	.730	.530	.530	18.2	1.24	2.42	1.06	
26	4.07	4.07	2.60	6.81	1.80	.730	.530	.730	11.5	1.14	3.16	.976	
27	3.16	4.32	9.21	7.06	1.64	.680	.530	.894	6.56	1.14	2.60	.976	
28	2.79	5.30	9.78	6.05	1.54	.680	.530	.730	4.56	1.14	2.60	.894	
29	2.79	5.06	9.50	5.30	1.34	.680	.530	.680	3.16	1.06	2.60	.894	
30	2.79		10.6	4.81	1.34	.680	.530	.630	2.60	1.06	2.60	.894	
31	2.60		9.78		1.24		.530	.580		1.06		.894	
SD1	1.92	2.57	5.71	9.01	3.83	1.10	.605	.606	.535	3.39	.943	1.66	
SD2	2.14	1.65	2.05	7.42	4.78	.853	.580	.641	.530	2.34	3.39	1.15	
SD3	3.95	3.25	5.57	5.73	1.85	.718	.535	.631	4.91	1.18	3.12	.984	
MAX	7.06	5.55	11.2	16.3	11.2	1.34	.630	1.44	37.4	12.2	10.1	2.60	
DAT	23	27	2	3	11	1	1	26	25	8	19	1	
SR	2.71	2.46	4.48	7.39	3.43	.889	.572	.627	1.99	2.27	2.49	1.26	
MIN	1.64	1.34	1.80	4.32	1.24	.680	.530	.530	.480	1.06	.812	.894	
DAT	8	22	16	23	31	27	22	1	9	29	15	28	
GMIN =			.480	SRGOD=			2.54	GMAX =			37.4		
DATUM			9 9					DATUM			25 9		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1985

Broj           : 45805                      Stanica :CIROVICI                      Kota "0" = 864.00  
Nacin osmat.: limnigraf                Rijeka :CEHOTINA                      km od usca = 98.50  
Pocetak rada: 1978                      Sliv :DRINE                              Pov.sliva = 120.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	.894	2.42	1.44	5.06	3.16	1.24	.730	.580	.730	.530	.812	2.79	
2	.894	2.42	1.54	4.81	2.79	1.24	.730	.580	.680	.530	.812	2.42	
3	.894	2.26	2.79	5.30	2.60	1.14	.812	.580	.630	.530	.894	2.26	
4	.894	1.95	4.32	5.55	2.79	1.24	.812	.580	.630	.530	.812	2.60	
5	.894	1.64	5.06	6.81	2.60	1.24	.730	.580	.630	.530	.812	3.16	
6	.894	1.64	5.80	7.58	2.26	1.24	.730	.580	.630	.530	.812	3.34	
7	.812	1.64	6.05	8.36	2.26	1.24	.730	.580	.630	.530	.812	3.16	
8	.812	1.64	6.05	8.10	1.95	1.14	.680	.580	.580	.530	.812	2.79	
9	.812	1.80	5.55	7.58	1.95	1.14	.680	.580	.530	.530	.812	2.26	
10	.812	4.32	5.55	7.58	1.80	1.06	.680	.580	.630	.530	.812	2.11	
11	.730	10.3	5.06	7.32	1.80	1.06	.812	.580	.680	.530	.730	2.11	
12	.680	10.6	4.56	5.80	1.64	1.06	.730	.580	.680	.530	.730	2.11	
13	.680	7.58	4.32	5.06	1.54	1.06	.730	.580	.580	.530	.730	2.26	
14	.680	5.80	4.56	4.07	1.54	.976	.730	.580	.580	.480	.730	2.42	
15	.680	4.81	4.56	3.58	1.44	.976	.680	.580	.530	.480	.812	2.42	
16	.680	4.07	4.56	4.32	1.44	.976	.680	.580	.530	.530	.812	2.26	
17	.730	2.97	4.81	5.06	1.54	.976	.680	.580	.530	.530	.812	1.95	
18	.730	2.79	5.30	5.30	1.44	1.14	.680	.530	.530	.530	.976	1.80	
19	.680	2.42	5.06	6.56	1.44	.976	.680	.530	.530	.530	38.0	1.64	
20	.680	2.26	4.81	8.36	1.34	.894	.680	.530	.530	.530	55.6	1.64	
21	.680	2.11	4.81	9.50	1.34	.894	.680	.530	.530	.530	38.5	1.54	
22	.680	1.80	5.06	9.21	1.24	.976	.630	.530	.530	.530	19.9	1.34	
23	1.34	1.64	5.55	8.64	1.24	.894	.630	.530	.530	.530	11.5	1.14	
24	7.06	1.64	5.80	7.58	1.24	.894	.630	.530	.530	.530	9.21	1.14	
25	10.9	1.54	6.05	6.56	1.34	.894	.630	.530	.530	.530	7.58	1.14	
26	7.32	1.54	5.80	5.55	2.11	.812	.630	.480	.530	.530	6.56	1.06	
27	5.55	1.54	6.05	5.06	1.44	.812	.630	.480	.530	.530	5.55	1.14	
28	4.81	1.54	6.05	4.56	1.34	.812	.630	.630	.530	.530	4.56	1.14	
29	4.07		6.05	4.32	1.24	.812	.580	.812	.530	.530	3.83	1.24	
30	3.34		5.06	3.58	1.24	.812	.580	.894	.530	.530	2.97	2.11	
31	2.79		5.06		1.24		.580	.812		.580		4.07	
SD1	.861	2.17	4.41	6.67	2.42	1.19	.731	.580	.630	.530	.820	2.69	
SD2	.695	5.36	4.76	5.54	1.52	1.01	.708	.565	.570	.520	9.99	2.06	
SD3	4.41	1.67	5.58	6.46	1.36	.861	.621	.614	.530	.535	11.0	1.55	
MAX	12.5	12.8	6.05	9.50	3.34	1.34	.894	.894	.730	.894	85.2	5.55	
DAT	25	11	7	21	25	18	3	30	10	31	20	31	
SR	2.07	3.17	4.94	6.22	1.75	1.02	.685	.587	.577	.528	7.28	2.08	
MIN	.680	1.54	1.44	3.58	1.24	.812	.580	.480	.530	.480	.730	1.06	
DAT	12	25	1	15	22	26	29	26	9	14	11	26	
		GMIN = .480		SRGOD= 2.56		GMAX = 85.2							
		DATUM 26 8				DATUM 20 11							



## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1986

Broj           : 45805                      Stanica :CIROVICI                      Kota "0" = 864.00  
Nacin osmat.: limnigraf                Rijeka :CEHOTINA                      km od usca = 98.50  
Pocetak rada: 1978                      Sliv    :DRINE                              Pov.sliva = 120.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	10.9	1.95	3.83	3.34	1.54	2.11	1.44	1.06	.580	.480	.894	.530
2	8.64	4.81	4.07	2.97	1.54	1.80	1.64	1.95	.580	.480	.812	.530
3	6.56	4.81	6.05	2.60	1.44	1.54	1.80	1.54	.580	.480	.812	.530
4	9.21	3.83	6.81	2.42	1.34	1.44	1.64	1.14	.580	.480	.730	.480
5	9.50	3.16	6.81	2.26	1.24	1.44	1.54	1.14	.580	.480	.730	.480
6	7.06	2.60	6.05	2.11	1.14	1.44	1.44	1.06	.580	.480	.680	.448
7	5.80	2.26	5.55	1.95	1.06	1.95	1.34	1.06	.580	.480	.680	.448
8	4.32	2.11	5.30	1.80	1.06	1.64	2.42	1.06	.530	.480	.680	.448
9	3.34	1.95	5.06	1.80	1.06	1.54	2.26	.976	.530	.480	.680	.448
10	2.79	1.64	5.06	1.64	1.06	1.64	1.95	1.06	.530	.480	.630	.448
11	2.11	1.54	5.06	1.54	1.06	2.26	1.64	.976	.530	.480	.630	.448
12	2.26	1.44	5.55	1.44	.976	3.16	1.54	.894	.530	.480	.630	.448
13	1.95	1.34	5.80	1.44	.976	3.58	1.54	.894	.530	.480	.580	.448
14	1.64	1.34	5.55	1.34	.976	3.34	1.34	.976	.530	.480	.580	.448
15	1.64	1.24	5.06	1.24	.894	5.06	1.34	1.06	.530	.480	.580	.448
16	1.64	1.24	4.56	1.24	.894	4.81	1.24	.976	.530	.480	.580	.448
17	1.54	1.14	3.83	1.14	.894	3.83	2.79	.894	.530	.480	.580	.448
18	1.34	3.16	3.34	1.14	1.95	3.16	4.81	.812	.530	.480	.580	.448
19	1.24	40.7	2.79	1.14	1.44	4.32	5.55	.812	.530	.480	.580	.448
20	1.24	22.0	2.42	1.34	1.24	3.34	3.83	.730	.530	.480	.580	.448
21	1.24	11.8	2.11	1.24	1.14	2.97	6.81	.730	.530	.480	.530	.448
22	1.24	8.93	1.95	1.24	1.14	2.79	6.81	.680	.530	.480	.530	.448
23	1.34	7.84	1.95	1.14	1.95	2.26	5.06	.680	.530	.480	.530	.448
24	2.26	7.32	1.80	1.14	1.95	2.11	2.60	.680	.530	.730	.530	.448
25	5.30	7.84	1.80	1.06	5.55	1.80	1.95	.630	.480	.976	.530	.448
26	4.07	6.56	2.97	1.06	6.81	1.54	1.54	.630	.480	.894	.530	.448
27	2.97	5.30	4.81	.976	4.56	1.54	1.54	.630	.480	1.24	.530	.448
28	2.60	4.32	4.32	.976	3.16	1.44	1.34	.630	.480	1.54	.530	.448
29	2.11		4.56	.976	3.58	1.34	1.24	.630	.480	1.80	.530	.448
30	1.95		4.32	.894	2.79	1.34	1.14	.630	.480	1.34	.530	.448
31	1.64		4.07		2.42		1.06	.630		.894		.448
SD1	6.81	2.91	5.46	2.29	1.25	1.65	1.75	1.20	.565	.480	.733	.479
SD2	1.66	7.51	4.40	1.30	1.13	3.69	2.56	.902	.530	.480	.590	.448
SD3	2.43	7.49	3.15	1.07	3.19	1.91	2.83	.653	.500	.987	.530	.448
MAX	12.5	48.1	7.06	3.58	9.50	15.9	26.4	9.78	.580	2.11	.976	.530
DAT	1	19	4	1	25	19	21	2	1	29	1	1
SR	3.59	5.86	4.30	1.55	1.90	2.42	2.39	.911	.532	.660	.618	.458
MIN	1.24	1.14	1.80	.894	.894	1.34	1.06	.630	.480	.480	.530	.448
DAT	19	17	24	30	15	29	31	25	25	1	21	6
	GMIN =	.448		SRGOD=	2.08		GMAX =	48.1		DATUM	19	2
	DATUM	6	12				DATUM					

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1987

Broj           : 45805                      Stanica :CIROVICI                      Kota "0" = 864.00  
Nacin osmat.: limnigraf                Rijeka :CEHOTINA                      km od usca = 98.50  
Pocetak rada: 1978                      Sliv :DRINE                              Pov.sliva = 120.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.480	3.16	1.80	5.80	2.97	3.83	.894	.480	.448	.448	.448	4.81
2	.480	2.26	1.64	4.81	2.79	2.97	.894	.530	.448	.448	.448	3.83
3	.480	1.95	1.54	4.32	2.60	2.42	.812	.530	.448	.448	.448	2.97
4	.480	1.80	1.34	4.81	2.42	2.26	.812	.530	.448	.448	.448	2.60
5	.480	1.80	1.24	5.55	2.26	1.95	.730	.530	.480	.448	.448	2.26
6	.480	1.64	1.24	6.81	3.58	1.80	.730	.530	.480	.448	.448	2.11
7	.480	1.54	1.14	7.58	4.07	1.64	.680	.480	.480	.448	.448	1.80
8	.480	1.44	1.06	7.58	4.81	1.44	.630	.480	.448	.448	.448	1.95
9	.480	1.44	1.06	7.84	4.81	1.34	.630	.480	.448	.448	.448	2.60
10	.480	1.54	1.06	8.36	4.32	1.34	.630	.480	.448	.448	.448	2.60
11	.530	1.54	1.06	9.21	3.58	1.24	.580	.480	.448	.448	.448	2.42
12	1.14	1.64	.976	6.81	3.16	1.14	.580	.530	.448	.448	.448	1.95
13	1.34	5.30	.976	5.55	2.79	1.14	.580	.530	.448	.448	.448	1.80
14	2.26	5.55	.976	4.56	2.60	1.06	.580	.530	.448	.448	.448	1.64
15	9.78	6.30	.894	4.07	2.42	1.06	.580	.530	.448	.448	.480	26.0
16	8.64	6.56	.894	3.58	2.26	.976	.580	.530	.448	.448	.530	15.2
17	5.30	5.80	.894	3.16	1.95	.976	.580	.530	.448	.448	.530	9.21
18	3.83	5.06	.812	2.97	1.64	1.06	.580	.530	.448	.448	.530	6.56
19	2.97	4.07	.812	3.34	1.54	1.14	.580	.530	.448	.448	.530	6.05
20	2.42	5.55	1.06	3.83	1.44	1.06	.530	.894	.448	.448	.530	6.30
21	1.95	7.32	1.95	4.32	1.95	.976	.530	.630	.448	.448	.680	5.55
22	1.64	5.55	1.95	4.81	2.42	.976	.530	.580	.448	.448	.730	5.30
23	1.54	4.32	1.64	5.55	2.42	1.14	.480	.530	.448	.448	.730	4.81
24	1.44	3.16	1.44	6.56	2.11	1.06	.480	.530	.448	.448	.894	4.07
25	1.14	2.60	1.44	6.30	1.80	1.06	.480	.530	.448	.448	6.05	3.16
26	1.06	2.26	1.95	6.05	1.64	1.06	.480	.530	.448	.448	18.6	2.60
27	1.14	1.95	2.79	5.55	1.54	.976	.480	.480	.448	.448	30.7	2.26
28	1.14	1.95	3.83	4.81	1.54	.976	.480	.480	.448	.448	13.8	1.95
29	2.97		5.06	3.83	1.44	.894	.480	.480	.480	.448	8.10	1.80
30	5.06		6.81	3.16	2.26	.894	.480	.480	.480	.448	6.30	1.64
31	3.58		7.06		4.07		.480	.448		.448		1.54
SD1	.480	1.86	1.31	6.35	3.46	2.10	.744	.505	.458	.448	.448	2.75
SD2	3.82	4.74	.935	4.71	2.34	1.09	.575	.561	.448	.448	.492	7.71
SD3	2.06	3.64	3.27	5.09	2.11	1.00	.489	.518	.454	.448	8.66	3.15
MAX	12.8	8.10	8.10	10.1	4.81	4.32	.894	2.11	.580	.448	40.7	40.7
DAT	15	20	30	11	8	1	1	20	29	1	27	15
SR	2.12	3.39	1.88	5.38	2.62	1.40	.599	.528	.453	.448	3.20	4.49
MIN	.480	1.44	.812	2.97	1.44	.894	.480	.448	.448	.448	.448	1.54
DAT	1	8	18	18	20	29	23	31	1	1	1	31
	GMIN = .448		SRGOD= 2.20		GMAX = 40.7				GMAX = 40.7			
	DATUM 31 8				DATUM 27 11				DATUM 27 11			

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1988

Broj           : 45805                      Stanica :CIROVICI                      Kota "0" = 864.00  
Nacin osmat.: limnigraf                Rijeka :CEHOTINA                      km od usca = 98.50  
Pocetak rada: 1978                      Sliv :DRINE                              Pov.sliva = 120.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.64	4.07	1.64	7.84	2.11	.894	1.64	.530	.480	.730	.630	1.44
2	1.54	2.97	1.54	9.21	1.95	1.64	1.54	.530	.480	.730	.580	4.07
3	1.44	2.79	1.44	8.93	1.80	1.95	1.44	.530	.480	.680	.580	10.3
4	1.44	2.42	1.34	7.58	1.64	1.54	1.24	.530	.480	.680	.580	6.81
5	1.44	2.42	1.34	7.84	1.54	1.34	1.14	.530	.480	.680	.580	5.30
6	1.34	2.60	1.34	9.50	1.54	1.24	1.06	.530	.480	.630	.580	5.55
7	1.24	2.60	1.54	10.1	1.44	1.06	1.06	.530	.480	.630	.580	5.06
8	1.24	2.97	1.80	9.50	1.44	1.06	.976	.530	.480	.730	.580	4.07
9	1.24	4.81	1.80	8.10	1.34	.976	.976	.530	.480	1.24	.580	3.34
10	1.14	4.56	1.64	6.81	1.24	.894	.894	.530	.480	1.06	.580	2.79
11	1.06	3.83	1.54	5.80	1.24	.812	.894	.530	.480	.894	.580	2.42
12	1.06	3.34	1.54	4.81	1.24	.812	.730	.530	.480	.894	.580	2.11
13	1.06	3.16	1.64	4.32	1.14	.812	.730	.530	.480	.812	.580	2.11
14	.976	2.60	2.26	4.07	1.06	1.06	.680	.530	.480	.730	.580	1.80
15	.976	2.11	3.16	3.58	1.06	.894	.680	.530	.894	.730	.580	1.80
16	.976	1.95	4.32	2.97	.976	.894	.680	.530	2.11	.680	.630	1.80
17	.894	1.80	9.50	2.79	1.06	.976	.630	.530	1.95	.680	.630	1.80
18	.894	1.80	8.10	2.42	.976	1.14	.580	.530	4.07	.680	.630	1.64
19	.894	1.64	6.30	2.26	.976	1.24	.580	.530	2.26	.680	.630	1.54
20	.894	1.54	4.81	2.11	.894	2.60	.530	.530	1.44	.680	.680	1.34
21	.894	1.44	4.32	1.95	.894	2.42	.530	.530	1.24	.680	.894	1.34
22	.894	1.24	4.81	2.11	.894	1.95	.530	.530	1.34	.680	12.2	1.34
23	.976	1.24	6.81	2.26	.894	1.80	.530	.730	1.44	.680	6.81	1.24
24	.976	1.34	8.36	2.11	.894	1.54	.530	.580	1.24	.630	4.32	1.24
25	.976	2.60	7.84	2.11	.894	2.26	.530	.580	1.06	.630	2.97	1.24
26	.976	2.60	7.58	2.11	.812	4.32	.530	.530	.976	.630	2.26	1.14
27	1.06	2.11	8.64	2.11	.812	3.16	.530	.530	.894	.630	1.80	1.14
28	1.14	1.80	7.58	1.95	.812	2.60	.530	.530	.894	.630	1.54	1.14
29	1.34	1.54	6.30	1.95	1.14	2.26	.530	.530	.812	.630	1.44	1.06
30	3.58		5.55	2.26	1.06	1.95	.530	.530	.812	.630	1.34	.976
31	6.05		5.55		.894		.530	.530		.630		.976
SD1	1.37	3.22	1.54	8.54	1.60	1.26	1.20	.530	.480	.779	.585	4.87
SD2	.968	2.38	4.32	3.51	1.06	1.12	.671	.530	1.46	.746	.610	1.84
SD3	1.71	1.77	6.67	2.09	.909	2.43	.530	.557	1.07	.644	3.56	1.17
MAX	7.32	5.06	10.1	10.6	2.11	4.81	1.64	1.44	4.81	1.24	16.3	13.1
DAT	30	9	17	7	1	26	1	23	18	9	22	3
SR	1.36	2.48	4.26	4.72	1.18	1.60	.791	.540	1.01	.720	1.58	2.58
MIN	.894	1.24	1.34	1.95	.812	.812	.530	.530	.480	.630	.580	.976
DAT	17	22	4	21	26	11	20	1	1	6	2	30
GMIN =		.480		SRGOD=		1.89		GMAX =		16.3		
DATUM		1 9						DATUM		22 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1989

Broj           : 45805                    Stanica :CIROVICI                    Kota "0" = 864.00  
Nacin osmat.: limnigraf            Rijeka :CEHOTINA                   km od usca = 98.50  
Pocetak rada: 1978                Sliv :DRINE                            Pov.sliva = 120.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	.976	.730	6.81	1.64	2.60	1.34	7.32	1.14	1.54	1.80	1.14	1.44	
2	.894	.730	14.4	1.54	4.32	1.95	5.80	1.44	1.34	1.54	1.14	1.34	
3	.812	.730	10.9	1.44	4.56	1.95	5.30	1.34	1.24	1.44	1.14	1.34	
4	.812	.730	8.64	1.44	4.07	1.64	5.06	1.24	1.14	1.44	1.14	1.34	
5	.812	.730	7.06	1.34	3.58	1.44	7.06	1.14	1.06	1.34	1.06	1.34	
6	.812	.730	5.55	1.24	3.34	1.54	8.10	1.14	.976	1.34	1.14	1.34	
7	.812	.730	4.81	1.24	2.97	1.80	6.30	1.06	.976	1.24	3.16	1.34	
8	.812	.730	4.07	1.14	2.79	1.54	4.81	.976	.894	1.54	3.16	1.34	
9	.812	.730	3.83	1.14	2.42	1.44	4.56	.976	.894	6.30	2.42	1.34	
10	.812	.730	3.34	1.06	2.11	1.34	5.80	.976	2.97	38.0	2.11	1.34	
11	.812	.730	2.97	.976	1.95	1.24	4.81	.976	4.32	32.2	1.80	1.14	
12	.812	.730	2.60	.894	1.80	1.14	5.06	.976	2.97	13.8	1.64	1.14	
13	.812	.730	2.42	.894	1.54	1.44	5.80	.976	2.60	9.21	1.64	1.24	
14	.812	.730	2.42	.894	1.44	2.26	5.06	.894	2.42	6.81	1.54	1.34	
15	.812	.730	2.42	1.14	1.34	4.56	4.07	.894	2.42	5.55	1.54	2.60	
16	.730	.730	2.79	1.54	1.34	4.07	3.58	.894	2.42	4.32	1.54	6.05	
17	.730	.730	2.97	1.34	1.24	10.9	2.97	.812	1.95	3.34	1.44	6.30	
18	.730	.680	3.16	4.81	1.34	23.8	2.79	.812	1.64	2.79	1.34	5.55	
19	.730	.680	3.34	4.81	2.79	12.2	2.60	.812	1.44	2.60	1.34	5.55	
20	.730	.730	3.58	3.16	2.79	8.64	2.26	.812	1.34	2.26	1.24	4.81	
21	.730	.894	3.58	2.42	2.97	6.30	1.95	.730	1.34	2.11	1.24	3.58	
22	.730	1.14	4.56	2.11	2.97	5.55	1.80	.730	1.24	1.80	1.24	2.97	
23	.730	1.54	4.56	1.80	2.97	4.56	1.44	.730	1.14	1.64	1.34	2.60	
24	.730	2.11	3.83	1.54	2.60	3.83	1.44	.894	1.06	1.54	1.34	2.26	
25	.730	4.56	3.16	1.44	2.26	3.58	1.44	1.06	1.06	1.54	1.54	1.95	
26	.730	14.1	2.60	1.34	2.11	4.56	1.34	.894	1.06	1.44	1.64	1.80	
27	.730	11.8	2.26	1.24	1.80	8.64	1.34	.812	.976	1.44	1.64	1.64	
28	.730	7.84	2.11	1.24	1.64	5.80	1.34	.812	.976	1.34	1.80	1.64	
29	.730		1.80	1.24	1.54	5.30	1.34	1.44	.976	1.34	1.80	1.54	
30	.730		1.80	1.54	1.44	6.81	1.24	2.42	1.64	1.24	1.54	1.44	
31	.730		1.64		1.34		1.14	2.11		1.24		1.34	
SD1	.837	.730	6.94	1.32	3.28	1.60	6.01	1.14	1.30	5.60	1.76	1.35	
SD2	.771	.720	2.87	2.05	1.76	7.03	3.90	.886	2.35	8.29	1.51	3.57	
SD3	.730	5.50	2.90	1.59	2.15	5.49	1.44	1.15	1.15	1.52	1.51	2.07	
MAX	.976	16.7	19.9	7.06	4.56	29.8	16.3	2.60	6.05	60.9	3.83	6.81	
DAT	1	26	2	18	3	18	6	30	11	10	7	16	
SR	.778	2.09	4.19	1.65	2.39	4.71	3.71	1.06	1.60	5.02	1.59	2.32	
MIN	.730	.680	1.64	.894	1.24	1.14	1.14	.730	.894	1.24	1.06	1.14	
DAT	16	18	31	12	17	12	31	21	8	7	5	11	
		GMIN = .680		SRGOD= 2.60		GMAX = 60.9							
		DATUM 18 2				DATUM 10 10							

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1990

Broj           : 45805                      Stanica :CIROVICI                      Kota "0" = 864.00  
Nacin osmat.: limnigraf                Rijeka :CEHOTINA                      km od usca = 98.50  
Pocetak rada: 1978                      Sliv :DRINE                              Pov.sliva = 120.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII					
1	1.24	2.11	1.06	.976	1.80	.730	.730	.580	.580	.580	.580	.976					
2	1.24	1.80	1.14	.894	1.64	.730	.730	.580	.580	.580	.580	.976					
3	1.24	1.80	1.14	.894	1.54	.730	.730	.580	.580	.580	.580	.894					
4	1.24	1.44	1.14	.894	1.54	.812	.730	.580	.580	.580	.580	.894					
5	1.06	1.34	1.14	.894	1.44	.812	.730	.580	.580	.580	.580	.894					
6	.976	1.34	1.14	.894	1.34	.812	.730	.580	.580	.580	.580	1.06					
7	.976	1.24	1.14	.812	1.24	.812	.730	.580	.580	.580	.580	1.06					
8	.976	1.14	1.24	.812	1.24	.812	.730	.580	.580	.680	.580	1.54					
9	.976	1.06	1.34	.812	1.24	.812	.730	.630	.580	.976	.580	1.64					
10	.976	1.06	1.44	.976	1.24	.812	.730	.730	.580	.730	.580	10.1					
11	.976	1.06	1.44	1.06	1.14	.730	.730	.730	.580	.680	.580	7.06					
12	.976	1.06	1.54	1.06	1.14	.730	.730	.680	.580	.680	.580	4.81					
13	.976	1.06	1.54	1.34	1.06	.730	.730	.630	.580	.680	.580	3.83					
14	.976	1.06	1.54	1.95	.976	.730	.730	.630	.580	.630	.580	2.79					
15	.894	1.14	1.44	2.60	.976	.730	.730	.630	.580	.630	.580	2.26					
16	.894	1.24	1.44	3.34	.976	.730	.730	.580	.580	.580	.580	1.95					
17	.894	1.14	1.34	4.81	.976	.812	.680	.580	.580	.630	.580	1.95					
18	.894	1.06	1.24	4.81	.976	.730	.680	.580	.580	.630	.580	1.80					
19	.894	.976	1.24	4.07	1.06	.730	.630	.580	.580	.630	.530	1.54					
20	.976	.976	1.14	3.58	1.24	.730	.580	.580	.580	.630	.530	1.34					
21	.976	.976	1.14	3.58	1.95	.730	.580	.580	.580	.630	.530	1.06					
22	.894	.976	1.14	4.56	2.97	.730	.580	.580	.580	.630	.530	.812					
23	.894	.976	1.14	4.32	2.60	.730	.580	.580	.580	.580	.530	.812					
24	.894	.976	1.14	3.83	1.95	.730	.580	.580	.580	.580	.680	.812					
25	.894	.976	1.14	2.97	1.80	.812	.580	.580	.580	.580	.812	.812					
26	.976	.894	1.06	2.60	1.54	.812	.580	.580	.580	.580	1.80	.812					
27	1.34	.976	1.06	2.42	1.44	.730	.580	.580	.580	.580	2.79	.894					
28	1.24	1.06	1.06	2.11	1.24	.730	.530	.580	.580	.580	1.64	1.06					
29	1.80		1.06	2.11	.730	.730	.530	.580	.580	.580	1.34	1.14					
30	3.16		.976	1.95	.730	.730	.530	.580	.580	.580	1.14	1.06					
31	2.60		.976		.730		.530	.580		.580		1.06					
SD1	1.09	1.43	1.19	.886	1.43	.787	.730	.600	.580	.645	.580	2.00					
SD2	.935	1.08	1.39	2.86	1.05	.738	.695	.620	.580	.640	.570	2.93					
SD3	1.42	.976	1.08	3.05	1.61	.746	.562	.580	.580	.589	1.18	.939					
MAX	3.58	2.26	1.54	5.06	2.97	.812	.730	.730	.580	1.24	4.81	10.1					
DAT	30	1	12	17	22	4	1	10	1	9	27	10					
SR	1.16	1.18	1.22	2.26	1.37	.757	.659	.599	.580	.623	.776	1.93					
MIN	.894	.894	.976	.812	.730	.730	.530	.580	.580	.580	.530	.812					
DAT	15	26	30	7	29	1	28	1	1	1	19	22					
-----																	
GMIN =			.530			SRGOD=			1.09			GMAX =			10.1		
DATUM			28 7									DATUM			10 12		
-----																	

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1991

Broj           : 45805                      Stanica :CIROVICI                      Kota "0" = 864.00  
Nacin osmat.: limnigraf                Rijeka :CEHOTINA                      km od usca = 98.50  
Pocetak rada: 1978                      Sliv :DRINE                              Pov.sliva = 120.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.14	.812	3.83	2.42	2.97	6.56	1.14	1.24	.894	.530	.894	2.97
2	1.24	.812	4.56	2.26	2.60	5.30	1.54	1.44	.894	.530	.894	2.42
3	1.34	.812	4.56	2.11	2.26	4.32	1.64	1.34	.894	.530	.894	2.26
4	1.54	.730	4.56	1.95	2.26	3.58	1.80	1.64	.894	.530	.812	2.11
5	1.54	.680	3.83	1.80	2.11	3.16	2.97	1.80	.894	.530	1.14	1.95
6	1.64	.630	3.83	1.80	1.80	2.79	7.84	1.95	.894	.530	2.60	1.80
7	1.64	.630	4.56	1.80	1.95	2.60	14.1	1.95	.894	.530	2.26	1.80
8	1.80	.630	6.56	1.64	1.95	2.42	8.10	1.80	.976	.530	1.80	1.64
9	1.80	1.24	7.58	1.64	1.80	2.42	5.30	1.54	.894	.530	1.54	1.44
10	1.64	1.54	7.58	1.54	1.64	2.42	3.83	1.44	.894	.530	1.44	1.34
11	1.64	2.26	7.06	1.54	1.64	2.79	2.97	1.24	.894	.530	1.34	1.24
12	1.64	23.3	6.56	1.44	1.54	4.56	2.42	1.14	.894	.530	1.14	1.24
13	1.64	10.6	5.55	1.44	1.44	3.34	2.11	1.06	.894	.530	1.14	1.14
14	1.64	5.80	4.56	1.44	1.44	2.79	2.11	1.06	.894	.480	1.44	1.14
15	1.64	4.32	4.07	1.44	1.44	2.42	2.60	1.14	.894	.530	6.56	1.14
16	1.64	3.58	4.32	1.34	1.44	2.11	2.26	1.24	.894	.680	5.55	1.06
17	1.64	2.79	5.06	1.34	5.80	1.80	1.95	1.06	.894	.580	25.1	1.06
18	1.54	2.42	4.32	1.34	4.81	1.80	1.80	1.06	.894	.580	12.8	1.06
19	1.14	2.26	4.32	1.44	3.83	1.54	1.80	.976	.894	.580	7.84	1.14
20	1.06	2.26	4.81	1.54	2.97	1.54	2.97	1.14	.894	.976	6.05	1.14
21	1.06	2.26	5.30	1.95	2.42	1.44	1.34	1.06	.894	1.34	5.80	1.14
22	.976	2.26	5.55	1.95	2.11	1.44	1.24	.976	.812	1.34	11.8	1.14
23	.976	2.42	5.80	1.95	2.26	1.34	1.24	.976	.680	1.34	9.50	1.14
24	.894	2.42	5.55	2.26	5.06	1.24	1.14	.976	.680	1.24	8.64	1.14
25	.894	2.60	5.30	2.60	7.32	1.24	1.06	.976	.630	1.24	9.78	1.06
26	.812	2.79	5.06	2.97	7.06	1.14	1.06	.894	.580	1.14	7.84	1.06
27	.812	2.97	4.32	3.34	7.84	1.06	1.06	.894	.530	1.14	6.05	1.06
28	.812	3.16	3.83	4.81	10.6	1.06	1.06	.894	.530	1.06	4.81	1.06
29	.812		3.34	4.32	10.9	1.14	1.06	.894	.530	.976	4.07	1.06
30	.812		2.97	3.58	9.21	1.14	1.14	.894	.530	.976	3.58	.976
31	.812		2.60		7.84		1.14	.894		.894		.976
SD1	1.53	.852	5.14	1.90	2.13	3.56	4.83	1.61	.902	.530	1.43	1.97
SD2	1.52	5.96	5.06	1.43	2.63	2.47	2.30	1.11	.894	.600	6.90	1.14
SD3	.879	2.61	4.51	2.97	6.60	1.22	1.14	.939	.640	1.15	7.19	1.07
MAX	1.80	52.4	7.58	4.81	11.8	7.58	18.2	2.11	2.60	1.95	35.3	3.16
DAT	8	12	10	28	29	1	7	6	8	21	17	1
SR	1.30	3.18	4.89	2.10	3.88	2.42	2.70	1.21	.812	.774	5.17	1.38
MIN	.812	.630	2.60	1.34	1.44	1.06	1.06	.894	.530	.480	.812	.976
DAT	26	6	31	16	13	27	25	26	27	14	4	30
	GMIN = .480			SRGOD= 2.48				GMAX = 52.4				
	DATUM 14 10							DATUM 12 2				

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1992

Broj           : 45805                      Stanica :CIROVICI                      Kota "0" = 864.00  
Nacin osmat.: limnigraf                Rijeka :CEHOTINA                      km od usca = 98.50  
Pocetak rada: 1978                      Sliv :DRINE                              Pov.sliva = 120.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	1.06	.976	1.34	4.81	2.26	.976	1.44	.630	.580	.530	.894	1.34	
2	.976	.894	1.44	4.07	1.95	.894	1.44	.580	.580	.530	.812	1.24	
3	.976	.812	1.64	4.07	1.80	.812	1.34	.580	.580	.530	.812	1.24	
4	.976	.730	1.80	4.81	1.64	.812	1.24	.580	.580	.530	.730	1.24	
5	.976	.730	1.95	4.32	1.54	.812	1.14	.580	.630	.530	.730	1.24	
6	.894	.730	1.95	4.07	1.44	.812	1.14	.580	.630	.530	.680	1.95	
7	.894	.730	1.95	4.07	1.34	.812	1.06	.580	.580	2.11	.630	2.79	
8	.976	.730	1.95	3.83	1.34	.812	1.06	.580	.580	1.34	.630	2.42	
9	.976	.730	1.95	4.32	1.34	.812	1.06	.580	.530	.976	.630	2.11	
10	.976	.730	1.95	4.32	1.24	.730	1.14	.530	.530	.812	.630	2.11	
11	1.06	.730	1.80	3.83	1.24	.812	1.14	.530	.530	.730	.630	1.95	
12	1.06	.730	1.80	3.83	1.24	.976	1.06	.530	.530	.680	.630	1.80	
13	1.14	.812	1.80	4.32	1.14	.976	.976	.530	.530	.680	.730	1.80	
14	1.14	.894	1.80	4.32	1.06	1.34	.976	.530	.530	.680	.730	1.54	
15	1.14	.976	2.26	4.56	1.06	1.64	.894	.580	.530	.812	.730	1.54	
16	1.06	.976	3.16	6.30	1.06	1.80	.812	.580	.530	1.34	.730	1.44	
17	.976	.976	4.32	7.58	1.06	1.80	.812	.530	.530	1.06	3.34	1.44	
18	.976	.976	3.34	7.58	1.06	4.56	.812	.530	.530	2.11	12.2	1.24	
19	1.06	.976	2.79	7.06	1.06	4.07	.812	.580	.530	2.79	10.1	1.24	
20	1.06	1.06	2.42	9.50	1.06	3.58	.812	.580	.530	1.64	6.56	1.14	
21	1.06	1.06	2.11	10.1	1.06	2.60	.730	.580	.530	1.34	4.07	1.14	
22	1.06	.976	1.95	8.36	.976	2.11	.730	.580	.530	1.14	3.16	1.14	
23	.976	.976	1.95	7.58	.976	1.80	.730	.580	.530	1.06	2.60	1.14	
24	.976	.976	1.80	7.06	.976	1.54	.730	.580	.530	1.14	2.26	.976	
25	1.06	.976	2.26	5.80	.976	1.34	.730	.480	.530	1.34	1.95	.976	
26	1.06	1.06	4.81	4.81	.894	1.34	.730	.480	.530	1.14	1.80	.894	
27	1.06	1.06	7.58	4.07	.894	1.44	.680	.480	.530	1.24	1.64	.730	
28	1.06	1.14	11.5	3.58	.894	1.44	.680	.480	.530	1.34	1.54	.812	
29	1.06	1.24	10.6	2.97	.894	1.44	.680	.530	.530	1.14	1.44	.812	
30	.976		7.32	2.60	.894	1.44	.680	.580	.530	1.06	1.44	.812	
31	.976		5.80		.894		.630	.680		.976		.812	
SD1	.968	.779	1.79	4.27	1.59	.828	1.21	.580	.580	.842	.718	1.77	
SD2	1.07	.911	2.55	5.89	1.10	2.16	.911	.550	.530	1.25	3.64	1.51	
SD3	1.03	1.05	5.24	5.69	.939	1.65	.703	.548	.530	1.17	2.19	.931	
MAX	1.14	1.24	14.8	10.6	2.42	4.81	1.44	.730	.680	5.06	13.4	2.79	
DAT	13	29	28	21	1	18	1	31	5	19	18	7	
SR	1.02	.909	3.26	5.28	1.20	1.54	.932	.559	.547	1.09	2.18	1.39	
MIN	.894	.730	1.34	2.60	.894	.730	.630	.480	.530	.530	.630	.730	
DAT	6	4	1	30	26	10	31	25	9	1	7	27	
		GMIN = .480		SRGOD= 1.66		GMAX = 14.8				DATUM 28 3			
		DATUM 25 8											

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1993

Broj           : 45805                      Stanica :CIROVICI                      Kota "0" = 864.00  
Nacin osmat.: limnigraf                Rijeka :CEHOTINA                      km od usca = 98.50  
Pocetak rada: 1978                      Sliv :DRINE                              Pov.sliva = 120.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	.680	.630	.630	1.44	1.80	1.06	.730	.630	.480	.580	.530	.730	
2	.730	.630	.630	2.11	1.64	1.06	.730	.630	.480	.630	.530	.730	
3	.730	.630	.630	3.34	1.54	1.06	.730	.630	.480	.630	.530	.730	
4	.730	.630	.630	4.32	1.54	1.06	.730	.630	.480	.630	.630	.730	
5	.730	.630	.630	5.06	1.54	1.06	.680	.630	.680	.630	1.06	.730	
6	.730	.630	.630	6.30	1.80	1.06	.680	.630	.630	.630	1.44	.680	
7	.730	.630	.630	7.58	1.80	.976	.680	.630	.580	.630	.976	.680	
8	.730	.630	.630	7.06	1.80	.976	.730	.630	.530	.630	.812	.680	
9	.730	.630	.630	6.05	2.11	.976	.730	.630	.530	.530	.730	.680	
10	.730	.630	.630	5.06	2.11	.976	.730	.630	.530	.530	.680	.730	
11	.730	.630	.630	5.30	1.80	.894	.730	.630	.580	.530	.630	.894	
12	.730	.630	.630	7.06	1.64	.894	.680	.630	.580	.530	.630	1.14	
13	.730	.630	.630	7.84	1.54	.894	.680	.630	.580	.530	.630	1.14	
14	.730	.630	.630	7.58	1.64	.894	.680	.630	.580	.530	.630	1.14	
15	.730	.630	.680	8.64	1.95	.894	.680	.630	.580	.530	.680	5.80	
16	.730	.630	1.14	7.84	1.64	.894	.680	.630	.630	.530	.680	9.50	
17	.730	.630	1.14	5.80	2.11	.894	.680	.580	.630	.530	.680	7.06	
18	.730	.630	1.44	4.56	2.97	.894	.680	.580	.530	.530	.680	4.81	
19	.730	.630	1.95	4.07	2.79	.894	.680	.580	.530	.530	.680	3.34	
20	.730	.630	2.42	3.58	2.42	.812	.680	.580	.530	.530	.680	2.79	
21	.680	.630	2.79	3.34	2.11	.812	.680	.580	.530	.530	.680	2.26	
22	.680	.630	3.16	3.34	1.80	.812	.680	.480	.530	.530	.680	2.11	
23	.680	.630	3.34	3.16	1.64	.812	.630	.480	.530	.530	.680	2.11	
24	.680	.630	3.34	2.79	1.54	.730	.630	.480	.530	.530	.680	1.95	
25	.680	.630	3.34	2.60	1.44	.730	.630	.480	.530	.530	.730	5.30	
26	.630	.630	3.16	2.42	1.34	.730	.630	.480	.530	.530	.730	6.30	
27	.630	.630	2.42	2.11	1.14	.730	.630	.480	.480	.530	.730	6.30	
28	.630	.630	2.11	2.11	1.24	.730	.630	.480	.480	.530	.730	4.81	
29	.630		1.80	2.11	1.24	.730	.630	.480	.580	.530	.730	3.58	
30	.630		1.54	1.95	1.14	.730	.630	.480	.580	.530	.730	2.97	
31	.630		1.44		1.14		.630	.480		.530		2.42	
SD1	.725	.630	.630	4.83	1.77	1.03	.715	.630	.540	.605	.792	.710	
SD2	.730	.630	1.13	6.23	2.05	.886	.685	.610	.575	.530	.660	3.76	
SD3	.653	.630	2.59	2.59	1.43	.755	.639	.489	.530	.530	.710	3.65	
MAX	.730	.630	4.32	9.50	2.97	1.06	.730	.630	1.14	.630	1.64	12.8	
DAT	2	1	23	15	18	1	1	1	5	2	6	16	
SR	.701	.630	1.48	4.55	1.74	.889	.678	.574	.548	.554	.721	2.74	
MIN	.630	.630	.630	1.44	1.14	.730	.630	.480	.480	.530	.530	.680	
DAT	26	1	1	1	27	24	23	22	1	9	1	6	
		GMIN = .480		SRGOD= 1.32		GMAX = 12.8							
		DATUM 22 8				DATUM 16 12							



## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1994

Broj           : 45805                      Stanica :CIROVICI                      Kota "0" = 864.00  
Nacin osmat.: limnigraf                Rijeka :CEHOTINA                      km od usca = 98.50  
Pocetak rada: 1978                      Sliv :DRINE                              Pov.sliva = 120.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	2.11	1.44	2.60	2.11	1.44	1.06	1.24	.976	.416	.384	.384	.384
2	1.95	1.44	3.16	2.26	1.34	1.06	1.24	.894	.384	.384	.384	.384
3	1.80	1.44	5.06	2.26	1.34	1.06	1.24	.812	.384	.384	.384	.384
4	1.54	1.54	5.06	1.95	1.34	1.06	1.14	.812	.384	.384	.384	.384
5	1.64	1.64	4.32	1.80	1.34	1.06	1.14	.730	.384	.384	.384	.384
6	2.26	1.64	3.58	2.11	1.34	1.06	1.14	.730	.384	.384	.384	.384
7	2.26	1.80	3.16	2.42	1.80	1.06	1.14	.680	.384	.384	.384	.384
8	2.26	1.95	2.97	2.42	1.95	1.06	1.14	.630	.384	.384	.384	.352
9	2.42	2.26	2.79	2.60	2.42	1.06	1.14	.630	.384	.384	.384	.352
10	3.34	2.26	2.79	2.97	2.79	1.06	1.14	.630	.384	.384	.384	.352
11	3.58	2.26	2.79	15.9	2.60	1.06	1.06	.630	.384	.384	.384	.352
12	3.16	2.11	2.79	65.1	2.60	1.06	1.34	.580	.384	.384	.384	.352
13	2.79	2.11	3.16	40.1	2.42	1.06	1.34	.580	.384	.384	.384	.352
14	2.79	1.64	3.58	19.0	1.95	1.06	1.34	.580	.384	.384	.384	.352
15	2.79	1.54	4.07	12.5	1.64	1.80	1.54	.530	.384	.384	.384	.352
16	2.60	1.44	4.07	9.50	1.44	1.44	1.44	.480	.384	.384	.384	.352
17	2.42	1.44	3.83	8.64	1.34	1.14	1.24	.480	.384	.384	.384	.352
18	2.26	1.95	3.34	7.58	1.34	1.14	1.14	.480	.384	.384	.384	.352
19	2.11	2.60	2.79	6.05	1.24	1.14	1.14	.480	.384	.384	.384	.352
20	2.11	2.60	2.42	5.06	1.24	1.06	1.14	.480	.384	.384	.384	.352
21	2.26	2.60	2.42	4.07	1.24	1.06	1.14	.480	.384	.384	.384	.352
22	2.42	2.26	2.26	3.34	1.24	1.06	1.14	.480	.384	.384	.384	.352
23	2.26	2.11	2.11	2.97	1.14	1.06	1.14	.448	.384	.384	.384	.352
24	2.11	2.11	2.11	2.60	1.14	1.06	1.14	.416	.384	.384	.384	.352
25	2.11	2.42	2.11	2.11	1.14	1.06	1.14	.416	.384	.384	.384	.352
26	1.95	2.42	2.11	1.95	1.14	1.06	1.14	.416	.384	.384	.384	.352
27	1.95	2.26	2.11	1.80	1.14	1.06	1.14	.416	.384	.384	.384	.352
28	1.80	2.26	1.95	1.64	1.14	1.06	1.14	.416	.384	.384	.384	.352
29	1.80		1.80	1.54	1.14	1.14	1.14	.416	.384	.384	.384	.352
30	1.64		1.80	1.44	1.06	1.64	1.14	.416	.384	.384	.384	.352
31	1.54		1.80		1.06		1.14	.416		.384		.352
SD1	2.16	1.74	3.55	2.29	1.71	1.06	1.17	.752	.387	.384	.384	.374
SD2	2.66	1.97	3.28	18.9	1.78	1.20	1.27	.530	.384	.384	.384	.352
SD3	1.99	2.30	2.05	2.35	1.14	1.13	1.14	.431	.384	.384	.384	.352
MAX	3.58	2.60	5.06	98.3	2.79	2.60	1.80	1.06	.416	.384	.384	.384
DAT	11	19	3	12	10	15	15	1	1	1	1	1
SR	2.26	1.98	2.93	7.86	1.53	1.13	1.19	.566	.385	.384	.384	.359
MIN	1.54	1.44	1.80	1.44	1.06	1.06	1.06	.416	.384	.384	.384	.352
DAT	4	1	29	30	30	1	11	24	2	1	1	8
	GMIN =	.352			SRGOD=	1.74			GMAX =	98.3		
	DATUM	8 12							DATUM	12 4		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1995

Broj           : 45805                      Stanica :CIROVICI                      Kota "0" = 864.00  
Nacin osmat.: limnigraf                Rijeka :CEHOTINA                      km od usca = 98.50  
Pocetak rada: 1978                      Sliv :DRINE                              Pov.sliva = 120.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.416	1.14	3.83	2.11	1.95	2.79	.630	1.24	1.24	.894	.480	1.44
2	.448	.976	2.97	1.95	1.80	2.26	.630	1.34	1.24	.730	.480	1.34
3	.530	.976	2.97	3.16	1.64	1.95	.630	1.06	1.06	.680	.480	1.34
4	.448	.894	2.79	9.50	1.54	1.64	.630	.976	.894	.680	.480	1.24
5	.448	.812	2.60	12.8	1.44	1.54	.630	.730	.894	.630	.480	1.14
6	.448	.730	2.26	13.1	1.34	1.44	.630	.680	1.54	.630	.480	1.06
7	.448	.730	1.95	12.8	1.34	1.34	.680	.680	3.83	.630	.480	1.06
8	.448	.730	1.54	11.5	1.24	1.24	.680	.680	2.79	.630	.480	.976
9	.416	.730	1.44	9.50	1.24	1.14	.630	.580	2.11	.630	.480	.976
10	.416	1.06	1.24	7.06	1.14	1.14	.630	.580	1.80	.630	.480	.976
11	.416	1.14	1.14	5.80	1.14	1.06	.630	.630	1.44	.630	.480	.812
12	.416	1.14	1.06	5.06	1.14	.976	.630	.630	1.14	.630	.530	.812
13	.416	1.14	1.06	4.32	2.97	.976	.630	.630	1.06	.580	.530	.812
14	.416	1.34	1.06	3.58	4.32	.976	.630	.580	.976	.580	.680	.812
15	.416	1.34	1.06	3.16	5.06	.894	.630	.580	.894	.580	.812	.812
16	.416	1.44	1.06	3.16	3.83	.894	.630	.580	.976	.580	.730	.812
17	.416	1.95	1.06	3.58	2.97	.894	.630	.580	.894	.580	.730	.812
18	.416	2.42	.976	3.34	2.42	.894	1.06	.580	.894	.530	1.44	.976
19	.416	4.32	.976	3.58	2.11	.812	1.80	.630	.894	.530	1.95	3.58
20	.416	3.83	.894	4.07	1.95	.730	1.14	.630	.976	.530	1.54	4.07
21	.416	3.16	1.24	4.32	1.80	.730	.976	.812	1.54	.530	1.44	2.97
22	.416	3.34	1.24	4.56	1.95	.730	.812	.976	1.34	.530	1.34	2.26
23	.416	2.97	1.14	4.56	2.11	.680	.730	.730	1.54	.530	1.06	2.11
24	.480	2.97	1.14	4.56	2.26	.680	.680	.680	1.80	.530	1.06	2.26
25	.580	3.83	1.24	4.56	2.11	.680	.630	.680	1.54	.530	.976	2.42
26	.680	4.07	1.95	4.56	1.95	.630	.630	.680	1.44	.480	.976	2.26
27	3.16	6.05	1.95	3.58	1.80	.630	.630	1.95	1.34	.480	.976	5.80
28	4.81	5.55	2.79	2.97	2.60	.630	.630	1.24	1.24	.480	1.14	9.21
29	2.60		2.79	2.42	4.32	.630	.630	1.06	1.14	.480	1.44	6.30
30	1.64		2.79	2.26	3.83	.630	.630	.976	1.06	.480	1.44	4.56
31	1.44		2.42		3.83		1.34	.894		.480		3.34
SD1	.447	.878	2.36	8.35	1.47	1.65	.640	.855	1.74	.676	.480	1.15
SD2	.416	2.01	1.03	3.97	2.79	.911	.841	.605	1.01	.575	.942	1.43
SD3	1.51	3.99	1.88	3.83	2.60	.665	.756	.971	1.40	.503	1.18	3.95
MAX	7.58	6.81	4.56	14.8	9.21	3.16	3.34	3.34	4.56	.894	2.42	10.6
DAT	27	27	1	6	28	1	18	27	7	1	19	28
SR	.815	2.17	1.76	5.38	2.29	1.07	.746	.815	1.38	.582	.869	2.24
MIN	.416	.730	.894	1.95	1.14	.630	.630	.580	.894	.480	.480	.812
DAT	1	6	20	2	10	26	1	9	4	26	1	11
GMIN =			.416	SRGOD=			1.67	GMAX =			14.8	
DATUM			1 1					DATUM			6 4	

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1996

Broj           : 45805                      Stanica :CIROVICI                      Kota "0" = 864.00  
Nacin osmat.: limnigraf                Rijeka :CEHOTINA                      km od usca = 98.50  
Pocetak rada: 1978                      Sliv :DRINE                              Pov.sliva = 120.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	2.11	.812	1.54	3.34	1.54	.730	.416	.416	.580	1.64	4.32	3.34
2	1.80	.680	1.44	3.58	1.54	.680	.352	.384	.480	1.44	3.34	2.79
3	1.54	.812	1.34	22.0	1.34	.630	.352	.352	.416	1.24	2.42	2.42
4	1.44	.894	1.34	20.3	1.14	1.14	.320	.320	.530	1.14	1.95	2.11
5	1.24	1.06	1.24	16.3	1.06	1.06	.320	.352	1.14	1.06	1.64	1.95
6	1.14	1.14	1.14	11.2	1.06	.730	.302	.416	.894	.976	1.44	1.80
7	1.14	1.14	1.06	10.6	.894	.680	.302	.416	.680	.894	1.14	1.64
8	1.24	1.06	1.06	9.21	.812	.680	.302	.416	.580	.894	1.14	1.54
9	1.14	1.06	1.06	6.81	.812	.580	.352	.416	.530	.812	1.06	1.54
10	1.06	.976	.976	6.56	.812	.580	.384	.416	.448	1.14	.976	1.54
11	.976	.976	.894	5.55	.730	.580	.416	.384	.416	1.06	.894	1.44
12	.976	1.06	.976	4.81	.812	.580	.384	.352	.416	1.06	.812	2.26
13	.894	1.06	1.06	4.07	.812	.580	.384	.416	.448	.976	.730	2.11
14	.812	1.14	1.06	4.56	.812	.580	.416	.416	1.14	.894	.730	2.79
15	.812	1.14	1.14	4.32	2.11	.530	.416	.416	2.11	.976	.680	17.8
16	.680	1.06	2.11	3.34	3.34	.448	.480	.416	.812	.812	.630	9.50
17	.630	1.06	4.07	2.79	1.95	.448	.530	.416	1.54	3.58	.580	5.30
18	.580	.894	3.34	2.79	1.54	.448	.480	.416	1.06	2.60	.580	3.83
19	.580	1.06	2.79	4.32	1.14	.448	.416	.416	.894	1.95	2.60	2.97
20	.580	6.05	2.60	4.56	.976	.448	.416	.416	5.30	1.54	2.11	2.42
21	.580	5.30	2.11	5.30	.894	.416	.384	.416	3.34	1.44	8.36	2.79
22	.630	3.34	2.26	5.55	.812	.416	.384	.416	1.95	1.34	5.80	2.97
23	.680	2.42	2.79	5.30	.812	.416	.352	.416	1.64	1.24	17.8	3.58
24	.630	2.26	2.11	5.06	.730	.416	.352	.416	2.11	1.44	8.36	4.56
25	.812	1.95	2.79	4.56	.730	.448	.352	.384	3.58	1.54	5.30	4.07
26	1.06	2.11	3.83	3.58	.680	.448	.352	.384	2.42	1.54	4.07	3.34
27	1.06	2.11	6.81	2.97	.812	.448	.352	.352	4.81	1.44	3.34	2.97
28	1.06	1.95	19.9	2.11	.812	.416	.320	.352	4.07	1.24	2.60	2.60
29	.976	2.11	8.64	2.11	.812	.416	.320	.352	2.79	1.06	4.56	1.95
30	.976		5.80	1.95	.894	.416	.352	.352	2.11	1.06	2.79	1.80
31	.812		4.56		.812		.352	.384		5.06		1.64
SD1	1.38	.963	1.22	11.0	1.10	.749	.340	.390	.628	1.12	1.94	2.07
SD2	.752	1.55	2.00	4.11	1.42	.509	.434	.406	1.41	1.54	1.03	5.04
SD3	.843	2.62	5.60	3.85	.800	.426	.352	.384	2.88	1.67	6.30	2.93
MAX	2.11	6.05	19.9	36.4	3.34	1.14	.530	.416	5.30	5.06	17.8	17.8
DAT	1	20	28	3	16	4	1	1	20	31	23	15
SR	.989	1.68	3.03	6.32	1.10	.561	.375	.393	1.64	1.45	3.09	3.33
MIN	.580	.680	.894	1.95	.680	.416	.302	.320	.416	.812	.580	1.44
DAT	18	2	11	30	26	21	6	4	3	9	17	11
GMIN =		.302		SRGOD=		1.99		GMAX =		36.4		
DATUM		6 7						DATUM		3 4		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1997

Broj           : 45805                    Stanica :CIROVICI                    Kota "0" = 864.00  
Nacin osmat.: limnigraf            Rijeka :CEHOTINA                   km od usca = 98.50  
Pocetak rada: 1978                Sliv :DRINE                            Pov.sliva = 120.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	1.95	.680	1.14	1.54	4.56	1.95	.416	.580	.416	.384	1.14	.730	
2	2.97	.630	1.24	2.11	3.83	1.54	.416	.580	.384	.384	1.24	1.14	
3	11.5	.580	1.14	2.42	4.07	1.34	.384	.580	.352	.416	1.14	1.14	
4	9.50	.630	1.24	4.56	3.58	1.14	.384	.580	.384	.530	1.06	2.79	
5	11.8	.680	1.44	6.05	3.34	1.14	.384	.530	.384	.448	.894	2.11	
6	6.05	.812	1.54	4.32	2.60	1.14	.384	.480	.384	.416	.812	1.95	
7	4.56	.580	1.44	3.34	2.42	1.06	.416	.530	.352	.384	1.06	1.44	
8	3.34	.580	1.34	2.79	1.95	.976	.416	.480	.352	.384	.976	1.24	
9	2.60	.580	1.06	2.11	20.3	.894	.448	.448	.352	.416	2.42	1.06	
10	2.11	.530	1.06	2.26	6.56	.812	.448	.448	.384	.416	1.95	.976	
11	1.95	.530	1.06	2.97	4.07	.730	.416	.530	.384	.416	3.83	.894	
12	1.64	.580	.812	3.34	2.79	.680	.416	.480	.352	.580	2.11	.812	
13	1.54	.580	.894	4.07	2.11	.680	.416	.448	.352	.530	1.95	2.11	
14	1.44	.730	1.06	2.97	1.80	.580	.416	.448	.352	.580	9.50	2.11	
15	1.34	.630	.680	2.60	1.54	.580	.416	.416	.384	1.06	4.56	1.64	
16	1.24	2.42	.976	2.79	1.54	.580	.416	.416	.448	.812	2.79	1.54	
17	1.14	.976	1.14	2.42	1.34	.580	.448	.448	.416	.976	1.95	1.34	
18	1.14	.812	1.14	2.11	1.14	.580	.416	.416	.416	.976	1.44	1.14	
19	1.06	.812	1.14	1.95	1.14	.580	.416	.416	.416	.976	1.24	.976	
20	1.06	.730	7.58	2.26	1.06	.530	.448	.416	.384	.894	1.14	1.24	
21	.976	.580	4.32	3.34	.976	.480	.416	.416	.384	.812	1.06	3.34	
22	1.06	.630	2.79	19.0	.812	.480	.416	.416	.384	.894	.894	4.81	
23	.976	.680	2.11	12.2	.730	.448	.448	.384	.416	1.14	.894	3.34	
24	.894	.812	1.64	6.56	.730	.448	.448	.384	.416	2.26	.976	2.79	
25	.812	.976	1.54	3.58	.730	.448	.416	.384	.416	1.64	.894	1.95	
26	.730	1.54	1.54	3.58	.812	.448	.416	.384	.416	1.54	.812	1.54	
27	.730	1.95	1.34	4.07	.730	.416	.448	.384	.416	1.34	.812	1.54	
28	.580	1.54	1.44	5.06	.730	.416	.480	.352	.416	1.06	.812	1.54	
29	.530		2.42	4.81	3.58	.416	.416	.352	.384	.812	.812	1.54	
30	.448		2.11	5.30	3.58	.416	.448	.352	.384	.812	.812	1.24	
31	.580		1.95		2.79		.894	.384		.894		1.14	
SD1	5.64	.628	1.26	3.15	5.32	1.20	.410	.524	.374	.418	1.27	1.46	
SD2	1.36	.880	1.65	2.75	1.85	.610	.422	.443	.390	.780	3.05	1.38	
SD3	.756	1.09	2.11	6.75	1.47	.442	.477	.381	.403	1.20	.878	2.25	
MAX	11.8	2.42	7.58	19.0	20.3	1.95	.894	.580	.448	2.26	9.50	4.81	
DAT	5	16	20	22	9	1	31	1	16	24	14	22	
SR	2.52	.850	1.69	4.22	2.84	.750	.438	.447	.389	.812	1.73	1.71	
MIN	.448	.530	.680	1.54	.730	.416	.384	.352	.352	.384	.812	.730	
DAT	30	10	15	1	23	27	3	28	3	1	6	1	
		GMIN = .352		SRGOD= 1.54		GMAX = 20.3							
		DATUM 28 8				DATUM 9 5							

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1998

Broj           : 45805                      Stanica :CIROVICI                      Kota "0" = 864.00  
Nacin osmat.: limnigraf                Rijeka :CEHOTINA                      km od usca = 98.50  
Pocetak rada: 1978                      Sliv :DRINE                              Pov.sliva = 120.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.24	.630	1.54	.730	1.54	.976	1.14	.894	.894	1.64	.976	1.14
2	1.24	.630	1.44	.894	1.44	.894	1.06	.894	.894	1.44	.894	1.06
3	1.24	.630	1.34	.976	1.34	.894	.976	.894	.894	1.34	.894	1.06
4	1.24	.680	1.24	1.14	1.80	.812	.976	.894	.894	1.14	.894	2.79
5	1.24	.680	1.24	1.34	6.81	.812	.976	.894	.894	1.06	.812	8.10
6	1.24	.680	1.24	1.34	7.32	.730	.976	.894	1.14	.976	1.95	7.84
7	1.24	.680	1.24	1.44	5.30	.680	.976	.894	.976	.976	19.0	5.55
8	1.24	.680	1.24	1.34	3.58	.680	.976	.894	.894	.812	12.8	4.07
9	1.14	.680	1.34	1.34	2.79	.680	.976	.976	.894	.730	7.58	2.97
10	1.06	.680	1.44	1.24	2.42	.730	.976	.894	.894	2.11	5.30	2.42
11	1.06	.680	1.34	1.24	1.95	.730	.976	.894	.894	2.26	4.81	2.11
12	1.06	.680	1.14	1.44	1.80	.680	.894	.812	.894	1.64	8.93	1.80
13	.976	.812	1.24	1.95	1.54	.730	.894	.812	5.80	1.44	7.84	1.54
14	.976	.976	1.14	2.42	1.44	.730	.894	.812	4.56	1.44	5.80	1.44
15	.894	1.64	1.14	3.16	1.34	.730	.894	.812	3.34	1.24	4.81	1.34
16	.894	2.60	1.14	2.79	1.24	.730	.894	.812	2.26	1.14	4.56	1.24
17	.976	3.34	1.06	2.42	1.14	.894	.894	.812	1.64	1.06	3.58	1.24
18	1.06	3.58	1.06	2.11	1.14	1.06	.894	.812	1.44	.976	2.26	1.14
19	1.14	2.79	.976	2.42	1.06	1.06	.894	.812	1.24	.812	1.54	1.06
20	1.06	2.42	.976	2.97	1.06	1.06	.894	.812	1.24	1.14	1.24	.976
21	1.06	2.11	.976	3.58	.976	.730	.894	.812	1.34	3.83	1.24	.976
22	.976	2.11	.894	3.34	.976	.730	.894	.812	1.95	2.42	1.24	1.14
23	.976	2.11	.894	2.79	.976	1.64	.894	.812	1.95	1.95	1.24	1.06
24	.976	1.80	.730	3.83	.976	4.56	.894	.812	1.64	1.54	1.24	1.06
25	.894	1.80	.812	3.58	.894	2.79	.894	.812	1.44	1.44	1.24	.976
26	.730	1.64	.812	3.16	.976	2.11	.894	.812	1.14	1.44	1.24	.976
27	.730	1.64	.680	2.79	1.34	1.64	.894	.812	.976	1.44	1.24	.894
28	.730	1.54	.680	2.42	1.34	1.44	.894	.894	1.14	1.24	1.24	.812
29	.680		.730	2.11	1.14	1.34	.894	.976	1.34	1.14	1.24	.812
30	.680		.730	1.80	1.14	1.24	.894	.976	1.54	1.14	1.14	.812
31	.630		.730		1.06		.894	.894		1.06		.812
SD1	1.21	.665	1.33	1.18	3.43	.789	1.00	.902	.927	1.22	5.11	3.70
SD2	1.01	1.95	1.12	2.29	1.37	.840	.902	.820	2.33	1.31	4.54	1.39
SD3	.824	1.84	.788	2.94	1.07	1.82	.894	.857	1.45	1.69	1.23	.939
MAX	1.24	3.83	1.64	4.07	9.50	12.8	1.24	1.24	10.1	4.56	26.4	9.50
DAT	1	18	1	24	5	23	1	29	13	21	7	6
SR	1.01	1.46	1.07	2.14	1.93	1.15	.931	.860	1.57	1.42	3.63	1.97
MIN	.630	.630	.680	.730	.894	.680	.894	.812	.894	.730	.812	.812
DAT	31	1	27	1	25	7	12	12	1	9	5	28
	GMIN = .630		SRGOD= 1.59		GMAX = 26.4				GMAX = 26.4			
	DATUM 31 1				DATUM 7 11				DATUM 7 11			

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1999

Broj           : 45805                      Stanica :CIROVICI                      Kota "0" = 864.00  
Nacin osmat.: limnigraf                Rijeka :CEHOTINA                      km od usca = 98.50  
Pocetak rada: 1978                      Sliv    :DRINE                            Pov.sliva = 120.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.730	.976	2.11	3.58	2.60	.730	.976	.580	.352	.352	.352	.680
2	.730	.976	2.42	4.56	2.11	.730	.894	.530	.384	.352	.352	.680
3	.730	.812	2.79	5.30	1.80	.730	.812	.530	.730	.352	.352	.630
4	.730	.730	3.58	5.06	1.64	.730	.680	.530	.530	.352	.352	.580
5	.730	.730	6.30	4.56	1.54	.680	.630	.530	.416	.352	.352	.580
6	.730	.730	8.10	4.32	1.44	.680	.530	.530	.384	.352	.352	.580
7	.812	.730	7.32	4.32	1.34	.680	.530	.530	.352	.352	.352	.580
8	.812	.730	6.56	4.56	1.24	.680	.530	.530	.352	.352	.352	.580
9	1.06	.730	5.06	4.32	1.14	.680	.530	.530	.352	.352	.352	.580
10	1.34	.976	3.83	4.07	1.24	.680	.580	.530	.352	.352	.352	.580
11	2.60	6.81	3.58	3.83	1.14	.680	.730	.530	.352	.352	.352	.894
12	6.30	3.83	3.83	3.16	1.06	.680	.580	.530	.352	.352	.352	1.34
13	5.55	2.42	4.07	2.79	.976	.680	.530	.530	.352	.352	.352	1.44
14	5.55	1.95	5.06	2.42	.976	.680	.530	.530	.352	.352	.352	1.44
15	4.32	1.54	5.30	2.11	.894	.730	.530	.530	.352	.352	.352	1.24
16	3.16	1.34	5.06	2.11	.894	.894	.530	.530	.352	.352	.352	2.60
17	2.60	1.34	4.56	2.26	1.06	.730	.530	.530	.352	.352	.530	6.81
18	2.11	1.24	3.83	2.97	.976	.680	.530	.480	.352	.352	.680	5.30
19	1.80	.976	2.97	3.16	.894	.680	.530	.480	.352	.384	.812	5.06
20	1.44	1.06	2.60	2.79	.812	.680	.530	.480	.352	.530	5.06	4.56
21	1.34	1.06	2.11	2.60	.730	.680	.530	.480	.352	.448	2.42	3.83
22	1.34	1.44	1.95	2.60	.730	.680	.530	.480	.352	.416	7.84	2.79
23	1.24	4.07	1.95	3.34	.730	.680	.530	.480	.352	.416	22.9	2.26
24	1.14	2.79	1.95	3.34	.812	.680	.530	.480	.352	.384	7.06	1.80
25	1.06	2.26	1.95	3.34	.812	1.24	.530	.480	.352	.384	5.80	1.24
26	1.06	1.95	2.26	4.56	.730	.894	.580	.480	.352	.384	1.95	1.06
27	1.06	1.64	2.97	6.30	.730	.730	.530	.480	.352	.384	1.34	.976
28	1.06	1.80	3.83	5.30	.730	.680	.530	.448	.352	.384	1.06	.812
29	1.06		4.32	4.07	.730	.680	.530	.416	.384	.352	.894	.730
30	1.06		3.83	2.97	.730	.680	.580	.384	.352	.352	.730	.680
31	1.06		3.34		.730		.630	.384		.352		.630
SD1	.840	.812	4.81	4.46	1.61	.700	.669	.535	.420	.352	.352	.605
SD2	3.54	2.25	4.09	2.76	.968	.711	.555	.515	.352	.373	.919	3.07
SD3	1.13	2.13	2.77	3.84	.745	.762	.548	.454	.355	.387	5.20	1.53
MAX	6.81	8.10	8.10	6.56	2.79	2.11	.976	.580	.976	.580	43.5	7.84
DAT	12	11	6	27	1	25	1	1	3	19	23	17
SR	1.82	1.70	3.85	3.69	1.10	.725	.589	.500	.376	.371	2.16	1.73
MIN	.730	.730	1.95	2.11	.730	.680	.530	.384	.352	.352	.352	.580
DAT	1	4	22	15	21	5	6	30	1	1	1	4
	GMIN =	.352			SRGOD=	1.55			GMAX =	43.5		
	DATUM	1 9							DATUM	23 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
2000

Broj           : 45805                    Stanica :CIROVICI                    Kota "0" = 864.00  
Nacin osmat.: limnigraf            Rijeka :CEHOTINA                   km od usca = 98.50  
Pocetak rada: 1978                Sliv :DRINE                        Pov.sliva = 120.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.630	.894	4.07	15.2	.976	.416	.248	.248	.248	.248	.248	.248
2	.630	.894	4.07	15.5	.976	.384	.248	.248	.248	.248	.248	.248
3	.630	.894	4.07	14.4	.976	.352	.248	.248	.248	.248	.248	.248
4	.580	.894	3.83	13.4	.976	.320	.248	.248	.248	.248	.248	.248
5	.580	.812	3.58	73.1	.976	.302	.248	.248	.248	.248	.248	.248
6	.530	1.06	2.79	35.3	.812	.302	.248	.248	.248	.248	.248	.248
7	.530	1.14	2.26	23.3	.812	.284	.248	.248	.248	.248	.248	.248
8	.530	1.06	1.64	15.2	.812	.284	.248	.248	.248	.248	.248	.248
9	.530	.976	1.34	10.1	.812	.266	.248	.248	.248	.248	.248	.248
10	.530	.894	1.24	8.93	.812	.266	.248	.248	.248	.248	.248	.248
11	.530	.812	1.14	6.81	.812	.248	.248	.248	.248	.248	.248	1.24
12	.480	.730	1.06	6.56	.812	.248	.248	.248	.248	.248	.248	1.14
13	.480	.680	1.14	5.80	.812	.248	.248	.248	.248	.248	.248	1.06
14	.480	.630	1.54	5.55	.812	.248	.248	.248	.248	.248	.248	1.06
15	.480	.630	4.07	5.06	.812	.248	.248	.248	.248	.248	.248	.976
16	.480	.580	6.81	4.81	.730	.248	.248	.248	.248	.248	.248	1.95
17	.480	.630	8.64	4.07	.730	.248	.248	.248	.248	.248	.248	2.79
18	.480	.630	8.36	3.58	.730	.248	.248	.248	.248	.248	.248	2.42
19	.480	.630	11.8	3.34	.730	.248	.248	.248	.248	.248	.248	1.95
20	.480	.730	12.2	3.16	.730	.248	.248	.248	.248	.248	.248	1.34
21	.480	1.06	8.93	2.26	.730	.248	.248	.248	.248	.248	.248	1.06
22	.480	1.06	7.58	2.11	.730	.248	.248	.248	.248	.248	.248	.894
23	.530	1.06	7.06	1.80	.730	.248	.248	.248	.248	.248	.248	.894
24	.630	.976	7.06	1.54	.730	.248	.248	.248	.248	.248	.248	.730
25	.580	.812	7.84	1.44	.730	.248	.248	.248	.248	.248	.248	.630
26	.580	.812	11.2	1.34	.730	.248	.248	.248	.248	.248	.248	.630
27	.580	.894	15.2	1.24	.730	.248	.248	.248	.248	.248	.248	1.24
28	.630	1.54	23.8	1.14	.730	.248	.248	.248	.248	.248	.248	83.5
29	.894	2.11	21.6	1.14	.730	.248	.248	.248	.248	.248	.248	49.3
30	1.06		26.0	1.06	.530	.248	.248	.248	.248	.248	.248	16.7
31	.976		25.5		.448		.248	.248		.248		10.6
SD1	.570	.952	2.89	22.4	.894	.318	.248	.248	.248	.248	.248	.248
SD2	.485	.668	5.68	4.87	.771	.248	.248	.248	.248	.248	.248	1.59
SD3	.675	1.15	14.7	1.51	.686	.248	.248	.248	.248	.248	.248	15.1
MAX	1.06	3.83	26.0	73.1	.976	.416	.248	.248	.248	.248	.248	83.5
DAT	30	29	30	5	29	1	1	1	1	1	1	28
SR	.580	.915	7.98	9.61	.781	.271	.248	.248	.248	.248	.248	5.95
MIN	.480	.580	1.06	1.06	.448	.248	.248	.248	.248	.248	.248	.248
DAT	12	16	12	30	31	11	1	1	1	1	1	1
	GMIN = .248		SRGOD= 2.28					GMAX = 83.5				
	DATUM 11 6							DATUM 28 12				

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
2001

Broj           : 45805                      Stanica :CIROVICI                      Kota "0" = 864.00  
Nacin osmat.: limnigraf                Rijeka :CEHOTINA                      km od usca = 98.50  
Pocetak rada: 1978                      Sliv :DRINE                              Pov.sliva = 120.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	5.30	4.15	6.60	.980	2.30	1.80	1.58	.762	.588	1.40	.646	4.15
2	3.52	3.31	4.84	.980	2.17	2.30	1.49	.704	.588	1.40	.646	3.10
3	2.94	2.78	4.84	.980	2.05	2.17	1.49	.704	.588	1.31	.646	2.62
4	2.62	2.46	5.07	.980	1.92	2.17	1.49	.704	.588	1.22	.646	2.30
5	2.17	2.17	5.07	.980	1.67	1.92	1.40	.704	.588	1.06	.646	2.17
6	1.92	2.17	5.07	.980	1.67	1.80	1.40	.704	.762	1.06	.646	2.05
7	1.80	2.17	5.07	.980	1.80	1.67	1.40	.704	.762	1.06	.646	2.05
8	1.67	2.05	4.84	.762	1.92	1.67	1.31	.704	.762	1.06	.646	1.80
9	1.67	2.05	3.73	.762	2.05	1.49	1.22	.704	.704	1.06	.646	1.67
10	1.92	1.92	3.31	.762	2.05	1.40	1.14	.646	.704	1.06	1.22	1.40
11	1.92	1.92	3.10	.762	2.05	1.31	1.06	.588	.980	.980	4.15	1.31
12	1.80	1.80	2.78	.980	2.05	1.14	1.06	.588	1.14	.980	3.73	1.31
13	1.80	1.67	2.62	5.30	2.05	1.14	1.06	.588	1.06	.980	4.15	1.22
14	1.67	1.67	2.62	4.15	1.92	1.14	.980	.588	.980	.900	7.95	1.22
15	1.67	1.58	2.30	2.94	1.67	1.14	.980	.588	.762	.762	5.82	1.22
16	1.58	1.49	2.05	2.62	1.58	1.14	.900	.646	.704	.704	3.73	1.22
17	1.58	1.40	1.92	3.31	1.58	1.14	.900	.646	.704	.704	2.94	1.14
18	1.49	1.40	1.80	4.38	1.49	1.06	.900	.646	1.06	.704	2.30	1.14
19	1.49	1.31	1.67	4.15	1.40	1.06	.820	.646	4.15	.704	2.05	1.14
20	1.40	1.31	1.67	3.94	1.40	1.14	.820	.646	2.46	.704	2.05	1.06
21	1.31	1.14	1.40	4.61	1.31	1.92	.820	.646	1.80	.704	2.05	1.06
22	1.31	1.06	1.40	5.30	1.31	2.62	.820	.646	1.49	.704	1.80	1.06
23	1.31	1.06	1.40	8.51	1.31	2.30	.820	.646	1.31	.704	1.67	1.06
24	1.31	1.06	1.31	8.79	1.22	1.92	.820	.646	1.22	.704	1.67	1.06
25	1.31	4.84	1.22	8.79	1.31	1.58	.820	.980	1.14	.704	1.67	1.06
26	1.31	8.51	1.14	7.41	5.07	1.40	.820	.762	1.06	.704	1.67	.980
27	2.94	9.68	1.06	5.30	3.73	1.40	.820	.704	1.80	.704	1.67	.980
28	5.82	9.07	.980	4.15	2.78	1.40	.762	.704	1.92	.704	1.67	.980
29	4.84		.980	3.31	2.30	1.58	.762	.704	1.49	.704	6.87	.980
30	5.30		.980	2.78	2.05	1.67	.762	.762	1.49	.704	5.30	1.14
31	5.30		.980		1.92		.762	.704		.704		1.49
SD1	2.55	2.52	4.84	.915	1.96	1.84	1.39	.704	.663	1.17	.703	2.33
SD2	1.64	1.55	2.25	3.25	1.72	1.14	.948	.617	1.40	.812	3.89	1.20
SD3	2.91	4.55	1.17	5.89	2.21	1.78	.799	.719	1.47	.704	2.60	1.08
MAX	6.87	10.7	7.68	9.35	6.60	2.62	1.58	1.22	5.30	1.40	8.51	4.84
DAT	27	28	1	25	26	22	1	25	19	1	14	1
SR	2.39	2.76	2.70	3.35	1.97	1.59	1.04	.681	1.18	.889	2.40	1.52
MIN	1.31	1.06	.980	.762	1.22	1.06	.762	.588	.588	.704	.646	.980
DAT	21	22	28	8	24	18	28	11	1	16	1	26
-----												
GMIN =			.588	SRGOD=				1.86	GMAX =			10.7
DATUM			11 8						DATUM			28 2
-----												



## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
2002

Broj           : 45805                      Stanica :CIROVICI                      Kota "0" = 864.00  
Nacin osmat.: limnigraf                Rijeka :CEHOTINA                      km od usca = 98.50  
Pocetak rada: 1978                      Sliv :DRINE                              Pov.sliva = 120.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.40	2.62	2.62	2.05	2.94	1.80	.762	1.49	1.06	13.0	1.06	1.40
2	1.40	2.62	2.94	2.05	2.94	1.80	.762	1.40	1.06	8.23	1.06	2.05
3	1.40	2.62	3.52	2.05	2.94	1.80	.762	1.31	1.06	5.56	1.22	2.17
4	1.40	2.62	3.52	2.05	2.78	1.80	.762	1.31	.900	4.15	1.31	2.17
5	1.40	2.46	3.52	2.05	2.62	1.80	.762	1.22	.900	3.10	1.80	1.92
6	1.31	2.46	3.31	2.05	2.62	1.80	.762	.980	.900	2.78	1.67	1.80
7	1.31	2.30	3.31	1.92	2.46	1.80	.762	1.06	1.06	2.46	1.67	1.67
8	1.22	2.30	3.31	1.80	2.46	1.80	.820	1.22	1.06	2.17	1.58	1.49
9	1.14	2.30	2.78	1.80	2.30	1.80	.820	.980	1.40	1.92	1.58	1.40
10	1.06	2.30	2.62	1.80	2.17	1.80	.820	.980	1.40	1.80	1.49	1.31
11	1.06	2.30	2.62	1.80	2.17	1.80	.820	.900	1.40	10.7	1.40	1.31
12	1.06	2.46	2.30	1.80	2.05	1.67	.820	.820	1.22	21.8	1.40	1.22
13	1.06	2.46	2.17	1.80	2.05	1.58	3.31	.762	1.14	13.0	1.40	1.22
14	1.06	2.30	2.17	2.05	2.05	1.49	1.49	.762	.980	8.51	1.40	1.22
15	1.06	2.30	2.05	2.17	2.05	1.40	1.06	.704	.980	6.08	1.31	1.14
16	1.06	2.17	2.05	2.17	2.05	1.22	.980	.704	.980	4.61	1.31	1.22
17	1.06	2.17	2.05	2.94	2.05	1.14	.820	.704	.820	3.52	1.22	1.40
18	1.06	2.62	2.05	6.60	2.05	1.06	.762	.704	.762	2.94	1.14	1.49
19	.980	5.07	2.05	6.60	2.05	.980	.646	.704	.762	2.46	1.22	1.58
20	.980	5.56	2.05	5.56	1.92	.900	1.06	.704	.704	2.17	1.14	1.49
21	.980	4.61	2.05	4.61	1.92	.820	.762	.646	.762	1.92	1.06	1.49
22	.980	3.73	2.05	3.73	1.80	.762	.704	.704	.704	1.80	1.06	1.40
23	.980	3.31	2.05	3.31	1.80	.762	.762	.762	.900	1.67	1.06	1.49
24	.980	3.10	2.05	2.94	1.80	.762	.762	.704	2.05	1.67	1.06	1.58
25	1.06	2.94	2.05	2.94	1.80	.762	.704	.704	2.30	1.67	1.06	1.67
26	1.14	2.62	2.05	2.94	1.80	.762	.704	.704	4.61	1.58	.980	1.80
27	1.22	2.62	2.05	2.94	1.80	.762	.704	.704	11.3	1.49	.980	1.80
28	1.49	2.62	2.05	2.94	1.80	.762	1.22	.704	5.82	1.40	.980	1.80
29	1.58		2.05	2.94	1.80	.762	1.40	.762	5.56	1.31	.980	9.35
30	1.92		2.05	2.94	1.80	.762	1.40	1.49	14.8	1.22	.980	7.14
31	2.30		2.05		1.80		1.40	1.14		1.14		5.30
SD1	1.30	2.46	3.14	1.96	2.62	1.80	.779	1.19	1.08	4.52	1.44	1.74
SD2	1.04	2.94	2.16	3.35	2.05	1.32	1.18	.747	.975	7.58	1.29	1.33
SD3	1.33	3.19	2.05	3.22	1.81	.768	.957	.820	4.88	1.53	1.02	3.17
MAX	2.62	6.60	3.52	6.60	2.94	1.80	8.51	1.80	20.0	25.4	1.80	13.3
DAT	31	19	3	19	1	10	13	30	30	12	5	29
SR	1.23	2.84	2.44	2.84	2.15	1.30	.970	.917	2.31	4.45	1.25	2.11
MIN	.980	2.17	2.05	1.80	1.80	.762	.646	.646	.704	1.14	.980	1.14
DAT	19	16	15	8	22	22	19	21	20	31	26	15
	GMIN = .646			SRGOD= 2.06				GMAX = 25.4				
	DATUM 19 7							DATUM 12 10				

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
2003

Broj           : 45805                      Stanica :CIROVICI                      Kota "0" = 864.00  
Nacin osmat.: limnigraf                Rijeka :CEHOTINA                      km od usca = 98.50  
Pocetak rada: 1978                      Sliv :DRINE                              Pov.sliva = 120.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	4.15	1.58	1.31	9.35	2.62	1.14	.588	.484	.484	.646	6.34	1.22	
2	3.31	1.49	1.49	7.95	2.30	1.22	.588	.980	.484	.646	5.30	1.14	
3	3.94	1.40	1.67	6.08	2.05	1.14	.588	.820	.484	.646	4.61	1.06	
4	2.94	1.40	1.92	5.07	1.92	1.14	.588	.820	.484	.646	3.94	.980	
5	3.52	1.92	2.05	4.15	1.58	1.06	.588	.820	.484	.646	3.52	.900	
6	4.61	2.05	1.92	3.52	1.31	1.06	.588	.762	.530	.646	3.31	.900	
7	10.7	2.05	1.92	2.94	1.14	1.06	.588	.762	.704	.646	3.10	.900	
8	19.1	1.92	1.80	2.62	1.06	1.06	.588	.820	.980	.646	2.94	.820	
9	12.3	1.92	1.67	2.17	1.06	.980	.588	.820	1.14	1.22	2.78	.820	
10	19.1	1.80	1.67	2.05	1.06	.980	.588	.820	1.80	1.80	2.62	.820	
11	14.4	1.80	3.52	3.52	1.06	.980	.530	.900	8.23	1.80	2.30	.820	
12	8.79	1.67	2.62	5.82	1.06	.900	.530	.900	5.82	1.80	1.49	1.14	
13	6.08	1.49	3.10	5.82	1.06	.900	.530	.820	3.94	1.80	.900	1.22	
14	4.15	1.49	2.78	5.56	.980	.820	.530	.820	3.10	1.67	.980	1.14	
15	3.10	1.49	2.46	4.38	.980	.762	.530	.820	2.78	1.67	.980	.900	
16	2.78	1.40	2.17	4.38	.900	.704	.484	.762	1.92	1.67	.980	.820	
17	2.30	1.40	2.17	4.84	.900	.588	.484	.704	1.14	1.67	.980	.820	
18	2.30	1.40	1.80	4.61	.820	.588	.484	.704	.704	1.80	.980	.820	
19	2.30	1.40	1.80	3.94	.820	.588	.484	.704	.646	3.10	.980	.820	
20	2.17	1.31	1.67	3.10	.820	.588	.484	.646	.588	3.10	.980	.820	
21	2.05	1.31	1.67	2.94	.762	.588	.484	.588	.588	6.60	.980	.820	
22	1.92	1.31	1.49	4.15	.762	.588	.484	.530	.588	5.56	.980	.820	
23	1.92	1.31	1.40	6.08	.980	.588	.484	.484	.588	4.61	.980	.820	
24	1.92	1.31	1.40	5.07	1.06	.588	.484	.484	.588	3.94	.980	.820	
25	1.80	1.31	1.40	5.30	1.06	.588	.484	.484	.588	3.52	.980	.820	
26	1.80	1.31	1.58	4.61	1.06	.588	.484	.484	.588	3.10	.980	.820	
27	1.80	1.31	1.80	4.15	1.40	.588	.484	.484	.588	3.31	.980	.820	
28	1.67	1.31	2.46	3.73	1.40	.588	.484	.530	.588	7.95	.980	.900	
29	1.67		3.73	3.31	1.22	.588	.484	.530	.588	12.0	1.22	.980	
30	1.67		5.30	2.94	1.22	.588	.484	.484	.588	10.3	1.40	1.22	
31	1.67		6.60		1.14		.484	.484		7.95		1.40	
SD1	8.37	1.75	1.74	4.59	1.61	1.08	.588	.791	.757	.819	3.85	.956	
SD2	4.84	1.48	2.41	4.60	.940	.742	.507	.778	2.89	2.01	1.15	.932	
SD3	1.81	1.31	2.62	4.23	1.10	.588	.484	.506	.588	6.26	1.05	.931	
MAX	33.1	2.05	6.34	9.68	2.78	1.22	.588	1.40	9.68	12.3	7.14	1.49	
DAT	7	6	31	1	1	2	1	2	11	29	1	31	
SR	4.90	1.53	2.27	4.47	1.21	.805	.525	.686	1.41	3.13	2.02	.939	
MIN	1.67	1.31	1.31	2.05	.762	.588	.484	.484	.484	.646	.900	.820	
DAT	28	20	1	10	21	17	16	1	1	1	13	8	
		GMIN = .484		SRGOD= 1.99		GMAX = 33.1							
		DATUM 16 7				DATUM 7 1							

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
2004

Broj           : 45805                      Stanica :CIROVICI                      Kota "0" = 864.00  
Nacin osmat.: limnigraf                Rijeka :CEHOTINA                      km od usca = 98.50  
Pocetak rada: 1978                      Sliv :DRINE                              Pov.sliva = 120.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	2.46	2.30	5.56	1.92	2.05	1.58	.900	.820	.762	.820	.762	4.15
2	2.17	2.30	4.38	1.92	1.80	1.58	.900	.820	.762	.820	.762	27.3
3	2.05	2.30	3.52	1.80	1.67	1.58	.980	.820	.762	.820	.762	28.7
4	1.80	2.30	2.78	1.80	1.49	1.67	.900	.820	.762	.820	.762	20.0
5	1.58	2.46	2.46	1.67	1.92	5.30	.820	.820	.762	.820	.762	17.0
6	1.49	1.92	2.05	1.80	2.05	8.23	.820	.820	.762	.820	.762	13.3
7	1.40	2.30	1.92	1.92	4.38	8.23	.820	.820	.762	.820	.762	11.0
8	1.40	2.62	2.05	2.17	2.46	8.23	.820	.820	.762	.820	.762	7.95
9	1.40	3.73	2.46	1.92	1.92	7.95	.820	.820	.762	.820	.762	5.82
10	1.31	3.31	2.05	1.67	1.80	2.46	.820	.820	.762	.762	.820	4.84
11	1.22	2.30	2.05	1.92	1.80	2.05	.820	.820	.762	.900	.900	3.73
12	1.22	2.30	2.05	1.58	1.80	1.80	.820	.820	.762	.900	1.40	2.94
13	1.22	2.30	2.05	1.58	1.67	1.58	.820	.820	.762	.900	4.15	2.62
14	1.49	2.17	2.46	1.67	1.80	1.58	.820	.820	.762	.900	15.5	2.30
15	3.94	1.67	3.52	1.80	1.80	1.58	.820	.820	.762	1.06	7.95	2.30
16	5.30	1.58	4.38	1.67	1.67	1.40	.820	.820	.762	1.14	4.84	2.17
17	3.94	1.49	5.82	1.49	1.80	1.40	.762	.762	.762	1.22	3.52	2.05
18	3.31	1.49	5.56	1.49	2.05	1.40	.762	.762	.762	3.52	3.10	2.62
19	3.94	1.58	5.82	1.49	1.80	1.40	.762	.762	.762	2.30	4.38	2.62
20	22.6	1.40	5.56	1.49	1.80	1.40	.762	.762	.762	1.80	9.68	2.30
21	11.3	1.31	4.84	1.40	1.49	1.14	.762	.762	.762	1.49	6.87	2.05
22	5.56	1.40	3.94	1.40	1.49	1.14	.762	.762	.762	1.31	4.84	2.05
23	3.94	1.80	3.73	1.31	1.49	.900	.762	.762	.762	1.14	3.52	1.92
24	2.30	2.94	3.52	1.31	2.05	.900	.762	.762	.762	1.06	2.94	1.80
25	2.46	4.38	2.62	1.22	1.58	.900	.762	.762	.900	.980	2.62	1.67
26	2.05	5.82	2.30	2.05	1.40	.900	.762	.762	1.22	.980	2.17	2.05
27	1.80	19.6	2.17	3.31	1.22	.900	.762	.762	1.67	.900	2.17	18.7
28	1.92	13.0	2.46	4.38	1.14	.900	1.14	.762	1.40	.900	2.05	12.0
29	2.05	9.35	2.17	3.31	1.06	.820	1.22	.762	1.06	.820	2.05	8.51
30	1.92		1.92	2.46	1.58	1.22	.980	.762	.980	.762	2.17	5.82
31	2.46		1.92		1.49		.900	.762		.762		4.61
SD1	1.71	2.55	2.92	1.86	2.15	4.68	.860	.820	.762	.814	.768	14.0
SD2	4.82	1.83	3.93	1.62	1.80	1.56	.797	.797	.762	1.46	5.54	2.56
SD3	3.43	6.62	2.87	2.22	1.45	.972	.870	.762	1.03	1.01	3.14	5.56
MAX	22.6	19.6	5.82	4.38	4.38	8.23	1.49	.820	1.67	5.07	21.8	39.3
DAT	20	27	17	28	7	7	28	10	27	18	14	2
SR	3.32	3.57	3.23	1.90	1.79	2.40	.843	.792	.851	1.09	3.15	7.32
MIN	1.22	1.31	1.92	1.22	1.06	.820	.762	.762	.762	.762	.762	1.67
DAT	11	21	7	25	29	29	17	17	1	10	1	25
-----												
GMIN =			.762	SRGOD=				2.52	GMAX =			39.3
DATUM			17 7						DATUM			2 12
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
2005

Broj           : 45805                      Stanica :CIROVICI                      Kota "0" = 864.00  
Nacin osmat.: limnigraf                Rijeka :CEHOTINA                      km od usca = 98.50  
Pocetak rada: 1978                      Sliv :DRINE                              Pov.sliva = 120.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII		
1	3.73	1.14	1.80	14.4	2.78	1.58	.900	.646	1.67	27.7	.900	12.0		
2	3.31	1.14	1.67	10.0	2.62	1.58	.980	.646	1.80	13.3	.900	9.35		
3	2.78	1.06	1.49	7.95	2.62	1.49	1.06	.646	1.80	7.41	.900	6.34		
4	2.62	1.06	1.67	6.87	2.62	1.49	1.06	.646	1.80	3.73	.900	6.87		
5	2.30	1.06	5.82	6.34	2.46	1.40	1.06	.646	1.80	2.62	.900	6.08		
6	2.17	1.06	6.60	6.60	2.62	1.40	1.06	.646	1.80	2.05	.900	10.3		
7	2.05	1.06	4.61	6.87	4.38	1.92	.980	.704	1.80	1.80	.900	12.3		
8	2.05	1.06	3.31	7.95	3.94	2.30	.980	1.22	1.80	1.58	.900	8.51		
9	1.92	1.06	2.78	8.51	3.10	3.94	.900	1.14	1.80	1.58	.820	6.08		
10	1.92	1.06	2.46	9.35	2.78	3.52	.820	.900	1.80	1.40	.820	4.38		
11	1.92	1.06	2.30	11.0	2.46	2.78	.980	.704	1.80	1.31	.820	3.31		
12	1.92	1.06	2.17	14.0	2.30	2.30	1.06	.704	1.80	1.22	.820	2.78		
13	1.80	1.14	2.17	16.6	2.17	1.92	.980	.588	1.80	1.22	.820	2.46		
14	1.80	1.14	2.30	18.7	2.05	1.67	1.14	.762	1.80	1.14	.820	2.30		
15	1.67	1.40	2.94	13.3	2.05	1.67	1.22	.762	1.92	1.14	.820	2.17		
16	1.58	1.58	2.94	11.3	2.05	2.17	1.14	.762	2.05	1.06	.820	1.92		
17	1.58	1.49	4.38	10.0	1.92	2.05	1.06	.900	2.46	1.06	1.14	1.92		
18	1.49	1.40	6.60	8.79	1.80	1.80	.980	.820	3.31	1.06	1.14	1.80		
19	1.49	1.40	9.68	7.14	1.67	1.58	.900	.762	4.15	1.06	1.14	1.67		
20	1.49	1.40	13.0	6.34	2.05	1.49	.820	.704	5.30	1.06	1.14	1.49		
21	1.49	1.40	11.0	6.60	2.62	1.40	.820	.704	6.34	1.06	1.06	1.40		
22	1.49	1.67	10.7	5.82	2.46	1.31	.820	.704	6.34	1.06	1.06	1.40		
23	1.40	2.30	11.3	4.84	2.17	1.22	.820	1.22	6.34	.980	1.06	1.40		
24	1.31	2.17	12.6	4.15	2.17	1.14	.820	1.31	6.34	.980	1.06	1.31		
25	1.31	2.05	15.5	3.73	2.05	1.14	.762	1.06	6.34	.980	1.14	1.31		
26	1.31	2.17	23.1	3.94	1.92	1.06	.762	1.06	6.34	.980	1.40	1.31		
27	1.31	2.17	27.7	3.94	1.80	1.06	.820	1.14	6.34	.900	7.14	1.80		
28	1.22	2.05	28.7	3.73	1.80	1.06	.704	1.40	6.34	.900	9.35	14.8		
29	1.22		29.6	3.52	1.67	.980	.646	1.67	6.34	.900	5.56	15.5		
30	1.14		23.5	3.10	1.67	.980	.646	1.67	6.87	.900	4.61	12.6		
31	1.14		18.7		1.67		.646	1.67		.900		7.68		
SD1	2.48	1.08	3.22	8.48	2.99	2.06	.980	.784	1.79	6.32	.884	8.22		
SD2	1.67	1.31	4.85	11.7	2.05	1.94	1.03	.747	2.64	1.13	.948	2.18		
SD3	1.30	2.00	19.3	4.34	2.00	1.13	.751	1.24	6.39	.958	3.34	5.50		
MAX	4.15	2.46	32.1	20.4	5.56	4.15	1.14	1.67	7.41	27.7	15.5	22.2		
DAT	1	23	29	14	7	9	11	29	30	1	27	28		
SR	1.80	1.42	9.45	8.18	2.34	1.71	.914	.933	3.61	2.74	1.73	5.31		
MIN	1.14	1.06	1.49	3.10	1.67	.980	.646	.588	1.67	.900	.820	1.31		
DAT	30	3	3	30	19	29	29	13	1	27	9	24		
-----														
			GMIN =	.588				SRGOD=	3.36				GMAX =	32.1
			DATUM	13 8									DATUM	29 3
-----														