

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1978

Broj : 47207 Stanica : BAC Kota "0" = 920.60
Nacin osmat.: limnigraf Rijeka : IBAR km od usca = 239.60
Pocetak rada: 1979 Sliv : ZAPAD. MORAVE Pov.sliva = 411.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	10.7	4.82	7.58	10.7	16.0	16.0	2.62	1.14	2.62	9.92	2.84	1.74
2	6.14	4.16	7.58	9.92	33.3	14.4	2.62	1.14	1.30	7.97	2.84	1.74
3	6.14	4.16	7.58	9.92	22.0	13.9	2.62	1.14	1.30	6.80	2.84	1.96
4	5.48	3.50	12.3	9.92	17.3	13.9	2.62	1.14	1.22	6.47	2.84	2.18
5	5.48	3.06	12.3	9.92	16.0	11.8	2.18	1.14	1.14	5.81	2.84	2.18
6	5.48	3.06	13.9	11.8	20.0	10.3	2.18	1.14	1.22	5.81	2.84	2.62
7	5.15	3.06	16.0	11.8	20.0	9.92	2.18	1.14	1.96	5.48	2.84	2.62
8	5.15	3.06	14.9	10.7	18.7	9.14	2.18	.980	2.84	4.82	2.62	3.28
9	5.15	3.06	14.9	10.7	18.7	9.14	1.74	.980	2.40	4.82	2.62	3.28
10	5.15	3.83	10.7	10.7	18.7	9.14	1.74	.980	2.18	4.82	2.40	3.83
11	5.15	4.16	7.58	10.7	20.0	9.14	1.74	1.14	1.96	3.83	2.40	4.16
12	4.49	7.58	7.58	10.7	16.0	9.14	1.74	1.14	1.96	3.83	2.18	4.16
13	4.49	10.7	6.14	9.92	16.0	8.36	1.30	1.14	6.80	3.83	2.18	4.16
14	4.49	22.7	6.14	25.9	16.0	6.80	1.30	1.14	18.7	3.83	1.96	6.80
15	4.16	19.4	6.14	20.0	13.9	6.47	1.30	1.06	12.8	3.50	1.96	8.36
16	4.16	17.3	6.14	12.8	13.4	8.36	1.74	.980	10.7	3.28	2.18	8.36
17	4.16	16.7	6.14	11.8	12.8	6.80	1.74	.980	8.36	3.06	1.96	8.36
18	4.16	13.4	24.8	9.14	12.8	5.48	1.30	.980	6.80	3.06	1.96	9.14
19	4.16	11.2	17.3	9.14	12.8	5.48	1.30	.980	5.15	3.06	1.96	9.14
20	4.16	10.7	13.9	9.14	13.9	5.48	1.74	.980	4.49	3.06	2.18	12.8
21	4.16	10.3	10.7	9.14	13.9	4.82	1.30	.980	7.19	3.28	2.18	11.8
22	3.50	9.92	13.9	9.14	13.9	4.82	1.30	.980	6.47	3.28	1.96	8.75
23	3.50	9.92	10.7	9.14	19.4	4.16	1.30	1.06	5.48	3.06	1.74	7.19
24	3.06	9.92	9.92	9.14	14.9	3.50	1.30	1.06	6.14	2.84	1.74	6.14
25	2.84	8.36	9.14	9.14	13.4	3.50	1.30	1.06	5.81	2.84	1.74	5.15
26	2.84	7.58	9.14	8.36	12.8	3.06	1.30	1.06	5.15	2.84	1.30	4.82
27	2.18	6.80	7.58	8.36	13.4	3.06	1.30	1.06	4.49	2.84	1.30	4.82
28	2.18	6.80	7.58	8.36	21.4	4.16	1.30	1.06	9.53	2.84	1.30	4.82
29	2.18		6.14	8.36	20.0	3.28	1.30	1.06	18.0	2.62	1.52	7.19
30	2.18		7.58	8.36	19.4	2.62	1.30	1.06	12.3	2.62	1.74	8.75
31	5.81		9.14		18.7		1.30	1.14		2.84		9.14
SD1	6.00	3.58	11.8	10.6	20.1	11.8	2.27	1.09	1.82	6.27	2.75	2.54
SD2	4.36	13.4	10.2	12.9	14.8	7.15	1.52	1.05	7.77	3.43	2.09	7.54
SD3	3.13	8.70	9.23	8.75	16.5	3.70	1.30	1.05	8.06	2.90	1.65	7.14
MAX	10.7	22.7	24.8	25.9	33.3	16.0	2.62	1.14	18.7	9.92	2.84	12.8
DAT	1	14	18	14	2	1	1	1	14	1	1	20
SR	4.45	8.54	10.4	10.8	17.1	7.54	1.68	1.07	5.88	4.16	2.17	5.79
MIN	2.18	3.06	6.14	8.36	12.8	2.62	1.30	.980	1.14	2.62	1.30	1.74
DAT	27	5	13	26	17	30	13	8	5	29	26	1
GMIN =		.980		SRGOD=		6.61		GMAX =		33.3		
DATUM		8 8						DATUM		2 5		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1979

Broj : 47207 Stanica : BAC Kota "0" = 920.60
Nacin osmat.: limnigraf Rijeka : IBAR km od usca = 239.60
Pocetak rada: 1979 Sliv : ZAPAD. MORAVE Pov.sliva = 411.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	12.8	9.92	3.50	6.80	9.14	6.47	4.16	2.84	5.48	2.84	20.0	9.92	
2	9.92	7.97	3.28	6.80	9.14	6.80	3.83	2.40	4.82	2.84	18.7	9.14	
3	7.58	7.58	4.16	6.80	9.14	6.80	3.50	1.96	4.49	3.06	9.53	8.36	
4	6.47	6.47	3.50	5.81	9.92	6.14	4.16	1.74	4.16	3.06	9.14	7.97	
5	6.14	6.80	3.50	7.58	10.7	5.48	5.15	1.74	4.49	2.62	7.97	6.80	
6	5.48	6.80	3.50	13.9	11.8	5.15	4.82	1.74	7.97	2.62	9.14	6.14	
7	4.82	7.19	3.28	8.75	9.53	4.82	4.49	1.30	10.3	4.16	9.14	5.81	
8	8.36	6.47	3.28	9.53	10.7	4.49	4.16	1.30	8.36	4.16	9.14	5.15	
9	6.14	6.47	3.28	7.58	11.8	4.49	8.36	1.30	6.80	3.06	8.75	5.15	
10	4.16	6.47	3.50	7.19	11.8	5.48	6.80	4.49	6.14	2.62	8.36	5.15	
11	6.14	9.92	3.50	6.47	12.3	5.81	5.81	2.18	5.48	2.62	12.8	4.82	
12	13.9	9.92	3.50	6.47	14.9	5.15	4.82	11.8	5.48	2.40	11.8	17.3	
13	9.14	23.8	3.83	6.47	152	4.16	4.16	6.80	4.82	2.62	9.14	8.36	
14	6.80	17.3	4.49	5.81	138	4.16	3.50	6.80	3.50	2.62	8.36	7.58	
15	6.14	11.8	5.48	5.81	14.4	3.50	4.49	5.48	3.50	2.40	7.58	6.14	
16	5.48	9.53	6.47	5.81	11.8	4.16	5.48	5.48	4.49	2.40	21.4	6.14	
17	5.48	9.14	6.80	6.47	11.2	5.15	4.82	6.80	4.82	2.18	98.3	5.48	
18	5.48	9.92	5.48	7.58	11.2	10.7	4.82	10.7	3.28	2.18	46.0	4.82	
19	5.48	9.92	5.15	8.36	11.8	6.47	4.16	7.97	3.28	1.96	73.9	4.16	
20	5.48	7.97	5.15	7.19	12.3	5.81	3.50	8.36	3.28	3.50	35.8	4.16	
21	5.48	6.80	6.14	6.80	11.8	5.48	3.28	11.2	3.28	3.50	22.7	4.16	
22	4.16	4.82	6.47	6.47	11.2	6.47	2.84	172	3.28	3.06	15.5	3.50	
23	4.16	3.50	7.19	5.81	10.7	7.58	2.84	158	2.62	2.62	15.5	3.50	
24	3.83	4.16	6.14	5.48	9.92	8.75	2.84	136	3.28	3.28	14.9	11.8	
25	4.16	3.50	5.48	5.48	9.53	8.75	2.18	10.7	3.28	2.84	13.4	9.14	
26	14.9	4.16	5.48	6.14	9.14	6.80	2.18	9.92	3.06	2.84	9.14	7.58	
27	9.92	3.83	5.48	6.14	9.53	5.48	1.74	8.75	3.06	2.62	9.92	6.14	
28	9.14	4.16	13.9	16.0	9.14	5.48	5.15	7.58	3.06	2.62	9.14	5.48	
29	13.4		11.2	13.4	9.14	4.82	3.50	6.80	3.06	2.84	8.36	4.82	
30	21.4		9.53	10.7	8.75	4.49	3.06	5.81	2.84	21.4	8.36	4.16	
31	13.9		8.75		7.97		2.84	5.48		35.8		5.81	
SD1	7.19	7.21	3.48	8.07	10.4	5.61	4.94	2.08	6.30	3.10	11.0	6.96	
SD2	6.95	11.9	4.99	6.64	39.0	5.51	4.56	7.24	4.19	2.49	32.5	6.90	
SD3	9.50	4.37	7.80	8.24	9.71	6.41	2.95	48.4	3.08	7.58	12.7	6.01	
MAX	21.4	23.8	13.9	16.0	25.9	10.7	8.36	43.5	10.3	35.8	98.3	17.3	
DAT	30	13	28	28	13	18	9	22	7	31	17	12	
SR	7.93	8.08	5.50	7.65	19.4	5.84	4.11	20.2	4.53	4.49	18.7	6.60	
MIN	3.83	3.50	3.28	5.48	7.97	3.50	1.74	1.30	2.62	1.96	7.58	3.50	
DAT	24	23	2	24	31	15	27	7	23	19	15	22	
GMIN =			1.30	SRGOD=			9.43	GMAX =			98.3		
DATUM			7 8					DATUM			17 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1980

Broj : 47207 Stanica : BAC Kota "0" = 920.60
Nacin osmat.: limnigraf Rijeka : IBAR km od usca = 239.60
Pocetak rada: 1979 Sliv : ZAPAD. MORAVE Pov.sliva = 411.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	5.48	3.50	2.62	10.7	6.80	14.9	3.50	.980	2.40	.820	6.80	8.36
2	4.82	7.58	2.62	9.92	9.92	9.92	3.50	.980	2.62	.820	5.48	7.58
3	3.50	6.14	2.62	12.8	9.92	9.14	3.50	.980	2.40	.820	5.48	6.47
4	3.50	5.48	3.50	10.7	9.92	8.36	3.06	.980	1.74	.820	5.15	6.14
5	3.50	5.48	3.06	8.36	17.3	7.58	3.06	.980	1.74	.820	4.82	5.81
6	3.50	5.48	2.62	7.58	20.0	9.92	2.84	.820	1.30	.820	4.82	4.82
7	3.06	6.80	2.62	6.80	17.3	9.92	2.62	.820	1.30	.820	4.82	6.80
8	3.06	7.58	2.62	6.14	14.9	9.92	2.62	.820	1.30	.820	6.80	6.14
9	2.62	6.14	3.06	6.14	16.0	7.58	2.62	.820	1.74	.820	4.82	6.14
10	2.62	6.14	3.50	6.14	17.3	10.7	2.40	.820	1.30	10.7	4.82	6.14
11	2.18	6.14	3.06	4.82	24.8	10.7	1.96	.820	1.30	7.97	10.7	6.14
12	2.18	6.14	3.06	4.82	22.7	9.14	1.96	.820	1.74	4.16	10.7	4.82
13	2.18	6.14	3.06	4.16	17.3	9.14	2.40	.820	1.74	33.3	16.0	4.16
14	1.74	5.48	3.06	4.16	16.0	8.36	2.40	1.30	1.30	22.7	22.7	4.16
15	2.62	4.82	3.06	5.48	13.9	8.36	1.74	1.30	1.14	19.4	23.8	4.16
16	2.18	4.16	3.06	6.80	13.9	8.36	1.74	1.06	1.14	15.5	16.0	4.16
17	2.18	3.50	3.06	6.80	13.9	6.80	1.30	1.06	.980	7.58	11.8	4.16
18	2.18	3.50	3.06	9.14	11.8	6.14	1.30	9.14	.980	6.80	9.14	4.16
19	1.74	3.50	3.06	10.7	10.7	5.48	1.30	3.50	.980	7.58	7.97	3.83
20	1.74	3.06	3.06	10.7	16.0	11.2	1.30	2.62	.980	6.80	9.53	3.83
21	1.74	2.62	6.14	11.8	21.4	8.36	1.74	2.18	.820	11.8	6.80	4.49
22	1.74	2.62	6.14	12.8	17.3	6.80	1.30	1.30	.820	8.75	6.80	4.16
23	1.74	2.62	9.92	11.8	13.9	5.48	1.30	1.30	.820	6.80	6.14	3.50
24	1.74	2.62	12.8	9.14	10.7	5.48	1.30	1.30	.820	10.7	5.81	4.16
25	2.18	2.62	9.92	7.58	16.0	5.48	1.30	1.30	.980	10.7	5.15	3.06
26	4.16	2.62	9.14	7.58	13.9	4.16	1.30	1.30	1.14	7.58	5.15	2.40
27	3.06	2.62	7.58	7.58	11.8	3.50	1.30	1.30	.980	17.3	4.82	3.28
28	2.18	2.62	8.36	7.58	12.8	4.82	1.30	1.14	.980	12.8	4.82	3.50
29	4.82	2.62	9.14	7.58	16.0	3.50	1.30	.980	.980	9.92	4.82	3.50
30	4.16		10.7	6.80	14.9	3.06	1.14	1.30	.980	8.36	10.7	3.50
31	3.06		12.8		14.9		1.14	1.14		7.97		3.50
SD1	3.57	6.03	2.88	8.53	13.9	9.79	2.97	.900	1.78	1.81	5.38	6.44
SD2	2.09	4.64	3.06	6.76	16.1	8.37	1.74	2.24	1.23	13.2	13.8	4.36
SD3	2.78	2.62	9.33	9.02	14.9	5.06	1.31	1.32	.932	10.2	6.10	3.55
MAX	5.48	7.58	12.8	12.8	24.8	14.9	3.50	9.14	2.62	33.3	23.8	8.36
DAT	1	7	24	22	11	1	1	18	2	13	15	1
SR	2.81	4.49	5.23	8.10	15.0	7.74	1.99	1.48	1.31	8.47	8.44	4.74
MIN	1.74	2.62	2.62	4.16	6.80	3.06	1.14	.820	.820	.820	4.82	2.40
DAT	14	21	1	13	1	30	30	6	21	1	5	26
GMIN =			.820	SRGOD=			5.82	GMAX =			33.3	
DATUM			6 8					DATUM			13 10	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1981

Broj : 47207 Stanica : BAC Kota "0" = 920.60
Nacin osmat.: limnigraf Rijeka : IBAR km od usca = 239.60
Pocetak rada: 1979 Sliv : ZAPAD. MORAVE Pov.sliva = 411.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII					
1	3.21	2.26	1.88	27.0	10.9	8.04	1.69	1.20	1.50	1.50	3.40	3.02					
2	3.02	2.07	1.88	18.5	11.6	7.72	1.69	1.20	1.50	1.50	3.02	5.80					
3	3.02	2.45	2.64	18.5	10.1	7.40	1.50	1.10	1.50	3.88	2.64	4.36					
4	3.02	2.26	7.08	16.2	12.7	7.08	1.40	1.10	1.50	3.02	2.64	3.88					
5	3.40	2.07	13.3	12.7	12.7	7.08	1.40	1.10	1.50	2.64	2.64	3.40					
6	3.40	2.07	6.12	12.3	11.6	6.44	1.30	1.10	5.80	2.45	2.45	2.64					
7	3.40	1.88	5.80	11.2	9.74	5.80	1.20	1.10	5.32	1.50	2.45	2.26					
8	3.21	1.69	5.80	9.74	9.37	5.56	1.40	1.00	3.02	1.50	2.07	11.2					
9	3.02	1.69	5.80	12.7	9.00	5.08	1.40	1.00	2.64	1.50	1.88	11.2					
10	2.83	1.69	7.72	12.7	10.5	4.84	1.40	1.00	2.07	1.50	2.07	12.0					
11	3.02	2.64	7.72	12.7	10.5	5.80	1.40	.900	1.88	1.30	2.07	11.2					
12	3.02	3.21	11.2	14.4	23.6	5.32	1.20	.800	1.88	1.50	2.45	12.0					
13	3.21	4.36	14.4	12.3	23.6	5.08	1.50	1.10	1.88	1.50	2.07	16.2					
14	2.64	3.40	10.9	13.3	12.0	4.84	1.88	1.10	1.50	2.07	1.88	16.2					
15	2.26	3.02	9.74	13.3	12.0	4.12	2.64	1.10	12.7	1.69	2.45	5.80					
16	2.64	3.02	9.74	13.3	12.0	4.12	2.07	1.10	7.72	1.50	3.02	5.80					
17	2.26	3.40	9.00	15.6	12.3	3.88	1.50	1.10	4.84	1.50	4.36	6.44					
18	2.64	3.21	9.00	12.7	12.0	3.88	1.50	3.40	3.88	1.50	2.64	5.08					
19	2.64	3.21	27.0	11.2	12.3	3.88	1.50	1.40	3.40	1.50	2.64	5.32					
20	2.07	2.64	11.2	9.37	12.7	2.83	1.50	1.40	2.83	1.50	3.02	9.00					
21	1.69	2.45	9.00	9.00	12.3	2.83	1.50	1.30	2.64	1.30	3.02	5.32					
22	2.26	2.07	9.00	10.9	12.0	2.64	1.50	1.50	2.26	1.30	3.40	5.32					
23	2.26	2.07	9.00	12.3	12.0	2.45	1.20	1.50	1.88	1.50	4.12	6.44					
24	2.26	2.26	9.00	14.4	11.2	2.45	1.20	1.50	1.88	13.9	5.56	5.56					
25	2.07	2.26	9.00	20.2	11.2	2.26	1.20	2.26	1.50	7.72	6.44	8.36					
26	2.45	2.07	11.2	17.3	11.2	2.07	1.20	1.50	1.50	5.32	5.80	8.04					
27	2.26	2.26	12.7	21.0	11.2	2.07	1.20	1.50	1.50	3.64	4.36	6.44					
28	2.45	1.88	13.9	19.4	10.5	1.88	2.64	1.50	1.50	3.40	4.12	5.08					
29	2.45		18.5	14.4	9.00	1.69	1.50	1.88	1.50	3.40	4.12	4.84					
30	2.45		18.5	11.6	8.68	1.69	1.40	1.50	1.50	3.40	3.88	8.04					
31	2.26		16.8		8.36		1.30	1.69		3.40		6.44					
SD1	3.15	2.01	5.80	15.2	10.8	6.50	1.44	1.09	2.63	2.10	2.53	5.98					
SD2	2.64	3.21	12.0	12.8	14.3	4.38	1.67	1.34	4.25	1.56	2.66	9.30					
SD3	2.26	2.16	12.4	15.1	10.7	2.20	1.44	1.60	1.77	4.39	4.48	6.35					
MAX	3.40	4.36	27.0	27.0	23.6	8.04	2.64	3.40	12.7	13.9	6.44	16.2					
DAT	5	13	19	1	12	1	15	18	15	24	25	13					
SR	2.67	2.48	10.1	14.3	11.9	4.36	1.51	1.35	2.88	2.74	3.22	7.18					
MIN	1.69	1.69	1.88	9.00	8.36	1.69	1.20	.800	1.50	1.30	1.88	2.26					
DAT	21	8	1	21	31	29	7	12	1	11	9	7					

GMIN =			.800			SRGOD=			5.41			GMAX =			27.0		
DATUM			12 8									DATUM			19 3		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1982

Broj : 47207 Stanica : BAC Kota "0" = 920.60
Nacin osmat.: limnigraf Rijeka : IBAR km od usca = 239.60
Pocetak rada: 1979 Sliv : ZAPAD. MORAVE Pov.sliva = 411.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	6.44	2.45	1.00	12.7	4.12	5.80	2.07	1.20	.900	.500	.500	.900
2	10.1	2.45	1.00	9.74	5.08	5.08	1.88	1.40	.900	.500	.500	.900
3	8.36	2.45	.800	11.2	4.60	4.36	1.50	1.30	.900	.500	.500	.900
4	7.08	2.45	.800	9.74	5.56	4.12	1.50	1.20	.900	.500	.700	.900
5	6.44	2.45	.800	8.36	8.36	3.88	1.69	1.10	.900	.500	.700	.900
6	5.56	2.45	1.50	16.8	8.36	3.40	1.50	1.88	.900	.500	.700	.900
7	5.56	2.45	1.88	8.36	10.9	3.21	2.83	1.50	.900	.500	.700	.900
8	5.56	2.45	1.50	8.68	12.3	3.02	2.45	1.10	.900	.500	.700	.900
9	4.12	2.45	1.50	10.1	15.0	3.02	2.07	2.26	.700	.500	.700	.900
10	3.88	2.26	1.69	10.1	13.9	3.02	1.88	1.88	.900	.500	.700	.900
11	3.88	2.26	2.07	9.37	13.9	3.02	2.07	1.69	.900	.500	.700	.900
12	3.64	2.26	1.88	8.36	15.0	2.07	1.88	1.30	.900	.500	.700	1.00
13	6.12	2.26	1.50	7.72	11.6	2.83	2.07	1.40	.900	.500	.700	.900
14	5.32	2.26	1.50	7.72	9.74	2.64	1.69	1.10	.900	.500	.700	1.50
15	3.64	2.26	1.50	10.9	8.68	5.08	1.69	1.20	.900	.500	1.10	2.64
16	4.12	2.26	1.50	16.8	8.36	3.88	1.50	1.10	.700	.500	1.10	.700
17	3.40	2.26	1.50	15.6	7.72	3.02	1.50	1.10	.500	.500	1.30	.700
18	3.40	2.07	1.50	16.2	7.72	2.83	1.40	1.00	.500	.500	1.30	.700
19	3.21	2.07	2.26	12.0	7.08	2.83	1.40	1.00	.500	.500	.900	.700
20	3.02	2.07	2.45	10.1	6.44	2.45	1.30	1.00	.500	.500	.900	.700
21	3.02	2.07	2.07	8.04	6.44	2.07	1.30	1.00	.500	.500	.900	.700
22	3.02	2.07	1.69	6.44	6.44	3.40	1.20	1.00	.500	.500	.900	.900
23	2.64	2.07	1.50	5.80	6.12	3.21	1.10	1.20	.500	.500	.900	.900
24	2.64	2.07	1.40	5.32	6.44	3.21	1.50	1.10	.500	.500	.700	.900
25	2.64	2.07	1.40	4.84	6.44	3.02	1.10	1.00	.500	.500	.700	.900
26	2.64	2.07	1.40	5.08	6.76	3.02	1.10	1.00	.500	.500	.700	.700
27	2.64	2.07	1.40	4.84	7.40	2.83	1.88	1.00	.500	.500	.700	.700
28	2.45	2.07	2.26	4.60	8.36	2.83	2.07	1.00	.500	.500	.900	.500
29	2.45		3.21	4.36	6.44	2.64	1.30	1.00	.500	.500	.900	.500
30	2.45		5.08	4.36	6.44	1.88	1.20	.900	.500	.500	.900	.500
31	2.45		13.9		6.44		1.20	1.20		.500		.500
SD1	6.31	2.43	1.25	10.6	8.82	3.89	1.94	1.48	.880	.500	.640	.900
SD2	3.97	2.20	1.77	11.5	9.62	3.07	1.65	1.19	.720	.500	.940	1.04
SD3	2.64	2.07	3.21	5.37	6.70	2.81	1.36	1.04	.500	.500	.820	.700
MAX	10.1	2.45	13.9	16.8	15.0	5.80	2.83	2.26	.900	.500	1.30	2.64
DAT	2	1	31	6	9	1	7	9	1	1	17	15
SR	4.25	2.25	2.11	9.14	8.33	3.26	1.64	1.23	.700	.500	.800	.875
MIN	2.45	2.07	.800	4.36	4.12	1.88	1.10	.900	.500	.500	.500	.500
DAT	28	18	3	29	1	30	23	30	17	1	1	28
GMIN =			.500	SRGOD=			2.92	GMAX =			16.8	
DATUM			17 9					DATUM			6 4	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1983

Broj : 47207 Stanica : BAC Kota "0" = 920.60
Nacin osmat.: limnigraf Rijeka : IBAR km od usca = 239.60
Pocetak rada: 1979 Sliv : ZAPAD. MORAVE Pov.sliva = 411.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	2.18	2.40	1.74	12.8	10.7	3.50	7.58	4.16	2.18	4.82	4.49	5.15
2	2.18	2.18	1.74	13.9	12.3	3.06	7.58	3.50	2.18	4.16	4.16	5.15
3	1.96	1.96	1.74	13.4	9.92	2.84	9.53	3.06	2.18	3.50	4.49	5.15
4	1.96	2.18	1.74	11.2	7.97	2.84	10.3	2.62	3.28	3.28	3.83	5.15
5	2.18	1.96	1.74	9.53	7.19	2.40	8.36	2.62	6.14	3.06	3.28	5.15
6	2.18	2.18	1.96	8.36	6.47	2.18	6.14	2.40	5.48	2.84	2.84	4.82
7	2.18	3.50	1.96	8.36	5.81	3.06	5.48	2.18	4.16	2.62	2.40	4.82
8	2.18	7.19	3.06	8.75	5.48	4.82	6.80	2.62	3.28	2.62	2.18	4.82
9	2.18	3.83	4.82	10.7	5.15	4.16	7.97	2.40	2.62	2.62	1.96	4.49
10	1.74	4.82	6.14	13.4	5.15	3.06	6.47	2.18	2.40	2.84	1.74	4.16
11	1.96	7.58	7.19	15.5	5.15	2.62	5.81	2.18	2.18	2.40	1.74	4.16
12	1.74	11.2	6.80	16.7	4.82	2.62	5.81	2.40	2.18	3.28	1.74	4.16
13	1.96	6.14	4.82	18.7	4.82	3.28	6.14	2.18	1.96	2.84	1.74	4.16
14	1.96	4.82	3.50	13.9	4.82	6.80	5.48	3.83	1.74	2.40	1.52	4.16
15	1.74	3.83	3.50	10.3	4.49	21.4	6.14	2.84	1.74	2.40	2.18	4.16
16	1.74	3.28	3.83	9.14	4.82	34.6	6.47	2.40	1.74	2.40	2.18	4.16
17	1.52	3.06	4.49	7.97	5.48	42.2	6.47	2.18	1.74	2.18	1.96	4.16
18	1.52	2.62	5.48	7.58	4.49	34.6	6.14	2.18	6.47	1.96	1.74	4.16
19	1.52	2.62	6.47	7.58	3.83	23.8	5.81	2.18	10.3	1.74	1.74	3.83
20	1.52	2.40	6.80	10.3	3.28	18.0	5.15	2.18	18.7	1.74	1.52	5.48
21	1.74	2.18	7.19	13.9	3.06	11.8	4.16	2.18	15.5	1.74	1.74	6.80
22	1.74	2.18	9.14	16.0	2.84	9.92	3.50	2.40	9.92	1.74	1.30	5.48
23	1.52	2.18	10.3	15.5	3.06	10.3	3.28	2.62	7.19	1.74	1.74	5.48
24	1.30	2.18	9.14	13.4	3.28	14.4	3.06	2.84	5.81	1.74	1.30	4.82
25	1.30	1.96	15.5	12.8	2.84	10.7	3.06	2.40	5.15	1.52	1.30	4.16
26	1.52	1.96	47.3	12.3	5.81	9.14	3.28	2.18	9.14	1.52	1.30	3.50
27	1.52	1.96	29.1	11.8	3.83	7.97	3.06	2.18	8.75	1.52	1.30	10.7
28	1.52	1.74	15.5	12.3	3.50	7.19	2.84	2.18	7.97	1.52	13.9	7.97
29	1.74		11.2	12.3	3.83	7.19	2.62	2.18	6.14	1.52	10.7	6.80
30	1.96		9.92	12.3	3.83	7.97	4.82	2.18	5.48	1.52	6.80	6.80
31	2.62		11.2		4.49		5.15	2.18		1.74		6.14
SD1	2.09	3.22	2.66	11.0	7.61	3.19	7.62	2.77	3.39	3.24	3.14	4.89
SD2	1.72	4.76	5.29	11.8	4.60	19.0	5.94	2.46	4.88	2.33	1.81	4.26
SD3	1.68	2.04	16.0	13.3	3.67	9.66	3.53	2.32	8.11	1.62	4.14	6.24
MAX	2.62	16.0	56.2	20.7	12.8	42.2	15.5	5.81	20.0	4.82	13.9	10.7
DAT	1	12	26	13	2	17	30	14	20	1	28	27
SR	1.83	3.43	8.23	12.0	5.24	10.6	5.63	2.51	5.46	2.37	3.03	5.16
MIN	1.30	1.74	1.74	7.58	2.84	2.18	2.62	2.18	1.74	1.52	1.30	3.50
DAT	24	28	1	18	22	6	29	7	14	25	22	26
GMIN =		1.30		SRGOD=		5.45		GMAX =		56.2		
DATUM		24 1						DATUM		26 3		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1984

Broj : 47207 Stanica : BAC Kota "0" = 920.60
Nacin osmat.: limnigraf Rijeka : IBAR km od usca = 239.60
Pocetak rada: 1979 Sliv : ZAPAD. MORAVE Pov.sliva = 411.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	5.48	4.49	5.15	11.2	10.3	9.92	2.18	.980	1.14	1.30	.980	1.52	
2	4.16	4.16	8.75	12.3	20.7	9.92	2.18	.980	1.14	1.14	.820	1.52	
3	5.48	4.16	8.75	25.9	30.1	9.14	2.18	.980	1.06	1.14	.820	1.30	
4	6.47	4.49	7.58	31.2	35.8	8.36	2.18	.980	.980	1.06	.820	1.30	
5	7.58	4.82	6.47	18.7	43.5	7.58	2.18	.980	.980	1.30	.820	1.06	
6	6.14	4.82	5.48	16.0	44.7	7.58	1.30	.980	.980	1.14	.820	1.06	
7	6.14	4.82	5.48	21.4	35.8	7.19	1.30	.980	.980	1.14	.820	1.06	
8	4.82	4.82	4.82	17.3	34.6	6.80	1.74	1.30	.980	1.30	.820	1.06	
9	4.82	4.16	4.49	15.5	32.2	5.48	2.18	1.06	.820	1.14	.820	1.06	
10	7.58	4.49	4.16	14.4	37.1	5.48	1.96	.980	.820	1.14	.820	1.06	
11	5.81	4.49	3.83	12.8	35.8	4.49	1.96	.980	.820	1.14	.660	1.06	
12	5.48	3.50	3.50	13.9	33.3	5.48	1.96	.980	.820	1.14	.660	1.06	
13	5.15	3.28	3.50	13.9	29.1	5.81	1.96	.900	.820	1.30	.660	1.06	
14	5.81	3.28	3.06	14.4	22.7	4.82	1.96	1.14	.820	1.30	.660	1.06	
15	5.15	3.28	3.06	13.4	19.4	4.82	1.96	1.30	.820	1.30	.660	1.06	
16	5.15	3.06	3.28	14.9	22.0	4.82	1.96	3.28	.820	1.30	.660	1.06	
17	4.82	3.06	3.28	16.0	24.8	4.16	1.96	1.74	1.30	1.30	.660	1.06	
18	4.49	3.06	3.83	13.9	21.4	3.50	1.96	1.30	.980	1.14	3.06	.980	
19	4.16	2.84	4.16	12.3	20.0	3.50	1.96	1.06	.900	1.14	4.49	.900	
20	4.16	2.62	3.83	9.53	20.0	3.28	1.96	1.06	.820	1.14	4.82	.900	
21	4.16	2.62	3.83	9.14	31.2	3.28	1.96	1.06	3.06	1.14	5.81	.900	
22	5.81	2.62	3.50	9.14	22.0	3.28	1.96	1.06	1.30	1.14	3.06	.900	
23	11.2	2.84	3.50	8.36	18.0	3.28	1.96	1.06	6.80	1.14	1.74	.900	
24	9.53	4.16	3.50	10.3	17.3	3.28	1.96	.980	2.18	1.06	1.96	.900	
25	7.97	5.15	3.50	12.3	13.9	3.50	1.30	.980	1.30	1.06	1.74	.980	
26	6.14	4.82	5.48	9.92	11.8	2.84	.980	.980	7.19	1.06	1.74	.900	
27	5.15	4.49	13.4	11.2	10.7	2.84	.980	2.18	4.16	.980	1.52	.900	
28	5.15	4.16	14.4	9.92	10.7	2.84	.980	1.30	2.62	.980	2.40	.900	
29	4.49	4.49	14.4	9.14	10.3	2.62	.980	1.74	1.96	.980	1.74	.900	
30	4.49		18.7	8.75	9.92	2.40	.980	1.30	1.52	.980	1.52	.900	
31	4.49		15.5		9.53		.980	1.30		.980		.900	
SD1	5.87	4.52	6.11	18.4	32.5	7.75	1.94	1.02	.988	1.18	.836	1.20	
SD2	5.02	3.25	3.53	13.5	24.8	4.47	1.96	1.37	.892	1.22	1.70	1.02	
SD3	6.23	3.93	9.06	9.82	15.0	3.02	1.37	1.27	3.21	1.05	2.32	.907	
MAX	11.8	5.81	20.7	43.5	52.3	10.7	2.18	3.28	7.19	1.30	5.81	1.52	
DAT	23	24	30	3	6	1	1	16	26	8	21	1	
SR	5.72	3.90	6.33	13.9	23.8	5.08	1.74	1.22	1.70	1.15	1.62	1.04	
MIN	4.16	2.62	3.06	8.36	9.53	2.40	.980	.900	.820	.980	.660	.900	
DAT	2	20	14	23	31	30	26	13	9	27	11	19	
		GMIN = .660		SRGOD= 5.61		GMAX = 52.3				DATUM 6 5			
		DATUM 11 11											

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1985

Broj : 47207 Stanica : BAC Kota "0" = 920.60
Nacin osmat.: limnigraf Rijeka : IBAR km od usca = 239.60
Pocetak rada: 1979 Sliv : ZAPAD. MORAVE Pov.sliva = 411.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.900	1.06	1.30	6.80	11.8	3.50	1.14	.580	1.74	.450	4.49	4.16
2	.900	1.06	1.30	6.80	10.3	3.28	1.14	.580	1.06	.450	5.15	3.83
3	.820	1.06	1.30	7.97	11.8	3.06	1.52	.580	.820	.450	4.82	4.82
4	.900	.980	1.30	9.92	17.3	3.28	1.22	.580	.740	.450	2.84	7.58
5	.900	1.06	1.74	14.4	15.5	3.06	1.14	.660	.660	.450	2.84	9.53
6	.900	.980	2.40	16.7	14.9	3.06	1.14	.660	.660	.475	2.18	8.75
7	.900	.980	3.06	17.3	16.0	2.84	1.06	.660	.660	.475	1.74	7.58
8	.900	.980	3.50	16.0	13.4	2.62	.980	.740	.660	.475	3.06	6.14
9	.900	1.14	3.50	16.7	11.2	2.62	.980	.740	.580	.475	2.62	5.48
10	.900	5.48	3.28	22.7	10.7	2.40	.980	.740	.900	.475	1.96	5.15
11	.820	12.8	3.28	31.2	10.7	2.18	1.22	.660	.660	.475	1.74	4.82
12	.820	9.53	3.28	20.7	12.8	2.18	1.22	.660	.660	.475	1.52	4.82
13	.820	5.81	3.06	14.4	12.3	1.96	1.06	.660	.660	.475	1.30	4.82
14	.820	4.16	3.06	10.3	12.3	1.96	.980	.660	.660	.475	1.30	4.82
15	.820	4.16	3.06	8.75	10.3	1.74	.900	.660	.660	.450	1.30	4.16
16	.820	2.62	3.06	8.36	9.53	1.74	.900	.580	.580	.450	1.30	3.83
17	.820	1.96	3.06	8.36	9.53	1.96	.900	.580	.580	.500	1.52	3.50
18	.820	1.30	3.06	8.75	8.75	2.40	.980	.580	.580	.500	2.40	3.50
19	.820	1.14	3.06	10.7	7.97	1.96	.900	.580	.580	.500	22.0	3.06
20	.820	1.22	3.06	12.3	7.19	1.74	.900	.580	.580	.500	46.0	2.84
21	.740	1.14	3.06	12.3	6.14	4.49	.900	.580	.580	.500	22.0	2.40
22	.820	1.14	3.06	12.8	5.48	3.06	.820	.580	.580	.500	13.4	2.18
23	.980	1.30	3.28	13.4	4.82	2.62	.820	.580	.580	.500	9.92	1.74
24	1.96	1.30	3.83	12.3	4.16	2.18	.740	.580	.580	.580	8.75	1.96
25	3.06	1.96	4.49	12.3	3.50	2.84	.740	.580	.580	.580	8.36	1.74
26	1.96	1.74	5.81	12.3	4.49	2.40	.660	.580	.580	.660	7.19	1.74
27	1.30	1.30	5.81	14.9	4.16	2.18	.660	.580	.660	.660	6.47	3.50
28	1.22	1.30	6.47	16.7	3.83	1.96	.580	.980	.660	.660	5.81	2.62
29	1.06		8.75	23.8	3.50	1.74	.580	.900	.660	.660	5.15	4.16
30	1.06		7.19	16.0	3.50	1.30	.580	1.14	.580	.660	4.16	8.36
31	1.14		6.80		3.28		.580	1.74		.660		14.4
SD1	.892	1.48	2.27	13.5	13.3	2.97	1.13	.652	.848	.462	3.17	6.30
SD2	.820	4.47	3.10	13.4	10.1	1.98	.996	.620	.620	.480	8.04	4.02
SD3	1.39	1.40	5.32	14.7	4.26	2.48	.696	.802	.604	.602	9.12	4.07
MAX	3.50	16.0	8.75	31.2	18.0	7.97	2.18	2.62	2.62	.660	51.1	17.3
DAT	24	11	29	11	4	21	3	31	1	31	20	31
SR	1.05	2.52	3.62	13.9	9.07	2.48	.933	.695	.691	.518	6.78	4.77
MIN	.740	.980	1.30	6.80	3.28	1.30	.580	.580	.580	.450	1.30	1.74
DAT	21	4	1	1	31	30	28	1	9	1	13	23
GMIN =		.450		SRGOD=		3.90		GMAX =		51.1		
DATUM		1 10						DATUM		20 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1986

Broj : 47207 Stanica : BAC Kota "0" = 920.60
Nacin osmat.: limnigraf Rijeka : IBAR km od usca = 239.60
Pocetak rada: 1979 Sliv : ZAPAD. MORAVE Pov.sliva = 411.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII		
1	16.7	4.82	7.19	15.5	19.4	10.3	7.19	2.40	.900	.820	.980	.900		
2	11.8	7.97	7.19	14.4	18.0	8.36	11.2	2.40	.900	.820	.900	.900		
3	8.36	6.80	10.7	13.9	16.7	7.58	11.8	2.62	.900	.820	.900	.900		
4	22.7	5.81	13.4	14.9	15.5	6.80	9.14	1.74	.900	.820	.900	.900		
5	20.0	5.48	13.9	14.9	16.7	6.47	7.97	1.74	.900	.820	.980	.980		
6	12.3	4.82	11.2	14.9	15.5	7.19	6.80	1.74	.900	.820	.980	.980		
7	9.92	4.49	10.7	15.5	13.4	9.53	5.81	1.74	.900	.820	1.06	.980		
8	7.97	4.16	9.92	18.0	12.3	13.4	6.47	1.52	.820	.820	.980	.900		
9	5.81	3.83	9.14	16.7	13.4	12.3	5.81	1.74	.820	.820	.980	.900		
10	5.81	3.50	9.92	16.7	18.7	12.3	5.15	1.52	.820	.820	.980	.820		
11	5.15	3.28	10.3	13.4	14.9	15.5	4.49	1.30	.820	.820	.980	.820		
12	5.81	3.06	10.7	11.2	12.8	15.5	4.16	1.22	.820	.820	.980	.820		
13	5.48	3.28	11.2	11.2	12.8	12.3	4.49	1.22	.820	.820	.980	.820		
14	5.15	3.06	11.2	10.3	12.3	10.7	3.50	1.74	.820	.820	.900	.820		
15	5.15	3.06	11.2	8.75	12.3	14.4	3.50	2.40	.820	.820	.900	.820		
16	5.15	3.06	10.3	7.97	12.8	11.2	3.28	1.52	.820	.820	.900	.820		
17	3.83	2.84	8.75	7.58	12.3	9.14	3.50	1.30	.820	.820	.900	.900		
18	4.16	8.36	7.97	8.75	12.8	8.75	4.82	1.22	.820	.820	.900	.900		
19	3.50	47.3	7.19	15.5	10.7	8.36	5.81	1.14	.820	.900	.900	.900		
20	3.28	25.9	6.47	18.0	10.7	9.14	4.49	1.14	.820	.900	.900	1.06		
21	3.28	16.0	5.81	12.8	11.2	8.36	4.16	1.14	.820	.980	.900	1.06		
22	3.06	12.3	5.81	10.7	10.7	7.97	4.82	1.14	.820	.980	.900	.980		
23	3.50	10.7	5.81	10.3	11.2	7.19	7.19	1.06	.820	.820	.900	.980		
24	5.15	12.3	5.48	11.2	12.8	6.80	5.15	.980	.820	2.18	.900	.980		
25	12.3	12.8	5.81	11.8	25.9	6.14	4.49	1.06	.820	1.74	.900	1.06		
26	7.97	10.3	8.75	13.4	22.0	5.48	3.83	1.06	.820	1.22	.900	1.06		
27	6.47	8.75	11.8	13.9	14.9	5.15	3.28	.980	.820	1.14	.900	1.06		
28	5.81	7.58	12.8	13.4	11.8	4.82	3.06	.980	.820	2.18	.900	.980		
29	5.15		16.0	13.9	10.3	4.49	2.84	.980	.820	1.74	.900	.980		
30	4.49		18.0	14.4	9.92	6.47	2.62	.900	.820	1.22	.900	.980		
31	4.16		16.7		9.92		2.40	.900		1.06		.980		
SD1	12.1	5.17	10.3	15.5	16.0	9.42	7.73	1.92	.876	.820	.964	.916		
SD2	4.67	10.3	9.53	11.3	12.4	11.5	4.20	1.42	.820	.836	.924	.868		
SD3	5.58	11.3	10.3	12.6	13.7	6.29	3.99	1.02	.820	1.39	.900	1.01		
MAX	43.5	56.2	19.4	21.4	34.6	18.0	14.4	6.80	1.06	7.58	1.06	1.14		
DAT	4	19	30	19	25	11	2	14	1	24	7	7		
SR	7.40	8.77	10.0	13.1	14.0	9.07	5.27	1.44	.839	1.03	.929	.934		
MIN	3.06	2.84	5.48	7.58	9.92	4.49	2.40	.900	.820	.820	.900	.820		
DAT	22	17	24	17	30	29	31	30	8	1	2	10		
GMIN =			.820		SRGOD=			6.05		GMAX =			56.2	
DATUM			8 9							DATUM			19 2	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1987

Broj : 47207 Stanica : BAC Kota "0" = 920.60
Nacin osmat.: limnigraf Rijeka : IBAR km od usca = 239.60
Pocetak rada: 1979 Sliv : ZAPAD. MORAVE Pov.sliva = 411.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.980	7.97	2.62	6.80	8.36	7.58	.500	.235	.190	.190	.325	2.62
2	.980	5.81	1.96	5.48	9.92	9.92	.475	.220	.190	.190	.325	2.18
3	1.30	3.83	2.18	5.81	11.8	8.36	.500	.220	.190	.175	.325	1.52
4	1.30	3.28	1.14	4.16	16.0	8.36	.475	.220	.190	.175	.325	1.30
5	2.40	2.62	1.14	5.48	12.8	4.82	.500	.220	.190	.175	.325	1.06
6	2.40	2.40	1.96	6.80	18.7	4.16	.450	.220	.175	.175	.325	1.06
7	1.22	1.96	1.22	10.7	16.0	3.50	.400	.220	.175	.325	.325	1.06
8	1.14	2.62	1.30	11.8	12.8	3.06	.400	.220	.175	.325	.325	1.06
9	1.14	3.06	1.14	11.8	9.14	3.06	.400	.220	.175	.325	.300	2.40
10	.980	2.84	1.22	16.0	8.36	3.06	.400	.220	.175	.325	.300	2.40
11	.980	2.84	1.22	16.0	7.58	3.06	.400	.220	.175	.325	.500	2.18
12	1.52	3.06	1.22	10.7	6.80	2.62	.400	.220	.175	.325	.475	1.52
13	1.74	3.83	1.14	8.36	10.7	1.74	.400	.220	.175	.400	.450	2.40
14	1.96	4.16	1.14	9.14	12.3	1.74	.400	.220	.175	.350	.425	2.40
15	6.14	7.58	1.14	6.80	13.9	1.30	.400	.220	.175	.350	.400	5.81
16	7.19	9.14	1.14	6.14	13.4	1.14	.350	.450	.175	.325	.660	5.48
17	3.83	6.80	1.14	5.48	13.9	1.06	.350	.275	.175	.325	.660	3.83
18	3.83	6.14	1.06	4.82	8.36	.980	.350	.235	.175	.325	.980	9.92
19	3.83	5.48	.980	6.80	13.9	.900	.350	.220	.175	.500	.980	9.92
20	2.62	4.82	.660	10.7	13.4	.820	.300	.220	.175	.375	.820	7.19
21	2.18	9.14	3.50	11.8	8.36	.660	.275	.250	.175	.325	1.30	5.15
22	2.18	6.80	2.62	13.4	10.7	.660	.275	.250	.175	.325	1.30	4.16
23	2.18	5.48	1.74	11.8	5.48	.900	.275	.235	.175	.325	1.14	3.28
24	2.18	4.16	1.30	9.92	7.58	.660	.275	.220	.175	.325	.980	3.06
25	2.18	3.50	1.14	10.7	7.58	.820	.250	.205	.175	.325	2.84	2.40
26	2.40	2.84	1.30	12.8	7.58	.820	.250	.205	.160	.325	25.9	2.18
27	1.30	1.96	2.18	14.9	7.58	.500	.250	.190	.160	.350	20.0	1.74
28	1.30	2.40	3.50	11.8	6.80	.900	.250	.190	.160	.325	13.9	1.30
29	12.3		5.48	9.92	8.36	.820	.250	.220	.300	.325	5.15	1.30
30	10.3		7.58	8.36	11.8	.740	.250	.190	.275	.325	3.50	1.30
31	9.53		9.92		16.0		.235	.190		.325		1.30
SD1	1.38	3.64	1.59	8.48	12.4	5.59	.450	.222	.182	.238	.320	1.67
SD2	3.36	5.38	1.08	8.49	11.4	1.54	.370	.250	.175	.360	.635	5.06
SD3	4.37	4.54	3.66	11.5	8.89	.748	.258	.213	.193	.327	7.60	2.47
MAX	12.3	9.14	9.92	16.0	18.7	9.92	.500	.450	.300	.500	25.9	9.92
DAT	29	21	31	10	6	2	1	16	29	19	26	18
SR	3.08	4.52	2.16	9.51	10.8	2.62	.356	.228	.183	.309	2.85	3.05
MIN	.980	1.96	.660	4.16	5.48	.500	.235	.190	.160	.175	.300	1.06
DAT	1	7	20	4	23	27	31	27	26	3	9	5
GMIN =		.160		SRGOD=		3.29		GMAX =		25.9		
DATUM		26 9						DATUM		26 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1988

Broj : 47207 Stanica : BAC Kota "0" = 920.60
Nacin osmat.: limnigraf Rijeka : IBAR km od usca = 239.60
Pocetak rada: 1979 Sliv : ZAPAD. MORAVE Pov.sliva = 411.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	1.30	4.49	1.74	11.8	13.9	4.16	3.06	.580	.450	.500	.500	4.16	
2	1.30	3.06	1.52	11.2	13.4	7.19	2.84	.580	.450	.500	.660	13.9	
3	1.30	2.84	1.52	9.53	13.4	6.47	2.84	.580	.450	.500	.820	26.9	
4	1.30	2.40	1.52	8.75	13.9	5.81	2.62	.580	.450	.740	.820	13.9	
5	1.30	4.49	1.52	11.2	14.9	5.15	2.40	.580	.450	.660	.820	11.2	
6	1.22	5.15	1.74	16.7	15.5	4.49	2.18	.580	.450	.660	.740	12.3	
7	1.22	4.82	1.52	21.4	17.3	4.16	1.96	.500	.450	.580	.740	11.2	
8	1.22	5.15	1.52	23.8	15.5	3.83	1.96	.475	.450	.580	.740	8.36	
9	1.22	8.36	1.52	20.0	13.4	3.50	1.96	.475	.450	.740	.740	6.80	
10	1.22	6.80	1.52	18.0	13.4	3.83	1.96	.475	.450	.500	.740	5.81	
11	1.14	6.14	1.52	15.5	12.3	3.28	1.74	.475	.450	.500	.740	5.15	
12	1.14	4.82	1.74	14.9	11.2	3.06	1.52	.475	.450	.500	.740	4.49	
13	.900	4.82	1.52	15.5	10.3	4.16	1.52	.475	.450	.500	.740	4.16	
14	1.14	3.83	2.18	14.4	10.3	3.83	1.52	.475	.450	.500	2.18	3.83	
15	1.30	3.06	3.50	12.3	10.3	4.82	1.52	.475	.660	.500	1.30	3.28	
16	1.06	2.84	5.81	9.92	9.14	5.81	1.52	.475	.660	.500	1.14	3.28	
17	.980	2.40	9.92	8.75	7.97	5.15	1.52	.740	1.30	.500	.900	3.28	
18	.980	2.40	9.53	7.58	7.58	6.47	1.52	.740	2.18	.500	.900	3.28	
19	.900	2.40	6.80	7.19	7.19	6.14	1.30	.500	1.06	.500	1.06	3.06	
20	.900	2.18	5.15	6.47	6.80	6.47	1.22	.475	.820	.500	.980	3.06	
21	.900	1.96	4.82	6.47	6.47	8.36	1.14	.475	.740	.580	2.84	3.06	
22	.900	1.74	6.80	8.36	6.47	7.19	1.14	.475	1.22	.580	23.8	3.06	
23	.900	1.96	11.2	10.7	6.47	6.14	1.06	.500	1.52	.500	9.14	2.84	
24	.900	1.96	13.9	13.4	5.81	5.48	1.06	.475	1.06	.500	5.15	2.84	
25	.820	1.96	10.7	14.4	5.15	5.48	.980	.475	.900	.500	4.16	2.84	
26	1.52	1.52	10.3	16.7	5.15	5.15	.900	.475	.740	.500	3.28	2.84	
27	1.52	1.96	14.4	15.5	5.15	4.82	.900	.475	.660	.500	2.84	2.84	
28	1.22	1.74	11.8	14.9	5.15	4.16	.820	.475	.580	.500	2.40	2.84	
29	1.30	1.52	9.14	14.9	5.15	3.50	.820	.450	.580	.500	2.40	2.84	
30	4.82		7.19	14.9	4.49	3.28	.900	.450	.500	.500	2.40	2.62	
31	8.36		6.80		4.16		.660	.450		.500		2.62	
SD1	1.26	4.76	1.56	15.2	14.5	4.86	2.38	.540	.450	.596	.732	11.5	
SD2	1.04	3.49	4.77	11.3	9.31	4.92	1.49	.530	.848	.500	1.07	3.69	
SD3	2.11	1.81	9.73	13.0	5.42	5.36	.944	.470	.850	.515	5.84	2.84	
MAX	15.5	9.14	18.7	24.8	18.7	9.14	3.06	1.74	7.19	1.06	33.3	53.6	
DAT	31	9	27	8	7	21	1	16	17	8	22	2	
SR	1.49	3.41	5.50	13.2	9.59	5.04	1.58	.512	.716	.536	2.55	5.89	
MIN	.820	1.52	1.52	6.47	4.16	3.06	.660	.450	.450	.500	.500	2.62	
DAT	25	26	2	20	31	12	31	29	1	1	1	30	
	GMIN = .450		SRGOD= 4.16					GMAX = 53.6					
	DATUM 29 8							DATUM 2 12					

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1989

Broj : 47207 Stanica : BAC Kota "0" = 920.60
Nacin osmat.: limnigraf Rijeka : IBAR km od usca = 239.60
Pocetak rada: 1979 Sliv : ZAPAD. MORAVE Pov.sliva = 411.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	2.84	1.96	9.92	14.9	10.7	6.80	8.36	4.49	7.97	3.50	3.50	3.83
2	2.84	1.96	15.5	13.9	12.8	7.19	7.58	6.80	6.80	3.06	3.28	3.50
3	2.62	2.18	12.3	12.3	14.9	6.80	6.80	5.48	5.81	3.06	3.28	3.83
4	2.40	2.18	10.3	12.8	20.0	6.14	6.14	4.49	4.82	3.06	3.06	4.16
5	2.40	1.96	8.75	16.0	26.9	5.48	5.81	3.83	4.16	2.62	3.06	4.16
6	2.40	1.96	6.80	16.7	21.4	6.47	5.15	3.28	3.83	2.62	3.28	3.83
7	2.40	1.96	6.14	14.4	20.7	7.97	5.48	3.06	3.50	2.62	5.48	3.83
8	2.40	1.96	5.81	10.3	15.5	6.80	4.82	3.06	3.50	3.50	4.82	3.50
9	2.40	1.96	5.81	9.53	12.3	6.14	5.81	2.84	3.50	7.97	5.15	3.50
10	2.62	1.96	5.48	8.75	11.8	5.81	6.80	10.3	3.28	24.8	4.82	3.50
11	2.62	1.96	5.15	9.14	12.8	5.15	6.14	7.19	6.14	24.8	4.16	3.50
12	2.62	1.74	4.82	9.14	13.9	5.48	6.80	5.81	3.28	18.7	3.83	3.50
13	2.62	1.30	4.49	9.92	14.9	7.58	5.81	5.48	5.15	13.4	3.28	3.50
14	2.40	1.74	4.16	10.3	15.5	9.14	5.15	4.16	4.82	12.8	3.06	6.14
15	2.40	1.74	5.15	9.53	13.4	9.92	4.49	3.50	4.82	9.53	2.84	8.75
16	2.40	1.74	6.47	9.53	11.8	9.14	4.49	3.50	4.82	8.75	2.62	20.0
17	2.40	1.74	8.36	8.36	11.8	16.7	4.16	3.28	4.16	8.36	2.40	20.7
18	2.40	1.96	10.3	9.92	11.2	29.1	4.49	3.06	3.83	8.36	2.18	19.4
19	2.62	1.96	13.4	9.14	12.8	28.0	4.82	3.06	3.50	7.97	2.18	18.7
20	2.84	1.96	17.3	8.36	10.3	20.7	4.16	3.06	3.28	7.97	1.96	13.9
21	2.84	2.18	20.7	7.97	9.92	15.5	3.50	3.06	3.06	6.47	2.18	15.5
22	2.84	3.06	20.7	9.92	10.7	12.3	3.28	3.06	3.06	6.14	2.40	12.3
23	2.62	4.16	17.3	9.92	21.4	9.92	2.84	3.06	2.84	5.81	9.14	10.3
24	2.62	5.81	14.9	8.36	16.0	9.14	2.62	3.28	2.62	5.15	7.19	9.14
25	2.62	8.75	12.3	7.19	11.8	9.92	2.40	3.28	2.62	5.15	6.80	7.97
26	2.62	26.9	10.7	7.19	9.92	9.14	2.84	3.06	2.40	5.15	6.80	7.19
27	2.62	21.4	10.3	8.36	8.75	15.5	4.82	3.06	2.62	4.49	6.47	6.47
28	2.40	12.3	9.92	9.53	7.97	14.4	7.58	3.06	2.62	4.16	5.48	6.14
29	2.40		10.7	9.14	7.58	11.2	7.19	5.48	3.50	4.16	5.48	5.81
30	2.40		12.8	10.7	7.19	9.53	6.14	11.8	3.50	4.16	5.15	5.81
31	2.18		13.9		6.80		4.16	9.14		3.50		5.48
SD1	2.53	2.00	8.68	13.0	16.7	6.56	6.28	4.76	4.72	5.68	3.97	3.76
SD2	2.53	1.78	7.96	9.33	12.8	14.1	5.05	4.21	4.38	12.1	2.85	11.8
SD3	2.56	10.6	14.0	8.83	10.7	11.7	4.31	4.67	2.88	4.94	5.71	8.37
MAX	2.84	51.1	21.4	18.7	31.2	31.2	10.7	17.3	7.97	24.8	9.14	23.8
DAT	21	26	22	6	5	18	9	10	1	10	23	17
SR	2.54	4.37	10.3	10.4	13.3	10.8	5.18	4.55	3.99	7.48	4.18	7.99
MIN	2.18	1.30	4.16	7.19	6.80	5.15	2.40	2.84	2.40	2.62	1.96	3.50
DAT	31	13	14	25	31	11	25	9	26	5	20	2
GMIN = 1.30			SRGOD= 7.11			GMAX = 51.1						
DATUM 13 2						DATUM 26 2						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1990

Broj : 47207 Stanica : BAC Kota "0" = 920.60
Nacin osmat.: limnigraf Rijeka : IBAR km od usca = 239.60
Pocetak rada: 1979 Sliv : ZAPAD. MORAVE Pov.sliva = 411.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	5.15	2.62	3.28	6.47	9.92	7.19	1.52	.820	.660	.820	1.22	4.49
2	4.82	2.62	3.83	3.83	9.14	6.47	1.22	.740	.660	.820	1.22	3.50
3	4.82	2.40	3.28	3.83	8.75	6.47	1.14	.740	1.06	.740	1.22	3.06
4	4.82	2.40	3.06	3.83	8.75	7.97	1.14	.740	.900	.740	1.14	3.06
5	4.82	2.18	3.06	3.50	8.36	6.47	1.14	.740	.820	.820	1.22	2.84
6	4.82	1.96	3.06	3.50	7.97	5.81	1.06	.660	.820	.740	1.22	2.84
7	4.49	1.96	3.50	3.83	8.75	5.48	.980	.660	.820	.740	1.14	2.84
8	4.16	1.74	4.82	5.48	10.3	5.15	.980	.660	.820	.980	1.14	2.84
9	4.16	1.96	5.81	5.15	9.53	4.49	.900	1.22	.820	1.96	1.06	2.62
10	4.16	1.96	6.14	6.47	9.53	4.16	.900	1.30	.820	1.52	1.06	6.80
11	4.16	1.96	5.81	6.47	9.14	4.16	.900	1.06	.900	1.14	1.06	18.0
12	4.16	1.96	6.47	6.14	8.75	3.50	.900	.980	1.22	1.06	1.06	9.53
13	3.83	1.96	7.58	6.47	8.75	3.50	.900	.820	1.14	1.06	.980	7.19
14	3.83	1.96	7.19	6.80	8.75	3.28	1.22	.740	.980	.980	.980	5.81
15	3.50	3.28	6.47	8.36	8.36	3.28	1.14	.740	.980	.900	.980	4.82
16	3.50	4.49	5.81	9.14	8.36	3.50	.980	.740	.900	.740	1.14	4.49
17	3.28	3.06	5.15	10.3	7.97	3.28	.900	.820	.900	.740	1.14	3.83
18	3.06	3.06	4.49	11.8	8.36	2.84	1.06	.820	.820	.820	1.14	3.50
19	2.84	2.62	4.16	11.2	7.97	2.62	1.06	.820	.820	.820	.980	3.28
20	2.62	2.40	4.16	10.3	7.97	2.62	1.06	.740	.820	.820	.980	3.06
21	2.40	2.40	4.16	12.8	7.97	2.40	1.06	.740	1.22	2.40	.980	3.06
22	2.18	2.40	4.49	31.2	8.75	2.40	.980	.740	1.06	2.40	.980	3.06
23	1.96	2.40	4.49	32.2	8.36	2.18	.900	.740	.980	1.74	.980	3.06
24	1.74	2.40	4.82	30.1	7.19	1.96	.900	.740	.900	1.30	9.14	2.84
25	1.74	2.62	5.15	21.4	6.47	1.74	.900	.740	1.06	1.22	6.14	2.62
26	1.96	2.40	5.15	18.0	5.81	1.74	.900	.740	.980	1.22	3.83	2.62
27	2.40	3.06	5.15	15.5	6.14	1.74	.980	.660	1.06	1.22	7.58	2.84
28	2.62	3.50	5.15	12.8	5.48	1.74	.980	.660	1.30	1.22	13.4	2.84
29	2.84		4.82	13.4	7.97	1.74	.900	.660	1.06	1.30	8.36	2.84
30	3.06		4.82	11.2	7.97	1.74	.820	.660	.900	1.22	5.48	2.84
31	3.06		4.49		7.58		.820	.660		1.22		2.62
SD1	4.62	2.18	3.98	4.59	9.10	5.97	1.10	.828	.820	.988	1.16	3.49
SD2	3.48	2.67	5.73	8.70	8.44	3.26	1.01	.828	.948	.908	1.04	6.35
SD3	2.36	2.65	4.79	19.9	7.24	1.94	.922	.704	1.05	1.50	5.69	2.84
MAX	5.15	5.48	7.97	37.1	13.4	9.92	1.74	3.28	2.18	5.81	17.3	34.6
DAT	2	16	13	23	21	4	1	9	21	22	24	11
SR	3.45	2.49	4.83	11.0	8.23	3.72	1.01	.784	.940	1.14	2.63	4.18
MIN	1.74	1.74	3.06	3.50	5.48	1.74	.820	.660	.660	.740	.980	2.62
DAT	24	8	4	5	28	25	30	6	1	3	13	9
GMIN =		.660		SRGOD=		3.71		GMAX =		37.1		
DATUM		6 8						DATUM		23 4		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1991

Broj : 47207 Stanica : BAC Kota "0" = 920.60
Nacin osmat.: limnigraf Rijeka : IBAR km od usca = 239.60
Pocetak rada: 1979 Sliv : ZAPAD. MORAVE Pov.sliva = 411.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	3.28	2.18	2.40	6.47	9.92	18.7	8.36	5.48	1.22	1.14	1.96	6.47
2	3.50	2.18	2.62	5.81	9.14	20.7	34.6	5.15	1.22	1.14	1.74	5.81
3	3.50	2.18	3.28	5.48	9.53	20.7	40.9	4.82	1.22	1.14	1.52	4.82
4	4.49	2.18	3.28	5.15	22.0	20.7	22.7	4.82	1.22	1.14	1.52	4.49
5	6.80	2.18	3.28	5.15	20.7	19.4	22.0	5.15	1.22	1.14	1.96	4.49
6	6.47	1.96	3.50	5.15	16.0	16.0	20.0	6.80	1.14	1.14	5.15	4.16
7	5.48	1.96	5.15	5.15	13.9	15.5	17.3	9.53	1.14	1.06	4.16	3.83
8	5.15	1.74	4.82	5.15	12.8	16.0	12.8	7.97	1.30	1.06	3.83	3.50
9	5.15	1.74	11.2	5.15	10.7	20.7	10.3	6.47	4.16	1.06	3.28	3.28
10	4.82	1.74	11.2	4.49	11.2	17.3	8.75	5.48	2.18	1.06	3.28	3.50
11	4.82	2.18	10.3	4.16	15.5	14.4	7.58	4.82	1.96	1.06	3.06	3.06
12	4.82	3.50	9.14	4.16	15.5	13.4	6.47	4.16	1.96	1.06	2.84	2.84
13	4.82	3.06	7.97	5.81	12.3	11.2	5.81	3.83	1.96	1.06	2.62	2.62
14	5.15	2.18	7.19	5.48	10.3	10.3	6.14	3.83	1.74	1.06	2.40	2.84
15	5.15	1.96	6.47	5.15	9.92	9.53	9.53	3.83	1.74	1.06	5.81	2.84
16	4.82	1.96	6.80	5.48	9.53	8.36	11.8	3.83	1.74	1.06	15.5	3.83
17	3.83	1.96	6.80	5.48	9.53	7.58	9.14	3.28	1.52	1.06	39.7	3.28
18	3.28	1.74	6.47	10.7	9.14	7.19	7.97	3.06	1.74	1.06	30.1	2.84
19	3.06	1.74	7.19	18.0	8.36	6.47	7.97	2.84	2.62	.980	14.9	2.40
20	2.40	1.74	7.97	13.9	7.19	5.81	6.80	3.06	1.96	2.40	10.7	2.40
21	2.40	1.74	9.14	13.9	6.80	5.15	5.81	2.84	1.74	6.80	9.14	2.40
22	2.40	1.52	10.3	11.8	6.47	4.49	9.14	2.62	1.30	9.53	12.3	2.18
23	2.40	1.52	12.8	10.3	8.75	4.16	7.19	2.40	1.30	6.47	12.3	1.96
24	2.18	1.30	14.9	9.92	15.5	3.83	6.14	2.18	1.22	5.15	11.2	1.96
25	2.18	1.30	15.5	10.7	14.4	3.28	5.48	1.96	1.22	3.83	16.0	1.96
26	2.18	1.52	14.9	10.7	13.4	3.28	4.82	1.74	1.30	3.28	12.8	1.96
27	2.40	1.96	12.3	12.3	12.3	3.28	5.15	1.74	1.22	2.84	9.92	1.96
28	2.18	2.18	10.3	13.9	14.9	3.06	7.19	1.52	1.22	2.40	9.14	1.74
29	2.18		9.92	11.8	14.9	2.84	5.81	1.52	1.30	2.40	7.97	2.18
30	2.18		8.36	10.7	15.5	2.84	6.80	1.30	1.30	2.18	7.19	1.96
31	2.18		7.58		16.0		6.14	1.22		1.96		1.74
SD1	4.86	2.00	5.07	5.32	13.6	18.6	19.8	6.17	1.60	1.11	2.84	4.43
SD2	4.22	2.20	7.63	7.83	10.7	9.42	7.92	3.65	1.89	1.19	12.8	2.89
SD3	2.26	1.63	11.5	11.6	12.6	3.62	6.33	1.91	1.31	4.26	10.8	2.00
MAX	7.19	4.16	16.7	19.4	28.0	22.0	54.9	10.3	8.36	11.2	72.7	6.80
DAT	5	12	26	19	4	2	2	7	8	21	17	1
SR	3.73	1.97	8.16	8.25	12.3	10.5	11.2	3.85	1.60	2.25	8.80	3.07
MIN	2.18	1.30	2.40	4.16	6.47	2.84	4.82	1.22	1.14	.980	1.52	1.74
DAT	24	24	1	11	22	29	26	31	6	19	3	28

GMIN = .980			SRGOD= 6.34					GMAX = 72.7				
DATUM 19 10								DATUM 17 11				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1992

Broj : 47207 Stanica : BAC Kota "0" = 920.60
Nacin osmat.: limnigraf Rijeka : IBAR km od usca = 239.60
Pocetak rada: 1979 Sliv : ZAPAD. MORAVE Pov.sliva = 411.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.74	1.52	2.18	7.97	21.4	7.19	7.19	2.18	.820	.740	.980	1.74
2	1.74	1.52	3.06	8.75	20.0	9.92	7.19	1.96	.820	.740	.900	1.52
3	1.74	1.52	3.28	7.97	16.0	7.58	5.81	1.74	.740	.740	.900	1.52
4	1.96	1.52	2.84	8.36	12.3	6.47	5.81	1.74	.740	.740	.820	1.74
5	1.52	1.52	3.28	10.3	11.8	5.48	5.15	1.52	.740	.660	.820	1.14
6	1.30	1.52	3.50	11.2	11.2	4.82	5.15	1.52	.820	.660	.820	2.18
7	1.96	1.52	3.28	16.7	10.3	4.16	4.82	1.30	.740	1.22	.740	2.18
8	1.96	1.52	3.06	16.0	10.3	4.49	4.82	1.22	.740	1.06	.740	1.96
9	1.96	1.52	2.84	12.3	9.53	3.83	4.82	1.22	.740	.980	.740	1.96
10	1.74	1.52	2.62	12.8	9.53	3.83	4.82	1.14	.740	.900	.740	1.96
11	1.74	1.52	2.40	12.3	9.53	3.83	4.82	1.06	.740	.900	.740	1.96
12	2.18	1.52	2.62	10.7	9.14	3.83	4.49	1.06	.740	5.15	.980	1.96
13	1.96	1.74	2.62	10.3	7.97	4.49	5.15	.980	.740	2.62	1.14	1.96
14	1.74	1.74	3.50	10.7	7.19	4.49	5.15	.980	.740	1.74	.900	1.96
15	1.96	1.74	4.49	11.2	6.80	5.15	5.15	.980	.740	1.30	.820	1.96
16	1.74	1.74	5.15	12.3	6.47	5.81	4.82	.980	.740	1.30	1.06	1.96
17	1.52	1.96	3.83	12.8	6.14	5.81	4.49	.900	.740	1.30	6.14	1.96
18	1.52	2.18	3.28	16.0	6.14	6.80	3.83	.900	.740	1.30	28.0	1.96
19	1.74	2.18	2.84	14.9	6.14	7.58	3.50	.900	.740	1.30	16.0	1.74
20	1.74	2.18	2.84	14.4	5.48	8.75	3.50	.900	.740	1.30	10.7	1.74
21	1.74	2.18	2.62	14.4	5.81	7.97	3.28	.900	.740	1.30	7.97	1.74
22	1.74	1.96	2.62	13.4	6.14	7.58	3.28	.900	.740	1.30	6.80	1.74
23	1.74	1.74	3.06	16.0	5.81	7.58	3.28	.900	.740	1.22	5.81	1.74
24	1.74	1.52	4.82	21.4	5.81	5.81	3.06	.900	.740	1.52	4.82	1.52
25	1.96	1.52	7.58	19.4	5.81	5.81	3.06	.900	.740	1.14	4.16	1.52
26	1.74	1.74	12.3	20.0	5.48	5.81	3.06	.820	.740	.980	4.16	1.52
27	1.52	1.96	22.7	24.8	5.15	5.81	2.84	.820	.740	1.22	3.50	1.52
28	1.52	2.18	14.9	22.0	4.82	5.81	2.62	.820	.740	1.06	2.40	1.52
29	1.52	2.40	11.2	20.7	5.15	5.81	2.62	.820	.740	1.06	2.18	1.52
30	1.52		8.75	21.4	5.48	6.80	2.40	.820	.740	1.06	1.96	1.52
31	1.52		7.97		6.14		2.40	.820		.980		1.52
SD1	1.76	1.52	2.99	11.2	13.2	5.78	5.56	1.55	.764	.844	.820	1.79
SD2	1.78	1.85	3.36	12.6	7.10	5.65	4.49	.964	.740	1.82	6.65	1.92
SD3	1.66	1.91	8.96	19.3	5.60	6.48	2.90	.856	.740	1.17	4.38	1.58
MAX	2.40	2.84	30.1	25.9	22.7	11.8	7.19	2.18	.820	8.75	35.8	2.62
DAT	12	29	27	27	1	1	1	1	1	12	18	6
SR	1.73	1.76	5.23	14.4	8.55	5.97	4.27	1.12	.748	1.27	3.95	1.76
MIN	1.30	1.52	2.18	7.97	4.82	3.83	2.40	.820	.740	.660	.740	1.14
DAT	6	1	1	1	28	9	30	26	3	5	7	5
GMIN =			.660	SRGOD=			4.22	GMAX =			35.8	
DATUM			5 10					DATUM			18 11	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1993

Broj : 47207 Stanica : BAC Kota "0" = 920.60
Nacin osmat.: limnigraf Rijeka : IBAR km od usca = 239.60
Pocetak rada: 1979 Sliv : ZAPAD. MORAVE Pov.sliva = 411.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.52	1.52	1.22	4.16	11.2	2.62	1.52	.660	.475	.450	.900	1.06
2	1.52	1.52	1.22	5.81	10.7	2.40	1.52	.660	.475	.450	.900	1.06
3	1.52	1.52	1.22	6.47	10.3	2.18	1.52	.660	.475	.325	.820	1.06
4	1.52	1.52	1.22	6.80	10.7	2.62	1.52	.660	1.96	3.50	.820	1.06
5	1.52	1.52	1.22	7.19	11.8	3.28	1.52	.660	1.30	1.52	2.40	1.06
6	1.52	1.52	1.22	8.75	11.2	3.06	1.52	.660	.820	1.22	6.47	.980
7	1.52	1.52	1.14	9.14	11.8	2.62	1.96	.660	.660	1.14	4.82	.980
8	1.52	1.30	1.14	7.97	11.2	2.62	1.96	1.74	.580	1.14	2.84	1.22
9	1.52	1.30	1.14	6.80	12.3	2.62	1.52	2.84	.500	1.14	2.62	1.96
10	1.52	1.30	1.14	8.75	11.2	2.62	1.30	2.62	.500	1.14	2.62	2.40
11	1.52	1.30	1.14	28.0	11.2	2.62	1.30	1.14	.475	1.14	2.40	2.62
12	1.52	1.30	1.14	22.7	10.3	2.62	1.22	1.06	.475	1.14	1.96	3.50
13	1.52	1.30	1.14	28.0	9.53	2.62	1.96	.980	.475	1.14	1.74	2.84
14	1.52	1.30	1.74	22.0	8.75	2.62	1.96	.980	.580	1.14	1.74	2.62
15	1.52	1.22	1.74	15.5	7.97	2.84	1.52	.900	.660	1.14	1.52	26.9
16	1.52	1.22	1.74	14.9	7.58	2.18	1.30	.900	.580	1.14	1.30	37.1
17	1.52	1.22	2.18	17.3	7.58	1.52	1.22	.740	.580	1.06	1.30	22.7
18	1.30	1.22	2.62	14.4	8.75	1.96	1.22	.740	.580	1.06	1.30	11.8
19	1.30	1.22	3.50	13.9	8.36	1.74	1.14	.740	.500	1.06	1.30	8.36
20	1.30	1.22	5.48	13.9	7.58	1.30	1.14	.660	.500	1.06	1.30	6.47
21	1.30	1.22	7.19	13.9	6.80	1.30	1.14	.660	.500	1.06	1.22	5.81
22	1.30	1.22	9.53	13.9	6.47	1.30	1.30	.660	.500	1.06	1.22	5.81
23	1.22	1.22	10.7	14.9	6.14	1.30	1.74	.580	.500	1.06	1.22	5.81
24	1.22	1.22	11.2	16.0	5.48	1.30	1.14	.580	.475	1.06	1.22	5.48
25	1.22	1.22	12.8	16.0	4.82	1.52	.980	.580	.475	.980	1.22	6.47
26	1.30	1.22	10.3	16.0	4.49	1.52	.820	.500	.475	.980	1.22	5.81
27	1.52	1.22	7.58	14.9	3.83	1.52	.740	.500	.475	.980	1.14	7.19
28	1.52	1.22	6.14	14.4	3.83	1.52	.740	.500	.475	.980	1.14	6.47
29	1.52		4.82	13.9	3.06	2.40	.740	.500	.475	.980	1.06	5.15
30	1.52		4.16	12.8	2.84	1.74	.660	.475	.450	.980	1.06	3.83
31	1.52		3.83		2.62		.660	.475		.900		3.50
SD1	1.52	1.45	1.19	7.18	11.2	2.66	1.59	1.18	.775	1.20	2.52	1.28
SD2	1.45	1.25	2.24	19.1	8.76	2.20	1.40	.884	.540	1.11	1.59	12.5
SD3	1.38	1.22	8.02	14.7	4.58	1.54	.969	.546	.480	1.00	1.17	5.58
MAX	1.52	1.52	12.8	28.0	12.3	2.62	1.96	1.74	1.30	3.50	6.47	37.1
DAT	1	1	25	11	9	4	7	8	5	4	6	16
SR	1.45	1.31	3.95	13.6	8.08	2.14	1.31	.860	.598	1.10	1.76	6.42
MIN	1.22	1.22	1.14	4.16	2.62	1.30	.660	.475	.450	.325	.820	.980
DAT	23	15	7	1	31	20	30	30	30	3	3	6
GMIN =			.325	SRGOD=			3.56	GMAX =			37.1	
DATUM			3 10					DATUM			16 12	

