

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1948

Broj : 45832 Stanica : BIJELO POLJE Kota "0" = 559.67  
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 124.90  
Pocetak rada: 1948 Sliv : DRINE Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	497	84.0	52.0	43.8	82.4	80.9	52.0	36.5	14.6	11.2	12.7	18.3
2	276	95.4	50.0	42.9	80.9	77.8	51.0	39.3	17.3	10.9	14.5	17.8
3	204	91.6	47.9	48.9	82.4	84.0	48.9	34.7	14.2	10.3	15.0	17.2
4	151	80.9	46.9	48.9	84.0	77.8	44.8	37.4	15.4	10.1	15.9	16.7
5	126	77.8	44.8	47.9	91.6	68.5	41.1	36.6	14.6	9.80	16.7	16.3
6	128	80.9	42.9	54.1	99.2	62.7	40.2	30.8	14.2	9.53	17.8	16.3
7	151	74.7	42.0	67.1	105	64.2	38.3	29.2	14.6	9.38	18.3	16.3
8	161	68.5	42.0	84.0	103	68.5	37.4	27.6	15.4	9.75	17.2	16.3
9	303	65.6	43.8	101	112	62.7	36.5	25.7	15.7	9.75	16.7	16.3
10	452	62.7	52.0	95.4	114	54.1	35.6	24.0	16.2	9.75	18.9	15.9
11	273	68.5	54.1	107	119	59.9	34.7	22.9	15.4	10.6	19.4	15.9
12	215	65.6	59.9	131	122	62.7	33.1	20.7	14.6	10.3	20.0	15.9
13	176	62.7	54.1	140	112	80.9	32.3	21.2	17.3	10.0	20.0	16.3
14	140	59.9	52.0	151	131	161	32.3	22.3	12.9	10.0	18.3	16.3
15	126	57.0	50.0	135	135	166	31.5	23.4	12.7	10.0	18.3	16.3
16	117	54.1	46.9	126	126	140	30.0	21.2	12.0	10.6	18.4	16.3
17	112	50.0	44.8	126	112	117	29.2	20.7	12.3	12.2	18.4	16.3
18	110	50.0	50.0	131	99.2	91.6	30.0	19.9	12.9	13.9	20.0	15.9
19	148	47.9	54.1	135	91.6	80.9	36.5	19.0	12.7	15.5	21.7	15.4
20	140	45.9	61.3	140	87.8	77.8	34.7	18.5	12.0	15.9	18.3	15.4
21	204	44.8	54.1	135	80.9	71.6	31.3	18.1	11.6	15.9	21.1	15.4
22	243	42.9	50.0	128	135	65.6	30.8	19.4	12.0	15.2	21.1	15.0
23	176	52.0	48.9	126	126	62.7	28.4	18.5	12.9	14.9	21.7	15.0
24	135	74.7	54.1	124	186	65.6	26.8	17.2	13.3	14.2	22.2	14.5
25	122	74.7	57.0	126	181	95.4	22.9	16.0	13.6	13.6	22.2	14.5
26	112	62.1	53.1	131	151	80.9	26.8	15.2	13.9	13.2	21.1	14.1
27	99.2	62.1	54.1	122	126	74.7	33.9	14.9	13.9	13.2	20.6	14.1
28	95.4	57.0	51.0	112	117	65.6	43.8	14.9	13.3	12.5	20.0	14.1
29	87.8	53.1	48.9	122	117	59.9	43.8	14.5	12.9	14.6	19.4	13.6
30	87.8		47.9	87.8	91.6	54.1	40.2	15.2	12.9	13.2	18.9	13.2
31	91.6		44.8		87.8		38.3	16.7		12.5		12.7
SD1	245	78.2	46.4	63.4	95.4	70.1	42.6	32.2	15.2	10.0	16.4	16.7
SD2	156	56.2	52.7	132	114	104	32.4	21.0	13.5	11.9	19.3	16.0
SD3	132	58.2	51.3	121	127	69.6	33.4	16.4	13.0	13.9	20.8	14.2
MAX	548	95.4	61.3	151	186	166	52.0	39.3	17.3	15.9	22.2	18.3
DAT	1	2	20	14	24	15	1	2	2	20	24	1
SR	176	64.4	50.2	106	113	81.2	36.0	23.0	13.9	12.0	18.8	15.6
MIN	87.8	42.9	42.0	42.9	80.9	54.1	22.9	14.5	11.6	9.38	12.7	12.7
DAT	29	22	7	2	2	10	25	29	21	7	1	31
GMIN =		9.38		SRGOD=		59.1		GMAX =		548		
DATUM		7 10						DATUM		1 1		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1949

Broj : 45832 Stanica : BIJELO POLJE Kota "0" = 559.67  
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 124.90  
Pocetak rada: 1948 Sliv : DRINE Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	14.7	21.3	25.1	48.3	105	55.1	52.8	21.9	29.6	17.5	19.2	300
2	16.6	21.3	26.3	46.2	93.0	52.8	55.1	21.3	23.3	17.9	19.8	174
3	17.5	21.3	25.7	46.2	82.3	55.1	56.2	21.3	22.3	19.2	20.2	119
4	19.4	20.8	25.7	50.4	80.5	56.2	57.5	20.8	21.9	24.4	19.8	110
5	19.9	20.8	25.6	57.5	77.2	55.1	57.5	20.2	20.8	25.6	20.8	96.6
6	21.3	20.8	24.4	72.1	70.5	56.2	55.1	20.2	19.8	24.4	21.3	93.0
7	22.8	20.8	24.4	119	62.2	52.8	53.9	19.8	19.2	23.3	23.3	78.8
8	23.8	20.2	24.4	179	61.1	51.5	52.8	19.8	19.2	22.3	44.0	67.2
9	23.8	20.2	23.8	221	57.5	50.4	50.4	19.8	18.7	21.9	89.5	59.8
10	23.8	20.2	23.8	174	56.2	46.2	48.3	19.2	18.7	21.3	65.6	62.2
11	23.8	20.2	23.8	119	52.8	45.2	46.2	19.2	18.7	21.3	52.8	174
12	23.8	20.8	23.3	96.6	52.8	42.0	44.0	18.7	19.8	21.3	44.0	151
13	23.3	20.8	23.3	87.6	50.4	44.0	43.0	19.2	19.2	21.3	44.0	131
14	23.4	20.8	23.8	89.5	49.3	48.3	42.0	20.8	19.2	21.3	42.0	300
15	23.4	20.8	26.9	140	48.3	46.2	39.9	21.3	19.2	21.3	42.0	314
16	22.9	20.8	26.6	151	57.5	44.0	39.0	21.3	19.2	20.8	44.0	464
17	22.9	20.8	44.0	135	56.2	43.0	36.2	20.8	19.2	20.8	57.5	409
18	22.9	20.8	45.2	114	50.4	45.2	33.6	20.8	19.2	20.8	59.8	335
19	22.9	20.8	43.0	112	47.3	43.0	29.6	23.3	19.8	20.8	67.2	260
20	22.3	21.3	42.0	96.6	46.2	45.2	28.3	26.3	19.8	20.2	65.6	185
21	22.3	21.3	42.0	89.5	47.3	57.5	25.6	26.3	19.8	19.8	59.8	131
22	22.3	22.3	39.9	87.6	43.0	58.7	25.6	25.6	20.2	19.8	55.1	114
23	22.9	22.9	38.1	108	42.0	61.1	25.6	25.6	19.8	19.2	48.3	110
24	23.3	22.9	36.2	110	50.4	62.2	26.3	25.1	19.8	19.2	57.5	108
25	22.9	23.4	35.4	110	65.6	77.2	25.1	24.4	19.2	19.2	85.9	93.0
26	22.9	23.4	35.4	103	77.2	72.1	24.4	23.8	18.7	19.2	96.6	82.5
27	22.3	23.4	39.9	103	70.5	62.2	25.1	23.3	18.4	18.7	93.0	72.1
28	21.9	23.8	44.0	140	62.2	57.5	32.7	23.3	18.4	18.7	98.8	68.9
29	21.9		50.4	131	55.1	55.1	24.4	22.3	17.9	18.4	335	62.2
30	21.3		53.9	119	53.9	51.5	23.3	21.9	17.5	18.4	409	61.1
31	21.3		53.9		55.1		22.3	21.9		18.7		59.8
SD1	20.4	20.8	24.9	101	74.6	53.1	54.0	20.4	21.3	21.8	34.4	116
SD2	23.2	20.8	32.2	114	51.1	44.6	38.2	21.2	19.3	21.0	51.9	272
SD3	22.3	22.9	42.6	110	56.6	61.5	25.5	24.0	19.0	19.0	134	87.5
MAX	23.8	23.8	53.9	221	105	77.2	57.5	26.3	29.6	25.6	409	489
DAT	7	28	30	9	1	25	4	20	1	5	30	16
SR	22.0	21.4	33.6	109	60.6	53.1	38.8	21.9	19.9	20.5	73.4	156
MIN	14.7	20.2	23.3	46.2	42.0	42.0	22.3	18.7	17.5	17.5	19.2	59.8
DAT	1	8	12	2	23	12	31	12	30	1	1	9
GMIN =		14.7		SRGOD=		52.6		GMAX =		489		
DATUM		1 1						DATUM		16 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1950

Broj               : 45832                      Stanica :   BIJELO POLJE   Kota "0" = 559.67  
Nacin osmat.: limnigraf            Rijeka    :       LIM                      km od usca = 124.90  
Pocetak rada: 1948                Sliv       :       DRINE                      Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	59.8	38.1	286	174	110	58.7	30.1	19.8	14.0	12.9	94.8	52.8	
2	57.5	36.2	214	145	101	55.1	28.9	19.2	14.4	12.9	78.8	52.8	
3	53.1	36.2	168	129	93.0	55.1	28.9	19.2	18.4	12.5	57.5	51.5	
4	52.8	35.4	137	119	87.6	55.1	27.6	18.7	23.3	12.2	50.4	50.4	
5	49.3	34.5	114	119	85.9	51.5	26.3	18.7	23.3	11.7	52.8	50.4	
6	46.2	33.6	96.6	119	80.5	50.4	25.1	18.4	22.3	11.7	75.4	52.8	
7	45.2	33.6	89.5	112	77.2	46.2	25.1	18.4	21.9	11.7	82.3	75.3	
8	48.3	42.0	84.2	103	75.4	42.0	24.4	18.4	21.3	11.4	72.1	72.1	
9	45.2	48.3	78.8	96.6	75.4	40.9	24.4	17.9	20.8	11.4	62.2	72.1	
10	44.0	50.4	87.6	96.6	70.5	40.9	25.6	17.1	20.2	11.4	57.5	82.3	
11	44.0	47.3	93.0	96.6	75.4	43.0	25.6	17.1	20.2	11.4	50.4	105	
12	43.0	50.4	98.8	94.8	85.9	42.0	24.4	16.7	19.2	11.4	46.2	96.6	
13	40.9	67.2	93.0	94.8	87.6	45.2	23.8	16.7	18.7	11.1	45.2	114	
14	40.9	75.4	87.6	101	82.3	45.2	23.3	16.7	17.9	11.1	44.0	214	
15	40.9	93.0	82.3	135	73.8	43.0	24.4	16.2	17.5	11.1	42.0	235	
16	39.9	114	82.3	174	67.2	44.0	24.4	16.2	16.7	11.1	48.3	214	
17	39.0	96.6	82.3	191	62.2	42.0	27.6	15.8	17.1	10.8	57.5	197	
18	42.0	87.6	89.5	186	59.8	40.9	25.6	15.8	16.7	10.0	58.7	221	
19	65.6	78.8	96.6	174	58.7	40.9	39.9	15.4	16.2	9.60	73.8	228	
20	63.8	73.8	98.8	151	58.7	40.9	32.7	15.4	16.2	10.0	72.1	202	
21	56.2	72.1	94.8	151	58.7	39.9	28.3	14.9	16.7	10.8	62.2	151	
22	52.8	75.4	93.0	168	57.5	39.9	26.3	14.9	16.7	10.8	59.8	110	
23	48.3	75.4	89.5	191	57.5	38.1	24.4	14.9	17.1	10.8	58.7	96.6	
24	45.2	68.9	84.2	191	58.7	36.2	23.8	14.6	17.1	10.8	57.5	85.9	
25	44.0	80.5	78.8	174	59.8	36.2	22.9	14.6	17.1	10.8	57.5	84.2	
26	43.0	75.4	73.8	191	59.8	34.5	21.9	14.4	16.7	11.4	56.2	89.5	
27	42.0	349	70.5	179	59.8	33.6	21.9	14.4	16.7	13.7	56.2	89.5	
28	42.0	362	65.6	155	61.1	31.7	21.3	14.4	15.0	38.3	55.1	84.2	
29	40.9		61.1	118	62.2	31.7	20.8	14.4	14.6	40.2	53.9	78.8	
30	40.9		59.8	114	72.1	32.7	20.8	14.0	14.0	42.0	52.8	68.9	
31	39.9		72.1		62.2		20.2	14.0		55.0		63.8	
SD1	50.1	38.8	136	121	85.7	49.6	26.6	18.6	20.0	12.0	68.4	61.3	
SD2	46.0	78.4	90.4	140	71.2	42.7	27.2	16.2	17.6	10.8	53.8	183	
SD3	45.0	145	76.7	163	60.9	35.5	23.0	14.5	16.2	23.1	57.0	91.1	
MAX	65.6	362	286	191	110	58.7	39.9	19.8	23.3	55.0	94.8	235	
DAT	19	28	1	17	1	1	19	1	4	31	1	15	
SR	47.0	83.3	100	141	72.2	42.6	25.5	16.4	17.9	15.5	59.7	111	
MIN	39.0	33.6	59.8	94.8	57.5	31.7	20.2	14.0	14.0	9.60	42.0	50.4	
DAT	17	6	30	12	22	28	31	30	1	19	15	4	
-----													
GMIN =			9.60	SRGOD=				60.8	GMAX =			362	
DATUM			19 10						DATUM			28 2	
-----													

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1951

Broj               : 45832                    Stanica :   BIJELO POLJE    Kota "0" = 559.67  
Nacin osmat.: limnigraf        Rijeka   :       LIM                        km od usca = 124.90  
Pocetak rada: 1948            Sliv     :       DRINE                      Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	53.1	36.5	99.2	76.2	103	107	38.3	19.4	14.1	17.6	34.7	36.5
2	46.9	36.5	87.8	80.9	103	107	40.2	19.0	14.1	18.5	36.5	36.5
3	45.9	36.5	85.9	80.9	107	103	42.0	19.0	13.7	20.3	52.0	35.6
4	43.8	36.5	76.2	77.8	122	91.6	38.3	18.5	13.7	25.7	50.0	35.6
5	40.2	36.5	79.4	87.8	122	84.0	35.6	18.1	15.2	23.4	43.8	34.7
6	34.7	36.5	65.6	156	114	84.0	35.6	17.6	15.2	20.3	38.3	33.9
7	40.2	36.5	57.0	140	107	95.4	34.7	17.2	14.5	19.4	36.5	33.1
8	36.5	36.5	62.7	126	101	95.4	34.7	16.3	14.1	17.6	36.5	32.3
9	34.7	36.5	126	122	99.2	89.7	34.7	16.0	19.4	18.1	35.6	33.1
10	34.7	36.5	181	114	93.5	84.0	34.7	16.0	15.2	17.6	36.5	34.7
11	42.9	36.5	176	107	146	84.0	33.9	16.0	16.0	18.1	37.4	35.6
12	42.0	36.5	146	107	198	82.4	33.1	15.6	14.5	19.0	38.3	35.6
13	42.0	36.5	122	231	151	79.4	33.1	15.6	14.5	20.3	84.0	34.7
14	42.0	37.4	126	267	148	74.7	33.1	15.2	14.5	21.2	151	34.7
15	42.9	43.8	140	231	140	68.5	30.8	15.2	14.1	20.3	126	34.7
16	40.2	40.2	146	192	126	64.2	26.2	14.9	14.1	19.0	131	33.9
17	34.7	39.3	131	151	117	59.9	24.0	14.9	14.1	18.1	107	33.1
18	32.3	40.2	117	122	126	54.1	22.3	14.5	13.7	17.6	91.6	31.5
19	29.2	39.3	110	107	126	53.1	24.6	14.5	13.4	16.7	74.7	28.4
20	26.8	42.9	126	103	119	53.1	24.0	14.5	13.4	16.3	62.7	24.6
21	26.2	55.5	151	122	117	52.0	23.4	14.5	14.1	16.3	54.1	21.2
22	25.7	64.2	135	140	140	57.0	22.3	14.5	14.1	16.3	53.1	21.2
23	24.0	140	114	161	140	55.5	21.8	14.1	13.7	17.6	52.0	21.2
24	23.4	117	99.2	135	133	52.0	21.2	22.3	13.7	18.1	52.0	21.2
25	23.4	95.4	87.8	117	126	48.9	20.3	16.7	13.4	19.9	50.0	20.7
26	22.9	84.0	80.9	103	140	46.9	20.3	16.0	13.0	25.7	45.9	20.7
27	25.7	95.4	84.0	95.4	146	44.8	20.3	15.2	14.5	38.3	41.1	20.7
28	34.7	103	80.9	99.2	135	44.8	20.3	15.2	14.9	45.9	38.3	20.7
29	38.3		76.2	107	128	42.0	21.2	14.9	16.0	40.2	37.4	21.2
30	36.5		71.6	107	122	39.3	21.2	14.5	17.2	36.5	36.5	21.2
31	36.5		70.0		107		20.7	14.1		35.6		21.2
SD1	41.1	36.5	92.1	106	107	94.1	36.9	17.7	14.9	19.9	40.0	34.6
SD2	37.5	39.3	134	162	140	67.3	28.5	15.1	14.2	18.7	90.4	32.7
SD3	28.8	94.3	95.5	119	130	48.3	21.2	15.6	14.5	28.2	46.0	21.0
MAX	53.1	140	181	293	201	111	45.0	30.5	23.5	48.3	157	36.5
DAT	1	23	10	14	12	1	3	24	9	28	14	1
SR	35.6	54.0	107	129	126	69.9	28.6	16.1	14.5	22.4	58.8	29.2
MIN	22.9	36.5	57.0	76.2	93.5	39.3	20.3	14.1	13.0	16.3	34.7	20.7
DAT	26	1	7	1	10	30	25	23	26	20	1	25
-----												
GMIN = 13.0			SRGOD= 57.5					GMAX = 293				
DATUM 26 9								DATUM 14 4				
-----												

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1952

Broj               : 45832                    Stanica :   BIJELO POLJE    Kota "0" = 559.67  
Nacin osmat.: limnigraf        Rijeka    :     LIM                    km od usca = 124.90  
Pocetak rada: 1948            Sliv       :   DRINE                    Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	21.8	78.7	35.0	243	98.6	81.3	32.3	19.8	10.7	56.0	81.3	143
2	21.8	80.0	33.2	228	98.6	74.7	31.4	19.8	10.7	50.5	95.5	121
3	21.8	74.7	32.3	230	98.6	74.7	30.5	18.5	10.7	53.8	111	128
4	21.8	66.9	32.3	214	94.1	80.0	29.6	18.5	11.0	51.6	92.7	228
5	28.7	46.1	34.1	169	91.2	81.3	27.8	17.9	10.7	45.0	81.3	337
6	25.2	50.5	36.0	163	91.2	78.7	25.2	17.9	10.7	39.0	78.7	278
7	23.5	47.2	40.0	114	91.2	74.7	25.2	17.2	10.7	35.0	76.0	188
8	23.5	43.0	40.0	101	85.6	66.9	25.2	17.2	21.8	34.1	104	151
9	21.8	43.0	36.0	88.4	85.6	66.9	24.3	17.2	14.1	53.8	151	143
10	23.5	41.0	34.1	81.3	85.6	65.7	24.3	15.6	14.4	43.0	111	111
11	24.3	37.0	32.3	81.3	81.3	66.9	34.1	14.9	15.0	45.0	107	82.2
12	25.2	35.0	32.3	81.3	77.3	66.9	26.9	13.3	15.0	250	88.4	76.8
13	26.0	50.5	32.3	91.2	73.4	63.3	26.0	12.3	14.7	233	84.1	82.2
14	111	62.0	34.1	106	70.7	58.4	26.0	11.7	14.7	157	84.1	82.2
15	109	72.1	34.1	114	74.7	58.4	25.2	11.2	14.7	111	80.0	284
16	101	74.7	32.3	114	68.1	54.9	24.3	11.2	14.4	111	147	967
17	92.7	74.7	30.5	122	74.7	53.8	26.0	11.2	14.4	107	199	420
18	70.7	66.9	31.4	128	74.7	51.6	24.3	11.2	14.4	92.7	185	275
19	64.5	63.3	32.3	124	65.7	51.6	24.3	11.2	15.0	89.8	157	389
20	60.8	54.9	32.3	114	60.8	47.2	25.2	11.2	78.7	89.8	117	227
21	54.9	50.5	32.3	114	58.4	44.0	25.2	10.7	45.0	84.1	117	185
22	51.6	35.0	34.1	117	64.5	50.5	24.3	10.7	38.0	72.1	111	176
23	49.4	33.2	34.1	117	64.5	45.0	24.3	10.7	29.6	88.4	114	133
24	49.4	42.0	40.0	117	66.9	41.0	23.5	10.7	26.0	119	103	95.1
25	42.0	42.0	52.7	117	73.4	41.0	25.2	10.7	24.3	111	107	80.8
26	74.7	42.0	56.0	117	74.7	40.0	24.3	10.7	17.2	103	92.7	76.8
27	77.3	40.0	85.6	112	70.7	38.0	21.8	11.0	17.9	103	179	76.8
28	111	38.0	111	111	72.1	35.0	21.1	10.7	37.0	128	278	95.1
29	183	36.0	129	104	74.7	34.1	21.1	10.7	65.7	111	221	233
30	95.5		192	98.6	74.7	34.1	20.5	10.7	53.8	103	173	259
31	80.0		238		78.7		20.5	10.7		88.4		231
SD1	23.3	57.1	35.3	163	92.0	74.5	27.6	18.0	12.6	46.2	98.3	183
SD2	68.5	59.1	32.4	108	72.1	57.3	26.2	11.9	21.1	129	125	289
SD3	79.0	39.9	91.3	112	70.3	40.3	22.9	10.7	35.5	101	150	149
MAX	183	80.0	238	243	98.6	81.3	34.1	19.8	78.7	250	278	1000
DAT	29	2	31	1	1	1	11	1	20	12	28	16
SR	57.7	52.4	54.2	128	77.9	57.4	25.5	13.5	23.0	92.2	124	205
MIN	21.8	33.2	30.5	81.3	58.4	34.1	20.5	10.7	10.7	34.1	76.0	76.8
DAT	1	23	17	10	21	29	30	21	1	8	7	12
		GMIN =	10.7			SRGOD=	75.9			GMAX =	1000	
		DATUM	21 8							DATUM	16 12	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1953

Broj : 45832      Stanica : BIJELO POLJE      Kota "0" = 559.67  
Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 124.90  
Pocetak rada: 1948      Sliv : DRINE      Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	201	43.0	59.6	91.2	194	131	62.0	35.0	25.2	19.2	15.9	14.4
2	237	43.0	57.2	94.1	188	122	58.4	35.0	24.3	19.2	15.9	14.4
3	205	41.0	52.7	100	147	112	62.0	34.1	23.5	18.5	15.9	14.4
4	160	40.0	51.6	111	122	103	58.4	32.3	22.6	18.5	15.9	14.4
5	115	40.0	46.1	119	119	111	50.5	30.5	22.6	17.9	15.9	14.4
6	98.0	38.0	43.0	122	109	124	47.2	30.5	22.6	17.2	16.6	14.4
7	95.1	36.0	38.0	128	107	124	50.5	30.5	21.8	17.2	16.6	14.4
8	95.1	34.1	34.1	145	122	117	59.6	26.9	21.8	18.5	16.6	14.4
9	87.8	34.1	34.1	147	183	117	56.0	26.9	21.1	19.8	16.6	14.4
10	92.7	31.4	34.1	151	112	112	48.3	26.9	21.1	20.5	16.6	14.4
11	92.7	31.4	32.3	167	119	112	45.0	26.0	20.5	19.8	15.9	14.4
12	85.6	106	32.3	177	124	103	44.0	26.0	21.8	20.5	15.9	14.4
13	78.7	101	32.3	165	145	94.1	42.0	24.3	26.0	19.8	15.9	14.4
14	69.4	92.7	28.7	129	139	88.4	40.0	24.3	26.0	19.8	15.9	14.4
15	65.7	78.7	27.8	109	139	85.6	38.0	24.3	25.2	19.8	15.9	13.1
16	59.6	91.2	27.8	107	122	85.6	36.0	23.5	23.5	20.5	15.3	12.1
17	59.6	91.2	26.9	106	129	88.4	36.0	23.5	23.5	21.1	15.3	11.1
18	64.5	68.1	26.9	95.5	141	88.4	33.2	23.5	22.6	20.5	15.0	9.80
19	62.0	68.1	26.9	89.8	137	81.3	32.3	23.5	22.6	19.2	14.7	9.10
20	53.8	63.3	27.8	81.3	153	88.4	30.5	23.5	21.8	19.2	14.7	8.60
21	53.8	58.4	30.5	77.3	153	92.7	30.5	22.6	21.8	18.5	14.7	8.40
22	50.5	58.4	33.2	77.3	131	92.7	29.6	22.6	21.8	18.5	14.7	8.20
23	46.1	62.0	35.0	70.7	124	88.4	27.8	22.6	21.8	18.5	14.7	8.20
24	46.1	62.0	38.0	70.7	145	78.7	27.8	28.7	21.8	17.2	14.7	8.20
25	48.3	62.0	43.0	73.4	157	70.7	26.9	24.3	21.8	17.2	14.7	8.20
26	48.3	59.6	48.3	81.3	161	68.1	37.0	26.0	21.1	16.6	14.7	8.20
27	45.0	64.5	64.5	85.6	165	65.7	37.0	25.2	21.1	16.6	14.4	8.20
28	43.0	64.5	66.9	116	161	68.1	36.0	23.5	21.1	15.3	14.4	8.20
29	43.0		63.3	179	155	59.6	35.0	26.0	21.1	15.3	14.4	8.20
30	41.0		70.7	188	141	62.0	35.0	28.7	19.2	15.0	14.4	8.20
31	39.0		74.7		131		34.1	26.9		15.9		8.20
SD1	139	38.1	45.1	121	140	117	55.3	30.9	22.7	18.6	16.3	14.4
SD2	69.2	79.2	29.0	123	135	91.5	37.7	24.2	23.4	20.0	15.4	12.1
SD3	45.8	61.4	51.6	102	148	74.7	32.4	25.2	21.3	16.8	14.6	8.22
MAX	358	106	74.7	188	194	131	62.0	35.0	26.0	21.1	16.6	14.4
DAT	2	12	31	30	1	1	1	1	13	17	6	1
SR	83.3	59.4	42.2	115	141	94.5	41.5	26.7	22.4	18.4	15.4	11.5
MIN	39.0	31.4	26.9	70.7	107	59.6	26.9	22.6	19.2	15.0	14.4	8.20
DAT	31	10	17	23	7	29	25	21	30	30	27	22
-----												
GMIN =			8.20	SRGOD=				55.9	GMAX =			358
DATUM			22 12						DATUM			2 1
-----												

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1954

Broj : 45832 Stanica : BIJELO POLJE Kota "0" = 559.67  
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 124.90  
Pocetak rada: 1948 Sliv : DRINE Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	8.40	14.7	15.3	94.1	98.6	119	45.0	20.5	16.6	16.6	30.5	70.7
2	8.20	14.7	17.9	88.4	111	119	43.0	19.8	16.6	16.6	31.4	68.1
3	8.20	14.7	56.0	94.1	119	117	44.0	19.8	15.9	16.6	28.7	65.7
4	8.40	14.7	85.6	106	128	111	42.0	19.2	15.9	15.9	27.8	64.5
5	8.20	14.7	85.6	111	131	104	41.0	19.2	15.9	15.9	45.0	58.4
6	8.20	14.7	114	107	203	98.6	38.0	19.2	15.3	16.6	49.4	63.3
7	8.40	14.7	124	107	199	95.5	36.0	19.2	15.3	15.9	52.7	63.3
8	8.40	14.7	88.4	103	175	87.0	35.0	19.2	15.0	37.0	57.2	64.5
9	8.40	14.7	85.6	89.8	163	89.8	33.2	19.2	15.0	37.0	58.4	89.8
10	8.40	14.7	64.5	89.8	153	80.0	32.3	17.9	15.0	34.1	62.0	73.4
11	8.40	14.7	48.3	95.5	153	78.7	31.4	17.2	15.3	31.4	76.0	77.3
12	8.40	14.7	45.0	92.7	192	78.7	30.5	16.6	15.9	41.0	78.7	109
13	8.40	14.7	62.0	88.4	192	77.3	29.6	16.6	15.3	98.6	70.7	116
14	8.40	14.4	68.1	77.3	185	74.7	29.6	16.6	15.3	89.8	68.1	133
15	8.40	14.4	77.3	58.4	177	69.4	29.6	15.9	15.0	76.0	72.1	131
16	8.40	14.1	81.3	50.5	161	65.7	28.7	15.3	15.0	59.6	88.4	106
17	8.40	14.4	85.6	52.7	155	68.1	26.0	15.3	15.0	50.5	85.6	98.6
18	8.40	14.4	81.3	66.9	167	66.9	26.0	15.0	15.0	45.0	81.3	78.1
19	8.40	14.1	78.7	66.9	188	63.3	26.0	14.4	15.0	41.0	76.0	71.3
20	8.40	14.1	77.3	56.0	210	63.3	25.2	13.5	15.0	38.0	68.1	66.2
21	8.40	14.1	81.3	56.0	188	62.0	25.2	13.5	14.7	36.0	66.9	59.8
22	8.40	14.1	84.1	62.0	169	59.6	25.2	14.1	14.7	35.0	63.3	56.0
23	8.60	14.1	77.3	62.0	155	58.4	24.3	14.1	15.3	33.2	59.6	53.8
24	8.60	14.1	76.0	62.0	147	56.0	23.5	14.1	17.2	31.4	57.2	49.2
25	8.60	14.4	76.0	62.0	139	52.7	23.5	14.1	17.2	30.5	54.9	48.0
26	8.60	14.4	106	62.0	137	56.0	23.5	14.1	16.6	29.6	52.7	42.5
27	8.60	14.1	103	60.8	135	50.5	22.6	14.1	15.9	35.0	52.7	41.4
28	9.60	14.7	122	62.0	131	50.5	21.8	14.7	15.3	33.2	54.9	40.3
29	10.0		122	81.3	131	48.3	21.8	15.0	15.0	33.2	59.6	39.3
30	11.6		114	91.2	128	45.0	20.5	15.9	17.2	30.5	72.1	38.2
31	13.8		111		124		20.5	16.6		31.4		38.2
SD1	8.32	14.7	73.7	99.0	148	102	39.0	19.3	15.6	22.2	44.3	68.2
SD2	8.40	14.4	70.5	70.5	178	70.6	28.3	15.6	15.2	57.1	76.5	98.6
SD3	9.53	14.3	97.5	66.1	144	53.9	22.9	14.6	15.9	32.6	59.4	46.1
MAX	14.7	14.7	122	111	337	119	45.0	20.5	17.2	98.6	88.4	133
DAT	23	1	7	5	20	1	1	1	30	13	16	14
SR	8.77	14.5	81.1	78.6	156	75.5	29.8	16.4	15.6	37.2	60.1	70.2
MIN	8.20	14.1	15.3	50.5	98.6	45.0	20.5	13.5	14.7	15.9	27.8	38.2
DAT	2	16	1	16	1	30	30	20	21	4	4	30
GMIN =		8.20		SRGOD=		53.9		GMAX =		337		
DATUM		2 1						DATUM		20 5		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1955

Broj : 45832      Stanica : BIJELO POLJE      Kota "0" = 559.67  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 124.90  
 Pocetak rada: 1948      Sliv : DRINE      Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	35.0	62.3	205	176	78.1	58.5	41.4	57.2	22.7	109	246	67.4
2	36.1	61.0	176	171	76.8	53.8	36.1	51.5	24.4	96.6	420	63.6
3	35.0	59.8	152	150	76.8	51.5	33.0	50.3	23.6	92.2	337	67.4
4	32.1	58.5	126	136	101	50.3	30.1	46.9	35.0	90.8	324	70.0
5	32.1	54.9	110	120	107	48.0	30.1	45.7	33.0	83.5	259	74.1
6	35.0	53.8	106	106	112	49.2	32.1	45.7	31.1	72.7	227	90.8
7	39.3	61.0	95.1	95.1	117	51.5	35.0	41.4	29.1	70.0	201	84.9
8	41.4	80.8	90.8	90.8	126	51.5	64.9	39.3	28.1	68.7	157	82.2
9	49.2	93.7	86.4	80.8	117	52.6	58.5	38.2	26.2	136	141	80.8
10	46.9	95.1	80.8	80.8	109	52.6	48.0	39.3	25.2	153	126	78.1
11	49.2	87.8	83.5	78.1	110	52.6	40.3	36.1	25.2	205	110	72.7
12	46.9	79.4	79.4	75.4	114	52.6	35.0	40.3	27.2	169	104	70.0
13	46.9	76.8	76.8	78.1	117	51.5	32.1	39.3	32.1	167	93.7	70.0
14	53.8	86.4	72.7	76.8	110	45.7	33.0	32.1	32.1	128	167	67.4
15	76.8	110	70.0	75.4	104	45.7	34.0	30.1	38.2	114	211	66.2
16	80.8	104	66.2	76.8	101	43.6	39.3	30.1	90.8	110	174	70.0
17	110	95.1	63.6	70.0	95.1	43.6	36.1	36.1	324	107	157	160
18	195	211	63.6	66.2	96.6	40.3	35.0	33.0	221	112	141	169
19	215	350	63.6	63.6	83.5	41.4	30.1	30.1	158	138	130	173
20	203	350	59.8	63.6	86.4	43.6	26.2	30.1	122	130	118	414
21	160	306	58.5	61.0	83.5	36.1	23.6	17.0	93.7	150	114	440
22	136	235	56.0	59.8	78.1	35.0	21.1	23.6	83.5	147	110	337
23	118	195	63.6	56.0	78.1	41.4	17.0	22.7	76.8	205	96.6	253
24	102	178	68.7	53.8	70.0	44.6	21.9	21.1	70.0	231	90.8	191
25	93.7	213	72.7	57.2	57.2	46.9	19.5	22.7	66.2	246	95.1	164
26	86.4	253	79.4	56.0	59.8	48.0	19.5	23.6	63.6	406	90.8	141
27	79.4	350	87.8	53.8	57.2	43.6	17.8	24.4	57.2	337	87.8	126
28	76.8	259	92.2	54.9	58.5	40.3	122	24.4	54.9	324	86.4	114
29	71.3		107	59.8	58.5	38.2	84.9	23.6	122	299	76.8	104
30	67.4		120	68.7	62.3	39.3	67.4	21.1	122	191	74.1	92.7
31	66.2		189		63.6		61.0	21.9		164		103
SD1	38.2	68.1	123	121	102	52.0	40.9	45.5	27.8	97.3	244	75.9
SD2	108	155	69.9	72.4	102	46.1	34.1	33.7	107	138	141	133
SD3	96.1	249	90.4	58.1	66.1	41.3	43.2	22.4	81.0	245	92.2	188
MAX	215	350	205	176	126	58.5	122	57.2	324	406	420	541
DAT	19	19	1	1	8	1	28	1	17	26	2	21
SR	81.2	151	94.3	83.7	89.2	46.5	39.5	33.5	72.0	163	159	134
MIN	32.1	53.8	56.0	53.8	57.2	35.0	17.0	17.0	22.7	68.7	74.1	63.6
DAT	4	6	22	24	25	22	23	21	1	8	30	2
GMIN =			17.0	SRGOD=			95.1	GMAX =			541	
DATUM			23 7					DATUM			21 12	



## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1956

Broj : 45832      Stanica : BIJELO POLJE      Kota "0" = 559.67  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 124.90  
 Pocetak rada: 1948      Sliv : DRINE      Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	109	77.7	34.6	131	239	133	45.0	18.5	12.4	9.50	32.6	135
2	150	73.2	34.6	148	232	148	45.0	20.5	12.4	9.50	31.1	124
3	133	70.3	34.6	153	200	140	39.6	18.5	12.4	9.50	72.7	102
4	120	63.4	44.0	169	195	126	37.0	17.7	12.4	9.50	56.3	90.1
5	102	60.6	77.7	166	165	117	35.3	16.9	12.4	9.50	43.9	82.1
6	97.1	60.6	77.7	169	157	111	35.3	16.6	12.4	9.50	36.2	77.7
7	90.1	56.8	79.2	150	150	102	35.3	16.3	12.0	9.50	33.0	74.4
8	83.6	57.8	57.8	120	144	97.1	34.6	16.6	11.7	9.50	28.7	70.3
9	80.7	56.4	70.7	109	144	91.8	32.9	15.8	11.7	9.91	27.9	56.4
10	77.7	56.4	48.1	97.1	144	85.1	32.9	15.4	11.1	9.91	25.8	52.2
11	76.2	56.4	48.1	91.8	172	82.1	32.9	15.4	11.1	9.91	24.7	47.9
12	71.8	56.4	45.8	91.8	239	74.7	35.3	15.1	11.1	9.75	23.7	46.8
13	68.9	56.4	45.8	99.9	232	70.3	33.8	14.7	10.9	9.75	22.6	45.0
14	63.4	56.4	45.0	120	237	68.9	30.5	14.7	11.1	9.75	21.7	44.0
15	56.4	56.4	43.1	129	232	67.5	30.5	14.7	11.1	9.75	28.3	44.0
16	55.3	56.4	41.3	133	223	64.8	28.9	14.3	10.9	9.75	37.2	43.1
17	53.3	56.4	41.3	169	204	68.9	28.9	14.1	11.2	9.50	93.4	37.0
18	48.1	56.4	45.8	193	185	59.2	28.3	13.7	10.8	9.50	97.1	35.3
19	46.8	56.4	43.1	198	185	54.3	27.8	13.7	10.5	9.50	77.7	35.3
20	111	56.4	41.3	193	180	52.2	35.2	13.3	10.1	9.50	70.3	34.6
21	129	51.1	41.3	193	180	52.2	24.2	13.0	9.90	9.50	62.0	34.6
22	117	51.1	45.0	172	193	77.7	23.7	13.0	9.50	9.50	56.4	29.7
23	99.9	45.8	45.8	166	193	73.4	23.1	13.0	9.50	9.50	54.3	26.5
24	93.4	41.3	46.8	166	198	64.8	22.6	13.0	9.50	9.50	54.3	26.5
25	111	38.8	47.9	243	193	56.4	22.6	12.8	9.50	9.50	51.1	26.0
26	131	37.0	95.3	221	198	51.1	22.1	13.0	9.50	9.50	46.8	26.0
27	115	37.0	111	214	185	50.0	21.6	13.0	9.50	9.50	45.0	24.8
28	102	37.0	120	214	167	46.8	20.1	13.0	9.50	11.9	45.0	24.2
29	86.8	34.6	129	204	155	46.8	20.1	13.0	9.50	17.0	52.2	23.7
30	82.1		129	209	150	45.0	19.6	12.8	9.50	19.7	47.9	23.1
31	70.3		131		141		19.6	12.8		19.3		23.1
SD1	104	63.3	55.9	141	177	115	37.3	17.3	12.1	9.58	38.8	86.4
SD2	65.1	56.4	44.1	142	209	66.3	31.2	14.4	10.9	9.67	49.7	41.3
SD3	103	41.5	85.6	200	178	56.4	21.8	12.9	9.54	12.2	51.5	26.2
MAX	162	88.4	142	390	259	160	54.9	22.2	12.4	24.3	106	146
DAT	2	2	31	25	13	2	1	2	1	30	18	1
SR	91.4	54.2	62.6	161	187	79.3	29.8	14.8	10.8	10.5	46.7	50.5
MIN	46.8	34.6	34.6	91.8	141	45.0	19.6	12.8	9.50	9.50	21.7	23.1
DAT	19	29	1	11	31	30	30	25	22	1	14	30
GMIN =		9.50		SRGOD=		66.6		GMAX =		390		
DATUM		22 9						DATUM		25 4		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1957

Broj : 45832      Stanica : BIJELO POLJE      Kota "0" = 559.67  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 124.90  
 Pocetak rada: 1948      Sliv : DRINE      Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	25.2	18.5	69.9	60.4	95.0	102	37.7	14.6	11.1	13.5	28.9	25.6
2	24.3	18.5	66.3	60.4	102	98.4	35.9	15.3	10.7	14.6	26.4	24.8
3	23.5	19.8	60.4	60.4	102	92.0	35.0	20.8	10.1	57.0	24.8	24.8
4	23.5	21.1	57.0	60.4	98.4	86.6	34.0	19.4	10.7	68.7	24.8	20.1
5	23.5	21.1	55.6	60.4	98.4	85.3	32.2	20.1	10.9	150	23.9	20.1
6	21.8	22.6	49.5	60.4	98.4	83.9	30.5	17.0	18.9	137	23.2	20.1
7	21.1	22.6	55.9	60.4	98.4	78.8	29.7	14.6	24.8	126	22.4	20.8
8	21.8	24.3	62.6	60.4	102	74.8	27.2	13.8	20.8	118	28.1	19.4
9	22.6	25.2	77.4	60.4	102	71.1	26.4	13.5	17.7	102	30.5	19.4
10	21.8	30.5	72.4	60.4	87.8	68.7	26.4	13.0	15.3	87.9	47.5	20.1
11	21.1	33.2	66.3	69.9	85.3	63.9	24.8	12.7	14.1	87.9	58.2	46.5
12	20.5	40.0	62.6	94.8	78.7	60.4	23.9	12.1	13.5	68.7	87.9	51.5
13	20.5	42.0	55.9	102	80.0	57.0	23.9	12.0	13.0	58.2	92.0	59.3
14	18.5	40.0	51.5	126	83.9	55.9	23.2	11.7	12.7	53.7	78.8	310
15	18.5	95.5	49.5	126	83.9	53.7	22.4	11.7	12.7	49.5	68.7	384
16	18.5	151	48.5	118	87.9	53.7	20.8	11.4	25.6	46.5	63.9	310
17	18.5	451	51.5	103	92.0	51.5	20.1	11.1	28.1	41.4	59.3	225
18	18.5	434	53.7	95.0	94.8	49.5	18.9	11.1	26.4	38.6	53.7	177
19	17.9	296	53.7	88.0	144	48.5	17.7	10.9	23.2	36.8	50.5	144
20	17.9	245	57.0	85.3	154	46.5	16.5	10.9	20.1	35.0	45.5	124
21	17.9	188	63.8	77.4	157	46.5	18.2	11.4	18.2	34.0	41.4	100
22	17.9	167	71.1	77.4	173	44.4	17.7	11.4	17.0	34.0	38.6	89.3
23	17.9	151	78.7	74.8	163	42.4	18.2	11.7	15.8	33.1	35.9	80.0
24	18.5	129	83.9	74.8	154	40.5	21.6	11.4	15.3	37.7	34.0	74.8
25	19.8	109	85.3	74.8	126	37.7	20.1	11.4	14.1	39.6	32.2	68.7
26	19.8	91.2	85.3	74.8	118	36.8	19.4	11.4	13.5	37.7	30.5	63.9
27	19.8	82.7	82.6	74.8	118	35.9	18.2	11.7	14.1	37.7	29.7	59.3
28	19.2	81.3	81.3	74.8	143	41.4	17.7	11.4	13.5	35.9	28.9	54.8
29	19.2		74.8	74.8	135	44.4	17.0	11.1	14.1	33.1	26.4	55.9
30	19.2		69.9	87.9	126	39.6	15.8	11.1	14.1	31.4	27.2	62.7
31	19.2		62.6		118		14.6	11.1		29.7		73.6
SD1	22.9	22.4	62.7	60.4	98.4	84.2	31.5	16.2	15.1	87.5	28.0	21.5
SD2	19.0	183	55.0	101	98.4	54.1	21.2	11.6	18.9	51.6	65.8	183
SD3	18.9	125	76.3	76.6	139	41.0	18.0	11.4	15.0	34.9	32.5	71.2
MAX	25.2	573	92.7	137	188	111	41.0	22.6	30.5	163	100	417
DAT	1	17	25	14	22	1	1	3	17	5	13	15
SR	20.3	109	65.0	79.3	113	59.7	23.4	13.0	16.3	57.3	42.1	91.3
MIN	17.9	18.5	48.5	60.4	78.7	35.9	14.6	10.9	10.1	13.5	22.4	19.4
DAT	19	1	16	1	12	27	31	19	3	1	7	8
GMIN =			10.1	SRGOD=			57.1	GMAX =			573	
DATUM			3 9					DATUM			17 2	

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1958

Broj : 45832      Stanica : BIJELO POLJE      Kota "0" = 559.67  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 124.90  
 Pocetak rada: 1948      Sliv : DRINE      Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	80.0	46.1	128	260	188	167	53.8	15.9	10.8	9.25	12.4	25.2
2	74.7	44.0	131	223	194	165	54.9	15.9	10.5	9.00	15.9	25.2
3	68.1	42.0	111	201	188	165	53.8	15.9	10.5	12.1	73.4	26.9
4	60.8	41.0	100	199	183	167	51.6	15.0	11.3	14.1	76.0	26.0
5	57.2	39.0	89.8	230	188	167	49.4	15.3	11.0	14.4	77.3	21.8
6	54.9	39.0	84.1	278	192	165	47.2	15.3	11.0	14.1	72.1	20.5
7	64.5	40.0	82.7	278	188	167	44.0	15.0	10.8	13.2	63.3	20.5
8	70.7	40.0	89.8	255	203	165	45.0	14.7	10.8	12.1	62.0	17.9
9	69.4	41.0	95.5	183	219	165	44.0	17.9	10.5	11.6	74.7	17.2
10	64.5	40.0	95.5	157	248	163	40.0	15.3	10.5	11.3	88.4	16.6
11	68.1	40.0	98.6	137	278	163	37.0	15.3	10.8	11.0	89.8	26.9
12	88.4	42.0	112	122	283	163	35.0	15.0	12.1	10.8	88.4	33.2
13	95.5	43.0	100	109	293	133	33.2	15.9	12.4	10.5	80.0	64.5
14	98.6	43.0	94.1	119	290	104	31.4	15.9	12.1	10.5	78.7	62.0
15	101	43.0	91.2	171	288	106	29.6	15.0	11.6	10.3	78.7	78.7
16	94.1	44.0	84.1	207	273	106	26.9	14.4	11.3	10.5	76.0	131
17	84.1	50.5	78.7	199	253	92.7	25.2	14.4	11.3	11.8	70.7	128
18	76.0	65.7	76.0	188	258	81.3	27.8	14.7	11.0	12.7	64.5	116
19	72.1	137	73.4	169	243	80.0	29.6	14.4	10.8	13.0	57.2	137
20	66.9	165	72.1	151	248	78.7	27.8	13.5	10.5	13.2	56.0	151
21	70.7	131	74.7	141	258	76.0	27.8	13.2	10.0	13.0	50.5	137
22	85.6	109	82.7	141	253	74.7	33.2	13.2	9.75	12.4	45.0	119
23	85.6	94.1	78.7	147	238	74.7	36.0	13.0	9.75	13.8	41.0	133
24	78.7	85.6	76.0	153	205	69.4	33.2	13.0	9.75	14.4	38.0	135
25	72.1	85.6	72.1	155	188	64.5	23.5	12.1	9.75	14.1	37.0	147
26	65.7	85.6	72.1	153	183	65.7	22.6	12.1	9.50	13.8	35.0	151
27	60.8	111	85.6	159	183	63.3	21.1	11.8	9.25	13.5	32.3	139
28	56.0	128	122	159	188	59.6	19.2	11.6	9.00	13.8	30.5	116
29	51.6		159	167	183	54.9	17.9	11.6	9.00	13.5	28.7	95.5
30	50.5		199	188	188	52.7	17.2	11.6	9.00	13.2	26.0	91.2
31	48.3		240		179		16.6	11.3		12.7		84.1
SD1	66.5	41.2	101	226	199	166	48.4	15.6	10.8	12.1	61.5	21.8
SD2	84.5	67.3	88.0	157	271	111	30.3	14.9	11.4	11.4	74.0	92.8
SD3	66.0	104	115	156	204	65.6	24.4	12.2	9.48	13.5	36.4	123
MAX	101	165	240	278	444	167	54.9	17.9	12.4	14.4	89.8	151
DAT	15	20	31	6	13	1	2	9	13	5	11	26
SR	72.1	68.4	102	180	224	114	34.0	14.2	10.5	12.4	57.3	80.4
MIN	48.3	39.0	72.1	109	179	52.7	16.6	11.3	9.00	9.00	12.4	16.6
DAT	31	5	20	13	31	30	31	31	28	2	1	10
-----												
GMIN = 9.00			SRGOD= 80.7					GMAX = 444				
DATUM 28 9								DATUM 13 5				
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1959

Broj : 45832      Stanica : BIJELO POLJE      Kota "0" = 559.67  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 124.90  
 Pocetak rada: 1948      Sliv : DRINE      Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	78.7	50.5	31.4	74.7	52.7	98.6	64.5	22.6	45.0	23.5	68.1	48.3
2	56.0	50.5	36.0	84.1	100	119	76.0	35.0	43.0	22.6	64.5	65.7
3	65.7	53.8	42.0	85.6	104	107	139	29.6	37.0	21.8	68.1	73.4
4	69.4	50.5	44.0	84.1	89.8	104	117	34.1	35.0	21.1	82.7	78.7
5	64.5	46.1	49.4	74.7	88.4	101	122	31.4	32.3	18.5	87.0	76.0
6	60.8	43.0	64.5	72.1	88.4	84.1	111	28.7	45.0	17.9	84.1	72.1
7	51.6	40.0	84.1	72.1	88.4	77.3	103	27.8	139	17.2	122	69.4
8	51.6	39.0	98.6	74.7	84.1	73.4	92.7	25.2	133	17.2	135	65.7
9	121	38.0	122	80.0	77.3	72.1	84.1	23.5	107	16.6	114	76.0
10	111	36.0	119	85.6	85.6	70.7	76.0	21.8	91.2	15.9	104	101
11	92.7	34.1	106	92.7	85.6	72.1	72.1	19.8	77.3	15.3	94.1	95.5
12	81.3	33.2	119	95.5	87.0	77.3	68.1	17.9	68.1	15.3	87.0	89.8
13	85.6	30.5	103	92.7	89.8	78.7	65.7	20.5	62.0	15.0	82.7	106
14	78.7	26.9	103	88.4	98.6	73.4	66.9	21.8	57.2	14.4	82.7	173
15	76.0	25.2	101	88.4	104	72.1	62.0	23.5	56.0	14.7	78.7	219
16	91.2	27.8	91.2	87.0	116	74.7	56.0	21.1	53.8	14.4	74.7	190
17	183	27.8	84.1	85.6	104	69.4	53.8	25.2	45.0	13.8	73.4	157
18	124	26.9	76.0	85.6	95.5	66.9	49.4	29.6	41.0	13.5	95.5	133
19	107	26.0	69.4	85.6	94.1	65.7	49.4	39.0	39.0	13.5	87.0	119
20	103	25.2	64.5	84.1	92.7	64.5	46.1	39.0	36.0	13.5	80.0	106
21	89.8	25.2	62.0	81.3	89.8	60.8	50.5	31.4	35.0	13.0	76.0	95.5
22	84.1	26.0	59.6	77.3	84.1	57.2	48.3	31.4	33.2	12.7	69.4	85.6
23	80.0	26.0	59.6	72.1	82.7	65.7	46.1	30.5	27.8	12.7	65.7	95.5
24	84.1	24.3	59.6	68.1	87.0	63.3	44.0	34.1	27.8	12.4	60.8	84.1
25	84.1	24.3	58.4	64.5	85.6	59.6	40.0	31.4	27.8	12.7	57.2	121
26	81.3	24.3	62.0	59.6	82.7	59.6	37.0	31.4	26.0	12.4	53.8	121
27	73.4	24.3	65.7	57.2	78.7	57.2	41.0	36.0	25.2	12.1	52.7	111
28	65.7	28.7	69.4	52.7	78.7	62.0	36.0	37.0	25.2	12.1	50.5	106
29	62.0		72.1	52.7	78.7	68.1	31.4	37.0	25.2	12.1	49.4	196
30	59.6		72.1	50.5	76.0	65.7	28.7	39.0	24.3	26.0	48.3	171
31	56.0		70.7		95.5		26.0	43.0		69.4		147
SD1	73.0	44.7	69.1	78.8	85.9	90.7	98.5	28.0	70.8	19.2	92.9	72.6
SD2	102	28.4	91.7	88.6	96.7	71.5	58.9	25.7	53.5	14.3	83.6	139
SD3	74.6	25.4	64.7	63.6	83.6	61.9	39.0	34.7	27.8	18.9	58.4	121
MAX	183	53.8	122	95.5	116	119	139	43.0	139	69.4	135	301
DAT	17	3	9	12	16	2	3	31	7	31	8	15
SR	83.0	33.4	74.8	77.0	88.6	74.7	64.6	29.7	50.7	17.5	78.3	111
MIN	51.6	24.3	31.4	50.5	52.7	57.2	26.0	17.9	24.3	12.1	48.3	48.3
DAT	7	24	1	30	1	22	31	12	30	27	30	1
GMIN =			12.1	SRGOD=			65.5	GMAX =			301	
DATUM			27 10					DATUM			15 12	

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1960

Broj : 45832      Stanica : BIJELO POLJE      Kota "0" = 559.67  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 124.90  
 Pocetak rada: 1948      Sliv : DRINE      Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	128	81.3	111	141	124	129	52.7	16.7	10.6	14.9	43.0	68.1	
2	117	72.1	104	131	117	124	53.8	16.7	11.4	14.7	41.0	64.5	
3	107	65.7	101	121	128	121	57.2	15.5	11.2	13.8	39.0	62.0	
4	100	57.2	95.5	107	126	119	65.7	14.9	10.6	13.5	36.0	59.6	
5	95.5	57.2	89.8	95.5	121	111	65.7	13.8	10.6	13.2	35.0	56.0	
6	89.8	57.2	81.3	89.8	119	106	60.8	13.2	10.4	12.7	59.6	54.9	
7	85.6	51.6	74.7	84.1	119	101	53.8	13.0	10.4	12.4	320	51.6	
8	81.3	48.3	73.4	81.3	121	100	49.4	13.2	10.4	13.2	364	52.7	
9	78.7	47.2	68.1	80.0	117	98.6	47.2	13.5	10.6	13.5	309	63.3	
10	76.0	44.0	65.7	81.3	124	98.6	47.2	16.7	10.9	13.8	301	163	
11	62.0	44.0	63.3	88.4	126	100	45.0	14.3	10.9	33.2	290	173	
12	59.6	46.1	62.0	100	126	100	43.0	13.2	10.9	64.5	240	149	
13	63.3	104	60.8	103	126	97.1	41.0	12.7	10.9	76.0	185	137	
14	63.3	104	62.0	116	124	91.2	41.0	13.0	10.6	92.7	192	122	
15	59.6	147	62.0	143	124	88.4	38.0	12.4	10.4	72.1	250	111	
16	56.0	221	63.3	133	135	85.6	35.0	12.2	10.4	98.6	214	101	
17	53.8	179	73.4	111	205	82.7	33.2	11.7	10.4	159	171	95.5	
18	50.5	190	84.1	109	219	78.7	33.2	11.4	9.90	145	165	103	
19	49.4	337	87.0	103	203	73.4	30.5	11.2	9.90	111	128	151	
20	45.0	396	84.1	104	203	70.7	27.8	10.9	9.90	87.0	133	153	
21	45.0	331	81.3	101	203	72.1	27.8	10.9	9.90	74.7	151	137	
22	44.0	273	74.7	95.5	205	76.0	27.8	10.9	9.90	85.6	137	161	
23	39.0	219	69.4	89.8	188	73.4	26.9	10.6	10.2	87.0	124	201	
24	38.0	210	64.5	87.0	159	65.7	26.0	10.4	10.4	74.7	111	179	
25	38.0	212	58.4	81.3	147	63.3	27.8	9.90	10.4	65.7	101	155	
26	39.0	177	57.2	87.0	139	59.6	26.9	9.72	10.4	58.4	92.7	135	
27	46.1	161	76.0	85.6	128	56.0	24.3	9.45	10.2	53.8	84.1	119	
28	68.1	131	114	98.6	117	54.9	23.5	9.27	9.90	50.5	77.3	107	
29	84.1	117	143	129	121	54.9	21.1	9.00	11.2	47.2	70.7	100	
30	87.0		161	128	139	52.7	21.1	9.00	13.5	45.0	70.7	92.7	
31	87.0		157		141		19.8	9.00		45.0		87.0	
SD1	95.9	58.2	86.4	101	122	111	55.3	14.7	10.7	13.6	155	69.6	
SD2	56.3	177	70.2	111	159	86.8	36.8	12.3	10.4	93.9	197	130	
SD3	55.9	203	96.0	98.3	153	62.9	24.8	9.83	10.6	62.5	102	134	
MAX	128	531	161	143	219	129	65.7	18.5	15.0	159	364	201	
DAT	1	20	30	15	18	1	4	1	30	17	8	23	
SR	68.9	144	84.6	104	145	86.8	38.5	12.2	10.6	56.9	151	112	
MIN	38.0	44.0	57.2	80.0	117	52.7	19.8	9.00	9.90	12.4	35.0	51.6	
DAT	24	10	26	9	2	30	31	29	18	7	5	7	
		GMIN = 9.00		SRGOD= 84.1		GMAX = 531				DATUM 20 2			
		DATUM 29 8											

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1961

Broj               : 45832                    Stanica :   BIJELO POLJE    Kota "0" = 559.67  
Nacin osmat.: limnigraf        Rijeka    :     LIM                    km od usca = 124.90  
Pocetak rada: 1948            Sliv       :     DRINE                    Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	68.1	37.0	38.0	70.7	101	101	38.0	15.9	12.1	8.45	17.9	63.3
2	76.0	47.2	42.0	73.4	122	92.7	40.0	15.9	11.1	8.45	15.9	76.0
3	73.4	43.0	39.0	76.0	112	88.4	37.0	15.3	10.2	8.45	15.3	80.0
4	70.7	42.0	37.0	74.7	98.6	87.0	33.2	15.0	9.80	8.45	15.3	72.1
5	77.3	41.0	37.0	73.4	95.5	84.1	33.2	14.4	9.80	8.45	23.5	65.7
6	85.6	38.0	37.0	76.0	91.2	77.3	35.0	14.4	9.55	8.45	46.1	59.6
7	84.1	31.4	36.0	78.7	87.0	73.4	33.2	14.1	9.55	8.45	49.4	62.0
8	81.3	31.4	31.4	84.1	100	70.7	31.4	14.1	9.55	8.45	49.4	80.0
9	78.7	33.2	34.1	89.8	95.5	66.9	35.0	13.8	9.55	8.45	49.4	72.1
10	72.1	32.3	35.0	101	101	72.1	33.2	13.5	11.4	8.45	46.1	69.4
11	68.1	31.4	38.0	101	155	68.1	31.4	13.5	16.2	8.45	46.1	64.5
12	63.3	31.4	48.3	95.5	167	70.7	29.6	12.7	10.7	8.45	151	64.5
13	78.7	30.5	53.8	95.5	159	74.7	26.9	12.4	9.80	8.45	116	69.4
14	56.0	30.5	58.4	92.7	151	73.4	26.0	12.1	9.80	8.45	119	70.7
15	65.7	29.6	63.3	89.8	145	64.5	25.2	12.1	9.80	8.45	183	65.7
16	63.3	25.2	63.3	89.8	147	60.8	24.3	12.1	9.80	8.45	159	59.6
17	62.0	23.5	63.3	89.8	147	59.6	21.8	13.8	9.55	8.45	119	53.8
18	59.6	25.2	60.8	98.6	175	56.0	21.1	15.3	9.55	8.45	109	51.6
19	47.2	25.2	58.4	106	179	56.0	23.5	14.4	9.30	10.3	84.1	49.4
20	42.0	25.2	58.4	111	201	53.8	21.8	14.1	9.30	17.9	72.1	47.2
21	48.3	33.2	63.3	103	210	51.6	20.5	14.1	9.30	37.0	63.3	46.1
22	45.0	33.2	89.8	98.6	192	48.3	19.8	14.1	8.87	33.2	57.2	44.0
23	46.1	35.0	88.4	87.0	188	58.4	19.2	13.5	8.87	28.7	51.6	39.0
24	46.1	36.0	84.1	85.6	167	57.2	17.9	13.5	8.87	21.8	49.4	40.0
25	46.1	37.0	81.3	87.0	159	52.7	18.5	13.0	8.87	19.8	46.1	38.0
26	47.2	37.0	85.6	84.1	147	48.3	18.5	12.7	8.70	17.9	46.1	35.0
27	45.0	39.0	85.6	77.3	133	45.0	17.2	12.7	8.70	15.9	49.4	34.1
28	43.0	38.0	89.8	81.3	124	41.0	16.6	12.4	8.45	15.0	52.7	58.4
29	42.0		84.1	81.3	112	45.0	15.3	12.4	8.45	14.4	53.8	68.1
30	39.0		77.3	81.3	114	43.0	17.2	12.1	8.45	14.1	59.6	65.7
31	38.0		72.1		107		14.1	12.1		15.0		58.4
SD1	76.7	37.7	36.7	79.8	100	81.4	34.9	14.6	10.3	8.45	32.8	70.0
SD2	60.6	27.8	56.6	97.0	163	63.8	25.2	13.3	10.4	9.58	116	59.6
SD3	44.2	36.0	81.9	86.6	150	49.0	17.7	13.0	8.75	21.2	52.9	47.9
MAX	85.6	47.2	89.8	111	210	101	40.0	15.9	19.2	37.0	423	80.0
DAT	6	2	22	20	21	1	1	1	11	21	15	3
SR	60.0	33.7	59.2	87.8	138	64.7	25.7	13.6	9.80	13.3	67.2	58.8
MIN	38.0	23.5	31.4	70.7	87.0	41.0	14.1	12.1	8.45	8.45	15.3	34.1
DAT	31	17	8	1	7	28	31	14	28	1	3	27
-----												
GMIN =			8.45	SRGOD=				52.8	GMAX =			423
DATUM			28 9						DATUM			15 11
-----												

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1962

Broj : 45832 Stanica : BIJELO POLJE Kota "0" = 559.67  
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 124.90  
Pocetak rada: 1948 Sliv : DRINE Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	56.0	41.0	49.4	145	153	111	54.9	19.2	10.5	13.2	14.7	78.7
2	53.8	39.0	76.0	290	161	104	54.9	17.9	10.5	13.2	38.0	73.4
3	53.8	37.0	70.7	290	147	103	54.9	16.6	10.5	12.7	50.5	69.4
4	53.8	37.0	69.4	248	181	98.6	51.6	15.3	10.3	12.1	48.3	65.7
5	53.8	35.0	139	263	219	88.4	48.3	14.4	10.3	11.8	40.0	62.0
6	51.6	37.0	223	314	226	80.0	45.0	14.1	10.0	11.3	35.0	57.2
7	51.6	35.0	285	288	228	72.1	44.0	14.4	10.0	11.0	32.3	52.7
8	45.0	35.0	235	228	219	64.5	42.0	13.2	10.0	11.0	30.5	49.4
9	43.0	31.4	169	190	230	59.6	40.0	13.2	9.75	10.8	28.7	47.2
10	39.0	33.2	159	171	250	57.2	37.0	13.5	9.75	10.5	29.6	45.0
11	39.0	33.2	117	159	258	57.2	35.0	14.4	9.75	10.5	42.0	45.0
12	39.0	33.2	112	141	253	59.6	33.2	14.7	9.50	10.3	47.2	43.0
13	45.0	37.0	114	145	240	57.2	31.4	14.7	9.50	10.3	51.6	40.0
14	41.0	84.1	104	169	228	54.9	31.4	14.7	9.50	10.0	48.3	47.2
15	43.0	128	98.6	159	273	52.7	30.5	14.1	9.50	10.3	44.0	98.6
16	56.0	111	92.7	145	309	52.7	28.7	13.5	9.50	10.5	45.0	82.7
17	58.4	95.5	85.6	133	250	54.9	27.8	13.5	9.50	20.5	59.6	203
18	58.4	87.0	77.3	126	201	56.0	29.6	13.2	9.50	32.3	59.6	155
19	58.4	68.1	72.1	122	181	59.6	42.0	12.7	10.0	27.8	62.0	121
20	56.0	58.4	66.9	131	175	65.7	34.1	12.4	10.0	22.6	87.0	95.5
21	53.8	53.8	66.9	141	183	64.5	30.5	12.1	10.5	22.6	216	84.1
22	51.6	53.8	78.7	147	173	62.0	27.8	11.8	11.3	20.5	196	78.7
23	51.6	49.4	98.6	143	159	60.8	26.9	11.6	11.0	18.5	151	68.1
24	49.4	45.0	126	143	143	57.2	32.3	11.3	10.8	16.6	128	65.7
25	49.4	45.0	139	143	135	54.9	26.9	11.3	11.3	15.9	175	58.4
26	45.0	41.0	288	147	133	74.7	25.2	11.0	11.3	14.7	139	52.7
27	43.0	41.0	205	151	126	66.9	21.8	10.8	11.6	14.4	114	56.0
28	41.0	41.0	167	155	122	64.5	20.5	10.5	11.6	13.8	100	51.6
29	39.0		147	153	117	60.8	19.8	10.5	12.4	13.8	87.0	48.3
30	37.0		126	167	114	57.2	18.5	10.5	13.2	14.1	84.1	50.5
31	39.0		119		111		17.9	10.3		14.1		147
SD1	50.1	36.1	148	243	201	83.8	47.3	15.2	10.2	11.8	34.8	60.1
SD2	49.4	73.6	94.0	143	237	57.0	32.4	13.8	9.63	16.5	54.6	93.1
SD3	45.4	46.3	142	149	138	62.3	24.4	11.1	11.5	16.3	139	69.2
MAX	58.4	128	288	513	309	111	54.9	19.2	13.2	32.3	216	203
DAT	17	15	26	6	16	1	1	1	30	18	21	17
SR	48.2	52.4	128	178	190	67.7	34.3	13.3	10.4	14.9	76.1	74.0
MIN	37.0	31.4	49.4	122	111	52.7	17.9	10.3	9.50	10.0	14.7	40.0
DAT	30	9	1	19	31	15	31	31	12	14	1	13
-----												
GMIN = 9.50			SRGOD= 74.1					GMAX = 513				
DATUM 12 9								DATUM 6 4				
-----												

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1963

Broj               : 45832                      Stanica :   BIJELO POLJE   Kota "0" = 559.67  
Nacin osmat.: limnigraf            Rijeka   :       LIM                      km od usca = 124.90  
Pocetak rada: 1948                Sliv     :       DRINE                      Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	233	53.8	65.7	98.6	139	131	64.5	29.6	22.6	12.4	11.6	26.0
2	181	56.0	65.7	98.6	141	128	66.9	28.7	23.5	12.1	11.6	24.3
3	151	58.4	60.8	92.7	151	124	60.8	29.6	21.1	12.1	11.3	23.5
4	169	77.3	58.4	84.1	175	119	60.8	27.8	19.8	12.7	11.0	22.6
5	190	91.2	56.0	81.3	205	117	60.8	26.0	18.5	15.3	15.0	27.8
6	171	104	52.7	78.7	194	114	56.0	26.9	15.9	22.6	17.2	47.2
7	216	92.7	49.4	76.0	179	117	53.8	26.0	15.0	26.0	24.3	49.4
8	278	84.1	49.4	78.7	171	121	51.6	24.3	15.0	24.3	38.0	45.0
9	337	78.7	50.5	80.0	167	128	49.4	24.3	17.2	22.6	53.8	41.0
10	253	76.0	54.9	80.0	169	121	48.3	24.3	18.5	22.6	37.0	37.0
11	228	73.4	77.3	85.6	169	117	47.2	24.3	19.8	24.3	31.4	33.2
12	192	81.3	103	122	171	126	49.4	22.6	18.5	22.6	27.8	33.2
13	283	106	167	159	167	129	45.0	21.1	16.6	21.1	23.5	43.0
14	243	104	149	155	167	121	45.0	20.5	15.0	17.2	24.3	45.0
15	190	95.5	124	153	163	114	43.0	19.8	15.0	15.0	27.8	43.0
16	163	87.0	111	143	155	111	41.0	19.8	14.4	15.0	28.7	179
17	139	117	95.5	135	157	111	41.0	18.5	14.4	14.7	29.6	552
18	139	303	89.8	141	163	101	41.0	17.9	14.4	14.4	30.5	314
19	133	248	84.1	151	163	95.5	39.0	17.2	13.8	14.1	30.5	188
20	111	270	81.3	159	155	89.8	39.0	17.2	13.8	13.8	29.6	167
21	101	223	88.4	165	151	85.6	40.0	17.2	14.1	13.5	29.6	413
22	91.2	181	98.6	163	147	81.3	41.0	17.2	14.7	13.2	27.8	510
23	84.1	147	100	167	139	78.7	42.0	16.6	13.2	13.2	26.0	343
24	74.7	124	95.5	173	135	77.3	39.0	15.9	12.7	13.0	26.0	250
25	68.1	111	89.8	179	135	76.0	37.0	15.0	12.7	13.0	23.5	192
26	56.0	95.5	84.1	175	137	73.4	35.0	13.8	13.2	12.7	22.6	159
27	43.0	84.1	81.3	167	143	70.7	33.2	13.8	13.2	12.7	24.3	131
28	44.0	73.4	84.1	159	143	68.1	31.4	13.8	13.0	12.7	27.8	114
29	47.2		95.5	149	145	68.1	31.4	13.8	13.0	12.4	27.8	106
30	57.2		95.5	143	149	68.1	29.6	13.8	12.7	12.7	26.9	98.6
31	56.0		98.6		139		29.6	15.9		11.8		87.0
SD1	218	77.2	56.3	84.9	169	122	57.3	26.8	18.7	18.3	23.1	34.4
SD2	182	149	108	140	163	112	43.1	19.9	15.6	17.2	28.4	160
SD3	65.7	130	91.9	164	142	74.7	35.4	15.2	13.3	12.8	26.2	219
MAX	337	303	167	179	205	131	66.9	29.6	23.5	26.0	53.8	748
DAT	9	18	13	25	5	1	2	1	2	7	9	17
SR	152	118	85.7	130	158	103	44.9	20.4	15.8	16.0	25.9	140
MIN	43.0	53.8	49.4	76.0	135	68.1	29.6	13.8	12.7	11.8	11.0	22.6
DAT	27	1	7	7	24	28	30	26	24	31	4	4
GMIN =		11.0		SRGOD=		84.0		GMAX =		748		
DATUM		4 11						DATUM		17 12		



## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1964

Broj : 45832      Stanica : BIJELO POLJE      Kota "0" = 559.67  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 124.90  
 Pocetak rada: 1948      Sliv : DRINE      Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	87.0	19.8	56.0	106	103	157	58.4	35.0	15.9	29.6	100	192
2	78.7	19.2	52.7	114	104	135	53.8	43.0	21.1	26.9	89.8	219
3	73.4	19.8	46.1	114	98.6	124	52.7	53.8	26.0	26.0	97.1	188
4	69.4	19.8	42.0	121	97.1	119	45.0	48.3	19.8	25.2	101	188
5	62.0	19.2	41.0	155	106	114	43.0	41.0	18.5	22.6	95.5	167
6	53.8	19.2	40.0	159	111	107	41.0	37.0	16.6	21.8	106	143
7	53.8	17.9	40.0	139	106	100	43.0	33.2	17.2	21.1	111	121
8	50.5	17.9	39.0	124	98.6	98.6	41.0	31.4	19.8	20.5	112	104
9	48.3	17.2	37.0	114	97.1	98.6	39.0	29.6	19.8	22.6	114	95.5
10	45.0	17.2	37.0	104	98.6	98.6	37.0	27.8	19.8	45.0	128	89.8
11	43.0	17.2	41.0	98.6	98.6	92.7	45.0	30.5	19.2	53.8	139	84.1
12	40.0	17.2	44.0	92.7	98.6	89.8	68.1	30.5	18.5	73.4	129	81.3
13	37.0	17.2	46.1	81.3	100	84.1	74.7	29.6	17.2	80.0	141	73.4
14	36.0	17.2	47.2	77.3	104	81.3	63.3	27.8	16.6	109	151	73.4
15	37.0	17.2	51.6	76.0	111	77.3	58.4	26.0	15.9	171	139	68.1
16	36.0	16.6	72.1	73.4	128	78.7	63.3	24.3	15.0	161	121	68.1
17	34.1	16.6	89.8	69.4	124	84.1	58.4	24.3	15.0	135	107	68.1
18	30.5	19.8	81.3	68.1	107	89.8	53.8	23.5	15.9	114	101	70.7
19	28.7	35.0	73.4	68.1	101	100	51.6	22.6	19.2	137	97.1	89.8
20	26.9	121	70.7	70.7	98.6	92.7	47.2	26.0	17.9	139	91.2	248
21	26.9	111	68.1	73.4	107	84.1	43.0	29.6	17.2	137	89.8	250
22	26.9	81.3	97.1	74.7	128	78.7	41.0	23.5	28.7	126	84.1	196
23	26.9	68.1	128	77.3	122	70.7	40.0	22.6	26.9	122	76.0	159
24	26.0	48.3	122	78.7	114	77.3	41.0	19.8	28.7	114	72.1	139
25	23.5	44.0	111	97.1	107	70.7	49.4	19.8	35.0	128	66.9	135
26	22.6	41.0	95.5	116	106	70.7	50.5	19.8	40.0	143	64.5	147
27	19.8	41.0	89.8	111	114	66.9	45.0	17.9	41.0	157	63.3	258
28	19.8	41.0	84.1	104	117	62.0	41.0	17.2	37.0	157	62.0	219
29	19.8	42.0	95.5	103	114	58.4	40.0	16.6	34.1	143	59.6	199
30	19.8		101	103	131	58.4	41.0	15.9	31.4	124	68.1	219
31	19.8		106		163		38.0	15.3		107		248
SD1	62.2	18.7	43.1	125	102	115	45.4	38.0	19.5	26.1	105	151
SD2	34.9	29.5	61.7	77.6	107	87.1	58.4	26.5	17.0	117	122	92.5
SD3	22.9	57.5	99.8	93.8	120	69.8	42.7	19.8	32.0	133	70.6	197
MAX	88.4	169	131	161	167	159	76.0	54.9	43.0	175	151	355
DAT	1	20	23	6	31	1	13	3	27	15	14	27
SR	39.4	34.5	69.2	98.8	110	90.7	48.6	27.8	22.8	93.3	99.2	148
MIN	19.8	16.6	37.0	68.1	97.1	58.4	37.0	15.3	15.0	20.5	59.6	68.1
DAT	27	16	9	18	4	29	10	31	16	8	29	15
GMIN =		15.0		SRGOD=		73.8		GMAX =		355		
DATUM		16 9						DATUM		27 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1965

Broj               : 45832                      Stanica :   BIJELO POLJE   Kota "0" = 559.67  
Nacin osmat.: limnigraf            Rijeka    :       LIM                      km od usca = 124.90  
Pocetak rada: 1948                Sliv       :       DRINE                      Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	203	72.1	29.6	66.9	147	175	74.7	21.8	14.7	13.5	10.3	159
2	167	98.6	84.1	63.3	128	181	70.7	21.1	14.4	13.0	10.5	181
3	145	94.1	400	62.0	114	175	66.9	20.5	14.4	12.7	10.3	124
4	129	78.7	309	58.4	101	157	65.7	20.5	14.1	12.4	10.3	98.6
5	117	76.0	196	58.4	98.6	153	64.5	19.8	13.8	12.4	10.3	81.3
6	103	69.4	163	63.3	109	177	69.4	19.2	14.4	12.4	10.5	62.0
7	94.1	64.5	145	63.3	131	188	69.4	18.5	16.6	11.8	10.5	58.4
8	84.1	58.4	124	68.1	147	163	64.5	17.9	15.0	11.8	10.5	53.8
9	81.3	58.4	111	81.3	143	149	58.4	17.9	15.0	11.8	10.5	62.0
10	80.0	56.0	98.6	185	139	147	56.0	16.6	14.7	11.6	10.3	109
11	73.4	53.8	91.2	226	151	143	54.9	16.6	14.4	11.3	10.3	183
12	68.1	51.6	78.7	192	151	135	50.5	16.6	14.1	11.0	10.5	188
13	63.3	49.4	73.4	175	228	128	47.2	15.9	14.7	11.3	15.0	137
14	58.4	45.0	69.4	171	221	114	44.0	15.9	15.9	11.0	19.8	106
15	57.2	44.0	66.9	167	196	111	42.0	15.9	18.5	11.0	23.5	89.8
16	53.8	44.0	68.1	163	177	107	41.0	15.3	17.9	11.0	22.6	77.3
17	52.7	42.0	68.1	147	185	103	40.0	15.0	17.2	11.0	19.8	69.4
18	49.4	40.0	72.1	131	210	104	39.0	15.0	15.9	10.8	19.8	63.3
19	53.8	36.0	73.4	126	243	107	37.0	15.0	15.3	10.8	22.6	58.4
20	66.9	36.0	76.0	128	268	103	36.0	15.0	14.4	10.8	33.2	54.9
21	58.4	35.0	76.0	155	275	103	35.0	14.7	14.4	10.8	47.2	53.8
22	53.8	33.2	76.0	183	268	100	32.3	14.7	14.4	10.8	73.4	52.7
23	52.7	31.4	81.3	177	285	101	30.5	14.4	14.1	10.5	121	49.4
24	49.4	30.5	89.8	159	258	101	26.0	14.4	14.1	10.5	109	56.0
25	45.0	33.2	100	143	228	95.5	24.3	17.9	13.8	10.5	84.1	53.8
26	44.0	32.3	100	133	226	92.7	27.8	16.6	13.8	10.5	60.8	63.3
27	45.0	31.4	92.7	124	214	89.8	27.8	15.9	13.8	10.5	52.7	62.0
28	43.0	31.4	84.1	117	203	87.0	27.8	15.9	13.5	10.5	60.8	89.8
29	43.0		77.3	147	196	87.0	26.9	15.3	13.5	10.3	112	210
30	46.1		73.4	159	192	77.3	26.0	15.0	13.5	10.3	98.6	199
31	60.8		70.7		179		24.3	14.7		10.0		167
SD1	120	72.6	166	77.0	126	167	66.0	19.4	14.7	12.3	10.4	98.9
SD2	59.7	44.2	73.7	163	203	116	43.2	15.6	15.8	11.0	19.7	103
SD3	49.2	32.3	83.8	150	229	93.4	28.1	15.4	13.9	10.5	82.0	96.1
MAX	223	101	538	238	290	194	77.3	22.6	18.5	13.5	128	233
DAT	1	2	3	11	23	7	1	1	15	1	23	30
SR	75.5	50.9	107	130	187	125	45.2	16.8	14.8	11.2	37.4	99.1
MIN	43.0	30.5	29.6	58.4	98.6	77.3	24.3	14.4	13.5	10.0	10.3	49.4
DAT	28	24	1	4	5	30	25	23	28	31	1	23
GMIN =		10.0		SRGOD=		75.2		GMAX =		538		
DATUM		31 10						DATUM		3 3		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1966

Broj : 45832      Stanica : BIJELO POLJE      Kota "0" = 559.67  
Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 124.90  
Pocetak rada: 1948      Sliv : DRINE      Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	141	40.0	103	98.6	243	141	59.6	26.0	15.9	15.0	133	97.1
2	117	39.0	98.6	92.7	226	139	60.8	26.0	21.1	19.8	107	88.4
3	100	43.0	89.8	84.1	201	155	58.4	26.0	21.1	27.8	87.0	145
4	92.7	38.0	82.7	78.7	188	151	53.8	26.0	18.5	31.4	76.0	250
5	82.7	46.1	77.3	74.7	177	137	50.5	25.2	17.2	30.5	87.0	190
6	70.7	45.0	78.7	70.7	169	124	48.3	24.3	16.6	26.9	126	151
7	62.0	56.0	78.7	68.1	163	116	47.2	21.8	15.9	22.6	133	128
8	57.2	60.8	73.4	69.4	155	112	48.3	20.5	15.3	20.5	117	114
9	52.7	74.7	69.4	70.7	151	111	51.6	19.8	15.0	18.5	98.6	103
10	51.6	92.7	65.7	74.7	139	112	50.5	18.5	14.7	18.5	85.6	128
11	51.6	157	62.0	98.6	126	109	45.0	18.5	14.4	18.5	74.7	121
12	73.4	296	60.8	98.6	117	109	41.0	18.5	14.4	18.5	73.4	121
13	84.1	240	81.3	98.6	107	107	38.0	17.9	14.1	18.5	81.3	88.4
14	72.1	199	82.7	114	98.6	111	36.0	17.2	13.8	19.8	87.0	161
15	60.8	179	66.9	114	95.5	104	34.1	17.2	13.8	20.5	81.3	163
16	56.0	145	63.3	121	98.6	107	33.2	17.2	13.5	19.8	76.0	135
17	66.9	119	60.8	183	100	117	33.2	17.2	13.5	18.5	80.0	116
18	74.7	107	58.4	205	106	111	33.2	17.2	13.2	17.9	116	104
19	74.7	101	54.9	173	104	101	32.3	17.2	13.2	17.2	165	95.5
20	69.4	97.1	56.0	151	103	92.7	35.0	16.6	13.5	16.6	171	89.8
21	60.8	95.5	53.8	147	101	87.0	54.9	16.6	14.1	17.2	194	94.1
22	53.8	100	51.6	149	97.1	84.1	32.3	15.9	14.4	17.9	147	92.7
23	51.6	124	52.7	155	100	66.9	33.2	15.3	14.4	17.9	119	87.0
24	58.4	205	56.0	151	101	70.7	32.3	15.0	14.1	17.2	124	80.0
25	58.4	196	59.6	141	104	65.7	38.0	14.7	13.5	16.6	216	73.4
26	54.9	161	78.7	143	106	65.7	35.0	14.7	13.2	17.2	171	68.1
27	51.6	135	64.5	159	124	64.5	30.5	14.4	13.0	60.8	133	62.0
28	48.3	114	63.3	153	183	60.8	28.7	14.4	13.0	107	114	60.8
29	45.0		73.4	155	169	58.4	27.8	13.5	12.7	124	103	60.8
30	43.0		104	188	171	62.0	27.8	14.4	13.2	203	104	58.4
31	41.0		107		151		26.9	14.7		177		58.4
SD1	82.8	53.5	81.7	78.2	181	130	52.9	23.4	17.1	23.1	105	139
SD2	68.4	164	64.7	136	106	107	36.1	17.5	13.7	18.6	101	119
SD3	51.5	141	69.5	154	128	68.6	33.4	14.9	13.6	70.5	143	72.3
MAX	167	331	111	223	250	159	91.2	26.0	21.8	248	230	403
DAT	1	12	31	18	1	3	2	1	2	30	25	4
SR	67.0	118	71.9	123	138	102	40.6	18.5	14.8	38.5	116	109
MIN	41.0	38.0	51.6	68.1	95.5	58.4	26.9	13.5	12.7	15.0	73.4	58.4
DAT	31	4	22	7	15	29	31	29	29	1	12	30
		GMIN = 12.7		SRGOD= 79.3		GMAX = 403						
		DATUM 29 9				DATUM 4 12						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1967

Broj : 45832 Stanica : BIJELO POLJE Kota "0" = 559.67  
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 124.90  
Pocetak rada: 1948 Sliv : DRINE Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	45.0	33.2	50.5	343	148	132	69.7	41.7	15.5	14.1	11.8	38.1
2	45.0	34.1	62.0	238	148	128	67.3	39.0	15.5	13.7	11.2	32.6
3	44.0	36.0	68.1	175	148	121	64.9	37.2	15.5	13.2	11.2	26.8
4	44.0	38.0	70.7	143	160	109	62.5	34.4	15.0	12.8	11.0	23.7
5	43.0	44.0	65.7	121	185	102	60.3	31.8	15.0	12.8	11.0	21.7
6	42.0	46.1	63.3	121	185	96.2	64.9	30.9	15.0	17.2	11.0	20.3
7	62.0	46.1	59.6	102	181	90.5	62.5	29.2	15.0	16.6	15.0	19.7
8	68.1	46.1	56.0	105	176	82.4	60.3	28.4	14.1	16.6	13.7	21.0
9	62.0	44.0	57.2	117	185	82.4	57.1	26.0	14.1	16.1	14.6	23.7
10	56.0	41.0	60.8	136	194	82.4	62.5	24.4	14.1	16.1	14.6	26.0
11	51.6	37.0	65.7	144	198	79.7	102	23.0	15.0	16.1	15.5	24.4
12	46.1	35.0	69.4	152	194	77.1	96.2	21.7	15.0	16.1	16.1	25.2
13	44.0	33.2	74.7	168	198	79.7	93.4	21.0	16.1	16.1	16.1	27.6
14	42.0	31.4	101	185	194	77.1	85.0	21.7	16.1	15.5	15.5	26.8
15	40.0	29.6	98.6	274	189	74.5	74.5	23.0	16.1	15.5	14.6	25.2
16	40.0	28.7	84.1	274	185	72.1	67.3	23.0	16.6	15.0	14.1	23.7
17	39.0	26.0	78.7	230	181	72.1	64.9	21.7	16.6	15.0	14.1	21.7
18	38.0	26.0	73.4	207	176	64.9	62.5	21.0	16.6	14.1	13.7	21.0
19	37.0	26.0	68.1	194	176	62.5	62.5	20.3	16.6	14.1	13.7	20.3
20	37.0	27.8	65.7	172	168	62.5	60.3	19.7	16.6	13.7	12.8	19.0
21	36.0	31.4	63.3	152	164	72.1	58.2	19.7	16.1	13.2	12.5	19.0
22	35.0	31.4	58.4	144	230	74.5	56.0	19.7	16.1	13.2	12.5	17.7
23	34.1	31.4	54.9	148	274	72.1	53.9	19.7	15.5	13.2	11.8	17.7
24	33.2	31.4	56.0	152	226	67.3	49.7	19.7	15.5	12.8	11.8	17.7
25	41.0	35.0	56.0	136	207	64.9	49.7	19.0	15.5	12.8	11.8	21.7
26	43.0	40.0	56.0	117	185	60.3	46.7	17.7	15.5	12.5	11.8	40.8
27	42.0	45.0	56.0	105	160	60.3	43.7	17.2	15.5	12.5	11.8	185
28	41.0	46.1	58.4	99.1	148	60.3	39.9	16.6	15.0	11.8	11.8	185
29	38.0		58.4	109	140	60.3	42.7	16.1	15.0	11.5	12.2	132
30	36.0		70.7	140	140	72.1	41.7	16.1	14.6	11.5	34.4	93.4
31	33.2		179		128		43.7	15.5		11.8		81.1
SD1	51.1	40.9	61.4	160	171	103	63.2	32.3	14.9	14.9	12.5	25.4
SD2	41.5	30.1	77.9	200	186	72.2	76.9	21.6	16.1	15.1	14.6	23.5
SD3	37.5	36.5	69.7	130	182	66.4	47.8	17.9	15.4	12.4	14.2	73.7
MAX	68.1	46.1	179	440	274	132	102	41.7	16.6	17.2	34.4	185
DAT	8	6	31	1	23	1	11	1	16	6	30	27
SR	43.2	35.8	69.7	163	180	80.4	62.1	23.7	15.5	14.1	13.8	41.9
MIN	33.2	26.0	50.5	99.1	128	60.3	39.9	15.5	14.1	11.5	11.0	17.7
DAT	24	17	1	28	31	26	28	31	8	29	4	22
GMIN =			11.0	SRGOD=			62.1	GMAX =			440	
DATUM			4 11					DATUM			1 4	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1968

Broj : 45832 Stanica : BIJELO POLJE Kota "0" = 559.67  
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 124.90  
Pocetak rada: 1948 Sliv : DRINE Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	111	30.1	102	124	172	87.6	39.9	15.5	29.2	35.3	16.1	58.2
2	235	29.2	90.5	124	174	78.4	39.0	14.6	30.1	35.3	16.1	56.0
3	172	29.2	77.1	126	164	67.3	38.1	14.6	28.4	32.6	15.5	53.9
4	126	29.2	70.9	132	152	64.9	34.4	15.5	26.8	30.9	15.5	49.7
5	96.2	30.1	64.9	140	148	62.5	34.4	16.6	28.4	30.1	15.5	47.7
6	82.4	32.6	60.3	150	160	60.3	34.4	16.1	34.4	29.2	15.5	45.7
7	94.8	32.6	60.3	164	170	58.2	30.9	15.5	35.3	27.6	16.1	43.7
8	130	34.4	59.3	172	174	53.9	27.6	15.5	34.4	26.0	16.6	41.7
9	102	39.0	56.0	181	166	50.7	26.0	17.2	30.9	24.4	17.7	43.7
10	85.0	51.7	53.9	172	152	49.7	24.4	19.0	30.9	23.0	26.0	45.7
11	74.5	69.7	56.0	148	138	57.1	24.4	17.7	30.1	23.0	42.7	45.7
12	67.3	72.1	58.2	128	130	69.7	23.7	17.7	30.9	22.4	44.7	43.7
13	62.5	67.3	56.0	113	132	72.1	23.0	21.7	26.0	21.0	43.7	39.9
14	56.0	62.5	53.9	97.7	136	73.3	22.4	21.7	26.0	20.3	41.7	39.9
15	54.9	62.5	50.7	93.4	138	85.0	21.7	21.7	24.4	19.7	40.8	38.1
16	53.9	85.0	50.7	97.7	124	89.0	21.0	22.4	24.4	19.0	42.7	36.2
17	49.7	140	47.7	99.1	117	86.3	20.3	22.4	24.4	19.0	50.7	38.1
18	47.7	140	49.7	107	107	81.1	20.3	21.0	24.4	19.0	189	90.5
19	49.7	113	54.9	126	96.2	79.7	19.7	22.4	28.4	19.0	322	325
20	47.7	94.8	58.2	124	87.6	77.1	19.0	26.0	32.6	19.0	274	634
21	45.7	85.0	58.2	124	82.4	69.7	19.0	29.2	32.6	19.0	203	383
22	44.7	75.8	79.7	124	77.1	64.9	21.7	27.6	30.1	18.4	160	235
23	43.7	77.1	140	122	77.1	60.3	19.7	25.2	30.9	17.7	126	178
24	43.7	83.7	172	128	77.1	56.0	19.0	23.0	36.2	17.7	102	148
25	42.7	109	162	138	74.5	58.2	17.7	23.0	34.4	16.6	93.4	130
26	42.7	148	150	152	69.7	56.0	16.6	25.2	35.3	16.6	82.4	105
27	40.8	168	136	158	74.5	51.7	16.6	30.1	32.6	16.6	81.1	93.4
28	39.9	144	122	158	69.7	49.7	15.5	34.4	33.5	16.6	68.5	85.0
29	36.2	121	119	156	69.7	47.7	15.5	32.6	36.2	16.6	64.9	75.8
30	34.4		119	162	72.1	43.7	15.5	29.2	36.2	16.6	60.3	72.1
31	32.6		121		83.7		15.5	29.2		16.6		69.7
SD1	123	33.8	69.5	149	163	63.4	32.9	16.0	30.9	29.4	17.1	48.6
SD2	56.4	90.7	53.6	113	121	77.0	21.5	21.5	27.2	20.1	109	133
SD3	40.6	112	125	142	75.2	55.8	17.5	28.1	33.8	17.2	104	143
MAX	235	168	172	181	174	89.0	39.9	34.4	36.2	35.3	330	739
DAT	2	27	24	9	2	16	1	28	29	1	19	20
SR	72.4	77.8	84.2	135	118	65.4	23.8	22.0	30.6	22.1	76.8	109
MIN	32.6	29.2	47.7	93.4	69.7	43.7	15.5	14.6	24.4	16.6	15.5	36.2
DAT	31	2	17	15	26	30	28	2	15	25	3	16
GMIN =		14.6		SRGOD=		69.7		GMAX =		739		
DATUM		2 8						DATUM		20 12		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1969

Broj : 45832      Stanica : BIJELO POLJE      Kota "0" = 559.67  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 124.90  
 Pocetak rada: 1948      Sliv : DRINE      Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	62.5	39.9	79.7	62.5	226	96.2	45.7	25.2	30.9	25.2	12.5	96.2
2	57.1	38.1	74.5	61.4	219	93.4	43.7	30.1	27.6	24.4	12.5	85.0
3	56.0	40.8	69.7	60.3	207	94.8	41.7	26.8	26.0	23.0	12.5	79.7
4	52.8	58.2	68.5	57.1	207	94.8	39.9	25.2	25.2	22.4	12.2	66.1
5	49.7	89.0	67.3	58.2	216	87.6	39.0	24.4	23.7	21.0	12.2	78.4
6	47.7	105	66.1	58.2	232	94.8	43.7	23.0	23.0	20.3	12.2	304
7	45.7	90.5	64.9	61.4	232	117	39.9	21.7	30.9	19.7	12.2	266
8	42.7	77.1	60.3	63.7	209	124	39.0	20.3	30.1	19.0	11.8	176
9	40.8	73.3	57.1	63.7	200	122	39.0	19.7	30.1	18.4	12.2	132
10	41.7	72.1	53.9	61.4	181	109	38.1	21.0	28.4	18.4	12.2	105
11	39.9	64.9	53.9	60.3	172	97.7	38.1	20.3	28.4	17.7	12.8	89.0
12	39.0	60.3	52.8	60.3	164	89.0	43.7	19.0	28.4	17.7	12.8	78.4
13	36.2	62.5	53.9	62.5	162	82.4	44.7	19.0	29.2	17.7	12.8	70.9
14	37.2	74.5	56.0	66.1	172	75.8	43.7	17.7	28.4	17.7	12.5	63.7
15	44.7	86.3	64.9	74.5	178	74.5	40.8	16.6	28.4	16.1	12.5	60.3
16	66.1	121	82.4	72.1	185	77.1	38.1	16.6	34.4	15.5	12.8	60.3
17	73.3	109	94.8	74.5	194	73.3	36.2	16.6	34.4	15.5	12.8	57.1
18	73.3	90.5	109	77.1	185	69.7	33.5	19.7	35.3	15.5	12.8	51.7
19	69.7	79.7	107	74.5	185	67.3	31.8	19.0	34.4	15.0	12.8	49.7
20	64.9	74.5	99.1	73.3	181	64.9	30.9	19.0	34.4	14.1	12.8	47.7
21	59.3	74.5	89.0	74.5	176	64.9	29.2	17.7	40.8	14.1	12.8	43.7
22	53.9	83.7	79.7	99.1	168	63.7	29.2	17.2	43.7	13.7	13.7	42.7
23	48.7	83.7	69.7	134	154	59.3	29.2	16.6	41.7	13.7	15.0	39.9
24	48.7	79.7	64.9	237	140	54.9	26.8	16.6	38.1	13.2	19.0	39.9
25	44.7	85.0	63.7	226	124	51.7	25.2	16.6	34.4	13.2	51.7	38.1
26	41.7	96.2	69.7	178	117	51.7	24.4	21.0	32.6	13.2	160	36.2
27	39.9	94.8	81.1	170	111	56.0	23.0	28.4	30.9	12.8	309	35.3
28	38.1	87.6	78.4	185	105	56.0	22.4	36.2	29.2	12.8	264	34.4
29	36.2		74.5	192	99.1	51.7	22.4	44.7	28.4	12.2	164	34.4
30	38.1		70.9	232	97.7	49.7	26.0	39.9	26.0	12.2	121	34.4
31	41.7		67.3		97.7		26.0	34.4		12.5		34.4
SD1	49.7	68.4	66.2	60.8	213	103	41.0	23.7	27.6	21.2	12.2	139
SD2	54.4	82.3	77.4	69.5	178	77.2	38.2	18.4	31.6	16.3	12.7	62.9
SD3	44.6	85.6	73.5	173	126	56.0	25.8	26.3	34.6	13.1	113	37.6
MAX	73.3	121	109	237	232	124	45.7	44.7	43.7	25.2	339	396
DAT	17	16	18	24	6	8	1	29	22	1	27	6
SR	49.4	78.3	72.4	101	171	78.8	34.7	22.9	31.2	16.7	46.0	78.4
MIN	36.2	38.1	52.8	57.1	97.7	49.7	22.4	16.6	23.0	12.2	11.8	34.4
DAT	13	2	12	4	30	30	28	15	6	29	8	28
		GMIN =	11.8			SRGOD=	65.0			GMAX =	396	
		DATUM	8 11							DATUM	6 12	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1970

Broj               : 45832                      Stanica :   BIJELO POLJE   Kota "0" = 559.67  
Nacin osmat.: limnigraf            Rijeka   :       LIM                      km od usca = 124.90  
Pocetak rada: 1948                Sliv     :       DRINE                      Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	56.0	53.9	54.9	181	251	158	81.1	30.9	24.4	11.2	36.2	68.1
2	132	51.7	51.7	198	203	160	77.1	30.9	23.0	12.8	36.2	74.0
3	93.4	49.7	49.7	209	172	152	73.3	30.1	21.0	16.1	34.4	82.6
4	74.5	47.7	49.7	194	148	140	69.7	29.2	20.3	23.0	30.9	78.9
5	73.3	51.7	58.2	164	140	124	68.5	29.2	20.3	23.0	30.1	71.5
6	148	60.3	103	144	132	117	72.1	27.6	20.3	21.0	29.2	65.8
7	249	70.9	100	124	124	113	83.7	26.0	20.3	20.3	27.6	62.3
8	344	78.4	86.3	156	124	130	90.5	26.0	20.3	19.7	26.0	60.0
9	264	78.4	77.1	484	128	152	83.7	26.0	20.3	19.0	26.0	55.5
10	189	74.5	70.9	533	144	158	79.7	26.0	16.6	18.4	29.2	53.3
11	148	78.4	68.5	359	172	170	75.8	26.0	15.5	15.0	34.4	51.0
12	126	85.0	74.5	286	212	170	70.9	26.0	14.6	14.6	33.5	46.7
13	140	83.7	83.7	244	216	156	67.3	25.2	14.6	13.7	32.6	44.7
14	156	85.0	79.7	228	198	146	63.7	23.0	14.1	12.8	30.1	42.6
15	144	121	99.1	289	185	142	61.4	22.4	14.1	12.5	34.4	41.6
16	150	174	134	264	189	138	59.3	21.7	14.1	12.2	96.2	38.5
17	365	142	115	219	203	134	67.3	22.4	13.7	12.2	142	36.5
18	294	113	96.2	196	203	132	72.1	22.4	16.1	12.2	103	34.5
19	207	102	87.6	183	189	136	66.1	20.3	14.6	12.2	87.6	33.5
20	160	87.6	85.0	185	172	134	58.2	20.3	14.1	11.8	85.0	31.6
21	132	79.7	77.1	198	168	134	51.7	18.4	14.1	11.8	90.5	31.6
22	113	72.1	70.9	209	174	121	48.7	17.7	13.7	24.4	124	29.6
23	99.1	69.7	69.7	209	207	113	44.7	17.7	13.2	99.1	183	28.6
24	87.6	77.1	72.1	221	216	102	43.7	17.2	12.5	105	154	28.6
25	79.7	72.1	87.6	235	187	97.7	42.7	18.4	12.2	79.7	160	27.7
26	75.8	64.9	109	244	160	93.4	40.8	19.7	12.2	62.5	99.1	32.6
27	70.9	62.5	142	254	146	90.5	39.9	19.0	11.8	52.8	86.3	30.6
28	67.3	58.2	235	264	144	85.0	37.2	19.0	11.8	48.7	85.1	49.9
29	66.1		429	289	152	82.4	35.3	19.0	11.5	43.7	78.9	83.8
30	60.3		309	289	144	85.0	33.5	18.4	11.5	40.8	71.5	137
31	56.0		219		144		32.6	17.7		38.1		289
SD1	162	61.7	70.2	239	157	140	77.9	28.2	20.7	18.4	30.6	67.2
SD2	189	107	92.3	245	194	146	66.2	23.0	14.6	12.9	67.9	40.1
SD3	82.5	69.5	165	241	167	100	41.0	18.4	12.4	55.1	113	69.9
MAX	365	174	429	701	251	170	90.5	30.9	24.4	105	183	289
DAT	17	16	29	10	1	11	8	1	1	24	23	31
SR	143	80.2	111	242	172	129	61.0	23.0	15.9	29.7	70.6	59.4
MIN	56.0	47.7	49.7	124	124	82.4	32.6	17.2	11.5	11.2	26.0	27.7
DAT	1	4	3	7	7	29	31	24	29	1	8	25
GMIN =		11.2		SRGOD=		94.6		GMAX =		701		
DATUM		1 10						DATUM		10 4		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1971

Broj : 45832 Stanica : BIJELO POLJE Kota "0" = 559.67  
 Nacin osmat.: limnigraf Rijeka : LIM km od usca = 124.90  
 Pocetak rada: 1948 Sliv : DRINE Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	451	59.8	24.3	63.9	134	81.4	32.7	26.9	13.5	29.3	17.2	156
2	330	68.1	23.6	71.2	156	85.9	32.7	26.9	14.5	26.0	17.9	165
3	317	66.1	22.8	80.2	193	80.2	30.2	26.9	18.5	24.3	18.5	147
4	262	60.8	21.9	80.2	207	75.7	27.7	25.2	15.8	22.8	17.2	114
5	198	54.0	22.8	85.0	213	72.3	26.9	21.9	14.2	21.9	17.2	95.7
6	162	51.0	22.8	112	190	71.2	26.0	20.4	13.9	21.2	17.2	85.1
7	130	48.1	21.9	138	164	68.1	26.9	19.1	13.2	19.7	17.2	77.7
8	106	44.4	21.2	131	140	66.1	26.0	17.2	13.5	18.5	17.2	71.5
9	94.4	42.4	21.2	123	134	63.9	23.6	17.2	13.5	17.2	16.2	66.9
10	85.1	40.6	19.7	120	125	59.8	22.8	17.2	13.5	17.2	16.2	62.3
11	70.1	38.9	19.7	127	122	57.9	21.9	17.9	13.9	17.2	17.2	57.8
12	56.8	36.2	19.7	127	122	56.9	21.2	17.2	13.9	16.8	19.7	53.3
13	55.9	35.4	18.5	115	120	56.9	21.2	16.8	15.3	16.8	21.2	49.9
14	52.0	33.6	17.9	102	115	53.0	21.2	15.8	16.2	16.8	26.9	46.7
15	48.1	32.7	18.5	90.1	111	49.1	21.2	15.3	19.7	15.8	29.3	42.6
16	44.4	36.2	25.2	81.4	109	47.2	20.4	14.5	31.9	17.2	29.3	40.6
17	42.4	32.7	39.7	76.8	109	45.3	19.7	14.2	47.2	38.9	27.7	38.5
18	40.6	32.7	46.2	75.7	109	45.3	18.5	16.2	45.3	46.2	26.0	36.5
19	39.7	32.7	52.0	75.7	109	44.4	18.5	14.9	41.5	42.4	23.6	36.5
20	38.0	34.5	54.9	75.7	107	43.4	21.9	14.9	39.7	38.0	47.2	36.5
21	37.2	33.6	62.9	81.4	105	42.4	20.4	14.9	37.2	34.5	71.2	36.5
22	43.4	32.7	85.0	87.6	100	39.7	18.5	14.5	33.6	40.6	60.8	36.5
23	63.9	32.7	166	92.7	95.2	38.9	17.2	13.9	30.2	29.3	95.2	35.5
24	70.2	31.9	145	104	91.0	37.2	17.2	13.9	28.5	26.0	120	31.6
25	66.1	30.2	115	123	87.6	37.2	16.8	13.5	26.0	26.0	88.4	30.6
26	63.9	29.3	95.2	127	81.3	37.2	16.2	13.5	24.3	24.3	70.2	30.6
27	64.9	29.3	85.0	123	75.7	34.5	16.2	13.5	22.8	22.8	61.8	28.6
28	74.6	26.0	75.7	113	73.4	32.7	16.2	13.5	22.8	21.9	54.9	27.7
29	73.4		72.3	109	74.6	32.7	17.2	13.2	26.0	19.7	62.8	26.8
30	69.1		71.2	116	79.1	32.7	28.5	12.9	31.0	19.7	92.6	24.9
31	63.9		69.1		79.1		26.0	13.2		18.5		23.2
SD1	214	53.5	22.2	100	166	72.5	27.5	21.9	14.4	21.8	17.2	104
SD2	48.8	34.6	31.2	94.6	113	49.9	20.6	15.8	28.5	26.6	26.8	43.9
SD3	62.8	30.7	94.8	108	85.6	36.5	19.1	13.7	28.2	25.8	77.8	30.2
MAX	596	80.1	195	162	250	101	38.5	31.6	55.5	54.4	141	165
DAT	1	2	23	7	5	2	1	1	17	18	24	2
SR	107	40.2	50.9	101	120	53.0	22.3	17.0	23.7	24.8	40.6	58.5
MIN	37.2	26.0	17.9	63.9	73.4	32.7	16.2	12.9	13.2	15.8	16.2	23.2
DAT	21	28	14	1	28	28	26	30	7	15	9	31
GMIN =		12.9		SRGOD=		55.1		GMAX =		596		
DATUM		30 8						DATUM		1 1		



ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1972

Broj : 45832 Stanica : BIJELO POLJE Kota "0" = 559.67  
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 124.90  
Pocetak rada: 1948 Sliv : DRINE Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	23.2	30.6	43.7	38.5	71.5	51.0	26.8	47.8	28.6	154	62.3	103
2	23.2	28.6	42.6	41.6	68.1	49.9	26.8	44.7	29.6	124	57.8	103
3	23.2	26.8	42.6	43.7	66.9	51.0	26.8	40.6	28.6	106	55.5	104
4	23.2	24.9	40.6	44.7	71.5	54.4	25.8	40.6	26.8	107	52.2	100
5	23.2	23.2	38.5	47.8	72.7	55.5	24.9	41.6	26.8	101	51.0	95.7
6	26.8	22.5	38.5	54.4	70.3	53.3	24.9	38.5	27.7	94.4	48.8	90.4
7	30.6	21.7	36.5	56.6	69.2	51.0	24.9	37.5	27.7	90.4	46.7	83.8
8	29.6	21.0	35.5	56.6	71.5	49.9	24.9	36.5	26.8	87.8	44.7	81.3
9	30.6	21.0	35.5	56.6	74.0	48.8	24.9	33.5	24.9	86.4	42.6	75.2
10	29.6	24.0	38.5	57.8	74.0	47.8	24.9	30.6	24.9	130	40.6	70.3
11	30.6	26.8	41.6	61.2	74.0	47.8	23.2	29.6	24.0	137	39.5	66.9
12	30.6	33.5	42.6	64.6	74.0	46.7	23.2	27.7	24.0	118	52.2	63.5
13	28.6	37.5	42.6	69.2	75.2	44.7	23.2	26.8	24.0	107	75.2	60.0
14	26.8	37.5	40.6	74.0	70.3	43.7	26.8	25.8	23.2	107	72.7	56.6
15	24.9	36.5	39.5	75.2	69.2	42.6	106	24.0	23.2	109	69.2	54.4
16	24.0	32.6	38.5	77.7	69.2	39.5	184	21.7	100	97.0	74.0	51.0
17	23.2	30.6	36.5	78.9	72.7	38.5	116	21.0	244	89.1	78.9	49.9
18	23.2	27.7	35.5	80.1	76.4	36.5	89.1	21.0	171	83.8	80.1	45.7
19	21.7	26.8	34.5	71.5	76.4	36.5	74.0	21.7	118	77.7	93.0	44.7
20	21.7	26.8	34.5	65.8	77.7	35.5	64.6	21.0	87.8	71.5	106	42.6
21	20.2	30.6	34.5	76.4	78.9	32.6	60.0	33.5	77.7	74.0	147	39.5
22	20.2	34.5	34.5	77.7	76.4	29.6	66.9	38.5	68.1	94.4	214	37.5
23	19.7	36.5	35.5	71.5	70.3	29.6	70.3	38.5	60.0	90.4	218	37.5
24	18.6	36.5	35.5	68.1	65.8	28.6	69.2	34.5	55.5	85.1	147	34.5
25	18.6	37.5	36.5	69.2	64.6	30.6	70.3	31.6	51.0	81.3	221	33.5
26	18.0	38.5	36.5	83.8	61.2	29.6	72.7	28.6	47.8	77.7	225	33.5
27	18.0	40.6	36.5	101	60.0	28.6	75.2	26.8	94.4	72.7	184	32.6
28	18.6	43.7	38.5	101	60.0	28.6	70.3	24.9	374	69.2	147	31.6
29	21.0	44.7	38.5	90.4	63.5	29.6	64.6	24.0	299	68.1	128	27.7
30	29.6		39.5	78.9	60.0	28.6	56.6	25.8	207	65.8	112	26.8
31	30.6		39.5		54.4		51.0	26.8		64.6		26.8
SD1	26.3	24.4	39.3	49.8	71.0	51.3	25.6	39.2	27.2	108	50.2	90.7
SD2	25.5	31.6	38.6	71.8	73.5	41.2	73.0	24.0	83.9	99.7	74.1	53.5
SD3	21.2	38.1	36.9	81.8	65.0	29.6	66.1	30.3	133	76.7	174	32.9
MAX	30.6	44.7	43.7	101	78.9	55.5	184	47.8	526	154	225	104
DAT	7	29	1	27	21	5	16	1	28	1	26	3
SR	24.2	31.2	38.2	67.8	69.7	40.7	55.3	31.2	81.5	94.2	99.5	58.2
MIN	18.0	21.0	34.5	38.5	54.4	28.6	23.2	21.0	23.2	64.6	39.5	26.8
DAT	26	8	19	1	31	24	11	17	14	31	11	30
-----												
GMIN =			18.0	SRGOD=				57.6	GMAX =			526
DATUM			26 1						DATUM			28 9
-----												

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1973

Broj : 45832 Stanica : BIJELO POLJE Kota "0" = 559.67  
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 124.90  
Pocetak rada: 1948 Sliv : DRINE Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	27.7	29.6	33.5	109	151	82.6	37.5	44.7	24.0	39.5	51.0	55.5
2	27.7	29.6	32.6	109	171	78.9	37.5	39.5	30.6	35.5	47.8	53.3
3	27.7	31.6	31.6	118	198	75.2	40.6	37.5	30.6	33.5	43.7	53.3
4	27.7	30.6	29.6	120	237	71.5	41.6	36.5	26.8	31.6	40.6	52.2
5	27.7	29.6	28.6	110	274	71.5	41.6	38.5	24.0	29.6	38.5	55.5
6	26.8	29.6	28.6	97.0	297	68.1	38.5	36.5	22.5	27.7	37.5	57.8
7	25.8	27.7	27.7	89.1	304	64.6	36.5	33.5	21.7	25.8	53.3	56.6
8	25.8	27.7	30.6	97.0	289	62.3	36.5	31.6	20.2	24.9	122	56.6
9	25.8	27.7	34.5	116	269	64.6	35.5	27.7	19.7	27.7	118	64.6
10	24.0	29.6	33.5	149	257	65.8	41.6	25.8	19.1	30.6	98.5	83.8
11	23.2	38.5	31.6	269	211	65.8	41.6	23.2	18.6	28.6	90.4	77.7
12	22.5	46.7	29.6	248	173	63.5	40.6	22.5	17.5	25.8	86.4	72.7
13	21.7	42.6	29.6	193	184	58.9	39.5	22.5	17.5	24.9	83.8	68.1
14	21.0	39.5	29.6	151	173	58.9	38.5	20.2	17.1	24.0	83.8	64.6
15	20.2	64.6	29.6	133	158	61.2	34.5	19.7	16.7	25.8	83.8	63.5
16	20.2	106	29.6	116	154	60.0	32.6	19.1	16.7	38.5	81.3	62.3
17	21.7	104	28.6	106	154	55.5	29.6	18.0	16.7	46.7	82.6	60.0
18	25.8	86.4	28.6	103	149	52.2	28.6	17.5	16.7	48.8	82.6	61.2
19	126	71.5	28.6	103	141	52.2	25.8	17.1	20.2	44.7	77.7	65.8
20	110	62.3	28.6	103	147	51.0	24.9	17.1	38.5	41.6	72.7	66.9
21	81.3	53.3	27.7	109	156	46.7	22.5	16.7	40.6	36.5	68.1	76.4
22	64.6	51.0	26.8	101	154	43.7	21.0	16.3	35.5	64.6	62.3	128
23	58.9	49.9	28.6	91.7	139	41.6	20.2	15.9	34.5	143	58.9	171
24	52.2	46.7	35.5	87.8	149	40.6	19.1	16.7	42.6	124	54.4	141
25	47.8	44.7	42.6	98.5	149	39.5	26.8	18.0	46.7	97.0	51.0	118
26	42.6	42.6	51.0	107	135	38.5	51.0	18.0	42.6	80.1	51.0	130
27	37.5	39.5	68.1	101	118	37.5	65.8	21.7	38.5	70.3	61.2	204
28	36.5	36.5	82.6	103	106	35.5	69.2	23.2	44.7	68.1	63.5	191
29	35.5		83.8	114	95.7	33.5	61.2	25.8	45.7	62.3	61.2	151
30	32.6		91.7	122	86.4	34.5	54.4	24.9	38.5	58.9	58.9	126
31	30.6		97.0		83.8		48.8	24.9		54.4		97.0
SD1	26.7	29.3	31.1	111	245	70.5	38.7	35.2	23.9	30.6	65.1	58.9
SD2	41.2	66.2	29.4	153	164	57.9	33.6	19.7	19.6	34.9	82.5	66.3
SD3	47.3	45.5	57.8	104	125	39.2	41.8	20.2	41.0	78.1	59.0	139
MAX	191	114	104	299	434	82.6	72.7	46.7	47.8	151	124	211
DAT	19	16	31	11	7	1	28	1	25	23	8	27
SR	38.7	47.1	40.0	122	176	55.9	38.2	24.9	28.2	48.9	68.9	89.9
MIN	20.2	27.7	26.8	87.8	83.8	33.5	19.1	15.9	16.7	24.0	37.5	52.2
DAT	15	7	22	24	31	29	24	23	15	14	6	4
-----												
GMIN =			15.9	SRGOD=			65.0	GMAX =			434	
DATUM			23 8					DATUM			7 5	
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1974

Broj : 45832      Stanica : BIJELO POLJE      Kota "0" = 559.67  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 124.90  
 Pocetak rada: 1948      Sliv : DRINE      Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	101	29.6	37.5	86.4	118	139	76.4	18.0	15.2	37.5	181	124
2	101	29.6	36.5	86.4	160	145	68.1	16.3	14.9	43.7	161	109
3	100	29.6	34.5	81.3	151	130	62.3	16.7	14.9	44.7	137	97.1
4	95.7	40.6	33.5	76.4	135	120	60.0	16.3	14.3	52.2	119	92.7
5	87.8	61.2	34.5	72.7	143	116	57.8	15.9	14.0	48.8	109	92.7
6	82.6	54.4	34.5	70.3	158	114	55.5	15.5	14.0	43.7	104	91.2
7	80.1	98.5	34.5	65.8	147	116	52.2	15.2	14.0	42.6	101	85.6
8	76.4	116	34.5	63.5	135	114	57.8	15.2	14.6	51.0	104	81.3
9	68.1	90.4	34.5	61.2	139	107	52.2	15.2	14.6	78.9	104	76.0
10	64.6	77.7	32.6	55.5	141	98.5	46.7	16.3	14.6	83.8	98.6	72.1
11	62.3	69.2	30.6	54.4	128	94.4	45.7	15.5	14.6	75.2	91.2	68.1
12	57.8	63.5	29.6	53.3	116	100	40.6	15.9	14.3	65.8	87.0	64.5
13	54.4	58.9	27.7	52.2	114	93.0	38.5	16.3	14.3	57.8	84.1	68.1
14	51.0	56.6	25.8	56.6	116	82.6	37.5	15.2	13.8	62.3	82.7	72.1
15	49.9	55.5	26.8	63.5	120	74.0	32.6	14.6	13.6	93.0	81.3	72.1
16	47.8	55.5	26.8	64.6	176	66.9	32.6	14.6	13.2	272	80.0	66.9
17	46.7	55.5	25.8	68.1	176	68.1	30.6	14.3	13.2	289	72.1	64.5
18	45.7	52.2	25.8	74.0	158	68.1	28.6	13.8	13.2	207	68.1	60.8
19	42.6	51.0	25.8	72.7	147	66.9	26.8	13.6	13.0	147	65.7	63.3
20	42.6	49.9	32.6	68.1	137	74.0	25.8	13.4	13.0	107	63.3	63.3
21	42.6	48.8	38.5	69.2	137	72.7	26.8	13.2	13.0	100	63.3	60.8
22	40.6	47.8	42.6	72.7	141	74.0	26.8	13.2	13.0	184	63.3	57.2
23	37.5	44.7	49.9	75.2	182	74.0	27.7	13.4	13.6	437	60.8	51.6
24	37.5	43.7	57.8	70.3	195	68.1	26.8	14.3	15.9	840	57.2	49.4
25	34.5	43.7	64.6	69.2	184	66.9	23.2	15.9	24.9	575	54.9	47.2
26	31.6	42.6	69.2	70.3	200	62.3	22.5	15.5	49.9	357	76.0	47.2
27	30.6	42.6	72.7	69.2	200	60.0	21.7	14.9	70.3	284	114	47.2
28	28.6	40.6	76.4	68.1	178	60.0	22.5	15.2	56.6	232	111	46.1
29	30.6		80.1	71.5	165	58.9	22.5	16.3	46.7	188	124	46.1
30	29.6		82.6	85.1	167	72.7	21.7	16.3	38.5	203	143	45.0
31	29.6		81.3		154		20.2	15.9		181		44.0
SD1	85.7	62.8	34.7	71.9	143	120	58.9	16.1	14.5	52.7	122	92.2
SD2	50.1	56.8	27.7	62.8	139	78.8	33.9	14.7	13.6	138	77.5	66.4
SD3	33.9	44.3	65.1	72.1	173	67.0	23.9	14.9	34.2	326	86.8	49.3
MAX	103	158	82.6	89.1	207	149	82.6	19.7	71.5	955	188	133
DAT	1	8	30	1	26	1	1	1	27	24	1	1
SR	55.9	55.4	43.2	68.9	152	88.6	38.4	15.2	20.8	177	95.4	68.6
MIN	28.6	29.6	25.8	52.2	114	58.9	20.2	13.2	13.0	37.5	54.9	44.0
DAT	28	1	14	13	13	29	31	21	19	1	25	31
GMIN =		13.0		SRGOD=		73.5		GMAX =		955		
DATUM		19 9						DATUM		24 10		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1975

Broj               : 45832                      Stanica :   BIJELO POLJE   Kota "0" = 559.67  
Nacin osmat.: limnigraf            Rijeka    :     LIM                      km od usca = 124.90  
Pocetak rada: 1948                Sliv       :   DRINE                      Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	45.0	31.4	16.6	91.2	76.0	64.5	47.2	19.8	17.9	12.2	36.9	64.5
2	44.0	30.5	17.2	177	81.3	63.3	48.3	19.2	16.2	12.2	35.1	60.8
3	42.0	28.7	17.9	205	94.1	60.8	50.5	18.5	15.5	12.4	32.4	57.2
4	40.0	27.8	17.9	175	100	60.8	50.5	17.9	14.9	12.4	31.5	54.9
5	37.0	25.2	19.8	145	100	66.9	47.2	17.2	15.5	12.7	29.9	52.7
6	35.0	22.6	22.6	124	98.6	70.7	47.2	17.9	14.9	12.7	29.1	48.3
7	36.0	21.8	24.3	121	101	77.3	48.3	19.2	14.9	12.4	29.1	47.2
8	36.0	21.8	30.5	122	109	78.7	47.2	20.5	14.9	12.4	29.1	44.0
9	37.0	20.5	33.2	121	114	77.3	45.0	21.1	14.9	12.7	28.3	44.0
10	36.0	17.9	35.0	111	116	72.1	44.0	21.8	15.5	12.7	29.6	41.0
11	35.0	17.9	35.0	135	107	68.1	42.0	21.8	14.9	13.2	35.0	40.0
12	34.1	17.2	36.0	145	98.6	64.5	44.0	22.6	14.3	19.0	34.1	40.0
13	34.1	17.9	36.0	122	95.5	62.0	42.0	19.8	16.1	53.6	34.1	39.0
14	33.2	18.5	43.0	103	103	59.6	42.0	19.8	15.5	48.4	32.3	37.0
15	33.2	20.5	68.1	92.7	107	56.0	39.0	19.8	14.3	54.7	32.3	37.0
16	33.2	21.8	62.0	89.8	100	51.6	38.0	20.5	13.8	43.7	31.4	35.0
17	33.2	21.8	54.9	87.0	94.1	51.6	36.0	19.8	13.8	49.4	33.2	34.1
18	32.3	22.6	51.6	85.6	91.2	51.6	33.2	17.9	13.8	113	59.6	69.4
19	31.4	21.1	47.2	82.7	91.2	51.6	31.4	17.9	13.5	141	280	82.7
20	31.4	20.5	45.0	80.0	91.2	58.4	29.6	19.2	13.8	103	373	70.7
21	30.5	19.8	47.2	80.0	92.7	58.4	28.7	19.2	13.2	82.1	250	60.8
22	30.5	19.8	49.4	78.7	95.5	56.0	26.9	19.2	13.2	73.2	181	51.6
23	30.5	19.8	48.3	77.3	95.5	52.7	26.9	17.2	13.2	64.9	133	49.4
24	29.6	19.8	47.2	81.3	95.5	52.7	26.9	15.9	13.0	60.2	109	47.2
25	29.6	19.2	46.1	80.0	88.4	52.7	26.0	16.6	13.0	55.8	94.1	46.1
26	29.6	18.5	42.0	80.0	82.7	62.0	26.0	15.9	13.0	51.5	80.0	46.1
27	29.6	18.5	40.0	80.0	80.0	62.0	25.2	15.3	13.0	46.4	74.7	42.0
28	30.5	17.9	39.0	78.7	77.3	59.6	25.2	19.2	13.2	44.5	70.7	39.0
29	30.5		42.0	74.7	76.0	54.9	23.5	22.6	12.7	42.5	68.1	38.0
30	30.5		52.7	74.7	70.7	51.6	21.8	21.8	12.7	41.5	68.1	38.0
31	31.4		59.6		68.1		20.5	20.5		40.5		36.0
SD1	38.8	24.8	23.5	139	99.0	69.2	47.5	19.3	15.5	12.5	31.1	51.5
SD2	33.1	20.0	47.9	102	97.9	57.5	37.7	19.9	14.4	63.9	94.5	48.5
SD3	30.3	19.2	46.7	78.5	83.9	56.3	25.2	18.5	13.0	54.8	113	44.9
MAX	47.2	31.4	70.7	210	117	78.7	51.6	24.3	19.8	179	447	85.6
DAT	1	1	15	3	10	7	3	12	1	19	20	19
SR	33.9	21.5	39.6	107	93.3	61.0	36.5	19.2	14.3	44.1	79.5	48.2
MIN	29.6	17.2	16.6	74.7	68.1	51.6	20.5	15.3	12.7	12.2	28.3	34.1
DAT	24	12	1	29	31	16	31	27	29	1	9	17
GMIN =			12.2	SRGOD=			49.9	GMAX =			447	
DATUM			1 10					DATUM			20 11	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1976

Broj : 45832 Stanica : BIJELO POLJE Kota "0" = 559.67  
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 124.90  
Pocetak rada: 1948 Sliv : DRINE Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	34.1	26.9	39.0	83.4	123	87.4	67.2	29.1	29.1	18.5	107	50.5
2	33.2	25.2	44.0	90.9	113	87.4	67.2	29.1	31.5	17.3	104	76.0
3	32.3	26.0	49.4	99.9	138	99.9	62.5	30.7	30.7	16.7	96.3	250
4	31.4	26.0	51.6	109	185	99.9	58.1	30.7	29.9	16.1	84.7	221
5	30.5	26.0	47.2	120	189	92.7	53.6	31.5	33.3	16.1	82.1	235
6	30.5	26.9	43.0	125	189	110	51.5	46.4	36.9	17.3	80.8	207
7	29.6	26.9	41.0	130	197	210	50.4	44.5	37.8	18.5	80.8	167
8	28.7	25.2	39.0	130	199	210	50.4	39.6	36.9	17.8	90.9	226
9	26.9	22.6	38.0	129	194	186	50.4	35.1	33.3	17.3	103	296
10	26.9	24.3	38.0	118	186	158	48.4	32.4	31.5	16.7	92.7	228
11	26.9	24.3	37.0	103	185	136	46.4	31.5	31.5	16.7	80.8	203
12	26.0	24.3	36.0	90.9	179	120	44.5	33.3	30.7	15.5	72.0	190
13	26.0	26.0	34.1	90.9	167	109	41.5	32.4	26.6	14.3	67.2	163
14	26.0	26.0	34.1	99.9	158	98.1	39.6	33.3	25.8	15.5	86.0	135
15	25.2	26.0	34.1	109	147	92.7	38.7	33.3	24.2	15.5	99.9	119
16	25.2	27.8	37.0	113	138	87.4	37.8	31.5	23.4	15.5	92.7	109
17	21.8	28.7	44.0	115	127	87.4	36.0	31.5	23.4	29.9	83.4	109
18	20.5	34.1	53.8	115	123	109	34.2	35.1	24.2	58.1	78.3	141
19	20.5	35.0	62.0	118	118	101	32.4	34.2	23.4	59.1	80.8	155
20	19.8	36.0	69.4	123	113	90.9	31.5	38.7	24.2	48.4	75.7	141
21	19.8	36.0	64.5	127	110	84.7	30.7	37.8	25.0	41.5	70.8	126
22	20.5	35.0	57.2	123	109	80.8	31.5	38.7	24.2	36.0	68.4	114
23	21.1	33.2	51.6	118	104	77.0	30.7	46.4	24.2	33.3	73.2	104
24	21.1	32.3	76.0	125	96.3	73.2	39.6	46.4	23.4	31.5	69.6	97.1
25	28.7	33.2	153	143	95.4	68.4	39.6	44.5	23.4	29.9	63.6	88.4
26	36.0	31.4	135	147	90.9	66.1	37.8	43.5	22.7	29.9	59.1	82.7
27	36.0	30.5	121	138	87.4	64.9	34.2	39.6	20.3	29.1	57.0	77.3
28	34.1	30.5	116	118	93.6	66.1	32.4	35.1	20.3	28.3	51.5	66.9
29	32.3	34.1	104	109	99.9	66.1	32.4	31.5	19.6	27.5	49.4	69.4
30	27.8		97.1	123	90.9	64.9	33.3	29.9	19.0	26.6	46.4	106
31	27.8		91.2		86.0		30.7	29.9		38.7		95.5
SD1	30.4	25.6	43.0	114	171	134	56.0	34.9	33.1	17.2	92.2	196
SD2	23.8	28.8	44.1	108	146	103	38.3	33.5	25.7	28.9	81.7	147
SD3	27.7	32.9	97.0	127	96.7	71.2	33.9	38.5	22.2	32.0	60.9	93.4
MAX	49.4	37.0	163	169	226	243	78.7	53.8	42.0	77.3	126	410
DAT	27	21	25	26	7	7	1	23	7	31	1	9
SR	27.3	29.0	62.5	116	136	103	42.4	35.7	27.0	26.2	78.3	144
MIN	19.8	22.6	34.1	83.4	86.0	64.9	30.7	29.1	19.0	14.3	46.4	50.5
DAT	20	9	13	1	31	27	21	1	30	13	30	1
-----												
GMIN =			14.3	SRGOD=				69.0	GMAX =			410
DATUM			13 10						DATUM			9 12
-----												

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1977

Broj : 45832      Stanica : BIJELO POLJE      Kota "0" = 559.67  
Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 124.90  
Pocetak rada: 1948      Sliv : DRINE      Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	82.7	117	109	396	124	65.7	33.2	15.0	19.8	25.2	19.2	78.7
2	74.7	139	100	427	133	62.0	33.2	15.9	18.5	22.6	19.8	73.4
3	69.4	126	92.7	403	139	65.7	33.2	16.6	23.5	43.0	19.8	72.1
4	65.7	103	81.3	334	141	72.1	32.3	17.2	21.8	56.0	19.8	65.7
5	59.6	82.7	77.3	288	147	73.4	29.6	17.2	19.8	51.6	19.2	59.6
6	56.0	70.7	70.7	248	145	68.1	29.6	18.5	18.5	44.0	19.2	53.8
7	52.7	64.5	68.1	219	135	64.5	29.6	21.1	17.9	39.0	17.2	59.6
8	52.7	56.0	64.5	194	122	59.6	28.7	17.9	17.2	33.2	17.2	68.1
9	49.4	50.5	63.3	185	114	57.2	26.9	16.6	15.9	31.4	17.9	64.5
10	47.2	48.3	62.0	190	109	54.9	26.9	17.2	15.3	29.6	17.2	60.8
11	46.1	62.0	62.0	169	98.6	53.8	26.0	17.2	15.3	34.1	17.2	62.0
12	81.3	188	63.3	145	87.0	56.0	23.5	16.6	14.4	49.4	17.2	58.4
13	171	293	82.7	126	77.3	57.2	21.8	15.3	14.1	53.8	17.2	53.8
14	137	248	112	111	73.4	58.4	21.8	15.3	14.1	52.7	16.6	50.5
15	111	192	109	119	73.4	57.2	21.1	15.3	13.8	48.3	17.2	47.2
16	106	163	98.6	126	77.3	54.9	19.2	15.0	13.5	40.0	18.5	44.0
17	97.1	143	91.2	114	81.3	52.7	19.2	14.7	13.5	36.0	28.7	42.0
18	88.4	121	82.7	104	82.7	50.5	19.2	14.1	17.9	34.1	41.0	39.0
19	78.7	112	78.7	106	87.0	47.2	20.5	13.5	29.6	31.4	51.6	36.0
20	69.4	100	77.3	112	98.6	45.0	19.8	13.5	33.2	28.7	51.6	34.1
21	65.7	94.1	81.3	106	106	45.0	19.8	13.2	44.0	27.8	46.1	32.3
22	62.0	94.1	85.6	100	106	45.0	17.2	53.8	41.0	25.2	43.0	31.4
23	59.6	117	91.2	94.1	101	44.0	18.5	46.1	35.0	22.6	84.1	29.6
24	56.0	133	100	89.8	98.6	41.0	20.5	38.0	34.1	21.8	131	28.7
25	54.9	133	109	97.1	89.8	40.0	20.5	39.0	34.1	21.8	117	27.8
26	53.8	135	114	97.1	82.7	37.0	19.2	32.3	40.0	21.1	137	31.4
27	53.8	131	114	91.2	78.7	36.0	17.9	27.8	38.0	20.5	163	30.5
28	62.0	122	114	84.1	88.4	36.0	17.2	21.8	35.0	19.8	131	28.7
29	72.1		116	89.8	89.8	36.0	17.2	19.8	28.7	19.2	104	36.0
30	137		129	106	78.7	34.1	16.6	18.5	27.8	19.2	88.4	181
31	128		228		69.4		15.9	17.2		19.2		203
SD1	61.0	85.8	78.9	288	131	64.3	30.3	17.3	18.8	37.6	18.6	65.6
SD2	98.6	162	85.8	123	83.7	53.3	21.2	15.1	17.9	40.8	27.7	46.7
SD3	73.2	120	117	95.5	89.9	39.4	18.2	29.8	35.8	21.7	104	60.0
MAX	183	303	314	510	147	73.4	33.2	128	45.0	56.0	173	221
DAT	13	13	31	1	5	4	1	22	21	4	26	31
SR	77.5	123	94.5	169	101	52.3	23.1	21.0	24.2	33.0	50.3	57.5
MIN	46.1	48.3	62.0	84.1	69.4	34.1	15.9	13.2	13.5	19.2	16.6	27.8
DAT	11	10	10	28	31	30	31	21	16	29	14	25
GMIN =		13.2		SRGOD=		68.4		GMAX =		510		
DATUM		21 8						DATUM		1 4		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1978

Broj : 45832 Stanica : BIJELO POLJE Kota "0" = 559.67  
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 124.90  
Pocetak rada: 1948 Sliv : DRINE Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	141	74.7	192	76.0	165	177	57.2	23.5	35.0	66.9	21.1	15.9	
2	103	65.7	181	74.7	268	171	52.7	22.6	33.2	76.0	21.1	15.3	
3	84.1	57.2	163	72.1	386	167	51.6	21.8	27.8	97.1	20.5	15.0	
4	73.4	50.5	143	73.4	303	161	51.6	21.8	24.3	92.7	19.8	14.7	
5	65.7	46.1	135	76.0	233	157	50.5	22.6	23.5	81.3	19.8	15.0	
6	57.2	43.0	131	76.0	210	147	49.4	21.8	22.6	73.4	19.2	14.7	
7	50.5	41.0	133	76.0	214	143	49.4	21.1	27.8	66.9	19.2	14.4	
8	47.2	39.0	126	74.7	240	137	48.3	20.5	35.0	59.6	19.2	14.1	
9	43.0	37.0	114	77.3	263	133	47.2	20.5	34.1	56.0	18.5	13.8	
10	42.0	35.0	103	77.3	223	131	44.0	19.8	29.6	51.6	17.9	14.1	
11	41.0	38.0	91.2	81.3	196	128	42.0	19.8	26.9	47.2	17.2	14.4	
12	40.0	69.4	81.3	80.0	175	126	40.0	19.8	27.8	43.0	16.6	14.4	
13	39.0	101	73.4	94.1	155	128	38.0	19.8	50.5	41.0	16.6	15.3	
14	38.0	288	66.9	196	169	124	37.0	19.2	76.0	37.0	16.6	47.2	
15	37.0	270	63.3	253	194	121	37.0	18.5	70.7	35.0	16.6	89.8	
16	35.0	179	66.9	228	179	124	38.0	17.9	62.0	34.1	15.9	70.7	
17	36.0	135	66.9	183	163	121	38.0	17.9	50.5	32.3	15.3	114	
18	38.0	116	116	153	155	109	36.0	17.2	45.0	31.4	15.0	226	
19	38.0	103	194	128	157	101	34.1	16.6	40.0	29.6	15.0	255	
20	37.0	151	161	111	157	97.1	34.1	15.9	40.0	28.7	14.7	233	
21	37.0	199	129	101	163	92.7	33.2	15.9	47.2	29.6	14.7	192	
22	36.0	159	124	95.5	169	89.8	32.3	15.9	43.0	30.5	14.7	151	
23	35.0	126	109	92.7	253	84.1	30.5	15.9	39.0	29.6	14.4	122	
24	34.1	107	103	91.2	285	77.3	28.7	15.3	37.0	27.8	14.4	101	
25	32.3	98.6	98.6	89.8	233	72.1	27.8	15.0	36.0	26.9	14.4	87.0	
26	30.5	109	88.4	94.1	196	69.4	26.9	15.0	33.2	26.0	14.1	76.0	
27	29.6	194	84.1	107	185	76.0	26.0	14.7	31.4	24.3	14.1	72.1	
28	28.7	219	77.3	141	201	72.1	25.2	14.7	37.0	23.5	16.6	65.7	
29	29.6		72.1	188	203	68.1	24.3	14.7	80.0	22.6	17.2	73.4	
30	124		70.7	175	210	62.0	23.5	14.7	76.0	22.6	16.6	95.5	
31	95.5		73.4		188		23.5	17.9		21.8		124	
SD1	70.7	48.9	142	75.3	251	152	50.2	21.6	29.3	72.1	19.6	14.7	
SD2	37.9	145	98.1	151	170	118	37.4	18.3	48.9	35.9	15.9	108	
SD3	46.6	151	93.6	118	208	76.4	27.4	15.4	46.0	25.9	15.1	105	
MAX	171	346	201	258	485	181	58.4	26.0	84.1	100	21.8	270	
DAT	1	14	1	15	3	1	1	31	29	3	1	19	
SR	51.6	113	111	115	209	116	38.0	18.3	41.4	44.1	16.9	77.0	
MIN	28.7	35.0	63.3	72.1	155	62.0	23.5	14.7	22.6	21.8	14.1	13.8	
DAT	28	10	15	3	13	30	30	27	6	31	26	9	
GMIN =			13.8	SRGOD=			79.0	GMAX =			485		
DATUM			9 12					DATUM			3 5		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1979

Broj : 45832 Stanica : BIJELO POLJE Kota "0" = 559.67  
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 124.90  
Pocetak rada: 1948 Sliv : DRINE Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	192	219	63.3	128	188	111	57.2	26.0	36.0	22.6	270	111
2	212	171	59.6	111	159	109	56.0	25.2	34.1	22.6	196	106
3	163	145	57.2	101	139	104	54.9	24.3	32.3	21.8	147	98.6
4	128	129	54.9	92.7	133	101	57.2	22.6	30.5	21.8	116	94.1
5	114	137	53.8	111	135	98.6	59.6	21.8	31.4	21.1	98.6	88.4
6	100	139	51.6	219	139	95.5	54.9	21.8	39.0	29.6	109	84.1
7	87.0	137	49.4	248	139	89.8	52.7	21.1	40.0	47.2	114	81.3
8	77.3	124	48.3	192	153	85.6	50.5	20.5	37.0	50.5	100	77.3
9	70.7	111	48.3	151	161	81.3	51.6	19.8	35.0	45.0	89.8	73.4
10	78.7	101	46.1	124	161	77.3	50.5	21.1	33.2	41.0	84.1	72.1
11	117	112	45.0	111	155	77.3	48.3	22.6	31.4	38.0	82.7	69.4
12	223	121	45.0	101	157	73.4	45.0	30.5	30.5	37.0	109	91.2
13	183	183	43.0	95.5	185	70.7	43.0	26.9	28.7	42.0	112	98.6
14	141	248	43.0	89.8	175	68.1	41.0	24.3	27.8	70.7	101	88.4
15	114	233	43.0	84.1	151	68.1	44.0	23.5	26.9	82.7	95.5	85.6
16	98.6	214	45.0	84.1	133	70.7	43.0	22.6	30.5	66.9	303	87.0
17	84.1	194	51.6	91.2	124	97.1	42.0	25.2	27.8	58.4	993	85.6
18	77.3	183	51.6	95.5	122	173	42.0	26.0	26.0	51.6	909	81.3
19	70.7	163	50.5	103	131	155	39.0	31.4	25.2	54.9	898	77.3
20	65.7	139	49.4	92.7	139	121	37.0	49.4	24.3	56.0	611	76.0
21	60.8	119	52.7	87.0	149	103	35.0	51.6	22.6	53.8	427	92.7
22	57.2	106	58.4	81.3	155	92.7	33.2	85.6	23.5	51.6	314	109
23	53.8	95.5	64.5	76.0	153	84.1	33.2	76.0	25.2	49.4	253	114
24	56.0	87.0	63.3	70.7	149	82.7	33.2	59.6	26.0	47.2	214	122
25	64.5	80.0	60.8	64.5	141	77.3	32.3	56.0	27.8	45.0	190	119
26	177	76.0	58.4	117	135	70.7	31.4	60.8	27.8	43.0	167	109
27	169	70.7	59.6	358	131	65.7	30.5	53.8	26.9	41.0	149	100
28	147	68.1	141	447	126	64.5	32.3	50.5	26.0	39.0	133	91.2
29	183		205	323	124	62.0	29.6	46.1	24.3	49.4	122	87.0
30	340		188	238	121	60.8	28.7	43.0	23.5	175	114	85.6
31	303		155		114		27.8	39.0		309		101
SD1	122	141	53.2	148	151	95.3	54.5	22.4	34.8	32.3	132	88.6
SD2	117	179	46.7	94.8	147	97.4	42.4	28.2	27.9	55.8	421	84.0
SD3	146	87.8	101	186	136	76.3	31.6	56.5	25.4	82.1	208	103
MAX	367	255	207	468	210	183	62.0	97.1	41.0	325	1077	124
DAT	30	14	29	28	1	18	4	22	7	31	17	24
SR	129	139	67.9	143	144	89.7	42.5	36.4	29.4	57.6	254	92.2
MIN	53.8	68.1	43.0	64.5	114	60.8	27.8	19.8	22.6	21.1	82.7	69.4
DAT	23	28	13	25	31	30	31	9	21	5	11	11
GMIN =			19.8	SRGOD=			102	GMAX =			1077	
DATUM			9 8					DATUM			17 11	



ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1980

Broj : 45832 Stanica : BIJELO POLJE Kota "0" = 559.67  
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 124.90  
Pocetak rada: 1948 Sliv : DRINE Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	135	70.7	42.0	101	74.7	165	65.7	27.8	21.1	15.0	66.9	181	
2	116	109	41.0	95.5	81.3	147	62.0	26.9	21.1	15.0	62.0	147	
3	107	104	40.0	104	87.0	131	63.3	26.0	21.1	15.0	59.6	126	
4	95.5	101	41.0	106	91.2	119	63.3	25.2	20.5	15.0	59.6	112	
5	84.1	92.7	39.0	98.6	98.6	112	60.8	24.3	19.8	14.7	60.8	101	
6	81.3	92.7	38.0	89.8	131	112	56.0	24.3	19.2	14.7	70.7	89.8	
7	78.7	95.5	38.0	84.1	155	114	52.7	23.5	18.5	14.7	149	128	
8	74.7	97.1	40.0	80.0	149	111	51.6	23.5	17.9	14.4	151	131	
9	69.4	94.1	53.8	78.7	145	112	49.4	23.5	18.5	15.0	121	116	
10	65.7	89.8	52.7	74.7	147	119	48.3	23.5	18.5	39.0	122	98.6	
11	63.3	88.4	50.5	72.1	165	131	48.3	22.6	17.9	73.4	157	88.4	
12	60.8	85.6	48.3	66.9	171	133	49.4	22.6	17.2	78.7	145	81.3	
13	58.4	81.3	46.1	63.3	153	126	50.5	24.3	17.2	233	212	74.7	
14	56.0	76.0	44.0	60.8	143	121	48.3	26.0	16.6	240	503	69.4	
15	53.8	72.1	44.0	60.8	139	117	44.0	24.3	16.6	179	489	65.7	
16	57.2	66.9	45.0	62.0	161	117	41.0	21.8	15.9	131	323	63.3	
17	59.6	64.5	45.0	64.5	203	112	39.0	21.8	15.9	103	240	60.8	
18	58.4	63.3	44.0	69.4	196	104	38.0	27.8	15.9	106	181	60.8	
19	56.0	60.8	43.0	76.0	175	101	37.0	26.9	15.3	128	153	60.8	
20	53.8	57.2	44.0	78.7	171	104	35.0	24.3	15.3	128	131	62.0	
21	51.6	54.9	51.6	92.7	181	95.5	34.1	21.8	15.0	126	111	64.5	
22	50.5	51.6	74.7	119	171	89.8	36.0	21.1	15.0	114	98.6	70.7	
23	49.4	49.4	137	114	159	87.0	35.0	20.5	15.0	104	88.4	69.4	
24	51.6	47.2	161	101	161	84.1	34.1	20.5	15.0	92.7	81.3	63.3	
25	52.7	46.1	137	92.7	167	84.1	32.3	19.8	15.3	81.3	74.7	59.6	
26	94.1	46.1	117	85.6	157	82.7	31.4	19.8	15.9	85.6	69.4	57.2	
27	92.7	45.0	104	80.0	145	77.3	30.5	19.2	15.3	104	69.4	56.0	
28	84.1	44.0	100	76.0	145	80.0	31.4	18.5	15.0	70.7	104	53.8	
29	74.7	43.0	104	76.0	167	76.0	29.6	19.2	15.0	88.4	171	49.4	
30	70.7		100	74.7	175	69.4	29.6	19.2	15.0	81.3	228	47.2	
31	68.1		106		177		28.7	18.5		73.4		46.1	
SD1	90.7	94.7	42.5	91.2	116	124	57.3	24.9	19.6	17.3	92.3	123	
SD2	57.7	71.6	45.4	67.4	168	117	43.0	24.2	16.4	140	253	68.7	
SD3	67.3	47.5	108	91.2	164	82.6	32.1	19.8	15.1	92.9	110	57.9	
MAX	151	114	169	122	203	175	66.9	27.8	22.6	268	611	192	
DAT	1	2	24	22	17	1	1	1	1	14	14	1	
SR	71.8	72.1	66.8	83.3	150	108	43.8	22.9	17.0	83.7	152	82.4	
MIN	49.4	43.0	38.0	60.8	74.7	69.4	28.7	18.5	15.0	14.4	59.6	46.1	
DAT	23	29	6	14	1	30	31	28	21	8	3	31	
		GMIN =	14.4			SRGOD=	79.3			GMAX =	611		
		DATUM	8 10							DATUM	14 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1981

Broj : 45832 Stanica : BIJELO POLJE Kota "0" = 559.67  
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 124.90  
Pocetak rada: 1948 Sliv : DRINE Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	43.0	23.5	31.4	233	139	104	39.0	15.9	14.1	14.7	56.0	27.8
2	43.0	23.5	31.4	214	128	103	38.0	15.3	14.1	14.7	48.3	37.0
3	42.0	22.6	49.4	192	122	100	36.0	15.0	14.1	26.0	44.0	42.0
4	42.0	24.3	278	171	137	98.6	34.1	15.0	13.8	34.1	41.0	37.0
5	51.6	30.5	248	149	179	98.6	32.3	15.9	13.8	30.5	38.0	33.2
6	52.7	37.0	167	131	188	100	31.4	15.3	15.3	26.0	35.0	31.4
7	48.3	32.3	126	124	155	92.7	30.5	15.3	15.9	22.6	34.1	44.0
8	45.0	30.5	109	119	129	87.0	28.7	15.3	15.3	20.5	32.3	124
9	42.0	30.5	104	117	117	78.7	27.8	15.0	15.0	19.2	31.4	167
10	40.0	31.4	104	119	114	76.0	26.9	15.0	14.7	18.5	29.6	188
11	39.0	38.0	117	124	119	76.0	26.0	15.0	14.7	17.2	26.9	183
12	37.0	89.8	153	122	153	73.4	26.0	15.0	16.6	17.2	26.0	255
13	36.0	104	188	112	159	72.1	27.8	15.3	15.9	17.2	24.3	406
14	48.3	82.7	201	106	137	70.7	27.8	16.6	15.3	18.5	23.5	420
15	49.4	68.1	167	107	122	66.9	26.9	15.9	28.7	17.9	24.3	263
16	47.2	58.4	149	122	122	62.0	26.9	15.3	34.1	16.6	26.0	179
17	43.0	52.7	139	119	128	60.8	26.0	14.7	27.8	15.9	26.0	143
18	39.0	48.3	137	121	126	60.8	23.5	19.8	24.3	15.3	25.2	116
19	39.0	43.0	185	117	129	69.4	21.8	15.9	21.8	15.3	24.3	165
20	38.0	41.0	171	107	135	70.7	22.6	15.3	19.8	15.3	24.3	243
21	36.0	39.0	143	107	141	63.3	24.3	14.4	18.5	15.0	24.3	181
22	34.1	38.0	124	122	141	57.2	22.6	14.7	17.2	15.0	25.2	143
23	33.2	38.0	119	124	145	52.7	21.1	15.3	15.9	18.5	26.9	122
24	31.4	37.0	117	129	139	50.5	19.8	15.0	15.3	68.1	30.5	107
25	29.6	36.0	111	159	131	47.2	19.8	15.3	15.0	101	34.1	128
26	28.7	35.0	117	171	129	46.1	19.2	15.3	14.7	81.3	37.0	119
27	27.8	34.1	143	207	131	45.0	19.2	15.0	14.7	68.1	35.0	117
28	27.8	33.2	159	235	128	43.0	18.5	14.7	14.4	84.1	32.3	101
29	26.9		177	201	121	42.0	18.5	15.0	14.7	89.8	31.4	91.2
30	26.0		199	163	112	40.0	17.9	14.4	15.0	77.3	30.5	103
31	24.3		221		106		17.2	14.1		77.3		112
SD1	45.0	28.6	125	157	141	93.9	32.5	15.3	14.6	22.7	39.0	73.1
SD2	41.6	62.6	161	116	133	68.3	25.5	15.9	21.9	16.6	25.1	237
SD3	29.6	36.3	148	162	129	48.7	19.8	14.8	15.5	63.2	30.7	120
MAX	58.4	121	343	243	194	104	39.0	26.0	36.0	104	59.6	503
DAT	5	12	4	28	6	1	1	18	15	25	1	13
SR	38.4	42.9	145	145	134	70.3	25.7	15.3	17.4	35.1	31.6	143
MIN	24.3	22.6	31.4	106	106	40.0	17.2	14.1	13.8	14.7	23.5	27.8
DAT	31	3	1	14	31	30	31	31	4	1	14	1
		GMIN =	13.8			SRGOD=	70.6			GMAX =	503	
		DATUM	4 9							DATUM	13 12	

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1982

Broj : 45832      Stanica : BIJELO POLJE      Kota "0" = 559.67  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 124.90  
 Pocetak rada: 1948      Sliv : DRINE      Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	104	30.5	17.2	205	74.1	86.6	35.6	19.2	14.7	12.1	14.2	16.2
2	117	29.6	17.2	163	76.5	82.7	34.0	18.6	14.2	12.1	13.7	15.7
3	122	27.8	18.5	149	74.1	77.7	32.3	18.0	14.2	12.5	13.7	15.7
4	111	26.0	19.2	133	70.5	74.1	30.6	17.4	14.2	12.5	13.3	15.2
5	101	23.5	19.2	121	70.5	70.5	29.1	18.5	14.2	12.5	13.3	15.2
6	92.7	22.6	20.5	112	72.8	65.9	29.1	19.8	13.3	12.9	12.9	14.7
7	84.1	21.8	21.8	107	80.1	64.8	32.3	18.0	13.7	16.8	12.5	14.7
8	76.0	21.1	22.6	106	93.2	62.6	34.8	16.8	13.7	34.8	12.5	14.2
9	69.4	21.1	22.6	111	117	58.2	31.4	17.4	13.7	38.1	12.5	14.2
10	66.9	21.1	22.6	114	135	56.1	29.1	17.4	13.7	33.1	12.5	13.7
11	65.7	20.5	23.5	114	144	55.1	26.7	18.0	14.2	27.5	12.1	14.2
12	73.4	19.8	25.2	111	157	53.2	27.5	17.4	13.7	23.8	11.7	15.2
13	80.0	19.8	23.5	104	150	57.1	27.5	16.2	13.7	22.3	11.4	16.7
14	74.7	19.2	22.6	101	139	76.5	27.5	15.7	14.2	21.0	11.4	25.2
15	68.1	19.2	22.6	131	124	89.3	26.7	14.7	14.2	19.8	16.8	43.6
16	63.3	19.2	22.6	179	112	80.1	26.0	14.2	13.7	19.8	21.0	42.7
17	59.6	19.2	22.6	205	107	69.3	25.2	14.7	13.7	20.5	26.0	36.5
18	57.2	18.5	24.3	210	105	61.5	23.8	15.7	13.3	19.8	32.3	34.8
19	54.9	18.5	31.4	199	105	56.1	22.3	15.2	12.9	19.8	28.2	59.3
20	51.6	18.5	42.0	183	107	53.2	21.7	14.7	12.9	18.6	23.8	68.1
21	47.2	17.9	41.0	157	103	51.2	21.0	13.7	12.5	18.0	22.3	55.1
22	45.0	17.9	38.0	131	103	49.3	20.5	15.2	12.5	17.4	21.0	49.3
23	43.0	17.9	35.0	117	101	47.3	19.2	17.4	12.5	16.8	19.8	61.5
24	41.0	18.5	32.3	106	99.6	45.4	19.8	16.8	12.5	16.2	18.5	72.8
25	39.0	18.5	30.5	102	97.8	44.5	19.2	16.2	12.5	16.2	18.0	65.9
26	37.0	19.2	28.7	96.2	113	43.6	18.6	15.2	12.1	16.2	17.4	55.1
27	35.0	18.5	27.8	91.9	107	41.8	18.6	15.2	12.1	16.2	16.8	48.3
28	34.1	17.9	27.8	86.3	103	39.9	19.2	14.7	12.1	15.7	16.2	43.6
29	33.2		34.1	82.4	97.8	38.1	19.8	14.2	12.1	15.7	16.2	39.9
30	32.3		49.4	82.4	93.2	37.3	19.2	13.7	12.1	15.2	16.2	35.6
31	31.4		167		91.4		18.6	15.2		14.2		34.0
SD1	94.4	24.5	20.1	132	86.4	69.9	31.8	18.1	14.0	19.7	13.1	14.9
SD2	64.8	19.2	26.0	154	125	65.1	25.5	15.6	13.6	21.3	19.5	35.6
SD3	38.0	18.3	46.5	105	101	43.8	19.4	15.2	12.3	16.2	18.2	51.0
MAX	126	31.4	219	314	174	100	39.0	23.0	16.1	42.7	36.2	81.1
DAT	2	1	31	18	12	15	1	6	1	9	18	24
SR	64.9	20.9	31.4	130	104	59.6	25.4	16.3	13.3	19.0	16.9	34.4
MIN	31.4	17.9	17.2	82.4	70.5	37.3	18.6	13.7	12.1	12.1	11.4	13.7
DAT	31	21	1	29	4	30	26	21	26	1	13	10
GMIN =		11.4		SRGOD=		44.8		GMAX =		314		
DATUM		13 11						DATUM		18 4		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1983

Broj : 45832      Stanica : BIJELO POLJE      Kota "0" = 559.67  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 124.90  
 Pocetak rada: 1948      Sliv : DRINE      Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	26.0	16.1	19.7	97.7	113	49.7	51.7	26.0	21.0	21.0	14.6	37.2
2	24.4	16.1	19.0	102	124	48.7	49.7	24.4	21.0	19.7	15.5	32.6
3	23.7	16.6	19.0	130	148	46.7	51.7	23.0	20.3	19.0	15.0	29.2
4	22.4	15.5	18.4	126	126	45.7	51.7	23.0	19.7	18.4	15.0	27.6
5	21.7	15.5	17.7	109	91.9	44.7	49.7	22.4	22.4	17.7	15.0	26.0
6	21.0	14.6	16.6	94.8	94.8	44.7	46.7	22.4	22.4	17.7	14.6	24.4
7	20.3	27.6	16.6	85.0	86.3	50.7	45.7	21.7	21.7	17.2	14.6	23.0
8	19.7	56.0	18.4	77.1	79.7	54.9	45.7	21.7	21.0	16.6	14.6	22.4
9	19.0	48.7	21.7	73.3	73.3	51.7	45.7	21.0	20.3	16.1	14.6	21.7
10	18.4	62.5	28.4	74.5	72.1	47.7	41.7	20.3	19.7	16.1	14.1	21.7
11	17.7	86.3	33.5	83.7	70.9	45.7	39.0	19.7	19.0	15.5	13.7	21.7
12	17.7	128	37.2	96.2	70.9	43.7	38.1	19.0	18.4	16.1	13.2	26.0
13	17.2	89.0	26.0	126	69.7	44.7	39.9	20.3	18.4	17.2	12.8	24.4
14	16.6	69.7	31.8	132	69.7	49.7	39.0	21.7	17.7	16.6	12.8	23.7
15	16.1	60.3	30.1	109	68.5	61.4	38.1	21.7	17.2	16.1	13.2	22.4
16	16.1	51.7	30.9	93.4	68.5	67.3	38.1	20.3	17.2	15.0	13.2	21.7
17	16.1	43.7	30.9	81.1	68.5	94.8	39.0	19.7	16.6	14.6	12.8	21.7
18	16.1	39.0	31.8	72.1	70.9	117	38.1	19.0	30.9	14.6	12.8	45.7
19	15.5	34.4	34.4	67.3	67.3	94.8	36.2	21.0	38.1	14.6	12.5	86.3
20	16.1	30.9	36.2	64.9	64.9	81.1	34.4	20.3	42.7	14.1	12.5	132
21	15.5	29.2	37.2	70.9	62.5	73.3	32.6	19.7	39.9	14.1	12.2	152
22	14.6	27.6	41.7	85.0	58.2	66.1	33.5	19.0	34.4	14.1	12.5	113
23	14.6	25.2	45.7	100	57.1	64.9	31.8	19.0	30.1	13.7	12.5	87.6
24	14.6	23.0	50.7	102	59.3	69.7	30.9	18.4	26.8	13.7	12.2	70.9
25	14.1	21.7	66.1	102	60.3	63.7	29.2	19.0	24.4	13.7	12.2	59.3
26	13.7	20.3	198	103	66.1	59.3	28.4	19.7	26.0	13.2	12.2	54.9
27	13.7	20.3	269	102	63.7	56.0	27.6	19.7	25.2	13.2	11.8	56.0
28	13.7	19.7	196	105	58.2	53.9	25.2	19.0	23.7	12.8	27.6	53.9
29	13.7		144	109	56.0	52.8	23.7	19.0	23.0	12.8	59.3	50.7
30	13.7		117	111	53.9	53.9	23.7	19.7	21.7	12.5	45.7	47.7
31	14.6		103		51.7		28.4	20.3		12.5		42.7
SD1	21.7	28.9	19.5	96.9	101	48.5	48.0	22.6	21.0	18.0	14.8	26.6
SD2	16.5	63.3	32.3	92.6	69.0	70.0	38.0	20.3	23.6	15.4	12.9	42.6
SD3	14.2	23.4	115	99.0	58.8	61.4	28.6	19.3	27.5	13.3	21.8	71.7
MAX	26.0	152	350	140	152	126	52.8	26.8	43.7	21.0	69.7	168
DAT	1	12	27	14	3	18	1	1	20	1	28	20
SR	17.4	39.6	57.6	96.2	75.7	60.0	37.9	20.7	24.0	15.5	16.5	47.7
MIN	13.7	14.6	16.6	64.9	51.7	43.7	23.7	18.4	16.6	12.5	11.8	21.7
DAT	26	6	6	20	31	12	29	24	17	30	27	9
-----												
GMIN =			11.8	SRGOD=				42.3	GMAX =			350
DATUM			27 11						DATUM			27 3
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1984

Broj : 45832      Stanica : BIJELO POLJE      Kota "0" = 559.67  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 124.90  
 Pocetak rada: 1948      Sliv : DRINE      Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	40.8	59.3	74.5	113	85.0	124	40.8	21.0	17.2	36.2	20.3	30.9
2	39.0	57.1	97.7	100	119	124	39.9	21.0	15.6	34.4	20.3	29.2
3	37.2	54.9	97.7	152	174	121	39.0	21.7	14.6	39.9	19.7	28.4
4	36.2	53.9	91.9	214	209	121	39.0	20.3	13.1	45.7	19.0	27.6
5	40.8	59.3	81.1	192	235	113	38.1	19.7	13.1	46.7	19.0	26.8
6	41.7	59.3	74.5	160	259	111	36.2	19.7	12.5	42.7	18.4	26.0
7	40.8	57.1	68.5	158	242	109	34.4	19.0	12.5	41.7	18.4	24.4
8	38.1	56.0	62.5	150	239	113	34.4	21.0	12.0	51.7	17.7	23.7
9	39.0	53.9	59.3	136	237	103	33.5	20.3	12.0	87.6	17.7	22.4
10	89.0	51.7	56.0	126	239	91.9	31.8	19.7	12.0	58.2	17.2	21.7
11	82.4	47.7	53.9	111	254	82.4	30.1	19.0	12.0	51.7	17.2	21.7
12	69.7	44.7	51.7	109	254	78.4	29.2	19.0	12.0	45.7	16.6	21.0
13	61.4	42.7	49.7	113	232	75.8	28.4	19.0	12.0	42.7	16.6	21.0
14	53.9	39.9	47.7	113	212	69.7	28.4	19.0	12.0	39.9	16.6	20.3
15	49.7	39.0	45.7	105	185	66.1	27.6	21.0	12.0	37.2	16.1	20.3
16	50.7	37.2	44.7	109	170	64.9	27.6	20.3	13.1	34.4	16.1	19.7
17	47.7	36.2	43.7	119	198	62.5	27.6	19.7	16.0	32.6	16.1	19.7
18	46.7	34.4	43.7	119	205	60.3	27.6	18.4	16.7	30.9	25.2	21.0
19	45.7	33.5	45.7	111	194	57.1	26.8	17.7	18.3	29.2	27.6	23.0
20	48.7	32.6	45.7	99.1	189	53.9	26.0	17.7	17.7	28.4	51.7	22.4
21	67.3	32.6	45.7	90.5	301	52.8	25.2	17.7	19.7	26.8	87.6	23.0
22	81.1	32.6	44.7	86.3	327	51.7	24.4	17.7	24.4	26.0	74.5	22.4
23	200	31.8	43.7	83.7	264	52.8	23.7	17.2	38.1	26.8	58.2	21.7
24	187	46.7	41.7	85.0	228	52.8	23.0	16.6	39.0	26.0	49.7	21.0
25	152	66.1	39.9	94.8	194	51.7	23.0	17.7	62.5	25.2	43.7	21.0
26	113	60.3	40.8	93.4	172	50.7	22.4	17.7	91.9	24.4	40.8	21.0
27	91.9	67.3	103	91.9	162	47.7	22.4	18.4	77.1	23.7	38.1	20.3
28	78.4	75.8	119	87.6	152	45.7	21.7	18.4	59.3	23.0	37.2	20.3
29	69.7	75.8	109	82.4	144	43.7	21.7	18.4	47.7	21.7	34.4	19.7
30	67.3		132	79.7	140	41.7	21.0	17.7	39.9	21.7	32.6	19.0
31	62.5		136		132		21.0	17.7		21.0		18.4
SD1	44.3	56.2	76.4	150	204	113	36.7	20.3	13.5	48.5	18.8	26.1
SD2	55.7	38.8	47.2	111	209	67.1	27.9	19.1	14.2	37.3	22.0	21.0
SD3	106	54.3	77.8	87.5	201	49.1	22.7	17.7	50.0	24.2	49.7	20.7
MAX	209	78.4	142	219	446	124	40.8	22.4	93.4	89.0	90.5	31.8
DAT	23	28	31	4	22	1	1	15	26	9	21	1
SR	70.0	49.6	67.5	116	205	76.4	28.9	19.0	25.9	36.3	30.1	22.5
MIN	36.2	31.8	39.9	79.7	85.0	41.7	21.0	16.6	12.0	21.0	16.1	18.4
DAT	4	23	25	30	1	30	30	24	8	31	15	31
GMIN =		12.0		SRGOD=		62.3		GMAX =		446		
DATUM		8 9						DATUM		22 5		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1985

Broj : 45832      Stanica : BIJELO POLJE      Kota "0" = 559.67  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 124.90  
 Pocetak rada: 1948      Sliv : DRINE      Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	18.4	41.7	29.2	70.9	178	64.9	31.8	17.2	17.7	12.8	17.2	62.5
2	18.4	39.0	29.2	69.7	142	62.5	30.9	17.7	16.1	12.8	17.0	59.3
3	18.4	36.2	33.5	72.1	128	60.3	32.6	17.7	15.5	12.8	24.4	56.0
4	17.7	35.3	39.9	73.3	152	59.3	30.9	17.2	15.0	11.5	23.0	54.9
5	18.4	31.8	41.7	83.7	176	57.1	30.1	16.6	15.0	10.4	22.4	59.3
6	19.0	30.9	46.7	97.7	172	54.9	29.2	16.6	15.0	10.2	21.7	60.3
7	19.7	30.1	49.7	119	170	52.8	28.4	16.6	15.0	10.2	30.9	58.2
8	21.0	29.2	52.8	152	168	51.7	27.6	17.2	14.6	10.2	31.8	53.9
9	21.0	29.2	51.7	148	158	52.8	26.8	17.2	14.1	10.2	27.6	51.7
10	21.0	58.2	49.7	160	152	53.9	26.0	16.6	16.1	10.2	23.0	47.7
11	20.3	156	49.7	187	146	50.7	24.4	16.1	15.5	10.2	21.0	46.7
12	20.3	189	49.7	183	162	51.7	24.4	15.5	15.5	9.97	19.0	45.7
13	19.0	130	49.7	160	166	47.7	24.4	15.5	15.0	9.82	18.4	44.7
14	19.0	91.9	49.7	126	162	43.7	23.7	15.5	15.0	9.82	29.2	43.7
15	20.3	75.8	50.7	103	158	41.7	23.0	15.5	14.6	9.82	29.2	42.7
16	21.0	64.9	50.7	96.2	152	40.8	23.0	15.0	14.1	10.4	51.7	41.7
17	21.0	54.9	51.7	97.7	142	40.8	23.0	15.0	14.1	10.4	43.7	39.9
18	21.0	53.9	62.5	103	136	41.7	22.4	15.0	14.1	9.82	49.7	39.0
19	19.0	48.7	66.1	102	128	40.8	22.4	15.0	14.1	9.82	205	38.1
20	17.7	44.7	67.3	99.1	121	39.0	21.7	15.0	14.1	9.57	519	36.2
21	17.7	40.8	66.1	94.8	113	40.8	21.0	15.0	14.1	9.57	439	34.4
22	17.7	36.2	64.9	93.4	107	45.7	20.3	15.0	14.1	9.57	294	31.8
23	27.6	34.4	64.9	91.9	99.1	41.7	20.3	14.6	13.7	9.57	256	30.9
24	64.9	32.6	63.7	93.4	90.5	40.8	19.7	14.6	13.7	9.57	158	30.1
25	102	32.6	62.5	96.2	83.7	40.8	19.0	14.6	13.7	9.57	132	27.6
26	74.5	31.8	67.3	99.1	89.0	39.9	19.0	14.6	13.7	9.57	113	26.8
27	62.5	30.9	64.9	103	83.7	38.1	18.4	14.6	13.7	9.32	107	34.4
28	62.5	29.2	64.9	124	77.1	36.2	18.4	16.1	13.2	9.15	91.9	36.2
29	59.3		74.5	185	73.3	35.3	17.7	17.2	13.2	9.15	82.4	52.8
30	52.8		73.3	226	72.1	33.5	17.2	17.7	12.8	9.15	70.9	122
31	47.7		72.1		68.5		17.2	17.7		9.15		239
SD1	19.3	36.2	42.4	105	160	57.0	29.4	17.1	15.4	11.1	23.9	56.4
SD2	19.9	91.0	54.8	126	147	43.9	23.2	15.3	14.6	9.96	98.6	41.8
SD3	53.6	33.6	67.2	121	87.0	39.3	18.9	15.6	13.6	9.39	174	60.5
MAX	113	203	74.5	235	203	66.1	32.6	17.7	17.7	12.8	666	304
DAT	25	12	29	30	1	1	3	3	1	1	20	31
SR	31.6	55.0	55.2	117	130	46.7	23.7	16.0	14.5	10.1	99.0	53.2
MIN	17.7	29.2	29.2	69.7	68.5	33.5	17.2	14.6	12.8	9.15	17.0	26.8
DAT	4	8	1	2	31	30	30	23	30	28	2	26
		GMIN =	9.15			SRGOD=	54.2			GMAX =	666	
		DATUM	28 10							DATUM	20 11	

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1986

Broj : 45832      Stanica : BIJELO POLJE      Kota "0" = 559.67  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 124.90  
 Pocetak rada: 1948      Sliv : DRINE      Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	319	50.7	81.1	105	136	100	61.4	23.0	12.5	10.5	16.1	11.5
2	235	73.3	85.0	102	136	97.7	62.5	23.7	12.5	10.0	15.0	11.5
3	164	70.9	181	99.1	138	87.6	66.1	25.2	12.5	9.67	14.6	11.5
4	223	63.7	221	97.7	134	79.7	61.4	23.0	12.2	9.45	14.6	11.2
5	281	57.1	196	97.7	136	73.3	57.1	22.4	11.8	9.38	14.6	11.2
6	216	51.7	160	99.1	136	94.8	52.8	21.7	11.8	9.30	14.1	11.2
7	168	47.7	138	105	124	156	50.7	20.3	11.5	9.18	13.7	11.0
8	126	43.7	122	117	117	181	52.8	19.7	11.5	9.10	13.7	11.0
9	100	39.9	107	122	113	178	50.7	19.0	11.2	9.05	13.2	11.0
10	85.0	38.1	102	126	122	150	47.7	19.0	11.2	8.84	12.8	11.2
11	70.9	36.2	99.1	117	113	132	43.7	18.4	11.0	8.84	12.8	10.7
12	64.9	34.4	96.2	99.1	99.1	119	41.7	17.7	11.0	8.84	12.8	10.7
13	56.0	31.8	94.8	94.8	93.4	109	43.7	17.7	10.7	8.67	12.8	10.5
14	53.9	29.2	91.9	91.9	91.9	103	39.9	17.2	10.7	8.84	12.5	10.5
15	54.9	27.6	89.0	83.7	97.7	109	39.0	20.3	10.7	8.84	12.2	10.5
16	54.9	26.8	85.0	74.5	105	102	38.1	18.4	10.7	8.84	11.8	10.7
17	50.7	26.0	81.1	67.3	115	94.8	39.9	17.2	10.7	8.84	11.8	11.8
18	44.7	53.9	75.8	64.9	115	90.5	43.7	16.6	10.7	8.84	11.8	11.8
19	40.8	453	68.5	96.2	113	90.5	39.9	16.1	10.5	8.84	11.8	11.5
20	40.8	380	62.5	189	111	102	36.2	15.5	10.5	9.54	11.8	12.5
21	40.8	259	58.2	166	117	97.7	41.7	15.0	10.5	10.2	11.8	12.5
22	39.0	185	53.9	130	121	94.8	46.7	14.6	10.5	10.8	11.8	12.2
23	48.7	148	50.7	109	122	83.7	43.7	14.1	10.5	10.2	11.5	12.2
24	70.9	122	48.7	99.1	121	79.7	39.0	13.7	10.5	14.9	11.5	11.8
25	176	130	46.7	99.1	128	77.1	34.4	13.7	10.5	18.2	11.5	11.2
26	134	119	59.3	105	128	69.7	32.6	13.7	10.5	21.7	11.5	11.0
27	96.2	99.1	90.5	117	111	63.7	30.1	13.7	10.7	21.7	11.8	11.0
28	79.7	86.3	96.2	124	102	59.3	28.4	13.7	10.7	18.4	11.8	11.5
29	67.3		100	126	102	54.9	26.8	12.8	10.7	18.4	11.8	11.5
30	59.3		107	124	96.2	58.2	26.0	12.8	10.7	17.2	11.5	11.5
31	53.9		111		94.8		25.2	12.5		17.2		11.5
SD1	192	53.7	139	107	129	120	56.3	21.7	11.9	9.45	14.2	11.2
SD2	53.3	110	84.4	97.8	105	105	40.6	17.5	10.7	8.89	12.2	11.1
SD3	78.7	144	74.7	120	113	73.9	34.1	13.7	10.6	16.3	11.7	11.6
MAX	336	582	230	198	140	187	68.5	26.0	12.5	23.0	16.1	12.5
DAT	1	19	4	20	3	8	3	3	1	25	1	20
SR	107	99.4	98.7	108	116	99.6	43.3	17.5	11.1	11.7	12.7	11.3
MIN	39.0	26.0	46.7	64.9	91.9	54.9	25.2	12.5	10.5	8.67	11.5	10.5
DAT	22	17	25	18	14	29	31	31	19	13	23	13
GMIN =		8.67		SRGOD=		61.1		GMAX =		582		
DATUM		13 10						DATUM		19 2		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1987

Broj               : 45832                      Stanica :   BIJELO POLJE   Kota "0" = 559.67  
Nacin osmat.: limnigraf            Rijeka    :       LIM                      km od usca = 124.90  
Pocetak rada: 1948                Sliv       :       DRINE                      Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	11.2	97.7	40.8	89.0	91.9	148	51.0	19.7	14.3	14.6	13.4	70.3
2	11.8	74.5	39.0	82.4	93.4	130	51.0	19.1	14.0	14.3	13.4	61.2
3	15.0	61.4	39.0	73.3	107	117	48.8	18.6	14.0	14.0	13.4	54.4
4	16.1	52.8	36.2	68.5	128	111	46.7	18.0	14.6	13.6	13.4	48.8
5	14.6	48.7	33.5	68.5	134	115	45.7	17.5	14.3	13.4	13.2	44.7
6	13.7	44.7	32.6	74.5	142	115	43.7	18.0	14.0	13.4	13.2	41.6
7	13.7	40.8	30.9	87.6	170	105	40.6	18.0	14.0	13.4	13.2	44.7
8	13.2	39.0	28.4	93.4	156	103	37.5	17.5	14.0	13.6	13.0	48.8
9	12.5	37.2	27.6	105	128	116	35.5	16.7	14.0	13.6	13.0	87.8
10	12.8	35.3	27.6	124	103	118	33.5	16.3	13.8	13.4	13.2	101
11	14.6	36.2	26.0	156	94.8	118	31.6	16.7	13.8	13.4	17.5	83.8
12	42.7	39.9	24.4	146	96.2	110	30.6	18.0	13.8	13.4	18.6	70.3
13	40.8	48.7	24.4	122	99.1	106	28.6	17.5	13.8	14.6	17.5	61.2
14	67.3	60.3	23.0	100	103	100	30.6	17.1	13.8	14.9	16.7	58.9
15	148	69.7	23.0	87.6	138	97.0	31.6	16.3	13.8	14.9	16.7	182
16	162	73.3	21.7	79.7	152	93.0	29.6	17.1	13.8	14.9	23.2	182
17	100	69.7	21.7	70.9	154	91.7	27.7	17.1	13.8	14.6	31.6	137
18	77.1	66.1	21.7	63.7	152	86.4	27.7	16.3	13.6	14.3	32.6	107
19	66.1	61.4	21.7	61.4	160	78.9	26.8	16.3	13.6	14.6	29.6	93.0
20	56.0	61.4	22.4	69.7	168	72.7	26.8	16.3	13.4	14.3	27.7	94.4
21	47.7	81.1	36.2	90.5	174	68.1	25.8	16.3	13.4	14.3	28.6	86.4
22	41.7	75.8	39.0	117	172	65.8	24.9	16.3	13.2	14.0	27.7	77.7
23	37.2	70.9	38.1	128	148	66.9	23.2	15.9	13.0	14.0	24.9	71.5
24	33.5	62.5	35.3	121	122	61.2	23.2	15.2	13.0	13.8	25.8	65.8
25	29.2	56.0	32.6	117	111	57.8	21.7	14.9	13.0	13.6	52.2	61.2
26	27.6	51.7	33.5	113	103	54.4	21.0	14.9	13.0	13.6	100	55.5
27	27.6	47.7	39.0	121	99.1	53.3	21.0	14.9	13.2	13.6	165	51.0
28	28.4	43.7	48.7	117	100	54.4	22.5	14.9	13.4	13.6	151	48.8
29	73.3		57.1	102	111	53.3	21.7	14.6	16.3	13.6	107	45.7
30	162		69.7	93.4	138	51.0	20.2	14.6	15.5	13.6	83.8	44.7
31	144		93.4		166		19.7	14.3		13.4		42.6
SD1	13.5	53.2	33.6	86.6	125	118	43.4	17.9	14.1	13.7	13.2	60.3
SD2	77.5	58.7	23.0	95.7	132	95.4	29.2	16.9	13.7	14.4	23.2	107
SD3	59.3	61.2	47.5	112	131	58.6	22.3	15.2	13.7	13.7	76.6	59.2
MAX	312	119	96.2	162	181	156	51.0	19.7	17.1	14.9	187	218
DAT	15	1	31	11	21	1	1	1	29	13	27	15
SR	50.4	57.4	35.1	98.1	130	90.6	31.3	16.6	13.8	13.9	37.7	75.0
MIN	11.2	35.3	21.7	61.4	91.9	51.0	19.7	14.3	13.0	13.4	13.0	41.6
DAT	1	10	16	19	1	30	31	31	23	5	8	6
GMIN =		11.2		SRGOD=		54.0		GMAX =		312		
DATUM		1 1						DATUM		15 1		



ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1988

Broj : 45832      Stanica : BIJELO POLJE      Kota "0" = 559.67  
Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 124.90  
Pocetak rada: 1948      Sliv : DRINE      Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	42.6	97.0	55.5	114	141	66.9	41.6	15.2	13.2	18.6	16.3	47.8
2	41.6	78.9	55.5	126	133	81.3	39.5	15.2	13.2	18.0	15.9	118
3	39.5	70.3	49.9	114	133	87.8	38.5	14.9	13.2	18.0	15.9	348
4	37.5	64.6	46.7	103	141	80.1	36.5	14.9	13.0	18.6	16.3	279
5	35.5	78.9	44.7	104	139	72.7	34.5	14.6	13.0	18.0	16.3	216
6	34.5	106	43.7	124	154	69.2	32.6	14.6	13.0	17.5	16.3	178
7	33.5	98.5	45.7	154	167	65.8	30.6	14.6	13.0	17.5	15.9	169
8	33.5	93.0	49.9	178	171	63.5	29.6	14.3	13.2	18.0	15.5	141
9	33.5	147	47.8	180	162	60.0	28.6	14.3	13.2	21.0	15.2	112
10	32.6	151	46.7	169	158	57.8	27.7	14.3	13.2	22.5	14.9	95.7
11	30.6	122	43.7	151	151	53.3	26.8	14.0	13.0	22.5	14.9	82.6
12	30.6	103	41.6	143	143	52.2	24.0	14.0	13.2	21.0	14.6	75.2
13	29.6	90.4	41.6	145	135	55.5	23.2	13.8	13.2	20.2	14.3	66.9
14	27.7	78.9	44.7	149	130	58.9	22.5	13.6	13.2	19.1	15.9	61.2
15	26.8	71.5	49.9	143	130	58.9	21.7	13.6	15.5	18.0	16.7	57.8
16	26.8	64.6	61.2	124	126	57.8	21.0	13.8	32.6	17.5	16.3	53.3
17	25.8	60.0	93.0	106	114	55.5	20.2	13.8	41.6	17.1	16.3	49.9
18	24.9	56.6	130	94.4	104	55.5	19.7	14.0	54.4	17.1	15.9	44.7
19	24.9	54.4	106	85.1	98.5	55.5	19.1	13.8	48.8	19.7	15.9	42.6
20	24.9	51.0	86.4	78.9	91.7	55.5	18.6	13.8	39.5	16.7	18.6	41.6
21	24.9	47.8	77.7	75.2	89.1	55.5	18.0	13.6	31.6	17.1	21.0	39.5
22	24.9	44.7	75.2	78.9	86.4	53.3	17.5	13.4	30.6	17.1	173	35.5
23	24.9	43.7	98.5	86.4	83.8	49.9	17.5	13.8	32.6	17.1	176	33.5
24	24.9	43.7	145	100	77.7	46.7	17.1	13.8	29.6	17.5	107	34.5
25	24.0	53.3	133	120	72.7	46.7	16.7	13.8	26.8	17.5	77.7	33.5
26	29.6	55.5	118	145	70.3	49.9	16.3	13.8	24.0	17.1	63.5	30.6
27	33.5	51.0	128	149	70.3	48.8	16.3	13.8	21.7	16.7	54.4	28.6
28	31.6	47.8	130	145	69.2	46.7	15.9	13.6	21.0	16.3	47.8	27.7
29	30.6	45.7	110	145	69.2	44.7	15.5	13.4	20.2	15.9	43.7	27.7
30	49.9		97.0	147	70.3	43.7	15.5	13.4	19.7	15.5	42.6	26.8
31	114		90.4		68.1		15.5	13.2		15.9		25.8
SD1	36.4	98.5	48.6	137	150	70.5	34.0	14.7	13.1	18.8	15.8	170
SD2	27.3	75.2	69.8	122	122	55.9	21.7	13.8	28.5	18.9	15.9	57.6
SD3	37.5	48.1	109	119	75.2	48.6	16.5	13.6	25.8	16.7	80.7	31.2
MAX	118	165	149	187	173	89.1	42.6	15.2	60.0	23.2	244	495
DAT	31	9	24	9	8	3	1	1	18	10	22	3
SR	33.9	74.9	77.0	126	114	58.3	23.8	14.0	22.5	18.1	37.5	84.6
MIN	24.0	43.7	41.6	75.2	68.1	43.7	15.5	13.2	13.0	15.5	14.3	25.8
DAT	25	23	12	21	31	30	29	31	4	30	13	31
GMIN =		13.0		SRGOD=		56.9		GMAX =		495		
DATUM		4 9						DATUM		3 12		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1989

Broj : 45832 Stanica : BIJELO POLJE Kota "0" = 559.67  
 Nacin osmat.: limnigraf Rijeka : LIM km od usca = 124.90  
 Pocetak rada: 1948 Sliv : DRINE Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	24.9	17.1	137	86.4	110	62.3	57.8	24.9	56.6	52.2	33.5	71.5
2	24.0	17.1	202	89.1	110	63.5	53.3	41.6	48.8	44.7	32.6	65.8
3	23.2	17.1	198	91.7	112	62.3	51.0	37.5	44.7	40.6	31.6	62.3
4	21.7	17.1	162	90.4	109	58.9	49.9	31.6	42.6	39.5	29.6	56.6
5	21.0	17.1	135	95.7	116	58.9	48.8	28.6	42.6	35.5	29.6	52.2
6	21.0	17.1	110	104	114	60.0	49.9	25.8	40.6	33.5	34.5	49.9
7	22.5	17.1	94.4	103	120	64.6	44.7	24.0	37.5	31.6	97.0	47.8
8	22.5	17.1	82.6	91.7	112	64.6	41.6	22.5	35.5	34.5	106	46.7
9	21.7	17.1	76.4	81.3	104	60.0	39.5	21.7	33.5	75.2	91.7	46.7
10	21.0	17.1	70.3	74.0	100	56.6	41.6	39.5	49.9	299	77.7	45.7
11	21.0	16.7	64.6	75.2	90.4	53.3	39.5	37.5	55.5	319	69.2	40.6
12	20.2	16.3	60.0	75.2	90.4	52.2	45.7	33.5	51.0	250	63.5	40.6
13	20.2	16.3	57.8	81.3	94.4	51.0	43.7	29.6	49.9	195	56.6	40.6
14	20.2	16.7	55.5	85.1	103	52.2	42.6	26.8	46.7	156	52.2	41.6
15	19.7	16.7	55.5	83.8	110	55.5	39.5	25.8	45.7	130	47.8	63.5
16	19.7	16.7	56.6	81.3	107	52.2	37.5	24.0	43.7	106	46.7	118
17	19.7	16.7	60.0	77.7	106	74.0	35.5	22.5	41.6	94.4	43.7	141
18	19.7	16.7	64.6	100	107	124	33.5	21.7	37.5	83.8	40.6	130
19	19.7	16.7	70.3	118	118	120	31.6	20.2	35.5	75.2	38.5	126
20	19.7	17.1	81.3	104	107	100	29.6	19.1	34.5	69.2	36.5	124
21	19.7	18.6	98.5	94.4	100	87.8	27.7	18.0	31.6	64.6	34.5	118
22	19.7	21.7	110	94.4	98.5	77.7	25.8	19.1	30.6	58.9	34.5	104
23	19.7	26.8	107	103	94.4	69.2	22.5	19.7	29.6	53.3	52.2	94.4
24	19.7	32.6	98.5	101	91.7	64.6	21.7	20.2	30.6	51.0	78.9	85.1
25	19.1	42.6	89.1	93.0	83.8	61.2	21.0	19.1	27.7	47.8	120	77.7
26	19.1	101	80.1	86.4	78.9	63.5	21.0	19.1	26.8	45.7	169	70.3
27	18.6	198	75.2	82.6	72.7	68.1	29.6	18.6	26.8	43.7	133	65.8
28	18.6	139	72.7	89.1	68.1	68.1	30.6	18.6	25.8	42.6	107	62.3
29	18.6		72.7	91.7	64.6	64.6	31.6	46.7	30.6	39.5	91.7	58.9
30	17.5		76.4	107	63.5	58.9	29.6	70.3	51.0	37.5	80.1	54.4
31	17.1		80.1		61.2		26.8	65.8		35.5		51.0
SD1	22.4	17.1	127	90.7	111	61.2	47.8	29.8	43.2	68.6	56.4	54.5
SD2	20.0	16.7	62.6	88.2	103	73.4	37.9	26.1	44.2	148	49.5	86.6
SD3	18.9	72.5	87.3	94.3	79.8	68.4	26.2	30.5	31.1	47.3	90.1	76.5
MAX	25.8	232	257	122	122	130	60.0	72.7	62.3	471	173	145
DAT	1	27	2	19	7	19	1	30	30	11	26	17
SR	20.3	32.8	92.1	91.1	97.3	67.7	36.9	28.8	39.5	86.6	65.3	72.7
MIN	17.1	16.3	55.5	74.0	61.2	51.0	21.0	18.0	25.8	31.6	29.6	40.6
DAT	31	12	14	10	31	13	25	21	28	7	4	11
		GMIN = 16.3		SRGOD= 61.1		GMAX = 471						
		DATUM 12 2				DATUM 11 10						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1990

Broj : 45832 Stanica : BIJELO POLJE Kota "0" = 559.67  
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 124.90  
Pocetak rada: 1948 Sliv : DRINE Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	48.8	37.5	28.6	35.5	110	53.3	18.6	13.6	11.9	12.1	37.5	72.7	
2	45.7	36.5	33.5	33.5	100	49.9	17.5	13.6	11.8	11.9	34.5	58.9	
3	43.7	33.5	36.5	32.6	90.4	46.7	17.1	13.6	12.1	11.9	37.5	47.8	
4	42.6	32.6	34.5	31.6	85.1	46.7	17.1	13.4	12.3	11.9	34.5	43.7	
5	38.5	29.6	31.6	31.6	81.3	44.7	16.7	13.4	12.3	11.8	29.6	39.5	
6	35.5	27.7	31.6	29.6	77.7	42.6	16.3	13.2	12.1	11.8	25.8	36.5	
7	33.5	26.8	32.6	30.6	75.2	42.6	15.9	13.2	12.1	11.8	23.2	33.5	
8	31.6	25.8	34.5	37.5	74.0	42.6	15.9	13.2	12.1	12.1	21.7	31.6	
9	30.6	24.9	38.5	41.6	74.0	43.7	15.5	14.0	12.1	12.6	20.2	28.6	
10	29.6	24.9	40.6	46.7	74.0	41.6	15.5	14.3	12.1	12.9	18.6	65.8	
11	30.6	24.9	40.6	68.1	74.0	40.6	15.2	13.8	12.1	12.9	17.5	182	
12	27.7	24.0	40.6	64.6	72.7	39.5	15.2	13.4	12.3	12.9	17.1	122	
13	26.8	24.9	42.6	65.8	71.5	38.5	16.7	13.0	12.3	12.7	17.1	94.4	
14	26.8	24.0	43.7	65.8	69.2	36.5	17.1	13.0	12.1	12.4	17.1	80.1	
15	24.9	24.9	42.6	69.2	65.8	34.5	16.7	12.9	12.1	12.3	17.1	68.1	
16	24.0	33.5	41.6	71.5	64.6	35.5	15.9	12.7	11.9	12.1	17.1	57.8	
17	24.0	33.5	40.6	78.9	63.5	36.5	15.5	12.7	11.9	12.1	17.1	49.9	
18	24.9	30.6	38.5	78.9	61.2	34.5	15.5	12.6	11.9	12.1	17.1	45.7	
19	25.8	27.7	37.5	78.9	63.5	32.6	16.3	12.6	11.9	12.1	17.1	41.6	
20	24.0	27.7	36.5	78.9	63.5	32.6	16.7	12.4	11.9	11.9	16.7	38.5	
21	23.2	26.8	37.5	87.8	64.6	30.6	15.2	12.3	11.9	12.4	16.3	35.5	
22	21.7	26.8	37.5	234	66.9	29.6	14.9	12.3	11.9	13.8	16.3	32.6	
23	21.7	25.8	37.5	287	64.6	28.6	14.6	12.4	11.8	14.6	15.9	30.6	
24	21.7	25.8	38.5	377	62.3	27.7	14.6	12.3	11.8	14.6	27.7	27.7	
25	21.7	24.9	38.5	319	60.0	26.8	14.3	12.3	12.1	14.0	58.9	25.8	
26	21.7	24.0	38.5	253	60.0	24.9	14.3	12.1	12.1	13.8	53.3	25.8	
27	25.8	24.9	38.5	207	62.3	23.2	14.3	12.1	12.1	13.8	65.8	24.0	
28	32.6	25.8	38.5	171	60.0	22.5	14.3	11.9	12.1	13.6	120	24.9	
29	33.5		38.5	151	60.0	21.0	14.0	11.9	12.3	13.8	122	25.8	
30	44.7		37.5	126	61.2	19.7	13.8	11.9	12.3	15.2	90.4	24.9	
31	41.6		36.5		57.8		13.8	11.9		30.6		24.0	
SD1	38.0	30.0	34.3	35.1	84.2	45.4	16.6	13.6	12.1	12.1	28.3	45.9	
SD2	26.0	27.6	40.5	72.1	66.9	36.1	16.1	12.9	12.0	12.4	17.1	78.0	
SD3	28.2	25.6	38.0	221	61.8	25.5	14.4	12.1	12.0	15.5	58.7	27.4	
MAX	51.0	38.5	43.7	398	116	19.1	13.8	13.8	12.3	38.5	137	530	
DAT	1	1	14	23	1	1	13	1	4	31	28	11	
SR	30.6	27.9	37.6	109	70.7	35.7	15.6	12.8	12.1	13.4	34.7	49.7	
MIN	21.7	24.0	28.6	29.6	57.8	19.7	13.8	11.9	11.8	11.8	15.9	24.0	
DAT	22	12	1	6	31	30	30	28	2	5	23	27	
		GMIN =	11.8			SRGOD=	37.5			GMAX =	530		
		DATUM	2 9							DATUM	11 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1991

Broj : 45832 Stanica : BIJELO POLJE Kota "0" = 559.67  
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 124.90  
Pocetak rada: 1948 Sliv : DRINE Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	24.0	15.2	37.5	60.0	78.9	103	47.8	29.6	15.2	13.6	23.2	82.6
2	27.7	14.9	41.6	53.3	76.4	104	58.9	29.6	14.9	14.0	21.7	72.7
3	29.6	15.2	44.7	49.9	75.2	107	71.5	27.7	14.6	15.2	20.2	66.9
4	29.6	15.5	46.7	47.8	110	114	65.8	26.8	14.6	14.0	19.7	61.2
5	31.6	15.9	46.7	46.7	169	122	69.2	25.8	14.6	13.8	24.0	56.6
6	31.6	15.2	45.7	45.7	154	122	71.5	25.8	14.3	13.4	66.9	53.3
7	31.6	15.5	46.7	44.7	141	120	74.0	30.6	14.3	13.4	75.2	48.8
8	31.6	15.5	54.4	43.7	135	130	63.5	27.7	15.2	13.6	61.2	45.7
9	30.6	26.8	65.8	43.7	118	180	55.5	24.0	14.3	13.6	49.9	41.6
10	30.6	27.7	68.1	43.7	107	193	49.9	22.5	14.0	13.6	44.7	40.6
11	29.6	28.6	68.1	42.6	118	165	45.7	21.0	14.0	13.6	40.6	37.5
12	29.6	95.7	65.8	40.6	141	154	42.6	19.7	14.0	13.6	37.5	36.5
13	29.6	90.4	62.3	39.5	130	135	39.5	19.1	13.8	13.6	35.5	33.5
14	28.6	63.5	57.8	39.5	118	120	38.5	19.1	13.8	13.8	33.5	30.6
15	28.6	51.0	54.4	36.5	107	110	43.7	19.7	13.8	15.5	75.2	29.6
16	26.8	42.6	53.3	35.5	101	101	44.7	19.7	13.6	16.7	182	28.6
17	24.9	38.5	54.4	35.5	116	93.0	39.5	18.6	13.8	16.7	407	27.7
18	22.5	31.6	52.2	40.6	128	90.4	36.5	17.5	13.8	16.7	414	26.8
19	21.0	28.6	49.9	80.1	112	87.8	36.5	17.5	13.8	16.3	262	27.7
20	20.2	27.7	47.8	101	97.0	82.6	33.5	18.6	13.8	19.1	184	26.8
21	19.7	27.7	49.9	104	86.4	76.4	30.6	17.5	13.8	46.7	160	26.8
22	19.1	27.7	53.3	97.0	80.1	70.3	30.6	16.7	13.6	87.8	191	25.8
23	18.6	27.7	58.9	89.1	94.4	64.6	29.6	16.3	13.6	80.1	189	24.0
24	17.5	27.7	66.9	85.1	114	60.0	27.7	15.9	13.6	64.6	176	23.2
25	17.5	27.7	74.0	82.6	141	55.5	26.8	15.5	13.6	51.0	176	22.5
26	17.5	30.6	83.8	77.7	133	53.3	25.8	14.9	13.6	43.7	165	22.5
27	17.1	31.6	83.8	77.7	120	51.0	27.7	15.2	13.6	37.5	143	21.7
28	16.7	33.5	78.9	86.4	122	49.9	37.5	15.5	13.8	32.6	118	21.0
29	16.3		75.2	83.8	116	51.0	32.6	15.5	13.8	29.6	101	20.2
30	16.3		70.3	82.6	109	48.8	33.5	15.5	13.6	26.8	90.4	19.7
31	16.3		65.8		103		31.6	15.5		24.9		19.7
SD1	29.9	17.7	49.8	47.9	116	130	62.8	27.0	14.6	13.8	40.7	57.0
SD2	26.1	49.8	56.6	49.1	117	114	40.1	19.1	13.8	15.6	167	30.5
SD3	17.5	29.3	69.2	86.6	111	58.1	30.4	15.8	13.7	47.8	151	22.5
MAX	31.6	122	85.1	107	173	204	77.7	31.6	15.9	93.0	523	86.4
DAT	5	12	26	21	5	10	7	7	8	23	17	1
SR	24.3	32.5	58.9	61.2	115	100	43.9	20.5	14.0	26.4	120	36.2
MIN	16.3	14.9	37.5	35.5	75.2	48.8	25.8	14.9	13.6	13.4	19.7	19.7
DAT	29	2	1	16	3	30	26	26	16	6	4	30
GMIN =		13.4		SRGOD=		54.3		GMAX =		523		
DATUM		6 10						DATUM		17 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1992

Broj : 45832 Stanica : BIJELO POLJE Kota "0" = 559.67  
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 124.90  
Pocetak rada: 1948 Sliv : DRINE Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	19.7	16.3	21.0	54.4	149	43.7	43.7	14.6	12.4	12.3	94.4	57.8
2	18.0	15.9	22.5	55.5	151	53.3	43.7	14.6	12.3	12.3	82.6	52.2
3	17.5	15.9	24.9	54.4	137	48.8	42.6	14.3	12.1	12.4	72.7	48.8
4	17.5	16.7	24.9	53.3	118	45.7	39.5	14.6	12.1	12.9	65.8	47.8
5	18.0	16.3	25.8	58.9	106	43.7	35.5	14.6	12.4	14.3	60.0	49.9
6	18.0	16.3	26.8	62.3	100	41.6	32.6	15.9	12.6	26.8	53.3	60.0
7	18.0	16.3	27.7	76.4	94.4	38.5	30.6	14.9	12.3	189	49.9	75.2
8	18.0	16.7	26.8	89.1	90.4	34.5	30.6	14.6	12.3	114	45.7	71.5
9	18.0	16.7	25.8	83.8	86.4	34.5	28.6	14.0	12.3	58.9	41.6	69.2
10	18.0	16.3	25.8	87.8	82.6	32.6	28.6	14.0	12.1	43.7	39.5	68.1
11	18.6	16.7	24.9	94.4	78.9	31.6	25.8	13.8	11.9	37.5	36.5	64.6
12	20.2	16.7	24.0	93.0	77.7	39.5	25.8	13.8	12.1	98.5	37.5	61.2
13	20.2	17.5	23.2	86.4	74.0	43.7	24.9	13.8	12.1	65.8	48.8	58.9
14	19.7	17.5	24.0	85.1	70.3	49.9	25.8	13.8	11.9	58.9	53.3	55.5
15	19.7	17.5	26.8	82.6	65.8	53.3	24.0	13.8	11.9	54.4	49.9	52.2
16	18.6	18.0	34.5	80.1	62.3	54.4	23.2	13.8	11.9	54.4	47.8	48.8
17	18.0	20.2	34.5	85.1	58.9	78.9	21.7	13.6	11.9	53.3	90.4	47.8
18	18.0	22.5	30.6	122	51.0	103	21.0	13.6	11.9	139	392	44.7
19	17.5	21.0	27.7	128	55.5	120	19.7	13.4	11.9	176	437	43.7
20	17.1	20.2	26.8	133	49.9	100	18.6	13.4	11.8	126	284	40.6
21	17.1	20.2	25.8	145	47.8	87.8	18.0	13.2	11.8	93.0	204	39.5
22	17.1	20.2	24.0	124	45.7	76.4	17.5	13.2	11.8	91.7	137	36.5
23	17.1	19.7	22.5	116	43.7	65.8	17.1	13.0	11.8	87.8	122	35.5
24	16.7	19.1	26.8	116	43.7	60.0	16.7	12.9	11.8	83.8	101	31.6
25	16.7	19.1	43.7	110	42.6	54.4	16.7	12.6	11.6	86.4	104	30.6
26	16.7	19.1	55.5	107	41.6	54.4	15.9	12.4	11.6	80.1	81.3	28.6
27	16.7	19.1	93.0	118	41.6	55.5	15.5	12.4	11.6	89.1	76.4	26.8
28	16.7	19.7	93.0	135	39.5	57.8	15.5	12.3	11.6	89.1	70.3	25.8
29	16.3	20.2	80.1	141	39.5	49.9	15.2	12.3	11.6	86.4	65.8	24.0
30	16.3		66.9	143	39.5	46.7	14.9	12.3	11.9	100	62.3	23.2
31	16.3		60.0		41.6		14.9	12.3		104		22.5
SD1	18.1	16.3	25.2	67.6	111	41.7	35.6	14.6	12.3	49.7	60.5	60.0
SD2	18.8	18.8	27.7	99.0	64.4	67.4	23.0	13.7	11.9	86.4	148	51.8
SD3	16.7	19.6	53.8	126	42.4	60.9	16.2	12.6	11.7	90.1	102	29.5
MAX	20.2	23.2	106	156	156	137	44.7	18.0	12.4	589	589	75.2
DAT	12	18	27	21	2	18	1	6	5	7	19	7
SR	17.8	18.2	36.1	97.4	71.8	56.7	24.7	13.6	12.0	75.9	104	46.6
MIN	16.3	15.9	21.0	53.3	39.5	31.6	14.9	12.3	11.6	12.3	36.5	22.5
DAT	29	2	1	4	28	11	30	28	25	1	11	31
-----												
GMIN =			11.6	SRGOD=				47.8	GMAX =			589
DATUM			25 9						DATUM			7 10
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1993

Broj : 45832      Stanica : BIJELO POLJE      Kota "0" = 559.67  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 124.90  
 Pocetak rada: 1948      Sliv : DRINE      Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	22.5	15.9	15.2	37.5	95.7	29.6	13.8	11.9	11.3	12.6	14.0	24.0
2	22.5	15.9	15.2	44.7	90.4	28.6	13.6	12.1	11.3	12.7	13.8	23.2
3	22.5	15.9	16.7	65.8	85.1	25.8	13.8	12.3	11.3	13.4	13.6	22.5
4	21.7	15.5	18.0	76.4	82.6	25.8	14.6	12.1	11.3	55.5	14.0	21.7
5	21.0	15.5	16.7	81.3	86.4	25.8	13.6	12.3	12.9	63.5	22.5	21.0
6	20.2	15.5	16.3	87.8	87.8	24.9	13.2	11.9	17.5	48.8	93.0	20.2
7	20.2	15.5	16.3	100	85.1	22.5	13.4	11.8	18.0	35.5	195	19.7
8	20.2	15.5	15.5	98.5	81.3	21.7	14.0	11.8	16.3	26.8	151	21.7
9	20.2	15.5	15.5	91.7	81.3	21.0	13.6	12.1	14.9	22.5	104	25.8
10	19.7	15.5	15.5	81.3	77.7	19.7	13.4	12.3	14.0	21.7	86.4	28.6
11	18.6	15.5	15.5	81.3	74.0	19.7	13.0	12.3	13.6	20.2	70.3	33.5
12	18.6	15.5	15.9	143	70.3	18.6	12.9	12.3	13.8	18.6	58.9	49.9
13	18.6	15.5	16.3	191	68.1	18.0	13.0	12.3	13.6	17.5	52.2	57.8
14	18.6	15.9	17.5	173	62.3	17.5	13.2	11.9	13.6	16.7	57.8	53.3
15	18.6	15.5	19.1	176	58.9	19.1	13.0	11.8	13.8	15.9	56.6	103
16	18.6	15.5	21.7	187	56.6	17.5	13.0	11.6	14.6	15.2	63.5	351
17	18.0	15.5	23.2	162	55.5	17.1	13.0	11.5	14.0	14.9	60.0	368
18	17.5	15.5	25.8	128	55.5	16.7	13.0	11.5	13.8	14.3	53.3	274
19	17.5	15.5	33.5	104	54.4	16.3	12.9	11.4	13.6	14.0	47.8	191
20	17.5	15.5	40.6	97.0	51.0	15.9	12.7	11.4	13.2	14.0	44.7	139
21	17.5	15.5	41.6	97.0	49.9	15.2	12.6	11.4	12.9	13.8	41.6	107
22	17.1	15.9	44.7	104	48.8	14.6	12.4	11.4	12.9	13.6	37.5	100
23	16.7	15.9	49.9	109	46.7	14.3	12.3	11.4	12.7	13.6	35.5	112
24	16.7	15.9	51.0	118	44.7	14.0	12.4	11.4	12.6	15.2	34.5	101
25	16.7	15.9	51.0	122	43.7	13.8	12.4	11.4	12.6	18.0	33.5	109
26	17.5	15.9	61.2	116	41.6	13.8	12.4	11.3	12.4	17.5	31.6	118
27	16.7	15.5	60.0	116	39.5	13.8	12.1	11.3	12.3	16.3	29.6	118
28	16.7	15.5	51.0	114	35.5	13.6	12.3	11.3	12.3	15.5	27.7	110
29	16.7		43.7	109	35.5	13.8	12.4	11.3	12.4	15.2	25.8	94.4
30	16.7		40.6	101	33.5	13.8	12.3	11.3	12.6	14.6	24.9	82.6
31	16.3		38.5		31.6		12.1	11.3		14.3		74.0
SD1	21.1	15.6	16.1	76.5	85.3	24.5	13.7	12.1	13.9	31.3	70.7	22.8
SD2	18.2	15.5	22.9	144	60.7	17.6	13.0	11.8	13.8	16.1	56.5	162
SD3	16.8	15.8	48.5	111	41.0	14.1	12.3	11.3	12.6	15.2	32.2	102
MAX	22.5	15.9	61.2	191	95.7	29.6	14.6	12.3	18.0	63.5	195	437
DAT	1	22	26	13	1	1	4	10	7	5	7	16
SR	18.6	15.6	29.8	110	61.6	18.7	13.0	11.7	13.4	20.7	53.2	96.0
MIN	16.3	15.5	15.2	37.5	31.6	13.6	12.1	11.3	11.3	12.6	13.6	19.7
DAT	31	4	1	1	31	28	27	26	1	1	3	7
-----												
GMIN =			11.3	SRGOD=				38.6	GMAX =			437
DATUM			26 8						DATUM			16 12
-----												

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1994

Broj : 45832 Stanica : BIJELO POLJE Kota "0" = 559.67  
Nacin osmat.: limnigraf Rijeka : LIM km od usca = 124.90  
Pocetak rada: 1948 Sliv : DRINE Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	68.1	35.5	62.3	56.6	135	70.3	53.3	18.0	12.9	12.4	19.1	13.6
2	63.5	33.5	64.6	60.0	135	64.6	44.7	17.5	12.7	12.3	17.1	13.4
3	57.8	33.5	74.0	65.8	126	60.0	43.7	17.1	13.6	12.3	15.9	13.2
4	52.2	35.5	100	65.8	107	57.8	37.5	17.5	13.4	12.7	15.2	13.0
5	54.4	35.5	69.2	64.6	98.5	58.9	33.5	18.0	13.2	13.2	14.6	13.0
6	80.1	35.5	63.5	74.0	101	60.0	30.6	17.5	12.7	13.4	14.3	13.0
7	80.1	35.5	58.9	80.1	109	55.5	29.6	16.7	12.6	13.6	14.0	13.0
8	72.7	37.5	54.4	80.1	110	48.8	31.6	15.9	12.4	13.4	13.8	13.0
9	69.2	38.5	52.2	77.7	116	43.7	29.6	15.5	12.4	13.2	13.8	13.2
10	68.1	38.5	49.9	75.2	118	41.6	29.6	15.5	12.3	13.0	13.6	13.2
11	64.6	37.5	47.8	180	110	42.6	28.6	14.9	12.1	12.9	14.9	13.0
12	61.2	36.5	46.7	392	107	41.6	34.5	14.6	12.1	12.7	21.0	13.0
13	56.6	34.5	47.8	512	104	39.5	35.5	14.3	11.9	12.7	28.6	13.0
14	52.2	32.6	51.0	351	103	45.7	32.6	13.8	11.9	12.6	24.9	12.9
15	49.9	30.6	56.6	255	107	55.5	32.6	13.8	12.1	12.6	21.7	12.7
16	48.8	28.6	62.3	207	118	55.5	30.6	13.8	12.9	12.4	20.2	12.7
17	52.2	28.6	63.5	200	122	48.8	27.7	13.6	13.2	12.4	19.1	12.6
18	53.3	31.6	63.5	267	122	44.7	24.9	13.6	13.2	12.3	18.0	12.6
19	53.3	33.5	60.0	264	141	40.6	24.0	13.4	13.4	12.3	17.5	12.3
20	51.0	34.5	56.6	225	145	38.5	24.0	13.2	13.6	12.3	16.7	12.3
21	53.3	35.5	54.4	193	126	39.5	22.5	13.2	13.8	12.3	15.9	12.4
22	51.0	35.5	52.2	176	126	39.5	21.7	13.0	14.0	12.1	15.5	12.4
23	48.8	35.5	54.4	165	106	37.5	43.7	12.9	13.6	12.1	15.2	12.4
24	45.7	38.5	53.3	151	103	35.5	33.5	12.9	13.4	12.1	14.9	12.4
25	43.7	54.4	55.5	143	101	34.5	32.6	12.7	13.2	12.6	14.6	12.4
26	42.6	62.3	61.2	143	98.5	33.5	28.6	13.6	13.0	12.9	14.6	12.6
27	43.7	61.2	70.3	143	93.0	31.6	24.9	14.0	12.9	12.9	14.3	12.6
28	41.6	62.3	71.5	149	87.8	31.6	23.2	13.6	12.7	12.9	14.0	12.4
29	40.6		64.6	143	80.1	44.7	21.7	13.4	12.6	14.9	13.8	12.4
30	38.5		60.0	135	74.0	56.6	20.2	13.2	12.6	24.9	13.8	12.4
31	36.5		57.8		74.0		19.1	13.0		22.5		12.9
SD1	66.6	35.9	64.9	70.0	116	56.1	36.4	16.9	12.8	12.9	15.1	13.2
SD2	54.3	32.9	55.6	285	118	45.3	29.5	13.9	12.6	12.5	20.3	12.7
SD3	44.2	48.1	59.6	154	97.2	38.5	26.5	13.2	13.2	14.7	14.7	12.5
MAX	83.8	63.5	76.4	701	151	78.9	58.9	18.6	14.0	28.6	30.6	14.9
DAT	6	26	3	13	20	29	1	1	22	30	13	1
SR	54.7	38.3	60.0	170	110	46.6	30.7	14.6	12.9	13.4	16.7	12.8
MIN	36.5	28.6	46.7	56.6	74.0	31.6	19.1	12.7	11.9	12.1	13.6	12.3
DAT	31	16	12	1	30	27	31	25	13	22	10	19
-----												
GMIN =			11.9	SRGOD=				48.3	GMAX =			701
DATUM			13 9						DATUM			13 4
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1995

Broj : 45832      Stanica : BIJELO POLJE      Kota "0" = 559.67  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 124.90  
 Pocetak rada: 1948      Sliv : DRINE      Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	26.8	51.0	128	56.6	120	126	27.7	23.2	45.7	40.6	14.9	31.6
2	176	45.7	104	53.3	122	122	26.8	25.8	41.6	37.5	14.6	30.6
3	154	41.6	93.0	57.8	122	110	24.9	24.0	36.5	35.5	14.6	29.6
4	86.4	38.5	86.4	95.7	109	98.5	24.0	21.7	35.5	32.6	14.3	29.6
5	62.3	35.5	80.1	158	98.5	90.4	23.2	19.7	45.7	30.6	14.6	28.6
6	48.8	32.6	74.0	180	91.7	82.6	22.5	19.1	78.9	28.6	14.3	26.8
7	41.6	29.6	68.1	191	87.8	77.7	29.6	17.5	98.5	26.8	14.3	25.8
8	35.5	27.7	62.3	187	91.7	74.0	29.6	16.7	85.1	24.9	14.3	24.9
9	31.6	26.8	55.5	178	106	68.1	27.7	16.3	76.4	24.0	14.0	24.0
10	28.6	34.5	51.0	141	120	64.6	24.0	15.5	72.7	23.2	14.0	23.2
11	26.8	38.5	46.7	116	133	61.2	22.5	15.5	63.5	21.7	13.8	22.5
12	25.8	37.5	42.6	106	165	60.0	21.7	15.2	54.4	21.0	14.0	21.7
13	23.2	35.5	39.5	93.0	319	58.9	21.7	14.9	47.8	20.2	14.6	21.7
14	21.0	34.5	37.5	83.8	530	57.8	20.2	14.6	41.6	19.7	15.9	21.0
15	19.7	34.5	36.5	77.7	440	54.4	20.2	14.6	44.7	19.1	16.3	21.0
16	18.6	33.5	32.6	76.4	307	51.0	19.7	14.6	52.2	18.6	15.9	20.2
17	17.1	35.5	30.6	76.4	241	47.8	20.2	14.9	51.0	18.0	15.5	19.7
18	17.1	37.5	29.6	70.3	204	45.7	26.8	15.2	47.8	18.0	24.9	23.2
19	17.5	57.8	28.6	68.1	191	42.6	25.8	15.2	43.7	17.5	51.0	37.5
20	17.5	65.8	30.6	70.3	176	39.5	21.7	15.2	44.7	16.7	48.8	41.6
21	16.7	61.2	34.5	72.7	167	37.5	20.2	15.2	61.2	16.3	41.6	38.5
22	16.3	60.0	34.5	78.9	154	36.5	18.6	15.2	62.3	15.9	35.5	35.5
23	16.3	58.9	33.5	90.4	141	35.5	17.5	14.9	62.3	15.5	31.6	33.5
24	21.0	58.9	33.5	104	128	34.5	17.1	14.6	58.9	15.5	27.7	77.7
25	30.6	71.5	33.5	130	128	33.5	16.3	14.6	52.2	15.5	25.8	165
26	29.6	76.4	40.6	187	130	31.6	15.9	16.3	47.8	15.2	24.9	230
27	64.6	97.0	41.6	187	135	31.6	15.5	31.6	44.7	15.2	24.0	417
28	86.4	147	57.8	165	143	29.6	15.2	36.5	41.6	14.9	25.8	610
29	71.5		71.5	139	147	29.6	15.2	37.5	41.6	14.9	31.6	371
30	60.0		71.5	124	143	28.6	18.6	44.7	42.6	14.9	32.6	248
31	55.5		63.5		137		23.2	45.7		14.6		187
SD1	69.2	36.3	80.2	130	107	91.4	26.0	20.0	61.7	30.4	14.4	27.5
SD2	20.4	41.1	35.5	83.8	271	51.9	22.0	15.0	49.1	19.0	23.1	25.0
SD3	42.6	78.9	46.9	128	141	32.9	17.6	26.1	51.5	15.3	30.1	219
MAX	207	151	143	200	547	130	34.5	47.8	101	41.6	53.3	754
DAT	2	28	1	8	14	1	6	31	7	1	19	28
SR	44.0	50.2	54.0	114	172	58.7	21.7	20.5	54.1	21.4	22.5	94.8
MIN	16.3	26.8	28.6	53.3	87.8	28.6	15.2	14.6	35.5	14.6	13.8	19.7
DAT	22	9	19	2	7	30	28	14	4	31	11	17
		GMIN =	13.8			SRGOD=	60.7			GMAX =	754	
		DATUM	11 11							DATUM	28 12	



ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1996

Broj               : 45832                    Stanica :   BIJELO POLJE    Kota "0" = 559.67  
Nacin osmat.: limnigraf        Rijeka    :     LIM                    km od usca = 124.90  
Pocetak rada: 1948            Sliv       :   DRINE                    Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	183	32.0	40.0	102	189	82.3	25.0	13.4	12.5	79.8	60.6	148
2	178	30.2	40.0	104	200	79.8	24.2	13.4	12.5	68.8	57.1	129
3	146	29.3	38.0	262	203	78.5	21.4	13.4	12.3	61.7	52.5	112
4	117	30.2	34.0	297	209	79.8	20.9	13.4	12.8	57.1	48.2	98.3
5	101	33.0	32.0	287	223	78.5	20.3	14.2	14.8	53.6	46.2	90.1
6	88.8	34.0	30.2	235	230	76.0	19.8	14.2	14.5	49.2	44.1	83.6
7	81.1	33.0	29.3	198	230	72.4	19.3	13.9	14.5	45.1	42.0	78.5
8	74.8	33.0	27.6	172	228	68.8	18.7	13.7	14.2	42.0	40.0	73.6
9	70.0	31.0	26.8	156	223	65.3	18.1	13.9	14.2	43.1	38.0	70.0
10	64.1	30.2	25.9	144	209	61.7	18.7	13.7	13.9	47.2	36.0	66.5
11	59.4	28.5	25.0	131	192	58.3	18.1	13.2	13.0	45.1	33.0	65.3
12	55.9	28.5	25.9	117	178	55.9	17.6	13.0	14.2	42.0	31.0	62.9
13	52.5	27.6	25.9	109	170	55.9	16.7	13.0	55.9	39.0	30.2	60.6
14	49.2	32.0	25.9	113	185	54.8	16.4	12.8	81.1	36.0	29.3	86.1
15	46.2	34.0	28.5	109	216	52.5	16.1	12.8	70.0	35.0	28.5	212
16	43.1	32.0	38.0	99.6	223	48.2	16.7	12.8	51.3	34.0	26.8	209
17	40.0	30.2	51.3	92.8	200	44.1	17.0	13.4	46.2	58.3	25.9	165
18	38.0	30.2	54.8	95.6	181	41.0	16.4	13.2	39.0	86.1	26.8	133
19	37.0	28.5	54.8	107	165	39.0	15.8	13.0	35.0	94.2	72.4	113
20	36.0	54.8	54.8	112	150	36.0	15.8	13.0	82.3	91.5	110	101
21	35.0	105	52.5	123	138	35.0	15.4	12.8	94.2	79.8	194	107
22	34.0	78.5	52.5	131	125	33.0	15.1	12.5	81.1	72.4	214	115
23	32.0	71.2	54.8	144	113	36.0	14.8	12.3	79.8	65.3	354	115
24	31.0	60.6	54.8	159	104	34.0	14.5	12.3	94.2	59.4	357	181
25	37.0	53.6	55.9	172	95.6	32.0	14.2	12.3	101	54.8	319	282
26	42.0	47.2	64.1	181	90.1	31.0	14.2	12.3	98.3	50.3	249	304
27	41.0	45.1	87.4	192	87.4	31.0	13.9	12.3	154	46.2	214	239
28	39.0	43.1	170	183	95.6	30.2	13.9	11.9	152	43.1	178	189
29	37.0	41.0	154	178	105	28.5	13.7	11.6	117	41.0	181	154
30	36.0		125	178	98.3	26.8	13.4	11.6	94.2	46.2	167	140
31	34.0		115		88.8		13.2	11.6		65.3		127
SD1	110	31.6	32.4	196	214	74.3	20.6	13.7	13.6	54.8	46.5	95.0
SD2	45.7	32.6	38.5	109	186	48.6	16.7	13.0	48.8	56.1	41.4	121
SD3	36.2	60.6	89.6	164	104	31.8	14.2	12.1	107	56.7	243	178
MAX	187	131	183	302	235	84.9	25.9	14.5	172	95.6	383	322
DAT	1	21	28	4	6	1	1	5	27	20	23	26
SR	63.2	40.9	54.7	156	166	51.5	17.1	12.9	56.3	55.9	110	133
MIN	31.0	27.6	25.0	92.8	87.4	26.8	13.2	11.6	12.3	34.0	25.9	60.6
DAT	24	13	11	17	27	30	31	29	3	16	17	13
-----												
GMIN =			11.6	SRGOD=				76.5	GMAX =			383
DATUM			29 8						DATUM			23 11
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1997

Broj : 45832      Stanica : BIJELO POLJE      Kota "0" = 559.67  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 124.90  
 Pocetak rada: 1948      Sliv : DRINE      Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	125	34.0	49.2	59.4	144	82.3	29.3	16.7	13.9	11.9	24.2	37.0
2	146	32.0	48.2	58.3	140	74.8	28.5	19.8	13.9	11.9	23.4	39.0
3	176	29.3	46.2	64.1	148	72.4	28.5	21.4	13.7	12.3	22.5	48.2
4	192	28.5	47.2	71.2	172	71.2	26.8	19.8	13.7	12.5	22.0	74.8
5	228	28.5	51.3	76.0	198	71.2	26.8	18.7	13.4	12.3	21.4	68.8
6	214	28.5	52.5	73.6	212	71.2	25.9	17.6	13.2	12.1	20.9	60.6
7	181	27.6	50.3	70.0	242	71.2	25.0	16.7	13.2	11.9	21.4	53.6
8	152	26.8	48.2	65.3	345	72.4	25.0	16.7	13.0	11.9	25.0	48.2
9	129	25.9	46.2	59.4	524	71.2	25.0	16.4	13.0	11.9	30.2	43.1
10	113	25.0	44.1	59.4	403	68.8	23.4	16.4	13.0	11.9	35.0	39.0
11	104	24.2	41.0	66.5	309	66.5	23.4	16.1	13.0	12.3	57.1	36.0
12	98.3	23.4	39.0	79.8	262	65.3	22.5	16.1	12.8	13.2	81.1	34.0
13	91.5	23.4	38.0	72.4	249	62.9	22.5	15.8	12.8	20.9	74.8	45.1
14	84.9	25.0	37.0	66.5	244	59.4	21.4	15.8	12.8	41.0	131	52.5
15	79.8	25.0	37.0	64.1	244	57.1	20.9	15.1	13.0	61.7	138	51.3
16	74.8	43.1	36.0	67.6	232	57.1	21.4	14.8	13.2	51.3	105	48.2
17	70.0	41.0	36.0	64.1	221	54.8	20.9	14.8	13.0	39.0	84.9	44.1
18	66.5	36.0	40.0	61.7	207	51.3	20.3	14.5	13.0	33.0	70.0	41.0
19	62.9	33.0	42.0	59.4	196	50.3	22.5	14.8	12.8	29.3	61.7	37.0
20	59.4	31.0	95.6	61.7	183	50.3	20.9	15.4	12.8	25.9	53.6	40.0
21	55.9	29.3	87.4	76.0	170	48.2	19.8	15.1	12.8	23.4	48.2	65.3
22	52.5	28.5	77.3	172	165	45.1	19.3	14.8	12.8	22.0	43.1	98.3
23	51.3	28.5	71.2	279	156	41.0	18.7	14.8	12.5	21.4	42.0	92.8
24	48.2	28.5	66.5	235	133	39.0	18.1	14.2	12.5	22.5	46.2	81.1
25	46.2	30.2	64.1	178	115	39.0	17.6	14.2	12.5	39.0	47.2	72.4
26	44.1	35.0	61.7	148	109	36.0	17.6	14.2	12.3	38.0	45.1	64.1
27	42.0	47.2	58.3	138	105	34.0	17.6	13.9	12.3	34.0	42.0	60.6
28	40.0	54.8	57.1	146	107	32.0	17.0	13.9	12.1	30.2	41.0	62.9
29	38.0		68.8	146	113	30.2	16.7	13.9	12.1	27.6	39.0	62.9
30	36.0		68.8	150	101	29.3	17.0	13.9	12.1	25.0	38.0	58.3
31	34.0		64.1		91.5		17.6	13.9		25.0		53.6
SD1	166	28.6	48.3	65.7	253	72.7	26.4	18.0	13.4	12.1	24.6	51.2
SD2	79.2	30.5	44.2	66.4	235	57.5	21.7	15.3	12.9	32.8	85.7	42.9
SD3	44.4	35.3	67.8	167	124	37.4	17.9	14.3	12.4	28.0	43.2	70.2
MAX	235	61.7	105	284	549	86.1	29.3	22.0	13.9	64.1	150	101
DAT	5	16	20	23	9	1	1	2	1	15	14	22
SR	94.7	31.2	53.9	99.6	201	55.9	21.9	15.8	12.9	24.4	51.2	55.3
MIN	34.0	23.4	36.0	58.3	91.5	29.3	16.7	13.9	12.1	11.9	20.9	34.0
DAT	31	12	16	2	31	30	29	27	28	1	6	12
GMIN =		11.9		SRGOD=		60.1		GMAX =		549		
DATUM		1 10						DATUM		9 5		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1998

Broj : 45832 Stanica : BIJELO POLJE Kota "0" = 559.67  
 Nacin osmat.: limnigraf Rijeka : LIM km od usca = 124.90  
 Pocetak rada: 1948 Sliv : DRINE Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	50.3	20.9	35.0	20.9	94.2	54.8	22.0	13.4	13.4	72.4	65.3	47.2
2	47.2	20.9	34.0	22.0	87.4	51.3	20.9	13.2	13.0	60.6	59.4	47.2
3	46.2	20.3	32.0	22.5	84.9	48.2	19.8	13.0	12.8	81.1	54.8	46.2
4	45.1	21.4	30.2	24.2	92.8	46.2	19.3	12.8	13.0	105	52.5	70.0
5	44.1	23.4	29.3	26.8	150	45.1	19.3	12.5	13.0	92.8	51.3	163
6	43.1	22.0	29.3	33.0	277	47.2	18.7	14.5	13.2	79.8	55.9	209
7	43.1	20.9	30.2	45.1	267	43.1	18.1	13.4	13.4	64.1	74.8	165
8	43.1	19.8	29.3	55.9	214	41.0	17.0	13.2	13.2	57.1	129	127
9	41.0	20.3	31.0	62.9	172	41.0	27.6	13.4	17.6	50.3	181	102
10	39.0	19.8	47.2	79.8	148	43.1	25.0	13.2	16.4	54.8	154	88.8
11	38.0	19.3	46.2	133	129	40.0	22.0	12.8	15.4	196	125	81.1
12	35.0	19.3	43.1	322	117	38.0	20.3	12.8	14.5	187	115	73.6
13	34.0	20.3	40.0	445	110	62.9	18.7	12.5	19.8	142	144	66.5
14	32.0	22.0	38.0	317	104	62.9	17.6	12.3	62.9	125	142	62.9
15	31.0	27.6	36.0	272	98.3	57.1	17.0	12.3	125	101	121	58.3
16	30.2	39.0	36.0	216	92.8	50.3	19.8	12.1	109	87.4	113	54.8
17	29.3	45.1	34.0	183	82.3	44.1	18.1	12.5	79.8	76.0	146	50.3
18	30.2	49.2	32.0	163	73.6	42.0	17.0	12.5	67.6	66.5	131	47.2
19	28.5	47.2	30.2	172	66.5	39.0	16.4	12.3	65.3	60.6	112	44.1
20	28.5	45.1	29.3	174	60.6	37.0	15.8	12.1	57.1	58.3	95.6	43.1
21	30.2	42.0	27.6	159	60.6	33.0	15.4	12.1	55.9	58.3	88.8	43.1
22	29.3	40.0	25.9	140	58.3	31.0	15.1	12.1	71.2	88.8	74.8	50.3
23	28.5	39.0	25.9	125	70.0	29.3	14.5	12.1	65.3	81.1	68.8	46.2
24	25.9	38.0	25.0	113	65.3	33.0	14.2	11.9	55.9	72.4	66.5	43.1
25	25.0	37.0	24.2	117	58.3	29.3	13.9	11.9	48.2	66.5	62.9	40.0
26	24.2	37.0	23.4	113	66.5	30.2	13.9	11.9	42.0	61.7	59.4	37.0
27	22.5	36.0	22.5	107	70.0	26.8	13.9	11.9	38.0	64.1	57.1	36.0
28	22.5	35.0	22.0	102	61.7	25.9	13.7	11.9	47.2	86.1	54.8	36.0
29	21.4		21.4	96.9	55.9	23.4	13.7	13.9	92.8	86.1	52.5	35.0
30	21.4		20.9	99.6	53.6	22.5	13.7	14.5	90.1	77.3	49.2	34.0
31	20.9		20.9		52.5		13.4	13.9		70.0		33.0
SD1	44.2	21.0	32.8	39.3	159	46.1	20.8	13.3	13.9	71.8	87.8	107
SD2	31.7	33.4	36.5	240	93.4	47.3	18.3	12.4	61.6	110	124	58.2
SD3	24.7	38.0	23.6	117	61.2	28.4	14.1	12.6	60.7	73.9	63.5	39.4
MAX	54.8	51.3	52.5	486	302	62.9	27.6	14.5	140	196	198	216
DAT	1	18	10	13	6	13	9	6	9	11	8	6
SR	33.2	30.3	30.7	132	103	40.6	17.6	12.7	45.4	84.8	91.9	67.1
MIN	20.9	19.3	20.9	20.9	52.5	22.5	13.4	11.9	12.8	50.3	49.2	33.0
DAT	31	11	30	1	31	30	31	24	3	9	30	31
GMIN =			11.9	SRGOD=			57.5	GMAX =			486	
DATUM			24 8					DATUM			13 4	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1999

Broj               : 45832                      Stanica :   BIJELO POLJE   Kota "0" = 559.67  
Nacin osmat.: limnigraf            Rijeka    :       LIM                      km od usca = 124.90  
Pocetak rada: 1948                Sliv       :       DRINE                      Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	31.0	32.0	57.1	70.0	228	79.8	43.1	20.9	14.5	12.8	15.4	43.1
2	31.0	31.0	59.4	78.5	144	83.6	40.0	22.0	15.1	13.2	15.1	40.0
3	30.2	30.2	61.7	81.1	223	79.8	38.0	21.4	20.3	13.2	15.1	38.0
4	30.2	29.3	71.2	77.3	226	78.5	35.0	20.3	17.6	12.8	15.1	36.0
5	31.0	28.5	95.6	72.4	237	76.0	32.0	19.3	16.1	12.8	14.8	37.0
6	30.2	30.2	172	73.6	239	71.2	30.2	18.7	15.8	12.8	14.8	46.2
7	30.2	28.5	172	78.5	212	65.3	28.5	19.3	15.1	13.0	14.5	45.1
8	31.0	32.0	159	88.8	192	61.7	27.6	18.1	14.8	13.0	14.5	43.1
9	33.0	32.0	125	99.6	181	59.4	26.8	17.0	14.5	12.8	14.8	41.0
10	42.0	37.0	105	113	178	57.1	34.0	16.7	15.1	12.8	14.8	44.1
11	50.3	110	94.2	119	172	54.8	36.0	16.4	15.4	12.5	15.1	54.8
12	113	90.1	91.5	113	163	51.3	31.0	16.1	15.1	12.3	16.1	66.5
13	109	71.2	92.8	107	170	52.5	28.5	15.8	14.5	12.3	16.4	68.8
14	142	59.4	94.2	109	178	49.2	25.9	16.1	13.9	12.3	16.4	72.4
15	113	52.5	96.9	104	185	46.2	24.2	15.8	13.7	12.3	16.1	74.8
16	92.8	47.2	95.6	102	194	43.1	23.4	15.4	13.4	12.1	16.4	272
17	81.1	44.1	90.1	189	203	44.1	22.0	15.1	13.2	12.3	20.9	556
18	72.4	42.0	82.3	299	170	45.1	21.4	14.5	13.2	12.3	43.1	249
19	65.3	38.0	77.3	262	146	51.3	20.3	14.2	13.4	15.8	55.9	348
20	59.4	36.0	70.0	205	140	44.1	19.3	14.2	13.7	21.4	159	287
21	54.8	35.0	64.1	167	144	42.0	18.7	13.9	13.0	17.6	117	262
22	51.3	39.0	58.3	144	148	53.6	18.1	13.7	13.4	16.7	125	205
23	48.2	84.9	54.8	156	129	82.3	17.0	13.7	13.2	16.7	185	163
24	45.1	82.3	52.5	183	117	74.8	17.0	13.4	13.0	17.6	140	150
25	42.0	71.2	50.3	183	109	62.9	19.3	13.2	13.0	18.7	101	109
26	40.0	62.9	51.3	203	101	54.8	22.5	13.2	12.8	18.7	81.1	102
27	39.0	57.1	58.3	214	94.2	48.2	24.2	13.2	12.5	17.6	67.6	189
28	41.0	54.8	66.5	200	91.5	44.1	22.0	13.0	12.5	17.0	58.3	394
29	39.0		71.2	196	87.4	50.3	20.3	13.0	13.0	16.4	52.5	528
30	37.0		72.4	207	83.6	38.0	22.5	13.0	12.8	16.1	46.2	337
31	33.0		67.6		81.1		22.5	13.0		15.8		244
SD1	32.0	31.1	108	83.3	206	71.2	33.5	19.4	15.9	12.9	14.9	41.4
SD2	89.8	59.0	88.5	161	172	48.2	25.2	15.4	13.9	13.6	37.5	205
SD3	42.8	60.9	60.7	185	108	55.1	20.4	13.3	12.9	17.2	97.4	244
MAX	152	138	183	314	246	86.1	45.1	22.5	21.4	24.2	196	626
DAT	14	11	6	18	6	2	1	2	3	20	23	29
SR	54.5	49.6	84.8	143	160	58.2	26.2	15.9	14.3	14.6	49.9	166
MIN	30.2	28.5	50.3	70.0	81.1	38.0	17.0	13.0	12.5	12.1	14.5	36.0
DAT	3	5	25	1	31	30	23	28	27	16	7	4
-----												
GMIN =			12.1	SRGOD=				70.0	GMAX =			626
DATUM			16 10						DATUM			29 12
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
2000

Broj : 45832 Stanica : BIJELO POLJE Kota "0" = 559.67  
 Nacin osmat.: limnigraf Rijeka : LIM km od usca = 124.90  
 Pocetak rada: 1948 Sliv : DRINE Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	192	27.6	37.0	176	129	35.0	17.0	12.5	43.1	14.8	12.5	37.0
2	150	28.5	53.6	165	125	34.0	16.4	12.3	24.2	14.8	13.4	35.0
3	123	34.0	73.6	154	115	32.0	16.1	12.1	15.4	15.8	15.4	33.0
4	107	37.0	66.5	183	107	30.2	15.8	12.1	14.2	22.0	16.1	32.0
5	95.6	35.0	66.5	419	99.6	29.3	15.1	12.1	31.0	24.2	36.0	30.2
6	87.4	33.0	61.7	524	95.6	29.3	14.8	11.9	46.2	21.4	46.2	27.6
7	79.8	33.0	55.9	378	91.5	28.5	14.5	11.6	28.5	19.8	44.1	26.8
8	71.2	34.0	53.6	279	87.4	30.2	14.5	11.5	21.4	18.7	146	25.0
9	65.3	39.0	53.6	219	86.1	28.5	14.2	11.3	18.7	18.7	165	24.2
10	60.6	48.2	65.3	172	84.9	28.5	14.2	11.1	16.1	18.7	110	25.0
11	57.1	44.1	71.2	146	83.6	30.2	13.9	11.1	15.1	18.7	82.3	28.5
12	53.6	44.1	92.8	129	82.3	28.5	13.7	11.1	14.8	18.1	62.9	26.8
13	50.3	44.1	98.3	125	86.1	27.6	14.8	11.1	13.9	17.0	51.3	25.0
14	48.2	43.1	92.8	131	83.6	26.8	14.5	11.1	13.4	17.0	44.1	24.2
15	45.1	41.0	91.5	140	78.5	26.8	13.9	11.3	13.0	16.7	38.0	24.2
16	43.1	40.0	92.8	144	71.2	26.8	18.7	11.3	12.8	16.4	34.0	27.6
17	41.0	74.8	87.4	154	66.5	28.5	21.4	11.3	12.5	15.4	30.2	32.0
18	40.0	87.4	78.5	165	62.9	25.9	19.3	11.1	12.3	15.1	25.9	31.0
19	39.0	71.2	71.2	178	59.4	23.4	17.0	10.9	20.9	15.8	26.8	29.3
20	37.0	65.3	64.1	192	59.4	21.4	15.8	10.9	20.3	15.1	39.0	27.6
21	34.0	57.1	58.3	198	53.6	20.3	14.5	10.9	17.6	14.8	47.2	25.9
22	34.0	51.3	53.6	192	50.3	19.3	14.2	10.7	19.3	14.2	46.2	24.2
23	34.0	47.2	50.3	185	49.2	19.3	13.7	10.7	32.0	13.9	41.0	22.5
24	35.0	44.1	51.3	178	46.2	19.3	13.4	10.7	26.8	13.7	37.0	21.4
25	31.0	38.0	54.8	172	44.1	18.1	13.0	10.5	22.0	13.4	35.0	20.9
26	27.6	40.0	71.2	152	42.0	17.6	12.8	10.5	19.8	13.2	37.0	24.2
27	28.5	38.0	92.8	135	40.0	18.1	12.5	10.5	18.1	13.2	45.1	79.8
28	27.6	38.0	107	125	39.0	17.0	12.5	10.5	16.7	13.0	48.2	500
29	26.8	37.0	115	123	39.0	16.7	12.3	10.5	16.1	13.0	44.1	591
30	26.8		148	123	39.0	17.6	12.3	10.5	15.4	12.8	39.0	378
31	26.8		167		35.0		12.8	10.5		12.8		260
SD1	103	34.9	58.7	267	102	30.5	15.3	11.9	25.9	18.9	60.5	29.6
SD2	45.4	55.5	84.1	150	73.4	26.6	16.3	11.1	14.9	16.5	43.5	27.6
SD3	30.2	43.4	88.1	158	43.4	18.3	13.1	10.6	20.4	13.5	42.0	177
MAX	216	109	176	885	133	35.0	25.9	12.5	131	25.9	192	717
DAT	1	18	31	6	1	1	16	1	1	5	8	28
SR	58.7	44.7	77.3	192	72.0	25.2	14.8	11.2	20.4	16.2	48.6	81.3
MIN	26.8	27.6	37.0	123	35.0	16.7	12.3	10.5	12.3	12.8	12.5	20.9
DAT	29	1	1	29	31	29	29	25	18	30	1	25
GMIN =		10.5		SRGOD=		55.1		GMAX =		885		
DATUM		25 8						DATUM		6 4		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
2001

Broj : 45832      Stanica : BIJELO POLJE      Kota "0" = 559.67  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 124.90  
 Pocetak rada: 1948      Sliv : DRINE      Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	189	194	45.1	83.6	148	74.8	30.2	15.1	13.0	27.6	13.9	65.3
2	146	150	49.2	74.8	148	73.6	34.0	14.8	12.8	25.9	13.9	55.9
3	117	121	74.8	68.8	148	67.6	32.0	14.5	14.2	24.2	13.9	48.2
4	99.6	104	172	64.1	146	96.9	31.0	14.2	13.2	22.5	13.7	44.1
5	88.8	92.8	196	61.7	135	123	29.3	14.2	13.0	21.4	13.7	40.0
6	79.8	87.4	212	60.6	129	107	27.6	13.9	16.1	20.9	13.7	37.0
7	71.2	81.1	185	58.3	129	92.8	25.9	13.7	17.0	20.3	13.7	34.0
8	67.6	76.0	170	55.9	148	83.6	25.0	13.4	17.0	19.3	13.4	31.0
9	79.8	72.4	123	61.7	165	74.8	23.4	13.4	15.8	18.7	13.4	28.5
10	84.9	67.6	107	66.5	156	68.8	22.5	13.0	17.0	18.1	21.4	26.8
11	77.3	64.1	96.9	62.9	146	64.1	22.0	13.2	28.5	17.6	28.5	24.2
12	71.2	59.4	91.5	64.1	131	60.6	21.4	13.9	37.0	17.0	28.5	23.4
13	71.2	57.1	90.1	92.8	117	59.4	20.9	13.9	31.0	16.7	55.9	23.4
14	66.5	54.8	91.5	96.9	104	57.1	19.8	13.7	25.0	16.4	123	22.5
15	60.6	51.3	92.8	88.8	95.6	54.8	19.3	13.4	21.4	16.4	138	21.4
16	58.3	48.2	88.8	81.1	90.1	52.5	18.1	13.2	22.0	16.1	101	21.4
17	54.8	46.2	86.1	88.8	88.8	48.2	18.1	13.0	22.5	15.8	77.3	20.9
18	51.3	44.1	86.1	127	88.8	44.1	18.1	12.8	53.6	15.8	64.1	19.8
19	48.2	43.1	88.8	127	91.5	46.2	17.6	12.8	82.3	15.4	57.1	19.3
20	45.1	41.0	90.1	125	88.8	50.3	16.7	12.8	74.8	15.4	59.4	18.1
21	43.1	39.0	87.4	172	86.1	51.3	16.7	12.5	59.4	15.1	54.8	18.7
22	40.0	37.0	87.4	216	83.6	51.3	16.7	12.8	47.2	15.1	49.2	18.7
23	39.0	37.0	109	235	84.9	47.2	16.7	13.2	38.0	15.1	47.2	18.7
24	38.0	36.0	115	207	82.3	43.1	16.7	13.0	33.0	14.8	47.2	20.3
25	37.0	43.1	117	185	84.9	39.0	16.7	13.9	31.0	14.8	43.1	19.3
26	40.0	48.2	129	170	94.2	37.0	16.7	14.5	29.3	14.8	41.0	18.1
27	78.5	47.2	138	161	94.2	35.0	16.7	13.4	39.0	14.5	39.0	18.7
28	159	45.1	135	156	84.9	33.0	16.1	13.2	39.0	14.5	47.2	18.1
29	185		119	148	78.5	31.0	15.4	12.8	34.0	14.2	76.0	17.0
30	272		105	142	73.6	31.0	15.1	14.2	30.2	14.2	76.0	20.3
31	242		92.8		74.8		15.4	13.4		13.9		32.0
SD1	102	105	133	65.6	145	86.3	28.1	14.0	14.9	21.9	14.5	41.1
SD2	60.4	50.9	90.3	95.4	104	53.7	19.2	13.3	39.8	16.3	73.3	21.4
SD3	107	41.6	112	179	83.8	39.9	16.3	13.4	38.0	14.6	52.1	20.0
MAX	274	194	221	239	172	125	35.0	15.4	88.8	29.3	156	72.4
DAT	30	1	6	23	9	5	2	1	19	1	15	1
SR	90.4	67.4	112	113	110	60.0	21.0	13.5	30.9	17.5	46.6	27.3
MIN	37.0	36.0	45.1	55.9	73.6	31.0	15.1	12.5	12.8	13.9	13.4	17.0
DAT	25	24	1	8	30	29	30	21	2	31	8	29
GMIN =			12.5	SRGOD=			59.1	GMAX =			274	
DATUM			21 8					DATUM			30 1	

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
2002

Broj : 45832      Stanica : BIJELO POLJE      Kota "0" = 559.67  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 124.90  
 Pocetak rada: 1948      Sliv : DRINE      Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	30.2	41.0	52.5	50.3	68.8	37.0	16.4	20.3	16.7	135	45.1	46.2
2	26.8	41.0	55.9	50.3	68.8	35.0	16.1	19.3	17.6	123	42.0	54.8
3	26.8	40.0	55.9	50.3	70.0	35.0	15.4	17.0	16.7	104	43.1	60.6
4	24.2	40.0	60.6	49.2	70.0	32.0	14.8	16.1	16.4	90.1	44.1	60.6
5	23.4	39.0	61.7	50.3	68.8	30.2	14.8	16.1	19.3	78.5	60.6	64.1
6	22.0	39.0	59.4	48.2	66.5	29.3	14.2	15.4	17.6	71.2	64.1	66.5
7	21.4	39.0	60.6	46.2	62.9	27.6	14.2	19.3	17.6	66.5	60.6	62.9
8	20.9	42.0	68.8	43.1	59.4	29.3	14.5	31.0	17.6	61.7	57.1	59.4
9	20.3	43.1	67.6	42.0	59.4	33.0	14.2	25.0	19.8	55.9	52.5	54.8
10	19.8	45.1	67.6	42.0	58.3	34.0	13.7	22.0	20.3	52.5	50.3	51.3
11	19.3	46.2	71.2	44.1	55.9	40.0	13.7	20.9	21.4	113	47.2	48.2
12	19.3	43.1	68.8	51.3	58.3	30.2	13.4	21.4	19.8	378	44.1	46.2
13	19.3	41.0	62.9	163	55.9	28.5	17.0	22.0	18.7	403	47.2	45.1
14	19.3	41.0	58.3	212	52.5	26.8	15.1	21.4	17.0	369	74.8	43.1
15	19.3	40.0	54.8	198	50.3	25.0	14.2	20.3	16.7	277	78.5	41.0
16	19.3	40.0	52.5	170	49.2	23.4	13.9	19.8	16.4	212	71.2	42.0
17	19.3	39.0	50.3	159	47.2	22.0	13.4	23.4	16.1	167	64.1	43.1
18	18.7	41.0	50.3	163	44.1	20.9	13.4	27.6	15.8	129	58.3	46.2
19	18.7	62.9	51.3	144	42.0	20.3	13.7	25.9	15.1	107	54.8	48.2
20	18.1	78.5	52.5	125	43.1	19.3	14.5	25.0	14.8	91.5	51.3	46.2
21	17.6	74.8	55.9	112	44.1	18.1	14.2	22.5	14.8	81.1	48.2	43.1
22	18.1	70.0	67.6	101	42.0	17.6	13.7	20.3	15.1	72.4	45.1	41.0
23	18.1	62.9	74.8	94.2	41.0	17.0	14.8	19.3	18.7	66.5	49.2	40.0
24	18.7	59.4	70.0	88.8	38.0	16.7	13.7	17.6	35.0	66.5	49.2	41.0
25	19.8	57.1	65.3	83.6	37.0	17.6	13.9	17.0	66.5	74.8	48.2	40.0
26	21.4	53.6	60.6	78.5	36.0	22.5	16.1	16.7	107	70.0	46.2	40.0
27	22.5	51.3	54.8	74.8	34.0	19.3	19.8	17.6	133	65.3	44.1	38.0
28	25.9	51.3	51.3	76.0	33.0	17.0	24.2	17.0	105	59.4	42.0	38.0
29	27.6		49.2	73.6	35.0	16.7	23.4	17.0	104	54.8	40.0	73.6
30	31.0		49.2	71.2	38.0	16.4	22.0	17.6	117	51.3	39.0	81.1
31	37.0		50.3		38.0		20.3	17.0		48.2		77.3
SD1	23.6	40.9	61.1	47.2	65.3	32.2	14.8	20.1	18.0	83.8	52.0	58.1
SD2	19.1	47.3	57.3	143	49.9	25.6	14.2	22.8	17.2	225	59.2	44.9
SD3	23.4	60.0	59.0	85.4	37.8	17.9	17.8	18.1	71.6	64.6	45.1	50.3
MAX	39.0	81.1	77.3	219	72.4	38.0	25.0	37.0	142	445	81.1	82.3
DAT	31	20	22	14	4	1	28	8	27	13	15	29
SR	22.1	48.7	59.1	91.8	50.6	25.3	15.7	20.3	35.6	122	52.1	51.1
MIN	17.6	39.0	49.2	42.0	33.0	16.4	13.4	15.4	14.8	48.2	39.0	38.0
DAT	21	5	29	9	28	30	12	6	20	31	30	27
		GMIN = 13.4		SRGOD= 49.5		GMAX = 445						
		DATUM 12 7				DATUM 13 10						

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
2003

Broj : 45832      Stanica : BIJELO POLJE      Kota "0" = 559.67  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 124.90  
 Pocetak rada: 1948      Sliv : DRINE      Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	77.3	48.2	27.6	76.0	148	58.3	21.4	12.8	10.9	11.9	272	72.4
2	72.4	45.1	30.2	74.8	174	54.8	20.3	13.2	10.9	11.6	345	64.1
3	72.4	42.0	33.0	73.6	189	51.3	20.3	13.0	11.1	11.6	591	58.3
4	84.9	43.1	36.0	71.2	187	49.2	18.1	12.8	11.1	11.5	459	51.3
5	101	146	37.0	67.6	185	47.2	18.1	12.5	10.9	11.6	292	48.2
6	112	121	36.0	62.9	174	44.1	19.3	12.5	10.9	65.3	226	45.1
7	194	92.8	37.0	57.1	170	43.1	18.1	12.5	10.7	90.1	178	44.1
8	279	78.5	36.0	52.5	167	41.0	17.6	12.5	10.7	72.4	142	41.0
9	244	70.0	35.0	48.2	161	42.0	17.0	12.5	10.9	78.5	113	38.0
10	400	62.9	36.0	45.1	154	42.0	16.4	12.3	12.1	84.9	98.3	36.0
11	322	58.3	38.0	58.3	144	40.0	16.1	12.1	18.7	66.5	87.4	35.0
12	235	53.6	41.0	98.3	135	37.0	16.1	12.1	15.4	54.8	77.3	34.0
13	181	47.2	49.2	117	125	35.0	15.8	11.9	16.7	48.2	70.0	41.0
14	142	45.1	49.2	109	110	34.0	16.1	11.6	20.9	41.0	64.1	43.1
15	115	42.0	47.2	94.2	98.3	33.0	15.4	11.5	19.8	36.0	59.4	44.1
16	101	41.0	43.1	90.1	90.1	34.0	15.1	11.3	17.0	33.0	54.8	43.1
17	90.1	39.0	40.0	94.2	82.3	31.0	14.8	11.5	15.8	30.2	51.3	41.0
18	82.3	37.0	38.0	98.3	74.8	29.3	14.5	11.5	15.1	27.6	49.2	38.0
19	77.3	35.0	37.0	95.6	70.0	39.0	14.2	11.3	14.5	27.6	48.2	36.0
20	71.2	34.0	35.0	86.1	65.3	39.0	13.9	11.3	13.4	30.2	44.1	35.0
21	66.5	33.0	33.0	82.3	62.9	35.0	13.7	11.3	12.8	67.6	42.0	33.0
22	62.9	31.0	31.0	92.8	65.3	31.0	13.4	11.1	12.5	140	40.0	34.0
23	62.9	28.5	29.3	95.6	77.3	29.3	13.2	11.1	12.3	253	38.0	54.8
24	62.9	25.9	28.5	91.5	86.1	26.8	13.0	11.1	12.1	348	37.0	53.6
25	60.6	26.8	27.6	87.4	79.8	25.9	12.8	10.9	13.0	267	35.0	49.2
26	57.1	25.9	28.5	83.6	78.5	23.4	13.0	11.1	13.0	189	34.0	47.2
27	53.6	26.8	30.2	83.6	76.0	23.4	12.8	11.5	12.8	156	35.0	44.1
28	51.3	26.8	36.0	86.1	74.8	22.5	12.8	11.3	12.8	181	43.1	41.0
29	51.3		45.1	101	70.0	23.4	12.8	11.1	12.8	163	72.4	41.0
30	52.5		53.6	119	66.5	22.5	12.8	11.1	12.1	239	78.5	41.0
31	51.3		62.9		62.9		12.8	10.9		329		42.0
SD1	164	75.0	34.4	62.9	171	47.3	18.7	12.7	11.0	44.9	272	49.9
SD2	142	43.2	41.8	94.1	99.5	35.1	15.2	11.6	16.7	39.5	60.6	39.0
SD3	57.5	28.1	36.9	92.3	72.7	26.3	13.0	11.1	12.6	212	45.5	43.7
MAX	412	198	68.8	129	194	59.4	21.4	13.2	18.7	370	626	74.8
DAT	10	5	31	30	3	1	1	2	11	6	3	1
SR	119	50.2	37.7	83.1	113	36.3	15.5	11.8	13.5	102	126	44.2
MIN	51.3	25.9	27.6	45.1	62.9	22.5	12.8	10.9	10.7	11.5	34.0	33.0
DAT	28	24	1	10	21	28	25	25	7	4	26	21
GMIN =		10.7		SRGOD=		62.8		GMAX =		626		
DATUM		7 9						DATUM		3 11		



## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
2004

Broj : 45832      Stanica : BIJELO POLJE      Kota "0" = 559.67  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 124.90  
 Pocetak rada: 1948      Sliv : DRINE      Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	37.0	56.0	226	105	127	103	39.4	18.0	10.7	13.6	14.5	64.9
2	36.1	52.2	170	100	127	96.8	37.0	17.1	10.7	12.9	13.6	242
3	35.3	48.5	134	95.2	127	90.4	36.1	16.7	10.7	12.3	13.6	394
4	32.8	45.7	110	93.6	127	90.4	35.3	17.6	10.6	12.1	13.4	362
5	31.2	46.6	93.6	105	148	103	34.5	16.7	10.6	11.8	12.9	322
6	29.6	49.4	83.2	115	182	117	32.0	16.2	10.6	11.6	12.6	262
7	26.4	53.2	74.2	127	310	129	30.4	18.0	10.4	11.4	13.4	210
8	26.4	56.0	71.0	188	301	122	29.6	16.7	10.4	11.1	14.5	170
9	25.6	61.8	72.1	197	254	114	28.8	16.2	10.2	10.7	15.0	138
10	24.8	58.9	67.9	202	218	108	28.0	17.1	10.2	10.6	15.0	115
11	24.8	55.0	62.8	238	182	103	26.4	16.2	10.0	10.6	14.5	95.2
12	22.8	51.3	59.8	243	155	96.8	27.2	15.4	10.0	12.1	16.7	80.8
13	22.1	45.7	57.9	246	139	92.0	31.2	15.0	10.0	11.8	37.0	72.1
14	25.6	42.9	59.8	234	134	88.0	28.8	14.5	9.84	12.1	186	64.9
15	56.0	41.0	63.8	191	130	83.2	26.4	13.6	9.68	12.6	173	58.9
16	87.2	39.4	72.1	158	120	76.5	24.2	13.6	9.68	20.7	117	54.1
17	75.4	37.0	77.5	141	110	73.2	22.1	13.1	9.68	37.0	83.2	51.3
18	75.4	34.5	83.2	134	100	71.0	22.1	13.1	9.68	44.7	67.9	56.0
19	106	33.6	90.4	132	89.6	67.9	20.7	12.6	10.2	37.8	67.9	63.8
20	246	32.8	98.4	134	85.6	61.8	20.0	12.3	10.4	34.5	89.6	57.9
21	214	30.4	106	123	87.2	59.8	19.4	12.1	10.0	31.2	81.6	53.2
22	177	29.6	115	110	90.4	57.0	18.0	11.8	9.84	28.8	67.9	49.4
23	120	33.6	117	100	92.0	54.1	18.0	11.8	9.68	26.4	59.8	45.7
24	90.4	56.0	134	100	98.4	50.3	17.6	11.6	9.68	23.4	54.1	42.9
25	78.6	88.0	146	117	90.4	48.5	17.1	11.6	11.4	21.4	47.5	40.2
26	67.9	93.6	134	138	80.8	47.5	17.6	11.1	18.0	18.7	42.0	43.8
27	61.8	290	123	146	75.4	45.7	20.7	11.0	18.0	18.0	39.4	148
28	69.9	378	110	134	75.4	42.0	22.1	10.6	18.0	17.1	37.8	173
29	89.6	315	105	125	85.6	41.0	22.8	10.7	16.2	16.2	37.0	155
30	77.5		103	125	108	41.0	20.0	11.1	15.0	15.4	39.4	123
31	64.9		102		106		18.7	11.0		15.0		96.8
SD1	30.5	52.8	110	133	192	107	33.1	17.0	10.5	11.8	13.8	228
SD2	74.1	41.3	72.6	185	125	81.4	24.9	14.0	9.92	23.4	85.2	65.5
SD3	101	146	118	122	90.0	48.7	19.3	11.3	13.6	21.1	50.6	88.3
MAX	262	486	258	247	340	132	40.2	18.7	19.4	46.6	234	400
DAT	20	28	1	13	7	7	1	7	27	18	14	3
SR	69.6	77.8	101	147	134	79.1	25.5	14.0	11.3	18.8	49.9	126
MIN	22.1	29.6	57.9	93.6	75.4	41.0	17.1	10.6	9.68	10.6	12.6	40.2
DAT	13	22	13	4	27	29	25	28	15	10	6	25
GMIN =		9.68		SRGOD=		71.1		GMAX =		486		
DATUM		15 9						DATUM		28 2		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
2005

Broj : 45832      Stanica : BIJELO POLJE      Kota "0" = 559.67  
 Nacin osmat.: limnigraf      Rijeka : LIM      km od usca = 124.90  
 Pocetak rada: 1948      Sliv : DRINE      Pov.sliva = 2182.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	90.9	20.6	45.6	219	126	83.6	34.0	15.9	15.9	45.6	22.0	148
2	80.1	20.6	40.1	182	135	77.8	34.8	15.9	15.9	62.6	21.3	248
3	72.2	19.9	38.3	150	124	72.2	34.8	15.4	15.4	56.5	22.0	209
4	64.6	19.9	35.7	129	148	66.7	35.7	15.4	14.4	48.5	20.6	176
5	58.5	19.1	99.4	117	168	61.5	34.0	16.8	14.4	42.8	19.9	182
6	54.5	18.7	182	113	174	62.6	32.3	16.4	14.4	38.3	19.1	157
7	50.5	16.8	126	113	213	89.3	30.6	16.8	15.0	34.8	18.7	219
8	46.6	16.8	93.5	119	197	101	28.0	22.8	14.4	31.5	18.2	215
9	43.6	16.8	90.9	124	165	121	26.4	27.2	14.2	31.5	18.2	173
10	41.0	16.4	67.8	126	145	110	25.7	22.0	13.9	28.0	17.8	137
11	39.3	16.4	57.5	135	135	95.2	24.2	18.7	13.9	26.4	17.3	111
12	38.3	17.3	48.5	167	146	83.6	25.7	17.8	13.7	24.9	17.3	93.5
13	36.6	17.8	51.5	197	140	74.3	25.7	17.3	13.4	23.5	16.8	84.7
14	35.7	28.0	56.5	212	137	67.8	25.7	16.8	13.4	22.0	16.8	76.6
15	34.0	56.5	57.5	186	133	58.5	25.7	16.8	13.9	21.3	16.8	71.1
16	33.2	44.6	59.5	165	135	63.6	24.9	17.3	13.9	19.9	16.4	65.7
17	31.5	38.3	68.9	154	133	61.5	23.5	17.8	13.7	19.9	68.9	61.5
18	28.9	33.2	85.8	167	129	61.5	24.2	18.2	13.4	19.1	63.6	61.5
19	28.9	31.5	108	159	137	58.5	23.5	18.2	34.8	18.7	55.5	55.5
20	28.0	29.8	154	145	140	54.5	22.0	19.1	48.5	18.2	46.6	49.6
21	27.2	28.9	148	165	129	52.4	21.3	17.8	41.0	18.2	41.8	47.5
22	28.0	34.0	137	201	108	48.5	19.9	16.8	37.5	18.2	39.3	45.6
23	26.4	60.5	137	173	96.1	45.6	19.1	18.7	34.0	38.3	36.6	43.6
24	24.9	62.6	151	145	95.2	44.6	19.1	22.8	30.6	36.6	34.8	41.8
25	25.7	54.5	174	126	101	42.8	20.6	21.3	28.0	34.0	34.0	40.1
26	26.4	60.5	190	117	99.4	41.0	18.7	19.1	25.7	31.5	33.2	39.3
27	26.4	59.5	240	121	99.4	40.1	18.2	18.2	23.5	28.9	49.6	45.6
28	24.9	52.4	335	126	96.1	38.3	17.8	17.8	22.0	26.4	188	203
29	23.5		378	133	92.7	37.5	17.3	16.8	21.3	24.9	140	343
30	22.0		308	135	92.7	35.7	16.8	16.4	20.6	24.2	105	289
31	21.3		258		85.8		16.4	15.9		23.5		217
SD1	60.2	18.6	81.9	139	160	84.5	31.6	18.5	14.8	42.0	19.8	186
SD2	33.4	31.3	74.8	169	137	67.9	24.5	17.8	19.3	21.4	33.6	73.1
SD3	25.1	51.6	223	144	99.6	42.7	18.6	18.3	28.4	27.7	70.2	123
MAX	90.9	60.5	378	219	213	110	35.7	27.2	48.5	62.6	188	289
DAT	1	24	29	1	7	10	4	9	20	2	28	30
SR	39.1	32.6	130	151	131	65.0	24.7	18.2	20.8	30.3	41.2	127
MIN	21.3	16.4	35.7	113	85.8	35.7	16.4	15.4	13.4	18.2	16.4	39.3
DAT	31	10	4	6	31	30	31	3	13	20	16	26
-----												
GMIN = 13.4			SRGOD= 67.8				GMAX = 378					
DATUM 13 9									DATUM 29 3			
-----												