

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1948

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	94.0	11.5	4.92	4.92	14.2	26.2	14.2	12.0	4.92	3.40	8.80	5.30
2	49.3	13.1	4.92	4.92	15.3	23.0	14.2	11.5	4.92	3.40	14.2	5.30
3	40.2	11.5	4.92	4.92	17.0	23.0	14.2	11.5	4.92	3.40	14.2	5.30
4	29.6	9.88	4.92	4.92	17.0	19.8	14.2	10.4	4.92	3.40	14.2	5.30
5	19.8	8.80	4.92	4.92	19.8	19.8	14.2	10.4	4.92	3.40	14.2	5.30
6	17.0	8.80	4.92	4.92	23.0	19.8	14.2	9.34	4.92	3.40	11.5	5.30
7	19.8	8.80	4.92	4.92	24.9	23.0	14.2	8.80	4.92	3.40	10.4	4.92
8	23.0	8.45	4.92	8.80	23.0	19.8	14.2	8.80	5.11	3.40	8.80	4.92
9	59.3	8.10	4.92	14.2	26.2	19.8	14.2	8.80	5.30	3.40	8.80	4.92
10	81.6	8.10	4.92	14.2	26.2	19.8	14.2	8.80	5.30	3.40	9.88	4.54
11	44.8	8.10	4.92	14.2	33.0	19.8	14.2	8.80	5.11	3.40	8.80	4.54
12	33.0	7.05	4.92	14.2	33.0	19.8	14.2	8.80	5.11	3.40	8.80	4.54
13	23.0	6.00	4.92	17.0	33.0	21.1	14.2	8.80	4.54	3.40	8.80	4.16
14	19.8	5.30	4.92	15.3	33.0	23.0	14.2	8.80	4.16	4.92	8.80	4.16
15	17.0	5.30	4.92	15.3	34.4	29.6	14.2	8.80	3.78	4.92	8.80	4.16
16	14.2	5.30	4.92	17.0	33.0	26.2	14.2	8.10	3.59	3.40	8.80	3.40
17	18.7	5.11	4.92	17.0	33.0	26.2	14.2	8.10	3.59	5.30	8.80	3.29
18	21.1	4.92	4.92	19.8	29.6	26.2	14.2	7.75	3.40	13.1	8.10	3.18
19	27.6	4.92	4.92	19.8	26.2	23.0	14.2	7.40	3.40	14.2	7.75	2.96
20	27.6	4.92	4.92	23.0	26.2	23.0	14.2	7.05	3.40	14.2	7.75	2.85
21	29.6	4.92	4.92	23.0	23.0	23.0	13.1	6.35	3.40	11.5	7.75	2.74
22	29.6	4.92	4.92	23.0	33.0	23.0	13.1	5.65	3.40	8.80	7.40	2.63
23	19.8	5.30	4.92	23.0	36.6	23.0	13.1	5.30	3.40	8.80	6.70	2.41
24	17.0	8.80	4.92	26.2	40.2	24.9	13.1	5.30	3.40	8.10	6.00	2.30
25	15.3	8.80	4.92	26.2	40.2	26.2	13.1	5.30	3.40	7.05	5.30	2.30
26	14.2	7.05	4.92	26.2	44.8	23.0	13.1	4.92	3.40	5.30	5.30	2.30
27	13.1	5.30	4.92	19.8	40.2	19.8	14.2	4.92	3.40	5.30	5.30	2.30
28	13.1	5.30	4.92	19.8	40.2	17.0	14.2	4.92	3.40	5.30	5.30	2.30
29	11.5	5.30	4.92	19.8	36.6	15.3	13.7	4.92	3.40	5.30	5.30	2.30
30	10.4		4.92	19.8	26.2	15.3	13.7	5.11	3.40	5.30	5.30	2.30
31	9.88		4.92		26.2		14.2	4.92		7.05		2.30
SD1	43.4	9.70	4.92	7.16	20.7	21.4	14.2	10.0	5.02	3.40	11.5	5.11
SD2	24.7	5.69	4.92	17.3	31.4	23.8	14.2	8.24	4.01	7.02	8.52	3.72
SD3	16.7	6.19	4.92	22.7	35.2	21.1	13.5	5.24	3.40	7.07	5.96	2.38
MAX	108	13.1	4.92	26.2	44.8	29.6	14.2	12.0	5.30	14.2	14.2	5.30
DAT	1	2	1	24	26	15	1	1	9	19	2	1
SR	27.9	7.23	4.92	15.7	29.3	22.1	14.0	7.75	4.14	5.87	8.66	3.69
MIN	9.88	4.92	4.92	4.92	14.2	15.3	13.1	4.92	3.40	3.40	5.30	2.30
DAT	31	18	1	1	1	29	21	26	18	1	25	24
GMIN =			2.30	SRGOD=			12.6	GMAX =			108	
DATUM			24 12					DATUM			1 1	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1949

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	2.41	3.18	3.40	4.92	33.0	18.7	13.1	4.92	4.16	3.40	3.40	70.2
2	2.41	3.07	3.40	4.92	31.6	19.8	13.1	4.54	3.78	3.40	3.40	49.3
3	2.52	2.96	3.40	4.92	26.2	21.1	14.2	4.16	3.78	3.59	3.78	40.2
4	2.52	2.96	3.40	4.92	26.2	19.8	14.2	3.78	3.78	3.78	4.16	31.6
5	2.63	2.74	3.40	4.92	26.2	19.8	14.2	3.78	3.40	3.78	4.92	24.9
6	2.63	2.63	3.40	5.30	26.2	19.8	14.2	3.78	3.40	4.54	5.30	23.6
7	2.85	2.52	3.40	8.80	24.9	18.7	13.1	3.78	3.40	4.54	8.80	21.1
8	3.07	2.41	3.40	13.1	23.6	18.7	12.0	3.78	3.40	4.92	13.1	19.8
9	3.18	2.41	3.40	14.2	21.1	15.3	9.88	3.40	3.40	4.92	14.2	16.4
10	3.40	2.52	3.40	14.2	19.8	14.2	8.80	3.40	3.40	4.92	19.8	19.8
11	3.40	2.85	3.40	14.2	19.8	14.2	8.80	3.40	3.40	4.92	14.2	49.3
12	3.40	2.96	3.40	13.1	18.7	14.2	8.80	3.40	3.40	4.54	13.1	40.2
13	3.40	2.96	3.40	12.0	17.0	15.3	8.80	3.40	3.40	4.16	13.1	40.2
14	3.40	3.07	3.40	12.0	15.9	19.8	8.80	3.40	3.40	4.16	13.1	120
15	3.40	3.29	3.40	14.2	15.3	19.8	8.80	3.40	3.40	4.16	14.2	104
16	3.40	3.40	3.40	18.7	15.3	17.0	8.80	3.40	3.40	4.16	19.8	81.6
17	3.40	3.40	3.78	19.8	18.1	15.9	8.80	3.40	3.40	4.16	24.9	79.3
18	3.40	3.40	3.78	19.8	18.7	15.3	8.80	3.40	3.40	4.16	32.3	70.2
19	3.40	3.40	3.78	18.7	18.7	14.2	8.80	4.16	3.40	4.16	29.6	40.2
20	3.40	3.40	4.16	18.7	18.7	18.7	8.10	4.92	3.40	3.78	27.6	33.0
21	3.40	3.40	4.54	18.7	16.4	19.8	8.10	4.92	3.40	3.78	26.2	27.6
22	3.40	3.40	4.92	19.8	18.7	19.8	8.10	4.92	3.40	3.78	18.7	26.2
23	3.40	3.40	4.92	24.9	19.8	18.7	8.10	4.92	3.40	3.40	19.8	24.9
24	3.40	3.40	4.92	24.9	31.6	17.6	7.40	4.54	3.40	3.40	26.2	24.9
25	3.40	3.40	4.92	24.9	47.5	16.4	6.70	4.54	3.40	3.40	40.2	22.4
26	3.40	3.40	4.92	26.2	46.6	15.3	6.00	4.54	3.40	3.40	42.0	19.8
27	3.40	3.40	4.92	33.0	38.8	15.3	6.00	4.54	3.40	3.40	43.8	19.8
28	3.40	3.40	4.92	49.3	31.6	14.2	6.00	4.54	3.40	3.40	47.5	18.7
29	3.40		4.92	40.2	26.2	14.2	5.30	4.16	3.40	3.40	49.3	16.4
30	3.29		4.92	35.9	24.9	14.2	5.30	4.16	3.40	3.40	134	14.2
31	3.29		4.92		24.9		5.30	4.16		3.40		14.2
SD1	2.76	2.74	3.40	8.02	25.9	18.6	12.7	3.93	3.59	4.18	8.09	31.7
SD2	3.40	3.21	3.59	16.1	17.6	16.4	8.73	3.63	3.40	4.24	20.2	65.8
SD3	3.38	3.40	4.89	29.8	29.7	16.5	6.57	4.54	3.40	3.47	44.8	20.8
MAX	3.78	3.40	4.54	49.3	47.5	21.1	14.2	4.92	4.16	4.92	134	120
DAT	4	1	21	28	25	3	3	1	1	10	30	14
SR	3.19	3.10	3.99	18.0	24.6	17.2	9.24	4.05	3.46	3.95	24.3	38.8
MIN	2.41	2.41	3.40	4.92	15.3	14.2	5.30	3.40	3.40	3.40	3.40	14.2
DAT	1	8	1	1	15	10	29	9	5	1	1	30
GMIN =		2.41		SRGOD=		12.9		GMAX =		134		
DATUM		1 1						DATUM		30 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1950

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
 Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
 Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	14.2	8.10	33.0	14.2	40.2	33.0	14.2	6.00	3.40	3.40	31.6	19.8
2	14.2	8.10	33.0	14.2	40.2	31.6	14.2	6.00	3.40	3.40	30.3	19.8
3	13.1	8.10	26.2	14.2	33.0	27.6	14.2	5.30	3.40	3.40	26.2	14.2
4	13.1	8.10	19.8	14.2	33.0	26.2	14.2	5.30	4.16	3.40	28.9	14.2
5	13.1	7.40	16.4	15.3	31.6	22.4	13.1	5.30	4.54	3.40	38.8	14.2
6	12.0	7.40	14.2	18.7	28.9	19.8	9.88	5.30	5.30	3.40	38.8	26.2
7	12.0	7.40	13.1	18.7	26.2	19.8	8.80	5.30	5.30	3.40	38.8	26.2
8	11.0	7.40	13.1	18.7	26.2	19.8	8.80	5.30	5.30	3.40	31.6	26.2
9	11.0	7.40	13.1	16.4	26.2	19.8	8.80	5.30	4.92	3.40	26.2	26.2
10	11.0	7.40	13.1	15.3	26.2	19.8	8.80	5.30	4.92	3.40	26.2	26.2
11	11.0	7.40	12.0	13.1	26.2	19.8	8.80	5.30	4.92	3.40	26.2	28.9
12	11.0	7.40	12.0	14.2	26.2	19.8	8.80	5.30	4.16	3.40	26.2	33.0
13	11.0	8.80	11.0	19.8	26.2	19.8	8.80	4.92	3.78	3.40	26.2	35.9
14	9.88	14.2	11.0	24.9	26.2	19.8	8.80	4.92	3.40	3.40	26.2	40.2
15	8.80	14.2	11.0	33.0	26.2	19.8	8.80	4.54	3.40	3.40	26.2	49.3
16	8.80	14.2	9.88	49.3	22.4	19.8	8.80	3.78	3.40	3.40	26.2	59.3
17	8.80	13.1	9.88	57.3	19.8	19.8	8.80	3.40	3.40	3.40	26.2	70.2
18	8.80	13.1	9.88	57.3	19.8	19.8	8.80	3.40	3.40	3.40	31.6	59.3
19	13.1	13.1	9.88	53.3	19.8	19.8	8.80	3.40	3.40	3.40	28.9	49.3
20	14.2	13.1	9.88	49.3	19.8	19.8	8.80	3.40	3.40	3.40	27.6	49.3
21	14.2	13.1	9.88	49.3	19.8	18.7	8.80	3.40	3.40	3.40	26.2	33.0
22	11.0	11.0	12.0	57.3	19.8	18.7	8.80	3.40	3.40	3.40	26.2	26.2
23	8.80	9.88	12.0	59.3	22.4	15.3	8.80	3.40	3.40	3.40	26.2	26.2
24	8.80	8.80	13.1	68.0	24.9	15.3	8.80	3.40	3.40	3.40	26.2	26.2
25	8.10	8.80	13.1	70.2	26.2	15.3	8.80	3.40	3.40	3.40	26.2	26.2
26	8.10	8.80	11.0	70.2	26.2	15.3	8.80	3.40	3.40	8.80	21.1	21.1
27	8.10	14.2	9.88	59.3	26.2	14.2	8.80	3.40	3.40	19.8	22.4	21.1
28	8.10	19.8	9.88	49.3	28.9	14.2	8.80	3.40	3.40	26.2	21.1	19.8
29	8.10		9.88	49.3	33.0	14.2	8.80	3.40	3.40	26.2	19.8	19.8
30	8.10		9.88	49.3	33.0	14.2	8.80	3.40	3.40	26.2	19.8	19.8
31	8.10		9.88		33.0		8.80	3.40		26.2		19.8
SD1	12.5	7.68	19.5	16.0	31.2	24.0	11.5	5.44	4.46	3.40	31.7	21.3
SD2	10.5	11.9	10.6	37.1	23.3	19.8	8.80	4.24	3.67	3.40	27.1	47.5
SD3	9.05	11.8	11.0	58.1	26.7	15.5	8.80	3.40	3.40	13.7	23.5	23.6
MAX	14.2	19.8	33.0	70.2	40.2	33.0	14.2	6.00	5.30	26.2	38.8	70.2
DAT	1	28	1	25	1	1	1	1	6	28	5	17
SR	10.6	10.3	13.6	37.1	27.0	19.8	9.67	4.33	3.84	7.05	27.5	30.6
MIN	8.10	7.40	9.88	13.1	19.8	14.2	8.80	3.40	3.40	3.40	19.8	14.2
DAT	25	5	16	11	17	27	7	17	1	1	29	3
		GMIN = 3.40			SRGOD= 16.8			GMAX = 70.2				
		DATUM 17 8								DATUM 25 4		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1951

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
 Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
 Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	15.3	8.80	26.2	19.8	26.2	49.3	23.6	12.0	5.30	5.30	8.80	8.80	
2	14.2	8.80	19.8	19.8	33.0	49.3	23.6	9.88	5.30	5.30	8.80	8.80	
3	14.2	8.80	19.8	19.8	33.0	40.2	23.6	8.80	5.30	8.80	13.1	8.80	
4	14.2	8.80	19.8	19.8	40.2	40.2	19.8	8.80	5.30	8.80	13.1	8.80	
5	14.2	8.80	19.8	19.8	40.2	40.2	19.8	8.80	5.30	8.80	12.0	8.80	
6	14.2	8.80	19.8	19.8	40.2	49.3	19.8	8.80	5.30	8.80	8.80	8.80	
7	14.2	8.80	19.8	19.8	40.2	49.3	19.8	8.80	5.30	8.10	8.80	8.80	
8	14.2	8.80	19.8	19.8	40.2	49.3	19.8	8.80	5.30	8.10	8.80	8.80	
9	13.1	8.80	26.2	19.8	38.8	40.2	18.7	8.80	5.30	5.30	8.80	8.80	
10	9.88	8.80	26.2	26.2	38.8	40.2	18.7	8.80	5.30	5.30	18.7	8.80	
11	9.88	8.80	33.0	26.2	81.6	40.2	18.7	8.80	5.30	5.30	19.8	8.80	
12	9.88	8.80	40.2	26.2	81.6	40.2	18.7	8.10	5.30	5.30	19.8	8.80	
13	8.80	8.80	40.2	59.3	70.2	40.2	18.7	8.10	5.30	4.92	70.2	8.80	
14	8.80	8.80	33.0	70.2	70.2	40.2	18.7	8.10	4.92	4.92	81.6	8.80	
15	8.80	8.80	33.0	49.3	49.3	40.2	18.7	8.10	4.92	4.92	79.3	8.80	
16	8.80	8.80	33.0	40.2	40.2	40.2	15.3	8.10	4.92	4.92	70.2	8.80	
17	8.80	8.80	33.0	40.2	40.2	40.2	15.3	8.10	4.92	4.92	49.3	8.80	
18	8.80	8.80	33.0	40.2	40.2	33.0	15.3	8.10	4.92	4.92	26.2	8.80	
19	8.80	8.80	26.2	33.0	40.2	33.0	14.2	8.10	4.92	4.92	19.8	8.80	
20	8.80	8.80	26.2	33.0	40.2	33.0	14.2	8.10	4.92	4.92	19.8	8.80	
21	8.80	14.2	40.2	33.0	40.2	33.0	14.2	8.10	4.92	4.92	19.8	8.80	
22	14.2	14.2	40.2	33.0	49.3	33.0	14.2	7.40	4.92	4.92	19.8	8.10	
23	8.80	19.8	33.0	33.0	49.3	33.0	14.2	7.40	4.92	5.30	18.7	8.10	
24	8.80	26.2	33.0	33.0	49.3	31.6	14.2	7.40	4.92	5.30	18.7	8.10	
25	8.80	19.8	33.0	33.0	49.3	30.3	13.1	7.40	4.92	8.10	18.7	6.00	
26	8.80	19.8	26.2	26.2	59.3	30.3	13.1	6.00	4.92	8.80	14.2	6.00	
27	8.80	19.8	26.2	24.9	59.3	30.3	13.1	6.00	4.92	14.2	14.2	5.65	
28	8.80	26.2	19.8	24.9	59.3	26.2	13.1	6.00	4.92	13.1	14.2	5.65	
29	8.80		19.8	26.2	59.3	26.2	12.0	5.30	4.92	8.80	13.1	5.11	
30	8.80		19.8	26.2	49.3	24.9	12.0	5.30	5.30	8.80	12.0	4.92	
31	8.80		16.4		49.3		12.0	5.30		8.80		4.92	
SD1	13.8	8.80	21.7	20.4	37.1	44.8	20.7	9.23	5.30	7.26	11.0	8.80	
SD2	9.02	8.80	33.1	41.8	55.4	38.0	16.8	8.17	5.03	5.00	45.6	8.80	
SD3	9.29	20.0	28.0	29.3	52.1	29.9	13.2	6.51	4.96	8.28	16.3	6.49	
MAX	15.3	26.2	40.2	70.2	81.6	49.3	23.6	12.0	5.30	14.2	81.6	8.80	
DAT	1	24	12	14	11	1	1	1	1	27	14	1	
SR	10.6	12.0	27.6	30.5	48.3	37.6	16.8	7.92	5.10	6.89	24.3	7.98	
MIN	8.80	8.80	16.4	19.8	26.2	24.9	12.0	5.30	4.92	4.92	8.80	4.92	
DAT	13	1	31	1	1	30	29	29	14	13	1	30	
		GMIN = 4.92			SRGOD= 19.6			GMAX = 81.6					
		DATUM 14 9						DATUM 11 5					

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1952

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	4.92	14.2	8.10	70.2	40.2	24.9	13.1	7.05	4.35	19.8	30.3	49.3
2	4.92	14.2	8.10	70.2	40.2	26.2	13.1	7.05	4.35	19.2	35.9	40.2
3	4.92	14.2	8.10	70.2	40.2	26.2	13.1	5.30	4.35	19.2	35.2	43.8
4	8.10	14.2	6.00	70.2	40.2	31.6	13.1	5.11	4.35	19.2	32.3	84.1
5	8.10	8.80	6.00	59.3	38.8	32.3	12.6	5.11	3.40	18.1	26.2	134
6	8.10	8.80	5.30	40.2	38.8	27.6	12.6	5.11	3.40	17.0	24.9	94.0
7	8.10	8.80	5.30	33.0	38.8	26.2	13.1	5.11	3.29	14.2	23.6	66.9
8	8.10	8.80	5.30	33.0	38.8	26.2	12.6	5.11	3.78	13.7	26.2	48.4
9	8.10	8.80	5.30	24.9	38.8	26.2	12.0	4.92	4.16	14.2	53.3	38.8
10	8.10	8.10	5.30	19.8	38.0	26.2	12.0	4.92	4.73	15.3	40.2	33.0
11	8.10	8.10	5.30	19.8	37.3	26.2	12.6	4.92	4.35	14.2	33.0	31.0
12	8.80	8.10	5.30	24.9	37.3	24.9	12.0	4.92	4.35	22.4	26.2	24.9
13	26.2	5.30	5.30	27.6	38.8	24.9	11.5	4.92	4.54	84.1	24.3	24.3
14	49.3	5.30	5.30	27.6	47.5	24.9	8.80	4.73	4.35	59.3	23.6	26.2
15	40.2	8.80	5.30	34.4	40.2	21.1	8.80	4.73	4.35	40.2	26.2	61.5
16	26.2	9.88	5.30	38.8	33.0	21.1	8.80	4.73	4.35	70.2	34.4	219
17	19.8	9.88	5.30	40.2	21.1	21.1	8.45	4.73	4.35	59.3	53.3	143
18	18.7	9.88	5.30	40.2	21.1	21.1	8.45	4.73	3.40	40.2	53.3	79.3
19	15.3	9.88	5.30	40.2	21.1	19.8	8.45	4.73	3.78	32.3	48.4	78.2
20	14.2	8.80	5.30	40.2	19.8	19.8	8.10	4.73	16.4	26.2	39.5	64.8
21	14.2	8.80	5.30	40.2	19.8	19.8	8.10	4.73	16.4	24.3	38.8	39.5
22	14.2	8.80	5.30	40.2	19.8	19.8	8.10	4.54	13.7	19.8	42.9	39.5
23	8.80	8.80	5.30	40.2	19.2	19.8	7.75	4.54	11.5	21.7	40.2	33.0
24	8.80	8.80	5.30	40.2	19.2	18.7	7.75	4.54	8.45	63.7	38.0	31.0
25	8.80	8.80	5.30	47.5	19.2	18.7	7.75	4.54	7.75	59.3	32.3	25.6
26	8.80	8.80	5.30	40.2	18.7	15.3	7.75	4.35	7.75	47.5	29.6	24.9
27	14.2	8.80	8.80	40.2	18.1	15.3	7.40	4.35	7.40	35.9	99.2	23.6
28	14.2	8.10	19.8	40.2	18.1	14.2	7.40	4.35	19.2	38.8	134	24.3
29	19.8	8.10	26.2	40.2	18.7	13.1	7.05	4.35	35.2	32.3	94.0	49.3
30	19.8		40.2	40.2	19.8	13.1	7.05	4.35	26.2	30.3	63.7	74.8
31	14.2		59.3		21.1		7.05	4.35		25.6		70.2
SD1	7.15	10.9	6.28	49.1	39.3	27.4	12.7	5.48	4.02	17.0	32.8	63.3
SD2	22.7	8.39	5.30	33.4	31.7	22.5	9.59	4.79	5.42	44.8	36.2	75.2
SD3	13.3	8.64	16.9	40.9	19.2	16.8	7.56	4.45	15.4	36.3	61.3	39.6
MAX	49.3	14.2	59.3	70.2	47.5	32.3	13.1	7.05	35.2	84.1	134	249
DAT	14	1	31	1	14	5	1	1	29	13	28	16
SR	14.3	9.33	9.74	41.1	29.7	22.2	9.88	4.89	8.26	32.8	43.4	58.7
MIN	4.92	5.30	5.30	19.8	18.1	13.1	7.05	4.35	3.29	13.7	23.6	23.6
DAT	1	13	6	10	27	29	29	26	7	8	7	27
		GMIN =	3.29			SRGOD=	23.7			GMAX =	249	
		DATUM	7 9							DATUM	16 12	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1953

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
 Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
 Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	66.9	11.5	12.0	15.9	64.8	49.3	26.2	13.7	8.10	5.11	4.35	3.59	
2	61.5	10.4	12.0	17.0	39.5	46.6	26.2	13.7	7.75	5.11	4.54	3.40	
3	49.3	12.0	11.5	21.1	39.5	46.6	25.6	13.1	7.75	5.11	4.54	3.40	
4	39.5	12.0	11.5	23.0	38.8	54.3	25.6	12.6	7.75	5.11	4.54	3.40	
5	36.6	12.0	11.5	26.2	38.0	57.3	25.6	12.6	7.40	4.92	4.54	3.59	
6	30.3	11.5	11.5	28.2	37.3	57.3	24.3	12.6	7.40	4.92	4.73	3.40	
7	30.3	11.5	8.80	29.6	33.0	57.3	24.3	12.0	7.40	4.92	4.73	3.40	
8	25.6	11.5	8.45	35.2	33.7	56.3	21.7	12.0	7.05	4.92	4.73	3.40	
9	23.6	11.5	8.45	35.2	36.6	54.3	24.3	12.0	7.05	5.11	4.54	3.29	
10	19.2	8.80	8.45	35.9	40.2	51.3	24.3	11.5	7.05	4.73	4.54	3.07	
11	18.7	8.80	8.10	51.3	39.5	49.3	23.6	8.80	7.05	4.73	4.54	3.29	
12	17.6	15.3	8.10	60.4	40.2	46.6	23.6	8.80	8.10	4.73	4.73	3.29	
13	17.6	15.9	8.10	39.5	40.2	40.2	23.0	8.80	8.45	4.73	4.73	3.29	
14	17.6	14.2	8.10	38.8	40.2	38.8	23.0	8.80	8.45	4.54	4.54	3.29	
15	17.0	13.1	7.75	36.6	39.5	38.0	23.0	8.45	7.75	4.54	4.54	3.29	
16	13.7	13.1	7.75	31.0	38.0	38.0	19.2	8.45	7.40	4.54	4.54	3.29	
17	13.7	13.1	7.75	28.2	35.9	38.0	18.1	8.10	7.40	4.54	4.54	3.29	
18	13.1	13.1	7.75	26.2	35.9	38.0	18.7	7.75	7.40	4.73	4.54	3.29	
19	13.1	12.6	7.75	24.9	42.0	36.6	18.1	8.10	7.40	4.73	4.54	3.29	
20	12.6	12.6	6.70	24.3	51.3	36.6	18.1	8.10	7.05	4.92	4.54	3.18	
21	12.6	12.6	7.05	23.0	52.3	33.7	17.6	8.10	7.05	4.92	3.59	3.18	
22	12.0	12.0	7.05	19.8	50.3	33.0	17.6	8.10	7.05	4.73	3.59	2.96	
23	12.0	12.0	8.80	20.4	46.6	35.2	17.6	8.10	7.40	4.73	3.59	2.85	
24	12.0	12.0	8.80	21.1	46.6	32.3	17.0	9.34	7.40	4.73	4.54	2.74	
25	11.5	12.0	8.80	21.7	49.3	32.3	17.0	9.34	7.05	4.54	4.54	2.52	
26	11.5	12.0	8.80	22.4	52.3	31.6	17.0	8.45	7.05	4.54	4.35	2.41	
27	11.5	12.0	9.34	23.0	54.3	31.6	17.0	8.45	5.30	4.54	4.35	2.30	
28	11.5	12.0	9.88	35.2	48.4	31.0	14.2	8.10	5.30	4.54	3.40	2.20	
29	11.5		11.0	96.6	46.6	30.3	14.2	8.10	5.30	4.54	3.40	2.20	
30	11.5		11.0	80.5	45.7	29.6	13.7	8.45	5.11	4.35	3.40	2.10	
31	11.5		14.8		48.4		13.7	8.45		4.35		2.10	
SD1	38.3	11.3	10.4	26.7	40.1	53.1	24.8	12.6	7.47	5.00	4.58	3.39	
SD2	15.5	13.2	7.78	36.1	40.3	40.0	20.8	8.41	7.65	4.67	4.58	3.28	
SD3	11.7	12.1	9.57	36.4	49.2	32.1	16.1	8.45	6.40	4.59	3.88	2.51	
MAX	66.9	15.9	14.8	96.6	64.8	57.3	26.2	13.7	8.45	5.11	4.73	3.59	
DAT	1	13	31	29	1	5	1	1	13	1	6	1	
SR	21.5	12.2	9.27	33.1	43.4	41.7	20.4	9.77	7.17	4.75	4.34	3.04	
MIN	11.5	8.80	6.70	15.9	33.0	29.6	13.7	7.75	5.11	4.35	3.40	2.10	
DAT	25	10	20	1	7	30	30	18	30	30	28	30	
GMIN =			2.10	SRGOD=			17.6	GMAX =			96.6		
DATUM			30 12					DATUM			29 4		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1954

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	2.30	3.07	2.74	31.6	44.8	38.0	19.2	7.75	4.92	4.35	7.40	9.88
2	2.41	3.07	3.40	31.0	49.3	38.0	19.2	7.75	4.92	4.35	7.40	10.4
3	2.63	3.07	3.59	31.0	47.5	38.0	18.7	7.75	4.92	4.35	7.40	11.0
4	2.85	3.07	3.97	31.0	40.2	38.0	18.7	7.75	4.73	4.35	7.40	11.0
5	2.96	3.07	5.30	26.2	40.2	38.0	18.1	7.40	4.73	4.35	7.75	11.5
6	3.29	3.07	6.00	26.2	74.8	36.6	17.0	7.40	4.73	4.35	8.10	11.5
7	3.78	2.85	9.88	27.6	70.2	33.0	17.0	7.40	4.73	4.92	8.45	10.4
8	4.16	2.74	11.0	28.2	46.6	33.0	16.4	7.05	4.54	5.11	8.45	10.4
9	4.35	2.52	11.0	29.6	40.2	31.6	16.4	7.05	4.54	5.11	8.45	10.4
10	4.92	2.30	12.6	29.6	38.0	31.0	13.7	5.30	4.54	5.30	8.80	10.4
11	4.92	2.20	11.5	25.6	37.3	31.0	13.1	5.30	4.73	8.45	8.80	11.0
12	4.92	2.00	9.88	25.6	34.4	29.6	12.6	5.11	4.73	9.88	9.88	16.4
13	4.92	1.80	9.88	23.0	35.9	29.6	12.6	5.11	4.73	27.6	11.0	23.0
14	4.73	1.70	9.88	18.7	40.2	29.6	12.6	5.11	4.54	29.6	11.5	33.0
15	3.18	1.60	9.88	18.1	39.5	31.0	12.0	5.11	4.54	30.3	14.2	31.0
16	3.18	1.50	10.4	18.1	37.3	31.0	12.0	5.11	4.54	21.1	17.0	31.0
17	3.18	1.90	11.0	18.7	36.6	28.2	11.5	5.11	4.54	14.2	21.1	26.2
18	3.18	2.00	11.0	17.0	40.2	31.0	11.5	5.30	4.54	13.1	19.2	32.3
19	3.18	2.10	11.5	18.1	53.3	30.3	11.5	5.30	4.54	9.88	17.0	27.6
20	3.18	2.41	14.8	17.6	63.7	26.2	11.5	5.30	4.54	8.80	15.3	19.8
21	3.18	2.63	14.8	13.7	59.3	25.6	11.5	5.11	4.54	8.80	14.2	14.2
22	3.18	2.85	14.8	13.7	49.3	24.3	11.5	5.11	4.54	8.80	14.2	14.2
23	3.29	3.07	14.8	13.7	39.5	24.3	11.5	5.11	4.54	8.80	13.7	13.7
24	3.29	3.07	14.2	13.1	39.5	24.3	8.80	5.11	4.54	8.45	13.7	13.7
25	3.18	3.07	15.9	12.6	39.5	24.3	8.80	4.92	4.54	8.45	13.7	13.7
26	3.18	3.07	28.2	12.6	39.5	24.3	8.80	4.92	4.54	7.05	12.6	13.1
27	3.07	3.07	28.2	12.6	38.8	24.3	8.45	5.11	3.97	8.80	12.0	13.1
28	3.07	2.74	28.2	11.0	38.8	23.6	8.10	5.11	3.97	8.80	8.80	12.6
29	3.07		43.8	21.1	36.6	23.0	8.10	5.11	3.97	8.80	8.80	12.6
30	3.07		45.7	28.2	38.8	19.8	8.10	5.11	3.97	8.80	8.80	8.80
31	3.07		38.0		38.0		8.10	4.92		8.10		8.80
SD1	3.37	2.88	6.95	29.2	49.2	35.5	17.4	7.26	4.73	4.65	7.96	10.7
SD2	3.86	1.92	11.0	20.0	41.8	29.8	12.1	5.19	4.60	17.3	14.5	25.1
SD3	3.15	2.95	26.1	15.2	41.6	23.8	9.25	5.06	4.31	8.51	12.1	12.6
MAX	4.92	3.07	45.7	31.6	74.8	38.0	19.2	7.75	4.92	32.3	21.1	33.0
DAT	5	1	30	1	6	1	1	1	1	14	17	14
SR	3.45	2.56	15.0	21.5	44.1	29.7	12.8	5.81	4.55	10.1	11.5	16.0
MIN	2.30	1.50	2.74	11.0	34.4	19.8	8.10	4.92	3.97	4.35	7.40	8.80
DAT	1	16	1	28	12	30	28	25	27	1	1	30
		GMIN = 1.50		SRGOD= 14.8		GMAX = 74.8						
		DATUM 16 2				DATUM 6 5						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1955

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	8.80	14.2	49.3	53.3	21.7	25.6	18.1	19.2	8.10	38.0	40.2	13.1
2	8.45	13.7	38.8	54.3	23.0	24.3	18.1	17.6	7.05	32.3	54.3	13.1
3	8.45	13.1	32.3	48.4	27.6	23.6	17.6	17.0	8.10	30.3	71.3	13.1
4	8.45	13.1	29.6	39.5	33.0	23.6	17.0	17.0	8.10	24.9	75.9	12.6
5	8.45	13.1	24.9	32.3	34.4	23.6	17.0	13.7	8.10	23.6	68.0	11.0
6	8.80	12.6	23.6	26.2	35.2	23.0	17.0	13.7	8.10	19.2	43.8	13.7
7	8.80	12.6	23.0	24.9	35.9	24.3	17.0	13.7	7.75	19.2	36.6	13.1
8	9.34	10.4	19.8	23.6	36.6	23.0	20.4	13.7	7.75	21.7	36.6	13.1
9	9.88	14.2	18.7	19.2	36.6	26.9	21.1	14.8	7.05	33.0	31.0	13.1
10	11.0	16.4	18.7	18.7	35.9	26.9	19.2	21.1	6.35	35.2	29.6	13.1
11	11.5	19.8	18.1	18.7	35.9	26.9	18.7	19.2	5.65	37.3	24.3	13.1
12	14.2	21.1	17.6	18.7	36.6	26.9	18.1	18.1	8.10	37.3	23.6	13.1
13	15.3	18.1	17.0	18.1	36.6	25.6	17.6	17.0	10.4	32.3	23.0	13.1
14	28.9	22.4	13.7	18.1	36.6	24.3	17.6	13.7	11.5	29.6	26.9	12.6
15	53.3	35.2	13.7	17.6	38.0	24.3	17.6	13.1	16.4	24.9	41.1	12.6
16	53.3	31.0	13.7	17.6	38.8	23.0	17.0	13.1	33.7	24.3	39.5	11.5
17	47.5	31.0	13.1	13.7	36.6	18.7	17.0	12.6	84.1	23.0	38.8	52.3
18	107	42.0	13.1	13.7	32.3	18.1	17.0	12.6	79.3	19.2	32.3	52.3
19	109	63.7	13.1	13.7	31.6	18.1	13.7	12.6	50.3	42.9	31.0	54.3
20	92.8	87.8	13.1	13.1	32.3	18.1	13.7	12.0	38.0	135	24.9	64.8
21	50.3	70.2	12.6	13.1	32.3	18.1	13.7	11.5	31.0	104	24.9	121
22	39.5	44.8	12.6	12.6	32.3	18.1	13.1	11.5	24.3	78.2	24.3	92.8
23	32.3	38.8	11.5	12.6	32.3	18.1	12.6	8.45	23.6	69.1	23.6	66.9
24	26.2	37.3	15.9	12.6	31.0	17.0	12.6	8.45	19.2	69.1	18.7	46.6
25	24.3	51.3	16.4	12.6	29.6	17.0	12.6	8.45	18.7	110	18.7	38.8
26	19.8	82.8	16.4	13.1	32.3	18.7	12.6	8.45	17.6	125	18.7	31.0
27	19.2	109	20.4	13.1	25.6	18.1	12.6	8.45	17.0	100	18.1	25.6
28	18.7	78.2	21.7	12.6	29.6	18.1	42.9	8.45	17.0	69.1	18.1	24.9
29	18.1		26.9	14.8	30.3	18.1	30.3	8.45	35.9	55.3	17.6	23.0
30	17.0		29.6	17.0	30.3	18.1	23.6	8.10	42.9	47.5	13.7	19.2
31	14.2		53.3		31.0		23.0	8.10		38.8		18.1
SD1	9.04	13.3	27.9	34.0	32.0	24.5	18.3	16.1	7.65	27.7	48.7	12.9
SD2	53.3	37.2	14.6	16.3	35.5	22.4	16.8	14.4	33.7	40.6	30.5	30.0
SD3	25.4	64.1	21.6	13.4	30.6	17.9	19.1	8.94	24.7	78.7	19.6	46.2
MAX	109	109	53.3	54.3	38.8	26.9	42.9	21.1	84.1	183	75.9	121
DAT	19	27	31	2	16	9	28	10	17	20	4	21
SR	29.1	36.4	21.4	21.2	32.6	21.6	18.1	13.0	22.0	50.0	33.0	30.2
MIN	8.45	10.4	11.5	12.6	21.7	17.0	12.6	8.10	5.65	19.2	13.7	11.0
DAT	2	8	23	22	1	24	23	30	11	6	30	5
		GMIN = 5.65			SRGOD= 27.3			GMAX = 183				
		DATUM 11 9								DATUM 20 10		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1956

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	22.4	18.7	8.10	15.9	71.3	39.5	18.7	8.45	4.54	3.78	12.6	36.6	
2	40.2	17.0	8.10	17.0	66.9	42.9	18.7	8.10	4.54	4.35	12.0	37.3	
3	38.0	17.0	8.10	20.4	49.3	42.9	18.7	8.10	4.54	4.35	21.1	32.3	
4	31.6	13.7	8.80	21.1	39.5	39.5	18.1	8.10	4.73	4.35	21.7	24.3	
5	31.0	13.7	8.80	21.7	38.0	38.0	18.1	7.75	4.73	4.35	19.2	23.0	
6	23.0	13.7	9.88	21.7	36.6	37.3	17.6	7.75	4.73	4.35	17.6	23.0	
7	18.1	13.7	8.45	22.4	32.3	37.3	17.6	7.75	4.73	4.35	17.0	18.1	
8	17.6	13.1	8.45	23.6	33.0	36.6	17.6	7.75	4.73	4.35	17.0	17.6	
9	17.0	8.45	8.45	18.7	34.4	32.3	17.6	7.40	4.73	3.78	12.6	17.0	
10	13.1	8.45	8.10	18.1	35.9	32.3	17.6	7.40	4.73	3.78	12.0	13.7	
11	13.1	8.45	8.10	17.6	40.2	31.6	17.6	7.40	4.54	4.35	12.0	13.1	
12	13.1	8.45	7.75	17.0	51.3	30.3	15.3	7.40	4.54	4.35	11.5	13.1	
13	13.1	8.45	7.75	17.6	51.3	30.3	17.0	7.40	4.54	4.35	11.5	12.6	
14	13.1	10.4	7.40	17.6	40.2	30.3	13.7	7.40	4.54	4.35	11.5	12.6	
15	12.6	10.4	7.40	16.4	39.5	30.3	13.7	7.05	4.54	4.35	11.5	12.0	
16	12.6	12.0	6.70	20.4	37.3	31.0	13.7	7.05	4.54	4.35	17.0	12.0	
17	12.6	11.5	6.70	26.9	36.6	25.6	13.7	7.05	4.54	4.35	35.2	11.5	
18	11.0	11.5	7.75	29.6	32.3	25.6	13.1	7.05	4.54	4.35	36.6	11.5	
19	33.7	10.4	7.75	35.2	33.7	24.9	13.1	5.11	4.54	4.35	32.3	11.5	
20	34.4	10.4	8.10	40.2	35.2	24.3	12.6	5.11	4.54	4.35	28.2	11.5	
21	34.4	10.4	7.75	39.5	40.2	23.6	12.6	5.11	4.54	4.35	25.6	8.45	
22	31.0	8.45	7.75	38.0	50.3	23.6	12.6	5.11	4.54	3.29	23.0	8.45	
23	29.6	8.45	7.75	38.0	48.4	23.0	12.0	5.11	4.35	3.29	23.0	8.45	
24	35.2	8.45	6.70	40.2	51.3	24.3	12.0	5.11	4.35	3.29	19.2	9.34	
25	35.2	8.45	7.05	54.3	51.3	23.0	11.5	5.11	4.35	3.29	18.7	9.34	
26	32.3	8.45	9.88	54.3	54.3	19.2	11.5	5.11	4.35	3.29	18.1	8.45	
27	31.0	8.45	10.4	54.3	57.3	19.2	8.45	5.11	4.35	3.59	17.0	8.45	
28	25.6	8.45	11.5	54.3	54.3	19.2	8.45	5.11	4.35	6.35	17.0	8.45	
29	23.0	8.45	11.5	52.3	47.5	18.7	8.45	4.92	4.35	11.5	15.3	8.10	
30	18.7		14.8	52.3	46.6	18.7	8.45	4.92	3.78	13.1	17.0	8.10	
31	18.1		15.3		45.7		8.45	4.92		12.0		7.75	
SD1	25.2	13.7	8.52	20.1	43.7	37.9	18.0	7.86	4.67	4.18	16.3	24.3	
SD2	16.9	10.2	7.54	23.9	39.8	28.4	14.4	6.80	4.54	4.35	20.7	12.1	
SD3	28.6	8.67	10.0	47.7	49.7	21.2	10.4	5.06	4.33	6.12	19.4	8.48	
MAX	40.2	18.7	15.3	54.3	71.3	42.9	18.7	8.45	4.73	13.1	36.6	37.3	
DAT	2	1	31	25	1	2	1	1	4	30	18	2	
SR	23.7	10.9	8.74	30.6	44.6	29.2	14.1	6.52	4.51	4.92	18.8	14.8	
MIN	11.0	8.45	6.70	15.9	32.3	18.7	8.45	4.92	3.78	3.29	11.5	7.75	
DAT	18	9	16	1	7	29	27	29	30	22	12	31	
GMIN =			3.29	SRGOD=			17.6	GMAX =			71.3		
DATUM			22 10					DATUM			1 5		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1957

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	7.75	5.11	17.0	17.6	28.2	39.5	18.7	8.45	4.54	12.6	12.0	8.45	
2	7.75	5.11	17.0	17.6	29.6	38.8	18.1	8.45	4.16	11.5	12.0	8.45	
3	7.75	5.11	13.7	17.6	35.2	38.0	18.1	8.45	3.97	28.9	11.5	8.45	
4	7.75	5.11	13.7	17.6	35.2	32.3	18.1	8.45	4.35	33.7	11.5	8.45	
5	7.75	5.11	13.1	17.6	37.3	32.3	17.6	8.10	4.92	52.3	8.45	8.45	
6	7.40	5.11	12.6	16.4	32.3	32.3	17.6	8.10	5.65	50.3	8.45	8.45	
7	7.40	5.11	12.6	16.4	32.3	31.6	17.0	8.10	5.65	48.4	8.45	8.10	
8	7.40	5.11	12.6	16.4	33.7	31.0	17.0	7.75	6.00	48.4	9.34	8.10	
9	7.40	5.11	12.0	17.0	32.3	30.3	17.0	7.75	6.00	39.5	16.4	8.10	
10	7.40	5.65	12.0	17.0	31.0	29.6	13.7	7.75	5.65	31.0	26.9	8.10	
11	7.05	5.65	11.5	17.0	25.6	29.6	13.7	7.75	5.65	24.3	33.7	8.80	
12	7.05	6.35	11.5	52.3	24.3	29.6	13.7	7.75	5.11	19.2	44.8	14.8	
13	7.05	6.35	11.5	48.4	24.3	29.6	13.7	7.40	5.11	18.7	39.5	26.9	
14	7.05	6.35	11.5	44.8	22.4	29.6	13.7	7.40	5.11	18.1	32.3	112	
15	6.00	11.5	11.5	43.8	26.9	25.6	13.1	7.05	9.34	17.0	30.3	137	
16	7.05	21.7	11.5	45.7	27.6	25.6	12.6	7.05	15.3	13.7	24.9	116	
17	7.05	124	11.5	37.3	28.2	25.6	12.6	7.05	15.3	13.7	23.0	58.3	
18	7.05	128	11.5	31.0	29.6	24.3	12.6	7.05	13.7	13.7	19.2	55.3	
19	7.05	77.0	11.5	25.6	33.7	24.3	12.0	5.11	12.6	13.1	19.2	39.5	
20	5.11	65.8	11.5	24.3	33.7	24.3	11.5	5.11	12.6	12.6	18.7	25.6	
21	5.11	45.7	10.4	23.0	33.7	24.3	9.88	5.11	8.45	12.0	18.1	25.6	
22	5.11	36.6	11.5	19.2	33.7	23.6	9.88	5.65	8.45	12.0	17.0	24.3	
23	5.11	31.0	15.9	19.2	33.7	23.0	10.4	5.65	8.45	10.4	13.7	23.0	
24	5.11	31.0	20.4	19.2	32.3	23.0	10.4	5.65	8.10	16.4	13.7	19.2	
25	5.65	23.0	20.4	19.2	32.3	23.0	10.4	5.65	7.75	17.0	13.1	18.7	
26	5.65	19.2	21.1	19.2	32.3	19.2	12.0	5.65	7.75	18.1	12.6	18.1	
27	5.65	18.1	21.1	20.4	33.7	19.2	11.5	5.11	9.34	17.0	12.0	17.6	
28	5.11	17.0	20.4	21.1	36.6	19.2	11.5	5.11	11.0	13.7	11.5	17.0	
29	5.11		19.2	22.4	42.0	19.2	8.45	5.11	11.0	13.1	11.5	15.9	
30	5.11		18.7	26.9	51.3	19.2	8.45	4.92	11.0	12.6	8.45	15.9	
31	5.11		18.1		47.5		8.45	4.92		12.6		21.1	
SD1	7.58	5.16	13.6	17.1	32.7	33.6	17.3	8.14	5.09	35.7	12.5	8.31	
SD2	6.75	45.3	11.5	37.0	27.6	26.8	12.9	6.87	9.98	16.4	28.6	59.4	
SD3	5.26	27.7	17.9	21.0	37.2	21.3	10.1	5.32	9.13	14.1	13.2	19.7	
MAX	7.75	128	21.1	52.3	51.3	39.5	18.7	8.45	15.3	52.3	44.8	162	
DAT	1	18	26	12	30	1	1	1	16	5	12	15	
SR	6.49	25.9	14.5	25.0	32.7	27.2	13.3	6.73	8.07	21.8	18.1	28.8	
MIN	5.11	5.11	10.4	16.4	22.4	19.2	8.45	4.92	3.97	10.4	8.45	8.10	
DAT	20	1	21	6	14	26	29	30	3	23	5	7	
GMIN =			3.97	SRGOD=			19.0	GMAX =			162		
DATUM			3 9					DATUM			15 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1958

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	21.7	12.0	28.2	29.6	38.0	65.8	30.3	12.6	7.05	4.35	7.05	12.6	
2	19.2	11.5	28.2	33.7	32.3	58.3	30.3	12.6	7.05	3.78	7.05	12.0	
3	18.7	11.5	25.6	32.3	31.0	56.3	30.3	12.6	7.05	5.65	14.8	12.0	
4	18.1	11.5	24.3	31.0	31.0	55.3	29.6	12.6	7.05	9.34	27.6	9.34	
5	17.0	11.5	23.0	31.6	32.3	48.4	29.6	12.6	7.05	8.45	25.6	12.0	
6	13.7	11.5	18.7	44.8	34.4	48.4	29.6	12.6	7.40	8.10	24.3	11.5	
7	11.5	11.5	18.1	52.3	36.6	48.4	24.9	12.0	7.40	7.75	19.2	11.5	
8	21.1	11.5	18.1	48.4	44.8	46.6	24.3	11.5	7.40	7.40	23.0	8.45	
9	19.2	11.5	16.4	38.0	52.3	39.5	23.6	12.0	5.11	7.05	21.7	8.45	
10	19.2	11.5	17.0	31.0	64.8	38.8	23.6	11.5	5.11	7.05	41.1	8.45	
11	19.2	8.45	17.0	25.6	84.1	38.0	23.0	11.5	5.11	7.05	44.8	10.4	
12	21.1	8.45	18.1	24.3	87.8	42.9	23.0	11.5	5.11	5.11	46.6	22.4	
13	21.7	8.45	17.6	23.6	95.3	49.3	19.2	11.5	5.11	5.11	38.0	22.4	
14	23.6	8.45	17.0	19.2	96.6	46.6	18.7	11.5	5.11	5.11	36.6	23.0	
15	23.0	8.45	17.0	19.2	96.6	44.8	18.1	11.5	5.11	5.11	36.6	27.6	
16	19.2	8.45	13.7	28.2	96.6	38.8	18.1	11.5	4.92	4.92	37.3	50.3	
17	17.6	9.34	13.1	42.9	95.3	38.8	18.1	11.5	4.92	6.00	31.6	46.6	
18	17.0	9.88	13.1	41.1	87.8	38.8	18.1	11.5	4.92	6.70	25.6	51.3	
19	13.7	28.2	13.1	38.0	87.8	32.3	19.2	8.45	4.92	7.75	25.6	58.3	
20	13.1	73.6	13.1	31.6	87.8	31.6	18.7	8.45	4.92	7.75	24.3	62.6	
21	13.1	56.3	13.1	30.3	85.3	31.6	18.1	8.45	4.92	7.40	23.6	55.3	
22	15.9	38.0	13.1	25.6	85.3	31.0	17.6	8.45	4.92	7.40	19.2	47.5	
23	16.4	31.0	13.1	25.6	79.3	32.3	17.6	8.10	4.73	7.40	18.7	44.8	
24	16.4	24.9	12.6	26.9	79.3	32.3	17.0	8.10	4.73	7.40	17.6	38.0	
25	18.1	23.6	12.6	42.9	78.2	32.3	13.7	8.10	4.73	7.40	17.6	50.3	
26	17.0	23.6	12.6	42.9	75.9	32.3	13.7	8.10	4.73	7.40	17.0	51.3	
27	13.7	23.6	12.6	39.5	77.0	32.3	13.1	7.75	4.73	7.40	17.0	45.7	
28	13.1	21.7	11.0	38.8	73.6	33.7	13.1	7.40	4.73	7.40	13.7	38.8	
29	13.1		17.0	41.1	73.6	36.6	12.6	7.40	4.73	7.40	13.1	36.6	
30	12.6		21.7	41.1	69.1	36.6	12.6	7.40	4.73	7.05	13.1	29.6	
31	12.0		23.0		68.0		12.6	7.40		7.05		25.6	
SD1	17.9	11.6	21.8	37.3	39.8	50.6	27.6	12.3	6.77	6.89	21.1	10.6	
SD2	18.9	17.2	15.3	29.4	91.6	40.2	19.4	10.9	5.01	6.06	34.7	37.5	
SD3	14.7	30.3	14.8	35.5	76.8	33.1	14.7	7.88	4.77	7.34	17.1	42.1	
MAX	23.6	73.6	28.2	52.3	96.6	65.8	30.3	12.6	7.40	9.34	46.6	62.6	
DAT	14	20	1	7	14	1	1	1	6	4	12	20	
SR	17.1	18.9	17.2	34.0	69.6	41.3	20.4	10.3	5.52	6.78	24.3	30.5	
MIN	11.5	8.45	11.0	19.2	31.0	31.0	12.6	7.40	4.73	3.78	7.05	8.45	
DAT	7	11	28	14	3	22	29	28	23	2	1	8	
GMIN =			3.78	SRGOD=			24.7	GMAX =			96.6		
DATUM			2 10					DATUM			14 5		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1959

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
 Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
 Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	23.6	12.6	6.35	20.4	21.7	51.3	25.6	12.0	11.0	7.75	16.4	12.6	
2	23.0	12.0	6.70	22.4	35.2	48.4	26.9	9.88	11.0	7.75	16.4	15.9	
3	19.2	11.0	7.05	23.0	35.2	39.5	34.4	9.88	12.0	7.75	18.1	23.0	
4	18.1	12.6	7.05	24.9	32.3	36.6	35.2	10.4	12.0	7.75	18.1	26.9	
5	18.1	12.0	9.34	23.6	30.3	31.6	37.3	12.0	8.45	7.75	17.6	25.6	
6	17.6	12.0	9.34	19.2	30.3	30.3	31.0	12.0	9.34	7.40	17.6	24.9	
7	17.6	8.45	9.34	19.2	25.6	29.6	29.6	11.5	15.3	7.40	16.4	24.3	
8	17.0	8.45	9.88	20.4	25.6	25.6	25.6	11.5	21.1	7.40	22.4	23.6	
9	21.7	8.45	19.8	22.4	25.6	24.9	24.3	11.5	19.2	5.11	22.4	29.6	
10	22.4	8.10	20.4	26.9	26.9	24.9	23.6	8.45	19.2	5.11	18.1	35.2	
11	23.6	8.10	22.4	35.9	28.2	23.0	23.6	8.45	18.7	5.11	18.1	38.0	
12	19.2	8.10	26.9	36.6	28.9	28.2	23.6	8.10	18.1	5.11	17.6	32.3	
13	19.2	8.10	27.6	35.9	29.6	28.2	23.0	8.10	18.1	4.92	17.0	44.8	
14	18.7	8.10	25.6	35.9	29.6	29.6	23.0	9.34	12.0	4.92	17.0	87.8	
15	18.1	8.10	24.3	32.3	31.6	25.6	19.2	9.34	12.0	4.92	17.0	92.8	
16	21.1	8.10	23.6	32.3	31.6	24.9	19.2	8.45	11.5	4.92	15.3	50.3	
17	36.6	7.75	19.2	31.6	31.0	24.9	18.7	8.45	8.45	4.92	22.4	38.8	
18	36.6	7.75	18.1	30.3	30.3	24.9	18.7	9.34	8.45	4.92	24.3	33.0	
19	29.6	7.75	17.6	30.3	29.6	24.9	18.1	10.4	8.10	4.73	23.0	30.3	
20	24.3	7.75	17.6	28.2	29.6	24.3	18.1	14.8	8.10	4.73	19.2	25.6	
21	19.2	7.75	17.6	25.6	29.6	24.3	17.6	13.7	8.10	4.73	18.7	23.6	
22	18.1	7.40	17.0	24.3	27.6	24.3	17.0	12.6	7.75	4.73	18.1	24.9	
23	17.6	7.40	17.0	23.6	27.6	24.3	17.0	12.0	7.75	4.16	18.1	26.2	
24	17.6	7.40	17.0	23.0	29.6	24.3	13.7	11.5	7.75	4.16	17.6	24.9	
25	17.0	7.40	15.3	19.2	31.6	23.6	13.7	11.5	7.40	4.73	13.7	24.9	
26	17.0	7.40	16.4	18.7	31.0	23.6	13.7	8.45	7.40	4.73	13.7	27.6	
27	13.7	7.40	15.9	18.1	30.3	23.6	13.1	8.45	7.40	4.73	13.1	25.6	
28	13.7	7.40	15.9	18.1	29.6	22.4	13.1	8.10	6.35	4.73	13.1	29.6	
29	13.1		15.9	17.6	25.6	27.6	12.6	7.75	6.70	4.16	13.1	61.5	
30	12.6		16.4	17.6	26.9	25.6	12.0	7.75	6.70	7.05	12.6	39.5	
31	12.6		16.4		48.4		12.0	7.05		14.8		36.6	
SD1	19.8	10.6	10.5	22.2	28.9	34.3	29.4	10.9	13.9	7.12	18.4	24.2	
SD2	24.7	7.96	22.3	32.9	30.0	25.8	20.5	9.48	12.3	4.92	19.1	47.4	
SD3	15.7	7.44	16.4	20.6	30.7	24.4	14.1	9.90	7.33	5.70	15.2	31.4	
MAX	36.6	12.6	27.6	36.6	48.4	51.3	37.3	14.8	21.1	14.8	24.3	92.8	
DAT	17	1	13	12	31	1	5	20	8	31	18	15	
SR	19.9	8.74	16.4	25.2	29.9	28.2	21.1	10.1	11.2	5.91	17.5	34.2	
MIN	12.6	7.40	6.35	17.6	21.7	22.4	12.0	7.05	6.35	4.16	12.6	12.6	
DAT	30	22	1	29	1	28	30	31	28	23	30	1	
GMIN =			4.16	SRGOD=			19.1	GMAX =			92.8		
DATUM			23 10					DATUM			15 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1960

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
 Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
 Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	30.3	12.6	23.6	39.5	30.3	36.6	27.6	13.7	7.05	7.40	14.8	18.1	
2	24.3	12.6	23.0	38.8	31.6	36.6	25.6	13.1	7.05	7.05	14.2	18.1	
3	23.6	12.6	23.0	37.3	31.6	35.2	28.2	13.1	6.70	7.05	14.2	18.1	
4	19.2	12.0	19.2	31.0	25.6	35.9	34.4	13.1	6.70	7.05	13.7	16.4	
5	19.2	12.0	18.7	25.6	25.6	36.6	35.2	13.1	6.35	6.70	13.1	14.2	
6	18.7	12.0	18.7	24.3	25.6	38.0	32.3	13.1	6.35	6.70	13.1	14.2	
7	18.1	11.5	18.1	23.6	25.6	38.0	31.6	13.1	6.35	6.35	70.2	13.7	
8	17.6	11.5	17.6	23.0	27.6	38.0	25.6	12.6	6.70	7.75	149	13.1	
9	13.1	11.5	17.6	19.2	28.2	38.0	24.9	12.6	6.70	7.75	94.0	13.7	
10	13.1	8.45	17.0	21.1	28.2	35.9	24.9	11.0	6.70	7.75	59.3	35.9	
11	13.1	8.45	17.0	22.4	28.9	36.6	24.9	12.6	6.70	8.80	75.9	54.3	
12	13.1	8.45	13.7	26.9	29.6	42.0	23.6	12.6	6.70	31.6	87.8	42.0	
13	11.5	9.88	13.7	27.6	34.4	42.0	23.6	12.0	6.35	28.9	68.0	37.3	
14	15.3	14.8	13.1	28.2	35.9	38.8	23.6	12.0	6.00	28.9	54.3	26.9	
15	15.3	15.9	13.1	34.4	42.0	38.0	19.2	12.0	5.30	24.9	70.2	23.0	
16	14.2	36.6	11.5	35.2	44.8	37.3	19.2	9.34	5.11	39.5	63.7	20.4	
17	13.1	38.0	15.9	35.2	60.4	37.3	19.2	9.34	4.54	61.5	54.3	24.9	
18	12.6	36.6	20.4	35.9	62.6	37.3	19.2	9.34	3.78	66.9	38.8	26.9	
19	12.6	71.3	20.4	35.9	68.0	32.3	18.7	8.80	3.40	49.3	33.0	49.3	
20	12.0	141	23.6	32.3	68.0	31.6	18.7	8.80	3.18	34.4	29.6	54.3	
21	12.0	103	23.0	31.6	68.0	31.6	18.7	9.34	3.40	27.6	49.3	54.3	
22	11.5	79.3	19.2	31.0	66.9	30.3	18.7	9.34	3.97	47.5	40.2	49.3	
23	11.5	58.3	18.1	30.3	66.9	30.3	18.7	8.80	4.92	40.2	35.2	59.3	
24	8.45	48.4	17.6	25.6	57.3	30.3	18.7	8.80	5.30	33.0	30.3	49.3	
25	8.45	46.6	17.6	25.6	57.3	30.3	18.7	8.80	6.00	26.2	26.2	38.8	
26	8.45	39.5	17.0	26.9	56.3	25.6	18.1	8.10	6.00	22.4	22.4	33.0	
27	8.45	37.3	15.9	26.9	55.3	25.6	17.0	8.10	6.00	19.8	20.4	28.2	
28	9.34	30.3	28.9	27.6	44.8	25.6	13.7	8.10	6.00	18.7	18.1	23.6	
29	11.0	24.9	43.8	28.2	38.8	27.6	13.7	7.40	6.35	15.9	18.1	23.6	
30	11.0		50.3	28.2	38.0	27.6	13.7	7.40	7.40	14.2	20.4	21.7	
31	11.0		48.4		37.3		13.7	7.40		14.2		19.8	
SD1	19.7	11.7	19.7	28.3	28.0	36.9	29.0	12.9	6.66	7.16	45.6	17.5	
SD2	13.3	38.1	16.2	31.4	47.5	37.3	21.0	10.7	5.11	37.5	57.6	35.9	
SD3	10.1	52.0	27.3	28.2	53.4	28.5	16.7	8.33	5.53	25.4	28.1	36.4	
MAX	30.3	141	50.3	39.5	68.0	42.0	35.2	13.7	7.40	66.9	149	59.3	
DAT	1	20	30	1	19	12	5	1	30	18	8	23	
SR	14.2	33.3	21.2	29.3	43.3	34.2	22.1	10.5	5.77	23.4	43.7	30.2	
MIN	8.45	8.45	11.5	19.2	25.6	25.6	13.7	7.40	3.18	6.35	13.1	13.1	
DAT	24	10	16	9	4	26	28	29	20	7	5	8	
GMIN =			3.18	SRGOD=			25.9	GMAX =			149		
DATUM			20 9					DATUM			8 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1961

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	18.1	12.0	6.00	9.88	33.0	33.0	15.3	7.05	4.54	3.78	6.00	27.6	
2	18.1	12.6	6.00	9.34	40.2	29.6	15.3	7.05	4.54	3.78	5.30	37.3	
3	16.4	12.6	6.00	8.80	38.8	27.6	14.8	7.05	4.54	3.59	5.30	34.4	
4	16.4	12.0	6.00	9.88	33.0	26.2	14.2	6.70	4.35	3.59	6.35	33.0	
5	17.6	12.0	5.65	12.0	30.3	24.3	13.7	6.35	4.35	3.40	6.35	30.3	
6	23.0	12.0	5.65	12.6	28.9	23.0	13.1	6.35	4.35	3.40	23.6	26.2	
7	23.0	11.5	5.65	13.7	28.9	24.3	12.6	6.00	4.35	3.78	22.4	21.1	
8	23.0	11.5	5.65	14.8	30.3	23.6	12.0	6.00	4.16	3.78	18.7	33.0	
9	18.7	11.5	5.65	18.1	33.0	23.6	12.0	5.65	4.16	3.78	16.4	23.6	
10	18.7	11.5	5.65	20.4	35.9	22.4	12.0	5.65	4.16	3.78	14.2	22.4	
11	16.4	6.35	5.30	23.0	40.2	24.9	11.5	5.30	4.54	3.78	18.7	19.8	
12	15.3	6.35	5.30	23.0	44.8	26.2	11.0	5.30	4.54	3.97	47.5	18.7	
13	14.2	6.00	5.30	21.1	49.3	26.2	11.0	5.30	4.73	3.97	47.5	17.6	
14	14.2	6.00	5.30	21.1	29.6	23.6	10.4	5.30	4.73	3.97	63.7	17.6	
15	13.1	6.00	5.30	21.1	28.2	22.4	10.4	5.30	4.54	3.78	77.0	16.4	
16	13.1	6.00	7.40	12.6	26.2	21.7	9.88	5.11	4.35	3.78	70.2	16.4	
17	12.6	5.65	7.05	12.6	29.6	21.1	9.88	5.11	4.35	3.78	59.3	14.2	
18	12.6	6.00	6.70	17.0	38.0	19.8	9.88	6.00	4.16	3.40	40.2	11.0	
19	11.5	6.00	7.40	26.2	41.1	19.8	8.80	6.35	4.16	4.35	30.3	8.80	
20	11.5	6.00	8.10	29.6	44.8	19.2	8.80	6.35	4.16	10.4	23.6	7.40	
21	11.0	6.00	9.34	28.2	51.3	19.2	8.45	6.35	4.16	21.1	21.7	5.30	
22	10.4	6.00	12.0	26.2	49.3	19.2	8.45	5.11	4.16	14.2	18.7	6.70	
23	8.80	6.00	15.3	24.3	45.7	18.7	8.10	5.11	4.35	11.0	18.7	8.10	
24	8.80	5.65	19.8	24.3	49.3	18.7	8.10	4.92	4.35	11.0	16.4	11.0	
25	8.80	5.65	19.8	23.6	49.3	17.0	8.10	4.92	4.16	11.0	15.3	16.4	
26	8.80	5.65	18.7	23.6	42.0	17.0	7.75	4.92	4.16	9.88	18.7	17.6	
27	13.7	6.35	17.6	23.0	37.3	17.0	7.75	4.92	3.78	8.80	18.7	15.3	
28	13.7	6.35	15.9	24.9	38.0	16.4	7.05	4.73	3.78	7.40	17.6	13.1	
29	13.1		14.2	25.6	30.3	16.4	7.05	4.73	3.78	7.40	17.6	14.2	
30	13.1		12.0	26.2	33.0	15.9	7.05	4.73	3.78	6.70	26.2	14.8	
31	12.6		12.0		33.0		7.05	4.73		6.70		14.2	
SD1	19.3	11.9	5.79	12.9	33.2	25.8	13.5	6.39	4.35	3.67	12.5	28.9	
SD2	13.4	6.04	6.32	20.7	37.2	22.5	10.2	5.54	4.43	4.52	47.8	14.8	
SD3	11.2	5.96	15.1	25.0	41.7	17.5	7.72	5.02	4.05	10.5	19.0	12.4	
MAX	23.0	12.6	19.8	29.6	51.3	33.0	15.3	7.05	4.73	21.1	77.0	37.3	
DAT	6	2	24	20	21	1	1	1	13	21	15	2	
SR	14.5	8.11	9.28	19.6	37.5	21.9	10.4	5.63	4.27	6.36	26.4	18.5	
MIN	8.80	5.65	5.30	8.80	26.2	15.9	7.05	4.73	3.78	3.40	5.30	5.30	
DAT	23	17	11	3	16	30	28	28	27	5	2	21	
GMIN =			3.40	SRGOD=			15.2	GMAX =			77.0		
DATUM			5 10					DATUM			15 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1962

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	7.32	3.10	4.40	23.8	36.2	43.3	15.1	6.91	3.10	5.30	5.60	23.8	
2	7.32	3.30	5.90	95.2	34.0	40.6	14.5	6.50	3.30	5.30	7.32	22.4	
3	7.32	3.10	5.30	77.5	29.4	44.2	13.4	5.90	3.30	4.70	19.9	19.9	
4	7.32	3.50	5.30	57.6	23.8	42.4	15.6	5.90	3.20	4.70	15.6	18.7	
5	7.32	3.30	16.2	55.5	24.5	38.8	14.5	5.60	3.10	4.40	12.8	17.4	
6	7.32	3.20	49.8	56.5	25.2	34.0	13.4	5.60	3.10	4.10	10.6	16.2	
7	6.91	3.00	87.5	55.5	28.0	26.6	13.4	5.00	3.30	3.50	9.78	14.0	
8	7.32	2.80	80.0	42.4	32.4	22.4	13.4	4.70	3.20	3.30	9.78	12.8	
9	5.60	3.20	41.5	33.2	43.3	14.0	13.4	4.70	3.10	3.20	9.37	11.7	
10	5.30	3.30	34.0	25.2	53.6	12.8	12.8	4.70	3.10	3.10	12.8	11.7	
11	5.30	3.30	19.9	23.8	68.3	12.3	12.8	4.40	3.00	3.10	21.2	10.6	
12	5.00	3.30	19.3	23.8	66.0	11.7	12.8	5.00	3.00	3.10	18.7	9.78	
13	5.00	3.50	21.8	24.5	57.6	10.6	12.3	4.70	3.10	3.10	15.1	9.78	
14	9.78	6.50	18.7	25.9	66.0	9.37	11.7	5.00	3.10	3.10	12.8	9.78	
15	8.14	14.0	17.4	16.8	87.5	8.14	10.6	5.00	3.20	4.10	17.4	10.6	
16	10.6	9.78	20.5	15.1	118	12.3	10.6	5.00	3.20	5.30	18.7	17.4	
17	11.7	8.14	12.3	12.8	139	14.0	10.6	4.10	3.20	9.78	23.8	19.9	
18	10.6	7.73	11.2	12.3	121	14.0	10.6	4.10	3.10	11.7	23.8	32.4	
19	9.78	6.50	9.78	15.1	55.5	17.4	10.6	4.10	3.10	9.78	25.2	28.0	
20	8.96	5.90	8.55	14.5	53.6	19.3	10.6	3.50	3.10	8.96	34.0	22.4	
21	8.14	6.20	8.14	15.1	59.7	19.9	8.96	3.50	3.00	8.96	82.5	21.2	
22	7.32	5.90	7.32	27.3	55.5	19.3	8.96	3.50	3.10	8.55	92.6	18.7	
23	6.50	4.70	11.7	26.6	53.6	18.1	8.14	3.50	3.50	8.14	61.8	16.2	
24	5.90	4.10	14.5	25.2	49.8	18.1	8.96	3.40	3.80	8.14	55.5	15.1	
25	5.90	4.10	18.7	33.2	46.0	16.8	8.96	3.30	3.80	6.50	51.7	14.0	
26	5.30	4.10	28.0	34.7	44.2	19.9	8.14	3.30	3.80	5.30	46.0	12.8	
27	5.00	3.80	27.3	36.2	43.3	21.8	8.14	3.30	3.50	4.70	40.6	11.7	
28	5.00	3.50	22.4	37.9	42.4	19.9	7.73	3.30	3.50	4.70	37.0	10.6	
29	4.40		21.2	40.6	40.6	18.7	7.32	3.30	5.00	5.90	26.6	9.78	
30	3.50		16.8	41.5	38.8	16.8	6.91	3.20	5.90	5.30	25.2	9.78	
31	3.30		15.1		45.1		7.32	3.20		5.00		44.2	
SD1	6.91	3.18	33.0	52.2	33.0	31.9	13.9	5.55	3.18	4.16	11.4	16.9	
SD2	8.49	6.87	15.9	18.5	83.3	12.9	11.3	4.49	3.11	6.20	21.1	17.1	
SD3	5.48	4.55	17.4	31.8	47.2	18.9	8.14	3.35	3.89	6.47	52.0	16.7	
MAX	11.7	14.0	87.5	95.2	139	44.2	15.6	6.91	5.90	11.7	92.6	44.2	
DAT	17	15	7	2	17	3	4	1	30	18	22	31	
SR	6.91	4.89	22.0	34.2	54.3	21.3	11.0	4.43	3.39	5.64	28.1	16.9	
MIN	3.30	2.80	4.40	12.3	23.8	8.14	6.91	3.20	3.00	3.10	5.60	9.78	
DAT	31	8	1	18	4	15	30	30	11	10	1	12	
		GMIN =	2.80			SRGOD=	17.8			GMAX =	139		
		DATUM	8 2							DATUM	17 5		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1963

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	53.6	14.0	11.7	17.4	37.9	46.0	30.9	12.8	14.0	8.14	3.50	8.14
2	51.7	15.1	10.6	18.7	36.2	44.2	30.9	12.8	12.8	8.14	3.40	8.14
3	49.8	15.1	9.78	17.4	40.6	42.4	28.0	12.8	9.78	7.73	3.30	7.32
4	46.0	15.1	8.96	15.1	47.9	40.6	26.6	12.8	8.96	7.73	3.30	7.73
5	61.8	15.1	8.96	14.0	71.8	38.8	26.6	12.8	7.32	10.2	3.50	18.7
6	50.8	15.1	8.96	14.0	57.6	38.8	25.2	11.7	6.50	19.9	5.90	19.9
7	53.6	14.0	8.55	12.8	53.6	37.0	25.2	11.2	5.90	18.7	10.2	17.4
8	57.6	14.0	8.14	11.7	53.6	38.8	23.8	10.6	8.96	15.1	18.1	15.1
9	103	12.8	7.32	10.6	55.5	40.6	22.4	10.6	8.96	14.0	22.4	14.0
10	92.6	11.7	8.14	9.78	53.6	40.6	21.2	11.7	8.96	14.0	16.2	12.8
11	75.2	11.7	8.96	12.8	51.7	38.8	21.2	12.8	9.78	12.8	11.7	10.6
12	80.0	11.7	12.8	12.8	55.5	44.2	21.2	11.7	8.96	12.8	9.78	14.0
13	77.5	12.8	17.4	35.5	51.7	40.6	19.9	11.7	7.32	12.3	8.96	14.5
14	70.6	14.0	26.6	37.9	56.5	47.9	19.3	10.6	6.50	11.7	8.55	13.4
15	55.5	11.7	25.2	54.5	53.6	44.2	18.7	10.6	6.50	11.7	11.2	25.9
16	49.8	12.8	21.2	44.2	49.8	40.6	19.9	10.2	5.90	9.78	12.3	219
17	31.7	12.8	18.7	35.5	47.9	40.6	19.3	9.78	5.90	9.78	12.8	121
18	23.8	15.1	17.4	34.0	51.7	38.8	19.3	9.78	5.30	9.78	11.7	60.8
19	24.5	48.8	16.2	35.5	51.7	37.0	17.4	9.37	5.30	9.37	10.6	46.0
20	22.4	37.0	14.0	38.8	63.9	36.2	16.2	8.96	5.00	5.30	9.78	95.2
21	23.8	30.9	12.8	42.4	87.5	35.5	18.7	8.55	5.90	4.70	9.37	146
22	22.4	28.0	14.0	44.2	47.9	35.5	17.4	8.55	8.14	4.70	9.78	128
23	21.2	21.2	18.7	57.6	46.0	34.0	21.2	8.14	8.96	4.70	8.96	78.8
24	21.2	19.9	17.4	44.2	42.4	34.0	19.9	6.50	8.55	4.40	8.55	53.6
25	16.2	17.4	10.6	47.9	47.9	33.2	18.7	5.90	8.55	4.40	8.14	40.6
26	16.2	16.2	9.78	40.6	46.0	33.2	15.6	5.90	8.14	4.40	7.32	34.0
27	15.1	15.1	8.96	44.2	47.9	32.4	15.6	6.50	8.55	4.10	7.73	30.2
28	15.1	14.0	8.14	42.4	49.8	32.4	14.5	6.50	8.55	4.10	8.14	26.6
29	10.6		8.96	41.5	51.7	32.4	15.1	6.50	8.14	3.80	8.55	23.8
30	9.78		14.0	39.7	55.5	30.9	14.0	6.50	8.14	3.80	8.55	22.4
31	11.7		16.2		49.8		12.8	10.6		3.80		21.2
SD1	62.0	14.2	9.11	14.1	50.8	40.8	26.1	12.0	9.21	12.4	8.98	12.9
SD2	51.1	18.8	17.8	34.2	53.4	40.9	19.2	10.5	6.65	10.5	10.7	62.0
SD3	16.7	20.3	12.7	44.5	52.0	33.3	16.7	7.29	8.16	4.26	8.51	55.0
MAX	103	48.8	26.6	57.6	87.5	46.0	30.9	12.8	14.0	19.9	22.4	219
DAT	9	19	14	23	21	1	1	1	1	6	9	16
SR	42.4	17.6	13.2	30.9	52.1	38.3	20.5	9.85	8.01	8.90	9.41	43.7
MIN	9.78	11.7	7.32	9.78	36.2	30.9	12.8	5.90	5.00	3.80	3.30	7.32
DAT	30	10	9	10	2	30	31	25	20	29	3	3
GMIN =			3.30	SRGOD=			24.7	GMAX =			219	
DATUM			3 11					DATUM			16 12	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1964

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	19.9	5.90	9.78	29.4	20.5	37.9	19.3	8.96	5.00	5.30	26.6	17.4
2	18.7	5.90	9.78	35.5	22.4	36.2	16.8	8.55	5.30	4.70	25.9	63.9
3	16.2	5.60	9.78	34.0	23.1	36.2	15.6	8.55	5.90	4.70	25.2	53.6
4	15.1	5.60	9.78	31.7	22.4	37.9	14.0	8.55	5.90	4.70	37.0	40.6
5	15.1	5.90	8.96	51.7	23.8	37.0	13.4	8.55	5.90	4.70	32.4	37.0
6	14.5	5.90	8.55	46.0	28.0	37.0	13.4	8.14	5.60	4.70	37.0	29.4
7	12.8	5.90	8.55	44.2	28.0	35.5	14.0	7.73	5.30	4.40	34.0	23.8
8	12.3	5.90	8.55	37.0	27.3	35.5	14.5	6.50	5.90	4.10	37.0	23.8
9	11.7	5.90	8.55	5.90	25.9	36.2	14.0	6.50	5.90	12.8	35.5	18.7
10	10.6	5.90	7.73	29.4	25.2	34.0	13.4	6.50	5.60	19.9	47.9	16.2
11	10.2	5.90	7.73	25.2	25.9	34.0	12.8	6.50	5.60	34.0	40.6	15.1
12	9.78	5.90	7.73	21.2	26.6	30.9	14.5	6.20	5.30	35.5	40.6	15.1
13	9.37	5.90	8.55	19.9	28.0	30.9	18.7	7.32	4.70	47.9	38.8	14.0
14	9.37	5.60	8.96	17.4	30.2	30.2	17.4	7.32	4.70	68.3	37.0	13.4
15	8.96	5.30	8.55	16.8	31.7	28.7	16.2	7.32	4.70	61.8	31.7	12.8
16	8.96	5.30	9.37	16.8	38.8	27.3	16.2	6.50	4.70	44.2	32.4	12.8
17	8.96	5.00	18.7	16.2	39.7	28.7	15.1	6.50	4.70	35.5	32.4	12.3
18	7.73	5.00	18.7	16.2	37.0	28.7	14.0	6.50	4.40	37.0	23.8	12.8
19	8.55	7.32	15.1	16.2	26.6	30.9	14.0	6.50	4.70	37.0	23.8	12.3
20	7.32	16.8	15.1	17.4	25.9	30.9	13.4	6.50	4.10	34.7	21.2	51.7
21	7.32	28.0	15.1	19.3	30.2	26.6	13.4	6.50	4.10	31.7	19.9	77.5
22	7.32	19.3	16.2	19.9	35.5	25.2	11.7	6.50	4.70	28.0	17.4	54.5
23	6.50	18.1	37.0	20.5	34.0	25.2	10.6	5.90	4.70	18.7	17.4	38.8
24	6.50	14.0	34.0	22.4	32.4	25.9	11.2	5.90	5.30	26.6	14.0	36.2
25	6.50	11.7	32.4	26.6	30.9	23.8	12.8	5.90	5.00	30.9	12.8	25.9
26	6.50	9.78	21.8	34.0	30.2	23.1	11.7	5.60	5.00	51.7	12.8	28.0
27	6.50	9.78	19.9	29.4	32.4	22.4	11.7	5.60	5.00	59.7	11.7	46.0
28	6.50	9.37	17.4	26.6	37.0	21.2	11.7	5.30	5.30	61.8	11.7	44.2
29	5.90	9.37	21.2	22.4	36.2	19.9	10.6	5.00	5.30	51.7	11.2	37.0
30	5.90		28.0	20.5	36.2	19.9	9.78	5.00	5.30	40.6	11.2	40.6
31	5.90		26.6		37.9		9.37	5.00		31.7		59.7
SD1	14.7	5.84	9.00	34.5	24.7	36.3	14.8	7.85	5.63	7.00	33.8	32.4
SD2	8.92	6.80	11.8	18.3	31.0	30.1	15.2	6.72	4.76	43.6	32.2	17.2
SD3	6.49	14.4	24.5	24.2	33.9	23.3	11.3	5.65	4.97	39.4	14.0	44.4
MAX	19.9	28.0	37.0	51.7	39.7	37.9	19.3	8.96	5.90	68.3	47.9	77.5
DAT	1	21	23	5	17	1	1	1	3	14	10	21
SR	9.92	8.82	15.4	25.7	30.0	29.9	13.7	6.71	5.12	30.3	26.7	31.8
MIN	5.90	5.00	7.73	5.90	20.5	19.9	9.37	5.00	4.10	4.10	11.2	12.3
DAT	29	17	10	9	1	29	31	29	20	8	29	17
GMIN = 4.10			SRGOD= 19.5			GMAX = 77.5						
DATUM 20 9						DATUM 21 12						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1965

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	42.4	8.14	5.30	12.8	35.5	59.7	35.5	11.7	6.50	5.00	3.10	58.7	
2	33.2	8.96	5.90	12.8	29.4	68.3	34.0	11.7	5.90	5.00	3.10	58.7	
3	26.6	11.7	66.0	10.6	25.9	63.9	32.4	12.8	5.90	4.70	3.10	58.7	
4	25.2	11.7	80.0	9.78	25.2	57.6	30.9	11.7	5.90	4.70	3.00	51.7	
5	21.2	12.8	42.4	9.78	25.2	70.6	32.4	11.7	5.90	4.70	3.00	37.0	
6	19.3	12.8	30.9	9.37	29.4	72.9	37.0	10.6	5.90	4.40	3.00	37.0	
7	17.4	10.6	28.0	10.6	40.6	75.2	37.0	10.2	8.55	4.10	3.10	29.4	
8	15.1	9.78	23.8	11.7	37.0	63.9	33.2	9.78	9.78	4.10	3.10	27.3	
9	13.4	9.78	22.4	12.8	32.4	56.5	28.0	9.78	8.55	4.10	3.10	22.4	
10	12.8	8.14	21.8	57.6	30.2	55.5	28.0	9.78	8.14	4.10	3.10	37.0	
11	11.7	8.14	20.5	75.2	32.4	57.6	26.6	8.96	8.14	3.80	3.20	83.8	
12	11.7	7.32	12.8	57.6	31.7	53.6	23.8	9.37	6.91	3.50	3.20	83.8	
13	11.7	7.32	11.7	44.2	33.2	47.9	22.4	8.96	8.14	3.50	3.40	77.5	
14	10.6	7.32	10.6	38.8	32.4	44.2	21.2	8.14	11.2	3.50	3.50	72.9	
15	8.96	7.32	10.6	34.7	29.4	44.2	21.2	8.14	9.78	3.50	6.50	29.4	
16	8.55	7.32	9.78	32.4	28.0	42.4	21.2	8.14	8.96	3.50	6.50	22.4	
17	8.14	7.32	9.78	28.0	29.4	40.6	21.2	7.73	8.14	3.50	8.14	26.6	
18	8.96	7.32	10.2	25.2	38.8	42.4	21.2	7.32	7.73	3.50	9.37	18.7	
19	9.37	7.32	10.2	23.1	53.6	40.6	20.5	7.32	7.32	3.50	12.3	16.2	
20	10.6	6.50	10.6	23.8	71.8	40.6	19.9	7.32	6.50	3.50	16.2	12.8	
21	9.78	6.50	10.6	28.0	77.5	40.6	18.7	7.32	6.50	3.50	33.2	10.6	
22	9.78	6.50	12.3	37.0	77.5	40.6	18.7	7.32	6.50	3.30	60.8	10.6	
23	8.14	6.50	13.4	35.5	85.0	39.7	17.4	6.91	5.90	3.30	69.4	10.6	
24	8.14	5.90	14.5	30.2	85.0	38.8	16.2	6.50	5.90	3.20	62.8	9.78	
25	7.32	5.90	18.7	26.6	70.6	38.8	15.6	7.73	5.90	3.20	42.4	11.7	
26	7.32	5.90	19.9	25.2	68.3	41.5	15.1	9.78	5.90	3.20	37.0	16.2	
27	7.32	5.60	21.2	23.1	68.3	40.6	15.1	8.96	5.30	3.20	35.5	16.2	
28	6.91	5.30	17.4	22.4	63.9	40.6	15.1	8.14	5.30	3.20	43.3	16.2	
29	6.50		16.2	31.7	63.9	37.9	15.1	7.32	5.30	3.20	43.3	55.5	
30	6.50		14.5	41.5	63.9	37.0	14.0	7.32	5.30	3.20	44.2	61.8	
31	8.14		14.0		61.8		12.8	6.50		3.10		47.0	
SD1	22.7	10.4	32.6	15.8	31.1	64.4	32.8	11.0	7.10	4.49	3.07	41.8	
SD2	10.0	7.32	11.7	38.3	38.1	45.4	21.9	8.14	8.28	3.53	7.23	44.4	
SD3	7.80	6.01	15.7	30.1	71.4	39.6	15.8	7.62	5.78	3.24	47.2	24.2	
MAX	42.4	12.8	80.0	75.2	104	75.2	37.0	11.7	11.2	5.00	69.4	83.8	
DAT	1	5	4	11	23	7	6	1	14	1	23	11	
SR	13.3	8.06	19.9	28.1	47.7	49.8	23.3	8.87	7.05	3.74	19.2	36.4	
MIN	6.50	5.30	5.30	9.37	25.2	37.0	12.8	6.50	5.30	3.10	3.00	9.78	
DAT	29	28	1	6	4	30	31	24	27	31	4	24	
GMIN =			3.00	SRGOD=			22.2	GMAX =			104		
DATUM			4 11					DATUM			23 5		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1966

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
 Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
 Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	55.5	3.50	28.0	29.4	53.6	44.2	28.0	15.1	8.96	5.90	70.6	44.2	
2	46.0	5.30	26.6	22.4	51.7	37.0	28.0	14.5	11.7	8.14	55.5	35.5	
3	32.4	9.78	25.2	16.2	51.7	42.4	26.6	14.5	10.6	10.6	46.0	29.4	
4	35.5	10.2	22.4	17.4	51.7	37.0	22.4	12.8	8.55	11.7	34.0	76.3	
5	29.4	10.2	22.4	10.6	46.0	35.5	22.4	12.3	7.73	16.2	29.4	55.5	
6	27.3	10.2	21.2	10.6	46.0	35.5	16.2	11.7	7.32	14.0	66.0	37.0	
7	28.0	11.7	21.2	15.1	53.6	34.0	16.2	11.7	7.32	8.14	66.0	29.4	
8	22.4	12.8	19.9	15.1	53.6	35.5	21.8	11.7	5.90	7.32	53.6	25.2	
9	19.9	17.4	21.2	16.2	55.5	37.0	21.8	10.6	5.90	7.32	46.0	22.4	
10	16.2	15.1	18.7	16.2	51.7	37.0	21.8	9.78	5.90	8.55	35.5	21.8	
11	12.3	17.4	19.9	21.2	53.6	38.8	21.2	9.78	4.70	8.14	34.0	21.8	
12	12.3	37.0	19.9	30.9	46.0	38.8	21.2	9.78	5.90	7.73	28.0	18.7	
13	10.6	49.8	15.1	37.0	40.6	38.8	20.5	9.37	5.90	8.14	32.4	18.7	
14	10.6	37.0	15.1	37.0	35.5	37.0	20.5	9.37	5.90	10.2	36.2	37.0	
15	10.6	37.0	14.5	34.0	34.0	37.0	20.5	9.37	5.30	8.96	30.9	46.0	
16	11.7	28.0	14.5	35.5	40.6	37.0	19.9	9.37	5.30	9.78	29.4	37.0	
17	14.0	27.3	14.5	55.5	38.8	55.5	19.9	8.96	5.30	8.14	29.4	28.7	
18	14.0	26.6	12.8	87.5	37.0	46.0	19.9	8.96	4.70	7.32	44.2	22.4	
19	14.0	26.6	11.7	75.2	38.8	37.0	16.2	8.96	4.10	6.50	44.2	19.9	
20	6.50	25.9	12.8	66.0	37.9	37.0	16.2	8.96	4.10	6.50	37.0	16.2	
21	6.50	25.9	14.5	37.0	37.0	37.0	16.2	8.96	6.20	6.50	37.0	16.2	
22	6.50	25.9	12.8	37.0	35.5	36.2	16.2	8.14	6.20	7.32	36.2	12.8	
23	6.50	56.5	12.8	37.0	36.2	36.2	17.4	8.14	4.70	7.32	29.4	12.8	
24	6.50	60.8	11.7	47.0	37.0	35.5	17.4	8.14	4.70	6.50	29.4	15.1	
25	5.60	62.8	11.7	47.0	44.2	35.5	16.2	8.14	4.10	6.50	61.8	15.1	
26	5.60	35.5	11.7	37.0	44.2	35.5	16.2	8.14	4.10	6.91	55.5	12.8	
27	5.60	28.0	11.7	44.2	55.5	35.5	14.0	8.55	4.10	46.0	59.7	10.6	
28	3.50	25.9	11.7	44.2	63.9	32.4	15.1	8.55	4.10	66.0	57.6	10.6	
29	3.50		11.7	53.6	53.6	28.0	15.1	7.32	3.50	74.1	55.5	9.78	
30	3.50		11.7	53.6	53.6	26.6	15.1	6.91	3.50	121	61.8	9.78	
31	3.50		11.7		42.4		15.1	6.50		108		9.78	
SD1	31.3	10.6	22.7	16.9	51.5	37.5	22.5	12.5	7.99	9.79	50.3	37.7	
SD2	11.7	31.3	15.1	48.0	40.3	40.3	19.6	9.29	5.12	8.14	34.6	26.6	
SD3	5.16	40.2	12.2	43.8	45.7	33.8	15.8	7.95	4.52	41.5	48.4	12.3	
MAX	55.5	62.8	28.0	87.5	63.9	55.5	28.0	15.1	11.7	121	70.6	76.3	
DAT	1	25	1	18	28	17	1	1	2	30	1	4	
SR	15.7	26.4	16.5	36.2	45.8	37.2	19.2	9.84	5.88	20.5	44.4	25.1	
MIN	3.50	3.50	11.7	10.6	34.0	26.6	14.0	6.50	3.50	5.90	28.0	9.78	
DAT	28	1	19	5	15	30	27	31	29	1	12	29	
GMIN =			3.50	SRGOD=			25.2	GMAX =			121		
DATUM			28 1					DATUM			30 10		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1967

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	9.78	8.55	7.32	70.6	34.0	53.6	28.0	17.4	5.30	5.30	3.10	8.14	
2	8.96	8.55	8.14	57.6	36.2	46.0	28.0	16.2	4.70	4.10	3.30	8.14	
3	8.96	8.55	11.2	37.0	37.0	37.0	23.8	16.2	4.10	4.10	3.10	8.96	
4	8.96	8.55	11.2	28.0	38.8	29.4	26.6	16.2	4.10	3.50	3.30	8.96	
5	8.96	8.55	10.2	28.0	55.5	28.0	25.2	15.1	4.10	3.50	3.10	7.32	
6	8.96	7.32	10.2	26.6	54.5	26.6	26.6	15.1	4.10	4.10	3.10	6.50	
7	9.78	7.32	10.2	22.4	54.5	22.4	25.2	15.1	4.10	4.10	3.30	6.50	
8	10.6	7.32	9.78	21.2	55.5	22.4	23.8	15.1	4.70	5.30	3.50	7.32	
9	10.6	8.55	9.78	22.4	55.5	29.4	21.2	14.0	4.10	5.90	3.50	6.50	
10	9.78	8.55	8.55	28.7	59.7	32.4	23.8	12.8	5.30	5.90	4.10	6.50	
11	9.78	8.55	11.2	29.4	59.7	29.4	30.9	12.8	5.30	5.90	4.70	6.50	
12	8.14	8.55	12.3	35.5	59.7	28.0	28.0	12.8	5.30	5.30	4.10	6.50	
13	8.14	8.55	12.8	37.9	59.7	23.8	28.0	6.50	5.90	4.70	3.50	7.32	
14	8.14	6.20	16.8	44.2	61.8	22.4	25.2	6.50	5.90	4.10	3.50	8.96	
15	8.14	6.20	17.4	77.5	61.8	22.4	22.4	8.14	6.50	4.10	3.50	8.96	
16	8.14	6.20	17.4	72.9	59.7	22.4	21.2	8.14	7.32	4.10	5.30	8.14	
17	6.50	6.20	15.6	55.5	61.8	22.4	19.9	7.32	7.32	3.50	4.10	7.32	
18	6.50	6.50	15.1	46.0	63.9	21.2	19.9	7.32	5.90	4.10	3.50	6.50	
19	6.50	6.20	14.5	44.2	59.7	19.9	19.9	7.32	5.90	4.10	3.50	6.50	
20	6.50	6.20	14.0	42.4	57.6	19.9	18.7	7.32	5.90	3.50	3.50	5.90	
21	6.50	6.20	13.4	37.0	61.8	22.4	17.4	7.32	5.30	3.50	3.30	5.90	
22	6.50	6.91	13.4	34.0	55.5	23.8	17.4	6.50	5.90	3.50	3.30	5.90	
23	7.32	6.91	11.7	29.4	55.5	22.4	16.2	6.50	5.90	3.30	3.30	5.90	
24	7.73	6.20	10.6	29.4	68.3	22.4	21.2	6.50	5.90	3.30	3.30	5.90	
25	7.73	6.20	10.6	29.4	70.6	21.2	21.2	5.90	5.90	3.30	3.40	6.50	
26	8.96	6.20	9.78	28.0	57.6	21.2	19.9	5.00	5.30	3.30	3.50	14.0	
27	8.96	6.20	9.78	26.6	47.9	21.2	19.9	5.30	5.30	3.30	3.50	37.0	
28	8.55	6.20	8.96	22.4	44.2	22.4	19.9	4.70	5.30	3.10	3.50	50.8	
29	8.55		8.96	22.4	46.0	25.2	19.9	4.70	4.70	3.10	3.50	37.0	
30	8.55		8.14	29.4	46.0	26.6	18.7	5.30	5.30	3.30	3.40	22.4	
31	8.55		37.0		42.4		18.7	4.70		3.30		22.4	
SD1	9.53	8.18	9.66	34.3	48.1	32.7	25.2	15.3	4.46	4.58	3.34	7.48	
SD2	7.65	6.94	14.7	48.5	60.5	23.2	23.4	8.42	6.12	4.34	3.92	7.26	
SD3	7.99	6.38	12.9	28.8	54.2	22.9	19.1	5.67	5.48	3.30	3.40	19.4	
MAX	10.6	8.55	37.0	88.8	70.6	53.6	30.9	17.4	7.32	5.90	5.30	50.8	
DAT	9	1	31	15	25	1	11	1	16	9	16	28	
SR	8.38	7.22	12.5	37.2	54.3	26.3	22.5	9.67	5.35	4.05	3.55	11.6	
MIN	6.50	6.20	7.32	21.2	34.0	19.9	16.2	4.70	4.10	3.10	3.10	5.90	
DAT	17	14	1	8	1	19	23	28	3	28	1	20	
GMIN =			3.10	SRGOD=			16.9	GMAX =			88.8		
DATUM			28 10					DATUM			15 4		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1968

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	37.0	4.10	15.1	26.6	55.5	37.0	16.2	5.90	10.6	10.6	3.50	15.1
2	44.2	4.10	15.1	28.0	61.8	34.0	16.2	5.90	11.7	10.6	3.50	14.0
3	44.2	3.80	12.8	28.0	55.5	32.4	16.2	5.90	11.7	10.6	3.50	12.8
4	37.0	3.50	10.6	28.7	51.7	30.9	15.1	5.90	10.6	10.6	3.50	10.6
5	22.4	3.50	10.6	29.4	49.8	28.0	15.1	5.90	10.6	9.78	4.10	10.6
6	16.2	3.50	9.78	35.5	53.6	28.0	12.8	6.50	11.7	8.14	3.50	10.6
7	16.2	3.50	9.78	37.0	55.5	22.4	11.7	6.50	11.7	6.50	5.30	10.6
8	21.2	4.10	9.78	37.0	63.9	22.4	11.7	8.14	10.6	6.50	5.90	10.6
9	16.2	4.10	9.78	44.2	55.5	21.2	10.6	10.6	10.6	6.50	5.90	10.6
10	15.1	5.30	9.78	44.2	55.5	21.2	10.6	8.96	10.6	6.50	8.96	10.6
11	12.8	5.30	10.6	45.1	61.8	28.0	10.6	8.14	10.6	6.50	9.37	9.78
12	10.6	5.30	15.1	37.0	46.0	32.4	10.6	7.32	9.37	6.50	19.9	8.96
13	9.78	5.90	10.6	29.4	46.0	32.4	10.6	8.14	8.96	6.20	19.9	8.96
14	8.14	5.90	9.78	26.6	47.9	30.9	10.6	8.96	8.96	6.20	15.1	8.14
15	6.50	5.90	9.78	26.6	51.7	37.0	10.6	8.96	8.14	5.90	15.1	8.14
16	6.50	5.90	9.78	27.3	46.0	40.6	9.78	9.78	8.14	5.90	18.7	8.14
17	6.50	6.50	9.37	26.6	46.0	37.0	9.78	8.96	8.14	5.30	21.2	8.14
18	5.90	9.78	9.37	29.4	37.0	37.0	9.78	8.96	7.32	5.30	75.2	14.0
19	5.90	9.78	9.37	35.5	35.5	37.0	9.78	9.78	8.96	5.30	121	66.0
20	5.30	6.50	9.37	37.0	29.4	35.5	8.96	12.8	10.6	5.00	121	193
21	5.30	9.78	9.37	37.0	29.4	32.4	8.96	14.0	10.6	4.70	121	142
22	4.70	10.6	10.6	35.5	29.4	28.0	8.96	15.1	10.6	4.70	82.5	77.5
23	4.10	10.6	29.4	35.5	30.9	26.6	8.96	15.1	11.2	4.70	57.6	55.5
24	3.50	10.6	37.0	37.0	30.9	22.4	8.96	15.1	14.5	4.10	37.0	37.0
25	3.50	12.8	37.0	42.4	29.4	22.4	6.50	15.1	17.4	4.10	29.4	28.0
26	3.50	15.1	29.4	46.0	29.4	21.2	6.50	11.7	17.4	4.10	28.0	22.4
27	3.50	16.2	28.0	49.8	28.0	21.2	6.50	12.8	16.2	4.70	22.4	22.4
28	3.80	16.2	28.0	51.7	29.4	19.9	6.50	14.0	15.1	4.70	17.4	21.2
29	3.80	15.1	25.2	51.7	29.4	18.7	6.50	14.0	14.0	4.10	16.2	19.9
30	4.40		22.4	51.7	28.0	18.7	6.50	10.6	10.6	5.30	14.0	18.7
31	4.40		22.4		35.5		6.20	10.6		4.10		17.4
SD1	27.0	3.95	11.3	33.9	55.8	27.8	13.6	7.02	11.0	8.63	4.77	11.6
SD2	7.79	6.68	10.3	32.0	44.7	34.8	10.1	9.18	8.92	5.81	43.6	33.3
SD3	4.05	13.0	25.3	43.8	30.0	23.1	7.37	13.5	13.8	4.48	42.5	42.0
MAX	44.2	16.2	37.0	51.7	63.9	40.6	16.2	15.1	17.4	10.6	121	193
DAT	2	27	24	28	8	16	1	22	26	1	20	20
SR	12.6	7.70	16.0	36.6	43.1	28.6	10.3	10.0	11.2	6.25	30.3	29.4
MIN	3.50	3.50	9.37	26.6	28.0	18.7	6.20	5.90	7.32	4.10	3.50	8.14
DAT	24	4	17	1	27	29	31	1	18	24	1	14
		GMIN = 3.50			SRGOD= 20.2			GMAX = 193				
		DATUM 24 1								DATUM 20 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1969

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	11.7	5.90	14.0	16.2	75.2	35.5	21.2	8.96	9.78	6.50	3.50	37.0	
2	10.6	5.90	10.6	12.8	66.0	35.5	17.4	9.78	6.50	6.50	3.40	29.4	
3	9.78	5.90	10.6	10.6	63.9	35.5	16.2	9.78	6.50	6.50	3.40	29.4	
4	8.14	6.50	10.6	10.6	63.9	37.0	17.4	8.96	6.50	6.50	3.40	23.1	
5	8.14	8.96	10.6	10.6	68.3	37.0	16.2	8.96	6.50	6.50	3.40	23.1	
6	8.14	10.6	9.78	10.6	77.5	37.0	16.2	8.14	6.50	6.50	3.30	61.8	
7	8.14	10.6	9.78	10.6	77.5	55.5	16.2	8.14	6.91	6.50	3.30	75.2	
8	8.14	10.6	9.78	10.6	77.5	63.9	16.2	8.14	6.91	6.50	3.20	70.6	
9	8.14	10.6	9.78	10.6	72.9	55.5	15.1	8.14	6.91	6.50	3.20	66.0	
10	8.14	10.6	9.78	10.6	72.9	37.0	15.1	7.32	6.91	6.50	3.40	55.5	
11	8.14	10.6	9.78	10.6	63.9	37.0	15.1	7.32	6.91	3.80	3.40	37.0	
12	8.14	9.78	9.78	11.7	55.5	35.5	15.1	7.32	6.50	3.80	3.30	29.4	
13	7.32	9.78	9.37	14.0	55.5	34.0	15.1	6.50	6.91	3.80	3.30	26.6	
14	6.50	12.8	9.37	15.1	63.9	29.4	14.0	6.50	6.91	3.80	3.30	22.4	
15	6.50	12.8	8.96	16.2	66.0	32.4	12.8	6.50	6.91	3.80	3.20	18.7	
16	9.78	15.1	8.96	16.2	75.2	32.4	11.7	6.50	6.91	3.50	3.40	16.2	
17	6.50	16.2	15.1	16.2	77.5	32.4	11.7	5.90	6.91	3.50	3.40	14.0	
18	6.50	15.1	19.9	16.2	77.5	30.9	11.7	5.90	10.6	3.50	3.40	10.6	
19	6.50	15.1	21.2	16.2	72.9	29.4	11.7	8.96	10.6	3.50	4.10	10.6	
20	6.50	10.6	21.2	15.1	75.2	29.4	11.7	9.37	10.6	3.50	4.10	10.6	
21	5.90	10.6	19.9	15.1	72.9	29.4	11.7	8.96	10.6	3.50	4.10	9.78	
22	5.90	10.6	19.9	17.4	66.0	29.4	11.7	8.96	11.2	3.50	4.10	9.78	
23	5.90	10.6	19.9	18.7	66.0	29.4	11.7	7.32	11.2	3.50	5.30	8.96	
24	5.90	10.6	19.9	92.6	61.8	28.0	10.6	7.32	10.6	3.50	6.20	8.96	
25	5.90	10.6	16.2	90.0	53.6	28.0	10.6	6.50	10.6	3.50	22.4	8.96	
26	5.90	10.6	18.7	66.0	46.0	26.6	10.6	8.96	10.6	3.50	145	8.96	
27	5.90	14.0	18.7	55.5	44.2	26.6	9.78	8.96	10.6	3.50	177	8.96	
28	5.90	14.0	16.2	37.0	42.4	26.6	9.78	12.8	6.91	3.50	177	9.37	
29	5.90		16.2	66.0	40.6	23.8	9.78	15.1	6.91	3.50	44.2	9.78	
30	5.90		16.2	72.9	37.0	22.4	9.78	15.6	6.50	3.50	42.4	10.2	
31	5.90		16.2		35.5		9.78	10.6		3.50		10.2	
SD1	8.91	8.62	10.5	11.4	71.6	42.9	16.7	8.63	6.99	6.50	3.35	47.1	
SD2	7.24	12.8	13.4	14.8	68.3	32.3	13.1	7.08	7.98	3.65	3.49	19.6	
SD3	5.90	11.4	18.0	53.1	51.5	27.0	10.5	10.1	9.57	3.50	62.8	9.45	
MAX	11.7	16.2	21.2	92.6	77.5	63.9	21.2	15.6	11.2	6.50	177	75.2	
DAT	1	17	19	24	17	8	1	30	22	1	27	7	
SR	7.30	10.9	14.1	26.4	63.4	34.1	13.3	8.65	8.18	4.52	23.2	24.9	
MIN	5.90	5.90	8.96	10.6	35.5	22.4	9.78	5.90	6.50	3.50	3.20	8.96	
DAT	21	1	15	3	31	30	27	17	2	16	8	23	
		GMIN =		3.20		SRGOD=		20.0		GMAX =		177	
		DATUM		8 11						DATUM		27 11	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1970

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	10.6	14.0	11.7	45.1	71.8	44.2	37.0	19.9	12.8	4.70	14.0	19.9	
2	10.6	12.8	10.6	55.5	62.8	44.2	37.0	19.9	12.8	5.30	12.8	16.2	
3	10.6	12.8	10.6	62.8	51.7	44.2	37.0	19.9	12.3	5.90	10.6	16.2	
4	10.6	12.8	10.6	62.8	44.2	37.0	37.0	17.4	11.7	8.96	10.6	16.2	
5	10.6	11.7	10.6	37.0	34.7	37.0	37.0	16.2	11.7	8.96	10.6	16.2	
6	11.7	15.1	15.6	37.0	23.8	35.5	37.0	16.2	10.6	8.96	10.6	16.2	
7	61.8	19.3	16.2	29.4	16.2	35.5	37.0	16.2	10.6	9.78	10.6	15.1	
8	74.1	21.2	16.2	29.4	16.2	34.0	40.6	16.2	10.6	8.14	9.78	14.0	
9	90.0	21.2	14.5	103	19.9	52.7	40.6	15.1	10.6	8.14	9.78	14.0	
10	90.0	26.6	12.8	160	35.5	55.5	37.0	15.1	9.78	7.73	10.6	12.8	
11	80.0	26.6	10.6	130	37.0	66.0	37.0	15.1	9.78	6.50	10.6	12.8	
12	66.0	21.2	10.6	77.5	55.5	66.0	37.0	16.2	9.78	6.50	10.6	10.6	
13	66.0	21.2	10.6	66.0	72.9	66.0	37.0	16.2	8.96	6.50	10.6	10.6	
14	55.5	28.7	10.6	55.5	72.9	66.0	34.0	15.1	8.96	6.50	10.6	10.6	
15	55.5	29.4	14.0	77.5	66.0	59.7	33.2	14.0	8.96	6.50	14.0	10.6	
16	37.0	55.5	21.2	66.0	60.8	55.5	32.4	14.0	8.14	6.50	19.9	10.6	
17	130	37.0	21.2	55.5	66.0	55.5	32.4	13.4	8.14	8.14	55.5	9.78	
18	130	30.9	18.7	37.0	74.1	55.5	35.5	13.4	8.14	8.14	55.5	9.78	
19	106	29.4	17.4	37.0	74.1	60.8	35.5	13.4	8.14	6.50	37.0	8.96	
20	66.0	26.6	16.2	35.5	60.8	61.8	34.0	12.8	7.32	6.50	29.4	8.96	
21	37.0	16.2	16.2	29.4	60.8	60.8	29.4	12.8	7.32	8.96	36.2	8.14	
22	22.4	16.2	16.2	37.0	60.8	55.5	29.4	10.6	6.50	10.6	37.0	8.14	
23	18.1	15.1	14.5	55.5	66.0	44.2	23.1	10.6	6.50	55.5	101	8.14	
24	18.1	15.1	14.5	63.9	66.0	37.0	23.1	10.6	6.50	66.0	72.9	7.73	
25	16.2	12.8	12.8	66.0	63.9	37.0	22.4	10.6	6.50	55.5	66.0	6.50	
26	16.2	12.8	12.8	76.3	55.5	44.2	22.4	10.6	6.50	37.0	37.0	6.50	
27	16.2	12.8	16.2	80.0	44.2	44.2	22.4	10.6	6.50	29.4	29.4	6.50	
28	16.2	11.7	22.4	85.0	44.2	37.0	22.4	10.6	6.20	25.2	26.6	7.73	
29	15.1		145	90.0	44.2	37.0	22.4	9.78	5.90	19.9	22.4	18.1	
30	15.1		124	96.5	37.0	37.0	16.8	6.50	5.30	16.2	16.2	30.9	
31	14.5		55.5		37.0		16.8	6.50		14.0		145	
SD1	38.1	16.8	12.9	62.2	37.7	42.0	37.7	17.2	11.3	7.66	11.0	15.7	
SD2	79.2	30.6	15.1	63.8	64.0	61.3	34.8	14.4	8.63	6.83	25.4	10.3	
SD3	18.6	14.1	40.9	68.0	52.7	43.4	22.8	9.98	6.37	30.8	44.5	23.0	
MAX	130	55.5	145	169	74.1	66.0	40.6	19.9	12.8	66.0	101	145	
DAT	18	16	29	10	18	11	8	1	1	24	23	31	
SR	44.4	21.0	23.6	64.6	51.5	48.9	31.5	13.7	8.78	15.6	26.9	16.6	
MIN	10.6	11.7	10.6	29.4	16.2	34.0	16.8	6.50	5.30	4.70	9.78	6.50	
DAT	1	5	2	7	7	8	30	30	30	1	8	25	
		GMIN =	4.70			SRGOD=	30.6			GMAX =	169		
		DATUM	1 10							DATUM	10 4		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1971

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	160	19.9	6.50	15.1	37.0	42.4	16.2	12.8	6.50	5.90	6.50	55.5
2	130	21.2	6.50	15.1	66.0	37.0	16.2	11.7	6.50	5.90	6.50	77.5
3	116	16.2	6.50	14.0	103	37.0	16.2	10.6	6.50	5.30	5.90	77.5
4	103	16.2	6.50	14.0	103	35.5	16.2	10.6	6.50	5.30	5.00	37.0
5	66.0	15.1	6.50	14.0	103	35.5	16.2	10.6	6.50	5.30	4.70	29.4
6	37.0	14.0	6.50	16.2	103	34.0	15.1	10.6	6.50	5.30	4.10	22.4
7	29.4	10.6	6.50	37.0	90.0	34.0	15.1	9.78	6.50	5.30	4.10	22.4
8	26.6	10.6	6.50	37.0	66.0	34.0	12.8	9.78	5.90	5.00	5.30	16.2
9	22.4	10.6	5.90	34.0	55.5	32.4	12.8	8.96	5.30	5.00	5.30	15.1
10	17.4	10.6	5.90	34.0	55.5	32.4	11.7	8.96	5.30	5.00	4.70	10.6
11	16.2	9.78	5.90	34.0	55.5	29.4	10.6	8.96	5.30	4.70	4.70	10.6
12	16.2	9.78	5.90	34.0	55.5	29.4	10.6	8.14	4.70	4.70	5.90	10.6
13	16.2	8.96	5.30	35.5	55.5	29.4	10.6	8.14	4.70	4.70	6.50	9.78
14	14.0	8.96	5.30	37.0	55.5	28.0	10.6	8.14	6.50	4.70	8.96	9.78
15	12.3	8.14	5.30	37.0	50.8	22.4	10.6	8.14	8.96	4.70	6.50	8.96
16	10.6	8.55	5.90	29.4	37.0	22.4	10.6	8.14	9.78	5.30	6.50	8.96
17	10.6	8.55	5.90	26.6	37.0	22.4	10.6	8.14	10.6	5.30	6.50	8.14
18	10.6	8.96	5.90	22.4	37.0	21.2	10.6	7.32	12.8	22.4	6.50	8.14
19	10.6	8.96	5.90	22.4	37.0	19.9	9.78	6.50	12.8	19.9	6.50	8.14
20	8.96	8.96	5.30	23.1	37.0	19.9	9.78	6.50	12.8	16.2	12.8	8.14
21	8.96	8.96	5.30	26.6	37.0	19.9	10.6	6.50	8.55	14.0	14.0	8.14
22	10.6	8.96	5.30	29.4	37.0	19.9	10.6	6.50	8.14	10.6	16.2	8.14
23	12.3	8.96	37.0	29.4	35.5	19.9	10.6	6.50	6.50	9.37	26.6	8.14
24	12.3	8.55	34.0	37.0	35.5	19.3	10.6	6.50	6.50	9.37	28.7	6.50
25	16.2	8.55	22.4	55.5	35.5	19.3	10.6	6.50	6.50	8.96	29.4	6.50
26	18.1	7.32	22.4	61.8	35.5	18.7	10.6	6.50	6.50	8.14	29.4	6.50
27	19.9	6.50	22.4	61.8	34.0	18.7	8.96	6.50	6.50	6.50	29.4	5.90
28	23.8	6.50	19.9	44.2	34.0	18.7	8.96	6.50	5.90	6.50	28.0	5.90
29	23.8		19.3	37.0	35.5	18.7	8.96	6.50	5.30	6.50	29.4	5.90
30	22.4		19.3	37.0	37.0	18.7	10.6	6.50	5.30	6.50	29.4	5.90
31	19.9		16.2		37.0		10.6	6.50		6.50		5.90
SD1	70.8	14.5	6.38	23.0	78.2	35.4	14.9	10.4	6.20	5.33	5.21	36.4
SD2	12.6	8.96	5.66	30.1	45.8	24.4	10.4	7.81	8.89	9.26	7.14	9.12
SD3	17.1	8.04	20.3	42.0	35.8	19.2	10.2	6.50	6.57	8.45	26.0	6.67
MAX	160	21.2	37.0	61.8	103	42.4	16.2	12.8	12.8	22.4	29.4	77.5
DAT	1	2	23	26	5	1	1	1	18	18	25	2
SR	33.0	10.7	11.1	31.7	52.7	26.3	11.8	8.19	7.22	7.70	12.8	17.0
MIN	8.96	6.50	5.30	14.0	34.0	18.7	8.96	6.50	4.70	4.70	4.10	5.90
DAT	20	27	13	3	27	26	27	19	12	11	6	27
GMIN =			4.10	SRGOD=			19.3	GMAX =			160	
DATUM			6 11					DATUM			1 1	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1972

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	5.90	6.50	6.50	10.6	38.8	26.6	14.0	10.2	7.73	44.2	16.2	26.6
2	5.90	6.50	10.2	11.2	38.8	26.6	12.8	10.2	9.78	37.0	15.6	26.6
3	7.32	6.50	10.6	14.0	37.0	26.6	12.8	9.78	9.37	34.0	15.1	25.2
4	7.32	5.90	11.7	14.0	36.2	29.4	10.6	9.78	8.14	29.4	12.8	23.8
5	8.14	5.90	12.8	15.1	36.2	30.9	10.6	9.78	7.32	26.6	11.7	22.4
6	8.96	5.90	12.8	15.1	36.2	30.9	10.6	9.78	8.96	21.2	10.6	21.2
7	9.78	5.90	12.8	16.2	29.4	29.4	10.6	8.55	8.14	18.7	10.6	19.9
8	9.78	5.60	10.6	18.1	29.4	29.4	10.6	8.55	7.32	16.2	10.6	18.7
9	9.78	5.30	10.6	22.4	29.4	23.1	10.6	8.14	6.50	15.1	10.6	16.2
10	9.78	5.00	9.78	22.4	29.4	23.1	10.6	7.32	6.50	15.1	10.6	16.2
11	9.37	5.30	8.96	24.5	29.4	26.6	10.6	7.32	6.50	22.4	9.78	15.1
12	8.96	5.30	8.96	26.6	29.4	26.6	10.6	7.32	6.50	26.6	9.78	12.8
13	8.96	6.50	8.96	29.4	29.4	25.2	10.6	7.32	6.50	27.3	28.0	12.8
14	8.96	6.50	8.96	29.4	29.4	26.6	10.6	6.50	6.50	37.0	22.4	10.6
15	8.96	6.50	8.96	29.4	29.4	26.6	12.8	6.50	6.50	37.0	21.2	10.6
16	8.96	6.50	9.78	31.7	29.4	23.1	12.3	6.50	10.6	32.4	22.4	10.6
17	8.96	6.50	10.6	33.2	29.4	23.1	16.2	6.50	100	28.0	32.4	10.6
18	8.14	5.90	10.6	34.0	32.4	23.1	19.9	6.50	72.9	22.4	28.0	10.6
19	8.14	5.90	10.6	34.0	35.5	23.1	16.2	6.50	37.0	22.4	29.4	10.6
20	8.14	5.90	10.6	34.0	37.0	22.4	15.1	6.50	29.4	19.9	37.0	9.78
21	7.32	5.90	9.78	34.7	37.0	21.2	14.0	10.6	22.4	18.7	37.0	8.96
22	6.50	6.50	9.37	34.7	37.0	19.9	14.0	16.2	19.9	25.2	77.5	8.96
23	6.50	7.32	8.96	34.7	37.0	19.3	12.8	16.2	16.2	25.2	77.5	8.55
24	6.50	7.32	8.96	32.4	35.5	17.4	12.8	12.8	15.6	22.4	66.0	8.55
25	6.50	7.32	8.96	29.4	35.5	16.2	10.6	10.6	15.1	19.9	90.0	8.14
26	6.50	6.50	8.96	29.4	32.4	15.6	10.6	9.78	15.1	21.2	90.0	8.14
27	6.50	6.50	8.96	37.0	30.9	14.5	10.6	8.55	16.2	21.2	72.9	7.32
28	6.50	6.50	8.96	37.0	29.4	14.0	10.6	8.14	113	19.9	37.0	6.50
29	6.50	6.50	9.78	37.9	29.4	14.0	10.6	6.50	110	16.2	29.4	6.50
30	6.50		10.6	38.8	29.4	14.0	10.6	6.50	85.0	16.2	26.6	6.50
31	6.50		10.6		28.0		10.6	7.32		16.2		6.50
SD1	8.27	5.90	10.8	15.9	34.1	27.6	11.4	9.21	7.98	25.8	12.4	21.7
SD2	8.75	6.08	9.70	30.6	31.1	24.6	13.5	6.75	28.2	27.5	24.0	11.4
SD3	6.57	6.71	9.44	34.6	32.9	16.6	11.6	10.3	42.8	20.2	60.4	7.69
MAX	9.78	7.32	12.8	38.8	38.8	30.9	19.9	16.2	113	44.2	90.0	26.6
DAT	7	23	5	30	1	5	18	22	28	1	25	1
SR	7.82	6.21	9.98	27.0	32.7	23.0	12.1	8.80	26.4	24.4	32.3	13.4
MIN	5.90	5.00	6.50	10.6	28.0	14.0	10.6	6.50	6.50	15.1	9.78	6.50
DAT	1	10	1	1	31	28	4	14	9	9	11	28
		GMIN = 5.00			SRGOD= 18.6			GMAX = 113				
		DATUM 10 2						DATUM 28 9				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1973

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	6.50	5.90	6.50	10.6	37.0	28.0	14.0	16.2	6.50	14.0	16.2	18.7
2	6.50	5.90	6.50	15.1	46.0	27.3	14.0	10.6	6.50	12.8	16.2	16.2
3	6.50	6.50	5.90	16.2	55.5	26.6	14.0	14.0	6.50	11.7	14.0	15.1
4	6.50	6.50	5.90	16.2	68.3	28.0	14.0	12.8	6.50	10.6	10.6	14.0
5	6.50	5.90	5.30	18.7	90.0	28.0	14.0	11.7	6.50	10.6	10.6	15.1
6	6.20	5.90	5.30	16.2	103	26.6	14.0	10.6	6.50	10.6	10.6	14.0
7	6.20	5.90	5.30	14.0	110	26.6	12.8	10.6	6.50	9.78	11.7	12.8
8	5.90	5.90	5.30	14.0	110	28.0	12.8	10.6	6.50	8.96	46.0	14.0
9	5.90	5.90	5.90	15.1	97.8	29.4	11.7	9.78	5.90	8.96	46.0	10.6
10	5.90	5.90	6.50	17.4	95.2	29.4	11.7	9.78	5.90	8.96	37.0	14.0
11	5.60	15.1	6.50	29.4	77.5	26.6	12.8	8.96	5.90	8.96	46.0	18.7
12	5.30	15.1	5.90	66.0	55.5	25.9	12.8	8.96	5.90	8.96	46.0	17.4
13	5.30	12.8	5.30	55.5	46.0	23.8	12.8	8.14	5.90	8.96	37.0	16.2
14	5.30	9.78	5.30	37.0	46.0	23.8	11.7	7.32	5.30	8.14	35.5	16.2
15	5.00	15.1	5.30	29.4	44.2	26.6	11.7	7.32	5.30	8.14	37.0	16.2
16	5.00	19.9	5.30	22.4	44.2	23.8	10.6	7.32	5.30	14.0	46.0	16.2
17	5.00	16.2	5.30	19.9	44.2	21.2	10.6	6.50	5.30	19.9	46.0	15.1
18	5.30	14.0	5.30	17.4	45.1	19.9	10.6	6.50	5.30	19.9	37.0	15.1
19	14.0	11.7	5.30	16.2	40.6	19.9	10.6	6.50	7.32	17.4	21.2	16.2
20	15.1	10.6	5.30	16.2	46.0	18.7	9.78	6.50	10.6	15.1	21.2	16.2
21	10.6	9.78	5.30	16.2	55.5	17.4	9.78	6.50	14.0	14.0	18.7	16.2
22	9.78	8.96	5.30	19.9	55.5	16.2	8.96	6.50	16.2	21.2	16.2	19.9
23	8.96	8.14	5.30	17.4	53.6	16.2	8.96	6.50	22.4	100	16.2	28.0
24	9.78	7.32	5.30	19.9	54.5	16.2	11.7	6.50	22.4	77.5	15.1	32.4
25	9.78	6.50	5.30	19.9	54.5	16.2	25.2	6.50	18.7	59.7	12.8	30.9
26	6.50	6.50	5.90	25.2	44.2	16.2	34.0	5.90	16.2	37.0	12.8	28.0
27	6.50	6.50	5.90	25.2	46.0	15.1	32.4	5.90	17.4	29.4	22.4	55.5
28	6.50	6.50	6.50	22.4	37.0	15.1	25.2	6.50	18.7	19.9	25.2	55.5
29	6.50		6.50	25.2	36.2	14.0	21.2	8.14	18.7	18.7	22.4	46.0
30	6.50		9.78	29.4	28.0	14.0	19.9	8.14	16.2	17.4	21.2	35.5
31	6.50		10.6		27.3		17.4	6.50		17.4		28.0
SD1	6.26	6.02	5.84	15.4	81.3	27.8	13.3	11.7	6.38	10.7	21.9	14.4
SD2	7.09	14.0	5.48	30.9	48.9	23.0	11.4	7.40	6.21	12.9	37.3	16.3
SD3	7.99	7.53	6.52	22.1	44.8	15.7	19.5	6.69	18.1	37.5	18.3	34.2
MAX	15.1	19.9	10.6	66.0	110	29.4	34.0	16.2	22.4	100	46.0	55.5
DAT	20	16	31	12	7	9	26	1	23	23	8	27
SR	7.14	9.31	5.96	22.8	57.9	22.2	14.9	8.52	10.2	20.9	25.8	22.1
MIN	5.00	5.90	5.30	10.6	27.3	14.0	8.96	5.90	5.30	8.14	10.6	10.6
DAT	15	1	5	1	31	29	22	26	14	14	4	9
		GMIN = 5.00			SRGOD= 19.0			GMAX = 110				
		DATUM 15 1						DATUM 7 5				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1974

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
 Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
 Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	28.0	6.50	8.14	22.4	37.0	37.0	32.4	8.96	5.30	16.2	38.8	37.0
2	25.2	6.50	8.14	22.4	63.9	37.0	32.4	8.14	5.30	22.4	37.0	32.4
3	25.2	6.50	8.14	22.4	63.9	50.8	30.9	8.14	5.30	28.0	32.4	22.4
4	22.4	6.50	8.14	22.4	46.0	50.8	23.8	8.14	5.30	28.0	29.4	22.4
5	22.4	8.96	7.73	19.9	46.0	37.0	22.4	8.14	5.30	22.4	25.2	21.2
6	22.4	8.96	7.73	18.7	61.8	37.0	22.4	8.14	5.00	22.4	22.4	19.9
7	19.9	10.6	8.14	18.7	61.8	37.0	19.9	8.14	5.00	22.4	22.4	18.7
8	18.7	14.0	7.32	17.4	46.0	37.0	25.2	8.14	4.70	34.0	22.4	18.7
9	16.2	14.0	7.32	16.2	37.0	37.0	19.9	7.73	4.70	55.5	19.9	16.2
10	15.1	14.0	6.50	14.5	28.0	37.0	17.4	7.32	4.70	55.5	19.9	16.2
11	15.1	9.78	6.50	12.8	18.7	35.5	16.2	6.91	4.70	46.0	18.7	15.1
12	14.0	8.96	6.50	12.8	28.0	34.0	16.2	6.91	4.10	34.0	18.7	14.0
13	14.0	8.96	6.50	12.8	29.4	37.0	16.2	6.50	4.10	29.4	17.4	16.2
14	10.6	8.96	6.50	10.6	29.4	37.0	16.2	6.50	3.50	29.4	16.2	16.2
15	10.6	10.6	6.50	16.2	33.2	34.0	15.1	6.50	3.50	37.0	16.2	14.0
16	9.78	10.6	6.50	17.4	55.5	26.6	15.1	6.50	3.50	90.0	16.2	15.1
17	9.78	10.6	6.50	17.4	55.5	26.6	15.1	6.50	3.50	145	16.2	14.0
18	8.96	10.6	6.50	15.1	46.0	22.4	12.8	6.20	3.50	130	16.2	14.0
19	8.96	10.6	6.50	11.7	46.0	22.4	12.8	6.20	3.50	116	16.2	14.0
20	8.96	10.6	6.50	10.6	37.0	29.4	12.8	5.90	3.50	77.5	16.2	12.8
21	8.96	10.6	6.50	14.0	35.5	29.4	12.8	5.90	3.50	55.5	15.1	12.8
22	8.14	9.78	6.50	14.0	37.0	26.6	12.8	5.30	3.50	77.5	15.1	12.8
23	7.32	9.78	6.50	14.0	50.8	23.1	10.6	5.30	6.50	90.0	15.1	12.8
24	6.50	9.78	10.6	12.8	55.5	23.1	10.6	5.90	11.7	205	15.1	12.8
25	6.50	8.96	15.1	12.8	50.8	23.1	10.6	5.90	12.8	198	15.1	12.8
26	6.50	8.96	16.2	14.0	77.5	23.1	10.6	5.90	15.1	192	16.2	10.6
27	6.50	8.14	16.2	14.0	72.9	23.1	10.2	5.90	15.1	116	28.0	10.6
28	6.50	8.14	19.9	14.0	59.7	23.1	10.2	5.90	26.6	66.0	29.4	10.6
29	6.50		22.4	16.2	55.5	23.1	9.78	5.90	19.9	55.5	37.0	10.6
30	6.50		22.4	21.2	55.5	28.0	8.96	5.90	16.2	55.5	46.0	10.6
31	6.50		22.4		46.0		8.96	5.90		38.8		10.6
SD1	21.5	9.65	7.73	19.5	49.1	39.8	24.7	8.10	5.06	30.7	27.0	22.5
SD2	11.1	10.0	6.50	13.7	37.9	30.5	14.9	6.46	3.74	73.4	16.8	14.5
SD3	6.95	9.27	15.0	14.7	54.2	24.6	10.6	5.79	13.1	105	23.2	11.6
MAX	28.0	14.0	22.4	22.4	77.5	50.8	32.4	8.96	26.6	256	46.0	37.0
DAT	1	8	29	1	26	3	1	1	28	24	30	1
SR	13.0	9.68	9.90	16.0	47.3	31.6	16.5	6.75	7.30	70.7	22.3	16.1
MIN	6.50	6.50	6.50	10.6	18.7	22.4	8.96	5.30	3.50	16.2	15.1	10.6
DAT	24	1	10	14	11	18	30	22	14	1	21	26
		GMIN = 3.50			SRGOD= 22.4			GMAX = 256				
		DATUM 14 9						DATUM 24 10				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1975

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
 Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
 Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	10.6	6.50	5.30	28.0	28.0	22.4	14.0	6.50	4.70	3.30	15.1	15.1	
2	9.78	5.90	5.30	55.5	28.0	22.4	14.0	6.50	4.70	3.30	14.0	14.0	
3	9.78	5.90	5.30	77.5	28.0	25.2	14.0	6.50	4.70	3.30	14.0	12.8	
4	8.96	5.90	5.30	77.5	26.6	26.6	12.8	6.50	4.70	3.30	9.78	11.7	
5	8.96	5.90	5.30	68.3	26.6	23.8	12.8	5.90	4.70	3.30	9.78	10.6	
6	8.96	5.90	5.30	55.5	25.2	19.9	12.8	5.90	4.70	3.30	8.96	10.6	
7	8.96	5.90	5.30	37.0	26.6	19.9	14.0	5.60	4.70	3.30	8.96	9.78	
8	8.96	5.90	5.30	34.0	28.0	18.7	14.0	5.60	4.70	3.30	8.96	9.78	
9	8.96	5.90	5.90	29.4	29.4	17.4	11.7	5.30	4.10	3.30	8.96	9.78	
10	8.96	5.90	5.90	29.4	35.5	16.2	10.6	5.30	3.50	3.30	8.96	9.78	
11	8.96	5.90	5.90	55.5	35.5	16.2	10.6	5.30	3.50	3.30	8.96	9.78	
12	8.14	5.90	5.90	55.5	35.5	16.2	10.6	5.30	3.50	4.10	8.96	9.78	
13	8.14	5.90	5.90	37.0	35.5	16.2	10.6	5.30	3.50	4.70	8.96	9.78	
14	8.14	6.50	6.50	29.4	35.5	16.2	10.6	5.30	3.50	10.6	8.14	9.78	
15	8.14	6.50	6.50	26.6	35.5	16.2	10.6	5.30	3.50	10.6	8.14	8.96	
16	8.14	6.50	6.50	25.2	28.0	16.2	10.6	4.70	3.50	10.6	8.14	8.96	
17	8.14	6.50	6.50	26.6	30.9	16.2	10.6	4.70	3.50	11.7	8.14	8.96	
18	8.14	6.50	6.50	22.4	30.9	16.2	10.6	4.70	3.50	29.4	8.96	21.2	
19	8.14	6.50	6.50	22.4	35.5	16.2	10.6	4.70	3.50	37.0	90.0	22.4	
20	8.14	6.50	6.50	22.4	35.5	16.2	9.78	4.10	3.50	29.4	145	22.4	
21	7.32	6.50	6.50	21.2	30.9	18.7	8.96	4.10	3.50	22.4	145	19.9	
22	7.32	5.90	6.50	21.2	30.9	18.7	8.96	4.70	3.50	19.9	133	18.7	
23	7.32	5.90	9.78	21.2	30.9	18.7	8.14	4.70	3.50	17.4	55.5	17.4	
24	7.32	5.90	9.78	22.4	29.4	16.2	8.14	4.70	3.40	16.2	29.4	16.2	
25	6.50	5.90	9.78	25.2	29.4	16.2	6.50	4.70	3.30	16.2	25.2	15.1	
26	6.50	5.90	9.78	25.2	29.4	16.2	6.50	4.70	3.30	16.2	22.4	14.0	
27	6.50	5.90	9.78	29.4	29.4	15.1	6.50	4.10	3.30	16.2	19.9	10.6	
28	6.50	5.90	9.78	29.4	29.4	15.1	6.50	4.10	3.30	15.1	18.7	10.6	
29	6.50		10.6	29.4	26.6	15.1	6.50	4.10	3.30	15.1	16.2	15.1	
30	6.50		10.6	29.4	26.6	14.0	6.50	4.10	3.30	15.1	15.1	14.0	
31	6.50		19.9		22.4		6.50	4.10		15.1		14.0	
SD1	9.29	5.96	5.42	49.2	28.2	21.2	13.1	5.96	4.52	3.30	10.7	11.4	
SD2	8.22	6.32	6.32	32.3	33.8	16.2	10.5	4.94	3.50	15.1	30.3	13.2	
SD3	6.80	5.98	10.3	25.4	28.7	16.4	7.25	4.37	3.37	16.8	48.0	15.1	
MAX	10.6	6.50	19.9	77.5	35.5	26.6	14.0	6.50	4.70	37.0	145	22.4	
DAT	1	1	31	3	19	4	1	1	1	19	20	19	
SR	8.06	6.09	7.43	35.6	30.2	18.0	10.2	5.07	3.80	11.9	29.7	13.3	
MIN	6.50	5.90	5.30	21.2	22.4	14.0	6.50	4.10	3.30	3.30	8.14	8.96	
DAT	25	2	1	21	31	30	25	20	25	1	14	15	
GMIN =			3.30	SRGOD=			14.9	GMAX =			145		
DATUM			25 9					DATUM			20 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1976

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	14.0	5.90	5.30	14.0	66.0	29.4	21.2	9.78	8.14	6.50	55.5	10.6	
2	12.8	5.90	5.90	14.0	66.0	29.4	21.2	9.78	8.14	6.50	55.5	12.8	
3	12.8	5.90	5.90	14.0	66.0	29.4	21.2	14.0	8.14	5.90	46.0	61.8	
4	11.7	5.90	5.90	18.7	66.0	29.4	15.1	9.78	8.14	5.90	37.0	61.8	
5	6.50	5.90	5.30	21.2	60.8	29.4	15.1	10.6	8.14	5.90	37.0	77.5	
6	6.50	5.90	5.30	21.2	71.8	35.5	15.1	10.6	10.6	5.90	32.4	77.5	
7	6.50	5.90	5.90	21.2	71.8	55.5	15.1	10.6	10.6	5.90	37.0	68.3	
8	6.50	5.90	5.90	26.6	66.0	70.6	14.0	10.6	10.6	5.90	51.7	59.7	
9	6.50	5.30	6.50	21.2	66.0	66.0	14.0	10.6	9.78	5.90	55.5	95.2	
10	6.50	5.30	6.50	22.4	66.0	42.4	14.0	10.6	9.78	5.90	46.0	77.5	
11	6.50	5.30	6.50	22.4	66.0	37.0	14.0	9.78	9.78	5.90	37.0	55.5	
12	6.50	5.30	6.50	21.2	60.8	32.4	14.0	9.78	8.96	5.90	29.4	46.0	
13	6.50	5.30	6.50	19.9	55.5	32.4	14.0	9.78	8.14	5.90	26.6	37.0	
14	6.50	5.30	6.50	16.2	60.8	29.4	14.0	9.78	8.14	5.90	46.0	34.0	
15	6.50	5.30	6.50	16.2	55.5	29.4	14.0	8.96	8.14	5.30	55.5	29.4	
16	6.50	5.30	6.50	16.2	55.5	28.0	12.8	8.96	7.32	5.90	46.0	25.2	
17	5.90	5.90	6.50	16.2	46.0	26.6	12.8	8.96	6.50	6.50	37.0	22.4	
18	5.90	5.90	6.50	17.4	37.0	37.0	12.8	9.78	6.50	37.0	34.0	26.6	
19	5.90	5.30	6.50	17.4	35.5	35.5	12.8	9.78	6.50	37.0	30.9	29.4	
20	5.90	5.30	6.50	19.9	35.5	29.4	12.8	9.78	7.32	32.4	26.6	29.4	
21	5.90	5.30	6.50	22.4	35.5	29.4	12.8	9.78	7.32	26.6	22.4	26.6	
22	5.90	5.30	6.50	26.6	37.0	29.4	11.7	10.6	6.50	16.2	19.9	25.2	
23	5.90	5.30	6.50	28.0	37.0	29.4	10.6	10.6	6.50	14.0	22.4	22.4	
24	5.90	5.30	7.32	29.4	37.0	29.4	10.6	11.7	6.50	10.6	21.2	21.2	
25	6.50	5.30	14.0	32.4	34.0	28.0	10.6	11.7	6.50	10.6	17.4	18.7	
26	6.50	5.30	18.7	37.0	35.5	28.0	10.6	10.6	6.50	10.6	15.1	16.2	
27	5.90	5.30	18.7	46.0	34.0	25.2	10.6	9.78	6.50	10.6	10.6	14.0	
28	5.90	5.30	14.0	50.8	32.4	22.4	10.6	9.78	6.50	10.6	10.6	10.6	
29	5.90	5.30	14.0	55.5	32.4	22.4	10.6	9.78	6.50	10.6	10.6	10.6	
30	5.90		14.0	60.8	30.9	21.2	10.6	8.96	6.50	9.78	10.6	14.0	
31	5.90		10.6		29.4		9.78	8.96		9.78		14.0	
SD1	9.03	5.78	5.84	19.5	66.6	41.7	16.6	10.7	9.21	6.02	45.4	60.3	
SD2	6.26	5.42	6.50	18.3	50.8	31.7	13.4	9.53	7.73	14.8	36.9	33.5	
SD3	6.01	5.30	11.9	38.9	34.1	26.5	10.8	10.2	6.58	12.7	16.1	17.6	
MAX	14.0	5.90	18.7	60.8	71.8	70.6	21.2	14.0	10.6	37.0	55.5	95.2	
DAT	1	1	26	30	6	8	1	3	6	18	15	9	
SR	7.06	5.51	8.20	25.5	50.0	33.3	13.5	10.1	7.84	11.2	32.8	36.5	
MIN	5.90	5.30	5.30	14.0	29.4	21.2	9.78	8.96	6.50	5.30	10.6	10.6	
DAT	17	9	1	1	31	30	31	15	17	15	27	1	
GMIN =			5.30	SRGOD=			20.2	GMAX =			95.2		
DATUM			9 2					DATUM			9 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1977

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	10.6	46.0	22.4	157	34.0	26.6	16.2	8.96	7.32	6.50	6.50	22.4
2	10.6	46.0	19.9	160	37.0	26.6	16.2	8.96	6.50	8.96	6.50	22.4
3	10.6	37.0	18.7	157	46.0	26.6	16.2	8.96	6.50	10.6	6.50	19.9
4	10.6	29.4	18.7	145	46.0	34.0	15.1	8.96	6.50	10.6	6.50	19.9
5	10.6	29.4	16.2	136	51.7	34.0	15.1	8.96	6.50	9.78	6.50	17.4
6	9.78	26.6	16.2	85.0	55.5	34.0	15.1	8.96	6.50	9.78	6.50	16.2
7	9.78	21.2	16.2	70.6	55.5	26.6	15.1	8.96	6.50	9.78	6.50	16.2
8	9.78	16.2	16.2	59.7	50.8	25.2	15.1	8.96	6.50	8.96	6.50	19.9
9	9.78	16.2	16.2	55.5	46.0	25.2	15.1	8.14	6.50	8.96	6.50	17.4
10	9.78	15.1	15.1	55.5	37.0	25.2	15.1	8.14	6.50	8.96	6.50	18.7
11	9.78	12.8	15.1	47.9	32.4	25.2	16.2	8.14	5.90	14.0	6.50	18.7
12	9.78	72.9	15.1	37.0	29.4	29.4	16.2	7.32	5.90	16.2	6.50	17.4
13	22.4	103	15.1	34.0	26.6	32.4	16.2	7.32	5.90	28.0	5.90	16.2
14	22.4	100	22.4	29.4	26.6	30.9	15.1	7.32	5.90	29.4	5.90	16.2
15	22.4	90.0	22.4	26.6	26.6	29.4	14.0	7.32	5.90	29.4	5.90	14.0
16	19.9	77.5	22.4	26.6	26.6	29.4	12.8	6.50	5.90	26.6	5.90	11.7
17	16.2	46.0	21.2	22.4	28.0	28.0	12.8	6.50	5.90	16.2	9.78	11.7
18	15.1	35.5	19.9	19.9	29.4	25.2	12.8	6.50	8.96	12.8	15.1	10.6
19	12.8	22.4	18.7	17.4	35.5	22.4	11.7	6.50	12.8	10.6	16.2	10.6
20	10.6	19.9	16.2	17.4	37.0	21.2	10.6	6.50	12.8	9.78	16.2	9.78
21	10.6	16.2	16.2	17.4	46.0	21.2	10.6	6.50	11.7	9.78	15.1	9.78
22	10.6	16.2	19.9	17.4	50.8	21.2	10.6	6.50	11.7	9.78	15.1	8.96
23	10.6	16.2	25.2	18.7	46.0	22.4	10.6	11.7	10.6	9.78	16.2	8.96
24	10.6	21.2	25.2	19.9	37.0	22.4	10.6	12.8	10.6	9.78	61.8	8.96
25	10.6	26.6	32.4	19.9	37.0	21.2	10.6	11.7	10.6	8.96	61.8	8.96
26	10.6	28.0	34.0	22.4	34.0	19.9	9.78	11.7	10.6	8.96	55.5	8.96
27	9.78	32.4	34.0	22.4	34.0	17.4	9.78	10.6	9.78	8.14	55.5	8.14
28	18.7	29.4	35.5	22.4	37.0	17.4	9.78	9.78	9.78	7.32	46.0	8.14
29	22.4		35.5	25.2	46.0	17.4	9.78	9.78	9.78	6.50	37.0	8.96
30	37.0		37.0	30.9	37.0	17.4	9.78	8.96	8.96	6.50	28.0	46.0
31	46.0		55.5		29.4		8.96	8.96		6.50		85.0
SD1	10.2	28.3	17.6	108	46.0	28.4	15.4	8.80	6.58	9.29	6.50	19.0
SD2	16.1	58.0	18.9	27.9	29.8	27.4	13.8	6.99	7.59	19.3	9.39	13.7
SD3	18.0	23.3	31.9	21.7	39.5	19.8	10.1	9.91	10.4	8.36	39.2	19.2
MAX	46.0	103	55.5	166	55.5	34.0	16.2	12.8	12.8	29.4	61.8	85.0
DAT	31	13	31	2	6	4	1	24	19	14	24	31
SR	14.9	37.5	23.1	52.6	38.4	25.2	13.0	8.61	8.19	12.2	18.4	17.4
MIN	9.78	12.8	15.1	17.4	26.6	17.4	8.96	6.50	5.90	6.50	5.90	8.14
DAT	6	11	10	19	13	27	31	16	11	1	13	27
		GMIN = 5.90			SRGOD= 22.3			GMAX = 166				
		DATUM 11 9						DATUM 2 4				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1978

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	75.2	14.0	66.0	15.1	50.8	46.0	26.6	14.0	17.4	22.4	8.96	6.50
2	61.8	11.7	55.5	16.2	59.7	46.0	22.4	14.0	18.7	29.4	8.14	5.90
3	37.0	10.6	46.0	16.2	160	46.0	21.2	14.0	18.7	51.7	7.32	5.90
4	21.2	10.6	37.0	16.2	121	49.8	21.2	12.8	18.7	46.0	6.50	5.90
5	16.2	10.6	34.0	16.2	82.5	49.8	26.6	12.8	16.2	37.0	6.50	5.90
6	15.1	9.78	32.4	17.4	63.9	46.0	26.6	12.8	16.2	29.4	6.50	5.30
7	12.8	8.96	32.4	18.7	61.8	46.0	26.6	12.8	16.2	26.6	6.50	5.30
8	12.8	8.96	32.4	18.7	85.0	46.0	29.4	12.8	21.2	23.8	6.50	5.30
9	11.7	8.96	30.9	19.9	82.5	46.0	26.6	12.8	18.7	22.4	6.50	4.70
10	10.6	8.14	26.6	21.2	66.0	49.8	22.4	12.8	16.2	19.9	6.50	4.70
11	10.6	8.14	22.4	22.4	53.6	51.7	22.4	12.8	15.1	17.4	6.50	4.70
12	9.78	14.0	21.2	23.8	50.8	51.7	21.2	11.7	14.0	16.2	6.50	4.40
13	9.78	19.9	19.9	23.8	37.0	53.6	19.9	11.7	16.2	16.2	6.50	4.40
14	9.78	55.5	17.4	61.8	37.0	55.5	21.2	10.6	23.8	15.1	5.90	6.50
15	9.78	92.6	16.2	113	57.6	55.5	21.2	10.6	26.6	15.1	5.90	32.4
16	9.78	55.5	19.9	90.0	50.8	53.6	21.2	9.78	25.2	14.0	5.90	26.6
17	9.78	37.0	19.9	59.7	50.8	57.6	21.2	9.78	22.4	14.0	5.90	26.6
18	9.78	19.9	22.4	50.8	50.8	49.8	21.2	9.78	21.2	12.8	5.90	85.0
19	9.78	22.4	64.9	37.0	50.8	46.0	19.9	8.96	17.4	12.8	5.90	103
20	8.96	28.0	49.8	29.4	50.8	46.0	19.9	8.96	16.2	10.6	5.90	85.0
21	8.96	66.0	37.0	26.6	51.7	46.0	19.9	8.96	16.2	10.6	5.90	61.8
22	8.96	46.0	34.0	23.8	55.5	44.2	18.7	8.96	15.1	10.6	5.90	37.0
23	8.96	34.0	28.0	22.4	82.5	40.6	16.2	8.96	14.0	10.6	5.90	28.0
24	8.14	22.4	26.6	22.4	130	37.0	16.2	8.96	11.7	10.6	5.30	26.6
25	8.14	22.4	25.2	22.4	116	37.0	15.1	8.14	11.7	10.6	5.30	22.4
26	8.14	22.4	22.4	23.8	77.5	35.5	15.1	8.14	11.7	10.6	5.30	21.2
27	8.14	72.9	19.9	34.0	66.0	34.0	15.1	8.14	10.6	10.6	5.30	19.9
28	8.14	85.0	18.7	50.8	66.0	34.0	14.0	7.32	10.6	9.78	6.50	17.4
29	8.14		16.2	70.6	66.0	32.4	14.0	7.32	15.1	9.78	6.50	17.4
30	21.2		16.2	59.7	57.6	29.4	14.0	7.32	22.4	9.78	6.50	25.2
31	17.4		15.1		51.7		14.0	8.96		9.78		46.0
SD1	27.4	10.2	39.3	17.6	83.3	47.1	25.0	13.2	17.8	30.9	6.99	5.54
SD2	9.78	35.3	27.4	51.2	49.0	52.1	20.9	10.5	19.8	14.4	6.08	37.9
SD3	10.4	46.4	23.6	35.7	74.6	37.0	15.7	8.29	13.9	10.3	5.84	29.4
MAX	75.2	92.6	66.0	113	160	57.6	29.4	14.0	26.6	51.7	8.96	103
DAT	1	15	1	15	3	17	8	1	15	3	1	19
SR	15.7	29.5	29.9	34.8	69.2	45.4	20.4	10.6	17.2	18.3	6.30	24.4
MIN	8.14	8.14	15.1	15.1	37.0	29.4	14.0	7.32	10.6	9.78	5.30	4.40
DAT	24	10	31	1	13	30	28	28	27	28	24	12
		GMIN = 4.40			SRGOD= 26.8			GMAX = 160				
		DATUM 12 12						DATUM 3 5				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1979

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
 Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
 Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	72.9	77.5	14.0	38.8	55.5	46.0	26.6	14.0	14.0	10.6	110	19.9
2	90.0	37.0	14.0	30.9	46.0	46.0	26.6	14.0	13.4	10.6	77.5	18.7
3	61.8	35.5	14.0	26.6	37.0	46.0	26.6	12.8	12.8	10.6	61.8	16.2
4	37.0	30.9	12.8	26.6	35.5	46.0	26.6	12.8	12.3	10.6	55.5	16.2
5	29.4	37.0	12.8	26.6	37.0	46.0	26.6	10.6	12.8	10.6	37.0	15.1
6	23.8	37.0	10.6	35.5	40.6	44.2	26.6	10.6	13.4	10.6	29.4	15.1
7	22.4	34.0	10.6	63.9	40.6	42.4	23.8	10.6	13.4	15.1	28.0	15.1
8	19.9	29.4	10.6	46.0	55.5	40.6	22.4	10.6	13.4	15.1	26.6	14.0
9	16.2	25.2	10.6	34.0	55.5	37.0	21.2	9.78	12.8	15.1	26.6	14.0
10	16.2	22.4	10.6	30.9	55.5	37.0	19.9	9.78	12.3	15.1	22.4	10.6
11	29.4	26.6	10.6	29.4	55.5	37.0	18.7	9.78	11.7	15.1	32.4	12.8
12	37.0	29.4	10.6	26.6	44.2	35.5	18.7	10.6	11.7	14.0	35.5	15.1
13	37.0	46.0	10.6	22.4	46.0	35.5	18.7	10.6	11.2	12.8	37.0	15.1
14	29.4	87.5	10.6	26.6	44.2	35.5	18.7	10.6	10.6	34.0	37.0	16.2
15	22.4	77.5	10.6	18.7	42.4	37.0	18.7	9.78	10.2	34.0	34.0	16.2
16	19.9	66.0	10.2	18.7	37.0	37.0	18.7	9.78	10.2	22.4	66.0	16.2
17	17.4	55.5	10.6	21.2	34.0	46.0	18.7	9.78	9.78	19.9	292	16.2
18	16.2	46.0	15.6	21.2	35.5	66.0	17.4	9.78	9.78	16.2	176	15.1
19	15.1	37.0	15.1	22.4	38.8	77.5	16.2	9.78	9.37	16.2	145	15.1
20	14.0	34.0	15.1	22.4	46.0	66.0	16.2	16.2	8.96	16.2	116	15.1
21	10.6	29.4	15.1	21.2	51.7	51.7	16.2	16.2	8.14	16.2	113	19.9
22	10.6	23.8	15.1	19.9	55.5	46.0	16.2	16.2	7.32	16.2	110	32.4
23	10.6	22.4	21.2	17.4	55.5	37.0	16.2	17.4	8.96	16.2	108	32.4
24	10.6	19.9	21.2	16.2	55.5	35.5	15.1	16.2	9.78	14.0	46.0	35.5
25	10.6	18.7	21.2	16.2	53.6	32.4	15.1	23.8	11.7	10.6	37.0	35.5
26	26.6	17.4	21.2	19.9	51.7	29.4	15.1	26.6	12.3	10.6	32.4	26.6
27	35.5	16.2	19.9	90.0	51.7	29.4	15.1	18.7	11.7	10.6	28.0	23.8
28	29.4	16.2	46.0	193	49.8	28.0	14.0	16.2	11.7	12.8	28.0	22.4
29	37.0		103	139	49.8	28.0	14.0	16.2	11.2	22.4	22.4	21.2
30	145		75.2	85.0	46.0	26.6	14.0	15.1	11.2	130	21.2	16.2
31	130		53.6		46.0		14.0	14.0		116		16.2
SD1	39.0	36.6	12.1	36.0	45.9	43.1	24.7	11.6	13.1	12.4	47.5	15.5
SD2	23.8	50.5	12.0	23.0	42.4	47.3	18.1	10.7	10.3	20.1	97.1	15.3
SD3	41.5	20.5	37.5	61.8	51.5	34.4	15.0	17.9	10.4	34.1	54.6	25.6
MAX	145	87.5	103	193	55.5	77.5	26.6	26.6	14.0	130	324	35.5
DAT	30	14	29	28	1	19	1	26	1	30	17	24
SR	35.0	37.0	21.1	40.2	46.7	41.6	19.1	13.5	11.3	22.6	66.4	19.0
MIN	10.6	16.2	10.2	16.2	34.0	26.6	14.0	9.78	7.32	10.6	21.2	10.6
DAT	21	27	16	24	17	30	28	9	22	1	30	10
GMIN = 7.32			SRGOD= 31.0			GMAX = 324						
DATUM 22 9						DATUM 17 11						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1980

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	16.2	12.8	8.96	22.4	16.2	46.0	29.4	12.8	6.50	3.50	18.7	46.0
2	16.2	14.0	8.14	18.7	17.4	46.0	26.6	12.8	6.50	3.30	18.7	37.0
3	16.2	14.0	8.14	19.9	17.4	37.0	26.6	11.7	6.50	3.10	16.2	32.4
4	16.2	14.0	8.14	19.9	19.9	35.5	26.6	11.7	6.50	3.00	16.2	26.6
5	15.1	14.0	7.32	22.4	22.4	34.0	25.2	10.6	6.50	2.60	19.9	22.4
6	15.1	14.0	7.32	19.9	29.4	32.4	22.4	10.6	6.50	2.40	22.4	21.2
7	15.1	15.1	6.50	18.7	46.0	29.4	22.4	10.6	6.50	2.30	87.5	37.0
8	14.0	16.2	6.50	16.2	46.0	29.4	21.2	10.6	6.50	2.10	77.5	37.0
9	14.0	16.2	6.50	16.2	46.0	34.0	21.2	10.6	6.50	2.40	55.5	35.5
10	12.8	16.2	6.50	15.1	46.0	37.0	19.9	10.6	6.50	8.96	46.0	32.4
11	12.8	16.2	6.50	14.0	37.0	46.0	19.9	10.6	5.90	34.0	37.0	22.4
12	10.6	16.2	8.14	12.8	37.0	51.7	16.2	9.78	5.90	29.4	37.0	19.9
13	10.6	15.1	8.14	12.8	35.5	49.8	18.7	9.78	5.90	145	46.0	16.2
14	10.6	15.1	8.14	12.8	35.5	46.0	21.2	10.6	5.90	136	193	16.2
15	10.6	15.1	8.96	10.6	37.0	46.0	19.9	10.6	5.90	90.0	195	16.2
16	10.6	14.0	8.14	10.6	46.0	46.0	18.7	9.78	5.90	55.5	139	16.2
17	11.7	14.0	8.14	10.6	61.8	46.0	18.7	9.78	5.30	37.0	90.0	15.1
18	11.7	12.8	6.50	10.6	66.0	46.0	17.4	9.78	5.30	37.0	61.8	15.1
19	10.6	10.6	6.50	14.0	55.5	35.5	16.2	9.78	5.30	66.0	46.0	15.1
20	10.6	10.6	6.50	15.1	37.0	35.5	16.2	9.78	5.30	55.5	37.0	15.1
21	10.6	9.78	8.14	17.4	37.0	35.5	16.2	9.78	4.70	51.7	34.0	16.2
22	9.78	9.78	10.6	30.9	34.0	37.0	16.2	9.78	4.70	37.0	22.4	16.2
23	9.78	8.96	15.1	32.4	26.6	37.0	15.1	9.78	4.70	34.0	22.4	16.2
24	9.78	8.96	29.4	26.6	35.5	35.5	15.1	8.96	4.70	29.4	21.2	15.1
25	10.6	8.96	29.4	22.4	37.0	35.5	15.1	8.96	4.70	26.6	21.2	15.1
26	19.9	8.96	25.2	19.9	37.0	35.5	14.0	8.14	4.70	30.9	19.9	14.0
27	19.9	8.96	22.4	16.2	34.0	34.0	14.0	8.14	4.70	34.0	19.9	14.0
28	19.9	8.96	19.9	16.2	34.0	34.0	14.0	8.14	4.70	32.4	34.0	12.8
29	18.7	8.96	16.2	16.2	46.0	34.0	12.8	6.50	4.40	29.4	55.5	12.8
30	14.0		18.7	16.2	55.5	32.4	12.8	6.50	4.10	25.2	63.9	10.6
31	12.8		22.4		55.5		12.8	6.50		21.2		10.6
SD1	15.1	14.6	7.40	18.9	30.7	36.1	24.1	11.3	6.50	3.37	37.9	32.7
SD2	11.0	14.0	7.57	12.4	44.8	44.8	18.3	10.0	5.66	68.5	88.2	16.8
SD3	14.2	9.14	19.8	21.4	39.3	35.0	14.4	8.29	4.61	32.0	31.4	14.0
MAX	19.9	16.2	29.4	32.4	66.0	51.7	29.4	12.8	6.50	145	195	46.0
DAT	26	10	25	23	18	12	1	1	1	13	15	1
SR	13.5	12.7	11.8	17.6	38.3	38.7	18.8	9.81	5.59	34.5	52.5	20.9
MIN	9.78	8.96	6.50	10.6	16.2	29.4	12.8	6.50	4.10	2.10	16.2	10.6
DAT	22	23	7	15	1	7	29	29	30	8	3	30
GMIN =			2.10	SRGOD=			22.9	GMAX =			195	
DATUM			8 10					DATUM			15 11	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1981

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	13.4	5.90	6.50	59.7	37.0	37.0	25.2	8.96	3.20	6.91	22.4	6.50	
2	12.8	5.90	6.50	145	34.0	37.0	25.2	8.14	3.10	6.20	16.2	8.14	
3	12.8	5.90	6.50	53.6	34.0	37.0	25.2	8.14	2.90	9.37	15.1	8.14	
4	12.8	5.90	30.9	37.0	37.0	37.0	23.8	8.14	2.70	12.8	15.1	7.32	
5	15.6	5.90	61.8	37.0	61.8	37.0	23.8	8.14	3.30	12.3	10.6	6.50	
6	15.1	6.50	46.0	35.5	66.0	46.0	23.8	6.50	5.90	10.6	10.6	6.50	
7	14.0	6.50	37.0	32.4	55.5	46.0	22.4	6.50	6.50	9.78	10.6	6.50	
8	13.4	6.50	29.4	32.4	37.0	42.4	21.2	6.50	6.50	8.96	10.6	14.0	
9	13.4	6.50	19.9	32.4	35.5	37.0	21.2	6.50	5.90	8.55	9.78	37.0	
10	12.8	6.50	16.2	35.5	34.0	34.0	19.9	8.14	5.90	8.14	6.50	46.0	
11	12.3	6.50	16.2	35.5	35.5	34.0	19.9	8.14	6.50	8.14	6.50	46.0	
12	11.7	15.1	18.7	35.5	37.0	34.0	19.9	8.14	7.73	7.73	6.50	77.5	
13	12.3	18.7	22.4	32.4	55.5	34.0	19.9	8.14	8.14	7.32	6.50	130	
14	15.1	18.7	34.0	32.4	46.0	32.4	19.9	8.96	8.55	6.91	6.50	166	
15	14.5	15.1	37.0	29.4	37.0	29.4	19.9	8.14	9.37	6.50	10.6	130	
16	14.5	10.6	34.0	29.4	37.0	29.4	19.9	6.50	9.78	6.50	10.6	55.5	
17	13.4	10.6	29.4	28.0	37.0	28.0	19.9	6.50	10.2	6.50	10.6	37.0	
18	12.8	9.78	25.2	32.4	40.6	28.0	18.7	6.50	9.78	6.50	9.78	32.4	
19	12.3	9.78	30.9	37.0	42.4	37.0	17.4	6.50	9.37	5.90	6.50	29.4	
20	12.3	8.96	35.5	35.5	46.0	37.0	19.9	5.90	8.55	5.90	6.50	66.0	
21	11.7	8.96	32.4	29.4	46.0	35.5	19.9	5.90	7.73	5.90	6.50	46.0	
22	11.7	8.14	26.6	26.6	46.0	34.0	19.9	5.90	7.73	5.90	6.50	37.0	
23	10.6	8.14	22.4	28.0	51.7	34.0	18.7	5.90	6.91	35.5	6.50	29.4	
24	11.2	8.14	22.4	30.9	51.7	29.4	16.2	5.90	6.50	37.0	6.50	28.0	
25	11.2	8.14	22.4	37.0	46.0	28.0	14.0	6.50	6.50	55.5	6.50	28.0	
26	10.6	8.14	22.4	37.0	46.0	28.0	10.6	6.50	5.90	55.5	6.50	29.4	
27	9.78	7.32	25.2	55.5	51.7	28.0	10.6	6.50	5.60	37.0	6.50	28.0	
28	8.96	7.32	26.6	82.5	51.7	26.6	10.6	5.90	5.60	46.0	6.50	22.4	
29	8.14		34.0	72.9	46.0	26.6	9.78	5.30	5.60	46.0	6.50	21.2	
30	7.32		37.0	59.7	46.0	26.6	9.78	4.70	6.20	37.0	6.50	21.2	
31	6.50		53.6		46.0		8.96	3.50		28.0		26.6	
SD1	13.6	6.20	26.1	50.0	43.2	39.0	23.2	7.57	4.59	9.36	12.7	14.7	
SD2	13.1	12.4	28.3	32.8	41.4	32.3	19.5	7.34	8.80	6.79	8.06	77.0	
SD3	9.79	8.04	29.5	46.0	48.1	29.7	13.5	5.68	6.43	35.4	6.50	28.8	
MAX	15.6	18.7	61.8	145	66.0	46.0	25.2	8.96	10.2	55.5	22.4	166	
DAT	5	13	5	2	6	6	1	1	17	25	1	14	
SR	12.1	8.93	28.0	42.9	44.3	33.7	18.6	6.83	6.60	17.8	9.10	39.8	
MIN	6.50	5.90	6.50	26.6	34.0	26.6	8.96	3.50	2.70	5.90	6.50	6.50	
DAT	31	1	1	22	2	28	31	31	4	19	10	1	
GMIN =			2.70	SRGOD=			22.5	GMAX =			166		
DATUM			4 9					DATUM			14 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1982

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	22.4	8.14	6.50	77.5	16.2	34.0	16.2	6.50	3.50	2.30	5.90	6.50	
2	29.4	8.14	5.90	66.0	15.1	34.0	16.2	6.50	3.50	2.10	5.90	6.50	
3	29.4	6.50	5.90	55.5	14.0	32.4	16.2	6.50	3.50	1.90	5.30	6.50	
4	28.0	6.50	5.90	37.0	14.0	32.4	15.1	6.50	3.50	2.50	5.30	6.50	
5	22.4	6.50	5.90	34.0	14.0	32.4	12.8	6.50	3.50	3.10	5.30	6.50	
6	21.2	6.50	5.90	29.4	15.1	32.4	12.8	5.90	3.50	3.10	4.70	6.50	
7	18.7	6.50	5.90	29.4	18.7	29.4	12.8	5.90	3.30	8.14	4.70	6.50	
8	18.7	6.50	5.90	28.0	22.4	28.0	12.8	5.90	3.30	29.4	4.10	6.50	
9	16.2	6.50	5.90	28.0	35.5	25.2	11.7	5.90	3.30	29.4	4.10	6.50	
10	16.2	6.50	5.90	29.4	37.0	22.4	10.6	5.90	3.30	25.2	4.10	6.50	
11	16.2	6.50	5.90	34.0	46.0	22.4	10.6	5.90	3.50	19.9	4.10	6.50	
12	16.2	6.50	5.90	34.0	55.5	22.4	10.6	5.90	3.50	16.2	3.50	6.50	
13	16.2	6.50	5.90	29.4	46.0	22.4	10.6	5.90	3.50	14.0	3.50	8.14	
14	16.2	6.50	5.90	28.0	46.0	37.0	10.6	5.90	3.50	10.6	3.50	14.0	
15	16.2	6.50	5.90	37.0	37.0	46.0	10.6	5.30	3.30	10.6	9.78	32.4	
16	15.1	6.50	6.50	55.5	35.5	46.0	10.6	4.70	3.30	9.78	10.6	29.4	
17	15.1	5.90	6.50	66.0	35.5	34.0	10.6	4.70	3.30	8.14	12.8	23.8	
18	14.0	5.90	6.50	61.8	35.5	29.4	9.78	4.70	3.30	8.14	16.2	22.4	
19	12.8	5.90	8.14	55.5	35.5	26.6	9.78	4.70	3.30	8.14	16.2	37.0	
20	10.6	5.90	8.96	46.0	37.0	22.4	9.78	4.70	3.30	7.32	12.8	37.0	
21	10.6	5.90	8.96	37.0	37.0	21.2	9.78	4.70	3.10	7.32	10.6	32.4	
22	10.6	5.90	8.96	29.4	35.5	19.9	9.78	4.70	3.10	6.50	9.78	28.0	
23	10.6	5.90	6.50	28.0	35.5	19.9	9.78	6.50	2.90	6.50	9.78	37.0	
24	10.6	6.50	6.50	25.2	35.5	19.9	9.78	6.50	2.90	6.50	8.96	46.0	
25	10.6	6.50	6.50	22.4	35.5	19.9	6.50	5.90	2.90	6.50	8.96	37.0	
26	10.6	6.50	6.50	21.2	37.0	19.9	6.50	5.30	2.90	6.50	8.96	29.4	
27	10.6	6.50	5.90	21.2	37.0	19.9	6.50	4.70	2.80	6.50	8.96	23.8	
28	10.6	6.50	5.90	18.7	37.0	19.9	6.50	3.50	2.70	6.50	8.14	19.9	
29	9.78		5.90	16.2	35.5	18.7	6.50	3.50	2.60	6.50	7.32	16.2	
30	9.78		6.50	16.2	35.5	18.7	6.50	3.50	2.40	6.50	7.32	16.2	
31	9.78		36.2		35.5		6.50	3.50		5.90		15.1	
SD1	22.3	6.83	5.96	41.4	20.2	30.3	13.7	6.20	3.42	10.7	4.94	6.50	
SD2	14.9	6.26	6.61	44.7	41.0	30.9	10.4	5.24	3.38	11.3	9.30	21.7	
SD3	10.4	6.28	9.48	23.5	36.0	19.8	7.69	4.75	2.83	6.52	8.88	27.4	
MAX	29.4	8.14	36.2	77.5	55.5	46.0	16.2	6.50	3.50	29.4	16.2	46.0	
DAT	2	1	31	1	12	15	1	1	1	8	18	24	
SR	15.7	6.47	7.42	36.6	32.5	27.0	10.5	5.38	3.21	9.41	7.71	18.8	
MIN	9.78	5.90	5.90	16.2	14.0	18.7	6.50	3.50	2.40	1.90	3.50	6.50	
DAT	29	17	2	29	3	29	25	28	30	3	12	1	
		GMIN =	1.90			SRGOD=	15.1			GMAX =	77.5		
		DATUM	3 10							DATUM	1 4		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1983

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	12.8	6.50	6.50	28.0	46.0	22.4	16.2	9.78	4.70	3.50	3.50	11.7	
2	10.6	5.90	6.50	28.0	46.0	22.4	16.2	8.96	4.70	3.50	3.50	8.96	
3	10.6	5.90	6.50	35.5	66.0	21.2	16.2	8.14	4.10	3.50	3.50	8.96	
4	10.6	5.90	6.50	37.0	66.0	16.2	15.1	7.32	4.10	3.50	3.50	8.96	
5	10.6	5.90	6.50	37.0	55.5	16.2	15.1	6.50	4.70	3.50	3.50	8.14	
6	10.6	5.90	6.50	32.4	46.0	18.7	15.1	6.50	4.70	3.50	3.50	8.14	
7	9.78	6.50	6.50	29.4	37.0	19.9	15.1	6.50	4.70	3.50	3.50	8.14	
8	8.96	11.2	5.90	22.4	34.0	26.6	15.1	6.50	4.70	3.50	3.50	6.50	
9	8.14	11.7	5.90	19.9	29.4	26.6	14.0	6.50	4.10	3.50	3.50	6.50	
10	8.14	11.7	5.90	16.2	29.4	26.6	12.8	6.50	3.50	3.50	3.50	6.50	
11	7.32	16.2	5.90	19.9	29.4	19.9	12.8	6.50	3.50	3.50	3.50	6.50	
12	6.50	26.6	5.90	22.4	29.4	18.7	11.7	6.50	3.50	3.50	3.50	6.50	
13	6.50	19.9	5.90	29.4	29.4	18.7	11.7	6.50	3.50	3.50	3.50	6.50	
14	6.50	16.2	5.90	46.0	29.4	18.7	10.6	6.50	3.50	3.50	3.50	6.50	
15	6.50	16.2	6.50	37.0	28.0	17.4	10.6	6.50	3.50	3.50	3.50	6.50	
16	6.50	12.8	7.32	34.0	29.4	21.2	10.6	6.50	3.50	3.50	3.50	6.50	
17	6.50	10.6	8.14	29.4	32.4	22.4	10.6	6.50	3.50	3.50	3.50	6.50	
18	6.50	9.78	8.14	25.2	34.0	22.4	10.6	6.50	3.50	3.50	3.30	8.96	
19	6.50	8.96	9.78	22.4	35.5	22.4	10.6	6.50	5.90	3.50	3.30	16.2	
20	6.50	8.14	9.78	21.2	35.5	22.4	10.6	6.50	6.50	3.50	3.30	37.0	
21	6.50	8.14	6.50	19.9	34.0	21.2	10.6	6.50	6.50	3.50	3.30	46.0	
22	6.50	8.14	6.50	16.2	32.4	19.9	10.6	6.50	6.50	3.50	3.30	46.0	
23	6.50	6.50	6.50	21.2	29.4	16.2	10.6	6.50	6.50	3.50	3.10	37.0	
24	6.50	6.50	6.50	29.4	29.4	19.9	10.6	5.90	6.50	3.50	3.10	22.4	
25	6.50	6.50	6.50	37.0	32.4	19.9	10.6	5.30	5.90	3.50	3.10	16.2	
26	6.50	6.50	37.0	37.0	35.5	16.2	9.78	5.30	5.90	3.50	3.10	15.1	
27	6.50	6.50	116	37.0	37.0	16.2	9.78	4.70	5.90	3.50	3.10	15.1	
28	6.50	6.50	116	37.0	29.4	16.2	9.78	4.70	5.30	3.50	3.50	15.1	
29	6.50		44.2	37.0	26.6	16.2	9.78	4.70	5.30	3.50	16.2	12.8	
30	6.50		37.0	37.0	22.4	16.2	9.78	4.70	3.50	3.50	16.2	10.6	
31	6.50		34.0		22.4		9.78	4.70		3.50		10.6	
SD1	10.1	7.71	6.32	28.6	45.5	21.7	15.1	7.32	4.40	3.50	3.50	8.25	
SD2	6.58	14.5	7.33	28.7	31.2	20.4	11.0	6.50	4.04	3.50	3.44	10.8	
SD3	6.50	6.91	37.9	30.9	30.1	17.8	10.2	5.41	5.78	3.50	5.80	22.4	
MAX	12.8	26.6	116	46.0	66.0	26.6	16.2	9.78	6.50	3.50	16.2	46.0	
DAT	1	12	27	14	3	8	1	1	20	1	29	21	
SR	7.68	9.92	17.8	29.4	35.4	20.0	12.0	6.38	4.74	3.50	4.25	14.1	
MIN	6.50	5.90	5.90	16.2	22.4	16.2	9.78	4.70	3.50	3.50	3.10	6.50	
DAT	12	2	8	10	30	4	26	27	10	1	23	8	
		GMIN = 3.10			SRGOD= 13.8			GMAX = 116					
		DATUM 23 11						DATUM 27 3					

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1984

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	10.6	10.6	10.6	21.2	16.2	46.0	21.2	8.96	5.90	16.2	7.32	10.6	
2	10.6	10.6	10.6	19.9	19.9	46.0	21.2	8.96	5.30	15.1	7.32	10.6	
3	10.6	10.6	12.8	19.9	46.0	46.0	21.2	8.96	5.30	22.4	6.50	10.6	
4	10.6	12.8	16.2	37.0	55.5	46.0	21.2	8.96	5.30	22.4	6.50	10.6	
5	10.6	12.8	16.2	44.2	66.0	46.0	19.9	8.96	5.30	22.4	6.50	9.78	
6	10.6	10.6	16.2	21.2	77.5	46.0	18.7	8.96	4.70	22.4	6.50	9.78	
7	10.6	10.6	14.0	16.2	77.5	46.0	18.7	8.14	4.70	22.4	6.50	9.78	
8	10.6	10.6	10.6	26.6	75.2	46.0	16.2	8.14	4.70	28.0	6.50	8.96	
9	10.6	10.6	10.6	29.4	75.2	46.0	16.2	7.32	4.10	28.0	6.50	8.14	
10	16.2	10.6	10.6	28.0	75.2	46.0	19.9	7.32	4.10	28.0	6.50	7.32	
11	21.2	9.78	9.78	26.6	77.5	46.0	16.2	6.50	4.10	22.4	6.50	7.32	
12	21.2	9.78	9.78	22.4	77.5	37.0	15.1	6.50	4.10	22.4	6.50	6.50	
13	12.8	9.78	8.96	22.4	72.9	37.0	15.1	6.50	4.10	19.9	6.50	6.50	
14	12.8	9.78	8.96	22.4	72.9	34.0	15.1	6.50	3.50	16.2	5.90	6.50	
15	12.8	8.96	8.96	22.4	55.5	29.4	15.1	6.50	3.50	16.2	5.90	6.50	
16	12.8	8.96	8.14	22.4	46.0	28.0	15.1	6.50	3.50	15.1	5.30	6.50	
17	12.8	8.14	8.14	28.0	55.5	29.4	15.1	6.50	5.30	15.1	5.30	6.50	
18	10.6	6.50	8.14	28.0	66.0	28.0	15.1	6.50	6.50	12.8	5.30	6.50	
19	10.6	6.50	8.14	28.0	66.0	26.6	15.1	6.50	8.96	11.7	9.78	6.50	
20	10.6	6.50	8.14	22.4	63.9	22.4	15.1	6.50	10.6	10.6	22.4	6.50	
21	16.2	6.50	7.32	22.4	85.0	22.4	12.8	6.50	10.6	10.6	37.0	6.50	
22	16.2	6.50	6.50	21.2	157	22.4	10.6	6.50	19.9	10.6	37.0	6.50	
23	35.5	6.50	6.50	21.2	116	22.4	10.6	5.90	19.9	10.6	29.4	6.50	
24	37.0	6.50	6.50	21.2	97.8	22.4	10.6	5.30	22.4	10.6	25.2	6.50	
25	37.0	9.78	6.50	21.2	77.5	22.4	10.6	5.30	22.4	10.6	21.2	6.50	
26	26.6	9.78	6.50	19.9	66.0	26.6	10.6	5.30	37.0	10.6	16.2	6.50	
27	22.4	9.78	8.96	18.7	66.0	23.8	10.6	6.50	37.0	10.6	16.2	6.50	
28	19.9	9.78	10.6	18.7	55.5	22.4	10.6	6.50	26.6	9.78	15.1	6.50	
29	15.1	10.6	14.0	16.2	55.5	21.2	10.6	6.50	22.4	9.78	12.8	6.50	
30	14.0		16.2	16.2	55.5	21.2	9.78	6.50	18.7	9.78	12.8	6.50	
31	10.6		22.4		46.0		9.78	5.90		8.96		7.32	
SD1	11.2	11.0	12.8	26.4	58.4	46.0	19.4	8.47	4.94	22.7	6.66	9.62	
SD2	13.8	8.47	8.71	24.5	65.4	31.8	15.2	6.50	5.42	16.2	7.94	6.58	
SD3	22.8	8.41	10.2	19.7	79.8	22.7	10.7	6.06	23.7	10.2	22.3	6.57	
MAX	37.0	12.8	22.4	44.2	157	46.0	21.2	8.96	37.0	28.0	37.0	10.6	
DAT	24	4	31	5	22	1	1	1	26	9	21	1	
SR	16.1	9.34	10.6	23.5	68.2	33.5	15.0	6.98	11.3	16.2	12.3	7.56	
MIN	10.6	6.50	6.50	16.2	16.2	21.2	9.78	5.30	3.50	8.96	5.30	6.50	
DAT	1	18	22	7	1	29	30	24	14	31	16	12	
		GMIN = 3.50			SRGOD= 19.3			GMAX = 157					
		DATUM 14 9						DATUM 22 5					

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1985

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	6.50	10.6	8.14	16.2	77.5	29.4	12.8	5.90	3.50	2.90	2.90	16.2
2	6.50	9.78	6.50	16.2	55.5	29.4	12.8	5.90	3.50	2.90	3.30	16.2
3	6.50	9.78	6.50	16.2	47.0	28.0	12.8	6.50	3.50	2.90	10.6	16.2
4	6.50	8.14	6.50	19.9	47.0	26.6	11.7	5.90	3.30	2.90	10.6	16.2
5	6.50	8.14	6.50	21.2	70.6	22.4	11.7	5.30	3.30	2.90	8.96	16.2
6	8.96	7.32	6.50	26.6	63.9	22.4	10.6	5.30	3.30	2.90	8.96	16.2
7	8.96	7.32	8.14	35.5	61.8	22.4	10.6	5.30	3.30	2.90	16.2	16.2
8	8.96	6.50	9.78	47.0	61.8	22.4	9.78	5.90	3.30	2.90	16.2	16.2
9	8.96	6.50	10.6	47.0	61.8	22.4	9.78	5.90	3.30	2.90	14.0	16.2
10	8.96	10.6	10.6	47.0	55.5	22.4	9.78	5.30	3.30	2.90	10.6	15.1
11	8.96	47.0	10.6	55.5	55.5	21.2	9.78	5.30	3.10	2.90	9.78	15.1
12	6.50	90.0	10.6	55.5	55.5	21.2	9.78	4.70	3.10	2.90	9.78	14.0
13	6.50	90.0	10.6	51.7	61.8	19.9	9.78	4.70	3.10	2.90	8.96	14.0
14	6.50	37.0	10.6	37.0	61.8	19.9	8.96	4.70	3.10	2.90	15.1	12.8
15	6.50	22.4	10.6	29.4	55.5	18.7	8.96	4.70	3.10	2.90	37.0	12.8
16	6.50	10.6	10.6	28.0	55.5	18.7	8.96	4.70	2.90	2.90	35.5	11.7
17	6.50	37.0	12.8	26.6	55.5	18.7	8.96	4.10	2.90	2.90	34.0	10.6
18	6.50	16.2	16.2	25.2	55.5	18.7	8.96	4.10	2.90	2.90	34.0	10.6
19	6.50	12.8	16.2	22.4	47.0	16.2	8.96	3.50	2.90	2.90	97.8	10.6
20	6.50	10.6	15.1	22.4	47.0	16.2	8.96	3.50	2.90	2.90	136	10.6
21	5.30	10.6	14.0	21.2	47.0	16.2	8.14	3.50	2.90	2.90	145	9.78
22	5.30	10.6	12.8	21.2	47.0	16.2	8.14	3.50	2.90	2.90	124	9.78
23	5.30	9.78	10.6	22.4	37.0	16.2	8.14	3.50	2.90	2.80	90.0	8.96
24	5.30	8.96	10.6	23.8	37.0	15.1	7.32	3.50	2.90	2.70	66.0	8.96
25	5.30	8.96	10.6	26.6	37.0	15.1	6.50	3.50	2.90	2.60	47.0	8.96
26	8.14	8.96	10.6	28.0	37.0	14.0	6.50	3.50	2.90	2.50	35.5	8.96
27	10.6	8.14	14.0	29.4	35.5	14.0	6.50	3.50	2.90	2.40	35.5	10.6
28	11.7	8.14	15.1	35.5	34.0	14.0	6.50	3.50	2.90	2.30	29.4	10.6
29	11.7		16.2	55.5	34.0	14.0	6.50	3.50	2.90	2.10	25.2	12.8
30	10.6		18.7	103	34.0	14.0	6.50	5.30	2.90	2.30	22.4	35.5
31	10.6		18.7		32.4		5.90	3.50		2.50		77.5
SD1	7.73	8.47	7.98	29.3	60.2	24.8	11.2	5.72	3.36	2.90	10.2	16.1
SD2	6.75	37.4	12.4	35.4	55.1	18.9	9.21	4.40	3.00	2.90	41.8	12.3
SD3	8.17	9.27	13.8	36.7	37.4	14.9	6.97	3.66	2.90	2.55	62.0	18.4
MAX	11.7	90.0	18.7	103	77.5	29.4	12.8	6.50	3.50	2.90	145	77.5
DAT	28	12	30	30	1	1	1	3	1	1	21	31
SR	7.57	19.0	11.5	33.8	50.5	19.5	9.07	4.56	3.09	2.77	38.0	15.7
MIN	5.30	6.50	6.50	16.2	32.4	14.0	5.90	3.50	2.90	2.10	2.90	8.96
DAT	21	8	2	1	31	26	31	19	16	29	1	23
		GMIN = 2.10			SRGOD= 17.8			GMAX = 145				
		DATUM 29 10						DATUM 21 11				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1986

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	116	14.0	19.9	35.5	44.2	46.0	28.0	10.6	6.50	3.50	6.50	3.30
2	77.5	16.2	19.9	35.5	42.4	46.0	28.0	10.6	6.50	3.50	6.50	3.30
3	55.5	16.2	55.5	35.5	47.0	37.0	28.0	10.6	5.90	3.50	5.90	3.30
4	55.5	15.1	66.0	34.0	47.0	37.0	26.6	10.6	5.30	3.50	5.90	3.30
5	90.0	14.0	55.5	34.0	51.7	37.0	22.4	10.6	5.30	3.30	5.90	3.30
6	66.0	12.8	37.0	34.0	51.7	46.0	22.4	10.6	5.30	3.30	5.30	3.30
7	59.7	10.6	37.0	35.5	47.0	46.0	21.2	10.6	5.30	3.30	5.30	3.30
8	34.0	10.6	26.6	37.0	44.2	90.0	21.2	10.6	5.30	3.30	4.10	3.30
9	29.4	10.6	25.2	47.0	42.4	103	21.2	10.6	5.30	3.30	4.10	3.30
10	22.4	10.6	22.4	47.0	47.0	103	19.9	8.96	5.30	3.30	4.10	3.30
11	19.9	10.6	25.2	44.2	44.2	103	19.9	8.96	5.30	3.30	3.50	3.30
12	18.7	9.78	25.2	34.0	37.0	72.9	19.9	8.96	5.30	3.30	3.50	3.30
13	16.2	9.78	22.4	34.0	35.5	46.0	18.7	8.96	4.70	3.30	3.50	3.30
14	14.0	9.78	22.4	35.5	34.0	46.0	16.2	8.96	4.70	3.10	3.50	3.30
15	16.2	9.78	22.4	32.4	37.0	46.0	16.2	8.96	4.70	3.10	3.50	3.30
16	14.0	9.78	22.4	29.4	37.0	46.0	15.1	8.96	4.70	3.10	3.50	3.30
17	10.6	9.78	21.2	29.4	47.0	44.2	15.1	8.14	4.70	3.10	3.50	3.50
18	8.14	10.6	21.2	29.4	46.0	44.2	15.1	8.14	4.70	3.00	3.50	3.50
19	8.14	59.7	19.9	29.4	46.0	37.0	15.1	8.14	4.70	2.90	3.50	3.50
20	10.6	116	18.7	100	46.0	37.0	15.1	8.14	4.70	2.80	3.50	3.50
21	10.6	90.0	16.2	90.0	46.0	37.0	15.1	8.14	4.70	3.10	3.50	3.50
22	10.6	55.5	16.2	50.8	55.5	34.0	15.1	6.50	3.50	3.50	3.50	3.50
23	14.0	46.0	15.1	44.2	55.5	34.0	15.1	6.50	3.50	3.50	3.50	3.50
24	22.4	35.5	15.1	37.0	55.5	34.0	14.0	6.50	3.50	3.50	3.50	3.50
25	47.0	35.5	14.0	34.0	55.5	34.0	14.0	6.50	3.50	10.6	3.50	3.50
26	46.0	35.5	15.1	35.5	46.0	34.0	14.0	6.50	3.50	10.6	3.50	3.50
27	26.6	29.4	35.5	47.0	46.0	34.0	14.0	6.50	3.50	10.6	3.50	3.50
28	22.4	28.0	37.0	47.0	44.2	29.4	14.0	6.50	3.50	8.96	3.50	3.50
29	16.2		37.0	47.0	44.2	29.4	14.0	6.50	3.50	9.78	3.50	3.50
30	16.2		37.0	44.2	46.0	28.0	10.6	6.50	3.50	9.78	3.50	3.50
31	15.1		37.0		46.0		10.6	6.50		8.96		3.50
SD1	60.6	13.1	36.5	37.5	46.5	59.1	23.9	10.4	5.60	3.38	5.36	3.30
SD2	13.6	25.6	22.1	39.8	41.0	52.2	16.6	8.63	4.82	3.10	3.50	3.38
SD3	22.5	44.4	25.0	47.7	49.1	32.8	13.7	6.65	3.62	7.53	3.50	3.50
MAX	116	116	66.0	100	55.5	103	28.0	10.6	6.50	10.6	6.50	3.50
DAT	1	20	4	20	22	9	1	1	1	25	1	17
SR	31.9	26.5	27.8	41.6	45.6	48.0	17.9	8.51	4.68	4.76	4.12	3.40
MIN	8.14	9.78	14.0	29.4	34.0	28.0	10.6	6.50	3.50	2.80	3.50	3.30
DAT	18	12	25	16	14	30	30	22	22	20	11	1
		GMIN = 2.80			SRGOD= 22.0			GMAX = 116				
		DATUM 20 10						DATUM 1 1				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1987

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	3.50	34.0	11.7	18.7	26.6	47.9	21.8	8.96	4.10	3.80	3.30	24.5	
2	3.50	25.2	11.2	17.4	28.0	42.4	21.8	8.96	4.10	3.40	3.30	21.2	
3	4.70	19.9	11.2	16.2	32.4	39.7	21.2	8.14	3.80	3.30	3.20	18.7	
4	5.00	16.8	10.2	15.1	38.8	39.7	21.2	7.73	3.80	3.30	3.20	16.2	
5	4.40	15.6	9.78	14.0	39.7	40.6	19.9	7.32	3.80	3.30	3.10	15.1	
6	4.40	13.4	9.37	15.1	46.0	40.6	19.3	7.73	3.80	3.10	3.10	15.1	
7	4.10	12.8	8.96	18.7	52.7	40.6	18.1	8.14	3.80	3.10	3.10	16.8	
8	3.80	11.7	8.55	21.8	49.8	40.6	16.8	7.32	3.80	3.10	3.10	19.3	
9	3.80	10.6	8.14	24.5	40.6	41.5	16.2	7.32	3.80	3.20	3.10	34.0	
10	3.80	10.2	7.32	30.2	34.0	42.4	15.1	6.91	3.50	3.20	5.00	38.8	
11	5.00	10.2	7.32	39.7	30.9	40.6	15.1	6.91	3.50	3.20	6.91	29.4	
12	15.6	11.2	6.91	39.7	30.9	39.7	14.0	6.91	3.40	3.40	6.50	23.8	
13	14.0	12.3	6.91	34.7	39.7	38.8	13.4	6.91	3.40	4.10	6.50	20.5	
14	20.5	14.0	6.91	29.4	34.0	37.0	13.4	6.91	3.30	5.00	6.20	21.2	
15	37.9	15.1	6.91	25.9	43.3	35.5	15.1	6.50	3.30	5.30	6.91	37.9	
16	44.2	16.2	6.50	23.1	51.7	35.5	14.0	6.50	3.30	5.00	11.7	42.4	
17	30.9	16.2	6.50	21.2	52.7	34.7	14.5	6.20	3.30	5.00	15.1	34.7	
18	24.5	16.2	6.20	19.3	52.7	31.7	13.4	6.20	3.30	4.40	14.0	28.7	
19	21.2	15.6	6.20	18.1	52.7	29.4	12.8	6.20	3.30	4.40	12.3	24.5	
20	18.1	16.2	6.50	21.2	57.6	25.9	11.7	6.20	3.30	4.40	10.6	23.1	
21	15.6	19.3	9.37	27.3	58.7	24.5	11.7	6.20	3.30	4.10	9.78	21.2	
22	13.4	19.3	10.6	34.0	57.6	23.8	11.7	5.90	3.20	4.10	9.78	19.3	
23	12.3	18.7	9.78	37.0	50.8	23.8	11.2	5.90	3.20	3.80	9.37	17.4	
24	11.2	16.8	8.96	34.0	42.4	22.4	10.6	5.60	3.20	3.80	9.78	16.2	
25	10.2	15.1	8.14	29.4	38.8	21.8	10.2	5.00	3.20	3.50	12.3	15.1	
26	9.37	14.0	8.14	29.4	37.0	21.8	9.78	5.00	3.20	3.50	31.7	14.0	
27	8.96	12.3	8.14	31.7	35.5	21.2	10.6	5.00	3.20	3.40	54.5	12.8	
28	8.96	12.3	8.55	31.7	37.0	21.2	11.2	4.70	3.30	3.40	49.8	12.3	
29	27.3		9.37	29.4	39.7	20.5	9.78	4.70	4.70	3.40	36.2	12.3	
30	58.7		11.7	27.3	46.0	21.8	9.37	4.70	4.10	3.40	29.4	11.7	
31	48.8		17.4		48.8		8.96	4.40		3.40		11.2	
SD1	4.10	17.0	9.64	19.2	38.9	41.6	19.1	7.85	3.83	3.28	3.35	22.0	
SD2	23.2	14.3	6.69	27.2	44.6	34.9	13.7	6.54	3.34	4.42	9.67	28.6	
SD3	20.4	16.0	10.0	31.1	44.8	22.3	10.5	5.19	3.46	3.62	25.3	14.9	
MAX	58.7	34.0	17.4	39.7	58.7	47.9	21.8	8.96	4.70	5.30	54.5	42.4	
DAT	30	1	31	11	21	1	1	1	29	15	27	16	
SR	16.1	15.8	8.82	25.8	42.8	32.9	14.3	6.49	3.54	3.77	12.8	21.6	
MIN	3.50	10.2	6.20	14.0	26.6	20.5	8.96	4.40	3.20	3.10	3.10	11.2	
DAT	1	10	18	5	1	29	31	31	22	6	5	31	
GMIN =			3.10	SRGOD=			17.0	GMAX =			58.7		
DATUM			6 10					DATUM			30 1		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1988

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
 Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
 Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	14.0	22.4	9.78	22.4	37.0	26.6	16.2	6.50	3.30	9.78	5.90	16.2
2	10.6	16.2	9.78	26.6	37.0	26.6	16.2	6.50	3.30	8.96	5.30	14.0
3	10.6	14.0	8.96	19.9	37.0	37.0	16.2	6.50	3.30	6.50	5.30	25.2
4	10.6	14.0	8.14	19.9	37.0	37.0	16.2	6.50	3.30	6.50	5.30	116
5	10.6	15.1	6.50	21.2	37.0	34.0	16.2	6.50	3.30	6.50	3.50	90.0
6	9.78	29.4	6.50	21.2	46.0	34.0	14.0	6.50	2.90	6.50	3.50	90.0
7	9.78	29.4	6.50	34.0	55.5	29.4	10.6	6.50	2.90	6.50	3.50	55.5
8	8.96	29.4	6.50	37.0	55.5	28.0	16.2	6.50	2.50	6.50	3.50	37.0
9	8.96	37.0	6.50	46.0	55.5	28.0	16.2	6.50	2.40	8.96	3.50	34.0
10	8.96	37.0	6.50	46.0	55.5	26.6	16.2	5.30	2.30	8.96	3.50	29.4
11	7.32	34.0	6.50	37.0	55.5	26.6	16.2	5.30	2.20	8.96	3.50	16.2
12	7.32	28.0	6.50	37.0	46.0	26.6	14.0	5.30	2.40	10.6	3.50	10.6
13	6.50	28.0	6.50	37.0	46.0	26.6	10.6	5.30	2.50	10.6	3.50	10.6
14	6.50	21.2	6.50	37.0	46.0	29.4	10.6	5.30	3.10	10.6	3.50	16.2
15	6.50	16.2	6.50	37.0	46.0	29.4	10.6	3.50	3.10	10.6	3.50	16.2
16	6.50	15.1	6.50	35.5	46.0	29.4	10.6	3.50	3.50	10.6	3.50	15.1
17	6.50	14.0	10.6	34.0	46.0	29.4	9.78	3.50	22.4	10.6	3.50	15.1
18	6.50	14.0	15.1	29.4	37.0	29.4	9.78	3.50	37.0	8.96	3.50	12.8
19	6.50	12.8	16.2	29.4	37.0	29.4	9.78	3.50	37.0	6.50	3.50	8.96
20	6.50	10.6	15.1	26.6	35.5	26.6	9.78	3.50	22.4	6.50	3.50	8.96
21	6.50	10.6	14.0	19.9	35.5	26.6	9.78	3.50	16.2	6.50	10.6	8.96
22	6.50	10.6	12.8	19.9	34.0	26.6	8.96	3.50	16.2	6.50	22.4	8.96
23	6.50	9.78	10.6	22.4	34.0	26.6	8.96	3.50	10.6	8.96	29.4	8.96
24	6.50	9.78	29.4	26.6	29.4	19.9	8.96	3.50	10.6	8.96	29.4	8.96
25	6.50	8.96	29.4	29.4	29.4	19.9	8.96	3.50	10.6	8.96	22.4	8.14
26	6.50	10.6	22.4	37.0	28.0	16.2	8.96	3.50	10.6	8.96	16.2	6.50
27	6.50	10.6	22.4	37.0	26.6	16.2	8.96	3.50	10.6	8.96	16.2	6.50
28	6.50	10.6	29.4	37.0	26.6	16.2	8.96	3.50	10.6	6.50	16.2	6.50
29	6.50	6.50	26.6	37.0	26.6	16.2	8.96	3.50	10.6	6.50	16.2	6.50
30	6.50		22.4	37.0	26.6	16.2	8.96	3.50	10.6	6.50	16.2	6.50
31	29.4		19.9		26.6		6.50	3.00		6.50		6.50
SD1	10.3	24.4	7.57	29.4	45.3	30.7	15.4	6.38	2.95	7.57	4.28	50.7
SD2	6.66	19.4	9.60	34.0	44.1	28.3	11.2	4.22	13.6	9.45	3.50	13.1
SD3	8.58	9.78	21.8	30.3	29.4	20.1	8.81	3.45	11.7	7.62	19.5	7.54
MAX	29.4	37.0	29.4	46.0	55.5	37.0	37.0	6.50	37.0	10.6	29.4	116
DAT	31	9	24	9	7	3	3	1	18	12	23	4
SR	8.51	18.1	13.3	31.2	39.3	26.4	11.7	4.65	9.41	8.19	9.10	23.3
MIN	6.50	6.50	6.50	19.9	26.6	16.2	6.50	3.00	2.20	6.50	3.50	6.50
DAT	13	29	5	3	27	26	31	31	11	3	5	26
		GMIN = 2.20			SRGOD= 16.9			GMAX = 116				
		DATUM 11 9						DATUM 4 12				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1989

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	8.55	5.30	34.7	27.3	34.7	30.9	19.9	8.96	14.0	10.6	11.2	23.8
2	8.55	5.30	52.7	31.7	31.7	23.8	16.2	14.0	13.4	9.37	11.2	21.2
3	8.55	5.30	46.0	32.4	30.9	23.8	24.5	11.7	13.4	8.96	11.2	20.5
4	7.73	5.60	41.5	34.0	30.2	21.8	16.8	10.6	12.8	8.96	10.2	18.7
5	7.73	5.60	35.5	34.7	31.7	21.8	16.8	10.2	13.4	8.55	11.2	18.1
6	7.32	5.60	30.9	35.5	32.4	24.5	16.2	9.37	12.8	8.55	14.0	16.8
7	7.32	5.60	26.6	37.0	34.0	26.6	15.6	8.96	11.7	8.55	32.4	16.8
8	7.32	5.60	21.8	41.5	33.2	26.6	14.0	8.96	10.6	8.55	35.5	16.2
9	7.32	5.60	21.8	40.6	30.9	23.8	13.4	8.96	10.2	28.0	30.9	15.6
10	7.32	5.60	21.2	30.9	29.4	22.4	13.4	11.7	11.7	75.2	26.6	15.6
11	7.32	5.30	20.5	28.0	28.0	21.2	13.4	10.6	12.3	75.2	23.1	14.0
12	6.91	5.30	18.7	28.0	28.0	21.2	14.5	11.2	12.3	55.5	17.4	13.4
13	6.91	5.30	17.4	30.9	31.7	19.3	14.5	11.7	12.3	43.3	19.3	12.8
14	6.91	5.30	15.1	31.7	37.9	19.3	14.5	9.78	11.7	34.7	17.4	11.2
15	6.91	5.30	16.2	30.9	42.4	18.7	13.4	8.96	11.7	30.9	17.4	14.5
16	6.50	5.30	17.4	29.4	46.0	18.1	12.8	8.96	10.6	27.3	15.6	19.3
17	6.50	5.30	20.5	27.3	40.6	18.7	12.3	8.55	10.2	25.2	15.1	24.5
18	6.20	5.00	21.2	34.0	46.0	21.2	12.3	8.55	10.2	22.4	14.0	25.2
19	6.20	5.00	23.8	37.0	53.6	21.2	12.3	8.55	9.37	20.5	14.0	27.3
20	6.20	4.10	26.6	35.5	41.5	21.2	11.7	8.55	8.96	18.7	12.8	27.3
21	5.90	5.30	31.7	33.2	38.8	19.9	11.7	8.14	8.96	17.4	12.8	27.3
22	5.90	5.90	33.2	34.0	35.5	19.9	9.37	8.14	8.55	16.8	12.8	27.3
23	5.60	7.32	34.0	37.0	34.7	19.9	8.96	8.14	8.14	15.1	20.5	25.2
24	5.60	7.73	31.7	37.0	32.4	19.9	8.55	8.14	7.73	14.5	23.1	23.8
25	5.30	10.6	30.9	33.2	30.9	19.9	8.14	8.14	7.73	14.5	46.0	21.2
26	5.30	30.2	29.4	30.9	28.0	20.5	9.37	7.32	7.73	14.0	59.7	19.9
27	5.30	47.9	26.6	30.9	27.3	21.2	10.2	7.32	7.73	13.4	46.0	18.1
28	5.60	37.0	24.5	34.0	25.2	20.5	10.2	6.91	8.14	13.4	36.2	18.1
29	5.30		24.5	34.7	23.8	19.9	10.6	9.37	8.55	12.8	30.2	17.4
30	5.30		26.6	36.2	23.8	19.9	10.6	16.2	11.7	12.3	26.6	16.2
31	5.00		27.3		23.8		9.37	16.2		11.7		15.6
SD1	7.77	5.51	33.3	34.6	31.9	24.6	16.7	10.3	12.4	17.5	19.4	18.3
SD2	6.66	5.12	19.7	31.3	39.6	20.0	13.2	9.54	11.0	35.4	16.6	19.0
SD3	5.46	19.0	29.1	34.1	29.5	20.1	9.73	9.46	8.50	14.2	31.4	20.9
MAX	8.55	47.9	52.7	41.5	53.6	30.9	24.5	16.2	14.0	75.2	59.7	27.3
DAT	3	27	2	8	19	1	3	31	1	11	26	22
SR	6.59	9.22	27.4	33.3	33.5	21.6	13.1	9.77	10.6	22.1	22.5	19.4
MIN	5.00	4.10	15.1	27.3	23.8	18.1	8.14	6.91	7.73	8.55	10.2	11.2
DAT	31	20	14	1	29	16	25	28	24	5	4	14
GMIN = 4.10			SRGOD= 19.1			GMAX = 75.2						
DATUM 20 2						DATUM 11 10						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1990

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
 Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
 Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	18.7	8.14	10.2	10.6	33.2	14.5	8.14	5.00	3.40	3.50	9.78	12.8
2	18.7	8.14	9.78	9.78	29.4	14.5	8.55	5.00	3.40	3.50	9.78	15.1
3	18.7	7.73	9.78	9.37	25.2	14.0	8.55	4.70	3.50	3.50	9.78	18.7
4	18.7	7.73	9.37	8.96	23.8	14.0	8.55	4.70	3.50	3.80	9.78	22.4
5	18.7	7.73	8.55	8.55	22.4	14.0	8.55	5.00	3.50	3.80	9.78	29.4
6	16.2	7.32	8.55	8.55	21.2	14.0	8.14	5.00	3.50	4.10	8.55	29.4
7	14.0	6.91	8.55	8.96	19.9	13.4	8.14	6.50	3.50	4.40	8.55	29.4
8	13.4	6.91	8.14	8.96	20.5	12.8	7.73	8.55	3.50	4.70	8.55	28.7
9	13.4	6.91	8.55	9.37	20.5	10.6	7.32	5.00	3.80	4.70	8.55	28.7
10	13.4	6.50	8.55	9.37	21.2	10.6	6.91	5.00	3.50	4.70	9.78	25.9
11	13.4	6.50	8.14	9.37	21.2	10.2	6.50	4.70	3.50	4.70	8.55	25.9
12	13.4	6.91	8.14	8.96	19.9	9.78	6.50	4.40	3.30	4.70	8.55	25.9
13	13.4	6.91	8.14	8.96	19.9	9.37	6.50	4.10	3.50	4.70	8.55	25.2
14	13.4	7.32	8.14	10.6	19.9	8.96	6.50	4.10	3.50	4.70	8.55	25.2
15	9.78	7.73	8.14	15.1	20.5	8.96	6.50	4.10	3.80	4.40	8.55	25.2
16	9.78	8.55	8.14	14.5	20.5	6.91	6.20	3.80	3.80	4.40	8.55	25.2
17	9.78	8.14	8.14	15.1	20.5	11.2	6.20	3.80	3.80	4.40	8.55	21.8
18	9.78	7.73	8.55	15.1	20.5	11.2	6.20	3.80	3.80	4.40	8.55	21.8
19	9.78	7.32	8.55	15.6	19.9	11.7	6.20	4.10	4.10	4.10	8.55	18.7
20	9.78	7.32	8.55	15.6	19.9	11.7	5.90	4.10	4.10	4.10	8.55	18.1
21	9.78	7.32	8.96	16.2	20.5	11.2	5.90	3.80	3.50	4.10	8.55	18.1
22	9.78	7.32	8.96	37.0	20.5	11.2	5.60	3.50	3.50	5.90	8.55	15.1
23	9.78	7.32	8.96	66.0	21.2	11.2	5.60	3.50	3.50	6.91	7.32	15.1
24	9.78	7.32	8.96	160	21.2	11.2	5.30	3.50	3.50	8.14	7.32	15.1
25	8.96	7.32	8.96	157	21.2	10.6	5.00	3.50	3.50	8.14	5.30	15.1
26	8.96	7.73	8.96	137	20.5	10.6	5.00	3.50	3.80	8.14	8.55	15.1
27	8.14	8.55	8.96	66.0	19.9	10.2	5.00	3.50	4.10	8.55	13.4	13.4
28	8.14	8.96	8.96	46.0	19.3	10.6	5.00	3.40	3.50	8.96	9.78	13.4
29	8.14		8.55	37.0	17.4	9.78	5.00	3.40	3.40	8.96	9.78	13.4
30	8.14		8.14	37.0	16.2	9.37	4.70	3.40	3.40	8.96	9.78	13.4
31	8.14		10.6		15.1		4.70	3.40		8.96		13.4
SD1	16.4	7.40	9.00	9.25	23.7	13.2	8.06	5.45	3.51	4.07	9.29	24.0
SD2	11.2	7.44	8.26	12.9	20.3	10.00	6.32	4.10	3.72	4.46	8.55	23.3
SD3	8.89	7.73	9.00	75.9	19.4	10.6	5.16	3.49	3.57	7.79	8.83	14.6
MAX	18.7	8.96	10.6	160	33.2	14.5	8.55	8.55	4.10	8.96	13.4	29.4
DAT	5	28	31	24	1	1	2	8	27	28	27	5
SR	12.1	7.51	8.76	32.7	21.1	11.3	6.47	4.32	3.60	5.52	8.89	20.5
MIN	8.14	6.50	8.14	8.55	15.1	6.91	4.70	3.40	3.30	3.50	5.30	12.8
DAT	27	10	8	5	31	16	30	28	12	1	25	1
GMIN =		3.30		SRGOD=		11.9		GMAX =		160		
DATUM		12 9						DATUM		24 4		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1991

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	10.6	6.91	7.32	18.7	25.9	21.2	26.6	10.6	3.50	3.50	8.96	17.4
2	10.6	6.50	7.73	17.4	29.4	21.2	22.4	10.6	3.50	3.50	8.96	22.4
3	10.6	6.50	7.73	16.2	29.4	22.4	22.4	10.6	3.50	3.50	8.96	22.4
4	10.6	6.50	7.73	16.2	33.2	22.4	22.4	10.6	3.50	3.50	8.96	19.9
5	10.6	6.91	7.73	16.2	33.2	29.4	22.4	9.78	3.50	3.50	8.96	17.4
6	10.6	7.32	8.14	16.2	37.0	37.0	22.4	9.78	4.10	3.50	32.4	16.2
7	9.78	7.32	8.55	16.2	37.0	61.8	22.4	9.78	4.10	3.50	29.4	16.2
8	9.78	7.32	9.78	15.6	40.6	72.9	21.2	8.96	3.50	3.50	28.7	16.2
9	9.37	8.14	10.6	15.6	42.4	90.0	21.2	8.96	3.50	3.50	29.4	14.0
10	8.96	7.73	10.6	13.4	42.4	90.0	19.9	8.96	3.50	5.30	29.4	12.8
11	9.78	8.14	11.2	14.0	41.5	85.0	19.9	8.55	3.50	5.90	29.4	11.7
12	10.6	8.55	11.2	14.0	40.6	66.0	18.7	8.55	3.50	5.90	29.4	11.7
13	10.6	8.55	11.2	14.0	40.6	55.5	17.4	8.55	3.50	5.90	22.4	11.7
14	10.6	8.96	11.2	12.8	40.6	46.0	17.4	8.96	3.50	5.90	23.8	11.7
15	10.6	8.55	11.7	18.7	38.8	46.0	17.4	8.96	3.80	5.90	34.0	11.7
16	8.14	8.55	12.3	33.2	38.8	45.1	16.2	8.96	4.10	5.30	55.5	10.6
17	7.73	8.55	12.3	37.0	40.6	37.0	16.2	8.55	4.10	5.90	160	10.6
18	7.32	8.96	12.8	46.0	40.6	37.0	16.2	8.55	4.10	6.50	169	10.6
19	6.91	8.96	12.8	55.5	38.8	37.0	16.2	8.55	4.10	8.14	160	9.78
20	7.32	8.96	13.4	50.8	37.0	37.0	16.2	8.55	4.10	8.96	116	9.78
21	7.73	8.14	13.4	37.0	29.4	37.0	16.2	8.55	4.10	9.78	97.8	8.96
22	7.73	7.32	13.4	37.0	26.6	35.5	16.2	6.50	4.10	10.6	75.2	8.96
23	7.73	7.32	14.5	37.0	29.4	34.0	16.2	5.90	4.10	29.4	66.0	8.96
24	7.73	7.32	16.2	37.0	32.4	34.0	16.2	5.90	4.10	55.5	57.6	8.96
25	7.73	7.73	19.3	35.5	37.0	34.0	16.2	5.90	3.80	46.0	55.5	8.96
26	7.73	7.73	22.4	33.2	37.0	32.4	16.2	3.50	3.80	23.8	55.5	8.96
27	7.73	7.32	22.4	21.2	28.0	32.4	17.4	3.50	3.80	16.2	37.0	8.14
28	7.73	7.32	22.4	19.3	26.6	30.9	16.2	3.50	3.50	16.2	37.0	8.14
29	7.73		24.5	22.4	25.2	29.4	15.1	3.50	3.50	14.0	34.0	8.14
30	7.32		19.3	22.4	22.4	29.4	12.8	3.50	3.50	10.6	29.4	8.96
31	7.32		16.2		21.2		12.8	3.50		10.6		8.96
SD1	10.1	7.12	8.59	16.2	35.0	46.8	22.3	9.86	3.62	3.68	19.4	17.5
SD2	8.96	8.67	12.0	29.6	39.8	49.2	17.2	8.67	3.83	6.43	79.9	11.0
SD3	7.66	7.53	18.5	30.2	28.7	32.9	15.6	4.89	3.83	22.1	54.5	8.74
MAX	10.6	8.96	24.5	55.5	42.4	90.0	26.6	10.6	4.10	55.5	169	22.4
DAT	1	13	29	19	10	10	1	1	6	24	18	2
SR	8.88	7.79	13.2	25.3	34.3	43.0	18.3	7.71	3.76	11.1	51.3	12.3
MIN	6.91	6.50	7.32	12.8	21.2	21.2	12.8	3.50	3.50	3.50	8.96	8.14
DAT	19	2	1	14	31	1	30	26	1	1	1	27
		GMIN = 3.50			SRGOD= 19.7			GMAX = 169				
		DATUM 26 8						DATUM 18 11				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1992

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	7.32	4.70	4.70	12.3	39.7	18.1	14.5	4.10	3.20	3.30	25.2	15.1
2	7.32	4.70	4.70	12.3	39.7	19.9	14.5	4.10	3.20	3.50	21.2	14.5
3	7.32	4.70	5.00	12.3	37.0	18.7	14.5	4.10	3.20	3.80	18.7	14.0
4	7.32	4.70	5.00	12.3	33.2	18.1	13.4	4.10	3.20	4.10	16.2	14.0
5	6.50	4.70	5.30	14.0	31.7	16.8	12.3	4.40	3.20	5.30	14.5	14.0
6	6.50	4.40	5.30	15.1	30.9	16.2	11.7	4.10	3.20	5.60	12.8	18.1
7	6.50	4.40	5.30	19.9	29.4	15.1	11.7	4.10	3.20	14.0	11.7	23.1
8	6.50	4.40	5.30	21.2	28.7	13.4	12.3	4.10	3.20	16.8	10.6	22.4
9	6.50	4.40	5.00	20.5	27.3	13.4	10.6	3.80	3.20	11.2	10.2	22.4
10	6.50	4.10	4.70	21.2	27.3	12.8	10.6	3.80	3.20	8.55	9.37	21.8
11	6.50	4.10	4.70	21.8	27.3	12.3	9.37	3.40	3.20	10.6	8.55	20.5
12	6.50	4.10	4.70	20.5	27.3	15.1	9.37	3.40	3.20	8.55	8.55	18.7
13	6.50	4.10	4.70	18.7	26.6	16.2	9.37	3.40	3.20	10.6	11.7	18.1
14	6.50	4.10	4.70	18.1	25.2	18.7	9.37	3.40	3.20	10.6	15.1	16.8
15	5.90	4.40	5.90	16.8	23.8	18.7	8.96	3.40	3.20	10.2	13.4	15.6
16	6.50	4.40	7.32	16.8	21.8	19.3	8.14	3.40	3.20	11.2	11.2	15.1
17	6.50	4.70	7.32	18.1	21.8	27.3	7.73	3.40	3.20	11.7	19.9	14.5
18	6.50	5.30	6.91	24.5	19.9	29.4	7.73	3.40	3.20	5.90	112	14.0
19	5.90	4.70	6.91	25.9	19.9	30.9	6.50	3.40	3.20	34.0	117	13.4
20	5.90	4.40	6.50	23.8	18.7	28.7	5.90	3.40	3.20	23.1	97.8	13.4
21	5.90	4.70	6.50	25.2	18.1	26.6	5.90	3.40	3.20	21.8	49.8	12.8
22	5.90	4.70	6.20	21.2	18.1	23.1	5.60	3.40	3.20	17.4	37.0	12.8
23	5.90	4.40	5.30	19.9	18.1	21.2	5.60	3.20	3.20	16.8	31.7	12.8
24	5.90	4.40	6.91	21.8	17.4	19.3	5.00	3.20	3.20	16.2	27.3	12.8
25	5.90	4.40	8.55	23.1	16.8	19.3	5.00	3.20	3.20	18.1	23.8	12.8
26	5.30	4.40	9.78	25.9	16.2	19.3	5.00	3.20	3.20	17.4	22.4	12.3
27	5.30	4.40	19.9	30.9	16.2	19.9	4.70	3.20	3.30	21.2	19.9	12.3
28	5.30	4.40	19.9	34.7	15.6	19.3	4.70	3.20	3.30	23.8	18.7	12.3
29	5.30	4.40	18.1	35.5	15.1	12.3	4.70	3.20	3.20	22.4	17.4	12.3
30	5.30		15.1	37.0	15.1	15.1	4.70	3.20	3.30	25.9	16.2	12.3
31	5.30		12.8		16.2		4.40	3.20		28.7		12.3
SD1	6.83	4.52	5.03	16.1	32.5	16.3	12.6	4.07	3.20	7.62	15.0	17.9
SD2	6.32	4.43	5.97	20.5	23.2	21.7	8.24	3.40	3.20	13.6	41.5	16.0
SD3	5.57	4.47	11.7	27.5	16.6	19.5	5.03	3.24	3.23	20.9	26.4	12.5
MAX	7.32	5.30	19.9	37.0	39.7	30.9	14.5	4.40	3.30	34.0	117	23.1
DAT	1	18	27	30	1	19	1	5	27	19	19	7
SR	6.22	4.47	7.71	21.4	23.9	19.1	8.51	3.56	3.21	14.3	27.7	15.4
MIN	5.30	4.10	4.70	12.3	15.1	12.3	4.40	3.20	3.20	3.30	8.55	12.3
DAT	26	10	1	1	29	11	31	23	1	1	11	26
		GMIN = 3.20			SRGOD= 12.9			GMAX = 117				
		DATUM 23 8						DATUM 19 11				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1993

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
 Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
 Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	5.90	3.50	2.70	7.32	32.4	11.7	6.50	3.50	3.20	5.30	8.55	12.8	
2	5.90	3.50	2.70	8.96	30.9	11.7	6.50	3.50	3.30	5.30	7.73	12.3	
3	5.90	3.50	2.70	9.78	30.9	10.6	6.50	3.50	3.30	5.60	7.32	12.3	
4	5.30	3.50	2.70	9.78	28.0	10.6	6.20	3.50	3.20	15.1	7.32	11.7	
5	5.30	3.30	2.50	9.78	26.6	9.78	6.20	3.50	3.10	35.5	7.32	10.6	
6	5.30	3.30	2.50	10.2	26.6	9.78	6.20	3.50	3.30	34.7	9.37	10.6	
7	5.30	3.30	2.50	10.2	26.6	10.6	6.20	3.50	13.4	34.0	37.0	10.6	
8	5.30	3.10	2.50	10.6	26.6	11.7	5.90	3.50	14.0	22.4	133	9.78	
9	5.30	3.10	2.50	10.6	25.2	11.7	5.90	3.50	12.8	17.4	95.2	9.78	
10	5.30	2.90	2.50	10.6	22.4	11.7	5.90	3.50	10.6	15.1	66.0	10.6	
11	5.30	2.90	2.50	11.7	22.4	11.7	5.60	3.50	9.78	14.5	44.2	10.6	
12	5.30	2.70	2.70	16.2	22.4	10.6	5.60	3.50	8.55	14.0	37.0	11.7	
13	5.30	2.70	2.90	37.0	22.4	10.2	5.60	3.50	7.32	12.8	29.4	12.8	
14	4.70	2.70	2.90	37.0	22.4	10.2	5.00	3.50	6.91	11.7	26.6	12.8	
15	4.70	2.70	3.10	37.0	22.4	9.78	5.00	3.40	7.32	11.2	32.4	12.3	
16	4.70	2.70	3.40	37.0	21.2	9.78	4.70	3.40	7.73	10.2	26.6	13.4	
17	4.70	2.70	3.40	37.0	21.2	9.37	4.40	3.30	6.50	9.37	26.6	37.0	
18	4.10	2.70	3.40	37.0	21.2	9.37	4.10	3.30	6.50	8.96	32.4	160	
19	4.10	2.70	3.80	37.0	19.9	9.37	4.10	3.20	6.20	8.55	28.0	139	
20	4.10	2.70	3.80	30.9	19.9	8.55	4.10	3.20	6.20	8.14	22.4	118	
21	4.10	2.50	3.80	29.4	19.3	8.14	4.10	3.20	5.90	7.73	21.2	103	
22	4.10	2.50	4.10	29.4	19.3	8.14	4.10	3.20	5.90	7.73	16.2	37.0	
23	3.50	2.50	4.10	34.0	18.7	7.73	4.10	3.20	5.90	7.32	16.2	29.4	
24	3.50	2.50	4.10	34.0	18.7	7.32	3.80	3.20	5.90	7.32	16.2	25.2	
25	3.50	2.50	4.40	37.0	18.7	7.32	3.80	3.20	5.60	11.7	16.2	22.4	
26	3.50	2.50	5.30	37.0	19.3	7.32	3.80	3.20	5.00	16.2	14.0	22.4	
27	3.50	2.50	5.90	34.0	18.7	7.32	3.50	3.20	5.30	13.4	12.8	22.4	
28	3.50	2.70	5.90	34.0	18.7	7.32	3.50	3.20	5.00	11.7	12.8	22.4	
29	3.50		6.50	32.4	16.2	7.32	3.50	3.20	5.00	10.6	12.8	22.4	
30	3.50		6.50	32.4	15.1	7.32	3.50	3.20	5.00	9.37	12.8	22.4	
31	3.50		6.50		12.3		3.50	3.20		8.96		22.4	
SD1	5.48	3.30	2.58	9.78	27.6	11.0	6.20	3.50	7.02	19.0	37.9	11.1	
SD2	4.70	2.72	3.19	31.8	21.5	9.89	4.82	3.38	7.30	10.9	30.6	52.8	
SD3	3.61	2.53	5.19	33.4	17.7	7.53	3.75	3.20	5.45	10.2	15.1	31.9	
MAX	5.90	3.50	6.50	37.0	30.9	11.7	6.50	3.50	14.0	35.5	133	160	
DAT	3	4	31	13	2	10	2	13	7	4	7	17	
SR	4.56	2.87	3.70	25.0	22.1	9.47	4.88	3.35	6.59	13.3	27.9	31.9	
MIN	3.50	2.50	2.50	7.32	12.3	7.32	3.50	3.20	3.10	5.30	7.32	9.78	
DAT	23	21	5	1	31	24	27	19	5	1	3	8	
		GMIN = 2.50		SRGOD= 13.0		GMAX = 160							
		DATUM 21 2				DATUM 17 12							

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1994

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	21.2	9.78	9.78	17.4	41.5	34.0	19.3	7.73	5.00	4.40	10.6	4.70	
2	20.5	9.37	9.78	18.7	41.5	30.9	18.7	7.32	4.70	4.40	10.6	4.40	
3	19.3	9.37	10.2	18.7	42.4	29.4	18.7	7.32	4.70	4.40	9.78	4.40	
4	20.5	8.96	10.2	20.5	35.5	26.6	17.4	7.32	4.70	4.40	8.96	4.40	
5	18.7	8.96	9.78	21.2	30.9	25.2	16.2	6.91	4.70	5.00	8.14	4.10	
6	16.2	8.96	9.78	21.2	30.9	29.4	16.2	6.91	4.70	5.30	6.50	4.10	
7	16.2	8.96	9.78	22.4	34.0	27.3	15.1	6.50	4.70	5.30	5.90	4.10	
8	18.1	9.37	9.78	22.4	30.9	22.4	16.2	6.50	4.70	5.00	5.90	4.10	
9	20.5	9.37	9.78	21.8	28.0	21.2	15.1	6.50	4.10	4.70	6.20	4.10	
10	21.2	9.78	10.2	29.4	26.6	19.9	14.5	6.50	4.10	4.70	6.50	4.40	
11	22.4	9.78	10.6	35.5	26.6	16.2	13.4	6.50	3.80	4.70	4.70	4.40	
12	22.4	9.78	12.8	63.9	28.0	19.9	12.8	6.50	3.50	4.40	5.90	4.70	
13	23.1	9.78	14.0	130	28.7	19.9	13.4	6.20	3.50	4.40	8.14	4.70	
14	24.5	9.37	15.1	97.8	29.4	19.9	13.4	6.20	3.50	4.10	10.6	4.70	
15	25.2	9.37	15.6	60.8	32.4	22.4	13.4	5.90	3.50	4.10	10.6	4.10	
16	22.4	9.37	16.2	46.0	38.8	23.1	12.3	5.90	3.40	4.10	10.6	4.10	
17	23.1	9.37	16.2	44.2	40.6	20.5	11.7	5.90	3.40	4.10	9.78	4.10	
18	23.8	9.78	16.2	80.0	43.3	19.9	11.7	5.60	3.40	4.10	8.96	4.10	
19	23.1	9.37	16.2	85.0	47.9	19.9	11.7	5.30	3.50	4.10	8.96	4.10	
20	21.2	9.37	15.6	62.8	60.8	19.9	11.2	5.30	3.50	4.10	8.55	3.80	
21	19.9	8.96	15.6	52.7	53.6	19.9	11.2	5.30	3.50	3.80	8.55	3.80	
22	18.7	8.96	15.1	59.7	47.9	19.9	11.2	5.30	3.50	3.80	8.14	3.80	
23	17.4	8.96	16.2	43.3	44.2	20.5	11.2	5.00	3.50	4.10	8.14	3.80	
24	16.2	9.37	16.2	38.8	44.2	18.7	11.2	5.00	3.50	4.70	8.14	4.10	
25	14.0	9.78	16.2	37.0	44.2	18.7	10.6	4.70	4.10	4.70	8.14	3.80	
26	11.7	9.78	17.4	38.8	45.1	17.4	9.78	4.70	4.10	5.00	8.14	4.10	
27	10.6	9.78	17.4	42.4	44.2	17.4	8.96	4.70	4.40	5.00	7.32	3.80	
28	10.6	9.78	18.7	46.0	42.4	17.4	8.55	4.70	4.40	5.90	7.32	3.80	
29	10.6		19.9	47.9	38.8	19.9	8.14	4.70	4.40	6.50	6.50	3.80	
30	10.6		18.7	42.4	35.5	19.9	8.14	4.70	4.40	6.50	6.50	3.80	
31	10.6		17.4		34.0		8.14	5.00		9.78		4.10	
SD1	19.2	9.29	9.91	21.4	34.2	26.6	16.7	6.95	4.61	4.76	7.91	4.28	
SD2	23.1	9.53	14.9	70.6	37.6	20.2	12.5	5.93	3.50	4.22	8.68	4.28	
SD3	13.7	9.42	17.2	44.9	43.1	19.0	9.74	4.89	3.98	5.43	7.69	3.88	
MAX	25.2	9.78	19.9	146	60.8	34.0	19.3	7.73	5.00	9.78	10.6	4.70	
DAT	15	28	29	13	20	1	1	1	1	31	16	14	
SR	18.5	9.41	14.1	45.6	38.5	21.9	12.9	5.89	4.03	4.83	8.09	4.14	
MIN	10.6	8.96	9.78	17.4	26.6	16.2	8.14	4.70	3.40	3.80	4.70	3.80	
DAT	27	4	1	1	10	11	29	25	16	21	11	20	
		GMIN = 3.40			SRGOD= 15.7			GMAX = 146					
		DATUM 16 9						DATUM 13 4					

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1995

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	10.6	17.4	46.0	16.2	37.0	50.8	16.2	10.6	23.1	15.1	6.20	10.6	
2	103	16.2	34.0	15.1	35.5	49.8	16.2	9.78	19.9	14.0	5.90	11.7	
3	95.2	15.1	30.9	14.5	37.0	48.8	16.2	8.96	17.4	12.8	6.20	12.3	
4	77.5	14.0	25.2	15.6	33.2	48.8	16.2	8.96	16.2	11.7	5.90	12.8	
5	38.8	12.8	24.5	21.2	30.9	47.9	16.2	8.96	21.2	11.7	5.30	12.8	
6	29.4	10.6	23.8	21.2	29.4	47.9	15.6	8.96	30.9	11.2	4.70	12.3	
7	29.4	9.78	20.5	24.5	26.6	43.3	15.1	8.96	59.7	10.6	4.40	11.7	
8	23.8	8.96	18.7	25.9	30.9	40.6	16.2	8.14	46.0	10.6	3.80	10.6	
9	22.4	9.37	17.4	28.0	31.7	37.0	16.2	7.73	37.0	9.78	5.00	10.6	
10	21.2	10.6	16.8	26.6	37.0	37.0	16.2	7.32	38.8	9.78	5.60	10.2	
11	19.9	12.8	16.2	23.8	42.4	28.0	15.1	7.32	32.4	9.37	5.60	9.78	
12	19.9	12.3	15.1	22.4	49.8	29.4	15.1	6.50	25.9	8.96	5.90	9.37	
13	15.1	11.7	12.8	19.3	90.0	29.4	13.4	6.50	23.8	8.96	5.90	8.14	
14	10.6	11.2	11.7	17.4	212	29.4	13.4	6.50	19.3	8.14	5.90	8.14	
15	9.78	10.6	11.7	15.1	179	30.2	13.4	5.90	25.2	8.14	5.90	8.55	
16	9.78	10.6	11.7	14.5	116	30.9	13.4	5.90	29.4	7.32	6.50	9.78	
17	8.14	9.78	11.2	15.1	77.5	30.9	12.8	6.50	26.6	7.32	6.50	8.96	
18	7.73	10.6	11.7	14.0	66.0	26.6	12.8	6.50	23.8	7.32	7.32	9.78	
19	7.32	10.6	11.2	13.4	57.6	23.8	11.7	7.32	19.9	6.50	7.32	10.2	
20	7.73	15.1	10.2	12.8	55.5	22.4	11.7	6.91	18.7	6.50	7.32	10.6	
21	7.32	14.5	10.6	14.0	51.7	21.8	11.7	7.32	29.4	6.50	7.32	10.2	
22	7.32	13.4	10.6	15.1	49.8	21.2	10.6	7.32	29.4	5.90	8.96	9.78	
23	8.14	12.8	10.2	18.7	46.0	21.2	10.6	6.50	25.2	5.90	9.37	15.1	
24	8.55	12.8	9.78	25.2	42.4	21.2	10.6	5.90	22.4	5.90	10.6	22.4	
25	8.96	18.7	9.78	29.4	42.4	19.9	9.78	6.50	22.4	5.90	10.6	80.0	
26	9.78	23.1	9.78	47.9	44.2	19.9	9.78	8.14	21.2	5.90	10.6	116	
27	10.6	28.0	9.78	57.6	46.0	19.3	8.96	8.96	18.7	5.90	11.2	229	
28	25.2	53.6	10.6	53.6	51.7	18.7	8.96	14.5	17.4	5.90	10.6	281	
29	21.8		23.8	44.2	53.6	17.4	8.14	18.7	17.4	5.90	10.6	176	
30	16.8		22.4	38.8	55.5	17.4	8.55	21.2	16.2	5.90	10.6	105	
31	16.2		21.2		54.5		9.78	23.8		5.90		61.8	
SD1	45.1	12.5	25.8	20.9	32.9	45.2	16.0	8.84	31.0	11.7	5.30	11.6	
SD2	11.6	11.5	12.3	16.8	94.6	28.1	13.3	6.59	24.5	7.85	6.42	9.33	
SD3	12.8	22.1	13.5	34.5	48.9	19.8	9.77	11.7	22.0	5.95	10.0	101	
MAX	103	53.6	46.0	57.6	212	50.8	16.2	23.8	59.7	15.1	11.2	281	
DAT	2	28	1	27	14	1	10	31	7	1	27	28	
SR	22.8	14.9	17.1	24.0	58.5	31.0	12.9	9.13	25.8	8.43	7.25	42.4	
MIN	7.32	8.96	9.78	12.8	26.6	17.4	8.14	5.90	16.2	5.90	3.80	8.14	
DAT	19	8	24	20	7	29	29	15	4	22	8	13	
GMIN =			3.80	SRGOD=			22.9	GMAX =			281		
DATUM			8 11					DATUM			28 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1996

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	59.7	11.2	8.96	23.1	44.2	35.5	11.7	5.30	3.30	41.5	12.8	72.9	
2	66.0	10.6	8.96	23.8	57.6	34.0	11.7	5.00	3.40	29.4	12.8	32.4	
3	57.6	10.6	8.14	37.0	63.9	32.4	10.6	5.00	3.40	21.2	12.3	29.4	
4	38.8	10.2	8.14	70.6	66.0	32.4	10.6	5.00	3.50	19.9	11.7	28.0	
5	30.9	10.2	7.73	61.8	72.9	33.2	10.6	5.00	3.50	21.2	11.7	25.2	
6	25.2	10.2	7.32	46.0	80.0	34.0	9.78	4.70	3.50	18.7	11.7	21.2	
7	21.8	9.78	7.32	37.0	81.3	34.0	9.78	4.70	3.40	16.2	11.7	16.2	
8	21.2	9.78	7.32	30.9	78.8	32.4	9.78	4.10	3.40	16.2	11.7	15.1	
9	19.9	9.37	7.32	28.0	77.5	30.9	9.37	4.10	3.30	16.2	11.2	14.0	
10	16.2	8.96	6.91	24.5	75.2	30.9	8.96	3.80	3.30	16.2	10.6	14.0	
11	15.6	8.96	7.32	23.8	69.4	29.4	8.96	3.50	3.50	16.2	9.78	13.4	
12	15.1	8.96	7.32	23.1	68.3	28.0	8.96	3.50	4.70	15.6	9.78	13.4	
13	14.0	9.37	7.73	22.4	66.0	27.3	8.96	3.50	5.30	15.1	9.78	13.4	
14	13.4	8.96	8.14	22.4	68.3	26.6	8.96	3.50	15.6	15.1	9.37	25.2	
15	12.8	8.96	7.73	23.8	68.3	25.2	8.96	3.50	22.4	15.6	9.37	30.9	
16	12.8	8.55	7.32	23.8	72.9	25.2	9.37	3.50	19.9	18.7	9.37	53.6	
17	11.7	8.55	7.32	23.8	68.3	23.8	8.96	3.50	16.2	29.4	8.14	39.7	
18	11.7	8.55	7.73	22.4	63.9	22.4	8.96	3.50	16.2	55.5	15.6	25.2	
19	10.6	8.96	8.14	21.2	57.6	21.2	8.96	3.50	18.1	57.6	22.4	25.2	
20	10.6	9.37	8.96	18.7	55.5	18.7	8.96	3.30	16.2	55.5	46.0	22.4	
21	10.6	10.2	8.55	17.4	53.6	16.2	8.96	3.30	37.0	42.4	55.5	23.8	
22	11.2	11.7	8.55	18.7	49.8	16.2	8.14	3.30	35.5	41.5	80.0	23.8	
23	11.2	11.7	8.96	19.9	46.0	16.2	8.14	3.30	32.4	40.6	90.0	27.3	
24	11.7	11.2	8.96	23.8	44.2	15.1	7.32	3.30	46.0	37.0	113	29.4	
25	11.7	10.6	8.96	29.4	42.4	15.1	6.50	3.30	44.2	25.2	116	37.0	
26	11.7	10.6	9.37	38.8	37.0	14.0	6.50	3.20	37.0	16.2	77.5	77.5	
27	12.3	9.78	9.37	46.0	37.9	14.0	6.50	3.20	45.1	16.2	61.8	90.0	
28	12.3	8.96	15.1	44.2	38.8	14.0	6.50	3.20	55.5	15.1	46.0	55.5	
29	12.3	8.96	29.4	43.3	42.4	12.8	5.90	3.20	46.0	12.8	46.0	34.0	
30	12.3		23.8	44.2	37.0	12.8	5.90	3.20	44.2	12.8	46.0	30.9	
31	11.7		22.4		35.5		5.30	3.30		12.8		29.4	
SD1	35.7	10.1	7.81	38.3	69.7	33.0	10.3	4.67	3.40	21.7	11.8	26.8	
SD2	12.8	8.92	7.77	22.5	65.8	24.8	9.00	3.48	13.8	29.4	15.0	26.2	
SD3	11.7	10.4	13.9	32.6	42.2	14.6	6.88	3.25	42.3	24.8	73.2	41.7	
MAX	66.0	11.7	29.4	70.6	81.3	35.5	11.7	5.30	55.5	57.6	116	90.0	
DAT	2	22	29	4	7	1	1	1	28	19	25	27	
SR	19.8	9.79	9.98	31.1	58.7	24.1	8.66	3.78	19.8	25.3	33.3	31.9	
MIN	10.6	8.55	6.91	17.4	35.5	12.8	5.30	3.20	3.30	12.8	8.14	13.4	
DAT	19	16	10	21	31	29	31	26	1	29	17	11	
		GMIN = 3.20			SRGOD= 23.1			GMAX = 116					
		DATUM 26 8						DATUM 25 11					

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1997

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	29.4	9.78	7.32	10.6	25.2	28.0	14.0	7.32	3.50	2.10	10.6	12.8	
2	30.9	9.78	7.32	10.6	25.9	27.3	14.0	6.50	3.50	2.20	10.6	12.8	
3	34.0	9.78	7.32	11.7	25.2	22.4	14.0	6.50	3.50	2.20	10.6	13.4	
4	37.0	8.96	6.91	10.6	30.9	21.2	12.8	6.50	3.50	2.20	10.2	17.4	
5	40.6	8.96	6.91	10.6	35.5	21.2	12.8	6.50	3.50	2.10	9.78	22.4	
6	40.6	8.96	6.91	10.2	42.4	20.5	12.8	6.50	3.40	2.10	9.78	18.7	
7	38.8	8.55	7.32	9.78	44.2	21.2	12.3	7.32	3.40	2.10	9.78	16.2	
8	35.5	8.55	7.32	9.78	75.2	22.4	12.3	6.91	3.30	2.10	9.78	15.1	
9	32.4	12.8	6.91	9.78	154	23.8	12.8	6.50	3.30	2.10	12.8	14.0	
10	26.6	12.8	6.50	9.78	133	23.1	11.7	5.90	3.30	2.10	16.2	13.4	
11	22.4	12.8	6.50	10.2	87.5	22.4	11.7	4.40	3.30	2.20	17.4	12.8	
12	21.2	12.8	6.50	10.2	75.2	22.4	11.7	4.70	3.30	2.30	28.0	12.8	
13	21.2	12.8	6.50	9.78	66.0	22.4	10.6	4.70	3.10	6.50	35.5	12.3	
14	20.5	7.73	5.90	9.78	63.9	21.2	9.78	4.70	2.70	19.9	35.5	12.3	
15	18.7	7.73	5.90	9.78	63.9	21.2	9.78	4.70	2.50	30.9	61.8	11.7	
16	17.4	7.73	5.90	9.78	61.8	21.2	9.78	4.10	2.50	26.6	46.0	11.7	
17	16.2	8.55	6.20	9.78	61.8	22.4	9.78	3.80	2.50	17.4	32.4	11.7	
18	16.2	9.78	6.20	8.96	59.7	22.4	9.78	3.80	2.40	13.4	28.0	11.7	
19	16.2	9.37	5.90	8.55	57.6	21.8	8.96	3.50	2.30	11.7	26.6	11.7	
20	15.1	8.14	5.30	8.14	55.5	22.4	8.96	3.50	2.30	11.7	22.4	12.8	
21	14.5	7.73	12.3	8.55	53.6	22.4	8.96	3.50	2.30	11.7	17.4	22.4	
22	12.8	7.32	11.7	10.6	51.7	21.2	8.96	3.50	2.30	11.7	16.2	38.8	
23	12.3	7.32	11.7	57.6	49.8	21.2	8.14	3.50	2.30	11.7	16.2	34.0	
24	11.7	6.91	11.7	61.8	46.0	19.9	8.14	3.40	2.30	12.3	17.4	33.2	
25	11.7	6.50	10.6	42.4	54.5	18.7	7.32	3.30	2.20	11.7	16.8	29.4	
26	11.2	6.50	10.6	32.4	44.2	16.2	7.32	3.30	2.20	14.0	16.2	26.6	
27	10.6	6.50	9.78	25.2	46.0	15.1	7.32	3.30	2.10	14.0	15.1	18.7	
28	10.2	6.50	9.78	23.8	35.5	14.5	7.32	3.30	2.10	15.1	12.8	19.9	
29	9.78		10.2	25.2	26.6	14.0	7.32	3.40	2.10	13.4	12.8	17.4	
30	9.78		10.6	25.9	26.6	14.0	7.32	3.40	2.10	10.6	12.8	17.4	
31	9.78		10.6		28.0		7.32	3.40		10.6		17.4	
SD1	34.6	9.89	7.07	10.3	59.2	23.1	13.0	6.64	3.42	2.13	11.0	15.6	
SD2	18.5	9.74	6.08	9.49	65.3	22.0	10.1	4.19	2.69	14.3	33.4	12.1	
SD3	11.3	6.91	10.9	31.3	42.0	17.7	7.77	3.39	2.20	12.4	15.4	25.0	
MAX	40.6	12.8	12.3	61.8	154	28.0	14.0	7.32	3.50	30.9	61.8	38.8	
DAT	5	9	21	24	9	1	1	1	1	15	15	22	
SR	21.1	8.99	8.10	17.1	55.1	20.9	10.2	4.70	2.77	9.70	19.9	17.8	
MIN	9.78	6.50	5.30	8.14	25.2	14.0	7.32	3.30	2.10	2.10	9.78	11.7	
DAT	29	25	20	20	1	29	25	25	27	1	5	15	
		GMIN = 2.10			SRGOD= 16.4			GMAX = 154					
		DATUM 27 9						DATUM 9 5					

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1998

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	17.4	6.50	5.90	5.90	25.2	18.1	9.78	3.50	3.30	34.0	18.7	9.78	
2	16.2	6.50	5.90	5.90	25.9	17.4	8.96	3.50	3.30	35.5	18.7	10.2	
3	15.1	5.90	5.90	5.30	26.6	17.4	8.55	3.40	3.20	47.9	19.3	9.78	
4	14.0	5.90	5.90	4.70	37.0	18.1	8.14	3.30	3.40	59.7	19.9	10.6	
5	14.0	5.30	5.90	5.30	80.0	18.1	8.14	3.30	3.40	42.4	22.4	29.4	
6	14.0	5.30	6.20	6.50	142	17.4	7.73	3.10	3.50	34.0	26.6	55.5	
7	12.8	5.30	5.90	6.91	92.6	17.4	7.32	3.10	3.30	28.0	35.5	38.8	
8	12.8	5.30	5.90	8.96	66.0	17.4	7.32	3.10	3.40	23.8	53.6	30.2	
9	13.4	5.30	7.32	14.0	53.6	16.8	9.37	3.10	5.30	22.4	38.8	22.4	
10	12.8	5.30	7.32	25.2	46.0	16.2	10.6	2.90	5.30	25.2	35.5	18.7	
11	12.8	5.30	7.32	59.7	42.4	16.2	9.78	2.90	5.30	85.0	34.0	17.4	
12	11.7	5.30	7.73	197	38.8	17.4	8.96	2.90	5.60	80.0	32.4	16.8	
13	10.6	5.90	7.73	160	37.0	25.2	8.14	2.90	5.90	75.2	30.2	15.1	
14	10.6	5.90	7.32	103	37.0	29.4	7.32	2.70	22.4	40.6	28.0	14.0	
15	10.6	5.90	6.91	77.5	32.4	26.6	6.50	2.70	70.6	29.4	25.2	12.8	
16	10.6	5.90	6.50	55.5	29.4	21.2	7.32	2.70	49.8	28.0	35.5	12.8	
17	9.78	5.90	6.20	44.2	26.6	17.4	6.20	2.70	37.0	26.6	30.9	12.3	
18	9.78	6.20	5.90	46.0	25.2	16.2	6.50	2.70	32.4	25.9	26.6	10.6	
19	10.6	6.20	5.90	47.9	23.1	16.2	6.50	2.70	29.4	19.9	23.1	10.2	
20	10.2	5.90	5.90	49.8	18.1	15.1	5.90	2.60	25.2	17.4	19.9	10.2	
21	9.78	5.90	5.90	42.4	19.9	14.0	5.90	2.50	22.4	18.7	18.7	10.6	
22	9.37	5.90	5.90	35.5	19.9	12.8	5.60	2.50	19.9	21.2	18.1	10.6	
23	8.96	5.30	5.30	29.4	21.2	12.8	5.30	2.50	16.2	19.9	17.4	10.2	
24	8.96	5.30	5.30	30.9	18.7	11.7	4.70	2.50	14.0	19.3	16.8	9.78	
25	8.96	5.30	5.30	29.4	18.1	10.6	4.40	2.50	10.6	18.7	16.2	9.37	
26	8.96	5.30	5.30	29.4	17.4	10.6	4.10	2.50	11.7	21.2	15.1	9.37	
27	8.14	5.60	5.30	28.0	18.1	10.6	3.50	2.50	12.8	34.7	12.8	9.78	
28	7.32	5.90	5.00	28.7	18.7	9.78	3.50	2.50	21.2	37.0	12.8	8.96	
29	7.32		5.30	29.4	18.7	9.78	3.50	2.70	51.7	32.4	11.7	8.55	
30	6.50		5.30	28.0	18.7	9.78	3.50	3.30	37.0	23.8	10.6	8.55	
31	6.50		5.30		18.7		3.50	3.30		22.4		8.14	
SD1	14.3	5.66	6.21	8.87	59.5	17.4	8.59	3.23	3.74	35.3	28.9	23.5	
SD2	10.7	5.84	6.74	84.1	31.0	20.1	7.31	2.75	28.4	42.8	28.6	13.2	
SD3	8.25	5.56	5.38	31.1	18.9	11.2	4.32	2.66	21.8	24.5	15.0	9.45	
MAX	17.4	6.50	7.32	197	142	29.4	10.6	3.50	70.6	85.0	53.6	55.5	
DAT	1	1	9	12	6	14	10	1	15	11	8	6	
SR	11.0	5.70	6.09	41.3	35.9	16.3	6.66	2.87	18.0	33.9	24.2	15.2	
MIN	6.50	5.30	5.00	4.70	17.4	9.78	3.50	2.50	3.20	17.4	10.6	8.14	
DAT	30	5	28	4	26	28	27	21	3	20	30	31	
		GMIN = 2.50			SRGOD= 18.1			GMAX = 197					
		DATUM 21 8						DATUM 12 4					

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1999

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
 Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
 Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	8.14	5.90	8.96	11.7	61.8	33.2	16.2	6.50	3.00	2.60	3.50	11.7	
2	6.50	5.90	8.55	11.7	66.0	35.5	16.2	6.50	3.10	2.70	3.40	10.6	
3	6.50	5.90	9.37	12.8	63.9	34.7	15.1	5.90	3.30	2.70	3.30	10.6	
4	6.91	6.50	10.2	12.8	66.0	35.5	14.5	6.20	3.20	2.60	3.30	9.78	
5	5.90	7.32	11.7	11.7	70.6	35.5	14.0	6.50	3.10	2.50	3.30	10.2	
6	5.30	8.55	25.9	12.8	68.3	34.0	14.0	6.50	3.10	2.50	3.40	12.8	
7	5.00	7.32	26.6	15.1	67.2	30.9	14.0	6.20	3.00	2.60	3.40	12.8	
8	4.70	7.73	28.7	16.2	59.7	29.4	13.4	5.90	2.90	2.50	3.20	11.7	
9	8.14	6.50	29.4	19.9	55.5	28.0	13.4	5.90	2.90	2.50	3.00	11.7	
10	9.78	7.32	28.0	26.6	55.5	26.6	14.0	5.90	2.70	2.50	4.10	12.3	
11	10.6	14.0	19.9	29.4	53.6	25.2	12.8	5.30	2.50	2.50	6.91	14.0	
12	12.8	15.1	18.7	29.4	53.6	25.2	11.7	4.70	2.50	2.50	8.96	19.9	
13	14.0	12.8	16.2	29.4	55.5	23.8	11.7	4.10	2.50	2.30	6.50	21.2	
14	13.4	11.2	16.2	33.2	59.7	23.8	10.6	4.10	2.50	2.30	5.90	23.8	
15	15.1	10.6	15.1	30.9	60.8	23.8	10.6	3.80	2.30	2.10	5.90	22.4	
16	14.0	8.96	17.4	30.9	63.9	22.4	10.6	3.50	2.50	2.20	7.32	118	
17	12.8	8.14	16.2	37.0	61.8	22.4	9.78	3.50	2.50	2.20	6.50	262	
18	11.7	8.55	15.1	113	60.8	21.2	9.78	3.50	2.50	2.30	7.73	215	
19	10.6	7.32	14.5	90.0	53.6	19.9	8.96	3.30	2.60	2.30	11.7	131	
20	9.78	6.91	12.8	61.8	49.8	19.3	8.14	3.30	2.50	3.00	40.6	82.5	
21	8.55	7.32	12.3	46.0	53.6	27.3	7.73	3.20	2.50	3.50	38.8	70.6	
22	7.73	7.32	10.6	37.0	57.6	29.4	7.32	3.30	2.50	4.10	37.0	57.6	
23	7.32	19.9	10.6	32.4	51.7	40.6	7.32	3.10	2.30	3.80	57.6	38.8	
24	6.91	21.2	9.78	39.7	47.9	44.2	6.50	3.10	2.30	4.10	46.0	30.9	
25	6.50	15.1	9.78	44.2	44.2	26.6	6.50	3.10	2.30	4.10	34.0	29.4	
26	6.50	12.8	8.96	46.0	40.6	22.4	7.32	3.00	2.30	4.40	30.2	29.4	
27	6.20	11.7	8.96	42.4	40.6	19.9	8.14	2.90	2.50	4.70	22.4	40.6	
28	5.90	10.6	8.55	40.6	38.8	18.7	7.32	2.90	2.50	4.70	16.2	92.6	
29	5.60		9.78	42.4	37.0	17.4	7.32	2.90	2.50	4.40	14.0	151	
30	5.60		11.7	53.6	34.0	17.4	8.14	2.80	2.50	4.10	12.8	92.6	
31	5.60		12.8		34.0		6.50	2.90		3.80		55.5	
SD1	6.69	6.89	18.7	15.1	63.5	32.3	14.5	6.20	3.03	2.57	3.39	11.4	
SD2	12.5	10.4	16.2	48.5	57.3	22.7	10.5	3.91	2.49	2.37	10.8	91.0	
SD3	6.58	13.2	10.3	42.4	43.6	26.4	7.28	3.02	2.42	4.15	30.9	62.6	
MAX	15.1	21.2	29.4	113	70.6	44.2	16.2	6.50	3.30	4.70	57.6	284	
DAT	15	24	9	18	5	24	1	1	3	27	23	17	
SR	8.52	9.95	14.9	35.4	54.4	27.1	10.6	4.33	2.65	3.07	15.0	55.3	
MIN	4.70	5.90	8.55	11.7	34.0	17.4	6.50	2.80	2.30	2.10	3.00	9.78	
DAT	8	1	2	1	30	29	24	30	15	15	9	4	
		GMIN = 2.10			SRGOD= 20.2			GMAX = 284					
		DATUM 15 10						DATUM 17 12					

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2000

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	37.0	5.00	7.32	23.8	41.5	16.2	9.78	8.14	2.30	3.50	3.10	19.9
2	30.9	4.70	7.32	28.0	42.4	16.2	9.78	4.10	2.40	4.10	5.30	18.7
3	25.2	5.00	7.32	29.4	38.8	15.6	9.78	3.50	2.50	5.30	5.30	18.1
4	22.4	4.70	6.91	29.4	34.0	15.1	9.37	3.50	2.70	16.2	5.90	18.7
5	19.9	4.70	6.50	66.0	33.2	15.1	9.37	3.50	2.90	15.1	12.8	16.2
6	17.4	5.00	6.50	182	32.4	15.1	9.37	3.40	3.50	13.4	25.2	11.7
7	16.8	4.70	6.91	133	30.9	16.2	8.96	3.30	3.50	10.6	22.4	10.6
8	16.2	5.00	6.50	75.2	29.4	16.2	8.96	3.30	4.10	10.6	90.0	10.6
9	14.0	5.30	6.50	59.7	28.7	16.2	7.73	3.30	4.40	10.6	95.2	10.6
10	12.8	5.90	7.32	37.0	28.7	15.6	6.50	3.30	3.50	9.78	60.8	11.7
11	11.7	5.90	7.32	30.9	28.0	15.6	6.50	3.20	4.10	9.78	47.9	12.3
12	10.6	6.20	7.32	26.6	29.4	15.6	7.32	3.10	4.10	10.2	28.0	10.6
13	9.78	6.50	8.14	28.0	32.4	15.1	7.32	3.10	4.70	10.6	22.4	9.78
14	9.78	6.50	8.14	28.0	33.2	14.0	7.73	3.10	3.50	10.6	17.4	9.78
15	9.37	6.20	8.14	29.4	32.4	14.0	8.14	3.10	3.30	9.78	16.2	10.2
16	9.37	5.90	8.14	32.4	33.2	13.4	9.78	3.00	3.00	9.78	10.6	10.6
17	9.37	5.90	7.32	34.0	34.0	14.0	10.6	3.10	2.80	10.2	10.6	9.78
18	9.78	6.20	7.73	40.6	32.4	13.4	10.6	2.70	2.70	9.78	11.7	8.96
19	8.55	6.50	8.14	44.2	28.0	12.8	9.78	2.70	2.70	9.78	12.8	8.96
20	8.14	6.91	7.32	47.9	26.6	11.7	5.60	2.70	3.30	8.96	17.4	8.96
21	6.91	6.50	7.32	49.8	23.8	11.2	8.96	2.70	3.50	8.96	19.9	8.96
22	8.14	6.50	7.32	51.7	21.2	10.6	8.96	2.50	3.80	8.96	21.2	8.55
23	7.32	6.91	7.32	50.8	19.9	10.6	8.55	2.50	5.00	8.14	21.2	8.14
24	8.14	7.32	7.73	49.8	19.3	10.6	7.32	2.40	5.90	7.32	19.9	8.14
25	7.32	7.32	7.73	46.0	19.3	10.2	6.50	2.30	5.30	6.20	21.2	8.55
26	7.32	7.73	8.14	41.5	18.7	9.78	5.90	2.20	4.70	5.30	21.8	8.96
27	6.50	7.32	8.14	38.8	18.7	9.78	5.90	2.40	4.10	4.10	22.4	23.8
28	9.78	7.32	8.55	37.0	18.7	10.2	5.60	2.40	3.50	3.50	22.4	163
29	5.90	7.32	9.78	38.8	19.9	10.2	5.30	2.30	3.50	3.50	22.4	202
30	5.30		11.7	40.6	18.7	9.78	5.30	2.30	3.50	3.30	21.2	124
31	4.70		21.2		16.2		5.00	2.30		3.10		75.2
SD1	21.3	5.00	6.91	66.3	34.0	15.8	8.96	3.93	3.18	9.92	32.6	14.7
SD2	9.64	6.27	7.77	34.2	31.0	14.0	8.34	2.98	3.42	9.95	19.5	9.99
SD3	7.03	7.14	9.54	44.5	19.5	10.3	6.66	2.39	4.28	5.67	21.4	58.1
MAX	37.0	7.73	21.2	182	42.4	16.2	10.6	5.00	5.90	16.2	95.2	224
DAT	1	26	31	6	2	1	17	1	24	4	9	29
SR	12.5	6.10	8.12	48.3	27.9	13.3	7.94	3.08	3.63	8.42	24.5	28.6
MIN	4.70	4.70	6.50	23.8	16.2	9.78	5.00	2.20	2.30	3.10	3.10	8.14
DAT	31	2	5	1	31	26	31	26	1	31	1	23
		GMIN = 2.20			SRGOD= 16.0			GMAX = 224				
		DATUM 26 8						DATUM 29 12				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2001

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
 Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
 Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	53.6	40.6	12.8	26.6	37.0	30.9	13.4	4.70	2.30	14.0	3.10	18.7	
2	37.0	30.9	14.0	25.2	40.6	30.2	14.0	4.10	2.30	11.7	3.10	15.6	
3	28.0	26.6	15.1	22.4	44.2	30.9	12.8	3.50	2.30	9.78	3.10	11.7	
4	23.8	19.9	44.2	19.9	42.4	33.2	13.4	3.50	2.40	8.96	2.90	10.6	
5	21.2	19.3	53.6	18.7	41.5	47.9	12.8	3.40	2.40	8.55	2.90	11.7	
6	18.7	18.7	57.6	17.4	40.6	37.0	11.7	3.30	2.50	8.14	2.90	11.2	
7	17.4	16.2	49.8	16.2	40.6	34.0	10.6	3.30	7.32	7.32	2.70	10.6	
8	16.2	15.1	37.0	16.2	41.5	30.9	9.78	3.10	6.50	6.50	2.90	10.6	
9	17.4	14.5	32.4	18.7	40.6	26.6	10.2	3.00	7.32	6.50	2.90	10.2	
10	19.9	15.1	23.8	19.9	38.8	23.8	9.78	3.00	8.14	6.20	3.30	9.78	
11	17.4	13.4	22.4	17.4	38.8	23.8	9.37	2.90	15.1	5.90	3.50	8.14	
12	16.8	12.3	19.9	18.1	38.8	23.8	8.96	2.90	17.4	5.90	4.10	7.32	
13	16.2	11.7	19.9	18.7	35.5	23.8	8.55	2.90	16.2	5.90	10.6	7.32	
14	15.1	11.7	22.4	17.4	30.9	24.5	8.55	2.90	10.6	5.60	38.8	6.50	
15	14.5	11.2	23.8	18.1	28.0	22.4	8.96	2.90	8.14	4.40	55.5	5.30	
16	12.8	10.6	23.8	17.4	25.2	22.4	8.96	2.90	8.14	3.80	41.5	4.70	
17	11.7	10.6	23.1	17.4	23.8	19.9	8.96	3.00	8.55	3.50	23.8	4.10	
18	11.7	9.78	22.4	18.7	26.6	18.7	8.55	3.00	29.4	3.50	19.3	3.50	
19	10.6	8.96	23.8	22.4	29.4	17.4	8.14	2.90	47.9	3.50	19.3	3.50	
20	9.78	9.37	25.2	25.2	32.4	17.4	7.32	2.90	37.0	3.50	17.4	3.50	
21	9.78	8.96	25.2	34.0	30.9	18.7	6.91	3.10	30.9	3.50	16.2	3.40	
22	9.78	8.96	23.8	53.6	29.4	17.4	7.32	3.10	26.6	3.50	15.1	3.30	
23	9.37	9.78	32.4	51.7	34.0	17.4	7.32	3.00	17.4	3.40	15.1	3.50	
24	8.14	9.78	38.8	38.8	31.7	16.2	7.32	3.00	15.1	3.40	14.0	4.10	
25	8.55	10.6	40.6	34.0	30.9	15.1	8.14	3.10	15.1	3.40	13.4	5.00	
26	9.37	11.7	42.4	30.9	34.0	14.0	8.55	3.10	11.7	3.30	12.3	4.70	
27	15.1	12.3	46.0	29.4	35.5	13.4	8.55	3.10	10.6	3.30	12.8	4.10	
28	32.4	12.8	44.2	30.9	34.0	12.8	8.14	3.00	15.1	3.30	11.7	4.10	
29	55.5		38.8	30.9	32.4	12.8	7.73	2.90	14.0	3.30	19.9	3.50	
30	72.9		37.0	33.2	31.7	13.4	5.90	2.70	14.0	3.30	18.7	3.50	
31	63.9		28.0		30.9		5.30	2.50		3.20		3.50	
SD1	25.3	21.7	34.0	20.1	40.8	32.5	11.8	3.49	4.35	8.76	2.98	12.1	
SD2	13.7	11.0	22.7	19.1	30.9	21.4	8.63	2.92	19.8	4.55	23.4	5.39	
SD3	26.8	10.6	36.1	36.7	32.3	15.1	7.38	2.96	17.0	3.35	14.9	3.88	
MAX	87.5	40.6	57.6	53.6	44.2	47.9	14.0	4.70	47.9	14.0	55.5	18.7	
DAT	30	1	5	22	3	5	2	1	19	1	15	1	
SR	22.1	14.7	31.1	25.3	34.6	23.0	9.22	3.12	13.7	5.49	13.8	7.01	
MIN	8.14	8.96	12.8	16.2	23.8	12.8	5.30	2.50	2.30	3.20	2.70	3.30	
DAT	24	19	1	7	17	28	31	31	1	31	7	22	
GMIN =			2.30	SRGOD=			16.9	GMAX =			87.5		
DATUM			1 9					DATUM			30 1		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2002

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
 Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
 Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	4.10	3.50	11.7	13.4	17.4	12.8	8.14	3.50	3.50	21.2	14.0	11.7
2	4.10	3.80	12.3	12.8	17.4	13.4	8.14	3.50	3.80	19.9	11.7	14.0
3	3.50	4.70	11.7	10.6	17.4	12.3	7.32	3.50	3.50	18.7	12.8	16.2
4	3.50	5.30	9.78	9.78	18.7	30.9	6.50	3.50	3.50	16.2	11.7	16.2
5	3.80	5.00	10.6	10.2	19.3	29.4	6.50	3.40	3.30	16.2	18.7	18.7
6	4.10	5.00	10.6	9.78	19.9	29.4	6.50	3.30	3.30	15.6	22.4	19.3
7	4.10	5.30	10.6	10.2	19.3	11.2	5.90	3.30	3.30	15.1	19.9	19.3
8	4.10	5.30	11.7	10.2	18.7	14.0	6.20	5.30	3.30	12.8	18.7	18.7
9	4.10	5.60	12.3	10.2	19.3	17.4	6.50	5.90	3.10	12.3	18.1	17.4
10	3.80	5.90	13.4	10.6	19.9	17.4	6.50	5.90	3.10	11.7	18.7	14.0
11	4.10	5.60	15.1	11.7	19.3	16.2	6.20	6.20	3.10	29.4	16.2	13.4
12	3.50	5.30	18.7	11.7	19.9	15.1	5.90	6.50	3.10	130	14.0	12.8
13	3.50	5.30	18.7	38.8	18.7	12.8	5.90	6.50	3.10	160	13.4	12.3
14	3.50	5.30	17.4	66.0	17.4	11.7	5.90	6.50	3.10	139	14.5	11.7
15	3.50	5.30	16.2	68.3	16.8	11.7	5.90	5.90	3.00	95.2	14.0	11.7
16	3.30	5.30	16.2	51.7	16.2	11.7	5.90	6.50	2.90	68.3	13.4	10.6
17	3.30	5.30	16.2	42.4	16.2	11.2	5.00	7.32	2.90	47.9	14.0	9.78
18	3.30	5.60	17.4	42.4	16.2	10.6	3.40	6.50	2.90	37.0	14.5	9.78
19	3.20	5.90	17.4	32.4	15.1	10.6	3.10	6.50	3.10	30.9	14.0	9.78
20	3.30	8.14	17.4	30.9	15.6	9.78	3.10	5.90	3.20	26.6	12.8	8.96
21	3.20	15.1	18.1	28.0	15.6	9.78	3.00	5.90	3.30	22.4	12.8	8.55
22	3.20	15.1	18.7	25.2	16.2	9.37	2.90	6.50	3.30	19.9	12.8	8.96
23	3.10	15.6	19.3	23.8	15.1	8.96	3.00	5.90	3.50	17.4	14.0	8.14
24	3.10	16.2	18.7	21.2	14.0	8.96	2.90	5.00	9.78	16.2	14.0	7.32
25	3.10	15.1	17.4	18.7	12.3	8.96	2.90	4.10	23.8	19.9	15.1	7.32
26	3.20	14.0	16.2	17.4	11.7	8.14	3.10	3.50	38.8	22.4	14.5	6.91
27	3.30	12.8	16.2	16.2	11.7	8.14	3.10	3.50	37.0	21.2	14.0	7.32
28	3.20	13.4	15.1	16.2	12.3	8.55	3.30	3.50	30.9	18.7	13.4	8.14
29	3.20		14.0	16.2	12.8	8.96	3.40	4.10	25.2	17.4	12.8	10.6
30	3.30		14.0	16.2	14.0	8.55	3.50	3.50	21.2	16.2	12.8	9.78
31	3.50		13.4		12.8		3.50	3.50		16.2		9.78
SD1	3.92	4.94	11.5	10.8	18.7	18.8	6.82	4.11	3.37	16.0	16.7	16.5
SD2	3.45	5.70	17.1	39.6	17.1	12.1	5.03	6.43	3.04	76.4	14.1	11.1
SD3	3.22	14.7	16.5	19.9	13.5	8.84	3.15	4.45	19.7	18.9	13.6	8.44
MAX	4.10	16.2	18.7	68.3	19.9	17.4	8.14	7.32	38.8	174	22.4	19.3
DAT	1	24	12	15	12	9	1	17	26	13	6	6
SR	3.52	7.99	15.0	23.4	16.4	13.3	4.94	4.98	8.70	36.5	14.8	11.9
MIN	3.10	3.50	9.78	9.78	11.7	8.14	2.90	3.30	2.90	11.7	11.7	6.91
DAT	23	1	4	4	26	26	22	6	16	10	2	26
GMIN =		2.90		SRGOD=		13.5		GMAX =		174		
DATUM		22 7						DATUM		13 10		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2003

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
 Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
 Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	16.2	8.14	3.50	6.50	35.5	21.8	9.78	3.00	2.30	2.50	105	35.5
2	15.1	7.32	3.50	7.32	46.0	21.2	8.96	3.00	2.40	2.30	103	34.0
3	14.0	6.91	3.40	7.73	46.0	21.2	9.37	2.90	2.40	2.30	262	33.2
4	19.9	6.50	3.50	8.96	49.8	19.3	8.96	2.90	2.40	2.30	176	25.2
5	25.2	8.96	3.50	11.7	50.8	18.1	8.96	2.90	2.30	2.50	110	18.7
6	28.0	12.8	3.50	11.2	47.9	17.4	8.14	2.90	2.30	10.6	80.0	15.1
7	28.7	11.7	3.80	10.6	47.9	17.4	8.14	2.70	2.30	47.9	61.8	15.1
8	51.7	11.2	4.10	10.2	48.8	18.1	7.32	2.70	2.30	34.0	42.4	13.4
9	42.4	10.6	4.10	9.78	49.8	17.4	6.50	3.30	2.50	42.4	35.5	12.8
10	63.9	10.6	3.80	9.78	47.9	18.7	5.90	2.70	2.40	34.0	30.9	13.4
11	61.8	10.6	3.50	10.6	47.0	17.4	5.90	2.50	2.50	32.4	25.2	12.8
12	44.2	10.2	3.50	29.4	44.2	16.2	6.20	2.50	2.90	23.8	22.4	11.7
13	32.4	9.37	3.80	35.5	44.2	15.6	5.90	2.50	3.00	19.9	19.9	12.8
14	27.3	8.96	3.80	34.0	42.4	15.6	5.90	2.50	4.10	17.4	18.7	12.8
15	22.4	8.55	3.50	25.2	40.6	15.6	5.90	2.60	4.10	16.2	17.4	11.7
16	18.7	8.55	3.40	22.4	35.5	15.1	5.60	2.70	3.30	14.5	16.2	11.7
17	16.2	6.20	3.40	25.9	34.0	15.6	5.30	2.50	3.10	14.0	16.2	10.6
18	15.1	5.00	3.30	25.2	32.4	16.2	5.30	2.50	3.00	11.7	16.8	10.2
19	14.5	4.70	3.30	22.4	31.7	16.2	5.30	2.50	2.80	11.7	16.2	9.78
20	13.4	5.00	3.30	22.4	30.9	16.2	4.70	2.50	2.70	12.3	15.1	9.78
21	12.8	4.70	3.30	22.4	28.0	15.1	4.70	2.40	2.70	13.4	14.0	9.78
22	13.4	5.00	3.10	22.4	25.2	14.0	4.10	2.30	2.70	61.8	13.4	10.2
23	12.3	4.70	3.10	19.9	23.8	13.4	3.50	2.30	2.70	75.2	12.3	10.6
24	11.7	4.70	3.10	19.3	23.8	12.8	3.30	2.30	2.50	172	11.7	11.7
25	11.7	4.10	3.10	19.3	24.5	12.8	3.20	2.30	2.50	118	12.3	15.1
26	10.6	4.10	3.30	18.7	23.8	10.6	3.20	2.40	2.50	108	11.7	15.6
27	9.78	3.80	3.40	18.1	22.4	11.7	3.10	2.60	2.50	100	11.7	16.2
28	9.78	3.50	3.50	17.4	25.2	11.2	3.10	2.50	2.50	101	16.2	16.2
29	10.2		3.50	23.8	23.8	11.7	3.10	2.50	2.50	85.0	38.8	16.2
30	10.6		5.00	30.9	22.4	11.7	2.90	2.30	2.50	63.9	42.4	16.2
31	9.37		5.30		22.4		2.90	2.30		116		16.2
SD1	30.5	9.47	3.67	9.38	47.0	19.1	8.20	2.90	2.36	18.1	101	21.6
SD2	26.6	7.71	3.48	25.3	38.3	16.0	5.60	2.53	3.15	17.4	18.4	11.4
SD3	11.1	4.32	3.61	21.2	24.1	12.5	3.37	2.38	2.56	92.2	18.5	14.0
MAX	63.9	11.2	5.30	35.5	50.8	21.8	9.78	3.30	4.10	172	262	35.5
DAT	10	8	31	13	5	1	1	9	14	24	3	1
SR	22.4	7.37	3.59	18.6	36.1	15.8	5.65	2.60	2.69	44.2	45.8	15.6
MIN	9.37	3.50	3.10	6.50	22.4	10.6	2.90	2.30	2.30	2.30	11.7	9.78
DAT	31	28	22	1	27	26	30	22	1	2	24	19
		GMIN = 2.30			SRGOD= 18.4			GMAX = 262				
		DATUM 22 8						DATUM 3 11				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2004

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
 Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
 Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	11.7	17.4	72.9	26.6	40.6	37.0	23.8	8.14	3.50	8.96	7.32	15.1
2	10.6	15.1	37.0	25.2	41.5	35.5	22.4	8.96	3.40	8.14	6.50	26.6
3	10.6	14.5	34.0	23.8	43.3	34.0	22.4	9.78	3.30	8.14	6.50	157
4	11.2	12.8	19.9	25.9	46.0	33.2	21.2	9.78	3.40	5.90	6.50	142
5	9.78	11.7	23.8	26.6	57.6	34.7	20.5	8.14	3.40	5.30	6.50	133
6	8.14	11.7	19.9	44.2	72.9	37.0	19.9	6.50	3.30	4.10	6.50	100
7	7.32	12.8	17.4	42.4	127	38.8	19.3	6.50	3.30	4.10	7.32	70.6
8	6.50	13.4	16.2	77.5	133	37.0	18.7	5.90	3.30	3.80	7.32	55.5
9	6.50	13.4	15.1	87.5	121	38.8	18.7	6.50	3.30	3.50	6.50	42.4
10	5.90	12.8	16.2	87.5	90.0	37.0	17.4	7.32	3.20	3.50	6.50	37.0
11	6.20	14.0	16.2	100	77.5	37.0	17.4	6.50	3.10	3.50	6.50	26.6
12	5.90	11.7	15.6	97.8	68.3	39.7	18.1	6.20	3.10	3.50	5.90	25.2
13	6.20	10.6	15.1	95.2	47.9	38.8	18.7	5.90	3.10	4.10	7.32	28.0
14	6.50	10.2	14.0	92.6	46.0	38.8	18.7	5.90	3.10	3.80	38.8	22.4
15	8.14	9.78	11.7	80.0	37.0	37.0	16.2	5.90	3.10	4.10	95.2	19.9
16	22.4	8.96	10.6	64.9	37.0	35.5	15.1	5.90	3.00	10.6	83.8	18.7
17	19.9	8.96	10.6	46.0	35.5	35.5	14.0	5.30	3.00	17.4	63.9	16.2
18	19.3	8.55	11.7	42.4	32.4	34.0	11.7	5.30	3.10	22.4	34.0	18.7
19	21.2	8.14	14.0	42.4	29.4	34.0	10.6	5.90	3.20	21.2	25.2	19.3
20	55.5	8.14	15.1	43.3	25.2	33.2	10.6	5.60	3.20	19.9	35.5	19.9
21	61.8	8.14	19.9	46.0	28.0	32.4	9.78	5.30	3.10	19.9	35.5	18.7
22	42.4	8.55	23.8	38.8	29.4	32.4	9.37	5.00	3.00	17.4	26.6	18.7
23	35.5	7.32	26.6	34.0	30.9	29.4	8.14	5.00	2.90	16.2	22.4	16.2
24	34.0	8.14	27.3	33.2	30.2	28.0	8.14	4.10	2.90	16.2	23.8	11.7
25	28.0	22.4	38.8	35.5	32.4	26.6	7.73	4.10	2.90	15.1	22.4	11.7
26	25.2	21.2	47.9	38.8	26.6	25.9	7.32	4.40	3.00	14.0	22.4	6.91
27	26.6	87.5	44.2	38.8	26.6	25.2	6.50	4.70	10.6	15.1	21.2	6.20
28	22.4	136	37.0	37.0	28.0	25.2	6.50	4.10	10.6	10.6	20.5	28.0
29	26.6	92.6	32.4	38.8	28.7	24.5	6.50	3.50	10.6	9.37	16.2	19.9
30	23.8		29.4	39.7	30.9	23.8	5.90	3.50	9.78	8.96	15.1	13.4
31	18.7		28.0		35.5		7.32	3.40		8.96		11.7
SD1	8.82	13.6	27.2	46.7	77.3	36.3	20.4	7.75	3.34	5.54	6.75	77.9
SD2	17.1	9.90	13.5	70.5	43.6	36.3	15.1	5.84	3.10	11.1	39.6	21.5
SD3	31.4	43.5	32.3	38.1	29.7	27.3	7.56	4.28	5.94	13.8	22.6	14.8
MAX	61.8	136	72.9	100	133	39.7	23.8	9.78	10.6	22.4	95.2	157
DAT	21	28	1	11	8	12	1	3	27	18	15	3
SR	19.5	21.6	24.6	51.7	49.6	33.3	14.1	5.90	4.13	10.2	23.0	37.3
MIN	5.90	7.32	10.6	23.8	25.2	23.8	5.90	3.40	2.90	3.50	5.90	6.20
DAT	10	23	16	3	20	30	30	31	23	9	12	27
		GMIN = 2.90			SRGOD= 24.6			GMAX = 157				
		DATUM 23 9						DATUM 3 12				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2005

Broj : 45823 Stanica : PLAV Kota "0" = 906.58
 Nacin osmat.: letva Rijeka : LIM km od usca = 196.80
 Pocetak rada: 1962 Sliv : DRINE Pov.sliva = 363.6

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	10.2	5.00	3.80	47.9	37.0	34.0	16.2	6.91	5.00	9.78	13.4	75.2
2	11.2	4.10	4.10	39.7	39.7	33.2	16.2	6.91	5.00	10.6	13.4	78.8
3	11.7	3.50	4.70	34.0	42.4	30.2	15.6	6.50	5.60	10.6	13.4	60.8
4	11.2	3.50	5.30	29.4	47.9	27.3	15.1	6.50	5.90	11.2	14.0	55.5
5	10.6	3.50	5.90	27.3	61.8	25.9	14.0	6.50	6.20	11.7	14.0	49.8
6	11.7	3.40	6.50	26.6	63.9	24.5	14.0	6.20	6.50	10.6	13.4	47.0
7	12.3	3.30	7.73	27.3	67.2	26.6	14.0	6.20	6.50	10.6	13.4	44.2
8	11.7	3.30	9.37	28.7	62.8	39.7	13.4	5.90	6.20	11.7	14.5	40.6
9	10.6	3.20	10.6	30.9	51.7	38.8	12.8	5.60	6.50	12.3	14.5	35.5
10	10.6	3.30	9.37	34.7	45.1	34.0	12.8	5.60	7.32	12.3	13.4	31.7
11	9.78	3.30	8.14	34.7	43.3	28.0	12.8	5.60	7.32	12.3	12.8	30.9
12	9.78	3.30	7.32	45.1	45.1	23.8	12.3	5.00	7.32	12.8	11.7	29.4
13	9.37	3.30	7.32	52.7	47.0	21.8	12.3	5.00	8.14	12.8	11.7	22.4
14	8.96	2.90	7.73	53.6	44.2	19.3	12.3	4.40	8.96	12.8	10.6	19.9
15	8.14	2.90	8.14	48.8	44.2	19.3	12.3	4.40	8.96	12.3	10.6	14.0
16	8.96	2.70	7.73	41.5	46.0	19.9	11.7	4.10	8.55	12.8	10.2	13.4
17	8.14	2.70	7.73	42.4	46.0	19.9	11.2	4.70	8.14	12.8	10.2	12.8
18	8.55	2.70	7.73	46.0	46.0	20.5	11.2	5.00	8.14	12.8	9.78	12.3
19	6.91	2.50	8.14	45.1	49.8	20.5	10.6	4.40	8.96	13.4	9.37	11.7
20	6.50	2.90	8.14	40.6	49.8	20.5	10.6	4.40	9.37	13.4	9.37	11.2
21	7.32	2.90	8.14	52.7	42.4	19.9	10.6	4.10	8.96	13.4	8.96	10.6
22	9.78	3.00	17.4	61.8	37.0	17.4	9.78	4.10	8.55	12.8	8.96	10.6
23	8.96	3.10	18.7	49.8	33.2	16.2	9.37	3.80	8.55	12.8	8.14	10.6
24	10.2	3.30	21.8	38.8	34.0	17.4	9.78	3.80	8.55	12.3	7.73	11.7
25	9.78	3.50	26.6	31.7	35.5	17.4	8.55	3.50	8.96	12.8	8.14	11.7
26	6.91	3.50	30.9	29.4	37.0	17.4	8.14	3.50	8.96	13.4	8.14	12.8
27	7.32	3.50	37.9	32.4	38.8	17.4	9.78	3.50	8.96	13.4	8.55	14.0
28	3.50	3.50	72.9	37.0	37.9	16.8	7.32	3.50	9.37	13.4	16.2	29.4
29	3.50		103	43.3	37.0	16.2	7.32	3.40	9.78	13.4	22.4	26.6
30	4.10		77.5	39.7	36.2	16.2	6.91	4.70	9.78	12.8	37.0	14.0
31	3.50		59.7		35.5		6.91	4.70		12.8		10.6
SD1	11.2	3.61	6.74	32.7	52.0	31.4	14.4	6.28	6.07	11.1	13.7	51.9
SD2	8.51	2.92	7.81	45.1	46.1	21.3	11.7	4.70	8.39	12.8	10.6	17.8
SD3	6.81	3.29	43.1	41.7	36.8	17.2	8.59	3.87	9.04	13.0	13.4	14.8
MAX	12.3	5.00	103	61.8	67.2	39.7	16.2	6.91	9.78	13.4	37.0	78.8
DAT	7	1	29	22	7	8	1	1	29	19	30	2
SR	8.77	3.27	20.0	39.8	44.7	23.3	11.5	4.92	7.83	12.4	12.6	27.7
MIN	3.50	2.50	3.80	26.6	33.2	16.2	6.91	3.40	5.00	9.78	7.73	10.6
DAT	28	19	1	6	23	23	30	29	1	1	24	21
		GMIN = 2.50		SRGOD= 18.2		GMAX = 103						
		DATUM 19 2				DATUM 29 3						