

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1960

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	68.4	41.5	55.1	109	49.5	38.6	16.1	5.15	4.06	12.7	63.7	37.9	
2	57.5	34.3	51.1	90.5	51.9	39.3	12.0	4.96	3.78	9.82	54.3	35.7	
3	50.3	30.3	47.9	77.2	62.8	39.3	12.3	4.96	3.92	7.30	46.3	31.6	
4	44.7	27.6	44.7	65.5	59.3	37.2	12.0	4.96	3.78	6.70	38.6	29.6	
5	38.6	26.5	41.5	57.5	55.9	35.7	13.6	4.77	3.64	6.10	34.3	27.6	
6	34.3	24.2	38.6	52.7	55.9	33.0	12.0	4.58	3.64	5.91	137	25.9	
7	32.3	22.6	37.2	49.5	62.8	30.3	10.5	4.39	3.92	5.72	377	25.4	
8	28.9	21.0	36.5	46.3	62.8	28.9	10.2	4.20	4.20	9.10	298	25.4	
9	26.5	21.0	31.6	47.1	59.3	28.3	9.10	4.20	4.20	12.0	186	124	
10	26.5	19.5	29.6	49.5	61.1	27.6	9.82	12.7	3.92	9.10	142	135	
11	24.8	18.0	28.3	51.1	64.6	28.3	8.80	7.30	4.06	115	252	125	
12	23.1	17.0	31.0	55.9	63.7	34.3	8.20	6.10	4.06	70.3	174	98.7	
13	27.0	54.3	37.2	57.5	64.6	27.6	7.90	5.91	3.92	51.1	129	84.4	
14	28.9	91.5	35.7	63.7	69.3	24.2	8.50	6.70	3.78	92.5	104	77.2	
15	24.8	165	34.3	67.4	80.3	22.0	7.90	6.40	3.64	60.2	183	64.6	
16	22.6	195	35.7	66.4	84.4	21.0	7.30	5.34	3.64	87.4	142	62.8	
17	22.0	113	46.3	64.6	92.5	20.0	7.00	5.34	3.64	146	110	60.2	
18	22.6	124	66.4	59.3	96.6	20.0	7.00	4.96	3.64	113	89.5	56.7	
19	20.0	280	62.0	55.9	96.6	19.0	6.40	4.58	3.64	78.2	72.3	120	
20	19.0	304	55.9	55.9	90.5	16.6	6.10	4.58	3.50	59.3	103	113	
21	18.5	186	49.5	54.3	92.5	16.1	6.10	4.58	3.92	51.1	109	103	
22	17.0	168	44.7	49.5	84.4	15.7	5.72	4.58	3.92	61.1	88.4	137	
23	16.1	140	40.8	46.3	72.3	14.9	5.72	4.39	4.20	51.1	74.2	160	
24	15.3	140	37.2	43.1	62.8	13.6	5.72	4.39	4.39	44.7	64.6	126	
25	15.3	107	35.7	40.8	57.5	12.7	6.10	4.20	3.92	38.6	57.5	100	
26	15.3	94.6	34.3	41.5	54.3	12.0	5.91	4.06	3.92	35.7	51.1	80.3	
27	18.0	78.2	55.9	37.2	51.1	11.6	5.72	3.92	3.78	33.0	47.1	66.4	
28	29.6	66.4	113	40.1	43.1	11.3	5.53	3.92	3.64	37.2	41.5	57.5	
29	39.3	59.3	131	54.3	38.6	11.3	5.34	3.92	7.00	34.3	38.6	51.9	
30	43.9		153	51.9	38.6	11.3	5.34	3.92	15.3	31.6	43.1	47.1	
31	44.7		131		40.1		5.34	3.78		72.3		43.1	
SD1	40.8	26.9	41.4	64.5	58.1	33.8	11.8	5.49	3.91	8.44	138	49.8	
SD2	23.5	136	43.3	59.8	80.3	23.3	7.51	5.72	3.75	87.3	136	86.3	
SD3	24.8	116	75.1	45.9	57.8	13.1	5.69	4.15	5.40	44.6	61.5	88.4	
MAX	68.4	304	153	109	96.6	39.3	16.1	12.7	15.3	146	455	160	
DAT	1	20	30	1	18	2	1	10	30	17	7	23	
SR	29.5	92.1	54.0	56.7	65.2	23.4	8.23	5.09	4.35	46.7	112	75.3	
MIN	15.3	17.0	28.3	37.2	38.6	11.3	5.34	3.78	3.50	5.72	34.3	25.4	
DAT	24	12	11	27	29	28	29	31	20	7	5	7	
		GMIN = 3.50			SRGOD= 47.4			GMAX = 455					
		DATUM 20 9						DATUM 7 11					

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1961

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
 Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	38.6	15.3	13.6	24.2	73.3	34.3	10.9	7.30	3.92	3.36	12.0	61.1	
2	36.5	19.0	14.0	24.2	74.2	30.3	10.2	6.70	3.92	3.36	10.5	55.9	
3	37.9	18.0	14.0	24.2	63.7	30.3	9.82	5.91	3.92	3.36	9.82	48.7	
4	43.1	15.7	12.7	25.4	55.9	26.5	9.46	5.72	3.78	3.36	9.10	43.1	
5	98.7	15.3	12.0	28.3	50.3	24.8	9.10	5.72	3.78	3.36	21.0	38.6	
6	86.4	13.6	11.3	30.3	45.5	24.2	9.82	5.34	3.78	3.36	38.6	34.3	
7	66.4	13.1	11.6	35.7	43.1	22.0	9.10	5.34	3.64	3.36	33.0	39.3	
8	56.7	12.7	11.6	37.9	43.1	22.0	8.50	5.34	3.64	3.64	31.6	55.9	
9	49.5	12.7	12.3	44.7	38.6	21.5	10.5	5.15	3.64	3.64	47.9	47.9	
10	45.5	12.0	12.7	49.5	40.1	20.5	10.2	4.96	6.40	3.64	38.6	43.1	
11	40.1	11.3	14.0	51.1	49.5	21.0	9.10	4.96	5.15	3.50	60.2	38.6	
12	36.5	11.3	16.1	46.3	53.5	23.1	8.50	4.77	4.58	3.50	164	36.5	
13	43.1	11.6	19.0	47.1	49.5	21.0	8.50	4.77	4.20	3.36	98.7	34.3	
14	38.6	11.3	21.0	47.9	46.3	20.0	8.20	4.58	4.20	3.36	86.4	33.0	
15	35.7	11.3	22.6	45.5	46.3	19.0	7.60	4.20	3.92	3.36	80.3	30.3	
16	31.6	10.9	22.6	46.3	48.7	18.5	7.30	4.39	3.92	3.22	68.4	27.6	
17	30.3	10.9	23.7	43.9	54.3	17.5	6.70	4.20	3.92	3.22	57.5	25.4	
18	27.6	11.3	24.2	49.5	68.4	16.1	7.00	6.10	3.78	3.22	47.9	24.8	
19	21.0	11.3	24.2	49.5	70.3	15.3	7.30	5.72	3.78	8.50	41.5	23.1	
20	20.5	11.3	24.2	54.3	88.4	14.9	6.70	5.34	3.64	43.1	37.2	22.0	
21	21.0	11.6	34.3	46.3	90.5	14.4	6.40	4.77	3.64	54.3	31.0	21.0	
22	20.5	12.0	48.7	40.8	81.3	14.0	6.10	4.58	3.64	33.0	26.5	20.0	
23	20.5	12.3	46.3	37.2	86.4	15.3	6.10	4.58	3.64	21.0	24.2	19.5	
24	19.5	12.7	38.6	35.7	78.2	14.9	6.40	4.58	3.64	20.0	23.1	19.5	
25	20.5	13.1	35.7	40.1	68.4	13.6	6.70	4.58	3.50	12.7	21.0	19.0	
26	20.5	13.6	33.0	37.2	59.3	12.3	5.72	4.39	3.50	11.3	28.9	17.5	
27	20.0	13.6	31.6	37.2	53.5	12.0	5.72	4.20	3.50	10.5	28.9	19.0	
28	19.0	13.6	31.0	46.3	47.9	11.3	5.34	4.20	3.50	9.82	43.1	78.2	
29	17.0		28.9	43.9	43.9	12.0	5.15	4.06	3.50	9.10	92.5	86.4	
30	16.1		26.5	46.3	41.5	11.6	5.34	4.06	3.50	8.50	72.3	61.1	
31	15.7		24.8		38.6		9.10	3.92		8.50		49.5	
SD1	55.9	14.7	12.6	32.4	52.8	25.6	9.76	5.75	4.04	3.44	25.2	46.8	
SD2	32.5	11.3	21.2	48.1	57.5	18.6	7.69	4.90	4.11	7.83	74.2	29.6	
SD3	19.1	12.8	34.5	41.1	62.7	13.1	6.19	4.36	3.56	18.1	39.2	37.3	
MAX	104	19.0	48.7	54.3	90.5	34.3	10.9	7.30	6.40	54.3	207	86.4	
DAT	5	2	22	20	21	1	1	1	10	21	12	29	
SR	35.3	12.9	23.1	40.6	57.8	19.1	7.82	4.98	3.90	10.0	46.2	37.9	
MIN	15.7	10.9	11.3	24.2	38.6	11.3	5.15	3.92	3.50	3.22	9.10	17.5	
DAT	31	16	6	1	9	28	29	31	25	16	4	26	
GMIN =			3.22	SRGOD=			25.0	GMAX =			207		
DATUM			16 10					DATUM			12 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1962

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	43.1	19.5	21.0	148	68.4	35.7	10.9	5.72	3.64	4.06	4.58	54.3	
2	40.8	18.5	36.5	188	62.0	34.3	11.3	5.34	3.64	3.78	9.10	50.3	
3	40.1	18.0	31.0	145	55.9	31.6	10.9	5.15	3.50	3.64	12.3	46.3	
4	40.1	16.6	38.6	118	59.3	28.9	9.82	5.15	3.50	3.64	11.3	41.5	
5	37.9	16.1	120	159	70.3	25.4	9.82	4.96	3.50	3.64	9.82	37.9	
6	35.7	15.3	313	181	88.4	23.1	10.2	4.77	3.36	3.50	9.10	33.0	
7	31.6	14.4	273	131	98.7	21.0	9.82	4.58	3.36	3.50	8.50	31.0	
8	28.9	14.4	174	104	101	19.5	9.46	4.58	3.36	3.50	8.50	27.6	
9	26.5	13.6	120	83.3	118	19.0	9.10	4.58	3.36	3.50	8.20	25.4	
10	24.2	14.9	91.5	71.3	133	18.0	9.10	4.39	3.36	3.36	11.3	24.8	
11	23.1	18.0	74.2	68.4	135	19.0	8.50	4.58	3.36	3.36	18.0	23.1	
12	22.6	17.0	84.4	69.3	124	19.5	8.20	4.58	3.36	3.36	20.0	22.0	
13	31.0	17.0	82.3	63.7	115	17.5	7.90	4.58	3.22	3.22	20.5	21.0	
14	26.5	64.6	72.3	68.4	115	16.1	7.60	4.39	3.22	3.08	19.0	31.6	
15	48.7	76.2	64.6	66.4	140	15.3	7.30	4.20	3.22	3.08	18.0	66.4	
16	86.4	52.7	57.5	62.8	133	14.9	7.30	4.20	3.22	3.22	23.1	51.1	
17	66.4	41.5	52.7	61.1	104	15.3	7.00	4.20	3.08	5.34	45.5	162	
18	56.7	35.7	45.5	59.3	91.5	15.3	7.60	4.20	3.22	7.90	36.5	94.6	
19	52.7	30.3	41.5	62.8	84.4	14.4	8.20	4.06	3.64	6.70	62.8	68.4	
20	47.9	26.5	37.9	71.3	80.3	14.9	7.90	3.92	3.36	5.91	129	52.7	
21	43.1	24.8	35.7	77.2	84.4	14.4	7.60	3.92	3.64	5.53	213	46.3	
22	40.1	22.6	55.9	82.3	73.3	13.1	7.00	3.92	3.92	5.34	140	41.5	
23	36.5	20.5	71.3	78.2	64.6	12.7	7.00	3.78	3.64	4.96	100	34.3	
24	33.0	19.5	77.2	79.3	59.3	12.3	7.00	3.78	3.64	4.77	134	28.9	
25	30.3	18.5	96.6	78.2	54.3	12.0	6.40	3.64	3.64	4.58	168	25.9	
26	28.3	16.6	162	80.3	52.7	12.0	5.91	3.64	3.64	4.58	113	25.9	
27	25.9	16.1	116	82.3	49.5	12.0	5.72	3.64	3.64	4.20	84.4	26.5	
28	24.2	16.1	92.5	84.4	46.3	11.3	5.72	3.64	3.64	4.20	70.3	23.1	
29	22.6		76.2	79.3	43.1	10.9	5.53	3.64	3.64	4.39	59.3	21.0	
30	21.0		65.5	82.3	40.1	10.5	5.34	3.50	3.64	4.39	57.5	40.1	
31	20.0		57.5		37.2		5.34	3.50		4.39		164	
SD1	34.9	16.1	122	133	85.5	25.6	10.0	4.92	3.46	3.61	9.27	37.2	
SD2	46.2	38.0	61.3	65.3	112	16.2	7.75	4.29	3.29	4.52	39.2	59.3	
SD3	29.5	19.3	82.4	80.4	55.0	12.1	6.23	3.69	3.67	4.67	114	43.4	
MAX	86.4	76.2	313	188	140	35.7	11.3	5.72	3.92	7.90	213	164	
DAT	16	15	6	2	15	1	2	1	22	18	21	31	
SR	36.6	24.8	88.3	92.9	83.3	18.0	7.95	4.28	3.47	4.28	54.2	46.5	
MIN	20.0	13.6	21.0	59.3	37.2	10.5	5.34	3.50	3.08	3.08	4.58	21.0	
DAT	31	9	1	18	31	30	30	30	17	14	1	13	
GMIN =			3.08	SRGOD=				38.8	GMAX =			313	
DATUM			17 9						DATUM			6 3	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1963

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	152	24.8	28.9	55.1	84.4	54.3	20.0	6.70	5.34	3.92	4.06	26.5
2	122	24.8	26.5	51.1	86.4	54.3	19.0	6.70	5.15	3.92	4.06	23.7
3	99.7	32.3	25.4	46.3	96.6	51.1	18.5	7.30	4.96	4.39	4.06	22.0
4	137	46.3	24.2	41.5	125	48.7	18.5	7.90	4.58	5.15	4.06	21.0
5	120	42.3	23.1	38.6	134	45.5	18.5	7.00	4.58	7.30	10.5	38.6
6	153	46.3	21.5	36.5	124	45.5	16.6	6.70	4.39	11.6	46.3	63.7
7	236	41.5	21.0	35.7	109	46.3	16.1	6.40	4.20	10.5	70.3	53.5
8	334	37.2	19.5	37.9	100	46.3	15.3	5.91	4.39	8.50	92.5	43.1
9	252	34.3	19.5	37.9	95.6	48.7	14.4	5.72	5.53	7.90	54.3	37.2
10	169	30.3	23.1	38.6	96.6	49.5	13.6	6.10	7.30	7.30	35.7	32.3
11	151	25.9	40.8	44.7	95.6	53.5	13.1	5.91	5.91	6.70	27.6	28.9
12	151	34.3	51.9	84.4	94.6	65.5	13.1	5.72	5.34	6.10	23.1	28.9
13	196	44.7	95.6	111	98.7	67.4	13.6	5.34	4.96	6.10	22.0	44.7
14	146	44.7	77.2	103	98.7	61.1	12.7	5.34	4.96	5.91	28.3	46.3
15	111	39.3	62.0	97.6	90.5	55.1	12.7	5.15	4.58	5.72	35.0	47.1
16	90.5	35.0	53.5	89.5	82.3	54.3	12.0	4.96	4.39	5.34	34.3	416
17	74.2	92.5	46.3	84.4	82.3	49.5	11.6	4.96	4.39	5.34	34.3	565
18	68.4	190	41.5	92.5	84.4	44.7	10.9	4.58	4.20	5.15	37.2	225
19	62.8	121	39.3	100	82.3	40.1	9.82	4.58	4.20	4.96	35.0	148
20	70.3	142	37.9	105	78.2	36.5	10.2	4.58	4.06	4.77	31.6	164
21	63.7	116	47.9	100	73.3	33.6	10.5	4.58	4.06	4.58	28.9	374
22	54.3	89.5	56.7	109	68.4	31.6	10.5	4.58	4.06	4.58	26.5	347
23	47.9	69.3	57.5	113	62.8	30.3	9.82	4.58	4.06	4.58	23.1	228
24	43.1	56.7	52.7	118	61.1	28.9	9.10	4.58	3.92	4.58	21.0	156
25	38.6	49.5	45.5	112	62.0	27.6	8.80	4.39	3.92	4.58	20.0	120
26	36.5	43.1	41.5	109	62.8	25.4	8.50	4.20	4.06	4.39	18.5	96.6
27	32.3	37.9	39.3	107	65.5	24.2	7.90	4.20	4.39	4.39	24.8	82.3
28	30.3	31.0	40.1	105	64.6	23.1	7.60	4.06	4.20	4.20	37.9	70.3
29	28.9		43.1	97.6	61.1	22.6	7.30	4.06	4.06	4.20	32.3	62.8
30	26.5		43.9	89.5	61.1	21.5	7.30	4.96	3.92	4.20	28.3	55.1
31	25.4		55.1		57.5		6.70	5.91		4.20		49.5
SD1	177	36.0	23.3	41.9	105	49.0	17.0	6.64	5.04	7.05	32.6	36.2
SD2	112	76.9	54.6	91.2	88.8	52.8	12.0	5.11	4.70	5.61	30.8	171
SD3	38.9	61.6	47.6	106	63.7	26.9	8.55	4.55	4.07	4.41	26.1	149
MAX	339	190	95.6	118	134	67.4	20.0	7.90	7.30	11.6	92.5	699
DAT	13	18	13	24	5	13	1	4	10	6	8	17
SR	107	57.9	42.0	79.7	85.1	42.9	12.4	5.41	4.60	5.65	29.9	120
MIN	25.4	24.8	19.5	35.7	57.5	21.5	6.70	4.06	3.92	3.92	4.06	21.0
DAT	31	1	8	7	31	30	31	28	24	1	1	4
		GMIN = 3.92			SRGOD= 49.4			GMAX = 699				
		DATUM 24 9						DATUM 17 12				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1964

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
 Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	44.7	10.2	22.0	92.5	46.3	38.6	15.3	9.82	7.30	6.70	47.9	194
2	40.1	10.2	21.0	97.6	46.3	35.7	14.9	8.80	6.70	6.10	56.7	155
3	37.2	10.2	19.5	90.5	44.7	33.0	13.1	9.10	6.40	6.10	86.4	120
4	33.6	9.46	18.0	96.6	44.7	31.0	12.3	9.10	7.30	6.10	78.2	124
5	31.0	9.10	17.0	157	47.9	28.3	11.3	8.80	6.70	6.10	68.4	100
6	27.0	9.10	16.6	134	51.1	26.5	10.9	8.50	6.10	6.10	70.3	79.3
7	25.9	9.10	16.6	104	47.9	25.4	11.3	8.20	6.10	6.10	73.3	65.5
8	24.2	8.80	17.0	90.5	43.1	25.4	11.6	7.90	6.70	6.10	67.4	54.3
9	23.7	8.50	16.1	81.3	40.1	24.2	9.82	7.30	7.90	19.0	66.4	47.1
10	22.0	8.50	15.7	69.3	39.3	21.5	9.82	7.30	7.00	33.0	65.5	43.1
11	21.0	8.20	15.7	62.0	38.6	19.0	9.82	8.20	6.40	78.2	60.2	38.6
12	20.0	8.20	16.6	55.1	38.6	19.0	12.0	7.90	6.10	131	55.9	35.0
13	20.0	7.90	18.0	49.5	40.1	18.5	17.0	7.90	5.91	111	56.7	31.6
14	19.0	7.60	20.0	44.7	43.1	17.0	16.1	7.30	5.72	140	54.3	29.6
15	18.0	7.60	22.0	43.9	43.1	16.1	13.6	7.30	5.72	195	51.9	27.6
16	17.0	7.60	71.3	41.5	47.1	16.1	13.6	6.70	5.53	144	47.1	26.5
17	16.1	7.90	68.4	38.6	44.7	17.0	13.6	6.70	5.53	94.6	47.1	26.5
18	14.0	16.1	52.7	38.6	37.2	19.0	12.7	6.70	5.34	91.5	40.1	44.7
19	14.0	37.2	45.5	39.3	34.3	20.0	12.0	6.70	5.72	92.5	37.2	98.7
20	14.0	126	43.1	38.6	33.6	19.0	11.3	6.10	5.53	84.4	33.6	246
21	13.6	71.3	44.7	38.6	35.7	17.5	10.5	7.30	5.34	44.7	31.6	186
22	13.1	47.1	123	38.6	41.5	16.1	10.2	7.30	8.50	76.2	29.6	133
23	13.1	35.0	124	38.6	40.8	15.7	10.5	6.70	7.90	70.3	26.5	100
24	12.7	29.6	89.5	39.3	37.2	16.1	10.5	6.70	7.30	68.4	24.8	80.3
25	12.3	26.5	69.3	51.9	33.6	18.0	12.7	6.70	7.00	78.2	22.6	69.3
26	11.6	23.7	57.5	66.4	31.6	19.5	12.0	6.40	7.30	80.3	21.5	98.7
27	11.3	22.0	51.1	59.3	36.5	18.0	9.82	6.10	8.50	89.5	20.5	61.1
28	10.9	21.0	48.7	51.9	35.7	16.1	9.82	6.10	8.20	85.4	20.0	129
29	10.5	21.0	75.2	47.1	33.6	15.7	9.82	5.72	7.90	73.3	20.5	129
30	10.5		78.2	45.5	33.0	15.7	9.82	5.91	7.60	62.8	59.3	189
31	10.5		75.2		36.5		9.46	5.72		54.3		178
SD1	30.9	9.32	18.0	101	45.1	29.0	12.0	8.48	6.82	10.1	68.1	98.2
SD2	17.3	23.4	37.3	45.2	40.0	18.1	13.2	7.15	5.75	116	48.4	60.5
SD3	11.8	33.0	76.0	47.7	36.0	16.8	10.5	6.42	7.55	71.2	27.7	123
MAX	44.7	160	152	164	153	38.6	17.0	9.82	8.50	213	88.4	281
DAT	1	20	23	5	6	1	13	1	27	15	3	20
SR	19.8	21.5	44.8	64.7	40.2	21.3	11.8	7.32	6.71	66.0	48.0	94.9
MIN	10.5	7.60	15.7	38.6	31.6	15.7	9.46	5.72	5.34	6.10	20.0	26.5
DAT	29	14	10	17	26	23	31	29	18	2	28	16
		GMIN = 5.34			SRGOD= 37.4			GMAX = 281				
		DATUM 18 9						DATUM 20 12				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1965

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	109	51.9	7.00	28.9	82.3	88.4	16.6	3.78	3.60	3.66	3.66	257
2	82.3	87.4	10.2	26.5	68.4	94.6	14.9	3.78	3.68	3.68	3.62	169
3	65.5	62.8	345	24.2	59.3	79.3	14.0	3.78	3.72	3.68	3.62	109
4	57.5	47.1	146	23.7	55.1	64.6	12.3	3.78	3.72	3.68	3.62	79.3
5	47.9	37.9	86.4	23.1	55.9	64.6	12.0	3.78	3.72	3.70	3.62	61.1
6	37.2	33.0	74.2	25.9	74.2	80.3	15.7	3.70	3.80	3.70	3.62	49.5
7	34.3	26.5	66.4	27.0	83.3	91.5	12.3	3.70	3.80	3.70	3.60	40.1
8	31.0	22.0	55.1	31.0	74.2	65.5	10.9	3.70	3.92	3.70	6.60	40.1
9	27.0	22.0	46.3	43.1	66.4	59.3	9.46	3.65	3.66	3.70	3.60	84.4
10	25.4	20.5	38.6	216	64.6	59.3	8.80	3.65	3.80	3.72	3.60	142
11	23.1	17.5	33.0	162	68.4	55.9	8.80	3.65	3.80	3.62	3.65	246
12	20.5	16.6	29.6	120	62.0	54.3	7.90	3.65	3.80	3.62	3.69	180
13	18.5	15.7	25.9	100	77.2	48.7	7.30	3.65	3.80	3.62	4.39	118
14	17.0	14.0	24.2	96.6	78.2	44.7	6.40	3.60	3.68	3.62	31.6	87.4
15	16.1	14.0	24.2	86.4	70.3	44.7	6.40	3.60	3.65	3.64	31.0	69.3
16	14.9	13.1	24.2	82.3	70.3	38.6	6.40	3.60	3.65	3.64	20.0	53.5
17	14.0	12.3	25.4	68.4	78.2	35.7	6.10	3.60	3.60	3.64	13.6	46.3
18	13.1	11.6	25.9	59.3	102	39.3	5.53	3.60	3.72	3.64	10.9	39.3
19	14.0	10.9	26.5	52.7	145	37.2	5.53	3.60	3.80	3.76	25.9	34.3
20	15.7	10.2	26.5	52.7	138	35.7	5.34	3.60	3.80	3.76	46.3	31.0
21	14.0	9.46	27.0	98.7	136	33.0	5.15	3.60	3.72	3.66	62.8	26.5
22	12.3	8.80	23.1	100	123	30.3	4.77	3.60	3.72	3.66	135	24.2
23	11.6	8.80	31.6	86.4	132	30.3	4.58	3.65	3.72	3.66	114	24.2
24	10.9	8.50	35.7	74.2	120	29.6	4.39	3.65	3.64	3.66	89.5	21.5
25	10.2	8.50	59.3	65.5	105	27.0	4.39	4.58	3.64	3.66	61.1	22.6
26	9.82	7.90	52.7	60.2	107	25.4	4.39	4.20	3.64	3.66	43.9	33.6
27	9.46	7.90	47.1	55.1	100	23.7	4.20	3.78	3.64	3.66	36.5	38.6
28	8.80	7.30	41.5	53.5	90.5	21.0	4.06	3.60	3.64	3.66	84.4	38.6
29	9.46		36.5	111	109	20.0	4.06	3.60	3.60	3.66	131	257
30	14.9		34.3	102	103	18.0	3.78	3.60	3.60	3.66	84.4	148
31	44.7		31.6		90.5		3.78	3.65		3.66		104
SD1	51.7	41.1	87.5	46.9	68.4	74.7	12.7	3.73	3.74	3.69	3.92	103
SD2	16.7	13.6	26.5	88.0	89.0	43.5	6.57	3.62	3.73	3.66	19.1	90.5
SD3	14.2	8.40	38.2	80.7	111	25.8	4.32	3.77	3.66	3.66	84.3	67.2
MAX	109	87.4	436	216	145	94.6	16.6	4.58	3.92	3.76	135	257
DAT	1	2	3	10	19	2	1	25	15	8	20	1
SR	27.1	21.9	50.4	71.9	90.0	48.0	7.75	3.71	3.71	3.67	35.8	86.3
MIN	8.80	7.30	7.00	23.1	55.1	18.0	3.78	3.60	3.60	3.62	3.60	21.5
DAT	28	28	1	5	4	30	30	14	1	11	7	24
GMIN = 3.60			SRGOD= 37.6			GMAX = 436						
DATUM 14 8						DATUM 3 3						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1966

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	76.2	12.7	51.1	48.7	134	51.1	15.7	5.15	7.30	5.72	77.2	41.5
2	61.1	12.3	46.3	40.8	124	50.3	13.6	4.96	8.50	7.00	60.2	54.3
3	50.3	12.0	41.5	35.0	110	50.3	12.3	4.96	6.10	11.3	47.1	205
4	44.7	11.6	38.6	31.6	102	46.3	11.3	4.96	5.15	15.7	39.3	198
5	37.9	11.3	37.9	29.6	95.6	43.1	9.82	4.77	4.58	10.5	62.8	129
6	32.3	11.3	37.2	28.9	90.5	39.3	9.10	4.20	4.06	8.80	86.4	96.6
7	28.3	10.9	37.2	28.9	85.4	37.2	8.50	4.06	3.96	7.90	76.2	76.2
8	25.4	10.5	33.0	32.3	78.2	35.0	10.5	3.96	3.96	7.00	62.8	62.8
9	23.1	13.1	30.3	34.3	65.5	33.6	12.0	3.96	3.96	6.10	51.9	54.3
10	22.0	24.2	28.3	43.1	61.1	33.0	9.82	3.98	3.96	6.40	43.1	46.3
11	21.0	74.2	27.6	84.4	74.2	31.6	8.50	3.98	3.96	7.60	37.2	41.5
12	38.6	188	27.0	78.2	66.4	31.0	8.20	3.98	3.98	7.30	43.9	41.5
13	40.1	129	43.1	73.3	56.7	28.9	7.60	3.98	3.98	7.60	44.7	52.7
14	29.6	129	37.2	72.3	53.5	26.5	6.70	3.96	3.98	9.46	43.9	153
15	24.8	104	31.6	76.2	54.3	24.8	6.40	3.96	3.98	9.10	41.5	107
16	26.5	118	28.3	86.4	55.1	24.2	6.40	3.96	3.98	8.50	37.9	78.2
17	33.0	59.3	25.9	148	53.5	24.2	6.10	3.96	3.98	7.60	43.1	60.2
18	34.3	55.9	23.7	133	52.7	23.1	5.53	3.96	3.98	7.00	66.4	50.3
19	34.3	52.7	22.0	105	48.7	21.5	5.72	3.96	3.96	6.40	100	43.1
20	30.3	51.9	20.5	92.5	52.7	19.0	5.72	3.99	3.98	6.10	116	37.2
21	25.4	53.5	19.5	94.6	41.5	17.5	5.91	3.96	3.96	7.30	105	35.7
22	22.0	59.3	19.0	96.6	39.3	16.1	5.91	3.98	3.96	14.0	83.3	33.0
23	22.0	76.2	18.0	94.6	37.2	14.9	5.91	3.98	3.98	12.7	62.0	28.9
24	24.2	169	18.5	82.3	36.5	13.6	6.10	3.98	3.96	11.3	102	25.9
25	22.0	124	19.5	76.2	36.5	12.3	6.10	3.98	3.96	10.5	170	23.7
26	20.0	86.4	23.7	79.3	35.7	12.0	6.10	3.98	3.98	18.0	108	21.5
27	18.0	67.4	23.1	86.4	40.1	11.3	5.72	3.98	3.96	120	76.2	19.5
28	16.6	55.9	23.7	90.5	87.4	9.82	5.34	3.98	4.00	118	60.2	18.5
29	15.7		44.7	85.4	71.3	9.10	5.34	3.98	4.00	113	49.5	17.5
30	14.4		83.3	100	59.3	19.5	5.72	3.98	4.00	149	51.1	16.6
31	13.6		61.1		53.5		5.15	3.98		109		15.7
SD1	40.1	13.0	38.1	35.3	94.6	41.9	11.3	4.50	5.15	8.64	60.7	96.4
SD2	31.3	96.2	28.7	94.9	56.8	25.5	6.69	3.97	3.98	7.67	57.5	66.5
SD3	19.4	86.5	32.2	88.6	48.9	13.6	5.75	3.98	3.98	62.1	86.7	23.3
MAX	84.4	213	90.5	158	138	51.9	18.0	5.34	13.6	157	224	341
DAT	1	12	30	17	1	1	1	1	2	30	25	4
SR	29.9	63.7	33.0	72.9	66.2	27.0	7.83	4.14	4.37	27.3	68.3	60.8
MIN	13.6	10.5	18.0	28.9	35.7	9.10	5.15	3.96	3.96	5.72	37.2	15.7
DAT	31	8	23	6	26	29	31	8	7	1	11	31
		GMIN = 3.96		SRGOD= 38.5		GMAX = 341						
		DATUM 8 8				DATUM 4 12						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1967

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
 Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	15.3	11.3	16.6	170	78.2	54.3	14.9	6.70	3.64	3.98	3.64	26.5
2	14.4	10.5	22.6	114	82.3	46.3	14.0	6.10	3.94	3.64	3.64	18.0
3	15.7	10.5	27.0	85.4	92.5	38.6	14.0	5.91	3.98	3.64	3.64	13.6
4	15.3	11.3	24.2	68.4	113	34.3	12.7	5.72	3.72	3.80	3.64	11.3
5	13.6	13.1	23.1	55.9	111	31.6	13.6	5.53	3.72	3.64	3.64	9.82
6	23.1	12.3	23.1	47.9	98.7	30.3	12.7	5.34	3.80	9.82	3.64	8.80
7	27.6	11.3	24.2	64.6	98.7	27.6	12.0	4.96	3.80	7.00	3.64	8.50
8	22.0	13.1	24.2	90.5	98.7	27.0	12.3	4.96	3.72	5.15	6.70	10.5
9	20.0	11.3	26.5	96.6	100	26.5	12.7	4.96	3.72	4.58	9.10	18.0
10	17.0	10.5	31.6	96.6	107	25.4	18.0	4.96	3.80	4.39	6.40	15.7
11	14.9	9.82	38.6	96.6	107	24.2	24.8	4.39	3.80	4.20	5.53	13.6
12	14.4	8.80	44.7	98.7	104	22.0	22.6	4.58	3.80	3.92	5.34	21.0
13	14.4	8.50	40.8	107	107	26.5	21.5	4.20	3.94	3.64	5.15	22.6
14	12.7	8.50	55.9	140	101	26.5	19.0	3.78	3.94	3.78	4.58	19.0
15	12.3	7.90	49.5	159	92.5	22.0	16.6	3.64	3.94	3.78	4.39	16.1
16	11.3	7.60	41.5	135	93.5	20.0	15.3	3.78	3.94	3.72	4.39	13.6
17	10.5	7.60	35.0	115	86.4	18.0	15.3	3.78	3.94	3.72	4.20	12.0
18	9.82	7.60	31.6	107	83.3	17.5	12.7	3.64	3.94	3.78	4.20	10.2
19	9.10	8.50	28.3	98.7	81.3	17.0	13.6	3.92	3.68	3.78	3.92	9.10
20	8.50	8.50	25.9	84.4	71.3	17.0	12.3	3.92	3.84	3.72	3.92	9.10
21	8.50	8.50	23.1	70.3	65.5	19.0	10.9	3.78	3.84	3.78	3.84	8.50
22	8.80	9.10	20.5	70.3	113	19.0	9.82	3.78	3.88	3.78	3.84	7.60
23	8.50	9.82	19.0	86.4	110	18.0	9.10	3.78	3.88	3.72	3.66	7.30
24	9.82	10.5	19.0	76.2	100	16.6	8.20	3.78	3.88	3.86	3.66	7.60
25	17.0	10.5	17.0	64.6	98.7	15.7	7.60	3.64	3.92	3.94	3.66	20.0
26	17.5	10.5	16.1	55.9	80.3	14.9	7.90	3.64	3.92	3.64	3.66	144
27	19.5	11.3	15.7	49.5	70.3	14.4	7.90	3.64	3.92	3.64	3.68	257
28	18.5	13.6	15.7	44.7	64.6	13.6	7.60	3.66	3.98	3.64	3.68	151
29	12.7		18.0	58.4	61.1	13.1	7.90	3.66	3.98	3.64	3.68	90.5
30	11.6		98.7	61.1	57.5	17.0	7.90	3.64	3.98	3.64	35.7	66.4
31	11.3		247		55.1		7.00	3.64		3.64		137
SD1	18.4	11.5	24.3	89.0	98.0	34.2	13.7	5.51	3.78	4.96	4.77	14.1
SD2	11.8	8.33	39.2	114	92.7	21.1	17.4	3.96	3.88	3.80	4.56	14.6
SD3	13.1	10.5	46.3	63.7	79.6	16.1	8.35	3.69	3.92	3.72	6.91	81.5
MAX	33.0	14.9	266	222	129	55.9	26.5	6.70	3.98	9.82	35.7	325
DAT	7	28	31	1	4	1	11	1	28	6	30	27
SR	14.4	10.1	36.9	89.0	89.8	23.8	13.0	4.37	3.86	4.15	5.41	38.2
MIN	8.50	7.60	15.7	44.7	55.1	13.1	7.00	3.64	3.64	3.64	3.64	7.30
DAT	20	16	27	28	31	29	31	15	1	2	1	23
GMIN = 3.64			SRGOD= 27.9			GMAX = 325						
DATUM 15 8						DATUM 27 12						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1968

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	168	7.00	43.1	64.6	86.4	14.4	7.30	5.28	8.50	10.2	5.64	23.1	
2	174	7.00	34.3	60.2	80.3	12.7	6.70	5.28	8.50	9.10	5.64	21.5	
3	113	7.30	29.6	61.1	72.3	11.3	6.40	5.28	7.90	8.50	5.50	20.0	
4	74.2	7.30	26.5	74.2	66.4	10.5	6.40	5.36	7.00	7.90	5.64	19.0	
5	53.5	7.30	23.1	82.3	65.5	9.82	6.10	5.92	7.90	7.60	5.34	17.0	
6	43.9	7.60	21.5	85.4	70.3	9.46	5.91	5.92	12.0	7.30	5.58	16.1	
7	47.9	7.60	22.0	91.5	72.3	8.80	5.72	5.64	7.90	6.70	5.39	15.3	
8	54.3	8.80	21.0	95.6	70.3	8.50	5.53	5.22	7.30	6.70	5.96	13.6	
9	37.2	12.7	19.0	96.6	62.0	8.20	5.53	5.64	8.50	6.10	5.34	16.1	
10	33.0	18.0	19.0	84.4	52.7	8.80	5.34	5.50	8.20	5.91	37.2	18.0	
11	27.6	28.9	21.0	67.4	47.9	13.6	5.34	5.50	7.90	5.72	34.3	16.6	
12	25.4	27.6	21.0	55.9	44.7	17.0	5.39	5.08	7.60	5.72	25.4	15.3	
13	22.0	24.2	17.0	47.9	47.9	15.3	5.30	5.50	7.60	5.72	20.0	15.3	
14	19.0	22.0	15.3	41.5	44.7	16.1	5.30	5.78	9.10	5.96	17.0	14.0	
15	18.0	23.1	14.4	43.1	40.1	17.0	5.30	5.78	7.90	5.77	16.1	13.6	
16	16.6	53.5	14.9	48.7	35.0	18.0	5.28	6.06	7.00	5.77	35.7	13.1	
17	15.3	92.5	16.1	50.3	32.3	17.0	5.28	6.06	6.40	5.58	72.3	17.0	
18	15.3	72.3	15.3	57.5	28.3	20.5	5.08	5.92	6.70	5.96	304	135	
19	15.7	52.7	17.0	66.4	25.4	20.0	5.39	5.96	12.7	5.58	246	428	
20	14.0	40.1	16.1	64.6	24.2	17.0	5.20	6.10	16.6	5.20	188	477	
21	13.1	33.0	24.2	62.8	23.1	15.3	5.20	5.72	13.6	5.20	135	228	
22	11.6	28.9	124	62.0	22.6	13.6	5.26	5.15	12.0	5.20	97.6	141	
23	11.3	28.3	169	62.0	22.0	12.3	5.26	5.08	18.0	5.92	74.2	103	
24	10.9	31.0	124	65.5	20.0	11.3	5.64	5.39	20.0	5.92	55.9	83.3	
25	11.3	46.3	92.5	74.2	19.0	12.3	5.64	5.39	18.0	5.92	46.3	69.3	
26	10.5	70.3	78.2	78.2	18.0	11.6	5.36	5.58	16.1	5.92	40.1	57.5	
27	10.5	89.5	70.3	78.2	17.0	9.82	5.64	5.20	13.6	5.92	35.0	51.1	
28	9.82	66.4	62.8	78.2	15.7	9.10	5.50	5.26	12.3	5.78	31.6	44.7	
29	8.50	52.7	61.1	78.2	14.9	8.80	5.22	5.26	11.3	5.64	27.0	40.1	
30	7.90		61.1	85.4	14.9	7.90	5.22	6.90	10.5	5.64	30.3	35.7	
31	7.60		63.7		15.3		5.28	7.30		5.64		32.3	
SD1	79.9	9.06	25.9	79.6	69.8	10.2	6.09	5.50	8.37	7.60	8.72	18.0	
SD2	18.9	43.7	16.8	54.3	37.0	17.1	5.29	5.77	8.95	5.70	95.9	114	
SD3	10.3	49.6	84.6	72.5	18.4	11.2	5.38	5.66	14.5	5.70	57.3	80.5	
MAX	204	96.6	186	98.7	86.4	21.0	7.30	7.30	18.5	10.2	379	599	
DAT	1	17	23	9	1	18	1	31	23	1	18	20	
SR	35.5	33.6	43.8	68.8	41.0	12.9	5.58	5.65	10.6	6.31	54.0	71.3	
MIN	7.60	7.00	14.4	41.5	14.9	7.90	5.08	5.08	6.40	5.20	5.34	13.1	
DAT	31	1	15	14	29	30	18	12	17	20	5	16	
		GMIN = 5.08			SRGOD= 32.4			GMAX = 599					
		DATUM 18 7						DATUM 20 12					

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1969

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
 Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	30.3	25.4	42.3	28.9	129	33.0	12.7	10.5	14.4	16.6	5.72	80.3
2	28.9	24.2	37.2	27.6	122	31.6	12.0	11.3	12.7	15.3	5.72	70.3
3	27.6	24.2	33.6	27.6	114	31.0	11.6	10.9	11.3	15.3	5.34	59.3
4	27.0	84.4	32.3	27.0	118	29.6	11.3	10.5	9.82	14.9	5.34	51.9
5	26.5	133	31.6	27.6	123	28.3	11.6	9.82	9.10	14.0	5.34	88.4
6	28.3	91.5	29.6	30.3	126	34.3	14.0	9.82	9.10	13.1	5.34	257
7	27.6	62.8	27.6	33.0	122	47.9	13.6	9.82	11.3	11.3	5.34	170
8	25.4	48.7	26.5	33.0	113	46.3	12.7	9.10	10.5	10.5	5.53	115
9	25.4	46.3	25.4	33.0	123	43.1	12.3	9.10	11.6	10.2	6.10	87.4
10	24.8	39.3	24.8	33.0	126	40.1	13.1	6.10	11.3	9.82	7.30	68.4
11	23.1	33.6	24.2	31.6	111	34.3	14.0	5.91	11.3	9.46	7.90	54.3
12	21.5	30.3	24.2	31.6	122	30.3	14.9	5.72	12.0	9.10	7.30	44.7
13	21.5	31.6	24.2	33.6	122	27.6	15.3	5.72	12.0	8.50	6.70	39.3
14	23.1	41.5	25.9	47.9	124	25.4	14.4	5.72	11.6	8.50	6.40	34.3
15	47.9	51.1	42.3	79.3	124	24.2	14.4	4.96	12.7	8.20	6.10	30.3
16	70.3	61.1	66.4	64.6	124	23.1	13.6	4.77	34.3	7.90	6.10	30.3
17	75.2	51.1	72.3	55.1	111	21.0	12.7	4.77	28.9	7.90	6.40	27.0
18	62.0	40.8	68.4	50.3	92.5	21.5	12.3	7.00	34.3	7.30	6.10	23.7
19	52.7	34.3	64.6	45.5	90.5	20.0	12.0	7.90	31.6	7.30	7.00	22.0
20	46.3	33.0	59.3	43.1	87.4	19.5	12.0	6.70	30.3	7.30	7.00	21.5
21	40.1	37.2	51.1	42.3	80.3	18.5	11.3	6.40	44.7	7.30	6.70	20.0
22	35.7	43.9	44.7	75.2	72.3	20.0	11.3	6.10	40.1	7.00	6.70	18.0
23	33.0	41.5	40.1	142	59.3	18.0	11.3	5.91	33.6	7.00	13.6	17.0
24	31.6	43.1	36.5	226	52.7	17.0	10.9	5.34	29.6	6.70	33.0	16.6
25	30.3	72.3	34.3	146	46.3	16.6	10.9	5.34	25.9	6.70	102	15.7
26	28.9	73.3	40.1	115	43.1	16.1	10.5	12.7	23.1	6.40	254	15.7
27	27.0	59.3	44.7	116	40.1	15.3	10.9	17.0	21.5	6.40	270	15.3
28	25.4	47.9	40.8	131	37.2	15.3	10.9	20.0	20.0	6.70	177	15.3
29	24.2		37.9	144	35.0	14.4	10.9	25.4	18.5	6.70	109	15.3
30	26.5		34.3	145	34.3	13.6	10.5	20.0	17.0	5.91	87.4	15.3
31	27.6		31.6		33.6		10.5	16.6		5.72		16.1
SD1	27.2	58.0	31.1	30.1	122	36.5	12.5	9.70	11.1	13.1	5.71	105
SD2	44.4	40.8	47.2	48.3	111	24.7	13.6	5.92	21.9	8.15	6.70	32.7
SD3	30.0	52.3	39.6	128	48.6	16.5	10.9	12.8	27.4	6.59	106	16.4
MAX	80.3	157	76.2	263	140	49.5	15.3	29.6	46.3	17.0	396	271
DAT	17	5	17	24	1	7	13	29	21	1	27	5
SR	33.7	50.2	39.3	68.9	92.2	25.9	12.3	9.58	20.1	9.19	39.4	50.2
MIN	21.5	24.2	24.2	27.0	33.6	13.6	10.5	4.77	9.10	5.72	5.34	15.3
DAT	12	2	11	4	31	30	26	16	5	31	3	27
		GMIN = 4.77			SRGOD= 37.5			GMAX = 396				
		DATUM 16 8						DATUM 27 11				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1970

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	42.3	27.0	24.2	92.5	142	75.2	24.2	9.10	6.70	4.20	16.1	34.3
2	120	23.1	22.0	188	113	72.3	23.1	8.50	6.70	5.15	14.4	37.2
3	72.3	22.0	21.0	153	94.6	66.4	22.0	8.50	6.10	6.10	13.1	43.1
4	46.3	21.0	21.0	124	82.3	60.2	20.0	8.50	6.10	6.40	12.7	38.6
5	40.8	24.2	23.1	97.6	74.2	52.7	20.0	8.50	6.10	7.30	11.3	33.0
6	155	62.8	41.5	82.3	66.4	51.1	20.0	7.90	6.10	6.10	11.3	31.6
7	174	77.2	34.3	72.3	59.3	51.9	20.0	7.90	5.91	5.72	11.3	28.9
8	310	68.4	30.3	86.4	59.3	59.3	19.0	7.60	5.91	5.34	10.5	27.6
9	181	57.5	27.6	452	72.3	70.3	19.0	7.60	5.72	5.34	10.5	25.9
10	120	53.5	25.4	360	86.4	69.3	18.0	7.30	5.72	5.34	12.0	23.7
11	90.5	76.2	24.8	218	107	74.2	18.0	7.30	5.53	5.34	14.4	21.0
12	74.2	87.4	27.6	157	126	72.3	17.0	7.30	5.34	5.34	14.4	20.0
13	146	66.4	34.3	133	118	64.6	16.1	7.00	5.34	5.34	13.1	18.5
14	137	88.4	31.0	113	104	59.3	15.3	6.70	5.15	5.34	12.7	17.0
15	111	120	47.9	203	98.7	55.9	14.4	6.70	5.15	4.39	16.1	16.1
16	120	115	66.4	151	102	51.1	13.6	6.70	5.15	4.39	131	16.1
17	341	85.4	51.1	115	124	51.9	26.5	8.50	4.77	4.39	115	15.3
18	344	63.7	41.5	100	107	49.5	23.1	7.90	4.77	4.39	74.2	13.6
19	137	57.5	35.0	90.5	94.6	49.5	18.0	7.60	4.77	4.39	64.6	13.6
20	102	46.3	33.0	94.6	86.4	46.3	16.1	7.00	4.58	4.39	66.4	13.6
21	80.3	40.1	28.9	115	86.4	46.3	15.3	6.70	4.58	4.39	78.2	13.1
22	66.4	34.3	26.5	129	92.5	41.5	13.6	6.10	4.58	14.4	146	12.0
23	55.9	33.0	25.4	123	126	37.9	12.7	5.91	4.58	88.4	169	12.0
24	49.5	34.3	26.5	133	118	34.3	12.0	5.53	4.58	47.9	115	12.0
25	43.9	31.0	35.7	142	96.6	31.6	11.3	5.72	4.58	31.6	86.4	11.3
26	41.5	27.6	45.5	146	81.3	34.3	11.3	6.10	4.58	24.2	66.4	14.0
27	36.5	26.5	60.2	155	76.2	30.3	10.5	5.91	4.58	21.5	54.3	11.6
28	34.3	24.2	144	153	74.2	25.9	9.82	5.91	4.58	20.5	46.3	17.0
29	33.0		333	213	77.2	25.9	9.82	5.72	4.39	19.0	41.5	66.4
30	29.6		174	181	70.3	24.8	9.82	5.53	4.20	18.0	37.2	169
31	28.9		118		71.3		9.10	5.53		16.6		254
SD1	126	43.7	27.0	171	85.0	62.9	20.5	8.14	6.11	5.70	12.3	32.4
SD2	160	80.6	39.3	138	107	57.5	17.8	7.27	5.06	4.77	52.2	16.5
SD3	45.4	31.4	92.5	149	88.2	33.3	11.4	5.88	4.52	27.9	84.0	53.9
MAX	344	120	333	513	142	75.2	26.5	9.10	6.70	88.4	169	254
DAT	18	15	29	9	1	1	17	1	1	23	23	31
SR	109	53.4	54.2	152	93.1	51.2	16.4	7.06	5.23	13.3	49.5	34.9
MIN	28.9	21.0	21.0	72.3	59.3	24.8	9.10	5.53	4.20	4.20	10.5	11.3
DAT	31	4	3	7	7	30	31	24	30	1	8	25
		GMIN = 4.20			SRGOD= 53.1			GMAX = 513				
		DATUM 30 9						DATUM 9 4				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1971

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	289	55.6	15.3	37.3	109	34.5	9.50	8.22	7.58	13.5	8.22	176
2	193	67.2	14.4	51.5	133	35.2	9.50	8.86	7.58	11.9	7.58	166
3	190	57.2	14.4	64.7	150	32.8	9.50	9.18	7.90	11.1	7.58	133
4	135	49.0	13.5	63.8	161	30.4	9.18	9.18	7.90	10.3	7.26	99.8
5	108	41.5	13.5	67.2	154	28.7	9.18	9.18	7.90	10.3	6.62	81.3
6	87.4	37.3	13.5	110	131	27.6	8.86	7.58	6.62	9.90	6.30	68.8
7	70.3	33.3	13.5	104	113	26.5	8.86	7.26	6.62	9.18	6.30	60.5
8	57.5	31.0	12.7	89.3	95.5	26.0	8.86	7.26	6.62	8.86	6.62	44.5
9	49.5	28.7	12.7	86.3	87.3	25.4	8.86	6.94	6.94	8.22	6.62	49.0
10	44.5	26.5	12.3	85.2	81.3	23.2	8.22	7.26	6.62	7.90	6.62	42.3
11	41.5	24.9	11.9	90.3	80.4	22.2	7.90	7.58	6.62	7.58	13.5	40.1
12	38.7	23.2	11.9	89.3	78.5	22.7	7.58	7.26	6.62	7.58	18.5	35.9
13	34.5	22.2	11.9	80.4	75.7	22.7	7.58	7.26	8.22	7.58	22.2	38.7
14	31.0	21.1	11.5	71.3	72.1	20.1	7.58	6.94	8.86	7.58	27.6	29.9
15	29.3	19.0	11.5	62.2	68.8	18.0	7.58	6.94	11.5	7.58	26.5	27.6
16	28.7	21.6	15.3	55.6	66.3	21.6	7.26	6.62	14.9	22.7	23.8	24.9
17	28.2	22.7	21.1	51.5	64.7	16.2	7.26	6.94	25.4	32.2	28.2	24.3
18	27.1	22.2	22.2	53.9	61.3	15.3	6.62	7.26	24.3	25.4	26.5	23.2
19	24.3	21.6	24.3	52.3	57.2	14.9	7.26	7.26	15.3	22.7	22.7	22.2
20	24.3	22.2	28.7	54.7	55.6	13.5	7.26	8.22	12.7	20.6	111	20.1
21	28.7	21.1	40.1	58.9	53.9	13.5	6.94	8.54	12.3	19.0	99.8	20.1
22	77.6	20.1	73.8	63.8	52.3	13.1	6.94	8.86	11.9	17.1	69.7	19.6
23	104	19.6	132	70.5	49.0	12.7	6.62	8.86	11.1	15.3	127	19.0
24	75.7	19.0	97.6	78.5	45.3	11.9	6.62	8.86	10.3	13.9	111	18.5
25	67.2	18.5	71.3	151	40.8	11.9	6.12	6.30	9.90	13.5	77.6	18.0
26	76.6	17.5	58.9	131	35.9	11.5	6.94	6.30	8.86	12.7	63.8	17.1
27	74.7	17.1	52.3	105	34.5	10.3	6.94	6.30	8.54	11.9	55.6	17.1
28	84.2	15.3	47.5	90.3	33.9	9.50	7.26	6.30	8.22	11.1	50.6	17.1
29	72.1		45.3	87.3	33.3	9.50	6.94	6.62	11.5	10.7	89.3	16.6
30	60.5		43.0	89.3	32.8	9.50	6.62	7.58	16.2	9.90	166	15.8
31	52.3		39.4		31.6		7.90	7.58		9.50		15.3
SD1	122	42.7	13.6	75.9	122	29.0	9.05	8.09	7.23	10.1	6.97	92.1
SD2	30.8	22.1	17.0	66.2	68.1	18.7	7.39	7.23	13.4	16.2	32.0	28.7
SD3	70.3	18.5	63.7	92.6	40.3	11.3	6.89	7.46	10.9	13.1	91.0	17.7
MAX	337	68.8	151	159	166	35.2	9.50	9.18	26.0	32.2	166	183
DAT	1	2	23	25	4	2	1	3	17	17	30	1
SR	74.4	28.4	32.5	78.2	75.5	19.7	7.75	7.59	10.5	13.1	43.4	45.2
MIN	24.3	15.3	11.5	37.3	31.6	9.50	6.12	6.30	6.62	7.58	6.30	15.3
DAT	19	28	14	1	31	28	25	25	6	11	6	31
		GMIN = 6.12			SRGOD= 36.4			GMAX = 337				
		DATUM 25 7						DATUM 1 1				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1972

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	15.3	18.5	40.1	34.5	52.3	22.7	11.5	11.5	13.5	63.8	23.8	53.9
2	18.5	16.6	37.3	38.0	47.5	22.2	11.5	13.1	12.3	54.7	22.2	55.6
3	18.0	15.3	34.5	40.1	46.0	22.7	10.3	13.5	11.9	49.0	21.1	55.6
4	17.1	14.4	32.8	39.4	50.6	23.2	11.1	15.3	11.1	46.0	19.0	53.9
5	23.2	13.5	31.0	41.5	45.3	21.6	10.7	13.9	11.1	40.1	18.5	51.5
6	31.6	12.7	31.0	46.8	43.8	20.1	10.7	12.7	11.5	35.9	17.5	47.5
7	28.7	11.9	31.0	46.0	45.3	19.0	11.1	12.7	11.1	33.3	17.1	41.5
8	27.6	11.9	31.0	43.0	46.0	18.0	11.1	12.3	10.3	32.2	16.6	38.7
9	29.3	11.9	34.5	43.8	46.0	17.1	11.1	11.5	10.7	28.7	15.3	34.5
10	31.0	12.7	39.4	47.5	44.5	17.1	9.50	11.5	14.4	30.4	14.4	32.2
11	29.9	24.9	42.3	50.6	44.5	15.8	9.50	11.1	12.7	31.0	21.1	29.9
12	27.6	29.9	46.8	53.9	49.0	15.8	9.50	9.90	11.9	31.0	41.5	27.6
13	25.4	39.4	43.0	58.9	45.3	15.3	9.50	8.86	11.9	30.4	54.7	25.4
14	23.2	33.9	38.7	58.0	41.5	14.4	9.50	8.86	11.1	30.4	41.5	24.3
15	21.1	29.9	34.5	58.0	41.5	13.5	9.50	8.86	11.9	29.9	38.0	23.2
16	20.1	25.4	32.8	62.2	42.3	13.5	16.2	8.86	127	29.3	62.2	21.6
17	20.1	22.7	31.0	62.2	42.3	13.9	15.3	8.86	131	28.2	57.2	20.1
18	20.1	21.1	29.3	63.8	41.5	13.9	13.5	8.86	75.7	27.1	52.3	20.1
19	19.0	20.1	28.7	57.2	39.4	12.3	12.3	8.86	54.7	25.4	89.3	19.0
20	18.0	22.7	27.6	50.6	47.5	11.9	11.9	9.50	43.0	23.8	82.3	18.0
21	17.5	34.5	27.6	54.7	43.0	11.9	11.9	14.4	36.6	27.6	132	16.6
22	16.6	40.1	28.2	57.2	38.7	11.9	11.9	12.7	32.2	43.8	148	15.3
23	15.8	40.1	28.7	57.2	34.5	11.9	12.7	11.1	28.7	40.8	125	15.3
24	15.3	39.4	29.3	55.6	32.2	11.9	12.7	10.3	26.5	37.3	125	14.4
25	15.3	38.0	29.9	68.8	29.9	11.5	12.7	9.50	25.4	34.5	162	13.5
26	14.4	37.3	29.9	114	28.7	12.3	11.9	8.86	23.8	33.3	133	13.5
27	13.5	38.7	28.7	106	27.6	11.9	11.1	8.86	72.1	30.4	101	13.5
28	14.9	40.8	31.0	85.2	28.7	11.9	9.90	9.50	181	28.7	80.4	13.5
29	15.8	40.8	31.0	70.5	31.0	11.9	9.50	9.18	114	28.7	68.8	12.7
30	19.0		31.0	60.5	26.5	11.5	8.86	9.90	80.4	27.6	58.9	11.9
31	21.1		32.8		24.3		9.50	12.7		25.4		11.9
SD1	24.0	13.9	34.3	42.1	46.7	20.4	10.9	12.8	11.8	41.4	18.5	46.5
SD2	22.5	27.0	35.5	57.5	43.5	14.0	11.7	9.25	49.1	28.6	54.0	22.9
SD3	16.3	38.9	29.8	73.0	31.4	11.9	11.2	10.6	62.1	32.6	113	13.8
MAX	31.6	40.8	46.8	117	50.6	23.2	15.3	15.3	227	71.3	184	57.2
DAT	6	28	12	26	1	1	16	4	28	1	25	2
SR	20.8	26.2	33.1	57.5	40.2	15.4	11.2	10.9	41.0	34.2	62.0	27.3
MIN	13.5	11.9	27.6	34.5	24.3	11.5	8.86	8.86	10.3	23.8	14.4	11.9
DAT	27	7	20	1	31	25	30	13	8	20	10	30
GMIN =		8.86		SRGOD=		31.5		GMAX =		227		
DATUM		30 7						DATUM		28 9		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1973

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	11.5	14.9	13.9	43.8	84.2	27.6	10.7	13.1	8.54	15.3	18.5	25.4
2	11.1	23.8	12.7	46.0	100	25.4	10.3	11.9	8.54	13.1	17.1	24.3
3	10.3	23.2	11.9	50.6	122	24.3	10.7	11.1	8.54	11.5	16.2	23.2
4	10.3	20.6	11.1	54.7	139	23.2	11.5	10.7	8.54	10.7	14.9	22.2
5	9.90	17.5	10.7	47.5	153	22.7	11.1	11.1	8.22	10.3	13.9	23.8
6	9.90	17.1	10.3	39.4	165	21.1	10.7	10.7	8.22	9.18	14.4	22.2
7	9.90	16.6	10.3	34.5	166	20.1	10.3	9.90	7.58	9.18	107	22.2
8	9.50	16.2	10.7	36.6	158	19.0	10.3	8.86	7.26	8.22	137	21.1
9	9.18	15.8	11.1	42.3	145	19.6	9.90	8.54	6.94	8.54	82.3	33.9
10	9.18	15.8	10.7	57.2	130	20.1	10.3	8.22	6.62	8.22	61.3	60.5
11	8.86	31.6	10.7	139	98.7	19.0	11.1	7.90	6.94	7.90	52.3	47.5
12	8.86	30.4	10.7	112	79.4	18.0	10.7	7.90	7.26	7.58	46.0	38.7
13	8.54	24.9	10.3	81.3	75.7	17.1	9.90	7.58	6.94	7.26	41.5	32.8
14	8.54	22.2	9.90	65.5	66.3	18.0	9.18	7.26	7.26	7.26	38.0	30.4
15	8.54	68.8	9.50	55.6	64.7	20.1	8.86	7.26	6.94	9.50	33.9	30.4
16	8.54	70.5	8.86	46.8	65.5	18.0	8.54	7.26	6.94	21.1	32.2	28.7
17	9.90	54.7	8.54	41.5	64.7	15.8	8.54	7.58	6.62	24.3	31.6	26.5
18	13.1	41.5	8.54	38.7	60.5	14.4	8.86	7.58	6.62	22.7	31.0	26.5
19	89.3	33.9	8.54	38.0	62.2	14.4	8.54	7.58	7.58	20.6	29.3	28.2
20	55.6	28.7	8.22	39.4	63.0	14.4	7.58	7.26	11.5	18.5	27.1	37.3
21	38.7	26.0	7.58	46.0	67.2	13.9	7.26	7.26	10.7	16.6	25.4	59.7
22	35.2	23.8	7.90	44.5	61.3	12.3	7.26	7.90	8.54	48.3	23.2	111
23	31.0	22.2	8.86	41.5	59.7	11.9	6.94	7.90	13.5	76.6	21.6	115
24	27.6	19.0	11.1	38.7	57.2	11.9	6.94	8.22	10.3	54.7	20.1	89.3
25	24.9	18.0	13.5	58.0	54.7	11.9	11.5	8.54	11.9	43.0	19.6	76.6
26	21.6	17.5	15.8	64.7	47.5	12.3	21.1	8.54	9.90	34.5	19.0	104
27	19.6	16.2	22.2	56.4	41.5	11.9	19.0	8.54	9.50	29.3	41.5	159
28	18.5	15.3	28.7	56.4	35.2	11.1	17.5	8.22	22.2	27.1	36.6	112
29	18.0		30.4	64.7	31.6	10.3	16.2	8.54	20.1	23.8	31.0	83.2
30	16.6		35.2	65.5	29.9	9.90	15.3	8.54	16.6	21.6	29.3	68.0
31	15.3		39.4		27.6		14.4	8.54		20.1		59.7
SD1	10.1	18.1	11.3	45.3	136	22.3	10.6	10.4	7.90	10.4	48.3	27.9
SD2	22.0	40.7	9.38	65.8	70.1	16.9	9.18	7.52	7.46	14.7	36.3	32.7
SD3	24.3	19.8	20.1	53.6	46.7	11.7	13.0	8.25	13.3	36.0	26.7	94.3
MAX	106	100	42.3	200	173	27.6	23.2	13.5	22.2	98.7	253	194
DAT	19	15	31	11	7	1	26	1	28	22	7	27
SR	19.0	26.7	13.8	54.9	83.1	17.0	11.0	8.71	9.56	20.9	37.1	53.0
MIN	8.54	14.9	7.58	34.5	27.6	9.90	6.94	7.26	6.62	7.26	13.9	21.1
DAT	13	1	21	7	31	30	23	14	10	13	5	8
		GMIN = 6.62			SRGOD= 29.6			GMAX = 253				
		DATUM 10 9						DATUM 7 11				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1974

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
 Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	60.5	10.7	15.3	41.5	102	58.9	20.1	5.76	4.28	19.6	84.2	82.3
2	58.0	9.90	14.9	41.5	139	56.4	18.5	5.58	4.28	23.2	73.0	67.2
3	56.4	9.90	14.4	39.4	105	49.8	17.1	5.58	4.28	33.9	64.7	58.0
4	51.5	17.1	13.5	38.7	91.4	43.0	16.6	5.40	4.17	32.8	58.0	51.5
5	46.0	23.8	14.9	36.6	126	41.5	15.8	5.22	4.17	26.5	53.1	48.3
6	39.4	21.1	17.1	33.3	129	38.7	14.4	5.04	4.17	25.4	50.6	44.5
7	34.5	65.5	17.5	31.6	117	37.3	13.5	4.68	4.17	28.7	50.6	40.8
8	32.2	61.3	17.1	29.3	99.8	34.5	15.3	4.50	4.17	68.0	51.5	37.3
9	30.4	43.8	16.2	28.2	95.5	31.6	14.9	4.50	4.06	94.5	51.5	33.9
10	29.3	35.9	16.2	27.1	84.2	30.4	13.9	4.50	3.95	70.5	49.8	31.6
11	27.1	31.6	14.4	24.9	73.8	32.8	13.1	4.50	3.95	52.3	46.8	29.3
12	26.0	29.3	14.4	24.3	69.7	33.9	12.3	4.50	4.06	40.1	43.0	30.4
13	24.9	27.6	13.9	24.9	69.7	29.3	11.1	4.39	3.95	38.0	38.7	48.3
14	23.2	26.5	13.9	27.1	66.3	26.0	10.7	4.28	4.06	72.1	36.6	50.6
15	22.2	27.1	13.9	28.7	71.3	23.8	10.3	4.39	4.06	104	35.2	45.3
16	21.1	26.0	13.5	29.3	77.6	23.2	9.50	4.28	4.17	312	33.9	40.1
17	20.6	24.3	13.9	28.2	66.3	21.6	9.18	4.28	3.95	188	31.6	37.3
18	19.6	22.2	12.7	27.1	62.2	20.6	8.54	4.17	4.06	119	30.4	34.5
19	18.0	22.7	13.1	26.0	58.9	20.1	7.90	4.06	3.95	85.2	29.9	32.2
20	17.1	23.2	14.4	24.9	59.7	19.6	7.58	4.17	3.84	68.0	30.4	30.4
21	15.8	22.2	16.2	28.7	64.7	19.0	7.90	4.17	3.84	84.2	31.6	28.7
22	15.3	21.1	17.5	27.1	63.8	21.6	7.26	4.17	4.39	161	32.8	26.5
23	14.9	20.6	22.7	29.3	72.1	21.1	6.94	4.28	6.62	462	31.0	24.9
24	14.4	19.0	27.1	29.9	72.1	18.5	6.94	4.28	9.18	651	29.9	24.3
25	13.9	18.0	31.6	31.0	89.3	17.5	6.62	4.39	15.8	318	28.2	24.3
26	13.1	17.5	33.9	32.2	110	16.6	6.30	4.50	44.5	206	71.3	23.2
27	12.7	16.6	35.9	34.5	94.5	16.2	6.30	4.50	47.5	151	100	21.6
28	11.9	16.6	38.7	35.9	79.4	15.3	6.12	4.50	29.9	113	83.2	20.6
29	11.5		40.1	45.3	74.7	13.9	6.12	4.50	21.6	110	131	19.6
30	11.5		38.7	63.8	70.5	20.1	5.94	4.39	17.5	108	108	18.0
31	10.7		38.7		62.2		5.76	4.39		93.4		16.6
SD1	43.8	29.9	15.7	34.7	109	42.2	16.0	5.08	4.17	42.3	58.7	49.5
SD2	22.0	26.0	13.8	26.5	67.6	25.1	10.0	4.30	4.01	108	35.7	37.8
SD3	13.2	19.0	31.0	35.8	77.6	18.0	6.56	4.37	20.1	223	64.7	22.6
MAX	60.5	108	40.1	70.5	151	59.7	21.1	5.94	57.2	849	144	92.4
DAT	1	7	29	30	2	1	1	1	27	24	29	1
SR	25.9	25.4	20.5	32.3	84.4	28.4	10.7	4.58	9.42	128	53.0	36.2
MIN	10.7	9.90	12.7	24.3	58.9	13.9	5.76	4.06	3.84	19.6	28.2	16.6
DAT	31	2	18	12	19	29	31	19	20	1	25	31
GMIN =		3.84		SRGOD=		38.4		GMAX =		849		
DATUM		20 9						DATUM		24 10		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1975

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
 Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	18.0	9.50	6.30	123	32.2	15.8	9.90	6.12	5.58	4.17	17.5	29.9	
2	18.5	9.18	5.94	210	33.3	15.3	10.3	5.94	5.58	4.17	17.1	28.2	
3	18.5	9.50	6.12	197	34.5	15.8	10.7	5.94	5.40	4.39	16.2	26.5	
4	16.6	9.50	6.30	147	34.5	16.6	10.7	5.94	5.22	4.28	14.4	25.4	
5	15.8	9.18	6.62	113	34.5	17.5	9.90	5.94	5.58	4.28	13.9	23.2	
6	14.9	8.54	7.26	94.5	34.5	17.5	10.3	5.94	5.40	4.17	13.5	22.2	
7	13.9	8.22	8.22	85.2	37.3	17.1	11.5	5.58	5.40	4.06	13.1	21.1	
8	13.1	8.22	10.3	85.2	40.8	17.1	11.5	5.40	5.04	4.17	12.3	19.6	
9	13.1	7.26	11.5	82.3	45.3	17.5	11.1	5.58	5.04	4.06	11.5	19.0	
10	13.1	7.26	12.3	77.6	46.0	16.2	10.3	5.76	4.86	3.95	11.1	18.5	
11	12.3	7.26	12.3	141	41.5	16.2	9.90	5.94	4.86	4.28	14.9	18.0	
12	11.9	7.26	15.3	116	38.7	16.6	9.90	5.94	4.86	5.94	15.3	17.1	
13	11.5	7.26	33.9	90.3	38.7	16.2	9.90	5.94	5.04	89.3	14.4	17.1	
14	11.9	7.58	47.5	75.7	40.8	15.3	9.50	5.76	4.68	56.4	13.9	16.2	
15	11.9	8.22	62.2	65.5	43.0	13.9	9.90	5.94	4.68	49.0	13.5	16.2	
16	11.9	8.22	53.9	60.5	38.7	13.1	9.90	5.76	4.68	33.9	13.5	16.2	
17	11.5	8.22	46.8	56.4	38.7	12.7	9.90	5.58	4.50	36.6	17.5	16.6	
18	11.5	7.26	40.1	50.6	38.7	11.9	8.86	5.58	4.50	87.3	75.7	63.0	
19	11.1	7.26	34.5	45.3	38.7	11.1	8.54	5.40	4.28	105	239	53.9	
20	10.7	6.94	31.6	41.5	36.6	10.7	7.90	5.40	4.39	77.6	221	41.5	
21	9.90	6.94	31.6	38.7	34.5	10.7	7.90	5.40	4.39	62.2	144	34.5	
22	9.50	6.94	33.3	38.0	32.2	10.3	7.58	5.04	4.28	53.9	98.7	31.0	
23	9.18	6.94	31.6	40.8	29.9	10.3	7.58	4.86	4.39	46.0	72.1	28.2	
24	9.50	6.62	30.4	43.0	28.2	9.90	7.26	4.68	4.28	39.4	60.5	26.5	
25	9.50	6.62	28.2	43.0	24.9	9.50	7.26	4.68	4.28	33.9	49.8	24.3	
26	9.18	6.30	25.4	43.8	22.2	10.7	7.26	4.68	4.28	30.4	43.0	22.7	
27	9.50	6.12	22.7	40.8	20.6	11.1	7.26	4.86	4.17	26.5	39.4	21.1	
28	9.90	6.30	23.8	35.9	20.1	10.7	6.94	5.22	4.06	23.8	34.5	20.1	
29	9.50		48.3	32.8	19.0	10.3	6.30	5.58	4.06	22.2	32.2	19.0	
30	10.3		73.8	31.6	17.5	10.3	6.12	6.12	4.06	20.6	31.0	18.0	
31	10.3		68.8		16.6		6.12	6.12		19.0		17.5	
SD1	15.6	8.64	8.09	121	37.3	16.6	10.6	5.81	5.31	4.17	14.1	23.4	
SD2	11.6	7.55	37.8	74.3	39.4	13.8	9.42	5.72	4.65	54.5	63.9	27.6	
SD3	9.66	6.60	38.0	38.8	24.2	10.4	7.05	5.20	4.23	34.4	60.5	23.9	
MAX	18.5	9.90	77.6	220	46.8	18.0	12.3	6.12	5.94	175	285	74.7	
DAT	2	1	30	3	10	5	7	30	1	19	19	18	
SR	12.2	7.67	28.3	78.2	33.3	13.6	8.97	5.57	4.73	31.1	46.2	24.9	
MIN	9.18	6.12	5.94	31.6	16.6	9.50	6.12	4.68	4.06	3.95	11.1	16.2	
DAT	23	27	2	30	31	25	30	24	28	10	10	14	
GMIN =			3.95	SRGOD=			24.6	GMAX =			285		
DATUM			10 10					DATUM			19 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1976

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	15.8	12.7	13.1	33.9	119	32.2	17.1	7.58	6.94	7.26	63.8	22.2
2	15.8	13.1	14.9	38.7	99.8	29.9	17.1	7.58	10.7	6.62	77.6	81.3
3	15.8	12.7	16.2	44.5	133	35.9	16.2	7.58	13.1	6.30	61.3	206
4	14.4	12.3	17.1	53.9	155	37.3	14.9	7.58	11.9	6.12	54.7	131
5	13.9	11.9	16.2	63.8	137	33.9	13.5	7.58	24.3	6.12	66.3	129
6	13.1	11.5	14.9	69.7	130	43.8	12.7	9.18	27.1	6.30	59.7	108
7	12.7	11.1	14.4	72.1	98.7	68.8	13.1	8.86	22.2	6.94	54.7	83.2
8	11.9	11.1	13.5	69.7	131	69.7	12.7	7.90	19.0	6.94	79.4	199
9	11.5	10.3	13.1	67.2	120	61.3	14.4	7.58	17.1	6.62	70.5	178
10	11.1	10.3	12.7	57.2	114	54.7	13.9	7.26	15.8	6.12	58.9	123
11	10.7	10.3	12.7	46.0	112	47.5	12.7	7.90	13.9	5.94	49.8	131
12	10.7	10.3	12.7	41.5	104	41.5	11.9	8.54	13.1	5.94	43.0	114
13	10.7	10.7	12.3	38.7	95.5	38.7	11.5	8.22	11.9	5.94	46.0	89.3
14	10.3	9.90	11.5	38.7	86.3	33.3	11.1	7.90	11.1	5.94	86.3	71.3
15	9.90	9.90	11.1	38.7	76.6	31.6	10.7	7.58	9.90	5.76	83.2	62.2
16	9.50	11.1	11.9	42.3	70.5	29.3	10.7	6.62	9.90	5.94	68.0	55.6
17	9.18	11.1	13.1	45.3	67.2	30.4	10.3	6.62	11.1	31.6	58.0	71.3
18	9.18	11.1	13.5	49.8	64.7	53.9	9.90	6.62	11.1	52.3	51.5	165
19	9.18	11.1	13.9	55.6	58.0	43.0	9.18	7.26	11.1	36.6	49.8	123
20	8.54	11.5	16.2	65.5	52.3	35.9	8.54	9.18	10.3	27.6	45.3	95.5
21	7.90	10.7	17.1	70.5	50.6	32.2	8.22	9.50	9.50	23.2	41.5	78.5
22	7.90	11.1	15.8	70.5	48.3	27.6	8.22	9.50	9.18	20.6	40.1	67.2
23	7.90	11.1	14.4	69.7	44.5	25.4	8.22	9.50	8.86	18.5	40.8	59.7
24	8.86	11.1	54.7	80.4	41.5	23.8	9.50	9.50	7.90	17.1	36.6	52.3
25	21.1	11.1	89.3	127	38.0	22.2	10.3	9.18	7.58	15.3	33.9	46.8
26	21.6	11.1	60.5	130	35.2	21.1	9.18	9.18	7.26	13.5	31.0	43.8
27	23.8	11.1	49.8	107	33.9	19.6	8.86	8.86	7.26	13.5	29.9	38.0
28	18.5	11.1	44.5	85.2	38.0	19.6	8.54	8.22	6.94	13.5	27.6	32.8
29	15.8	12.3	38.7	90.3	40.8	17.5	8.54	8.22	7.58	13.9	26.0	33.3
30	13.5		34.5	160	35.9	17.1	7.90	7.90	7.58	13.1	23.2	51.5
31	12.7		33.3		32.8		7.58	7.26		93.4		44.5
SD1	13.6	11.7	14.6	57.1	124	46.8	14.6	7.87	16.8	6.53	64.7	126
SD2	9.79	10.7	12.9	46.2	78.7	38.5	10.7	7.64	11.3	18.4	58.1	97.8
SD3	14.5	11.2	41.1	99.1	40.0	22.6	8.64	8.80	7.96	23.2	33.1	49.9
MAX	26.5	13.1	117	181	162	71.3	17.1	9.50	28.7	141	142	264
DAT	27	2	24	30	4	7	2	20	5	31	1	3
SR	12.7	11.2	23.5	67.4	79.5	36.0	11.2	8.13	12.0	16.3	51.9	89.9
MIN	7.90	9.90	11.1	33.9	32.8	17.1	7.58	6.62	6.94	5.76	23.2	22.2
DAT	21	14	15	1	31	30	31	16	1	15	30	1
		GMIN = 5.76			SRGOD= 35.0			GMAX = 264				
		DATUM 15 10						DATUM 3 12				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1977

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
 Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	36.6	97.6	53.9	346	63.0	18.5	9.50	7.90	12.3	20.1	13.1	55.6	
2	31.6	106	51.5	318	63.8	17.5	9.18	8.54	11.5	21.6	13.9	61.3	
3	31.6	90.3	46.0	287	61.3	19.0	8.86	6.94	13.5	76.6	13.1	63.0	
4	30.4	73.0	42.3	211	61.3	19.6	8.22	6.30	12.3	67.2	12.7	53.1	
5	28.7	61.3	38.7	166	60.5	19.0	8.54	6.12	11.1	49.8	12.3	46.8	
6	26.5	51.5	33.9	144	58.0	18.5	7.58	5.76	10.3	40.1	11.5	42.3	
7	24.3	43.8	31.6	119	53.1	16.6	7.58	5.76	9.90	34.5	11.1	49.0	
8	23.2	38.7	29.9	104	48.3	15.8	7.26	5.94	8.86	32.2	10.3	48.3	
9	21.6	35.2	28.7	104	43.0	15.3	7.26	5.94	8.86	28.7	9.50	43.8	
10	20.6	33.3	28.7	106	43.0	14.9	6.94	5.94	8.54	31.0	9.50	48.3	
11	21.6	78.5	28.7	87.3	38.7	14.4	6.94	5.76	8.22	53.9	9.18	46.8	
12	74.7	271	29.9	73.8	34.5	18.0	6.62	5.76	8.22	76.6	9.18	43.0	
13	102	266	82.3	65.5	32.8	16.6	6.62	5.58	7.58	60.5	9.18	38.7	
14	71.3	165	96.6	58.0	32.2	17.1	6.30	5.58	6.94	49.8	11.1	35.2	
15	54.7	121	73.0	57.2	32.8	14.9	6.30	5.40	7.26	43.8	14.9	31.6	
16	55.6	96.6	59.7	53.9	34.5	14.4	6.30	5.22	6.94	38.7	20.6	29.9	
17	48.3	80.4	51.5	47.5	32.8	13.5	6.12	5.22	6.62	34.5	49.8	27.6	
18	43.0	63.0	46.0	44.5	31.6	13.1	6.12	5.22	17.1	31.0	76.6	25.4	
19	38.0	54.7	41.5	43.8	33.9	12.7	6.12	5.22	29.9	27.6	74.7	23.8	
20	33.3	49.8	44.5	44.5	38.0	13.1	6.12	5.04	31.6	25.4	55.6	21.6	
21	29.9	48.3	80.4	43.8	38.0	12.3	5.76	4.86	61.3	23.2	43.8	20.1	
22	27.6	79.4	92.4	42.3	35.2	11.9	5.76	75.7	46.0	21.6	56.4	19.0	
23	25.4	106	86.3	40.8	33.9	11.9	6.12	84.2	38.0	19.0	137	18.0	
24	24.3	98.7	81.3	42.3	31.6	11.9	6.12	55.6	39.4	18.0	133	16.6	
25	24.3	86.3	82.3	47.5	29.3	11.1	5.94	39.4	34.5	17.1	102	16.6	
26	24.3	85.2	76.6	44.5	26.5	10.3	5.76	28.2	31.0	16.2	141	16.2	
27	31.6	75.7	77.6	40.8	26.5	9.90	5.76	22.2	28.2	15.8	139	15.3	
28	54.7	63.8	74.7	40.8	27.6	9.50	6.12	18.5	26.5	14.9	94.5	14.9	
29	68.8		73.8	44.5	26.0	9.50	6.12	15.8	23.2	13.9	73.0	23.8	
30	138		92.4	55.6	22.7	9.90	5.94	14.9	21.6	14.4	60.5	155	
31	104		220		20.1		5.94	13.5		13.1		111	
SD1	27.5	63.1	38.5	191	55.5	17.5	8.09	6.51	10.7	40.2	11.7	51.1	
SD2	54.3	125	55.4	57.6	34.2	14.8	6.36	5.40	13.0	44.2	33.1	32.4	
SD3	50.3	80.4	94.3	44.3	28.9	10.8	5.94	33.9	35.0	17.0	98.0	38.8	
MAX	149	394	352	359	66.3	20.1	9.50	178	67.2	91.4	167	201	
DAT	30	12	31	1	2	3	1	22	21	3	26	30	
SR	44.2	90.0	63.8	97.5	39.2	14.4	6.77	15.9	19.6	33.3	47.6	40.7	
MIN	20.6	33.3	28.7	40.8	20.1	9.50	5.76	4.86	6.62	13.1	9.18	14.9	
DAT	10	10	9	23	31	28	21	21	17	31	11	28	
		GMIN = 4.86			SRGOD= 42.3			GMAX = 394					
		DATUM 21 8						DATUM 12 2					

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1978

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	73.8	35.9	155	31.6	116	73.8	19.6	6.30	15.3	58.0	9.50	8.54
2	53.9	30.4	136	31.0	210	70.5	18.5	6.30	9.50	104	9.18	8.22
3	43.8	27.1	105	31.0	250	68.0	17.1	6.12	7.58	84.2	8.86	7.90
4	38.0	24.9	87.3	31.0	173	65.5	16.6	5.94	6.30	67.2	8.86	7.58
5	34.5	22.7	79.4	32.2	136	62.2	16.2	5.94	5.94	60.5	8.54	7.58
6	30.4	21.1	76.6	34.5	117	57.2	15.3	5.94	5.94	57.2	8.54	7.26
7	27.1	19.0	73.8	35.2	131	53.1	15.3	5.76	10.3	49.8	8.22	6.62
8	24.9	18.0	70.5	36.6	147	50.6	14.9	5.76	14.4	43.0	7.58	6.30
9	22.2	17.1	63.8	43.0	129	48.3	13.5	5.94	10.7	37.3	7.58	6.30
10	21.1	16.2	55.6	44.5	110	46.0	13.5	5.76	8.86	33.3	7.26	6.62
11	20.6	28.7	49.0	46.0	98.7	44.5	13.1	5.76	8.22	29.3	7.26	6.62
12	20.1	58.9	43.0	46.0	85.2	42.3	12.7	5.76	10.3	26.5	7.26	6.30
13	19.6	120	38.7	75.7	73.0	41.5	12.3	5.58	26.0	24.3	6.94	10.3
14	19.0	270	34.5	256	127	39.4	11.9	5.58	28.7	22.7	6.94	63.8
15	18.0	169	32.8	202	131	37.3	10.3	5.58	26.0	20.6	6.62	77.6
16	17.1	104	40.1	159	104	46.0	9.90	5.58	21.1	19.0	6.30	52.3
17	21.1	73.8	40.1	112	93.4	41.5	9.90	5.58	17.5	17.5	6.30	188
18	24.9	61.3	159	89.3	88.3	34.5	9.50	5.58	15.3	16.2	6.12	228
19	24.9	54.7	144	72.1	87.3	32.2	9.18	5.22	13.5	15.3	5.94	214
20	23.2	114	98.7	61.3	87.3	29.9	8.86	5.22	13.5	14.9	5.94	160
21	21.6	116	79.4	53.9	89.3	28.2	8.54	4.86	16.2	15.8	5.94	115
22	20.1	85.2	72.1	49.8	88.3	27.1	8.54	4.86	13.5	13.9	5.94	88.3
23	19.0	67.2	62.2	48.3	176	25.4	8.22	4.86	12.7	13.5	5.94	72.1
24	18.0	55.6	53.1	47.5	163	23.2	7.90	4.86	11.9	12.7	5.76	58.9
25	17.5	49.8	48.3	47.5	133	21.1	7.90	4.68	11.5	11.9	5.58	49.0
26	17.1	91.4	41.5	62.2	108	20.6	7.58	4.68	10.7	11.5	5.58	37.3
27	16.6	781	37.3	104	97.6	23.8	7.26	4.68	10.3	11.1	5.76	40.8
28	16.2	178	33.9	169	99.8	29.3	6.94	4.50	18.0	11.1	9.50	38.0
29	29.3		31.6	179	92.4	24.9	6.94	4.50	57.2	10.3	10.3	52.3
30	70.5		29.9	133	85.2	21.6	6.62	4.50	40.8	9.90	9.18	85.2
31	48.3		31.0		78.5		6.30	5.58		9.50		105
SD1	37.0	23.2	90.3	35.1	152	59.5	16.0	5.98	9.48	59.5	8.41	7.29
SD2	20.8	105	68.0	112	97.5	38.9	10.8	5.54	18.0	20.6	6.56	101
SD3	26.7	178	47.3	89.4	110	24.5	7.52	4.78	20.3	11.9	6.95	67.4
MAX	88.3	321	214	290	302	75.7	20.1	6.30	62.2	104	42.0	302
DAT	30	14	18	14	23	1	1	1	30	2	42	17
SR	28.1	96.8	67.8	78.8	120	41.0	11.3	5.41	15.9	30.1	7.31	58.8
MIN	16.2	16.2	29.9	31.0	73.0	20.6	6.30	4.50	5.94	9.50	5.58	6.30
DAT	28	10	30	2	13	26	31	28	5	31	25	8
		GMIN = 4.50		SRGOD= 46.5		GMAX = 321						
		DATUM 28 8				DATUM 14 2						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1979

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	167	113	24.3	87.3	115	37.3	20.6	6.94	11.1	6.94	104	39.5	
2	133	83.2	22.7	72.1	92.4	37.3	19.0	6.96	10.3	6.80	75.7	36.9	
3	94.5	68.8	21.6	62.2	77.6	34.5	18.5	6.98	9.90	6.80	58.9	33.8	
4	72.1	77.6	20.1	55.6	72.1	32.2	19.6	6.98	9.50	6.86	49.0	31.3	
5	62.2	87.3	19.6	89.3	73.0	29.9	23.2	6.80	8.86	7.56	43.0	28.5	
6	50.6	80.4	19.0	224	75.7	27.6	20.1	6.80	9.90	12.7	55.6	26.8	
7	41.5	71.3	18.5	164	77.6	24.3	18.5	6.80	9.50	40.1	58.9	25.1	
8	34.5	62.2	18.5	107	89.3	21.6	17.1	6.80	8.86	29.9	49.8	24.0	
9	32.2	53.9	18.5	79.4	83.2	20.1	16.6	6.86	8.22	23.2	44.5	22.9	
10	41.5	50.6	17.5	65.5	79.4	19.0	15.8	6.88	7.90	19.0	40.1	21.3	
11	66.3	73.0	17.1	58.0	75.7	18.0	14.4	6.90	7.58	17.1	47.5	20.7	
12	122	73.0	16.2	52.3	78.5	17.1	13.5	6.94	6.94	15.3	61.3	34.4	
13	83.2	151	15.3	50.6	91.4	15.8	12.7	6.94	6.94	16.6	58.0	39.5	
14	62.2	212	14.9	46.8	81.3	15.8	12.7	6.92	6.90	106	52.3	33.2	
15	49.0	170	15.3	45.3	68.0	17.1	12.3	6.92	6.90	65.5	67.2	31.9	
16	34.5	166	18.0	45.3	61.3	20.1	12.3	6.86	6.92	49.0	305	34.4	
17	34.5	127	26.0	47.5	58.9	71.3	11.9	6.86	6.92	40.1	628	33.8	
18	31.0	110	25.4	52.3	58.0	250	11.1	6.86	6.96	39.4	484	31.3	
19	27.6	87.3	23.2	53.9	60.5	129	10.3	6.86	6.88	44.5	348	29.6	
20	25.4	68.8	24.3	47.5	65.5	79.4	9.50	16.2	6.98	40.1	243	31.9	
21	23.8	57.2	29.9	43.0	67.2	60.5	8.86	19.0	6.98	34.5	162	80.1	
22	21.6	49.0	35.9	38.7	65.5	49.0	8.54	19.6	6.98	31.0	121	91.5	
23	20.6	43.0	36.6	35.2	63.8	40.8	8.22	15.3	6.98	27.6	95.5	85.5	
24	21.1	37.3	33.9	32.2	61.3	37.3	7.90	12.3	8.86	26.0	77.6	79.3	
25	35.9	33.9	31.6	34.5	55.6	32.8	7.58	18.0	15.3	23.2	75.0	67.5	
26	118	30.4	29.9	184	53.1	29.9	7.26	34.5	9.50	21.1	65.2	58.3	
27	87.3	28.2	39.4	485	50.6	27.1	6.94	23.2	8.54	19.0	57.5	50.3	
28	67.2	27.1	194	382	48.3	24.9	6.92	19.0	7.58	18.0	50.3	44.8	
29	171		181	227	45.3	23.2	6.90	16.2	6.94	31.0	45.5	42.2	
30	296		155	158	43.0	21.6	6.90	14.4	6.94	102	42.2	39.5	
31	171		113		40.1		6.92	12.7		141		53.2	
SD1	72.9	74.8	20.0	101	83.5	28.4	18.9	6.88	9.40	16.0	58.0	29.0	
SD2	53.6	124	19.6	49.9	69.9	63.4	12.1	7.83	6.99	43.4	229	32.1	
SD3	94.0	38.3	80.0	162	54.0	34.7	7.54	18.6	8.46	43.1	79.2	62.9	
MAX	389	231	225	581	131	296	23.8	63.8	18.0	154	687	101	
DAT	30	14	28	27	1	18	5	26	25	31	17	21	
SR	74.1	81.9	41.2	104	68.7	42.2	12.7	11.3	8.29	34.4	122	42.0	
MIN	20.6	27.1	14.9	32.2	40.1	15.8	6.90	6.80	6.88	6.80	40.1	20.7	
DAT	23	28	14	24	31	13	29	5	19	2	10	11	
GMIN =			6.80	SRGOD=			53.2	GMAX =			687		
DATUM			5 8					DATUM			17 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1980

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	54.6	36.3	13.6	56.1	42.2	79.3	17.3	6.95	5.70	4.34	31.3	93.5	
2	51.0	77.6	13.2	51.0	48.3	73.3	16.3	6.70	5.95	4.17	29.6	75.0	
3	44.8	59.8	12.8	56.1	56.8	68.4	19.2	6.20	5.53	4.17	29.0	64.4	
4	38.9	49.6	14.9	54.6	60.5	62.1	17.3	6.20	5.36	4.00	35.7	57.5	
5	39.5	42.2	13.6	48.3	67.5	59.0	16.8	6.20	5.36	4.00	59.0	51.7	
6	31.3	40.8	12.4	43.5	113	58.3	15.8	5.95	5.19	3.92	77.6	46.9	
7	29.0	40.8	12.4	39.5	140	56.8	13.6	5.70	5.19	3.92	134	63.6	
8	26.8	45.5	18.3	35.7	125	53.2	13.2	5.70	5.19	3.84	92.5	63.6	
9	24.6	44.8	23.5	33.2	113	53.9	12.4	5.70	5.02	3.84	70.0	51.0	
10	22.9	42.2	22.4	31.9	112	56.1	11.5	5.53	4.85	54.6	80.9	44.8	
11	21.3	38.9	20.7	29.6	115	61.3	11.5	5.36	4.85	71.7	96.7	40.8	
12	20.2	36.9	18.7	27.9	106	60.5	11.5	5.36	4.85	68.4	62.1	36.9	
13	19.7	33.2	16.8	26.2	95.6	53.2	10.8	5.36	4.85	213	166	34.4	
14	18.7	29.6	16.3	25.1	89.5	50.3	10.2	6.45	4.85	206	385	31.9	
15	17.8	27.3	15.8	24.6	88.5	47.6	9.85	6.20	4.68	140	272	29.6	
16	19.7	25.1	15.8	25.1	121	46.2	9.85	6.20	4.68	91.5	166	28.5	
17	20.7	23.5	15.8	27.3	161	42.2	9.85	6.20	4.68	70.8	120	27.9	
18	18.7	22.4	15.4	30.8	137	36.9	9.19	6.20	4.68	106	89.5	27.3	
19	18.3	20.7	14.9	35.0	109	35.0	8.53	6.20	4.68	110	75.0	27.3	
20	17.8	19.2	14.9	37.6	100	34.4	8.20	5.95	4.68	87.5	63.6	27.3	
21	17.3	18.3	22.9	54.6	93.5	30.8	8.20	5.70	4.68	73.3	54.6	29.6	
22	16.8	17.3	57.5	84.5	85.5	28.5	9.52	5.70	4.68	60.5	48.9	31.9	
23	16.3	16.8	124	68.4	82.7	27.3	8.86	5.70	4.68	53.9	44.1	29.6	
24	18.7	16.8	121	57.5	89.5	25.7	8.53	5.53	4.68	47.6	40.2	26.8	
25	43.5	16.3	82.7	51.7	92.5	25.1	8.20	5.36	4.51	44.1	36.9	25.1	
26	72.5	15.8	65.2	47.6	81.8	23.5	8.20	5.36	4.51	53.2	34.4	24.6	
27	53.2	14.9	56.1	44.8	76.7	21.8	7.95	5.36	4.34	51.0	42.2	24.0	
28	41.5	14.1	51.7	42.8	79.3	21.8	7.70	5.19	4.34	44.8	115	22.9	
29	33.8	14.1	50.3	43.5	94.6	20.2	7.45	5.19	4.34	40.8	149	21.3	
30	30.2		54.6	42.2	91.5	18.7	7.20	5.19	4.34	37.6	127	20.7	
31	27.3		59.0		90.5		6.95	5.19		34.4		19.7	
SD1	36.3	48.0	15.7	45.0	87.8	62.0	15.3	6.08	5.33	9.08	64.0	61.2	
SD2	19.3	27.7	16.5	28.9	112	46.8	9.95	5.95	4.75	116	150	31.2	
SD3	33.7	16.0	67.7	53.8	87.1	24.3	8.07	5.41	4.51	49.2	69.2	25.1	
MAX	81.8	89.5	160	88.5	165	88.5	19.2	6.95	5.95	239	412	93.5	
DAT	26	2	23	22	17	1	3	1	2	13	14	1	
SR	29.9	31.1	34.4	42.6	95.5	44.4	11.0	5.80	4.86	58.0	94.3	38.7	
MIN	16.3	14.1	12.4	24.6	42.2	18.7	6.95	5.19	4.34	3.84	29.0	19.7	
DAT	23	28	6	15	1	30	31	28	27	8	3	31	
GMIN =			3.84	SRGOD=			40.9	GMAX =			412		
DATUM			8 10					DATUM			14 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1981

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	18.7	11.5	15.8	144	79.3	52.4	14.1	6.70	5.70	9.52	39.5	14.5
2	18.7	11.5	15.4	131	75.0	50.3	12.4	6.45	5.53	9.52	34.4	21.3
3	18.3	11.5	46.2	117	73.3	48.3	10.8	6.45	5.53	24.0	30.8	21.8
4	18.7	11.5	207	102	89.5	46.9	10.8	6.20	5.36	27.9	27.3	19.7
5	27.3	16.8	132	88.5	142	45.5	10.5	6.20	5.36	18.7	25.1	18.3
6	25.1	18.7	80.1	78.4	127	42.2	10.5	5.95	5.36	14.5	23.5	16.8
7	22.4	16.3	62.1	75.0	97.7	38.2	10.2	5.70	5.70	12.4	22.4	26.8
8	20.2	14.9	52.4	74.2	80.1	33.8	9.85	6.70	5.53	10.8	20.7	100
9	18.3	14.1	48.9	75.8	75.0	31.3	9.52	6.20	5.36	10.5	19.2	149
10	17.8	14.5	47.6	77.6	74.2	30.8	9.19	6.20	5.36	10.2	18.3	184
11	17.8	17.8	51.0	78.4	78.4	30.2	8.86	6.20	5.36	9.85	16.8	186
12	16.8	75.0	59.0	72.5	101	27.9	9.19	6.20	5.70	9.52	15.4	307
13	18.7	56.8	73.3	64.4	98.8	27.3	10.8	6.45	5.70	9.52	14.9	371
14	31.9	51.7	90.5	64.4	83.5	26.2	10.2	6.45	5.70	9.52	14.5	291
15	27.3	40.2	77.6	70.0	75.0	24.0	9.52	6.70	6.95	9.52	14.9	163
16	25.1	33.2	76.7	74.2	80.1	22.9	9.19	6.70	8.86	9.19	14.5	112
17	21.3	29.0	77.6	75.8	81.8	21.8	8.53	6.20	7.70	9.19	13.6	91.5
18	19.7	26.2	78.4	75.0	78.4	22.9	8.20	6.70	6.95	8.86	13.2	71.7
19	18.7	23.5	94.6	80.9	80.1	33.8	8.20	6.45	6.70	8.86	12.4	119
20	17.3	21.8	82.7	64.4	81.8	25.1	8.86	6.20	6.20	8.53	11.9	151
21	16.8	20.7	68.4	59.0	80.1	21.8	9.52	6.20	5.95	8.20	11.9	106
22	15.8	20.7	62.1	59.0	79.3	20.2	8.86	6.20	5.95	8.20	12.4	80.1
23	14.9	20.2	59.0	64.4	80.1	18.7	8.20	6.20	5.70	40.8	13.2	69.2
24	14.5	19.2	59.0	71.7	73.3	18.3	7.95	6.20	5.70	95.6	14.9	59.0
25	14.1	18.7	56.1	112	70.0	16.8	7.70	6.20	5.53	80.1	16.3	76.7
26	13.2	17.8	77.6	125	69.2	16.3	7.70	5.95	5.36	54.6	17.3	75.8
27	13.2	17.3	76.7	174	68.4	15.8	7.45	5.95	5.36	47.6	16.8	62.1
28	12.8	16.8	89.5	164	65.2	14.9	7.20	5.95	5.36	71.7	16.3	54.6
29	12.4		105	120	60.5	14.5	7.20	5.95	6.45	75.0	16.8	49.6
30	11.9		122	93.5	55.3	14.5	6.95	5.70	8.86	44.8	15.4	75.0
31	11.5		138		53.2		6.95	5.70		48.3		80.1
SD1	20.5	14.1	70.8	96.3	91.3	42.0	10.8	6.28	5.48	14.8	26.1	57.2
SD2	21.5	37.5	76.1	72.0	83.9	26.2	9.15	6.43	6.58	9.26	14.2	186
SD3	13.7	18.9	83.0	104	68.6	17.2	7.79	6.02	6.02	52.3	15.1	71.7
MAX	33.8	95.6	239	189	154	53.2	14.1	6.70	8.86	110	44.8	449
DAT	14	12	4	27	5	1	1	1	16	24	1	13
SR	18.4	23.9	76.8	90.9	80.9	28.5	9.20	6.23	6.03	26.3	18.5	104
MIN	11.5	11.5	15.4	59.0	53.2	14.5	6.95	5.70	5.36	8.20	11.9	14.5
DAT	31	1	2	21	31	29	30	7	4	21	20	1
		GMIN = 5.36		SRGOD= 41.0		GMAX = 449						
		DATUM 4 9				DATUM 13 12						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1982

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	67.5	14.9	7.95	147	29.6	26.8	11.2	5.53	4.85	4.00	5.95	9.52
2	77.6	14.5	7.95	100	27.9	25.1	9.85	5.53	4.68	4.00	5.70	9.19
3	78.4	14.1	7.95	85.5	26.8	24.0	9.52	5.36	4.68	4.00	5.53	8.86
4	67.5	13.2	8.20	75.0	26.2	22.9	8.86	5.36	4.68	3.84	5.53	8.53
5	59.0	12.8	8.20	66.7	28.5	20.7	8.86	5.36	4.68	3.84	5.36	8.20
6	52.4	12.4	8.20	61.3	30.8	19.2	8.86	5.70	4.68	4.00	5.36	7.95
7	50.3	12.4	8.86	57.5	34.4	18.3	9.85	5.70	4.68	5.95	5.19	7.70
8	44.8	11.5	9.52	56.1	40.8	17.8	10.2	5.53	4.68	21.8	5.02	7.45
9	40.8	10.8	9.85	58.3	53.2	16.8	8.86	5.36	4.68	14.9	5.02	7.45
10	39.5	10.8	9.85	59.8	61.3	15.4	8.20	5.19	4.68	11.5	5.02	7.45
11	38.2	10.5	10.2	59.8	60.5	15.8	8.20	5.19	4.68	10.8	5.02	7.45
12	67.5	10.5	10.5	59.0	69.2	14.9	7.95	5.02	4.68	9.52	5.02	17.8
13	80.9	10.2	10.8	55.3	63.6	18.7	7.95	5.02	4.68	8.86	5.02	16.8
14	65.2	9.85	10.8	60.5	59.0	29.0	7.95	5.02	4.68	8.86	5.02	39.5
15	55.3	9.85	10.5	108	51.7	33.2	7.95	5.02	4.68	8.86	28.5	48.3
16	48.3	9.52	10.2	123	48.3	26.8	7.70	5.02	4.68	13.2	25.7	36.9
17	43.5	9.52	10.2	121	47.6	22.9	7.20	5.02	4.68	11.9	30.8	30.8
18	39.5	9.19	10.2	126	46.2	20.7	6.95	5.02	4.68	10.8	38.2	44.1
19	35.7	9.19	18.3	113	44.8	18.7	6.95	5.02	4.68	9.52	28.5	117
20	33.2	8.86	21.8	93.5	44.8	17.3	6.70	4.85	4.68	9.52	21.8	81.8
21	29.6	8.86	18.7	76.7	43.5	15.8	6.45	4.85	4.68	8.86	18.7	59.0
22	27.3	8.86	16.3	66.7	42.2	14.9	6.20	4.85	4.68	8.20	16.3	73.3
23	25.1	8.86	14.9	58.3	40.2	14.9	6.20	5.19	4.34	7.45	14.5	167
24	24.0	8.53	13.2	51.0	39.5	14.1	5.95	5.19	4.34	7.20	13.2	129
25	22.9	8.53	12.4	45.5	38.2	13.2	5.70	5.02	4.00	7.20	11.9	88.5
26	21.3	8.20	11.9	41.5	38.2	12.4	5.70	4.85	4.00	6.95	11.5	67.5
27	20.2	8.20	11.5	38.2	35.0	11.9	5.70	4.85	3.84	6.70	11.5	55.3
28	18.7	7.95	11.9	35.7	34.4	11.9	5.95	4.85	3.84	6.70	10.5	46.9
29	17.3		13.6	33.8	32.5	11.5	6.45	4.85	4.00	6.45	10.2	40.8
30	16.3		21.8	32.5	31.3	11.5	5.95	4.85	4.00	6.20	9.85	36.3
31	15.4		184		29.0		5.70	4.85		6.20		31.9
SD1	57.8	12.7	8.65	76.7	36.0	20.7	9.43	5.46	4.70	7.78	5.37	8.23
SD2	50.7	9.72	12.4	91.9	53.6	21.8	7.55	5.02	4.68	10.2	19.4	44.0
SD3	21.6	8.50	30.0	48.0	36.7	13.2	6.00	4.93	4.17	7.10	12.8	72.3
MAX	87.5	14.9	214	182	71.7	36.9	11.2	5.70	4.85	21.8	42.2	182
DAT	12	1	31	1	12	14	1	6	1	8	18	23
SR	42.7	10.4	17.4	72.2	41.9	18.6	7.60	5.13	4.52	8.32	12.5	42.5
MIN	15.4	7.95	7.95	32.5	26.2	11.5	5.70	4.85	3.84	3.84	5.02	7.45
DAT	31	28	1	30	4	29	25	20	27	4	8	8
GMIN = 3.84			SRGOD= 23.7			GMAX = 214						
DATUM 27 9						DATUM 31 3						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1983

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	29.6	17.8	12.8	62.8	62.8	17.8	14.5	6.95	5.53	6.20	5.02	19.7
2	26.2	15.8	12.4	71.7	70.8	17.3	13.6	6.70	5.53	6.20	5.02	16.8
3	24.0	14.9	11.9	121	71.7	16.3	12.8	6.70	5.36	5.95	5.36	14.9
4	21.8	13.2	11.5	104	59.0	15.8	12.4	6.45	5.36	5.70	5.36	13.2
5	20.7	12.8	11.5	81.8	51.7	15.8	12.4	6.20	5.70	5.70	5.70	12.4
6	19.7	11.9	11.5	68.4	44.8	15.4	11.5	6.70	5.70	5.53	5.70	11.5
7	18.7	27.3	11.5	60.5	40.8	16.3	10.8	6.20	5.70	5.53	5.70	11.2
8	17.8	46.2	11.5	53.2	38.2	17.8	10.2	6.20	5.70	5.36	5.70	10.8
9	16.8	41.5	12.4	51.7	35.7	15.8	10.2	6.20	5.70	5.36	5.70	10.8
10	15.8	62.1	15.4	54.6	35.0	14.9	9.85	5.95	5.70	5.36	5.70	9.52
11	14.9	83.5	18.7	62.1	34.4	14.9	9.85	5.95	5.70	5.36	5.53	9.52
12	14.1	95.6	22.4	71.7	32.5	14.5	9.52	5.70	5.70	5.36	5.53	16.8
13	13.6	65.2	21.8	115	30.8	14.9	9.52	5.70	5.70	5.70	5.36	14.1
14	13.2	50.3	20.2	110	29.6	14.9	9.19	5.70	5.36	5.36	5.36	11.9
15	13.6	40.8	19.2	80.9	29.0	14.9	9.19	5.70	5.19	5.36	5.36	11.2
16	13.2	34.4	18.7	65.2	27.9	14.9	9.52	5.70	5.02	5.36	5.19	10.8
17	12.4	30.2	18.7	56.8	27.9	19.2	8.86	5.70	5.02	5.36	5.19	10.5
18	11.9	25.7	19.2	50.3	27.9	22.9	8.86	5.70	6.70	5.36	5.02	89.5
19	11.5	23.5	20.7	46.2	26.2	21.8	8.53	5.70	10.2	5.19	5.02	180
20	11.2	21.3	22.9	43.5	24.0	20.7	8.53	5.53	10.8	5.02	5.02	153
21	11.2	19.7	24.6	48.3	22.4	19.7	8.20	5.36	10.2	5.02	5.02	151
22	10.8	18.7	26.8	56.1	20.7	18.3	8.20	5.19	8.86	5.02	5.02	93.5
23	10.8	16.8	30.8	65.2	19.7	17.8	8.20	5.02	7.95	5.02	5.02	68.4
24	10.5	15.4	40.8	64.4	19.7	18.7	8.20	5.02	7.70	5.02	5.02	53.9
25	10.2	14.5	63.6	65.2	19.7	17.8	7.95	5.02	7.70	5.02	5.02	45.5
26	9.85	13.6	175	65.2	21.8	21.8	7.70	5.70	7.45	5.02	5.02	40.2
27	9.52	13.2	206	63.6	21.3	15.8	7.45	5.53	7.20	5.02	5.02	38.2
28	9.52	13.2	129	65.2	19.2	15.8	7.45	5.36	6.70	5.02	5.70	35.0
29	9.52		70.0	65.2	18.7	15.4	7.20	5.36	6.70	5.02	42.2	30.8
30	9.52		71.7	65.2	18.3	14.9	7.20	5.36	6.45	5.02	26.2	29.0
31	10.8		65.2		17.8		7.20	5.70		5.02		27.9
SD1	21.1	26.4	12.2	73.0	51.0	16.3	11.8	6.43	5.60	5.69	5.50	13.1
SD2	13.0	47.0	20.2	70.2	29.0	17.4	9.16	5.71	6.54	5.34	5.26	50.7
SD3	10.2	15.6	82.1	62.4	19.9	17.6	7.72	5.33	7.69	5.02	10.9	55.8
MAX	30.8	115	242	131	77.6	22.9	14.5	6.95	10.8	6.20	42.2	180
DAT	1	11	26	13	3	18	1	1	20	1	29	19
SR	14.6	30.7	39.6	68.5	32.9	17.1	9.51	5.80	6.61	5.34	7.23	40.4
MIN	9.52	11.9	11.5	43.5	17.8	14.5	7.20	5.02	5.02	5.02	5.02	9.52
DAT	27	6	4	20	31	12	29	23	16	20	1	10
GMIN = 5.02			SRGOD= 23.1			GMAX = 242						
DATUM 23 8						DATUM 26 3						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1984

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	25.1	28.5	30.2	56.1	43.5	66.7	12.8	5.70	5.19	33.2	13.2	30.2	
2	22.9	29.0	43.5	48.9	75.0	64.4	12.4	5.53	5.02	35.0	13.2	27.9	
3	21.3	27.3	42.2	89.5	101	60.5	11.9	5.53	5.02	45.5	13.2	25.7	
4	22.4	27.3	37.6	149	116	57.5	11.5	5.53	4.85	66.7	12.8	24.0	
5	35.7	30.2	31.9	85.5	129	53.2	10.8	5.36	4.85	63.6	12.8	22.4	
6	34.4	29.6	28.5	80.9	139	51.0	10.5	5.36	4.85	50.3	12.8	20.7	
7	30.8	28.5	25.1	75.0	123	50.3	10.5	5.36	4.85	52.4	13.2	583	
8	27.9	27.3	22.9	71.7	125	48.9	10.2	5.36	4.85	80.1	14.5	18.7	
9	33.2	25.7	21.3	67.5	121	43.5	10.2	5.19	4.68	81.8	13.6	17.8	
10	87.5	24.0	20.2	62.1	121	38.9	9.85	5.02	4.68	68.4	12.8	16.8	
11	57.5	21.8	18.7	57.5	147	34.4	9.85	5.02	4.68	56.1	12.4	15.8	
12	44.8	20.2	17.8	57.5	153	32.5	9.52	5.02	4.68	47.6	12.4	14.9	
13	37.6	18.7	16.8	57.5	136	30.8	8.86	5.36	4.68	42.8	12.4	14.5	
14	31.9	17.8	15.8	56.8	121	28.5	8.20	5.70	4.68	36.9	12.4	14.1	
15	30.8	17.3	14.9	55.3	100	27.3	8.20	5.70	4.68	32.5	12.4	14.1	
16	31.3	16.8	14.5	59.0	101	26.2	7.95	5.70	6.70	29.6	13.2	13.6	
17	27.9	15.8	14.5	63.6	120	24.6	7.70	5.70	25.1	27.3	16.3	13.2	
18	26.2	15.4	14.1	62.1	115	22.9	7.70	5.70	15.8	25.1	65.2	39.5	
19	24.6	14.9	14.9	57.5	101	21.3	7.45	5.70	11.5	22.9	62.1	56.8	
20	33.2	14.5	14.9	50.3	102	20.7	7.45	5.19	9.85	21.8	144	50.3	
21	44.8	14.5	14.5	46.2	206	19.7	7.20	5.02	12.4	20.7	163	42.2	
22	63.6	14.1	14.5	44.1	187	19.2	7.20	4.85	16.8	20.2	101	36.3	
23	126	13.6	14.5	41.5	147	19.2	6.95	4.85	35.7	18.7	71.7	31.9	
24	92.5	18.7	14.5	42.2	127	18.7	6.95	4.85	35.7	18.3	58.3	28.5	
25	70.0	20.7	14.5	43.5	105	18.3	6.45	5.36	155	17.3	51.0	26.2	
26	53.2	19.7	16.8	41.5	97.7	17.8	6.20	5.36	149	16.3	44.8	24.6	
27	43.5	24.6	80.1	39.5	97.7	15.8	6.20	5.70	90.5	15.8	41.5	22.9	
28	36.9	33.2	74.2	38.2	89.5	14.9	5.95	5.70	60.5	14.9	39.5	20.7	
29	33.8	31.9	58.3	36.9	84.5	14.1	5.95	5.53	47.6	14.1	36.3	19.2	
30	31.9		73.3	36.9	77.6	13.2	5.70	5.36	38.9	13.6	32.5	18.3	
31	29.6		70.0		68.4		5.70	5.36		13.2		17.3	
SD1	34.1	27.7	30.3	78.6	109	53.5	11.1	5.39	4.88	57.7	13.2	78.7	
SD2	34.6	17.3	15.7	57.7	120	26.9	8.29	5.48	9.23	34.3	36.3	24.7	
SD3	56.9	21.2	40.5	41.0	117	17.1	6.40	5.27	64.2	16.6	64.0	26.2	
MAX	138	34.4	104	164	236	66.7	12.8	5.70	213	89.5	201	60.5	
DAT	22	28	27	4	21	1	1	1	25	7	20	18	
SR	42.3	22.1	29.2	59.1	115	32.5	8.52	5.38	26.1	35.6	37.8	42.6	
MIN	21.3	13.6	14.1	36.9	43.5	13.2	5.70	4.85	4.68	13.2	12.4	13.2	
DAT	3	23	18	29	1	30	30	22	9	31	11	17	
		GMIN =	4.68			SRGOD=	38.1			GMAX =	236		
		DATUM	9 9							DATUM	21 5		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1985

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
 Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	16.8	30.8	17.8	36.9	87.5	23.5	13.6	5.36	4.85	3.68	16.8	39.5	
2	15.8	27.9	17.8	36.3	71.7	22.4	12.8	5.36	4.85	3.68	19.7	35.7	
3	15.8	25.7	18.7	38.2	68.4	20.7	12.4	5.36	4.85	3.68	34.4	33.2	
4	15.4	23.5	21.3	42.2	112	20.2	12.4	5.36	4.68	3.68	18.7	37.6	
5	14.9	22.4	21.8	50.3	115	18.7	11.5	5.36	4.68	3.68	14.5	34.4	
6	16.3	20.7	23.5	58.3	101	18.3	10.8	5.36	4.68	3.68	14.9	33.2	
7	14.9	19.7	25.1	83.5	99.8	18.3	10.5	5.70	4.68	3.68	27.3	32.5	
8	14.1	19.2	26.8	110	100	17.3	10.2	7.45	4.51	3.60	21.8	30.8	
9	13.2	20.2	26.2	91.5	99.8	19.2	10.2	6.95	4.51	3.60	16.3	29.6	
10	12.4	93.5	25.7	101	100	35.7	9.85	5.95	4.51	3.60	14.1	28.5	
11	11.9	211	26.2	119	92.5	26.2	9.52	5.53	4.51	3.60	11.9	27.3	
12	11.5	169	27.3	110	112	25.7	9.52	5.36	4.51	3.60	11.5	26.2	
13	11.5	104	27.3	88.5	101	22.4	9.19	5.36	4.51	3.60	11.5	25.1	
14	11.2	73.3	28.5	69.2	91.5	20.2	8.53	5.02	4.51	3.60	110	24.6	
15	10.8	59.0	29.6	58.3	82.7	18.7	7.95	5.02	4.51	3.60	95.6	24.0	
16	10.5	50.3	29.6	55.3	75.0	17.3	7.70	5.02	4.34	3.60	55.3	22.9	
17	10.2	43.5	31.3	53.2	68.4	16.8	7.45	5.02	4.34	3.60	46.2	22.4	
18	10.2	39.5	35.0	51.0	62.8	16.8	7.45	5.02	4.34	3.60	53.2	21.8	
19	9.85	34.4	33.8	48.3	57.5	15.8	7.70	4.85	4.00	3.60	250	20.7	
20	9.52	31.3	30.8	46.2	51.7	15.4	7.45	4.85	4.00	3.60	325	19.7	
21	9.52	29.0	29.0	44.8	49.6	16.3	7.20	4.85	3.84	3.60	331	18.7	
22	9.52	26.8	28.5	44.1	45.5	19.2	6.95	4.68	3.84	3.60	223	17.8	
23	15.8	24.6	29.0	47.6	41.5	17.8	6.70	4.68	3.84	3.60	150	16.8	
24	42.2	23.5	29.6	48.9	37.6	19.7	6.45	4.68	3.84	3.60	108	15.8	
25	115	21.8	32.5	51.0	34.4	18.7	6.20	4.68	3.84	3.60	83.5	14.9	
26	63.6	20.7	37.6	52.4	35.7	17.3	6.20	4.68	3.76	3.60	56.1	14.9	
27	50.3	19.7	35.7	62.1	31.9	16.8	5.95	4.68	3.76	3.60	69.2	20.7	
28	50.3	18.7	36.3	83.5	29.6	15.8	5.70	5.02	3.76	3.60	62.8	25.1	
29	45.5		44.8	138	27.9	14.9	5.70	5.36	3.76	3.60	59.0	31.9	
30	36.9		42.2	123	26.2	14.5	5.70	5.02	3.68	3.60	44.8	212	
31	34.4		38.9		25.1		5.53	5.02		3.68		349	
SD1	15.0	30.4	22.5	64.8	95.5	21.4	11.4	5.82	4.68	3.66	19.9	33.5	
SD2	10.7	81.5	29.9	69.9	79.5	19.5	8.25	5.11	4.36	3.60	97.0	23.5	
SD3	43.0	23.1	34.9	69.5	35.0	17.1	6.21	4.85	3.79	3.61	119	67.1	
MAX	115	229	46.2	163	128	51.7	13.6	7.45	4.85	3.68	439	349	
DAT	25	11	29	29	4	10	1	8	1	31	21	31	
SR	23.5	46.6	29.3	68.1	68.9	19.4	8.55	5.25	4.28	3.62	78.5	42.2	
MIN	9.52	18.7	17.8	36.3	25.1	14.5	5.53	4.68	3.68	3.60	11.5	14.9	
DAT	20	28	1	2	31	30	31	22	30	8	12	25	
		GMIN =	3.60			SRGOD=	33.0			GMAX =	439		
		DATUM	8 10							DATUM	21 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1986

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	250	31.9	44.1	84.5	76.7	36.9	22.4	8.86	4.85	3.68	6.20	5.19	
2	162	38.9	57.5	77.6	85.5	36.9	21.3	8.86	4.68	3.60	5.95	5.19	
3	132	35.7	172	73.3	82.7	33.2	20.2	8.86	4.68	3.60	5.70	5.02	
4	223	32.5	145	71.7	76.7	30.2	19.2	8.53	4.68	3.60	5.53	4.85	
5	189	30.2	120	70.0	75.0	29.0	18.7	8.20	4.68	3.60	5.53	4.68	
6	133	28.5	94.6	69.2	70.8	70.0	18.3	8.86	4.68	3.60	5.36	4.34	
7	100	26.2	79.3	72.5	65.2	124	17.3	7.95	4.68	3.60	5.19	4.00	
8	80.1	24.6	70.0	78.4	62.1	113	17.3	7.95	4.68	3.60	5.02	4.00	
9	63.6	22.9	62.8	81.8	59.8	90.5	16.8	7.70	4.51	3.60	4.85	4.00	
10	53.2	21.8	60.5	84.5	60.5	75.0	16.3	7.20	4.51	3.60	4.68	4.00	
11	50.3	20.2	59.8	76.7	55.3	64.4	14.9	6.95	4.34	3.60	4.68	4.00	
12	46.2	19.2	59.0	66.7	51.0	58.3	14.5	6.70	4.34	3.60	4.68	3.84	
13	41.5	18.3	60.5	69.2	48.9	56.1	14.5	6.45	4.00	3.52	4.68	3.84	
14	37.6	17.3	59.8	70.0	48.3	50.3	14.1	6.45	4.00	3.52	4.68	3.76	
15	36.9	15.8	55.3	62.1	50.3	51.7	13.2	6.20	4.00	3.52	4.51	3.76	
16	35.0	14.9	56.8	56.1	53.2	46.9	13.2	5.95	4.00	3.52	4.34	5.02	
17	32.5	13.6	53.9	51.0	53.2	42.8	13.2	5.70	4.00	3.52	4.17	7.20	
18	28.5	50.3	49.6	49.6	51.7	40.8	16.3	5.70	4.00	3.44	4.00	5.70	
19	26.2	392	44.8	102	50.3	40.2	14.1	5.53	4.00	3.44	3.84	7.70	
20	25.7	281	40.8	164	48.3	40.8	13.2	5.53	4.00	3.44	3.76	7.20	
21	25.1	161	36.9	117	48.3	37.6	13.2	5.53	4.00	3.44	3.68	6.70	
22	23.5	109	35.0	87.5	47.6	34.4	13.6	5.36	4.00	3.36	3.68	6.45	
23	36.3	82.7	33.2	74.2	48.9	32.5	13.2	5.36	3.92	3.36	3.68	5.95	
24	73.3	75.0	30.8	68.4	46.2	33.2	12.4	5.36	3.84	6.45	5.19	5.70	
25	134	83.5	31.9	66.7	43.5	30.8	11.5	5.19	3.76	14.1	6.70	5.36	
26	80.1	69.2	98.8	70.0	41.5	27.9	10.8	5.19	3.68	8.86	6.20	5.02	
27	59.0	57.5	150	75.8	38.2	25.7	10.5	5.02	3.68	7.70	5.95	5.02	
28	48.3	49.6	121	75.8	36.3	23.5	10.2	5.02	3.68	9.52	5.70	5.02	
29	41.5		105	71.7	37.6	22.4	10.2	5.02	3.68	8.20	5.53	5.02	
30	36.9		100	69.2	35.0	22.9	9.52	4.85	3.68	7.20	5.36	5.02	
31	33.2		94.6		34.4		9.52	4.85		6.70		5.02	
SD1	139	29.3	90.6	76.3	71.5	63.9	18.8	8.30	4.66	3.61	5.40	4.53	
SD2	36.0	84.3	54.0	76.7	51.1	49.2	14.1	6.12	4.07	3.51	4.33	5.20	
SD3	53.7	85.9	76.1	77.6	41.6	29.1	11.3	5.16	3.79	7.17	5.17	5.48	
MAX	298	444	188	192	85.5	133	24.0	8.86	4.85	16.8	6.70	7.70	
DAT	1	19	3	20	2	7	1	1	1	25	25	19	
SR	75.4	65.1	73.7	76.9	54.3	47.4	14.6	6.48	4.17	4.84	4.97	5.08	
MIN	23.5	13.6	30.8	49.6	34.4	22.4	9.52	4.85	3.68	3.36	3.68	3.76	
DAT	22	17	24	18	31	29	30	30	26	22	21	14	
		GMIN = 3.36			SRGOD= 35.9			GMAX = 444					
		DATUM 22 10						DATUM 19 2					

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1987

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	5.02	61.3	22.4	59.8	52.4	71.7	14.9	5.02	3.60	4.34	3.20	49.6
2	5.02	46.9	20.7	48.3	56.8	63.6	14.5	5.02	3.60	4.00	3.20	41.5
3	14.9	39.5	22.9	40.2	64.4	59.0	13.6	4.85	3.60	3.84	3.20	35.7
4	17.8	34.4	21.8	35.0	75.8	56.8	11.9	4.85	3.52	3.68	3.20	31.3
5	13.6	30.2	18.7	35.0	73.3	59.0	11.9	4.85	3.52	3.60	3.20	27.9
6	13.2	27.9	18.7	35.0	88.5	59.0	11.5	4.85	3.52	3.44	3.20	26.2
7	10.8	25.1	17.3	44.8	100	54.6	10.8	4.68	3.52	3.36	3.20	27.9
8	8.86	23.5	15.4	50.3	85.5	50.3	10.2	4.68	3.52	3.28	3.20	29.0
9	7.95	21.8	14.5	57.5	68.4	49.6	9.52	4.51	3.52	3.28	3.20	73.3
10	7.20	20.2	14.1	65.2	57.5	48.9	8.86	4.51	3.52	3.20	3.20	65.2
11	7.70	19.7	13.2	97.7	53.2	46.2	8.53	4.51	3.52	3.20	3.20	52.4
12	39.5	21.8	12.4	80.9	54.6	43.5	8.20	4.34	3.52	3.20	5.02	42.8
13	30.8	28.5	11.5	71.7	56.8	40.8	7.95	4.34	3.52	5.36	5.36	36.3
14	125	35.0	11.5	59.0	73.3	35.7	7.70	4.00	3.44	5.36	5.70	35.7
15	112	35.0	11.2	52.4	140	33.2	7.45	4.00	3.44	4.68	16.3	162
16	147	35.0	10.8	47.6	136	31.9	7.45	4.00	3.44	3.84	36.3	129
17	80.1	38.2	10.5	43.5	123	30.2	7.20	3.84	3.36	3.76	26.2	86.5
18	57.5	37.6	10.2	39.5	112	27.3	6.95	3.84	3.36	3.60	20.2	65.9
19	46.9	35.0	10.2	38.9	112	25.1	6.70	3.76	3.36	3.52	16.3	55.3
20	38.2	32.5	10.2	48.3	111	22.4	6.70	3.76	3.28	3.52	14.5	50.3
21	31.9	44.1	41.5	63.6	110	21.3	6.45	3.68	3.28	3.52	14.5	44.1
22	27.9	43.5	29.6	81.8	112	20.7	6.45	3.68	3.20	3.44	13.2	38.9
23	24.0	42.2	24.6	78.4	91.5	19.7	6.20	3.68	3.20	3.44	12.4	35.7
24	22.4	37.6	20.2	67.5	76.7	18.7	5.70	3.68	3.20	3.36	18.3	32.5
25	19.7	31.9	17.8	62.1	70.0	17.8	5.53	3.68	3.20	3.28	47.6	29.6
26	18.3	29.6	17.8	60.5	65.2	17.3	5.53	3.68	3.20	3.20	147	26.8
27	17.8	26.2	18.3	64.4	63.6	16.3	5.36	3.68	3.20	3.20	151	24.6
28	16.8	24.0	18.7	63.6	63.6	15.8	5.19	3.68	3.20	3.20	121	22.9
29	46.2		18.7	57.5	66.7	15.4	5.19	3.68	3.68	3.20	78.4	21.3
30	123		59.0	52.4	75.0	15.4	5.02	3.68	4.68	3.20	60.5	20.2
31	163		73.3		81.8		5.02	3.68		3.20		18.7
SD1	10.4	33.1	18.6	47.1	72.3	57.3	11.8	4.78	3.54	3.60	3.20	40.8
SD2	68.5	31.8	11.2	58.0	97.2	33.6	7.48	4.04	3.42	4.00	14.9	71.6
SD3	46.5	34.9	30.9	65.2	79.6	17.8	5.60	3.68	3.40	3.29	66.4	28.7
MAX	147	61.3	73.3	97.7	144	76.7	14.9	5.02	4.68	5.36	173	312
DAT	16	1	31	11	15	1	1	1	30	13	26	15
SR	41.9	33.1	20.6	56.7	82.9	36.2	8.20	4.15	3.46	3.62	28.2	46.4
MIN	5.02	19.7	10.2	35.0	52.4	15.4	5.02	3.68	3.20	3.20	3.20	18.7
DAT	1	11	18	4	1	29	30	21	22	10	1	31
		GMIN = 3.20			SRGOD= 30.4			GMAX = 312				
		DATUM 22 9						DATUM 15 12				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1988

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	18.3	76.7	20.7	65.9	79.3	24.6	9.85	4.51	3.68	10.2	6.20	22.4	
2	17.3	63.6	19.2	62.1	73.3	29.0	9.85	4.34	3.68	9.52	5.95	89.5	
3	15.8	46.9	17.3	57.5	72.5	33.8	9.52	4.17	3.60	9.19	5.70	270	
4	15.4	39.5	16.8	51.0	72.5	29.6	8.86	4.00	3.60	9.19	5.70	192	
5	14.9	60.5	14.9	52.4	74.2	26.8	7.95	4.00	3.60	8.86	5.70	136	
6	14.1	93.5	14.1	66.7	78.4	25.1	7.95	4.00	3.60	8.20	5.53	102	
7	13.6	67.5	14.1	87.5	83.5	24.6	7.95	4.00	3.60	8.20	5.36	107	
8	13.2	73.3	14.1	105	81.8	21.8	7.45	4.00	3.60	9.19	5.36	82.7	
9	13.2	177	14.1	110	73.3	20.7	7.20	4.00	3.52	17.3	5.36	65.9	
10	13.2	123	13.2	99.8	70.8	19.7	7.20	4.00	3.52	13.2	5.36	56.1	
11	12.8	84.5	13.2	87.5	67.5	18.3	6.95	3.92	3.52	11.5	5.19	48.3	
12	12.4	65.2	12.4	83.5	62.1	17.3	6.70	3.92	3.52	9.85	5.02	41.5	
13	11.5	62.8	12.4	84.5	58.3	16.8	6.70	3.92	3.52	9.85	5.02	36.9	
14	10.8	46.9	12.4	104	55.3	19.2	6.70	3.92	4.00	9.52	5.19	33.2	
15	10.5	40.2	12.8	95.6	55.3	17.8	6.70	3.92	29.6	9.19	5.36	30.2	
16	10.2	36.9	17.8	76.7	53.9	16.8	6.20	3.92	112	9.19	5.36	27.9	
17	9.85	32.5	66.7	65.2	48.9	16.8	5.95	3.84	51.7	8.20	5.36	25.7	
18	9.52	29.6	75.0	56.1	44.8	17.3	5.36	3.84	59.0	8.20	5.19	24.0	
19	9.19	29.6	53.2	49.6	41.5	16.8	5.19	3.84	44.8	8.20	5.53	21.8	
20	9.19	25.7	41.5	45.5	38.2	17.8	5.19	3.84	29.6	8.20	5.70	20.7	
21	9.19	23.5	34.4	42.8	35.7	16.8	5.19	3.84	22.4	7.95	6.70	18.7	
22	9.19	20.7	31.3	44.8	34.4	16.3	5.19	3.84	21.8	7.95	184	17.3	
23	9.52	20.2	71.7	53.2	31.9	15.8	5.19	3.84	21.8	7.70	120	15.8	
24	9.52	19.2	101	60.5	29.6	14.9	5.19	3.84	18.7	7.20	65.2	14.9	
25	9.52	25.7	75.0	75.0	26.8	14.1	5.02	3.76	17.8	7.20	46.2	14.1	
26	9.85	24.6	65.9	89.5	26.2	14.1	5.02	3.76	14.9	6.95	36.9	13.2	
27	20.7	20.7	73.3	87.5	25.1	13.6	4.85	3.76	13.2	6.95	30.8	12.4	
28	17.3	18.7	75.0	81.8	24.0	12.4	4.85	3.76	12.4	6.95	26.2	11.5	
29	15.8	18.3	60.5	80.1	31.3	10.8	4.85	3.68	11.5	6.95	23.5	10.8	
30	62.8		51.0	83.5	26.8	10.8	4.68	3.68	10.8	6.70	21.8	10.5	
31	131		48.9		25.1		4.68	3.68		6.20		9.85	
SD1	14.9	82.2	15.9	75.8	76.0	25.6	8.38	4.10	3.60	10.3	5.62	112	
SD2	10.6	45.4	31.7	74.8	52.6	17.5	6.16	3.89	34.1	9.19	5.29	31.0	
SD3	27.7	21.3	62.5	69.9	28.8	14.0	4.97	3.77	16.5	7.15	56.1	13.6	
MAX	167	206	125	116	83.5	34.4	9.85	4.51	112	17.3	265	310	
DAT	31	9	23	9	7	3	1	1	16	10	22	3	
SR	18.0	50.6	37.5	73.5	51.7	19.0	6.46	3.91	18.1	8.83	22.3	51.1	
MIN	9.19	18.3	12.4	42.8	24.0	10.8	4.68	3.68	3.52	6.20	5.02	9.85	
DAT	19	29	12	21	28	29	30	29	9	31	12	31	
GMIN =			3.52	SRGOD=			29.9	GMAX =			310		
DATUM			9 9					DATUM			3 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1989

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	9.85	5.19	60.5	40.2	44.8	18.7	16.3	8.20	35.7	9.52	12.8	35.7	
2	9.52	5.02	148	43.5	42.8	18.7	15.8	18.7	29.6	9.52	12.4	36.3	
3	9.19	5.02	100	45.5	44.1	18.7	14.5	15.8	26.2	9.85	11.5	30.8	
4	8.53	5.02	77.6	44.8	43.5	18.3	14.1	14.1	24.0	9.85	12.4	27.3	
5	8.20	5.02	62.1	47.6	44.1	17.8	13.6	10.2	21.8	9.52	13.2	24.0	
6	7.95	5.02	50.3	48.3	44.8	17.8	12.8	9.19	19.7	9.52	15.8	22.9	
7	7.95	4.85	42.8	47.6	46.9	17.8	12.4	8.53	17.8	9.85	83.5	21.8	
8	7.95	4.85	37.6	40.8	43.5	17.8	10.8	8.20	17.3	14.9	80.1	20.7	
9	7.70	4.85	33.2	36.3	39.5	17.8	10.2	8.20	16.3	19.2	62.1	19.7	
10	7.45	4.85	30.8	33.2	36.9	17.3	9.52	8.53	25.1	236	50.3	18.3	
11	7.20	4.85	29.0	33.2	35.7	16.8	9.19	8.53	30.8	206	43.5	15.4	
12	7.20	4.85	26.8	33.2	36.3	16.3	9.52	9.52	29.6	139	38.2	14.9	
13	6.95	4.68	24.6	33.8	36.9	14.1	10.8	8.20	28.5	93.5	34.4	14.9	
14	6.70	4.85	24.0	37.6	40.8	13.2	12.4	7.70	26.2	71.7	31.9	15.8	
15	6.70	4.85	24.0	36.3	40.8	12.4	11.5	7.20	25.7	59.0	26.2	49.6	
16	6.45	4.85	24.0	35.0	37.6	14.1	10.2	6.95	23.5	51.7	24.0	54.6	
17	6.20	4.85	25.7	35.0	35.7	14.9	8.86	6.45	21.3	44.8	20.2	53.2	
18	6.20	4.68	30.2	88.5	36.3	23.5	8.53	6.20	20.2	39.5	19.7	51.7	
19	6.20	4.68	35.7	89.5	36.9	25.7	8.53	6.20	17.8	35.7	18.7	51.7	
20	6.20	4.68	40.8	71.7	35.7	25.1	8.20	6.20	15.8	33.2	17.8	54.6	
21	6.20	4.68	50.3	62.1	33.8	24.6	7.45	5.53	14.1	30.8	16.8	53.2	
22	5.95	4.85	58.3	63.6	31.9	22.9	7.20	5.53	12.8	28.5	19.2	51.0	
23	5.70	5.02	57.5	66.7	29.6	20.7	7.20	5.36	11.9	26.2	44.8	46.2	
24	5.53	5.53	51.7	59.0	27.9	19.7	6.70	5.36	11.5	24.0	57.5	41.5	
25	5.53	8.86	45.5	49.6	26.2	19.2	6.70	5.36	11.2	22.9	117	36.9	
26	5.53	65.2	40.2	44.8	24.6	17.8	6.95	5.36	10.5	21.8	123	33.2	
27	5.53	106	36.3	42.2	22.9	17.3	7.20	5.19	10.2	20.7	77.6	30.8	
28	5.53	64.4	35.0	42.8	21.8	17.8	8.53	7.20	9.85	19.7	54.6	28.5	
29	5.36		34.4	42.8	19.7	17.8	7.95	79.3	9.52	19.7	31.9	27.3	
30	5.36		35.7	46.9	19.7	17.8	7.70	62.1	9.52	18.7	40.8	25.1	
31	5.36		37.6		19.2		7.45	45.5		18.3		23.5	
SD1	8.43	4.97	64.3	42.8	43.1	18.1	13.0	11.0	23.4	33.8	35.4	25.8	
SD2	6.60	4.78	28.5	49.4	37.3	17.6	9.77	7.32	23.9	77.4	27.5	37.6	
SD3	5.60	33.1	43.9	52.0	25.2	19.6	7.37	21.1	11.1	22.8	58.3	36.1	
MAX	9.85	162	181	105	45.5	26.2	16.8	129	40.2	270	123	56.1	
DAT	1	27	2	19	1	19	1	29	1	10	26	16	
SR	6.83	12.9	45.5	48.1	34.9	18.4	9.96	13.4	19.5	44.0	40.4	33.3	
MIN	5.36	4.68	24.0	33.2	19.2	12.4	6.70	5.19	9.52	9.52	11.5	14.9	
DAT	29	13	14	10	31	15	24	27	29	1	3	12	
		GMIN = 4.68			SRGOD= 27.3			GMAX = 270					
		DATUM 13 2						DATUM 10 10					

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1990

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	19.2	35.7	15.4	14.1	44.8	11.9	5.36	4.00	3.52	3.36	31.9	58.3
2	17.8	28.5	14.1	14.1	40.8	15.4	5.19	4.00	3.44	3.20	39.5	46.2
3	18.7	24.6	14.9	13.2	36.9	11.5	5.19	4.00	3.52	3.20	32.5	39.5
4	17.8	21.3	14.1	14.1	36.3	11.5	5.53	4.00	3.52	3.20	28.5	34.4
5	16.3	19.7	14.5	12.4	32.5	13.6	5.02	4.00	3.44	3.20	24.0	30.8
6	14.1	18.3	12.4	10.8	30.8	11.2	5.19	4.00	3.44	3.20	20.7	27.9
7	14.9	16.3	14.1	13.6	29.6	14.1	5.02	3.92	3.52	3.20	19.2	25.7
8	11.5	15.4	10.8	13.6	29.0	10.8	5.02	3.92	3.44	3.20	16.8	23.5
9	12.8	14.9	14.9	31.9	27.9	14.1	4.85	3.92	3.44	24.0	14.9	22.4
10	9.52	12.8	12.4	31.9	27.3	10.8	4.85	3.84	3.44	12.8	13.6	89.5
11	12.4	13.6	15.4	41.5	27.3	9.85	4.68	3.84	3.44	8.20	12.8	136
12	10.2	11.9	13.2	39.5	26.8	9.19	4.51	3.84	3.52	6.20	11.5	85.5
13	11.2	12.8	15.4	30.8	25.7	10.2	4.51	3.84	3.52	5.02	10.8	66.7
14	9.85	10.8	16.3	29.0	22.9	10.2	4.85	3.76	3.52	4.68	9.85	55.3
15	10.5	11.5	14.9	31.9	22.4	9.52	4.51	3.76	3.52	4.68	8.86	45.5
16	9.19	11.5	15.4	31.9	21.8	8.86	4.68	3.76	3.52	4.68	10.8	40.2
17	9.19	16.8	14.9	31.9	20.2	9.19	4.51	3.68	3.52	4.34	9.85	36.3
18	9.19	16.3	12.8	31.9	19.7	9.19	4.34	3.68	3.52	4.17	8.86	32.5
19	8.86	14.1	14.1	33.2	19.2	7.70	4.68	3.60	3.52	4.34	8.20	29.0
20	8.53	14.1	14.1	35.7	19.2	7.70	4.85	3.60	3.52	4.00	8.20	26.8
21	8.20	12.4	13.2	35.7	18.3	7.20	4.00	3.52	3.36	5.02	7.70	25.1
22	8.20	11.2	14.1	136	18.3	7.20	4.85	3.52	3.36	7.20	7.45	24.0
23	7.70	13.2	14.1	263	18.3	6.95	4.68	3.52	3.36	6.20	7.20	21.3
24	7.70	11.2	12.8	226	14.1	6.70	4.51	3.52	3.28	5.70	59.0	20.2
25	7.45	12.8	14.1	136	16.8	6.70	4.51	3.52	3.28	5.70	84.5	18.7
26	7.45	10.5	12.4	108	13.6	6.20	4.51	3.52	3.36	5.02	62.1	16.8
27	9.19	12.4	12.8	81.8	15.4	5.95	4.34	3.44	3.44	5.19	88.5	15.8
28	11.5	14.1	15.4	69.2	13.2	5.70	4.34	3.44	3.28	5.95	138	17.8
29	11.5		13.2	57.5	15.4	5.70	4.34	3.44	3.20	8.20	105	17.8
30	76.7		15.4	51.7	12.4	5.70	4.17	3.52	3.36	30.8	78.4	16.3
31	47.6		14.1		16.8		4.17	3.44		43.5		15.8
SD1	15.3	20.7	13.8	17.0	33.6	12.5	5.12	3.96	3.47	6.26	24.2	39.8
SD2	9.91	13.3	14.7	33.7	22.5	9.16	4.61	3.74	3.51	5.03	9.97	55.4
SD3	18.5	12.2	13.8	116	15.7	6.40	4.40	3.49	3.33	11.7	63.8	19.1
MAX	76.7	35.7	16.3	326	44.8	15.4	5.36	4.00	3.52	48.9	143	202
DAT	30	1	14	23	1	2	1	1	1	31	28	11
SR	14.7	15.7	14.1	55.7	23.7	9.35	4.70	3.72	3.44	7.79	32.6	37.5
MIN	7.45	10.5	10.8	10.8	12.4	5.70	4.00	3.44	3.20	3.20	7.20	15.8
DAT	25	26	8	6	30	28	21	27	29	2	23	27
GMIN = 3.20			SRGOD= 18.5			GMAX = 326						
DATUM 29 9						DATUM 23 4						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1991

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	14.9	7.95	14.1	33.2	48.3	35.7	15.8	9.85	4.00	3.68	17.3	46.2
2	17.8	7.70	14.1	32.5	46.9	39.5	15.8	9.52	4.00	3.52	17.3	40.2
3	19.2	7.45	14.5	31.9	47.6	47.6	18.7	9.19	4.00	3.36	17.3	36.9
4	18.3	7.20	15.4	31.9	93.5	48.3	18.3	8.86	4.00	3.68	16.8	32.5
5	17.8	7.20	16.8	30.8	115	46.9	20.7	8.53	4.00	3.84	27.3	30.2
6	17.8	7.20	17.8	30.2	93.5	46.9	18.7	8.20	4.00	3.92	87.5	28.5
7	16.8	7.20	20.2	29.6	80.9	46.2	24.0	7.95	3.92	4.00	56.1	26.2
8	16.3	7.45	19.7	28.5	80.9	66.7	20.7	7.70	3.92	4.00	42.2	24.0
9	16.3	7.70	19.2	28.5	71.7	108	18.7	7.45	4.00	4.00	35.7	22.4
10	15.8	15.8	19.2	27.9	68.4	78.4	16.8	7.20	4.17	3.84	31.9	21.3
11	15.8	22.4	25.7	26.8	80.1	64.4	15.8	6.70	4.17	3.84	33.2	20.7
12	15.8	15.8	30.8	26.2	87.5	56.8	15.8	6.45	4.00	3.92	30.8	20.2
13	15.8	53.9	31.3	25.1	74.2	50.3	14.9	6.20	4.00	4.00	29.0	19.7
14	15.8	119	33.8	23.5	64.4	46.2	14.9	5.95	3.92	4.00	29.6	19.7
15	15.8	67.5	35.0	22.9	59.0	42.2	14.5	5.95	3.84	4.00	187	19.7
16	15.8	59.0	33.8	21.8	57.5	38.9	14.5	5.70	3.84	4.00	211	19.2
17	14.5	34.4	31.3	21.3	95.6	35.7	14.5	5.70	3.84	4.00	375	19.7
18	12.8	27.3	28.5	27.3	104	32.5	14.5	5.53	3.92	4.00	253	19.7
19	12.4	24.0	24.6	80.1	80.9	30.8	14.5	5.53	3.92	11.2	149	19.7
20	11.5	20.7	23.5	77.6	65.2	28.5	14.1	5.36	4.00	16.8	102	19.7
21	10.8	18.3	24.0	70.0	56.1	25.1	14.1	5.36	4.00	42.2	117	19.7
22	10.8	16.8	26.8	57.5	52.4	22.9	14.1	5.36	4.00	65.2	147	19.7
23	10.8	15.8	32.5	51.7	53.9	21.3	13.6	5.19	4.00	50.3	125	19.2
24	10.5	15.8	35.0	48.3	63.6	19.7	13.2	5.19	4.17	36.3	101	19.2
25	10.2	14.9	42.2	44.8	59.8	19.2	12.4	5.19	4.00	29.6	99.8	19.2
26	9.85	14.5	48.3	40.8	47.6	18.7	11.9	5.02	3.92	24.0	95.6	19.2
27	9.52	14.1	49.6	40.8	44.8	17.8	11.5	5.02	3.92	20.7	80.1	19.2
28	9.19	14.1	44.1	47.6	48.3	16.8	11.2	4.68	3.84	18.7	68.4	19.2
29	8.53		41.5	49.6	42.8	16.3	10.8	4.34	3.76	17.8	59.0	19.2
30	8.20		38.2	49.6	39.5	15.8	10.2	4.17	3.76	17.8	51.7	18.7
31	7.95		33.8		35.7		9.85	4.17		17.3		18.7
SD1	17.1	8.29	17.1	30.5	74.7	56.4	18.8	8.44	4.00	3.78	34.9	30.8
SD2	14.6	44.4	29.8	35.3	76.8	42.6	14.8	5.91	3.95	5.98	140	19.8
SD3	9.67	15.5	37.8	50.1	49.5	19.4	12.1	4.88	3.94	30.9	94.5	19.2
MAX	19.2	138	50.3	88.5	126	108	24.0	9.85	4.17	70.0	432	48.3
DAT	3	14	27	19	5	9	7	1	10	22	17	1
SR	13.7	23.3	28.6	38.6	66.4	39.5	15.1	6.36	3.96	14.1	89.8	23.1
MIN	7.95	7.20	14.1	21.3	35.7	15.8	9.85	4.17	3.76	3.36	16.8	18.7
DAT	31	4	1	17	31	30	31	30	29	3	4	30
		GMIN = 3.36		SRGOD= 30.1		GMAX = 432						
		DATUM 3 10				DATUM 17 11						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1992

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	8.20	5.02	9.52	35.7	78.4	18.3	19.7	11.2	3.68	3.76	68.4	31.9	
2	7.45	5.02	8.86	42.8	73.3	19.2	19.7	10.8	3.68	3.84	60.5	31.9	
3	7.20	4.85	11.5	44.8	66.7	19.2	19.7	10.5	3.68	3.84	51.7	31.9	
4	7.20	4.85	11.5	47.6	60.5	18.7	19.7	10.2	3.68	4.85	44.1	31.9	
5	7.20	4.68	11.9	47.6	56.1	18.3	18.7	9.52	3.92	7.45	38.2	31.9	
6	7.45	4.68	12.4	51.0	51.7	17.8	17.8	8.86	3.84	29.0	33.2	60.5	
7	7.45	4.68	12.4	63.6	48.9	17.3	17.8	8.20	3.84	460	29.6	76.7	
8	7.45	4.68	12.8	60.5	46.2	16.8	17.8	7.70	3.84	158	26.2	57.5	
9	7.45	4.68	12.4	56.1	43.5	16.8	17.8	7.20	3.92	88.5	25.1	54.6	
10	7.45	4.68	12.4	56.1	40.2	16.8	17.8	6.70	3.92	60.5	25.1	54.6	
11	7.95	4.51	12.8	51.7	38.2	16.3	17.8	6.20	3.68	48.3	25.1	48.9	
12	8.20	4.51	12.8	46.2	35.7	18.7	17.3	5.95	3.68	152	25.1	44.8	
13	8.20	4.51	12.8	44.8	33.2	25.1	16.8	5.70	3.68	93.5	28.5	40.8	
14	7.95	4.51	12.8	43.5	30.2	29.6	16.3	5.53	3.68	70.8	26.8	37.6	
15	7.70	4.51	12.4	40.2	28.5	31.3	15.8	5.53	3.60	62.1	25.1	34.4	
16	7.45	4.68	13.2	39.5	26.8	29.0	15.8	5.36	3.60	59.8	24.6	31.9	
17	7.20	11.5	13.6	50.3	25.1	33.2	15.8	5.36	3.60	81.8	76.7	31.9	
18	7.20	15.4	13.6	76.7	22.9	35.7	15.4	5.19	3.60	606	346	31.9	
19	6.95	14.1	14.1	65.9	22.4	41.5	14.9	5.19	3.52	346	234	31.9	
20	6.95	12.8	13.2	59.0	20.7	39.5	14.5	5.19	3.52	187	138	31.9	
21	6.70	12.4	13.2	59.0	20.7	36.9	14.1	5.02	3.44	123	93.5	31.9	
22	6.45	12.4	13.2	54.6	20.2	32.5	13.6	5.02	3.44	133	66.7	31.9	
23	6.20	11.5	12.4	52.4	19.7	29.0	13.2	4.85	3.36	115	53.2	31.9	
24	5.95	11.2	25.7	53.2	19.7	26.2	12.8	4.85	3.28	108	44.8	31.9	
25	5.70	10.8	61.3	56.1	19.7	24.0	12.8	4.85	3.28	93.5	40.8	31.9	
26	5.70	10.5	69.2	57.5	19.2	23.5	12.4	4.68	3.20	97.7	39.5	31.9	
27	5.53	10.2	95.6	66.7	18.7	22.9	12.4	4.51	3.20	84.5	36.9	31.3	
28	5.36	10.2	75.0	73.3	18.3	22.4	12.4	4.34	3.13	70.0	34.4	30.8	
29	5.36	9.85	56.1	75.0	17.8	20.2	11.9	4.17	3.36	75.0	33.2	30.8	
30	5.19		44.8	74.2	17.8	24.0	11.9	3.92	3.68	92.5	31.9	30.8	
31	5.19		38.9		17.8		11.9	3.84		87.5		30.8	
SD1	7.45	4.78	11.6	50.6	56.6	17.9	18.7	9.09	3.80	82.0	40.2	46.3	
SD2	7.57	8.10	13.1	51.8	28.4	30.0	16.0	5.52	3.62	171	95.0	36.6	
SD3	5.76	11.0	45.9	62.2	19.1	26.2	12.7	4.55	3.34	98.2	47.5	31.4	
MAX	8.20	15.8	105	81.8	80.1	42.2	20.2	11.2	3.92	854	402	99.8	
DAT	1	18	27	18	1	19	1	1	5	18	18	7	
SR	6.89	7.86	24.3	54.9	34.2	24.7	15.7	6.33	3.58	116	60.9	37.9	
MIN	5.19	4.51	8.86	35.7	17.8	16.3	11.9	3.84	3.13	3.76	24.6	30.8	
DAT	30	11	2	1	29	11	29	31	28	1	16	28	
GMIN =			3.13	SRGOD=			32.9	GMAX =			854		
DATUM			28 9					DATUM			18 10		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1993

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	16.2	6.92	5.05	7.88	46.3	11.1	5.14	4.26	6.96	4.93	9.00	7.95
2	15.7	6.92	5.05	7.88	40.3	10.6	5.14	4.26	6.96	5.05	6.98	7.45
3	15.7	6.77	5.17	9.71	38.9	10.2	5.03	4.26	6.96	5.05	6.83	6.95
4	15.1	6.77	5.17	15.1	35.4	8.60	5.03	4.26	6.96	5.40	6.83	6.45
5	14.6	6.61	5.17	15.6	34.7	8.02	5.03	4.26	7.82	29.6	6.83	6.20
6	14.1	6.45	5.05	17.2	33.4	7.43	5.03	4.26	8.18	71.7	6.83	6.20
7	13.1	6.45	5.05	21.7	31.4	7.14	5.03	4.16	8.00	41.8	7.74	5.95
8	12.1	6.45	5.05	24.7	30.7	6.85	5.03	4.16	7.82	26.9	364	5.95
9	11.6	6.29	5.05	24.0	30.1	6.85	5.03	4.16	7.64	20.7	185	6.20
10	11.3	6.29	5.05	21.1	26.2	6.85	5.03	4.16	7.64	18.2	121	12.4
11	10.9	6.29	5.17	20.5	25.5	6.71	4.92	4.16	7.64	20.0	79.4	14.5
12	10.6	6.29	4.93	94.8	23.6	6.71	4.92	4.16	7.46	18.8	60.3	16.3
13	9.52	6.29	4.93	117	23.1	6.58	4.92	4.06	8.18	15.0	45.7	50.3
14	8.48	6.16	5.05	89.5	21.9	6.58	4.92	4.06	8.00	13.5	37.5	44.8
15	8.48	6.16	5.05	87.6	20.8	6.58	4.92	4.06	9.09	10.9	62.7	33.2
16	7.97	6.16	5.17	78.6	20.3	6.58	4.92	3.96	11.4	10.2	54.9	49.6
17	7.97	6.02	5.29	70.2	19.7	6.58	4.92	3.96	7.82	9.83	68.5	385
18	7.97	6.02	5.54	65.8	18.5	6.58	4.92	3.86	7.82	9.46	54.9	328
19	7.81	6.02	6.09	53.8	18.0	6.58	4.92	3.86	7.82	9.10	48.6	171
20	7.81	6.02	7.51	51.5	17.0	6.44	4.81	3.63	7.64	8.73	41.6	111
21	7.81	5.88	9.57	53.8	16.5	6.44	4.81	3.42	7.64	8.36	36.6	77.6
22	7.65	5.88	13.8	60.6	15.5	6.44	4.81	3.21	7.64	8.11	32.1	59.8
23	7.65	5.88	17.6	65.0	14.5	6.44	4.81	3.08	7.82	7.86	26.9	54.6
24	7.49	5.88	19.4	66.7	13.1	6.44	4.81	3.08	7.82	8.36	25.2	95.6
25	7.65	5.74	19.9	65.0	11.9	6.44	4.81	2.91	7.64	13.5	23.0	72.5
26	7.65	5.74	34.1	63.1	10.4	6.44	4.81	2.91	7.64	10.9	20.8	82.7
27	7.49	5.74	24.4	60.6	9.60	6.44	4.81	2.91	7.64	9.83	20.0	81.8
28	7.49	5.74	17.0	59.0	9.02	6.30	4.81	2.85	7.46	8.11	18.9	82.7
29	7.49		15.9	56.4	8.43	6.44	4.81	2.85	7.46	7.86	17.1	84.5
30	7.32		13.8	52.3	7.85	6.44	4.81	2.85	7.46	7.61	15.8	68.4
31	7.32		11.2		7.55		4.81	2.85		7.36		53.9
SD1	13.9	6.59	5.09	16.5	34.7	8.36	5.05	4.22	7.49	22.9	72.1	7.17
SD2	8.75	6.14	5.47	72.9	20.8	6.59	4.91	3.98	8.29	12.5	55.4	120
SD3	7.55	5.81	17.9	60.2	11.3	6.43	4.81	2.99	7.62	8.90	23.6	74.0
MAX	16.2	5.74	34.1	117	46.4	11.0	4.81	4.46	8.18	71.7	364	480
DAT	1	25	26	13	1	1	20	1	6	5	7	16
SR	10.00	6.21	9.75	49.9	21.9	7.13	4.92	3.71	7.80	14.6	50.4	67.4
MIN	7.32	5.74	4.93	7.88	7.55	6.30	4.81	2.85	6.96	4.93	6.83	5.95
DAT	30	25	12	1	31	28	20	28	1	1	3	7
GMIN =		2.85		SRGOD=		21.2		GMAX =		480		
DATUM		28 8						DATUM		16 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1994

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	32.4	22.7	24.4	24.6	63.6	27.3	15.8	5.02	5.38	4.42	36.4	8.50
2	44.0	21.3	24.4	25.7	62.1	24.6	13.2	4.85	5.26	4.32	26.9	8.19
3	23.1	20.4	34.9	38.9	56.1	22.4	13.6	4.68	5.01	4.22	19.5	8.19
4	22.5	19.8	34.9	33.2	48.9	21.8	11.2	4.85	5.01	4.32	17.2	7.89
5	32.4	20.4	32.6	32.5	47.6	20.2	10.2	5.19	4.90	4.74	15.4	7.89
6	85.6	19.8	31.0	35.0	46.9	24.6	9.52	4.85	5.01	5.09	13.9	7.89
7	64.6	19.2	24.4	38.2	47.6	27.3	9.19	4.51	4.90	4.97	13.0	7.58
8	56.2	19.2	22.4	36.9	48.3	20.2	8.53	4.51	4.90	4.86	12.5	7.58
9	55.4	19.2	21.1	35.7	48.3	19.2	7.95	4.68	4.90	4.74	12.1	7.58
10	53.6	18.5	20.5	33.8	47.6	18.7	7.70	4.51	4.79	4.74	12.5	7.27
11	50.0	18.0	19.2	94.6	47.6	18.3	7.45	4.17	4.79	4.62	12.1	7.58
12	45.8	17.5	19.2	359	48.3	17.8	8.53	4.07	4.79	4.62	64.3	7.58
13	42.4	16.9	23.0	375	46.2	17.3	10.8	3.95	4.79	4.62	59.8	7.27
14	40.0	16.4	25.9	208	48.3	19.2	10.5	3.62	4.79	4.52	44.3	7.27
15	36.9	15.2	32.6	123	47.6	21.3	10.8	3.62	4.79	4.42	29.4	7.27
16	35.4	13.7	39.7	97.7	53.2	23.5	9.52	3.62	5.51	4.42	27.8	7.12
17	34.6	13.2	42.2	94.6	53.2	18.3	8.20	3.44	5.63	4.32	23.1	7.12
18	35.4	19.2	42.2	163	51.7	17.8	7.95	3.44	5.38	4.32	22.3	6.98
19	35.4	28.0	36.5	150	57.5	16.3	7.45	3.02	5.51	4.22	17.2	6.98
20	35.4	20.4	34.9	108	57.5	16.3	11.2	3.02	6.79	4.22	16.0	6.98
21	36.1	24.2	35.8	97.7	50.3	14.9	8.53	2.85	6.79	4.22	14.8	6.98
22	34.6	20.4	35.8	85.5	46.9	14.5	8.20	2.85	6.26	4.22	13.4	6.69
23	32.4	19.2	35.8	73.3	45.5	14.5	8.86	2.85	6.01	4.12	13.0	6.69
24	30.0	19.2	36.5	70.8	42.2	13.2	8.20	3.04	5.88	4.42	11.2	6.54
25	28.5	26.5	36.5	70.0	39.5	13.2	8.53	3.04	5.63	4.42	9.97	6.40
26	26.5	28.9	49.2	69.2	38.9	12.8	7.20	3.56	5.38	4.97	10.3	6.25
27	26.5	28.0	45.5	68.4	36.9	11.9	6.70	3.62	5.26	4.86	9.97	6.25
28	23.8	28.0	36.5	70.0	35.7	11.9	5.95	3.84	5.01	5.78	9.66	6.11
29	21.2		36.5	66.7	32.5	11.9	5.70	3.68	4.90	4.62	9.35	6.11
30	20.0		36.5	62.8	30.2	18.3	5.36	3.52	4.79	169	9.05	6.11
31	18.7		36.5		29.0		5.02	3.52		48.8		6.25
SD1	47.0	20.1	27.1	33.5	51.7	22.6	10.7	4.77	5.01	4.64	17.9	7.86
SD2	39.1	17.9	31.5	177	51.1	18.6	9.24	3.60	5.28	4.43	31.6	7.22
SD3	27.1	24.3	38.3	73.4	38.9	13.7	7.11	3.31	5.59	23.6	11.1	6.40
MAX	85.6	28.9	49.2	468	63.6	27.3	15.8	5.02	6.79	169	64.3	8.50
DAT	6	26	26	13	1	1	1	1	20	30	12	1
SR	37.4	20.5	32.5	94.7	47.0	18.3	8.95	3.87	5.29	11.3	20.2	7.13
MIN	18.7	13.2	19.2	24.6	29.0	11.9	5.02	2.85	4.79	4.12	9.05	6.11
DAT	31	17	11	1	31	27	31	21	10	23	30	28
GMIN =		2.85		SRGOD=		25.5		GMAX =		468		
DATUM		21 8						DATUM		13 4		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1995

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
 Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	60.6	46.3	98.0	34.1	67.9	37.6	5.53	6.20	14.8	23.3	12.4	21.8
2	147	42.6	76.7	34.1	69.8	36.9	5.68	5.88	12.8	19.4	12.4	19.0
3	124	31.7	63.5	34.1	67.9	33.2	5.52	5.85	11.2	18.0	12.4	16.2
4	79.6	30.2	61.3	52.9	57.1	31.3	5.52	5.84	12.8	17.5	12.4	14.1
5	55.9	28.5	63.5	63.8	50.2	31.3	5.52	5.68	26.2	16.9	12.4	11.9
6	51.4	26.8	61.3	73.3	45.2	30.8	5.52	5.68	59.5	16.9	12.4	12.3
7	42.4	25.3	49.2	78.7	43.6	30.8	5.52	5.68	60.7	16.9	12.4	11.9
8	36.4	25.3	45.3	74.4	50.2	30.8	5.52	5.68	46.2	16.9	12.4	11.4
9	34.4	22.4	38.0	59.7	58.8	30.8	5.52	5.68	55.7	16.9	12.4	11.0
10	31.5	33.4	34.4	51.9	63.4	30.8	5.53	5.68	48.0	15.4	12.4	9.81
11	27.0	37.0	32.7	43.6	70.8	11.5	5.84	5.68	40.1	14.4	12.4	9.11
12	23.5	30.2	29.6	34.1	91.9	11.2	5.84	5.68	32.3	13.9	12.4	9.11
13	18.1	26.8	27.9	34.1	227	10.8	5.84	5.68	26.2	12.8	12.4	10.2
14	16.3	33.4	30.4	34.1	365	9.52	5.76	5.68	22.0	12.4	12.4	10.6
15	15.8	33.4	30.4	34.1	230	9.52	5.76	5.68	24.6	12.0	12.4	11.0
16	15.3	32.6	30.4	34.1	76.6	8.86	5.76	5.68	46.2	11.3	12.4	11.9
17	13.7	26.8	30.4	34.1	77.5	8.86	5.76	5.68	48.0	10.5	12.4	12.7
18	13.2	25.3	30.4	34.1	94.1	7.95	5.76	5.68	42.6	10.1	27.9	14.6
19	13.2	52.3	30.4	34.1	85.6	6.70	5.76	5.52	33.2	8.91	42.0	23.2
20	13.2	64.8	30.4	34.1	77.5	6.45	5.76	5.52	51.8	8.63	24.3	26.0
21	11.7	52.3	30.4	34.1	73.7	5.70	5.68	5.52	80.6	8.63	17.9	23.2
22	11.7	46.3	30.4	34.1	71.7	5.70	5.68	5.52	67.8	8.63	14.5	19.0
23	11.7	38.9	30.4	41.0	70.8	5.53	5.60	5.52	61.6	9.15	14.5	26.0
24	15.8	50.2	30.4	55.8	69.8	5.53	5.60	5.52	54.6	9.15	14.5	216
25	30.5	87.7	30.4	94.6	67.0	5.56	5.60	5.52	45.2	8.88	14.5	252
26	27.0	97.6	30.4	163	65.1	5.56	5.60	5.58	37.4	8.88	14.5	348
27	97.4	162	30.4	163	64.2	5.56	5.68	7.70	35.7	8.88	14.5	595
28	112	142	63.5	125	62.5	5.56	5.60	5.52	29.1	8.88	18.4	555
29	63.0		72.3	97.1	58.8	5.52	5.68	14.9	26.2	8.88	42.0	336
30	58.3		57.1	85.4	57.1	5.52	5.84	10.8	23.2	8.76	40.0	154
31	55.9		42.7		53.6		5.84	10.2		8.76		110
SD1	66.3	31.3	59.1	55.7	57.4	32.4	5.54	5.79	34.8	17.8	12.4	13.9
SD2	16.9	36.3	30.3	35.1	140	9.14	5.78	5.65	36.7	11.5	18.1	13.9
SD3	45.0	84.6	40.8	89.3	64.9	5.57	5.67	7.48	46.1	8.86	20.5	240
MAX	336	162	98.0	175	415	37.6	5.53	14.9	80.6	23.3	58.8	634
DAT	2	27	1	27	14	1	1	29	21	1	18	27
SR	42.8	48.3	43.3	60.0	86.6	15.7	5.67	6.34	39.2	12.6	17.0	93.9
MIN	11.7	22.4	27.9	34.1	43.6	5.52	5.52	5.52	11.2	8.63	12.4	9.11
DAT	21	9	13	1	7	29	3	19	3	20	1	11
		GMIN = 5.52			SRGOD= 39.3			GMAX = 634				
		DATUM 29 6						DATUM 27 12				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1996

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	131	33.5	17.8	44.4	105	21.3	15.9	4.62	6.68	39.5	29.6	80.1
2	115	30.2	17.1	98.7	125	20.7	15.9	4.62	6.68	37.6	27.9	66.7
3	87.5	26.8	16.5	259	134	20.2	14.4	4.62	6.21	29.6	26.8	56.1
4	69.2	26.8	15.9	242	159	19.7	13.2	4.62	6.21	29.6	24.0	46.2
5	56.8	36.2	15.3	196	178	19.2	12.3	4.62	6.51	29.6	23.5	40.8
6	50.3	38.9	13.9	139	166	17.8	11.8	4.62	6.51	29.0	22.9	36.9
7	44.1	37.0	13.9	102	154	17.3	11.0	4.62	6.51	27.3	19.2	33.2
8	40.8	33.5	12.0	87.0	139	17.3	9.95	4.60	6.68	25.7	19.7	29.6
9	37.6	31.8	11.6	92.7	128	16.8	9.29	4.60	6.68	24.0	19.7	28.5
10	34.4	27.7	11.1	85.9	117	16.3	8.62	4.60	6.40	24.6	19.2	26.2
11	31.9	24.6	10.6	78.1	102	14.9	7.62	4.60	6.21	22.4	18.7	25.7
12	30.8	24.0	10.6	68.6	89.4	14.9	7.39	4.60	7.55	21.8	18.7	23.5
13	28.5	21.1	11.6	64.7	89.4	14.9	6.71	4.59	150	20.2	18.7	22.4
14	26.2	24.6	10.6	63.6	85.2	14.5	6.48	4.59	96.0	18.3	18.7	42.2
15	25.1	22.4	10.6	62.5	101	14.5	6.25	4.57	77.0	19.2	18.7	149
16	23.5	21.1	12.0	54.7	121	14.1	6.11	4.57	60.0	18.7	18.7	110
17	21.8	19.5	19.6	48.9	103	14.1	6.71	4.57	52.9	51.7	18.7	75.0
18	21.3	17.8	19.6	41.8	89.4	13.6	6.11	4.59	46.1	57.5	19.2	60.5
19	19.7	16.7	19.6	41.1	81.1	13.6	6.11	4.59	44.5	66.7	60.5	51.0
20	17.8	17.8	19.6	40.1	81.1	13.2	6.11	4.60	79.0	56.8	66.7	45.5
21	17.8	69.3	17.8	43.7	66.5	12.8	6.11	4.60	105	42.8	169	51.7
22	17.3	51.3	17.8	50.9	53.9	12.8	6.11	4.60	81.0	39.5	144	57.5
23	15.8	39.9	19.6	66.6	47.8	16.3	6.11	4.60	81.0	35.7	270	60.5
24	17.8	32.6	19.6	79.2	42.8	17.3	6.47	4.60	96.0	33.2	226	112
25	36.3	25.3	20.1	92.7	36.6	15.4	6.47	4.64	128	28.5	180	173
26	31.9	21.8	23.1	101	34.4	15.4	6.44	4.64	124	25.7	133	171
27	28.5	19.5	33.2	110	32.2	14.5	6.31	4.64	142	24.0	133	124
28	25.7	18.4	237	106	35.9	13.2	6.20	4.64	112	21.8	106	85.5
29	24.0	16.2	151	107	41.3	12.4	6.12	4.57	93.7	20.7	117	68.4
30	24.0		91.2	112	35.1	12.4	6.11	4.57	87.3	22.9	95.6	60.5
31	22.9		63.0		31.5		6.11	4.57		30.8		57.5
SD1	66.7	32.2	14.5	135	141	18.7	12.2	4.61	6.51	29.7	23.2	44.4
SD2	24.7	21.0	14.4	56.4	94.2	14.2	6.56	4.59	61.9	35.3	27.7	60.5
SD3	23.8	32.7	63.0	86.9	41.6	14.2	6.23	4.61	105	29.6	157	92.9
MAX	131	69.3	237	391	185	21.3	15.9	4.64	197	66.7	391	192
DAT	1	21	28	3	5	1	1	25	13	19	23	26
SR	37.9	28.5	31.7	92.7	90.5	15.7	8.27	4.60	57.8	31.5	69.4	66.8
MIN	15.8	16.2	10.6	40.1	31.5	12.4	6.11	4.57	6.21	18.3	18.7	22.4
DAT	23	29	11	20	31	29	16	15	3	14	11	13
		GMIN = 4.57			SRGOD= 44.5			GMAX = 391				
		DATUM 15 8						DATUM 3 4				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1997

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	65.6	20.9	35.4	15.3	41.5	24.0	12.3	5.83	3.13	8.81	7.62	30.8
2	68.6	20.1	30.4	14.3	40.8	22.4	11.9	5.83	3.13	8.81	7.32	30.8
3	103	18.7	25.6	13.8	46.2	20.7	11.1	5.83	3.13	9.01	7.32	30.8
4	123	18.1	25.6	15.3	59.0	20.2	10.2	5.83	3.13	9.01	7.32	64.2
5	166	17.5	26.6	16.8	70.0	19.7	9.82	5.83	3.06	8.81	7.02	53.3
6	138	16.4	26.6	16.8	80.9	19.2	9.12	5.57	3.06	8.81	7.02	40.8
7	104	16.4	25.6	16.8	89.5	19.2	8.84	5.43	3.06	8.81	8.51	34.6
8	81.2	15.8	24.9	14.8	111	18.3	8.84	5.57	3.06	8.81	10.4	31.7
9	67.5	14.6	24.9	13.3	431	17.8	8.84	5.43	3.06	8.81	47.9	30.8
10	58.6	13.4	22.6	12.4	244	17.3	8.56	5.70	3.06	8.81	36.3	30.8
11	57.6	13.4	20.3	13.3	159	16.8	8.56	5.57	2.99	8.60	109	26.4
12	56.7	13.0	18.3	16.8	115	15.8	8.28	5.43	2.99	8.39	108	24.4
13	50.0	12.6	17.7	16.8	98.8	15.4	8.28	5.43	2.85	9.22	71.6	25.3
14	37.8	13.0	17.7	15.9	90.5	14.5	8.00	5.30	2.85	15.8	144	27.2
15	37.8	14.0	17.7	14.8	83.5	14.5	8.00	5.30	3.06	46.5	154	40.8
16	37.1	20.9	17.7	15.3	77.6	14.5	8.00	5.30	3.06	24.1	99.7	35.7
17	31.2	35.1	17.1	14.8	71.7	13.6	7.72	5.30	3.06	18.3	69.3	32.7
18	28.9	25.4	17.7	13.3	65.2	13.2	7.72	5.19	3.06	14.8	50.9	30.8
19	26.1	24.0	15.3	12.4	62.1	13.2	8.00	5.19	3.06	14.3	43.2	24.4
20	24.6	20.9	81.7	12.0	59.0	13.2	8.56	5.30	3.06	13.8	38.3	26.4
21	23.8	20.1	58.4	15.9	53.9	11.2	8.00	5.30	3.06	13.3	33.7	118
22	23.8	18.1	45.6	52.5	50.3	11.2	7.72	5.19	3.06	13.3	31.2	124
23	20.5	17.5	35.4	289	47.6	10.5	7.44	5.19	3.06	13.3	28.6	98.2
24	19.9	17.5	31.3	155	40.2	9.85	7.16	5.19	3.06	13.3	44.0	74.4
25	17.3	17.5	31.3	100	35.0	9.19	6.47	5.19	3.06	18.3	37.4	54.6
26	16.9	18.7	29.4	72.9	31.3	9.19	6.47	4.95	3.06	18.3	31.2	52.3
27	16.3	26.4	25.6	59.4	30.8	8.53	6.34	4.95	2.99	16.8	30.4	44.0
28	16.3	43.1	24.2	62.5	26.2	7.95	6.34	5.07	2.99	15.8	27.7	57.0
29	15.8		25.6	59.4	31.3	7.70	6.20	5.07	2.99	14.8	27.0	57.0
30	14.8		26.6	62.5	27.3	7.45	6.20	5.07	2.99	14.3	25.5	46.3
31	13.4		24.9		25.7		5.81	5.07		14.3		44.0
SD1	97.6	17.2	26.8	14.9	121	19.9	9.95	5.69	3.09	8.85	14.7	37.9
SD2	38.8	19.2	24.1	14.5	88.2	14.5	8.11	5.33	3.00	17.4	88.7	29.4
SD3	18.1	22.4	32.6	92.9	36.3	9.28	6.74	5.11	3.03	15.1	31.7	69.9
MAX	166	43.1	81.7	289	431	24.0	12.3	5.83	3.13	46.5	154	124
DAT	5	28	20	23	9	1	1	1	1	14	15	22
SR	50.4	19.4	28.0	40.8	80.5	14.5	8.22	5.37	3.04	13.8	45.0	46.5
MIN	13.4	12.6	15.3	12.0	25.7	7.45	5.81	4.95	2.85	8.39	7.02	24.4
DAT	31	13	19	20	31	30	31	26	13	12	5	12
GMIN =		2.85		SRGOD=		29.8		GMAX =		431		
DATUM		13 9		DATUM		9 5		DATUM		9 5		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1998

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
 Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	35.6	13.0	11.4	3.39	51.8	36.4	7.46	6.22	10.5	36.3	23.0	17.0	
2	34.0	13.0	11.0	3.19	46.6	36.4	7.31	6.22	9.78	38.0	24.4	17.0	
3	34.0	13.0	11.0	3.04	46.6	33.7	8.10	5.92	9.55	117	25.1	16.4	
4	35.6	13.0	8.87	2.99	60.6	33.7	7.77	5.92	9.09	89.2	27.7	39.9	
5	41.6	12.6	8.87	2.99	161	33.7	7.77	5.92	8.70	52.9	38.3	131	
6	42.5	11.8	8.87	7.20	242	33.7	7.62	5.92	53.2	37.2	134	154	
7	42.5	11.0	8.51	10.2	132	32.3	7.62	5.92	47.8	29.8	209	94.8	
8	41.6	10.6	11.4	12.8	95.4	30.0	15.9	5.92	19.8	26.2	172	77.5	
9	45.7	10.6	18.3	21.3	80.5	29.1	16.6	5.92	14.3	22.5	106	67.0	
10	32.1	10.6	17.7	67.5	76.5	29.1	10.4	5.92	11.1	65.8	80.9	53.8	
11	28.6	9.72	17.0	223	69.7	28.2	8.76	5.92	10.2	361	77.0	38.8	
12	26.9	9.72	15.0	349	59.6	41.8	8.10	5.92	11.1	169	85.2	33.3	
13	23.8	9.72	14.6	165	56.2	58.7	7.77	5.92	56.0	120	78.9	27.4	
14	23.0	11.0	13.5	115	51.8	46.3	7.62	5.92	315	86.9	70.0	22.8	
15	21.3	13.0	12.7	89.5	43.3	43.2	7.62	5.66	221	55.8	90.4	20.5	
16	21.3	13.0	11.1	67.5	36.3	37.8	7.62	5.66	116	42.2	104	18.7	
17	20.0	16.3	9.38	85.5	31.9	36.4	7.62	5.66	77.6	32.2	78.9	18.2	
18	20.0	18.7	8.06	107	27.5	35.0	7.15	5.66	68.2	27.7	67.1	17.0	
19	18.9	18.7	7.86	107	23.0	32.3	7.62	5.66	56.0	23.3	54.2	15.8	
20	25.2	18.7	7.55	85.5	20.5	31.0	7.15	5.53	44.9	21.3	48.0	15.2	
21	29.3	17.5	7.05	70.0	18.8	29.1	7.15	5.53	37.5	73.9	39.1	15.2	
22	20.0	17.5	6.79	62.8	18.1	28.2	6.99	5.53	36.4	54.9	34.4	17.0	
23	18.9	17.5	6.63	59.0	17.0	27.3	7.15	5.53	31.8	42.2	31.4	14.6	
24	15.2	16.9	6.17	59.0	16.5	26.4	7.15	5.53	29.0	32.2	25.7	14.2	
25	14.8	16.9	5.97	59.0	15.8	24.5	7.15	5.53	25.2	28.3	22.4	13.7	
26	12.9	16.9	5.51	53.2	15.3	24.5	6.99	5.53	23.3	68.8	17.6	13.7	
27	11.5	16.9	5.31	49.6	15.3	23.6	6.99	5.53	22.6	57.8	16.3	12.8	
28	10.6	16.9	5.11	48.9	12.2	21.7	6.99	5.53	90.7	48.2	14.8	12.4	
29	10.6		4.98	46.9	10.3	20.9	6.68	9.92	133	41.3	13.5	12.4	
30	9.95		4.73	44.8	10.3	20.9	6.53	8.97	92.4	35.5	13.1	11.9	
31	9.95		4.53		9.58		6.68	8.03		29.8		11.5	
SD1	38.5	11.9	11.6	13.5	99.3	32.8	9.66	5.98	19.4	51.5	84.0	66.8	
SD2	22.9	13.9	11.7	139	42.0	39.1	7.70	5.75	97.6	94.0	75.4	22.8	
SD3	14.9	17.1	5.71	55.3	14.5	24.7	6.95	6.47	52.2	46.6	22.8	13.6	
MAX	43.6	18.7	24.0	332	331	116	115	14.2	382	348	265	223	
DAT	6	18	9	12	5	12	8	29	14	11	7	5	
SR	25.1	14.1	9.53	69.4	50.7	32.2	8.07	6.08	56.4	63.5	60.7	33.7	
MIN	9.95	9.72	4.53	2.99	9.58	20.9	6.53	5.53	8.70	21.3	13.1	11.5	
DAT	30	11	31	4	31	29	30	20	5	20	30	31	
GMIN =			2.99	SRGOD=			35.8	GMAX =			382		
DATUM			4 4					DATUM			14 9		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1999

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	6.45	6.95	14.9	18.3	85.5	13.6	5.19	3.68	3.52	3.20	4.17	10.8	
2	6.45	6.70	14.1	20.2	85.5	13.6	5.19	3.68	3.52	3.20	4.00	9.85	
3	6.45	6.70	13.6	21.3	79.3	12.8	4.85	3.68	3.52	3.20	3.92	9.19	
4	6.45	6.45	15.4	21.3	80.9	11.9	4.85	3.68	3.52	3.20	3.84	8.53	
5	6.20	6.45	33.8	21.3	91.5	11.5	4.51	3.60	3.52	3.20	3.84	14.9	
6	5.53	6.45	48.9	22.9	85.5	10.8	4.51	3.60	3.52	3.20	3.84	27.3	
7	5.36	6.20	41.5	25.1	70.0	9.85	4.51	3.60	3.52	3.20	3.76	21.8	
8	5.36	6.20	33.8	30.8	48.9	9.19	4.34	3.60	3.52	3.20	3.76	18.7	
9	6.20	6.20	27.3	36.3	45.5	8.86	4.34	3.60	3.44	3.20	3.68	16.3	
10	9.52	10.2	24.6	44.8	45.5	8.86	4.17	3.52	3.44	3.20	3.84	16.8	
11	12.4	30.8	24.0	45.5	42.2	8.20	4.17	3.52	3.44	3.06	6.45	29.0	
12	39.5	21.8	22.9	43.5	42.2	7.70	4.00	3.52	3.44	3.06	5.53	31.9	
13	37.6	15.4	25.1	43.5	38.2	7.20	4.00	3.52	3.44	3.06	4.85	31.9	
14	43.5	11.9	27.3	54.6	40.8	6.95	3.92	3.52	3.44	3.06	4.34	31.9	
15	35.0	10.2	27.9	49.6	42.2	6.45	3.92	3.52	3.44	3.06	4.34	65.2	
16	27.9	6.70	27.9	45.5	42.2	6.45	3.92	3.52	3.44	3.76	4.51	708	
17	22.9	6.20	27.3	136	48.9	6.20	3.92	3.52	3.44	7.70	6.95	767	
18	19.7	5.70	24.6	223	37.6	6.20	3.84	3.52	3.44	5.95	35.0	588	
19	15.4	5.70	22.4	118	31.9	5.70	3.84	3.52	3.44	5.19	30.8	289	
20	12.8	5.53	19.2	77.6	30.2	5.70	3.84	3.52	3.44	8.20	133	186	
21	11.9	5.53	15.8	59.0	29.0	5.53	3.84	3.52	3.44	5.36	48.9	139	
22	11.2	8.86	13.6	50.3	32.5	5.53	3.84	3.52	3.44	4.51	69.2	96.7	
23	10.2	48.9	11.9	53.2	24.6	5.53	3.76	3.52	3.44	4.51	89.5	73.3	
24	9.19	23.5	9.85	72.5	19.7	5.36	3.76	3.52	3.44	6.20	45.5	60.5	
25	8.20	22.9	9.52	71.7	18.7	5.36	3.76	3.52	3.44	6.70	31.9	51.7	
26	7.70	20.2	9.52	63.6	18.3	5.36	3.76	3.52	3.28	5.53	24.6	60.5	
27	7.70	16.8	9.85	60.5	17.3	5.36	3.76	3.52	3.28	5.19	19.7	323	
28	7.95	14.9	11.9	59.8	16.8	5.36	3.76	3.52	3.28	4.85	16.3	495	
29	7.20		16.8	59.8	16.8	5.19	3.68	3.52	3.28	4.51	13.6	335	
30	6.95		17.3	67.5	15.4	5.19	3.68	3.52	3.20	4.51	11.9	122	
31	6.95		17.3		14.1		3.68	3.52		4.51		74.2	
SD1	6.40	6.85	26.8	26.2	71.8	11.1	4.65	3.62	3.50	3.20	3.87	15.4	
SD2	26.7	12.0	24.9	83.7	39.6	6.68	3.94	3.52	3.44	4.61	23.6	273	
SD3	8.65	20.2	13.0	61.8	20.3	5.38	3.75	3.52	3.35	5.13	37.1	166	
MAX	46.9	77.6	54.6	352	112	16.8	5.70	3.68	3.52	21.3	258	843	
DAT	14	23	6	17	5	1	1	1	1	17	20	17	
SR	13.7	12.5	21.3	57.2	43.2	7.72	4.10	3.55	3.43	4.34	21.5	152	
MIN	5.36	5.53	9.52	18.3	14.1	5.19	3.68	3.52	3.20	3.06	3.68	8.53	
DAT	7	20	25	1	31	29	29	10	30	11	9	4	
GMIN =			3.06	SRGOD=			28.9	GMAX =			843		
DATUM			11 10					DATUM			17 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2000

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
 Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	66.7	6.70	8.20	51.7	42.2	6.70	5.02	3.84	119	5.02	3.84	24.0	
2	53.2	6.20	12.4	65.9	38.2	6.45	5.02	3.84	31.9	5.02	3.84	20.7	
3	43.5	6.20	18.7	60.5	35.7	6.45	5.02	3.76	12.4	7.20	15.8	19.2	
4	36.3	5.70	13.2	71.7	33.8	6.45	4.85	3.68	11.5	10.5	16.8	17.3	
5	31.3	5.36	13.2	229	30.8	6.20	4.85	3.68	19.7	11.5	14.1	15.8	
6	27.3	5.36	12.4	310	27.9	6.20	4.85	3.68	24.0	10.5	83.5	14.5	
7	24.0	5.02	11.5	173	25.7	6.20	4.68	3.60	20.7	9.52	68.4	12.8	
8	20.7	5.02	11.5	121	23.5	6.20	4.68	3.60	18.7	8.53	66.7	11.9	
9	18.3	4.68	11.5	83.5	22.4	6.20	4.68	3.60	17.8	7.95	166	11.5	
10	15.8	4.68	11.5	64.4	21.8	5.95	4.68	3.52	17.3	6.70	133	11.2	
11	14.1	4.68	11.2	53.2	20.2	5.95	4.51	3.52	16.8	6.20	85.5	11.2	
12	13.2	4.34	13.2	45.5	19.7	5.95	4.51	3.52	15.8	5.70	62.1	11.5	
13	12.4	4.34	15.8	44.1	18.7	5.95	4.51	3.52	14.9	5.36	47.6	11.2	
14	11.9	4.34	15.8	48.9	17.8	5.95	4.51	3.52	14.5	5.02	36.9	11.2	
15	11.9	4.34	15.8	55.3	15.4	5.95	4.85	3.52	13.6	5.02	30.8	11.2	
16	11.5	4.34	16.8	60.5	13.2	5.70	6.95	3.44	12.4	4.68	26.8	10.8	
17	11.5	11.5	14.9	65.2	12.8	5.70	6.45	3.44	11.5	4.34	23.5	12.4	
18	10.8	14.1	13.6	68.4	12.4	5.70	5.70	3.44	10.2	4.34	20.7	13.6	
19	10.8	11.5	11.9	70.0	11.9	5.70	5.02	3.44	12.4	4.00	19.2	12.8	
20	10.5	10.8	11.5	73.3	11.5	5.70	5.02	3.44	14.1	4.00	19.7	11.9	
21	10.2	10.5	11.5	77.6	10.8	5.70	4.68	3.44	11.2	3.92	40.8	11.5	
22	9.52	10.2	11.5	76.7	10.5	5.36	4.68	3.44	12.4	3.92	44.8	11.2	
23	8.86	10.2	11.2	71.7	10.2	5.36	4.51	3.36	13.2	3.92	38.2	11.2	
24	8.86	9.85	11.2	67.5	9.85	5.36	4.34	3.36	10.5	3.84	33.2	10.8	
25	8.20	9.52	11.2	62.8	9.52	5.36	4.34	3.36	8.86	3.84	29.0	10.5	
26	8.20	9.52	10.8	53.9	8.86	5.36	4.34	3.36	7.70	3.84	26.8	10.2	
27	7.95	8.86	14.9	47.6	8.53	5.19	4.17	3.36	6.45	3.84	26.8	15.8	
28	7.70	8.53	26.8	42.8	8.20	5.19	4.17	3.36	5.70	3.84	31.9	140	
29	7.20	8.20	31.9	41.5	7.70	5.19	4.00	3.36	5.02	3.84	33.2	495	
30	7.20		39.5	41.5	7.20	5.19	4.00	3.36	5.02	3.84	29.6	419	
31	6.70		56.8		6.70		3.92	3.36		3.84		234	
SD1	33.7	5.49	12.4	123	30.2	6.30	4.83	3.68	29.3	8.24	57.2	15.9	
SD2	11.9	7.43	14.1	58.4	15.4	5.83	5.20	3.48	13.6	4.87	37.3	11.8	
SD3	8.24	9.49	21.6	58.4	8.91	5.33	4.29	3.37	8.60	3.86	33.4	124	
MAX	78.4	19.2	61.3	378	44.1	6.95	7.45	3.84	264	14.1	218	685	
DAT	1	17	31	5	1	1	16	1	1	4	8	28	
SR	17.6	7.40	16.2	80.0	17.9	5.82	4.76	3.51	17.2	5.60	42.6	53.1	
MIN	6.70	4.34	8.20	41.5	6.70	5.19	3.92	3.36	5.02	3.84	3.84	10.2	
DAT	31	12	1	29	31	27	31	23	29	24	1	26	
GMIN =			3.36	SRGOD=			22.6	GMAX =			685		
DATUM			23 8					DATUM			28 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2001

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
 Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	67.5	67.5	18.7	35.0	53.2	15.4	7.70	4.34	3.60	15.4	5.19	54.6	
2	51.7	50.3	18.3	31.3	51.0	15.4	7.70	4.34	3.52	14.5	5.19	43.5	
3	44.8	41.5	57.5	28.5	49.6	15.4	7.70	4.34	3.52	12.8	5.19	36.3	
4	38.2	34.4	138	26.2	46.2	57.5	7.20	4.34	3.44	12.4	5.02	31.3	
5	32.5	27.3	143	24.6	42.8	59.0	6.70	4.34	5.70	11.9	5.02	27.9	
6	31.3	29.6	144	24.0	40.2	44.1	6.70	4.34	6.20	11.9	5.02	24.6	
7	26.8	28.5	115	22.9	38.9	35.0	6.70	4.34	5.53	11.5	4.85	22.4	
8	26.2	27.3	81.8	21.3	41.5	29.6	6.45	4.17	4.85	11.2	4.85	19.7	
9	37.6	25.7	63.6	25.1	41.5	25.1	6.45	4.17	4.68	11.2	6.70	17.8	
10	33.2	24.0	53.9	26.2	39.5	21.8	6.20	4.17	8.20	10.8	46.2	16.3	
11	29.0	22.4	46.9	24.6	36.9	19.2	6.20	4.17	14.5	10.5	50.3	14.9	
12	27.9	21.3	43.5	22.4	34.4	17.8	6.20	4.17	8.53	10.2	44.8	14.1	
13	26.2	20.2	42.2	28.5	30.8	16.3	5.70	4.00	6.95	9.85	155	13.2	
14	25.1	19.2	44.8	28.5	27.9	15.8	5.70	4.00	6.20	9.85	229	12.4	
15	24.6	17.8	45.5	27.9	25.7	15.4	5.53	3.92	5.95	9.52	149	11.9	
16	21.3	16.8	43.5	25.7	24.0	15.4	5.53	3.92	7.95	9.19	92.5	11.9	
17	20.7	15.8	41.5	38.2	23.5	14.9	5.19	3.92	12.4	9.19	64.4	11.5	
18	20.2	15.4	42.8	76.7	22.9	14.1	5.02	3.92	44.8	9.19	51.0	10.8	
19	17.8	13.6	46.2	64.4	22.4	13.6	4.85	3.92	48.3	8.86	46.2	10.2	
20	11.9	13.6	46.9	68.4	21.3	12.8	4.85	3.92	30.8	7.95	44.1	9.19	
21	14.1	13.2	44.1	121	19.7	12.4	4.85	3.92	21.8	7.70	38.2	8.53	
22	14.1	12.4	43.5	138	18.7	11.5	4.85	3.92	17.8	7.45	34.4	8.20	
23	13.6	12.4	56.1	109	18.7	11.2	4.85	3.76	14.9	7.20	34.4	7.95	
24	13.6	16.8	56.8	84.5	18.3	10.8	4.85	3.76	12.8	6.95	34.4	7.70	
25	14.1	25.1	55.3	71.7	17.8	10.5	5.95	3.76	14.5	6.70	30.2	7.70	
26	27.3	25.7	59.0	66.7	18.7	9.85	6.70	3.76	14.1	6.70	27.9	7.45	
27	90.5	24.0	60.5	65.2	17.3	9.52	5.95	3.68	24.0	6.45	25.1	7.45	
28	121	21.3	56.1	62.8	16.8	9.19	5.53	3.68	22.9	6.20	68.4	7.45	
29	194		48.9	58.3	15.8	8.86	5.02	3.68	19.7	5.95	108	7.45	
30	164		44.1	55.3	15.4	8.53	4.68	3.68	16.8	5.53	72.5	14.1	
31	106		39.5		16.8		4.68	3.60		5.36		27.3	
SD1	39.0	35.6	83.4	26.5	44.4	31.8	6.95	4.29	4.92	12.4	9.32	29.4	
SD2	22.5	17.6	44.4	40.5	27.0	15.5	5.48	3.99	18.6	9.43	92.6	12.0	
SD3	70.2	18.9	51.3	83.3	17.6	10.2	5.26	3.75	17.9	6.56	47.3	10.1	
MAX	216	83.5	150	150	53.9	76.7	8.20	4.34	59.0	15.8	320	62.1	
DAT	29	1	6	21	1	4	1	1	19	1	14	1	
SR	44.7	24.4	59.4	50.1	29.3	19.2	5.88	4.00	13.8	9.36	49.8	17.0	
MIN	11.9	12.4	18.3	21.3	15.4	8.53	4.68	3.60	3.44	5.36	4.85	7.45	
DAT	20	22	2	8	30	30	30	31	4	31	7	26	
GMIN =			3.44	SRGOD=			27.2	GMAX =			320		
DATUM			4 9					DATUM			14 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2002

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
 Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	19.7	8.53	13.6	15.8	21.3	10.2	5.19	5.02	4.34	42.2	22.9	25.1	
2	13.2	8.86	24.6	15.4	21.3	9.85	5.19	4.85	4.34	39.5	20.7	26.8	
3	10.8	10.2	26.2	15.4	20.7	9.85	5.19	4.68	4.34	33.8	21.8	27.3	
4	9.52	10.8	27.9	15.4	20.7	9.19	5.02	4.68	4.34	29.6	21.8	29.6	
5	8.53	11.9	29.0	15.4	19.7	8.86	5.02	4.68	4.34	25.7	39.5	29.0	
6	11.2	14.5	29.6	15.4	19.7	8.53	5.02	4.68	4.17	22.9	35.7	27.9	
7	7.95	15.8	29.6	15.4	17.3	9.19	4.85	14.1	4.17	21.3	31.9	26.2	
8	7.95	17.8	33.8	12.8	16.3	12.4	4.85	10.8	4.00	19.7	29.0	24.6	
9	7.70	17.3	31.9	12.8	15.8	10.2	4.85	7.95	4.00	17.8	26.8	22.4	
10	7.70	17.3	34.4	12.8	15.8	12.8	4.68	8.86	5.02	18.7	24.6	44.8	
11	7.45	17.3	35.7	15.4	13.2	11.9	4.68	7.45	5.36	136	22.4	19.7	
12	7.20	16.3	31.9	39.5	13.6	10.8	4.68	7.45	4.85	234	20.7	19.2	
13	7.20	15.4	28.5	127	15.8	10.2	4.68	6.70	4.51	177	24.0	17.8	
14	6.70	14.9	25.1	126	13.2	9.52	4.68	6.20	4.34	125	68.4	17.3	
15	6.70	14.5	24.0	88.5	11.5	9.19	4.68	5.70	4.00	85.5	64.4	15.8	
16	6.70	14.5	22.9	70.8	11.5	8.53	4.68	5.36	3.92	65.2	46.2	16.8	
17	6.20	14.1	21.8	65.2	10.2	8.53	4.68	5.36	3.84	53.2	39.5	20.2	
18	5.70	14.9	22.4	59.0	10.2	8.20	4.51	5.19	3.76	44.8	34.4	19.2	
19	5.70	44.8	22.4	53.2	9.52	7.45	4.51	5.02	3.68	38.9	31.9	20.2	
20	5.70	53.2	22.9	45.5	9.52	6.95	4.51	5.02	3.68	34.4	29.0	19.2	
21	5.70	42.2	24.6	41.5	9.52	6.70	4.51	4.68	3.68	30.2	26.8	17.8	
22	5.53	40.8	29.6	36.9	9.52	6.20	4.51	4.34	4.00	26.8	25.1	17.3	
23	5.53	35.0	30.8	34.4	9.19	5.70	4.51	4.34	10.2	30.2	36.9	16.3	
24	5.53	33.2	27.3	28.5	8.53	5.53	4.51	4.34	47.6	39.5	36.3	16.3	
25	5.53	30.2	24.6	27.3	8.53	7.70	4.51	4.34	50.3	54.6	31.3	15.4	
26	5.53	27.3	21.8	25.7	8.53	7.20	4.68	4.34	61.3	45.5	29.0	15.4	
27	5.53	25.1	21.3	24.0	8.20	6.20	4.68	4.34	68.4	38.2	26.8	14.9	
28	5.70	24.0	18.7	27.9	9.19	5.70	4.85	4.34	48.9	33.8	24.6	14.5	
29	5.95		16.8	23.5	11.5	5.53	4.85	4.34	42.2	30.2	22.9	42.2	
30	6.70		16.8	22.9	12.8	5.19	5.02	4.34	40.8	27.3	21.3	59.0	
31	7.70		16.3		10.8		5.19	4.34		24.6		46.2	
SD1	10.4	13.3	28.1	14.7	18.9	10.1	4.99	7.03	4.31	27.1	27.5	28.4	
SD2	6.53	22.0	25.8	69.0	11.8	9.13	4.63	5.95	4.19	99.4	38.1	18.5	
SD3	5.90	32.2	22.6	29.3	9.66	6.16	4.71	4.37	37.7	34.6	28.1	25.0	
MAX	21.8	53.9	42.8	133	21.8	14.5	5.36	39.5	75.0	267	71.7	70.8	
DAT	1	19	10	13	1	10	30	7	27	12	14	29	
SR	7.56	21.8	25.4	37.6	13.3	8.47	4.77	5.74	15.4	53.1	31.2	24.0	
MIN	5.53	8.53	13.6	12.8	8.20	5.19	4.51	4.34	3.68	17.8	20.7	14.5	
DAT	22	1	1	8	27	30	18	22	19	9	2	28	
		GMIN = 3.68			SRGOD= 20.7			GMAX = 267					
		DATUM 19 9						DATUM 12 10					

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2003

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
 Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	48.3	18.3	13.6	40.2	68.4	18.3	6.20	3.68	3.20	3.68	147	90.5	
2	46.2	17.3	14.1	35.0	80.1	17.3	5.53	3.76	3.20	3.68	246	73.3	
3	41.5	16.8	14.9	35.0	83.5	16.8	5.53	3.68	3.20	3.68	275	61.3	
4	56.1	17.3	15.4	35.0	80.1	16.3	5.53	3.68	3.20	3.52	178	53.2	
5	59.0	59.0	15.8	35.0	81.8	15.8	5.19	3.68	3.20	26.8	130	46.2	
6	55.3	46.9	17.8	34.4	76.7	14.9	5.70	3.68	3.20	95.6	100	40.2	
7	75.0	34.4	18.7	31.3	73.3	14.1	5.53	3.60	3.20	61.3	80.1	36.3	
8	133	29.0	19.7	29.0	70.0	13.2	5.19	3.60	3.20	41.5	67.5	31.9	
9	104	24.6	20.7	27.9	65.9	11.5	4.85	3.60	3.36	85.5	56.8	27.3	
10	192	22.4	21.8	30.8	61.3	10.8	4.85	3.44	10.8	67.5	51.0	25.7	
11	149	20.2	24.6	76.7	55.3	10.2	4.68	3.44	10.2	51.7	44.8	22.4	
12	97.7	18.7	27.9	110	51.7	9.19	4.68	3.36	6.45	40.2	41.5	21.3	
13	71.7	17.3	29.0	88.5	47.6	8.86	4.34	3.36	6.20	35.0	39.5	21.3	
14	56.8	16.8	29.0	77.6	43.5	8.53	4.68	3.36	5.70	29.0	35.7	19.7	
15	47.6	16.3	27.9	65.2	38.2	8.20	4.34	3.36	5.53	22.9	33.8	19.2	
16	40.8	16.3	26.8	61.3	34.4	8.53	4.34	3.36	5.36	18.3	26.8	18.3	
17	35.7	16.3	25.7	62.8	30.2	7.95	4.34	3.36	4.68	17.3	22.9	16.8	
18	31.9	15.8	24.6	66.7	27.3	7.45	4.17	3.36	4.34	16.3	26.2	14.9	
19	29.6	15.8	24.6	62.8	23.5	8.86	4.17	3.36	4.34	14.9	22.9	14.9	
20	27.3	15.8	23.5	59.0	22.4	9.85	4.00	3.36	4.00	19.2	21.8	13.2	
21	25.1	14.5	22.9	53.9	21.3	8.20	4.00	3.20	3.92	149	20.2	13.2	
22	24.6	14.5	22.9	53.2	21.8	7.95	4.00	3.20	3.92	166	19.2	17.3	
23	26.8	14.5	21.3	45.5	24.6	7.45	3.84	3.20	3.76	301	17.3	36.9	
24	25.1	14.1	21.3	43.5	29.0	7.20	3.84	3.20	3.76	270	15.8	31.9	
25	23.5	14.1	21.3	42.2	27.9	6.70	3.84	3.20	3.68	153	16.8	26.8	
26	21.8	14.1	21.8	38.2	25.1	6.20	3.84	3.20	3.68	101	22.9	25.1	
27	20.7	14.1	23.5	40.2	25.1	6.45	3.68	3.20	3.68	127	55.3	24.6	
28	19.7	13.6	26.2	40.8	23.5	6.45	3.68	3.20	3.68	136	80.1	22.9	
29	19.7		30.2	48.9	22.4	6.20	3.68	3.20	3.60	104	129	21.8	
30	19.7		35.7	56.8	20.7	6.20	3.68	3.20	3.68	177	104	26.8	
31	18.7		39.5		19.2		3.68	3.20		218		30.8	
SD1	81.0	28.6	17.3	33.4	74.1	14.9	5.41	3.64	3.98	39.3	133	48.6	
SD2	58.8	16.9	26.4	73.1	37.4	8.76	4.37	3.37	5.68	26.5	31.6	18.2	
SD3	22.3	14.2	26.1	46.3	23.7	6.90	3.80	3.20	3.74	173	48.1	25.3	
MAX	211	76.7	39.5	126	86.5	18.3	7.70	3.76	32.5	414	446	104	
DAT	10	5	31	12	3	1	1	2	10	23	3	1	
SR	53.0	20.3	23.3	50.9	44.4	10.2	4.50	3.40	4.46	82.6	70.9	30.5	
MIN	18.7	13.6	13.6	27.9	19.2	6.20	3.68	3.20	3.20	3.52	15.8	13.2	
DAT	31	28	1	9	31	26	27	21	1	4	24	20	
GMIN =			3.20	SRGOD=			33.3	GMAX =			446		
DATUM			21 8					DATUM			3 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2004

Broj : 45970 Stanica : BISTRICA Kota "0" = 736.00
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 79.20
 Pocetak rada: 1960 Sliv : DRINE Pov.sliva = 780.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	17.8	28.5	119	61.3	66.7	40.2	14.9	7.20	4.85	5.95	12.4	108
2	17.3	25.7	84.5	60.5	65.2	38.2	14.9	7.20	4.85	5.95	12.4	343
3	16.3	24.0	68.4	60.5	65.9	35.7	14.5	7.20	4.85	5.70	11.9	453
4	15.4	22.4	57.5	59.8	65.9	36.3	14.5	6.95	4.85	5.70	11.9	359
5	14.5	21.3	49.6	66.7	93.5	39.5	14.1	6.95	4.85	5.70	11.9	242
6	13.6	21.3	43.5	74.2	132	42.8	14.1	6.70	4.85	5.53	11.5	171
7	13.2	21.8	38.9	96.7	247	46.9	14.1	6.70	4.68	5.53	11.5	125
8	12.8	23.5	38.9	221	218	46.2	13.6	6.45	4.68	5.53	11.2	94.6
9	12.4	26.8	38.2	240	187	44.1	13.2	6.45	4.68	5.36	11.2	74.2
10	12.4	26.8	35.0	217	144	41.5	12.4	6.20	4.68	5.36	10.8	63.6
11	12.4	25.1	31.9	208	116	40.2	11.5	6.20	4.68	15.4	10.8	54.6
12	11.9	24.0	30.2	221	93.5	36.9	11.2	6.20	4.68	11.5	14.5	46.2
13	11.5	21.3	29.0	219	80.9	35.0	10.8	5.95	4.68	8.86	40.8	40.2
14	11.5	20.2	29.0	184	75.0	33.2	10.8	5.95	4.68	8.20	164	35.7
15	25.1	18.7	30.8	153	70.0	30.8	10.5	5.70	4.68	17.8	102	31.3
16	63.6	17.8	34.4	119	62.8	28.5	10.2	5.70	4.68	25.1	66.7	28.5
17	44.8	16.8	39.5	102	58.3	26.8	9.52	5.70	4.68	51.7	59.0	26.8
18	47.6	16.3	43.5	96.7	53.2	30.8	8.86	5.53	4.68	75.0	43.5	35.7
19	95.6	15.8	48.3	96.7	48.9	24.0	8.20	5.53	4.51	49.6	44.1	61.3
20	265	15.4	53.9	97.7	46.2	22.4	7.95	5.36	4.51	42.2	63.6	48.9
21	169	14.9	58.3	92.5	45.5	21.3	7.70	5.36	4.51	35.0	53.9	42.2
22	101	15.4	63.6	80.9	47.6	21.8	7.70	5.36	4.51	29.6	46.2	36.9
23	71.7	24.0	83.5	75.8	46.2	19.7	7.70	5.19	4.51	25.7	41.5	32.5
24	54.6	44.1	130	74.2	49.6	18.7	7.70	5.02	4.51	22.9	38.2	29.6
25	46.2	51.7	117	75.0	44.8	17.8	7.45	5.02	11.2	20.2	34.4	27.3
26	39.5	76.7	91.5	73.3	40.8	16.8	7.45	5.02	9.85	18.7	31.3	26.2
27	35.0	343	79.3	73.3	38.2	16.3	7.45	5.02	9.19	17.3	29.6	87.5
28	38.9	289	71.7	70.0	37.6	15.8	7.45	5.02	7.95	15.8	29.0	136
29	48.9	170	65.2	65.2	39.5	15.4	7.45	5.02	6.95	14.9	28.5	104
30	38.2		62.1	66.7	42.8	15.4	7.20	5.02	6.45	14.1	34.4	78.4
31	31.9		59.0		41.5		7.20	5.02		12.8		62.8
SD1	14.6	24.2	57.3	116	129	41.1	14.0	6.80	4.78	5.63	11.7	203
SD2	58.9	19.1	37.0	150	70.5	30.9	9.95	5.78	4.65	30.5	60.9	40.9
SD3	61.4	114	80.1	74.7	43.1	17.9	7.50	5.10	6.96	20.6	36.7	60.3
MAX	316	15.8	138	250	284	47.6	15.4	7.20	31.9	136	213	597
DAT	20	27	24	10	7	7	1	1	25	18	15	2
SR	45.5	50.4	58.9	113	79.5	30.0	10.4	5.87	5.46	19.0	36.4	100
MIN	11.5	14.9	29.0	59.8	37.6	15.4	7.20	5.02	4.51	5.36	10.8	26.2
DAT	13	21	13	4	28	29	30	24	19	9	10	26
		GMIN = 4.51			SRGOD= 46.2			GMAX = 597				
		DATUM 19 9						DATUM 2 12				