

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1959

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	2.14	.668	.417	2.35	7.16	19.6	9.44	2.35	2.14	.668	4.30	2.35	
2	1.93	.668	.417	4.30	7.92	14.7	10.2	1.93	1.72	.668	3.40	4.90	
3	1.72	.589	.448	2.98	5.20	12.0	9.82	1.72	1.72	.668	2.77	5.20	
4	1.51	.589	.448	2.35	4.00	11.6	9.44	1.93	1.30	.589	2.77	4.60	
5	1.30	.589	.479	2.35	3.40	11.1	9.06	1.30	1.51	.589	2.77	3.40	
6	1.30	.589	.668	2.14	4.30	10.6	8.68	1.22	2.77	.479	2.35	2.14	
7	1.30	.589	.905	2.35	4.90	9.82	8.68	1.22	8.68	.448	2.35	1.93	
8	1.22	.510	1.93	2.77	5.20	10.6	6.78	1.22	6.78	.448	2.56	2.14	
9	1.22	.510	2.35	2.98	6.78	10.6	6.40	1.22	3.70	.417	1.93	2.14	
10	1.22	.479	2.56	7.16	7.16	11.6	6.40	1.22	2.56	.417	1.72	2.14	
11	1.14	.479	2.56	9.06	7.92	11.6	6.40	1.22	1.93	.417	1.51	2.14	
12	.984	.479	2.56	5.80	9.06	15.7	6.40	1.22	1.72	.417	1.30	2.14	
13	.905	.479	2.56	4.60	9.44	13.3	6.10	2.56	1.51	.417	1.30	5.20	
14	.668	.479	2.14	5.50	9.44	11.6	5.80	2.56	1.30	.417	1.30	6.40	
15	.984	.448	1.72	5.20	9.06	9.82	4.90	1.51	1.22	.417	1.30	6.40	
16	1.72	.448	1.51	5.20	9.06	9.06	4.90	1.22	1.14	.386	1.72	3.70	
17	1.30	.448	1.22	5.20	8.30	7.54	4.90	1.06	.984	.386	1.72	3.40	
18	1.22	.448	1.14	5.20	8.30	9.06	4.30	2.35	.905	.417	1.72	3.40	
19	1.14	.448	1.14	5.80	8.30	11.6	4.30	5.50	.826	.386	1.72	2.77	
20	1.06	.448	1.14	3.40	7.92	11.6	4.00	5.20	.826	.386	1.51	1.72	
21	1.06	.417	.984	3.19	11.6	10.6	3.40	2.98	.668	.386	1.72	1.72	
22	.984	.417	1.14	2.77	12.0	10.6	3.40	1.93	.668	.386	1.30	1.51	
23	.905	.417	1.22	2.35	12.9	9.82	2.77	1.72	.668	.386	1.51	1.51	
24	.905	.417	1.30	2.14	10.2	9.06	2.77	1.72	.668	.355	1.14	1.30	
25	.905	.417	1.72	1.72	11.1	8.30	2.56	1.22	.668	.355	1.14	2.98	
26	.826	.417	1.93	1.72	10.2	8.30	2.35	1.22	.668	.355	1.14	2.14	
27	.826	.417	1.93	1.72	10.2	9.06	2.14	.984	.984	.355	1.14	1.72	
28	.747	.417	1.93	1.72	9.44	13.8	2.14	1.06	.905	.355	1.14	2.14	
29	.747		1.72	1.30	9.44	12.0	2.14	1.06	.747	.417	1.14	2.14	
30	.668		1.93	2.14	10.2	10.2	1.93	1.06	.668	4.90	1.14	2.14	
31	.668		1.93		20.8		2.14	1.14		.293		2.14	
SD1	1.49	.578	1.06	3.17	5.60	12.2	8.49	1.53	3.29	.539	2.69	3.09	
SD2	1.11	.460	1.77	5.50	8.68	11.1	5.20	2.44	1.24	.405	1.51	3.73	
SD3	.840	.417	1.61	2.08	11.6	10.2	2.52	1.46	.731	.777	1.25	1.95	
MAX	2.14	.668	2.56	9.06	20.8	19.6	10.2	5.50	8.68	4.90	4.30	6.40	
DAT	1	1	10	11	31	1	2	19	7	30	1	14	
SR	1.14	.490	1.49	3.58	8.74	11.2	5.31	1.80	1.75	.580	1.82	2.89	
MIN	.668	.417	.417	1.30	3.40	7.54	1.93	.984	.668	.293	1.14	1.30	
DAT	14	21	1	29	5	17	30	27	21	31	24	24	
		GMIN = .293		SRGOD= 3.41		GMAX = 20.8							
		DATUM 31 10				DATUM 31 5							

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1960

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	2.56	.355	3.70	8.68	4.16	12.6	8.30	3.40	3.40	2.56	4.96	2.56	
2	2.14	.355	3.19	7.16	3.95	12.6	8.30	3.40	3.40	2.56	4.96	2.56	
3	1.72	.355	2.77	5.80	3.52	11.8	8.30	3.19	3.40	2.56	10.3	2.56	
4	1.14	.324	2.77	5.50	3.52	11.8	8.30	3.40	3.40	2.14	11.8	2.14	
5	.905	.324	2.56	4.90	3.52	11.8	8.30	3.40	3.40	1.51	13.4	2.14	
6	.826	.324	2.56	4.30	3.52	11.8	10.2	2.56	3.40	1.14	13.9	1.72	
7	.826	.262	2.14	3.70	3.52	11.8	10.6	3.40	3.19	2.14	65.2	1.72	
8	.668	.262	1.72	3.70	3.52	11.8	10.6	3.19	3.19	2.56	44.3	1.72	
9	.589	.262	1.51	4.30	3.95	12.6	10.6	3.19	2.77	3.40	42.6	4.90	
10	.589	.262	1.30	4.90	3.95	13.0	10.6	3.19	1.14	19.1	40.4	6.10	
11	.589	.262	1.30	5.80	5.14	14.5	10.2	3.19	1.14	25.7	36.4	7.54	
12	.589	.262	1.30	7.54	5.41	15.3	10.2	2.98	1.14	19.1	34.8	9.44	
13	.589	.355	1.14	8.30	7.32	14.5	10.2	2.98	.984	13.8	33.1	5.20	
14	.510	.386	1.14	11.6	9.55	14.5	10.2	2.77	.905	19.1	34.8	3.70	
15	.479	.417	1.14	14.3	13.0	14.5	10.2	2.77	.826	24.5	32.0	3.19	
16	.479	.826	1.14	13.3	13.7	14.5	6.40	2.56	.826	25.7	29.2	2.56	
17	.448	.826	1.51	11.6	18.5	14.5	6.40	2.56	.826	32.2	22.0	3.19	
18	.448	4.30	2.56	11.6	18.5	14.5	6.40	2.56	.826	32.2	21.0	3.19	
19	.417	13.3	2.56	11.6	18.5	14.5	5.80	2.77	.826	32.2	16.3	10.2	
20	.417	37.4	2.14	10.6	18.5	14.5	5.80	2.77	.826	19.1	6.45	9.44	
21	.386	27.7	2.14	10.2	18.5	13.7	5.80	3.19	.826	19.1	6.45	10.2	
22	.386	19.6	1.72	9.44	15.4	13.7	5.80	3.19	.984	16.2	6.12	7.92	
23	.355	13.3	1.51	9.44	15.4	13.0	6.40	3.19	.984	15.7	6.12	7.16	
24	.355	12.0	1.51	8.68	15.4	11.8	7.16	3.19	.984	13.8	3.16	5.20	
25	.355	9.44	1.30	7.54	13.7	8.50	7.16	3.19	1.14	13.8	1.11	4.30	
26	.355	7.92	1.14	7.16	12.3	8.50	7.16	3.40	1.30	12.0	1.11	3.40	
27	.355	5.80	2.56	5.80	11.6	7.57	7.16	3.40	1.51	10.6	1.29	3.40	
28	.355	4.90	6.10	7.54	12.3	6.05	5.80	3.40	1.72	10.2	1.83	2.77	
29	.355	4.30	9.44	7.54	13.4	6.05	4.90	4.00	2.56	7.54	2.19	2.14	
30	.355		9.44	5.80	11.3	6.66	3.40	4.90	2.56	5.80	2.73	1.72	
31	.355		9.44		11.3		3.40	4.90		2.56		1.30	
SD1	1.20	.309	2.42	5.29	3.71	12.1	9.41	3.23	3.07	3.97	25.2	2.81	
SD2	.496	5.83	1.59	10.6	12.8	14.6	8.18	2.79	.913	24.4	26.6	5.76	
SD3	.361	11.7	4.21	7.91	13.7	9.55	5.83	3.63	1.46	11.6	3.21	4.50	
MAX	2.56	37.4	9.44	14.3	18.5	15.3	10.6	4.90	3.40	32.2	65.2	10.2	
DAT	1	21	29	15	17	12	7	30	1	17	7	21	
SR	.674	5.74	2.79	7.94	10.2	12.1	7.74	3.23	1.81	13.2	18.3	4.36	
MIN	.355	.262	1.14	3.70	3.52	6.05	3.40	2.56	.826	1.14	1.11	1.30	
DAT	23	7	13	7	3	28	30	6	15	6	25	31	
GMIN =			.262	SRGOD=			7.32	GMAX =			65.2		
DATUM			7 2					DATUM			7 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1961

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.72	.479	.417	.905	9.06	18.6	5.50	1.14	.479	.231	1.51	18.6
2	1.72	.479	.386	.905	8.68	17.6	5.50	.984	.448	.231	1.72	10.2
3	3.19	.448	.386	1.14	7.16	14.3	4.60	.984	.448	.231	1.22	8.30
4	1.30	.448	.386	1.51	6.78	12.9	4.60	.905	.417	.231	1.22	6.78
5	1.22	.448	.386	1.72	7.16	8.68	3.40	.905	.417	.231	1.14	6.10
6	1.14	.448	.386	2.98	7.54	7.92	3.19	.905	.386	.231	19.6	4.00
7	1.72	.417	.386	2.98	9.82	8.68	2.98	.905	.386	.231	19.6	4.00
8	1.51	.417	.417	4.00	11.1	9.82	3.19	.826	.386	.231	6.40	3.70
9	1.22	.386	.386	5.80	12.9	12.0	2.98	.905	.386	.231	5.80	3.40
10	1.51	.386	.417	5.80	14.7	9.82	2.98	.905	.386	.231	7.54	2.98
11	1.14	.386	.417	4.30	9.44	15.7	2.77	.984	.386	.231	13.8	2.77
12	1.06	.386	.589	3.70	7.92	14.7	2.77	.905	.355	.231	19.6	2.35
13	.747	.386	.747	3.70	6.78	9.82	2.98	.826	.355	.231	14.3	2.35
14	1.06	.386	.905	3.70	5.80	9.44	3.70	.826	.324	.231	19.6	2.14
15	.984	.386	.905	4.90	6.10	8.68	2.98	.905	.324	.231	19.6	2.14
16	.984	.386	.826	5.20	6.78	9.06	2.77	.984	.324	.231	18.6	1.93
17	.905	.386	.905	7.16	10.2	8.68	2.35	1.72	.324	.231	17.6	1.72
18	.905	.355	.905	7.92	17.6	8.68	1.93	1.14	.324	.324	10.6	1.30
19	.905	.355	.905	8.68	14.7	9.06	1.30	.905	.324	15.2	7.16	1.22
20	.826	.355	1.22	7.92	16.7	9.44	1.30	.747	.324	17.6	5.50	1.14
21	.826	.355	1.22	6.10	14.7	11.6	1.30	.668	.293	4.60	4.30	1.14
22	.747	.355	1.22	5.50	11.6	10.6	1.51	.589	.293	4.00	3.70	.417
23	.668	.355	1.22	5.50	10.2	9.06	1.51	.589	.293	3.70	2.77	.417
24	.668	.355	1.06	6.10	9.06	8.30	1.51	.589	.293	2.14	2.35	.905
25	.668	.355	.984	6.78	8.68	7.92	1.30	.589	.262	1.30	2.14	.905
26	.668	.386	.984	5.50	9.44	7.16	1.22	.510	.262	1.14	3.70	.905
27	.510	.386	.984	5.50	8.68	6.78	1.14	.479	.262	1.06	2.77	.905
28	.668	.417	.905	5.80	9.06	7.54	1.14	.479	.262	.984	3.70	.984
29	.510		.905	6.10	12.0	6.40	1.14	.479	.262	.747	8.30	.905
30	.479		.826	7.16	19.6	5.80	1.22	.479	.262	.747	7.54	.905
31	.479		.826		19.1		3.19	.479		.747		.984
SD1	1.63	.436	.395	2.77	9.49	12.0	3.89	.936	.414	.231	6.57	6.81
SD2	.952	.377	.832	5.72	10.2	10.3	2.49	.994	.336	3.47	14.6	1.91
SD3	.626	.370	1.01	6.00	12.0	8.12	1.47	.539	.274	1.92	4.13	.852
MAX	3.19	.479	1.22	8.68	19.6	18.6	5.50	1.72	.479	17.6	19.6	18.6
DAT	3	1	20	19	30	1	1	17	1	20	6	1
SR	1.05	.396	.755	4.83	10.6	10.2	2.58	.814	.342	1.88	8.45	3.11
MIN	.479	.355	.386	.905	5.80	5.80	1.14	.479	.262	.231	1.14	.417
DAT	30	18	2	1	14	30	27	27	25	1	5	22
GMIN =		.231		SRGOD=		3.75		GMAX =		19.6		
DATUM		1 10						DATUM		30 5		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1962

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.984	.479	.448	6.40	4.90	19.1	9.44	2.14	.510	.984	19.6	3.70
2	1.14	.479	.448	12.9	4.60	19.1	8.68	2.14	.479	.826	14.7	2.98
3	1.22	.448	.448	7.54	4.00	19.1	7.92	1.72	.479	.747	9.06	2.77
4	1.51	.448	.479	5.50	3.70	18.6	7.16	1.51	.479	.668	19.1	2.56
5	1.22	.417	2.35	5.20	4.00	17.1	7.16	1.30	.448	.510	4.60	2.14
6	1.22	.417	10.2	6.10	4.00	14.7	6.78	1.30	.448	.479	4.60	1.93
7	1.14	.417	9.44	4.90	5.80	9.82	7.54	1.30	.448	.479	4.30	1.51
8	.984	.417	6.10	3.40	6.10	8.68	8.30	1.30	.510	.448	4.30	1.51
9	.984	.417	3.70	3.19	12.0	6.10	7.92	1.30	.668	.417	3.40	1.30
10	.905	.417	2.56	2.98	17.6	6.10	6.78	1.30	.510	.417	17.6	1.22
11	.826	.386	2.35	2.77	19.1	5.50	6.78	1.72	.479	.386	9.44	1.14
12	.826	.386	3.40	2.77	19.6	4.30	7.16	1.22	.448	.355	14.7	1.14
13	.826	.386	2.56	2.56	22.7	4.00	7.92	1.14	.448	.324	10.2	1.06
14	.826	.826	2.35	2.35	36.8	5.50	6.78	1.06	.448	.324	7.16	1.30
15	.905	.589	1.72	2.35	55.2	1.93	5.50	1.06	.417	.324	5.80	2.14
16	.905	.479	1.51	2.14	42.0	3.40	5.50	1.14	.386	4.60	11.1	1.72
17	.984	.479	1.30	2.35	32.2	4.60	5.80	1.06	.386	13.3	10.2	11.1
18	.905	.479	1.14	2.56	19.1	5.80	5.20	.905	.355	3.40	6.78	2.98
19	.905	.479	1.06	3.19	18.6	7.54	5.50	.747	.448	2.98	9.44	2.14
20	.826	.448	1.06	5.50	18.1	12.0	4.00	.905	.905	4.90	23.3	1.72
21	.826	.479	.984	6.10	19.1	14.7	3.19	.826	.905	3.70	27.0	1.51
22	.826	.448	1.14	6.78	19.6	15.7	3.70	.747	.747	2.77	19.6	1.30
23	.747	.417	1.22	5.80	25.1	14.3	3.70	.668	.668	1.51	10.2	1.51
24	.747	.417	1.30	7.16	21.4	15.2	3.70	.668	.589	.589	8.30	1.22
25	.668	.417	1.51	7.16	19.1	18.6	3.19	.589	.479	1.22	7.92	1.06
26	.589	.417	4.00	7.92	18.6	19.1	2.77	.668	.417	1.06	7.16	.984
27	.668	.417	2.77	8.30	18.1	19.6	2.56	.589	1.93	.826	4.90	.905
28	.589	.386	2.35	10.6	18.6	15.7	2.35	.589	2.56	.826	4.30	.905
29	.510		1.93	8.68	19.6	14.7	2.98	.589	3.19	.747	3.70	.905
30	.510		1.51	5.80	20.8	14.7	2.98	.589	1.51	.668	4.60	.905
31	.479		1.30		20.2		2.56	.589		1.06		7.92
SD1	1.13	.436	3.62	5.81	6.67	13.8	7.77	1.53	.498	.597	10.1	2.16
SD2	.873	.494	1.84	2.85	28.3	5.46	6.01	1.10	.472	3.09	10.8	2.64
SD3	.651	.425	1.82	7.43	20.0	16.2	3.06	.646	1.30	1.36	9.77	1.74
MAX	1.51	.826	10.2	12.9	55.2	19.6	9.44	2.14	3.19	13.3	27.0	11.1
DAT	4	14	6	2	15	27	1	1	29	17	21	17
SR	.877	.453	2.41	5.36	18.4	11.8	5.53	1.08	.756	1.67	10.2	2.17
MIN	.479	.386	.448	2.14	3.70	1.93	2.35	.589	.355	.324	3.40	.905
DAT	31	11	1	16	4	15	28	25	18	13	9	27
GMIN =		.324		SRGOD=		5.08		GMAX =		55.2		
DATUM		13 10						DATUM		15 5		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1963

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	5.80	.905	.668	1.06	5.80	20.2	11.1	5.50	6.10	.668	.386	1.30
2	4.60	.905	.589	1.06	7.92	19.6	11.1	5.80	3.40	.589	.355	1.14
3	3.40	.984	.589	.984	14.3	17.6	10.2	5.50	2.14	.510	.355	1.06
4	8.30	1.06	.510	.905	16.2	18.6	7.92	5.20	2.56	.589	.417	.984
5	6.78	1.06	.510	.905	20.8	18.1	7.92	4.60	1.93	13.8	8.30	2.56
6	6.40	1.06	.510	.905	18.1	18.1	9.06	4.60	1.72	6.78	8.68	4.60
7	6.10	.984	.510	.905	15.7	18.6	7.16	5.50	1.51	4.90	9.44	5.80
8	14.3	.905	.510	.984	17.6	18.6	10.2	4.60	1.93	2.98	15.7	3.40
9	11.1	.826	.589	.905	18.1	20.2	9.44	4.60	6.10	4.90	9.44	2.35
10	6.40	.747	.589	.984	17.6	18.6	8.68	4.30	6.10	3.40	6.40	1.30
11	5.80	.747	.589	1.06	18.6	19.1	7.16	3.70	1.93	3.19	3.19	1.30
12	5.50	.747	.826	5.50	19.1	21.4	9.82	3.19	1.72	2.98	1.93	1.22
13	7.54	.747	1.30	5.80	18.6	22.0	9.82	2.77	1.51	2.77	1.51	1.22
14	6.40	.747	1.22	5.50	19.1	20.8	11.1	2.77	1.14	1.51	2.14	1.22
15	5.80	.747	1.14	5.20	18.6	21.4	10.6	2.56	1.14	1.22	5.80	1.30
16	4.30	.984	1.06	4.30	18.6	20.2	11.1	2.56	1.06	.984	2.98	10.2
17	2.98	1.93	.984	4.00	18.1	21.4	11.1	2.35	.984	.905	3.19	18.6
18	2.56	2.98	.826	4.60	18.1	17.6	10.2	2.35	.905	.747	2.56	11.1
19	2.56	2.56	.826	5.80	18.6	16.2	7.92	3.40	.826	.747	2.35	5.80
20	2.35	2.35	.747	6.40	15.7	16.2	7.92	2.56	.747	.747	1.51	6.10
21	2.35	1.93	.826	7.16	15.2	16.7	7.92	2.35	.747	.668	1.30	14.7
22	1.93	1.14	.984	6.78	15.7	17.6	7.16	1.72	.747	.589	1.22	29.6
23	1.51	1.14	.984	7.54	15.7	20.2	10.2	1.72	.747	.589	1.14	17.6
24	1.30	.984	.984	7.92	17.6	20.8	9.44	1.22	.668	.510	1.06	14.7
25	1.22	.905	.905	7.92	18.1	20.8	8.68	1.22	.668	.479	.984	5.80
26	1.14	.905	.826	7.92	18.6	20.2	7.16	1.22	.747	.479	.984	5.80
27	1.14	.747	.826	7.16	19.1	20.8	6.40	1.22	.747	.448	1.22	4.90
28	1.06	.668	.905	7.16	19.6	21.4	3.40	1.22	.747	.479	1.72	4.00
29	.984		.905	6.78	20.2	20.2	5.80	1.22	.668	.417	1.51	3.40
30	.984		.984	6.10	20.2	20.2	5.80	4.00	.668	.386	1.30	2.98
31	.905		1.06		20.2		5.50	11.1		.386		2.98
SD1	7.32	.944	.557	.960	15.2	18.8	9.28	5.02	3.35	3.91	5.95	2.45
SD2	4.58	1.45	.952	4.82	18.3	19.6	9.67	2.82	1.20	1.58	2.72	5.81
SD3	1.32	1.05	.926	7.24	18.2	19.9	7.04	2.56	.715	.494	1.24	9.68
MAX	14.3	2.98	1.30	7.92	20.8	22.0	11.1	11.1	6.10	13.8	15.7	49.6
DAT	8	18	13	24	30	13	16	31	1	5	8	22
SR	4.31	1.16	.816	4.34	17.3	19.4	8.61	3.44	1.75	1.95	3.30	6.10
MIN	.905	.668	.510	.905	5.80	16.2	3.40	1.22	.668	.386	.355	.984
DAT	31	28	4	4	1	19	28	24	24	30	2	4
	GMIN =	.355			SRGOD=	6.07			GMAX =	49.6		
	DATUM	2 11							DATUM	22 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1964

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	2.56	.417	.417	3.19	2.98	20.2	7.54	2.35	.747	.826	4.90	8.68
2	2.35	.417	.417	3.40	3.19	19.6	5.80	1.93	.984	.668	14.3	6.40
3	2.14	.417	.417	3.40	3.70	19.6	5.20	2.56	1.06	.668	15.7	4.30
4	2.14	.386	.417	4.60	4.30	22.0	5.20	1.51	1.06	.589	13.8	4.30
5	1.72	.386	.417	6.40	4.30	21.4	5.20	1.30	.984	.589	7.16	3.40
6	1.30	.386	.386	4.30	4.90	21.4	4.90	1.72	1.06	.589	12.9	2.56
7	1.22	.386	.355	2.98	4.60	20.8	6.10	1.51	1.30	.510	13.8	2.14
8	1.06	.386	.355	2.77	5.20	20.2	6.10	1.72	1.93	.479	7.16	1.72
9	1.06	.355	.355	2.14	6.10	19.6	5.50	1.22	1.30	12.4	19.6	1.51
10	1.06	.355	.355	1.93	7.54	19.6	5.20	1.51	1.06	12.9	23.9	1.30
11	1.06	.324	.355	1.93	7.16	19.6	5.20	1.72	.984	15.2	21.4	1.22
12	.984	.324	.355	1.51	8.30	20.2	7.16	1.51	.826	20.8	11.1	1.22
13	.905	.324	.355	1.30	8.68	20.8	6.78	1.51	.826	13.8	12.0	1.14
14	.905	.324	.386	1.30	12.0	18.6	6.40	1.51	.747	22.0	7.54	1.14
15	.826	.324	.386	1.51	12.4	18.6	6.78	1.72	.668	15.7	7.16	1.14
16	.826	.324	.668	1.51	15.7	15.2	6.10	1.72	.668	13.8	6.40	1.06
17	.826	.293	.984	1.72	10.2	14.7	6.10	1.72	.589	12.9	4.90	.984
18	.747	.386	.905	2.35	6.78	16.7	4.90	1.51	.589	12.0	4.00	1.06
19	.747	.386	.826	2.98	7.54	13.8	5.50	1.51	.589	11.6	3.40	1.14
20	.668	1.06	.826	3.19	9.82	14.7	4.90	1.30	.589	11.6	2.98	12.9
21	.589	.668	1.72	3.40	11.1	12.9	4.30	1.22	.510	9.82	2.56	13.8
22	.589	.589	1.72	3.70	14.7	14.7	3.70	1.06	.668	7.54	2.14	10.2
23	.510	.589	2.35	4.00	14.7	14.7	5.50	1.06	.668	4.90	1.93	4.30
24	.510	.510	1.72	5.80	15.2	14.7	2.77	1.06	.589	5.50	1.51	2.98
25	.479	.479	1.30	6.10	13.8	15.2	3.40	1.06	.668	14.3	1.22	3.40
26	.479	.448	1.06	4.00	13.8	12.9	3.19	.984	.984	17.1	1.22	4.60
27	.479	.448	1.06	3.70	18.6	11.1	2.56	.905	.984	26.4	1.14	2.77
28	.479	.479	1.06	2.77	18.6	8.68	2.56	.826	1.06	9.44	.984	2.77
29	.448	.448	2.98	2.77	18.1	8.68	2.35	.905	1.06	9.44	.826	3.40
30	.448		2.77	2.77	19.1	9.06	2.77	.826	.905	7.16	1.93	3.70
31	.448		2.77		19.6		2.35	.747		5.20		3.40
SD1	1.66	.389	.389	3.51	4.68	20.4	5.67	1.73	1.15	3.02	13.3	3.63
SD2	.849	.407	.605	1.93	9.86	17.3	5.98	1.57	.707	14.9	8.09	2.30
SD3	.496	.518	1.86	3.90	16.1	12.3	3.22	.968	.810	10.6	1.55	5.03
MAX	2.56	1.06	2.98	6.40	19.6	22.0	7.54	2.56	1.93	26.4	23.9	13.8
DAT	1	20	29	5	31	4	1	3	8	27	10	21
SR	.986	.435	.982	3.11	10.4	16.7	4.90	1.41	.889	9.56	7.65	3.70
MIN	.448	.293	.355	1.30	2.98	8.68	2.35	.747	.510	.479	.826	.984
DAT	29	17	7	13	1	28	29	31	21	8	29	17
GMIN =		.293		SRGOD=		5.06		GMAX =		26.4		
DATUM		17 2						DATUM		27 10		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1965

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	2.77	.417	.293	.905	2.77	23.9	20.8	5.50	1.06	.293	.231	10.2
2	2.77	.668	4.90	.905	2.35	27.7	20.2	5.50	1.06	.589	.231	8.68
3	2.35	.589	6.10	.905	2.77	24.5	20.2	4.30	1.06	.589	.231	4.90
4	1.93	.589	4.00	.826	2.77	22.0	20.2	4.30	1.14	.479	.231	3.70
5	1.30	.589	1.51	.984	4.30	25.1	22.0	3.19	1.22	.479	.200	2.98
6	1.30	.510	1.30	1.14	5.20	29.6	23.3	2.98	1.06	.479	.200	2.56
7	1.22	.479	1.22	1.72	4.30	27.0	17.6	2.77	6.10	.479	.200	1.72
8	1.14	.479	1.06	4.30	3.70	24.5	16.7	2.98	3.19	.448	.100	1.72
9	.984	.448	.905	6.78	3.19	22.0	14.7	2.77	1.06	.448	.100	4.30
10	.905	.448	.826	13.8	3.19	22.0	13.3	2.98	1.30	.448	.100	7.54
11	.905	.417	.747	11.1	3.19	21.4	12.9	2.98	1.14	.417	.190	12.0
12	.905	.417	.668	6.10	3.19	19.6	12.9	2.77	1.30	.417	.200	7.92
13	.826	.386	.589	4.90	3.19	16.7	12.0	2.35	5.20	.386	.231	5.80
14	.826	.386	.510	4.60	2.98	17.6	11.6	1.72	4.90	.355	.262	4.60
15	.747	.386	.510	5.50	2.98	17.6	12.4	1.51	2.35	.355	.826	2.77
16	.668	.355	.747	6.40	2.77	17.6	12.4	1.30	1.93	.324	.826	2.35
17	.589	.355	.747	3.40	5.80	18.1	12.9	1.30	1.30	.324	.668	1.93
18	.589	.355	.826	2.56	8.68	18.6	13.3	1.30	1.22	.293	.589	1.51
19	.589	.355	.826	2.35	17.6	18.1	11.1	1.30	1.06	.293	1.06	1.51
20	.589	.355	.905	2.35	20.8	21.4	10.6	1.30	.984	.262	2.35	1.22
21	.510	.355	.905	3.19	22.7	22.7	7.92	1.30	.905	.262	1.51	1.14
22	.510	.324	.984	2.98	22.7	22.0	8.30	1.30	.905	.262	21.4	1.14
23	.479	.355	1.22	2.56	27.7	23.3	8.68	1.30	.826	.262	12.0	1.06
24	.479	.355	1.30	2.56	25.1	23.9	8.30	1.22	.826	.262	6.78	1.06
25	.448	.324	1.72	2.35	20.8	23.9	7.92	3.19	.826	.262	5.20	.984
26	.448	.324	1.51	2.14	22.0	23.9	7.54	3.40	.747	.262	2.98	1.14
27	.417	.324	1.30	1.93	21.4	23.9	7.54	3.40	.747	.262	2.14	1.30
28	.417	.324	1.14	1.93	21.4	22.7	7.54	1.72	.747	.262	4.90	2.14
29	.417		1.06	2.35	21.4	22.7	7.54	1.51	.747	.231	4.30	4.00
30	.386		1.06	2.35	21.4	22.0	5.20	1.14	.668	.231	2.98	2.98
31	.386		.984		20.8		4.90	1.06		.231		2.77
SD1	1.67	.522	2.21	3.23	3.45	24.8	18.9	3.73	1.82	.473	.182	4.83
SD2	.723	.377	.707	4.93	7.12	18.7	12.2	1.78	2.14	.343	.720	4.16
SD3	.445	.336	1.20	2.43	22.5	23.1	7.40	1.87	.794	.254	6.42	1.79
MAX	2.77	.668	6.10	13.8	27.7	29.6	23.3	5.50	6.10	.589	21.4	12.0
DAT	1	2	3	10	23	6	6	1	7	2	22	11
SR	.929	.417	1.37	3.53	11.4	22.2	12.7	2.44	1.59	.353	2.44	3.54
MIN	.386	.324	.293	.826	2.35	16.7	4.90	1.06	.668	.231	.100	.984
DAT	30	22	1	4	2	13	31	31	30	29	8	25
GMIN =		.100		SRGOD=		5.25		GMAX =		29.6		
DATUM		8 11						DATUM		6 6		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1966

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.905	.417	1.93	.984	14.7	6.78	14.3	5.50	6.40	12.0	.070	2.35
2	.747	.417	1.93	.905	14.7	12.9	12.7	4.90	3.70	7.16	8.30	1.93
3	1.51	.417	1.51	.826	14.7	14.7	11.9	4.60	2.77	9.44	6.10	3.70
4	1.22	.417	1.30	.826	14.7	12.9	9.40	4.30	2.56	7.92	16.7	6.10
5	1.22	.386	1.30	.826	16.7	13.8	10.0	4.90	2.14	4.90	27.0	4.00
6	.984	.386	1.22	.826	17.1	13.3	10.8	4.30	1.30	4.00	19.6	3.40
7	.984	.386	1.30	.826	15.7	14.3	11.9	4.30	1.14	2.35	12.0	2.77
8	.984	.386	1.14	.905	14.7	14.7	12.7	4.30	1.06	.747	8.30	2.56
9	.826	.386	1.14	.984	11.1	19.6	13.1	3.40	.984	.747	6.10	2.14
10	.826	.386	1.06	2.56	9.44	19.6	10.4	3.19	.984	1.93	5.50	1.93
11	.747	.386	.984	1.06	8.68	18.6	10.4	2.98	.984	1.93	5.20	1.93
12	.747	.905	.984	2.77	7.92	21.4	10.0	2.98	.905	5.50	5.80	1.72
13	.668	4.00	1.06	2.98	7.54	23.3	9.72	2.98	.905	4.90	8.30	1.93
14	.668	2.35	1.06	2.98	7.16	22.7	7.03	3.19	.826	4.30	6.10	4.30
15	.668	2.56	.984	2.98	8.68	22.7	6.42	2.98	.905	3.40	6.10	1.72
16	.747	2.35	.905	4.00	9.44	23.9	6.42	2.98	.826	2.77	5.80	2.35
17	.826	1.51	.826	12.9	11.1	25.7	6.42	2.56	.826	2.35	4.90	1.93
18	.826	1.14	.826	5.80	11.1	25.1	6.42	2.77	.747	1.93	4.30	1.51
19	.747	1.06	.747	6.78	11.6	24.5	6.42	2.56	2.98	1.30	4.00	1.30
20	.668	.984	.668	5.80	12.4	23.3	6.11	2.56	3.70	1.14	6.10	1.30
21	.668	.984	.668	6.78	12.9	23.3	6.11	2.14	1.51	1.06	3.19	1.22
22	.668	1.06	.589	8.30	13.3	21.4	6.42	1.72	1.14	1.22	2.98	1.14
23	.589	1.14	.510	8.68	13.8	20.8	5.80	1.51	.905	2.98	2.35	1.06
24	.589	6.78	.510	8.68	15.2	20.2	5.80	1.51	3.70	1.51	3.19	1.06
25	.510	4.30	.510	8.68	18.1	20.2	5.49	1.30	.826	1.72	6.40	.984
26	.510	2.98	.668	9.06	19.6	19.6	5.80	1.30	.747	32.2	4.90	.905
27	.479	2.35	.668	9.06	19.6	18.6	4.94	1.30	.668	30.9	3.70	.747
28	.479	1.93	.668	9.06	19.6	18.6	4.94	1.22	.589	20.2	2.98	.826
29	.448		.668	9.44	14.7	18.1	5.49	1.14	.510	38.7	2.56	.747
30	.417		1.06	9.44	13.3	17.6	5.80	1.06	.510	26.4	2.35	.747
31	.417		1.06		10.2		5.18	1.06		24.5		.668
SD1	1.02	.398	1.38	1.05	14.4	14.3	11.7	4.37	2.30	5.12	11.0	3.09
SD2	.731	1.72	.904	4.80	9.56	23.1	7.54	2.85	1.36	2.95	5.66	2.00
SD3	.525	2.69	.689	8.72	15.5	19.8	5.62	1.39	1.11	16.5	3.46	.919
MAX	1.51	6.78	1.93	12.9	19.6	25.7	14.3	5.50	6.40	38.7	27.0	6.10
DAT	3	24	1	17	26	18	1	1	1	29	5	4
SR	.751	1.53	.982	4.86	13.2	19.1	8.21	2.82	1.59	8.45	6.70	1.97
MIN	.417	.386	.510	.826	7.16	6.78	4.94	1.06	.510	.747	.070	.668
DAT	30	5	23	3	14	1	27	30	29	8	1	31
GMIN =			.070	SRGOD=			5.86	GMAX =			38.7	
DATUM			1 11					DATUM			29 10	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1967

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	.668	.324	.293	6.10	4.30	20.8	18.6	3.40	.668	.386	.200	3.19	
2	.668	.324	.324	3.70	5.20	14.7	14.7	3.19	.589	.355	.190	1.72	
3	.668	.324	.324	2.35	5.50	13.8	12.0	2.98	.589	.355	.190	1.22	
4	.589	.324	.324	1.93	9.44	12.9	11.6	2.77	.510	.324	.180	1.06	
5	.510	.324	.324	1.51	9.44	8.68	11.1	2.77	.589	.293	.231	.905	
6	.589	.324	.355	1.22	10.2	8.68	12.9	2.56	.510	.262	.355	.747	
7	.747	.324	.355	1.14	12.0	9.44	10.6	2.56	.510	.231	.386	.747	
8	.589	.324	.355	1.14	12.9	14.7	9.44	2.35	.479	.231	.417	.668	
9	.589	.324	.417	3.40	15.2	14.7	8.68	2.56	.479	.200	.448	.668	
10	.510	.324	.448	4.60	16.7	15.7	16.7	1.72	.479	.190	.448	.589	
11	.510	.324	.510	4.60	12.0	14.7	15.7	1.51	.589	.180	.479	.510	
12	.510	.324	.589	5.80	11.6	10.2	12.4	1.72	.668	.180	.589	.510	
13	.510	.324	.905	14.7	12.0	9.44	12.4	1.72	.747	.170	.510	.589	
14	.510	.324	1.06	12.9	14.3	9.44	13.8	1.72	.826	.170	.510	.589	
15	.510	.324	.984	14.7	14.7	9.06	12.9	1.51	.826	.293	.479	.589	
16	.510	.324	.905	8.68	19.6	8.68	12.9	1.51	1.06	.293	.448	.479	
17	.510	.324	.747	6.40	19.6	8.68	12.9	1.30	.984	.984	.448	.448	
18	.510	.262	.747	5.80	19.6	8.68	7.92	1.30	.826	.826	.386	.417	
19	.510	.293	.668	5.50	18.6	8.68	7.92	1.22	.668	.747	.324	.417	
20	.510	.293	.589	3.70	17.6	9.44	7.54	1.30	.668	.668	.324	.417	
21	.510	.747	.510	3.70	19.6	9.44	7.16	1.14	.668	.589	.293	.386	
22	.510	.747	.510	4.90	22.7	9.44	7.16	1.14	.668	.668	.293	.386	
23	.355	.293	.479	4.00	20.8	9.44	6.10	1.14	.747	.747	.293	.355	
24	.355	.293	.479	3.70	20.2	9.44	7.16	.984	.747	.747	.262	.324	
25	.355	.293	.479	3.19	14.7	10.2	6.10	.905	.747	.747	.262	.324	
26	.355	.293	.479	2.77	11.1	13.3	6.10	.905	.668	.668	.262	.448	
27	.355	.293	.479	2.77	13.8	14.7	5.50	.826	.668	.668	.262	2.77	
28	.355	.293	.479	3.40	14.7	15.2	4.00	.826	.589	.589	.262	2.14	
29	.324		.510	3.40	15.7	12.0	4.30	.826	.510	.510	4.00	1.22	
30	.324		.905	4.90	19.6	17.1	3.70	.747	.448	.448	8.30	.984	
31	.324		1.06		21.4		3.70	.747		.448		1.14	
SD1	.613	.324	.352	2.71	10.1	13.4	12.6	2.69	.540	.283	.304	1.15	
SD2	.510	.312	.770	8.28	16.0	9.70	11.6	1.48	.786	.451	.450	.496	
SD3	.375	.406	.579	3.67	17.7	12.0	5.54	.926	.646	.621	1.45	.952	
MAX	.747	.747	1.06	14.7	22.7	20.8	18.6	3.40	1.06	.984	8.30	3.19	
DAT	7	21	14	13	22	1	1	1	16	17	30	1	
SR	.495	.343	.567	4.89	14.7	11.7	9.80	1.67	.657	.457	.734	.870	
MIN	.324	.262	.293	1.14	4.30	8.68	3.70	.747	.448	.170	.180	.324	
DAT	29	18	1	7	1	5	30	30	30	13	4	24	
		GMIN = .170		SRGOD= 3.93		GMAX = 22.7							
		DATUM 13 10				DATUM 22 5							

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1968

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.72	.293	.589	2.77	15.7	17.6	5.50	.905	2.35	.984	.479	1.22
2	1.30	.293	.589	2.56	14.3	16.2	5.20	.905	1.72	.510	.448	.905
3	1.14	.293	.479	2.77	12.9	15.7	4.90	.826	.984	.905	.417	.984
4	.984	.293	.479	3.19	13.8	13.3	4.60	.668	.510	.905	.417	.905
5	.905	.293	.448	4.60	19.6	12.4	4.30	.589	.448	.826	.417	.826
6	.747	.293	.417	5.20	19.6	12.4	3.70	1.14	2.98	.826	1.14	.826
7	.826	.293	.448	5.50	21.4	12.9	3.70	1.06	2.56	.747	1.22	.747
8	.905	.293	.417	6.10	22.0	12.0	3.19	.589	1.93	.668	1.06	.668
9	.668	.293	.417	6.10	19.6	11.1	3.19	3.19	1.22	.668	.984	.668
10	.826	.293	.417	5.50	16.7	11.1	2.98	1.72	1.22	.668	6.40	.668
11	.668	.324	.448	3.40	15.2	16.7	2.98	1.30	.984	.589	7.16	.589
12	.510	.324	.448	2.77	19.6	14.7	2.77	1.14	1.06	.510	5.20	.510
13	.079	.324	.417	2.56	22.0	13.8	2.77	1.72	1.14	.479	3.70	.510
14	.448	.324	.417	2.56	22.7	12.9	2.56	1.72	1.22	.479	2.77	.510
15	.448	.324	.417	2.98	20.2	14.7	2.56	4.90	1.30	.479	.984	.479
16	.417	.479	.417	3.70	14.7	12.0	2.35	3.19	1.14	.448	6.78	.479
17	.448	.510	.386	3.70	14.7	12.0	1.93	3.19	1.06	.448	6.78	.479
18	.386	.448	.417	5.20	12.9	14.7	1.93	1.72	.984	.479	46.5	1.22
19	.386	.417	.417	6.10	11.1	17.1	2.14	3.40	1.51	.510	33.5	8.68
20	.355	.386	.417	5.80	10.2	14.3	1.30	3.40	2.77	.479	23.3	11.1
21	.355	.386	.417	5.50	10.2	11.6	1.22	2.56	1.93	.448	14.7	6.10
22	.324	.386	.510	5.80	12.9	10.2	1.51	1.93	1.51	.417	8.68	3.19
23	.324	.448	1.51	6.10	13.8	8.30	1.30	1.51	1.72	.417	5.50	2.14
24	.324	.448	1.93	7.54	12.0	7.16	1.22	1.22	2.77	.386	4.60	1.51
25	.293	.479	1.72	7.92	12.9	6.78	1.14	1.22	2.56	.386	3.70	1.22
26	.293	.417	1.72	8.68	12.9	6.78	1.06	1.22	2.56	.417	2.77	1.06
27	.293	.589	1.72	9.44	14.7	6.78	1.14	4.60	1.51	.448	1.72	.905
28	.324	.668	1.72	9.44	14.7	5.80	1.06	3.19	1.22	.448	1.72	.826
29	.293	.668	1.72	11.1	14.7	6.10	.984	2.35	1.06	.479	1.51	.747
30	.293		1.93	14.7	12.0	6.40	.905	1.72	.984	.589	1.51	.747
31	.293		2.35		24.5		.826	3.40		.479		.747
SD1	1.00	.293	.470	4.43	17.6	13.5	4.13	1.16	1.59	.771	1.30	.842
SD2	.414	.386	.420	3.88	16.3	14.3	2.33	2.57	1.32	.490	13.7	2.46
SD3	.310	.499	1.57	8.62	14.1	7.59	1.12	2.27	1.78	.447	4.64	1.74
MAX	1.72	.668	2.35	14.7	24.5	17.6	5.50	4.90	2.77	.984	46.5	11.1
DAT	1	29	31	30	31	1	1	15	20	1	18	20
SR	.567	.389	.843	5.64	15.9	11.8	2.48	2.01	1.56	.565	6.54	1.68
MIN	.079	.293	.386	2.56	10.2	5.80	.826	.589	.448	.386	.417	.479
DAT	13	1	17	2	20	28	31	5	5	24	3	15
GMIN =		.079		SRGOD=		4.16		GMAX =		46.5		
DATUM		13 1						DATUM		18 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1969

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.668	.324	.417	.510	5.20	22.0	5.20	1.93	1.72	.668	.231	4.60
2	.589	.324	.386	.510	5.80	22.7	4.90	2.14	1.51	.668	.231	3.40
3	.510	.324	.386	.510	6.40	20.8	4.90	1.72	1.22	.510	.231	2.77
4	.510	.355	.386	.510	9.44	18.6	5.20	1.30	1.14	.479	.200	2.35
5	.479	.479	.386	.589	10.2	17.6	4.30	1.93	1.06	.479	.200	1.93
6	.479	.479	.386	.668	12.9	26.4	4.60	1.51	.984	.448	.200	6.40
7	.448	.448	.355	.668	19.6	25.1	4.60	1.22	1.51	.417	.200	4.90
8	.448	.417	.355	.747	16.7	22.0	4.60	1.14	1.14	.417	.200	3.40
9	.417	.417	.355	.747	12.0	21.4	5.20	1.06	1.06	.417	.200	2.56
10	.417	.417	.355	.747	10.2	17.1	4.90	1.06	.984	.386	.200	1.93
11	.417	.386	.355	.747	9.44	15.2	4.30	1.06	1.06	.386	.200	1.51
12	.386	.355	.355	.747	12.0	14.3	4.00	1.06	3.40	.386	.200	1.30
13	.386	.386	.355	.826	14.7	13.3	3.19	.905	2.35	.355	.200	1.14
14	.386	.355	.386	.984	16.7	14.3	2.56	.905	1.72	.355	.200	1.06
15	.417	.355	.386	1.06	21.4	14.7	2.56	1.14	1.30	.324	.262	.984
16	.479	.386	.417	.984	23.3	15.7	5.50	1.22	2.98	.324	.293	.984
17	.479	.417	.905	.905	20.8	13.8	5.50	1.30	2.56	.324	.324	.905
18	.479	.417	1.06	.905	20.2	13.3	5.80	1.51	3.40	.324	.386	.826
19	.479	.386	1.06	.826	23.3	12.4	5.80	2.14	3.70	.324	.479	.747
20	.448	.355	.984	.747	24.5	12.0	4.90	1.51	4.30	.324	.417	.747
21	.417	.355	.826	.747	24.5	12.0	4.00	1.22	5.20	.293	.386	.668
22	.417	.355	.747	1.14	26.4	11.6	3.70	1.06	4.00	.262	.417	.668
23	.417	.355	.668	3.70	22.7	9.44	2.98	.984	2.56	.262	.417	.589
24	.386	.355	.668	9.44	20.2	9.44	2.56	.905	1.72	.262	14.3	.589
25	.386	.479	.668	5.20	17.6	9.06	2.35	.984	1.30	.262	17.6	.668
26	.355	.479	.747	3.70	17.6	11.6	2.35	8.68	1.14	.262	48.5	.510
27	.355	.417	.826	4.90	16.7	12.0	2.14	4.60	1.06	.262	34.2	.479
28	.324	.386	.747	6.40	15.7	7.54	2.14	8.30	.984	.262	22.0	.479
29	.324		.668	9.44	16.7	6.40	2.14	6.78	.826	.231	10.2	.479
30	.293		.826	12.9	19.6	5.20	2.14	3.70	.747	.231	5.80	.479
31	.324		.589		20.2		1.72	2.77		.231		.448
SD1	.496	.398	.377	.621	10.8	21.4	4.84	1.50	1.23	.489	.209	3.42
SD2	.436	.380	.626	.873	18.6	13.9	4.41	1.28	2.68	.343	.296	1.02
SD3	.363	.398	.725	5.76	19.8	9.43	2.57	3.63	1.95	.256	15.4	.551
MAX	.668	.479	1.06	12.9	26.4	26.4	5.80	8.68	5.20	.668	48.5	6.40
DAT	1	25	18	30	22	6	18	26	21	1	26	6
SR	.430	.392	.581	2.42	16.5	14.9	3.89	2.19	1.95	.359	5.30	1.63
MIN	.293	.324	.355	.510	5.20	5.20	1.72	.905	.747	.231	.200	.448
DAT	30	1	7	1	1	30	31	13	30	29	4	31
GMIN =			.200	SRGOD=			4.22	GMAX =			48.5	
DATUM			4 11					DATUM			26 11	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1970

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	.589	.747	.510	3.40	13.8	8.62	15.1	6.78	4.90	.448	2.14	1.22	
2	.826	.668	.510	3.70	8.68	9.59	15.6	6.78	3.19	2.56	.747	1.30	
3	.668	.668	.479	4.00	5.80	9.59	15.1	6.10	2.56	1.22	1.72	1.93	
4	.589	.589	.479	3.40	4.60	8.92	14.7	5.50	2.35	1.06	1.30	1.51	
5	.510	.589	.448	2.56	4.60	4.76	14.7	5.50	2.98	.668	1.14	1.06	
6	2.56	.747	.417	2.14	3.40	7.01	13.2	5.20	2.56	.510	.984	1.06	
7	5.20	.905	.417	1.72	4.00	8.62	13.2	5.20	2.14	.668	.826	.984	
8	12.9	1.06	.417	2.77	4.30	12.7	14.7	5.20	1.93	.826	.747	.984	
9	10.2	.984	.417	20.2	5.20	16.3	14.7	6.40	2.14	.905	1.14	.747	
10	3.70	.984	.417	14.7	7.16	20.1	14.7	6.40	1.30	.826	1.51	.668	
11	2.77	.984	.386	10.2	14.7	19.6	14.7	6.10	1.30	.826	1.93	.747	
12	2.14	.984	.386	6.40	22.0	18.6	14.7	4.90	1.30	.589	1.22	.668	
13	4.90	.984	.386	5.80	20.2	18.2	13.9	4.30	1.30	.510	1.14	.589	
14	4.30	.905	.386	5.20	14.7	18.2	13.2	4.30	1.30	.448	1.06	.510	
15	3.40	2.35	.668	6.10	14.7	18.2	13.5	4.30	1.22	.417	1.30	.510	
16	3.19	1.72	.668	2.14	15.7	17.8	13.2	4.00	1.22	.386	6.78	.479	
17	13.8	1.22	.668	2.14	20.8	17.8	19.2	4.30	1.22	.386	4.90	.479	
18	6.40	1.06	.589	2.77	18.6	18.6	16.0	4.00	1.06	.386	3.70	.448	
19	4.60	.905	.510	1.93	12.9	20.1	13.2	3.40	.984	.355	2.35	.448	
20	2.98	.826	.510	3.40	12.9	18.6	8.30	3.19	.984	.355	2.77	.417	
21	2.35	.826	.510	4.60	13.8	18.2	8.30	3.40	.905	4.90	4.30	.417	
22	1.93	.747	.479	6.40	14.7	17.8	8.30	3.40	.747	20.8	22.0	.417	
23	1.51	.668	.448	6.40	20.2	17.8	8.68	2.98	.668	32.2	13.3	.417	
24	1.30	.668	.510	7.92	14.7	16.9	8.98	2.56	.589	14.3	6.40	.386	
25	1.14	.589	1.06	10.2	12.4	16.3	8.98	3.70	.589	12.4	4.60	.386	
26	1.06	.589	1.14	12.9	9.44	15.5	8.98	2.56	.510	5.20	3.40	.386	
27	.905	.510	1.51	14.7	8.30	15.9	7.06	1.93	.479	3.40	2.56	.386	
28	.905	.510	17.1	15.7	9.44	15.5	6.78	1.51	.448	2.77	1.93	.479	
29	.905		17.1	25.1	9.06	15.9	6.78	1.51	.448	2.14	1.51	1.06	
30	.826		7.16	20.8	8.68	15.9	5.92	1.30	.448	2.14	1.30	1.22	
31	.826		4.60		9.82		5.36	4.30		1.93		2.56	
SD1	3.77	.794	.451	5.86	6.15	10.6	14.5	5.91	2.60	.969	1.23	1.15	
SD2	4.85	1.19	.516	4.61	16.7	18.6	14.0	4.28	1.19	.466	2.72	.530	
SD3	1.24	.638	4.69	12.5	11.9	16.6	7.65	2.65	.583	9.29	6.13	.738	
MAX	13.8	2.35	17.1	25.1	22.0	20.1	19.2	6.78	4.90	32.2	22.0	2.56	
DAT	17	15	18	30	12	19	17	1	1	23	22	31	
SR	3.22	.892	1.98	7.65	11.6	15.2	11.9	4.23	1.46	3.76	3.36	.802	
MIN	.510	.510	.386	1.72	3.40	4.76	5.36	1.30	.448	.355	.747	.386	
DAT	5	27	11	7	6	5	31	30	28	19	2	24	

GMIN =			.355	SRGOD=				5.53	GMAX =			32.2	
DATUM			19 10						DATUM			23 10	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1971

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	12.4	.668	.262	.668	11.1	18.6	7.92	3.19	.747	.984	.448	4.50
2	9.44	.747	.231	.984	17.6	18.1	5.80	2.98	.747	.984	.417	3.80
3	5.50	.668	.231	1.06	27.0	18.1	4.00	2.98	.668	.747	.386	3.50
4	3.40	.589	.231	1.06	26.4	17.6	1.30	2.56	.668	.510	.355	2.98
5	2.14	.510	.231	1.22	25.7	17.1	1.30	2.56	.668	.589	.355	2.50
6	1.72	.479	.231	4.00	19.6	16.7	1.30	2.56	.510	.510	.386	2.11
7	1.33	.448	.231	2.98	17.6	16.2	1.30	2.35	.510	.510	.386	1.89
8	1.15	.448	.231	2.56	17.1	15.7	2.35	2.56	.479	.479	.355	1.74
9	1.08	.417	.231	2.98	17.1	15.7	2.98	2.56	.510	.448	.293	1.74
10	1.15	.417	.231	2.77	16.2	15.2	3.70	1.93	.589	.417	.293	1.59
11	1.15	.386	.200	3.40	16.2	15.2	4.60	1.30	.668	.386	.826	1.43
12	.942	.355	.200	3.40	18.1	14.7	4.60	1.30	2.56	.386	.984	1.28
13	.872	.355	.200	2.14	18.6	14.7	4.30	1.30	1.72	.417	.905	1.13
14	1.08	.355	.200	1.72	17.6	14.7	4.00	1.30	2.56	.905	.905	.979
15	1.08	.324	.200	1.72	18.6	14.3	4.00	1.30	2.35	1.72	.747	.979
16	1.08	.324	.231	2.56	19.1	14.3	4.00	1.22	4.00	18.6	.747	.920
17	1.08	.324	.262	1.22	19.6	14.3	4.00	1.22	4.90	17.1	.668	.860
18	1.08	.324	.231	2.56	21.4	13.8	4.00	1.93	2.98	5.80	.589	.860
19	1.08	.324	.262	3.19	20.8	13.3	4.00	1.22	2.14	4.60	.668	.860
20	1.01	.324	.293	3.40	20.2	12.0	4.00	1.22	1.72	2.56	.984	.860
21	1.08	.293	.324	3.70	21.4	10.2	3.19	1.14	1.30	2.14	1.30	.801
22	1.15	.293	5.20	4.30	21.4	11.1	2.98	1.06	1.06	1.51	1.14	.801
23	2.05	.293	3.70	4.60	23.9	11.1	2.56	1.06	.905	1.14	1.93	.801
24	1.87	.293	5.20	5.20	22.7	10.6	2.35	1.06	.826	1.06	1.30	.741
25	1.69	.293	1.72	6.10	22.7	10.2	2.35	.984	.668	.905	1.06	.741
26	2.05	.293	.984	5.20	20.8	10.2	2.35	.905	.589	.747	.905	.741
27	1.87	.262	.905	4.60	18.1	8.68	2.35	.984	.589	.510	.747	.741
28	1.69	.262	.826	4.30	17.1	8.68	2.35	1.14	.510	.510	.747	.741
29	1.51		.826	4.30	16.2	8.30	2.14	1.06	.510	.479	1.93	.741
30	1.33		.747	6.10	15.7	7.92	3.19	.826	2.14	.479	4.90	.741
31	.889		.668		16.7		2.77	.826		.448		.682
SD1	3.93	.539	.234	2.03	19.5	16.9	3.19	2.62	.610	.618	.367	2.63
SD2	1.05	.339	.228	2.53	19.0	14.1	4.15	1.33	2.56	5.25	.802	1.02
SD3	1.56	.285	1.92	4.84	19.7	9.70	2.60	1.00	.910	.903	1.60	.752
MAX	12.4	.747	5.20	6.10	27.0	18.6	7.92	3.19	4.90	18.6	4.90	4.50
DAT	1	2	22	30	3	1	1	1	17	16	30	1
SR	2.16	.395	.830	3.13	19.4	13.6	3.29	1.63	1.36	2.21	.922	1.44
MIN	.872	.262	.200	.668	11.1	7.92	1.30	.826	.479	.386	.293	.682
DAT	13	27	11	1	1	30	4	30	8	11	9	31
GMIN =		.200		SRGOD=		4.22		GMAX =		27.0		
DATUM		11 3						DATUM		3 5		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1972

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.355	.231	.479	1.51	2.35	9.44	4.00	1.51	1.22	8.30	1.30	1.93
2	.355	.231	.479	2.14	2.77	12.4	3.40	1.51	1.22	4.30	1.22	1.93
3	.355	.262	.448	1.72	3.40	13.3	2.98	1.30	1.14	3.40	1.14	1.93
4	.355	.231	.448	1.72	4.00	12.9	2.35	1.51	1.14	2.77	.826	1.72
5	.355	.231	.448	2.98	3.40	13.3	1.93	1.30	.984	2.14	.826	1.51
6	.386	.231	.448	3.40	3.40	12.4	1.72	1.14	.905	1.72	.747	1.51
7	.386	.231	.448	2.77	4.00	12.9	2.56	1.14	.905	1.51	.747	1.30
8	.386	.231	.448	2.98	4.60	12.9	2.77	.984	.826	1.30	.668	1.30
9	.386	.262	.448	3.40	5.20	12.9	2.56	.984	.826	1.22	.589	1.22
10	.386	.262	.479	3.40	5.20	12.0	2.35	.984	.826	5.80	.510	1.22
11	.386	.262	.589	3.40	5.20	12.9	2.35	1.06	.905	5.80	.479	1.14
12	.386	.324	.668	3.70	5.80	13.3	2.35	1.14	.826	4.90	2.14	1.14
13	.355	.293	.589	4.90	5.20	12.9	2.98	1.06	.905	4.30	2.56	1.06
14	.355	.293	.510	4.60	6.40	13.3	4.90	1.06	.984	3.40	1.72	.984
15	.355	.293	.448	4.60	7.16	12.9	13.3	.984	.984	2.98	1.51	.826
16	.355	.262	.448	5.20	14.7	12.9	15.7	.984	29.6	1.93	2.98	.826
17	.324	.262	.510	5.20	14.7	13.3	12.0	.984	22.7	1.30	2.56	.747
18	.324	.262	.510	4.90	14.7	11.6	7.54	.905	16.2	1.14	1.93	.668
19	.324	.262	.510	4.00	14.7	10.6	4.00	.826	11.1	1.06	1.30	.589
20	.324	.262	.589	3.19	15.7	8.68	1.30	1.93	8.68	1.06	2.77	.510
21	.386	.293	.668	5.20	13.8	7.16	1.72	11.1	4.00	2.56	3.70	1.22
22	.293	.355	.747	4.60	12.9	7.16	2.35	5.80	2.56	1.93	5.80	1.22
23	.293	.355	.826	4.30	13.3	6.10	2.35	2.98	2.14	1.93	7.16	1.14
24	.293	.324	.826	4.00	12.9	5.80	2.35	1.93	1.51	1.72	7.92	1.06
25	.262	.386	.984	4.90	12.9	5.20	2.35	1.30	1.30	2.77	17.6	.984
26	.262	.417	.984	6.40	13.3	4.90	2.14	1.22	2.56	2.56	8.30	.905
27	.231	.417	1.06	5.20	12.0	4.60	2.14	1.06	7.16	2.56	.510	.905
28	.231	.479	1.14	4.30	10.6	4.30	1.72	.984	19.6	2.35	4.90	.510
29	.231	.479	1.06	3.19	10.2	4.00	1.72	.905	18.6	2.14	2.98	.510
30	.231		.984	2.56	9.82	4.00	1.72	.984	11.1	1.93	2.35	.479
31	.231		1.22		8.30		1.72	.984		1.72		.417
SD1	.370	.240	.457	2.60	3.83	12.4	2.66	1.24	.999	3.25	.857	1.56
SD2	.349	.278	.537	4.37	10.4	12.2	6.64	1.09	9.29	2.79	1.99	.849
SD3	.268	.389	.954	4.46	11.8	5.32	2.03	2.66	7.05	2.20	6.12	.850
MAX	.386	.479	1.22	6.40	15.7	13.3	15.7	11.1	29.6	8.30	17.6	1.93
DAT	6	29	1	26	20	3	16	21	16	1	25	1
SR	.327	.299	.659	3.81	8.79	10.0	3.72	1.69	5.78	2.73	2.99	1.08
MIN	.231	.231	.448	1.51	2.35	4.00	1.30	.826	.826	1.06	.479	.417
DAT	27	1	3	1	1	29	20	19	8	19	11	31
GMIN =		.231		SRGOD=		3.48		GMAX =		29.6		
DATUM		27 1						DATUM		16 9		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1973

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.417	.262	.231	.324	5.20	10.2	3.19	1.30	.479	2.14	.905	.826
2	.417	.262	.231	.417	8.68	9.82	3.19	1.14	.479	.905	.826	.826
3	.417	.262	.231	.479	8.68	11.6	2.77	1.14	.479	.984	.826	.826
4	.417	.262	.231	.479	25.1	12.4	2.77	1.30	.417	.905	.747	.747
5	.417	.262	.231	.479	40.7	13.3	2.77	1.14	.417	.905	.747	.747
6	.417	.262	.231	.479	40.7	12.4	2.77	.984	.479	.826	.826	.747
7	.386	.262	.231	.479	38.7	11.6	2.14	.905	.479	.747	.905	.747
8	.386	.262	.190	.589	37.4	5.80	1.93	.905	.479	.747	13.3	.589
9	.355	.262	.190	.589	34.2	14.3	2.14	.826	.417	.668	13.3	.589
10	.355	.262	.190	1.30	34.2	12.0	2.14	.826	.417	.668	10.2	.589
11	.355	.293	.180	9.82	25.1	9.82	2.35	.826	.386	.589	4.00	.589
12	.355	.293	.170	4.60	15.7	9.82	.905	.747	.324	.510	4.60	.510
13	.324	.293	.180	1.93	16.7	4.90	.905	.747	.324	.479	4.00	.510
14	.293	.293	.190	1.30	14.7	5.80	1.72	.747	.324	.417	3.19	.479
15	.293	.417	.190	1.30	15.7	9.06	1.72	.589	.324	.479	2.77	.510
16	.293	.417	.190	.905	14.7	9.82	1.30	.589	.324	3.70	2.14	.479
17	.293	.417	.190	.747	14.7	5.50	1.30	.510	.355	3.70	1.93	.479
18	.293	.355	.190	.747	14.7	5.50	1.14	.510	.324	.984	2.77	.479
19	.417	.355	.180	.747	14.7	4.90	1.14	.479	.355	.984	1.72	.479
20	.386	.355	.180	.747	24.5	4.90	1.14	.479	.479	.984	1.72	.479
21	.324	.355	.170	.747	24.5	4.00	1.14	.417	.324	25.1	1.30	.417
22	.324	.324	.170	.747	25.1	3.70	1.14	.417	.510	25.1	1.30	.417
23	.355	.293	.170	.668	25.1	4.90	.984	.386	.826	22.7	1.30	.417
24	.355	.293	.180	.668	25.1	5.80	.905	.386	5.80	13.3	1.93	.417
25	.324	.262	.180	1.30	25.1	5.80	1.06	.386	1.06	13.3	.905	.417
26	.293	.262	.190	1.30	25.1	2.77	1.72	.262	2.77	10.2	.747	.826
27	.293	.262	.190	1.30	26.4	3.70	13.3	.262	2.35	3.19	2.77	2.35
28	.293	.262	.200	1.30	17.6	2.77	7.16	.417	2.14	2.77	3.19	1.06
29	.262		.262	1.72	14.3	2.77	7.16	.747	3.70	2.14	.905	1.93
30	.262		.355	5.80	13.3	3.19	6.40	.747	3.70	1.93	.905	1.72
31	.262		.355		10.2		6.40	.589		1.30		1.72
SD1	.398	.262	.219	.561	27.4	11.3	2.58	1.05	.454	.949	4.26	.723
SD2	.330	.349	.184	2.28	17.1	7.00	1.36	.622	.352	1.28	2.88	.499
SD3	.304	.289	.220	1.56	21.1	3.94	4.31	.456	2.32	11.0	1.53	1.06
MAX	.417	.417	.355	9.82	40.7	14.3	13.3	1.30	5.80	25.1	13.3	1.93
DAT	1	15	30	11	5	9	27	1	24	21	8	29
SR	.343	.301	.208	1.47	21.8	7.43	2.80	.700	1.04	4.62	2.89	.772
MIN	.262	.262	.170	.324	5.20	2.77	.905	.262	.324	.417	.747	.417
DAT	29	1	12	1	1	26	12	26	12	14	4	21
GMIN =		.170		SRGOD=		3.73		GMAX =		40.7		
DATUM		12 3						DATUM		5 5		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1974

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.14	.262	.262	1.93	7.16	15.7	12.9	1.22	.417	8.60	3.40	.417
2	1.14	.262	.262	1.72	4.00	19.6	7.54	1.14	.386	7.20	2.35	.417
3	1.06	.293	.231	1.30	4.60	17.1	7.54	1.14	.355	10.5	1.93	.417
4	.905	.386	.231	1.14	4.60	12.9	7.16	1.22	.355	7.00	1.22	.417
5	.905	.417	.262	1.06	4.60	13.8	7.16	1.06	.386	5.39	.984	.417
6	.747	.417	.262	.984	4.30	14.7	7.16	.984	.386	3.12	.905	.417
7	.668	.448	.262	.984	2.98	14.7	6.78	.984	.355	4.13	.826	.417
8	.510	.448	.262	.905	2.77	12.4	5.80	.984	.355	16.5	.668	.417
9	.479	.386	.293	.826	2.77	11.6	4.00	.905	.324	21.2	.668	.386
10	.479	.355	.293	.826	3.19	10.2	3.40	.826	.324	12.4	.668	.386
11	.448	.324	.293	.747	3.40	8.68	3.40	.747	.324	10.5	.589	.386
12	.417	.324	.293	.905	4.30	7.16	3.70	.668	.324	3.88	.589	.355
13	.386	.293	.262	1.06	4.60	5.80	3.70	.510	.324	15.7	.589	.417
14	.386	.262	.262	1.22	4.60	5.20	4.00	.510	.293	16.5	.510	.386
15	.386	.324	.262	1.14	12.0	4.60	4.00	.510	.293	27.1	.510	.386
16	.386	.293	.262	1.06	12.0	9.44	3.70	.510	.293	27.1	.510	.355
17	.386	.293	.262	1.06	9.06	11.1	4.00	.510	.262	24.4	.510	.355
18	.355	.293	.262	.905	8.68	11.6	3.70	.479	.231	20.7	.510	.355
19	.355	.324	.262	.826	5.80	12.0	4.00	.479	.231	14.1	.479	.324
20	.293	.293	.262	.826	5.50	10.2	4.00	.747	.200	27.1	.479	.324
21	.355	.262	.231	.747	5.50	10.2	1.51	.510	.200	32.6	.479	.293
22	.293	.262	.589	.668	9.06	10.6	1.51	.479	2.14	43.7	.448	.262
23	.293	.262	.826	.668	10.2	11.1	1.30	.479	4.90	44.8	.448	.262
24	.293	.262	.984	.668	13.8	10.6	1.14	.589	2.35	61.5	.448	.262
25	.293	.262	1.22	.747	13.8	10.6	1.22	.510	1.51	32.6	.448	.262
26	.293	.262	1.30	.747	19.6	11.1	1.14	.479	10.2	19.1	.448	.262
27	.293	.262	2.14	.826	14.7	11.6	1.14	.479	6.40	18.0	.417	.262
28	.262	.262	2.35	.905	15.7	11.1	1.22	.747	3.70	13.2	.417	.262
29	.262		2.56	1.06	15.7	12.9	1.14	.826	1.51	9.36	.417	.262
30	.262		2.56	1.14	14.7	14.7	1.14	.510	10.2	7.32	.417	.262
31	.262		2.77		13.3		1.06	.448		4.13		.262
SD1	.803	.367	.262	1.17	4.10	14.3	6.94	1.05	.364	9.60	1.36	.411
SD2	.380	.302	.268	.975	6.99	8.58	3.82	.567	.277	18.7	.528	.364
SD3	.287	.262	1.59	.818	13.3	11.4	1.23	.551	4.31	26.0	.439	.265
MAX	1.14	.448	2.77	1.96	19.6	19.6	12.9	1.22	10.2	61.5	3.40	.417
DAT	1	7	31	2	26	2	1	1	30	24	1	1
SR	.484	.314	.737	.987	8.29	11.4	3.91	.716	1.65	18.4	.776	.344
MIN	.262	.262	.231	.668	2.77	4.60	1.06	.448	.200	3.12	.417	.262
DAT	28	1	3	22	8	15	31	31	20	6	27	22

GMIN =			.200	SRGOD=				4.03	GMAX =			61.5
DATUM			20 9						DATUM			24 10

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1975

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	.262	.150	.200	9.44	1.22	9.06	1.22	.355	.262	.140	.510	.448	
2	.231	.150	.200	8.30	1.30	7.92	.984	.324	.200	.130	.479	.448	
3	.200	.150	.200	14.7	1.51	7.54	.984	.324	.180	.130	.448	.448	
4	.200	.150	.200	6.40	1.22	6.40	.668	.293	.190	.130	.417	.417	
5	.200	.150	.140	4.90	1.30	4.60	.668	.293	.190	.130	.417	.386	
6	.200	.150	.140	3.40	2.14	3.19	.905	.293	.180	.130	.448	.386	
7	.200	.150	.140	1.30	4.60	1.30	.905	.262	.170	.130	.417	.355	
8	.200	.140	.140	2.56	5.80	1.14	.905	.262	.170	.120	.417	.355	
9	.190	.140	.130	2.35	8.68	1.14	.905	.262	.170	.110	.386	.293	
10	.190	.140	.140	2.56	5.80	1.06	.826	.262	.160	.100	.355	.262	
11	.190	.140	.150	2.77	5.80	1.14	.668	.262	.180	.110	.324	.262	
12	.180	.140	.160	2.98	5.50	1.22	.905	.262	.170	.130	.293	.262	
13	.180	.150	.170	2.77	8.30	1.30	.905	.262	.170	.150	.262	.262	
14	.180	.150	.200	1.51	11.6	2.14	.826	.262	.170	2.35	.262	.262	
15	.180	.150	.200	1.14	6.40	2.35	.826	.231	.170	2.56	.262	.262	
16	.170	.150	.200	8.30	4.90	2.77	.747	.231	.170	2.77	.324	.262	
17	.170	.140	.200	10.2	5.50	2.98	.747	.231	.170	3.40	.386	.262	
18	.170	.140	.200	3.40	6.10	2.98	.668	.231	.170	5.50	8.30	1.72	
19	.170	.140	.200	1.14	8.30	2.77	.589	.262	.160	6.40	36.1	.448	
20	.180	.140	.200	1.22	10.2	2.98	.589	.262	.160	5.80	19.6	.448	
21	.180	.140	.200	1.30	9.44	1.72	.510	.231	.150	4.60	12.9	.448	
22	.180	.140	.190	1.30	9.06	1.30	.510	.231	.150	4.00	9.82	.417	
23	.170	.140	.190	1.30	10.2	1.22	.479	.190	.140	3.40	4.00	.386	
24	.170	.140	.200	1.14	12.4	1.51	.479	.190	.140	2.98	2.14	.324	
25	.170	.140	.200	1.22	10.2	1.30	.448	.190	.140	1.51	1.06	.293	
26	.170	.140	.200	1.14	9.06	1.22	.448	.200	.140	1.14	.826	.293	
27	.170	.140	.190	1.14	8.68	1.30	.417	.386	.140	.668	.668	.293	
28	.160	.140	.200	.905	7.92	1.22	.417	.324	.140	.589	.589	.293	
29	.160		.200	.668	7.92	1.14	.417	.324	.140	.668	.510	.262	
30	.150		.448	.668	7.54	1.14	.386	.293	.140	.510	.479	.262	
31	.150		.448		7.54		.386	.293		.510		.262	
SD1	.207	.147	.163	5.59	3.36	4.34	.897	.293	.187	.125	.429	.380	
SD2	.177	.144	.188	3.54	7.26	2.26	.747	.250	.169	2.92	6.61	.445	
SD3	.166	.140	.242	1.08	9.09	1.31	.445	.259	.142	1.87	3.30	.321	
MAX	.262	.150	.448	14.7	12.4	9.06	1.22	.386	.262	6.40	36.1	1.72	
DAT	1	1	30	3	24	1	1	26	1	19	19	18	
SR	.183	.144	.199	3.40	6.65	2.64	.688	.267	.166	1.64	3.45	.380	
MIN	.150	.140	.130	.668	1.22	1.06	.386	.190	.140	.100	.262	.262	
DAT	30	8	9	29	1	10	30	23	23	10	13	10	
		GMIN = .100		SRGOD= 1.65				GMAX = 36.1					
		DATUM 10 10						DATUM 19 11					

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1976

Broj : 45821 Stanica : VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka : GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv : VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	.262	.160	.180	.625	4.60	13.8	4.60	.589	.479	.262	18.1	1.36	
2	.231	.160	.180	.708	6.40	14.3	4.60	1.51	.510	.262	16.2	1.36	
3	.200	.160	.180	1.04	7.92	15.2	4.00	1.30	.668	.231	7.54	1.61	
4	.200	.160	.170	1.21	9.06	15.7	3.70	1.14	.747	.231	5.20	1.87	
5	.200	.160	.170	1.29	9.82	17.6	3.19	1.06	1.06	.324	5.50	1.61	
6	.190	.160	.160	2.23	10.6	19.1	3.19	.984	.984	.262	5.80	1.48	
7	.190	.150	.160	2.02	12.9	19.6	3.19	.826	.747	.231	17.6	1.36	
8	.180	.140	.160	2.02	13.8	17.1	2.98	.747	.589	.231	19.1	8.04	
9	.180	.140	.160	2.02	13.3	13.3	2.98	.668	.510	.231	18.1	4.89	
10	.180	.140	.160	2.02	12.4	12.0	2.77	.668	.479	.231	13.3	2.13	
11	.180	.140	.160	1.81	12.0	11.6	2.77	.668	.417	.200	12.0	1.61	
12	.180	.160	.160	1.29	11.6	11.6	1.72	.668	.386	.479	10.2	1.36	
13	.180	.160	.160	1.21	11.6	11.1	1.93	.668	.386	.479	7.92	1.36	
14	.180	.160	.170	1.21	11.1	10.6	2.14	.589	.386	.200	6.78	1.10	
15	.170	.160	.170	1.13	11.1	10.6	2.35	.589	.386	.479	4.90	1.10	
16	.170	.160	.170	1.13	11.1	10.6	1.72	.668	.386	7.54	4.00	1.10	
17	.170	.160	.170	1.13	11.1	11.1	1.51	.668	.479	6.40	3.40	1.23	
18	.170	.160	.180	1.21	11.6	10.2	1.22	.589	.448	4.00	3.19	1.23	
19	.160	.160	.180	1.21	11.6	9.44	1.22	.747	.448	3.19	1.72	1.23	
20	.160	.160	.180	1.38	12.0	8.68	1.14	.826	.417	2.77	1.30	.966	
21	.160	.160	.180	1.38	11.6	7.92	1.06	.984	.355	1.51	1.14	.836	
22	.160	.170	.180	1.38	12.0	7.16	.984	1.14	.355	.984	1.06	.836	
23	.160	.170	.190	1.38	11.6	7.16	.984	1.22	.324	.668	.984	.836	
24	.160	.170	.190	2.66	11.6	6.40	1.14	.826	.324	.510	.668	.786	
25	.180	.170	.200	2.87	11.6	5.80	1.14	.747	.293	.448	.668	.786	
26	.180	.170	.231	4.65	11.1	5.50	2.35	.668	.293	.417	.668	.786	
27	.180	.170	.231	4.08	11.1	5.20	2.14	.589	.293	.386	.668	.735	
28	.180	.170	.231	3.52	11.1	5.20	1.22	.510	.262	.417	.589	.735	
29	.160	.170	.200	3.30	11.1	4.90	.905	.479	.262	.479	.589	.735	
30	.160		.200	3.30	11.1	4.90	.668	.448	.262	2.98	.589	.735	
31	.160		.200		11.1		.668	.448		23.9		.684	
SD1	.201	.153	.168	1.52	10.1	15.8	3.52	.949	.677	.250	12.6	2.57	
SD2	.172	.158	.170	1.27	11.5	10.6	1.77	.668	.414	2.57	5.54	1.23	
SD3	.167	.169	.203	2.85	11.4	6.01	1.21	.733	.302	2.97	.762	.772	
MAX	.262	.170	.231	4.65	13.8	19.6	4.60	1.51	1.06	23.9	19.1	8.04	
DAT	1	22	26	26	8	7	1	2	5	31	9	8	
SR	.180	.160	.181	1.88	11.0	10.8	2.13	.782	.464	1.97	6.32	1.50	
MIN	.160	.140	.160	.625	4.60	4.90	.668	.448	.262	.200	.589	.684	
DAT	19	8	6	1	1	29	30	30	28	11	28	31	
GMIN =			.140	SRGOD=			3.11	GMAX =			23.9		
DATUM			8 2					DATUM			31 10		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1977

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.479	.479	.668	24.5	5.50	10.6	2.35	.747	.355	.479	.231	1.14
2	.417	.479	.668	22.0	6.40	9.06	2.35	.826	.355	.510	.200	.984
3	.386	.417	.589	23.3	7.16	7.16	1.51	.905	.355	.905	.200	.747
4	.293	.386	.479	20.2	11.6	7.92	1.30	.668	.355	.668	.200	.589
5	.262	.386	.448	19.6	14.7	8.30	1.30	.510	.324	.510	.200	.589
6	.262	.386	.417	18.6	15.7	8.68	1.51	.510	.324	.510	.200	.510
7	.231	.417	.417	17.6	12.9	9.44	2.35	.479	.293	.479	.190	.479
8	.231	.262	.386	13.8	7.92	9.44	2.56	.448	.293	.479	.190	.479
9	.231	.262	.386	12.9	6.40	9.82	2.56	.448	.262	.448	.180	.479
10	.231	.479	.386	11.6	5.50	9.44	2.35	.448	.262	.448	.180	.479
11	.324	1.30	.386	9.82	3.40	10.2	2.14	.417	.231	.510	.180	.479
12	.386	1.51	.510	4.60	2.77	10.6	2.14	.417	.231	1.06	.170	.479
13	.448	1.22	.510	4.00	4.30	12.0	1.93	.417	.200	1.22	.170	.479
14	.417	1.06	.479	1.72	6.10	14.3	1.72	.386	.200	1.72	.231	.479
15	.417	1.06	.479	1.30	7.92	13.3	1.51	.386	.200	1.30	.324	.479
16	.386	1.06	.448	1.14	9.44	13.3	1.72	.386	.190	.984	.417	.479
17	.386	1.06	.448	.984	10.2	12.4	1.51	.386	.190	.668	1.22	.262
18	.324	1.14	.479	.826	12.9	11.6	1.51	.417	.231	.589	1.06	.479
19	.324	1.14	.510	.747	13.3	10.6	1.30	.417	.324	.510	.668	.355
20	.324	1.14	.510	.668	14.7	9.82	1.22	.386	.510	.448	1.72	.355
21	.262	1.06	.510	.668	16.2	9.06	1.22	.386	.668	.355	3.19	.262
22	.262	.479	.747	.668	17.1	7.92	1.22	2.35	1.22	.324	5.50	.231
23	.262	.448	.747	.984	17.6	6.78	1.14	1.22	1.14	.324	5.80	.231
24	.262	.448	1.06	1.06	18.6	5.80	1.14	1.22	.984	.324	4.00	.231
25	.262	1.06	1.72	1.72	15.7	5.80	1.14	1.22	.905	.293	2.77	.200
26	.324	1.14	1.93	1.30	15.2	5.20	.984	.905	.826	.293	2.14	.200
27	.355	1.14	1.93	1.51	15.2	4.00	.984	.747	.747	.262	1.93	.200
28	.417	1.14	2.14	1.51	15.2	2.98	.905	.479	.589	.262	1.72	.417
29	.417		1.93	2.35	14.3	2.77	.668	.448	.386	.262	1.51	.984
30	.448		2.35	3.70	13.3	2.77	.668	.386	.355	.262	1.30	1.72
31	.448		17.1		12.0		.589	.386		.262		1.93
SD1	.302	.395	.484	18.4	9.38	8.99	2.01	.599	.318	.544	.197	.648
SD2	.374	1.17	.476	2.58	8.50	11.8	1.67	.401	.251	.901	.616	.433
SD3	.338	.864	2.92	1.55	15.5	5.31	.969	.886	.782	.293	2.99	.601
MAX	.479	1.51	17.1	34.5	18.6	14.3	2.56	2.35	1.22	1.72	5.80	1.93
DAT	1	12	31	1	24	14	8	22	22	14	23	31
SR	.338	.806	1.35	7.51	11.3	8.70	1.53	.637	.450	.570	1.27	.561
MIN	.231	.262	.386	.668	2.77	2.77	.589	.386	.190	.262	.170	.200
DAT	7	8	8	20	12	29	31	14	16	27	12	25
GMIN =		.170		SRGOD=		2.92		GMAX =		34.5		
DATUM		12 11						DATUM		1 4		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1978

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	1.06	.231	3.35	.417	2.77	10.9	6.86	1.14	.510	7.54	1.18	.326	
2	.510	.200	2.71	.417	19.6	8.21	8.68	1.22	.448	12.9	1.18	.205	
3	.448	.200	2.18	.448	25.7	9.50	8.30	1.22	.448	15.7	1.18	.160	
4	.417	.200	1.83	.448	15.2	10.0	7.92	1.30	.448	12.9	1.04	.160	
5	.355	.200	1.83	.479	11.6	9.77	7.92	1.30	.417	6.40	1.04	.160	
6	.355	.190	1.83	.479	11.1	10.0	7.54	1.51	.510	8.30	1.04	.160	
7	.324	.190	2.01	.510	12.0	10.3	9.82	1.51	.510	5.50	1.04	.160	
8	.293	.190	2.01	.589	12.9	10.6	12.9	1.51	.589	2.14	.900	.160	
9	.293	.180	2.01	.747	11.6	10.6	12.0	1.22	.589	1.30	.900	.150	
10	.262	.190	1.66	.826	8.68	10.3	11.1	1.14	.510	1.14	.900	.170	
11	.262	.200	1.48	.826	6.78	10.3	8.68	1.14	4.60	1.06	.900	.190	
12	.262	.417	1.31	.826	5.50	10.3	8.30	.905	3.70	.905	.855	.262	
13	.262	1.22	1.31	13.3	3.19	10.6	8.30	.668	2.77	.668	.855	.386	
14	.262	5.20	1.31	24.5	5.50	10.6	7.92	.668	2.35	.589	.855	.386	
15	.231	3.19	1.48	18.1	4.90	11.2	7.92	.668	1.93	.510	.810	.479	
16	.200	1.93	1.31	12.9	4.60	12.9	7.16	.589	1.72	.479	.810	2.77	
17	.200	1.22	1.48	5.50	4.90	13.6	6.40	.589	1.51	.448	.810	3.70	
18	.200	1.06	1.66	3.70	4.60	13.9	5.80	.589	1.30	.448	.765	2.98	
19	.190	.747	1.48	2.77	4.90	14.3	4.90	.668	1.30	.448	.765	1.30	
20	.190	.668	1.31	1.30	9.82	13.9	4.30	.668	1.06	.479	.765	1.06	
21	.190	.747	1.13	.905	17.6	12.9	4.00	.510	.905	.479	.765	.984	
22	.190	.510	1.13	.826	27.0	10.6	3.70	.448	.905	.510	.720	.905	
23	.180	.510	1.13	.747	25.7	9.77	2.77	.448	.826	.510	.720	.589	
24	.180	.479	2.53	.668	27.0	6.70	2.35	.448	.747	.479	.720	.510	
25	.180	.589	1.13	.668	24.5	5.99	2.14	.448	.747	.386	.765	.479	
26	.180	.747	.926	.826	17.6	5.51	1.72	.448	.668	.355	.810	.479	
27	.180	3.19	.857	1.14	18.1	5.10	1.72	.448	.668	.417	.810	.448	
28	.180	3.40	.788	1.72	18.1	4.89	1.30	.448	.668	.293	.810	.479	
29	.417		.788	2.14	13.8	4.28	1.30	.448	2.98	.262	.655	.510	
30	.448		.857	2.35	12.9	4.07	1.22	.510	2.56	.314	.487	.668	
31	.448		.857		11.6		1.14	.510		.523		.668	
SD1	.432	.197	2.14	.536	13.1	10.0	9.30	1.31	.498	7.38	1.04	.181	
SD2	.226	1.59	1.41	8.37	5.47	12.1	6.97	.715	2.22	.603	.819	1.35	
SD3	.252	1.27	1.10	1.20	19.4	6.98	2.12	.465	1.17	.412	.726	.611	
MAX	1.06	5.20	3.35	24.5	47.0	14.3	12.9	1.51	4.60	15.7	1.18	3.70	
DAT	1	14	1	14	24	19	8	8	11	3	1	17	
SR	.302	1.000	1.54	3.37	12.9	9.72	6.00	.817	1.30	2.72	.862	.711	
MIN	.180	.180	.788	.417	2.77	4.07	1.14	.448	.417	.262	.487	.150	
DAT	23	9	28	1	1	30	31	22	5	29	30	9	
GMIN =			.150	SRGOD=			3.45	GMAX =			47.0		
DATUM			9 12					DATUM			24 5		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1979

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.82	7.04	.902	1.14	6.56	19.1	6.40	1.53	.822	.324	15.7	.845
2	3.28	3.30	.856	.905	4.86	19.1	5.80	1.53	.756	.324	17.6	.986
3	2.47	3.10	.642	.826	3.98	16.7	5.50	1.42	.690	.324	12.0	1.07
4	1.62	1.90	.531	.826	3.19	15.2	5.50	1.42	.888	.386	10.2	1.07
5	1.28	2.30	.412	.984	3.70	17.1	5.20	1.32	.822	.386	9.06	.947
6	1.04	2.50	.330	1.06	5.50	17.6	4.60	1.32	.954	.448	7.92	.947
7	.972	1.90	.287	1.06	3.40	18.1	4.30	1.21	1.25	1.06	6.40	.779
8	.838	1.70	.362	.984	7.54	18.1	4.00	1.21	1.09	2.98	2.98	.738
9	.838	1.50	.362	.668	9.44	16.7	4.00	1.21	.954	1.72	2.56	.697
10	.703	1.22	.362	.589	9.82	16.7	3.40	1.11	.888	1.51	5.80	.656
11	1.04	1.90	.362	.589	10.6	16.2	2.98	1.11	.822	.589	5.50	.656
12	1.45	2.10	.362	.510	11.6	16.7	2.77	1.11	.822	.510	6.10	1.33
13	1.28	6.50	.330	.510	6.40	17.6	2.56	1.11	.822	.448	2.98	1.07
14	1.28	5.44	.330	.589	5.50	17.6	2.35	1.00	.822	.510	2.14	.820
15	1.11	4.37	.299	.589	4.90	18.1	2.35	1.00	.756	.747	1.30	.738
16	1.04	3.10	.520	.589	4.90	19.1	2.56	.895	.690	.826	45.2	.697
17	.905	2.90	.843	.668	4.60	19.1	2.56	.895	.756	1.22	51.8	.697
18	.905	2.90	.762	.747	3.70	19.1	2.77	.895	.690	1.14	48.5	.656
19	.838	2.90	.762	.826	6.10	23.9	2.77	.895	.558	1.14	33.5	.697
20	.703	2.30	.681	.826	7.16	19.6	2.14	2.02	.624	1.14	19.6	.697
21	.569	1.29	.681	.826	15.2	16.2	2.14	3.71	.888	1.06	18.6	.738
22	.501	1.29	.681	.905	16.7	14.7	2.14	5.36	1.02	.589	9.06	.738
23	.501	1.22	.601	.668	17.1	13.3	2.14	4.96	1.02	.510	3.19	.779
24	.770	1.14	.601	.589	17.1	12.0	1.93	2.59	1.09	.479	2.14	.738
25	.838	1.14	.601	.589	17.1	11.1	1.93	1.63	1.42	.448	.826	.738
26	.905	.980	.681	9.82	17.6	11.1	1.51	.895	1.42	.510	.668	.738
27	1.04	.980	.762	27.0	18.1	10.6	1.30	.789	1.09	1.06	.510	.738
28	1.28	.902	5.30	27.7	18.1	10.2	1.22	.683	.888	1.06	.510	.697
29	1.45		4.69	9.44	19.1	8.68	1.22	.600	.822	1.22	.510	.656
30	28.0		3.47	8.27	19.1	7.16	1.22	.559	.756	11.1	.780	.656
31	11.9		1.75		19.6		1.22	.517		29.6		.615
SD1	1.49	2.64	.505	.904	5.80	17.4	4.87	1.33	.911	.946	9.02	.874
SD2	1.05	3.44	.525	.644	6.55	18.7	2.58	1.09	.736	.827	21.7	.806
SD3	4.34	1.12	1.80	8.58	17.7	11.5	1.63	2.03	1.04	4.33	3.68	.712
MAX	28.0	7.04	5.30	27.7	19.6	23.9	6.40	5.36	1.42	29.6	71.8	1.33
DAT	30	1	28	28	31	19	1	22	25	31	17	12
SR	2.36	2.49	.972	3.38	10.3	15.9	2.98	1.50	.896	2.11	11.5	.795
MIN	.501	.902	.287	.510	3.19	7.16	1.22	.517	.558	.324	.510	.615
DAT	22	28	7	12	4	30	28	31	19	1	27	31
GMIN =			.287	SRGOD=			4.57	GMAX =			71.8	
DATUM			7 3					DATUM			17 11	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1980

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.06	.665	.525	1.15	1.15	16.5	5.12	1.32	1.01	.560	1.15	3.10
2	1.01	.665	.525	1.11	1.54	10.5	4.75	1.32	1.06	.970	1.02	3.10
3	.925	.700	.490	1.54	2.90	8.47	4.56	1.32	.970	.560	1.66	2.90
4	.880	.700	.490	1.35	2.51	7.03	3.56	1.32	.835	.560	2.49	2.90
5	.835	.700	.490	1.06	2.71	4.51	3.56	1.24	.790	.525	3.72	2.71
6	.790	.835	.490	1.01	4.64	3.08	3.27	1.24	.790	.490	16.0	2.32
7	.790	.745	.490	.970	5.91	3.68	3.56	1.24	.835	.490	16.8	2.13
8	.790	.745	.490	.925	6.22	4.13	4.41	1.24	.835	.595	13.7	1.35
9	.790	.745	.490	.925	6.52	8.22	4.00	1.15	.790	1.01	15.2	1.15
10	.790	.745	.455	.880	6.83	9.31	4.41	1.15	.790	17.1	.126	1.06
11	.745	.745	.455	.880	5.91	11.6	4.11	1.15	.745	29.1	16.8	.970
12	.745	.700	.455	.835	5.61	11.9	4.11	1.15	.745	35.7	19.3	.835
13	.745	.700	.455	.790	5.30	11.9	3.27	1.15	.745	47.6	27.2	.745
14	.745	.700	.420	.745	5.08	12.3	3.01	1.15	.745	36.4	30.7	.700
15	.745	.745	.420	.745	5.91	12.3	2.78	1.10	.745	24.1	28.9	.665
16	.835	.630	.420	.835	5.61	11.9	2.67	1.10	.700	20.0	17.6	.665
17	.835	.700	.420	.880	5.91	11.6	2.55	1.10	.700	29.1	9.68	.665
18	.790	.745	.420	1.01	6.52	11.3	2.44	1.10	.700	32.4	9.08	.665
19	.835	.630	.420	1.35	6.83	9.06	2.44	1.10	.630	31.1	7.56	.665
20	.835	.595	.455	1.73	5.91	8.47	2.33	.986	.560	22.9	5.34	.630
21	.790	.560	.665	2.90	4.86	9.90	2.10	.986	.525	18.3	4.49	.595
22	.745	.560	.835	1.54	3.98	11.0	1.74	.986	.525	11.0	3.92	.595
23	.745	.560	.970	1.35	3.76	8.47	1.57	.874	.525	7.13	5.34	.595
24	.745	.560	1.01	1.15	3.98	10.5	1.41	.874	.490	3.32	4.93	.595
25	.745	.560	1.01	1.15	4.20	11.0	1.41	.874	.525	3.10	4.32	.595
26	.700	.525	.970	1.15	4.64	10.2	1.41	.758	.595	19.4	3.92	.560
27	.665	.525	.970	1.15	4.64	9.31	1.32	.758	.630	18.3	3.58	.560
28	.665	.525	1.01	1.06	8.05	7.97	1.32	.758	.630	4.86	3.58	.560
29	.630	.525	1.01	1.11	11.0	7.72	1.32	.758	.665	4.20	3.26	.560
30	.630		1.01	1.11	14.2	7.47	1.32	.758	.700	3.10	3.16	.560
31	.630		1.06		21.2		1.32	.758		2.51		.560
SD1	.866	.724	.493	1.09	4.09	7.54	4.12	1.26	.870	2.29	7.18	2.27
SD2	.785	.689	.434	.980	5.86	11.2	2.97	1.11	.701	30.8	17.2	.721
SD3	.699	.544	.956	1.37	7.68	9.36	1.48	.831	.581	8.66	4.05	.576
MAX	1.06	.835	1.06	2.90	21.2	16.5	5.12	1.32	1.06	47.6	30.7	3.10
DAT	1	6	22	21	31	1	1	1	2	13	14	1
SR	.781	.656	.639	1.15	5.94	9.38	2.81	1.06	.718	13.8	9.49	1.17
MIN	.630	.525	.420	.745	1.15	3.08	1.32	.758	.490	.490	.126	.560
DAT	29	26	14	14	1	6	27	26	24	6	10	26

GMIN =			.126	SRGOD=				3.97	GMAX =			47.6
DATUM			10 11						DATUM			13 10

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1982

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.06	.700	.525	8.74	1.35	17.1	5.30	2.90	.700	.486	1.11	.880
2	1.73	.665	.525	11.0	1.15	22.3	5.08	2.51	.700	.654	.880	.925
3	1.54	.665	.525	4.64	1.15	18.3	4.42	2.32	.700	.581	.745	.925
4	1.35	.665	.525	4.20	1.11	17.1	4.42	2.32	.700	.782	.745	.880
5	1.35	.630	.525	3.98	2.32	16.1	3.10	2.13	.700	.985	.745	.880
6	1.15	.630	.525	3.76	2.90	15.6	2.71	1.93	.700	5.20	.745	.835
7	1.15	.630	.525	4.42	4.64	14.6	2.51	1.93	.700	13.8	.700	.790
8	1.06	.595	.560	4.64	6.22	14.6	2.32	1.73	.700	10.8	.700	.745
9	1.01	.595	.560	5.08	16.1	12.2	1.73	1.54	.700	7.62	.700	.745
10	1.01	.595	.595	4.86	16.6	12.2	1.54	1.54	.665	5.58	.665	.745
11	.970	.595	.595	5.61	22.3	12.7	1.54	1.35	.700	4.13	.665	.745
12	.970	.595	.595	5.30	22.9	15.1	1.73	1.15	.700	2.19	.665	.835
13	.970	.595	.595	4.42	22.9	15.1	1.73	1.11	.700	1.57	.665	1.93
14	.970	.595	.560	4.20	22.9	25.4	1.93	1.01	.700	1.28	.595	2.71
15	.925	.595	.560	26.6	18.8	23.5	1.93	1.06	.700	1.28	.700	1.93
16	.925	.595	.560	15.1	17.7	12.2	1.93	1.06	.665	1.10	.970	1.54
17	.925	.595	.560	14.6	15.1	11.8	2.13	1.06	.630	1.28	3.10	1.35
18	.880	.595	.560	16.1	13.2	11.0	1.93	1.54	.630	1.12	2.32	1.35
19	.880	.595	.595	11.4	11.0	10.7	1.73	1.54	.630	1.12	1.73	2.13
20	.835	.595	.595	11.8	11.4	11.0	1.54	1.06	.630	1.12	1.15	2.51
21	.790	.560	.595	5.61	13.7	11.0	1.35	1.54	.630	1.06	1.06	2.71
22	.790	.560	.595	4.64	14.2	10.7	1.15	1.35	.560	1.06	1.01	3.98
23	.790	.560	.595	3.32	16.6	11.0	1.35	1.06	.630	1.06	.970	4.86
24	.790	.560	.595	2.71	21.2	11.4	1.54	1.01	.630	.985	.925	2.90
25	.790	.560	.595	2.51	22.9	11.4	1.93	.970	.595	.985	.925	2.71
26	.790	.560	.560	1.73	20.6	11.4	2.13	.970	.560	.821	.880	2.32
27	.790	.560	.595	1.73	22.3	9.89	2.71	.970	.560	.821	.880	2.13
28	.790	.560	.630	1.54	22.3	8.35	2.71	.925	.560	.821	.880	1.35
29	.790		.630	1.54	22.9	7.74	2.71	.880	.525	.821	.835	1.11
30	.745		.665	1.35	23.5	7.74	2.71	.745	.512	.970	.880	1.06
31	.745		11.4		23.5		2.71	.745		.970		1.01
SD1	1.24	.637	.539	5.53	5.35	16.0	3.31	2.08	.696	4.65	.773	.835
SD2	.925	.595	.578	11.5	17.8	14.9	1.81	1.19	.669	1.62	1.26	1.70
SD3	.782	.560	1.59	2.67	20.3	10.1	2.09	1.02	.576	.943	.924	2.38
MAX	1.73	.700	11.4	26.6	23.5	25.4	5.30	2.90	.700	13.8	3.10	4.86
DAT	2	1	31	15	30	14	1	1	1	8	17	23
SR	.976	.600	.923	6.57	14.7	13.6	2.40	1.42	.647	2.36	.985	1.66
MIN	.745	.560	.525	1.35	1.11	7.74	1.15	.745	.512	.486	.595	.745
DAT	30	21	1	30	4	29	22	30	30	1	14	8
GMIN =			.486	SRGOD=			3.92	GMAX =			26.6	
DATUM			1 10					DATUM			15 4	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1983

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	.970	.595	.595	2.51	19.4	7.74	3.01	1.35	.745	.700	.525	2.01	
2	.970	.595	.595	3.54	24.8	6.24	3.01	1.15	.745	.700	.490	1.82	
3	.925	.595	.595	3.76	21.2	5.10	3.01	1.11	.700	.665	.490	1.73	
4	.880	.595	.595	3.10	18.8	5.54	3.01	1.06	.700	.665	.490	1.54	
5	.880	.595	.595	2.51	15.6	6.88	3.01	1.01	.700	.630	.490	1.64	
6	.835	.595	.560	2.13	14.6	6.65	3.58	.970	.700	.630	.490	1.64	
7	.790	.595	.560	2.90	13.7	6.88	3.98	1.01	.700	.595	.490	1.64	
8	.790	.665	.595	2.90	12.7	5.32	3.76	.880	.700	.595	.490	1.64	
9	.790	.665	.630	2.13	8.35	5.32	3.76	.880	.700	.595	.490	1.54	
10	.790	.700	.630	2.51	9.12	4.69	3.54	.880	.665	.595	.490	1.54	
11	.790	.745	.665	2.71	11.8	4.69	3.32	.880	.665	.595	.490	1.54	
12	.745	.745	.665	6.22	14.2	4.51	3.10	.880	.665	.560	.490	1.54	
13	.745	.745	.665	5.91	14.6	4.34	2.71	.880	.665	.595	.490	1.54	
14	.700	.790	.665	5.91	15.1	4.69	2.32	.880	.630	.595	.490	1.54	
15	.700	.790	.560	5.91	16.1	4.51	2.51	.880	.630	.595	.490	1.64	
16	.700	.745	.665	3.32	12.2	4.51	2.71	.880	.630	.560	.490	1.73	
17	.700	.745	.665	2.32	18.8	4.51	3.54	.880	.630	.560	.490	1.82	
18	.700	.745	.665	2.32	19.4	4.51	4.86	1.01	1.35	.560	.490	1.91	
19	.700	.665	.665	2.32	19.4	4.51	3.54	.970	1.54	.560	.490	2.09	
20	.700	.665	.665	2.13	18.8	4.34	2.71	.970	1.73	.560	.490	2.19	
21	.700	.630	.665	5.30	19.4	4.16	2.51	.925	1.54	.560	.490	2.38	
22	.665	.630	.700	6.83	20.0	3.80	2.51	.925	1.54	.560	.490	2.30	
23	.630	.630	.835	7.44	19.4	3.09	2.51	.880	1.11	.560	.455	2.19	
24	.630	.630	1.01	8.74	19.4	3.45	2.51	.835	.970	.560	.490	2.09	
25	.630	.630	1.73	9.51	21.2	3.27	2.32	.835	.790	.560	.490	2.01	
26	.630	.630	20.6	10.3	14.6	3.27	1.93	.790	.835	.560	.490	1.91	
27	.630	.595	22.9	10.7	14.2	3.27	1.54	.790	.745	.525	.560	1.82	
28	.595	.595	19.4	13.2	12.7	3.27	1.54	.790	.745	.525	9.51	1.82	
29	.595		7.44	13.2	11.4	3.27	2.90	.790	.745	.525	1.93	1.73	
30	.595		3.32	13.7	10.3	3.27	1.73	.790	.745	.525	1.35	1.73	
31	.595		2.71		9.51		1.73	.790		.525		1.64	
SD1	.862	.619	.595	2.80	15.8	6.04	3.37	1.03	.705	.637	.494	1.67	
SD2	.718	.738	.655	3.91	16.0	4.51	3.13	.911	.914	.574	.490	1.76	
SD3	.627	.621	7.39	9.89	15.6	3.41	2.16	.831	.976	.544	1.63	1.97	
MAX	.970	.790	22.9	13.7	32.8	7.74	4.86	1.35	1.73	.700	9.51	2.38	
DAT	1	14	27	30	2	1	18	1	20	1	28	21	
SR	.732	.662	3.03	5.53	15.8	4.65	2.86	.921	.865	.584	.870	1.80	
MIN	.595	.595	.560	2.13	8.35	3.09	1.54	.790	.630	.525	.455	1.54	
DAT	28	1	6	6	9	23	27	26	14	27	23	4	
		GMIN = .455		SRGOD= 3.22		GMAX = 32.8				DATUM 2 5			
		DATUM 23 11											

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1984

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII					
1	1.72	.986	.745	1.06	1.54	17.7	11.4	3.10	.745	4.64	.745	.970					
2	1.72	.851	.790	1.11	7.44	16.4	11.4	3.32	.790	10.3	.745	.970					
3	1.64	.746	.790	1.54	14.6	17.3	11.0	3.32	.745	19.4	.700	.925					
4	1.55	.721	.790	2.90	15.6	15.1	10.3	3.54	.700	15.1	.700	.925					
5	1.55	.721	.790	2.71	17.1	14.7	9.89	3.76	.630	13.2	.665	.880					
6	1.55	.700	.745	2.51	18.8	16.0	7.44	3.76	.665	11.8	.665	.835					
7	1.55	.700	.745	2.51	21.2	21.5	4.86	3.98	.665	11.0	.630	.835					
8	1.47	.700	.745	2.32	22.9	16.0	4.64	3.32	.630	10.3	.630	.790					
9	1.47	.700	.745	2.32	23.5	12.9	4.86	2.90	.630	9.89	.630	.745					
10	1.47	.700	.745	1.54	24.1	16.4	5.08	2.32	.630	8.05	.630	.745					
11	1.47	.700	.700	1.54	24.1	11.4	5.08	2.32	.630	4.86	.630	.700					
12	1.47	.700	.700	1.54	24.8	11.0	5.08	2.32	.630	2.90	.630	.700					
13	1.47	.700	.700	1.54	21.2	10.7	7.13	2.32	.595	1.93	.630	.665					
14	1.47	.700	.700	1.73	18.8	10.7	5.61	1.93	.595	1.35	.630	.630					
15	1.47	.700	.665	2.32	17.7	10.4	5.91	2.32	.595	1.15	.630	.630					
16	1.39	.700	.630	2.51	24.1	9.60	5.08	1.15	3.54	1.15	.835	.630					
17	1.39	.700	.630	2.71	24.1	9.22	4.86	1.11	3.98	1.11	.925	.630					
18	1.30	.700	.665	2.32	23.5	9.22	4.86	1.11	5.08	1.06	1.06	.630					
19	1.30	.665	.665	1.73	23.5	8.92	4.42	1.06	5.08	.970	1.93	.630					
20	1.47	.665	.665	1.54	24.1	8.32	3.76	.970	5.30	.970	4.64	.630					
21	1.47	.665	.665	1.35	29.1	11.4	3.32	.925	5.30	.925	3.76	.595					
22	1.47	.665	.665	1.35	39.0	10.4	3.76	.880	5.61	.925	3.10	.595					
23	1.47	.700	.665	1.35	33.7	11.0	3.54	.835	5.61	.880	2.71	.560					
24	1.55	.700	.665	1.35	29.1	10.7	3.54	.790	22.9	.880	2.71	.560					
25	1.64	.700	.665	1.35	27.9	10.7	3.54	.880	16.6	.835	2.51	.560					
26	1.64	.700	.665	1.35	20.0	10.4	3.54	.925	10.3	.835	2.51	.560					
27	1.55	.700	.745	1.15	19.4	9.60	3.32	1.06	8.05	.835	1.93	.560					
28	1.55	.745	.790	1.11	14.2	9.22	2.90	1.01	3.54	.835	1.15	.560					
29	1.47	.745	.835	1.06	20.0	8.62	2.51	.925	3.54	.790	1.11	.560					
30	1.39		.970	1.06	19.4	8.62	2.13	.880	3.54	.790	1.01	.560					
31	1.30		1.01		20.0		2.90	.790		.790		.560					
SD1	1.57	.752	.763	2.05	16.7	16.4	8.09	3.33	.683	11.4	.674	.862					
SD2	1.42	.693	.672	1.95	22.6	9.96	5.18	1.66	2.60	1.74	1.25	.648					
SD3	1.50	.702	.758	1.25	24.7	10.1	3.18	.900	8.50	.847	2.25	.566					
MAX	1.72	.986	1.01	2.90	39.0	21.5	11.4	3.98	22.9	19.4	4.64	.970					
DAT	1	1	31	5	22	7	2	7	24	3	20	2					
SR	1.50	.716	.732	1.75	21.4	12.1	5.41	1.93	3.93	4.53	1.39	.688					
MIN	1.30	.665	.630	1.06	1.54	8.32	2.13	.790	.595	.790	.630	.560					
DAT	18	19	16	1	1	20	30	24	13	29	7	23					

GMIN =			.560			SRGOD=			4.70			GMAX =			39.0		
DATUM			23 12									DATUM			22 5		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1985

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.560	.455	.595	.835	11.0	12.2	2.32	2.32	.790	.385	1.01	1.15
2	.560	.455	.560	.880	6.52	11.0	2.32	2.13	.790	.385	1.54	1.11
3	.560	.455	.525	.925	8.35	10.7	1.54	2.13	.790	.385	4.64	1.11
4	.525	.455	.560	1.01	9.89	10.3	1.54	2.13	.790	.385	3.54	1.11
5	.525	.455	.560	1.11	11.8	10.7	1.54	1.93	.835	.385	4.42	1.11
6	.525	.455	.560	1.73	16.6	10.7	1.54	1.54	.790	.350	9.51	1.06
7	.525	.455	.560	1.93	22.9	11.0	1.35	1.35	.790	.350	13.2	1.06
8	.490	.455	.560	1.93	19.4	11.8	1.35	1.15	.790	.350	8.74	1.06
9	.490	.490	.560	2.13	20.0	13.2	1.35	1.06	.790	.350	3.76	1.06
10	.490	.665	.560	1.93	21.2	11.8	1.35	1.01	.790	.350	1.15	1.06
11	.490	.745	.595	1.73	21.2	9.89	1.15	1.01	.790	.350	1.06	1.06
12	.490	.835	.630	1.73	21.7	8.74	1.15	.970	.790	.350	1.01	1.06
13	.490	.880	.630	1.73	22.9	7.44	1.15	.970	.790	.350	6.52	1.01
14	.490	.835	.665	1.54	25.4	7.13	1.15	.970	.700	.350	13.2	1.01
15	.490	.790	.665	1.54	20.0	6.83	1.15	.970	.420	.350	8.74	.925
16	.490	.790	.700	1.73	20.6	5.30	1.15	.880	.595	.350	5.61	.880
17	.490	.700	.700	1.54	20.0	4.86	1.15	.835	.595	.350	5.61	.880
18	.490	.700	.700	1.15	18.8	4.64	1.15	.835	.420	.350	5.30	.835
19	.525	.665	.700	1.06	18.8	4.42	1.11	.835	.420	.350	22.3	.835
20	.525	.630	.700	1.06	18.3	4.42	1.06	.790	.420	.350	26.6	.790
21	.525	.630	.700	1.06	18.3	4.42	1.01	.790	.420	.290	14.6	.790
22	.490	.595	.700	1.06	18.3	4.42	.970	.790	.420	.290	12.2	.790
23	.490	.665	.700	1.01	18.8	4.20	.970	.790	.420	.290	5.91	.790
24	.490	.665	.700	1.01	19.4	3.76	1.01	.790	.420	.290	3.76	.790
25	.490	.595	.745	1.01	19.4	3.54	1.11	.790	.420	.290	3.32	.790
26	.490	.490	.745	1.06	19.4	3.32	1.15	.745	.420	.290	2.71	.790
27	.490	.525	.790	1.06	18.3	3.10	2.32	.790	.420	.270	2.32	.790
28	.490	.525	.790	1.73	17.1	2.71	2.32	.790	.420	.270	1.93	.835
29	.490		.790	27.9	16.1	2.71	2.32	.835	.420	.270	1.54	.880
30	.490		.835	19.4	13.2	2.32	2.32	.835	.420	.270	1.54	.970
31	.490		.835		13.2		2.32	.835		.270		1.01
SD1	.525	.479	.560	1.44	14.8	11.3	1.62	1.67	.794	.367	5.15	1.09
SD2	.497	.757	.668	1.48	20.8	6.37	1.14	.907	.594	.350	9.59	.928
SD3	.493	.586	.757	5.63	17.4	3.45	1.62	.798	.420	.281	4.98	.839
MAX	.560	.880	.835	27.9	25.4	13.2	2.32	2.32	.835	.385	26.6	1.15
DAT	19	13	30	29	14	9	1	1	5	1	20	1
SR	.505	.609	.665	2.85	17.6	7.05	1.46	1.12	.603	.331	6.58	.948
MIN	.490	.455	.525	.835	6.52	2.32	.970	.745	.420	.270	1.01	.790
DAT	8	1	3	1	2	30	22	26	15	27	1	20
	GMIN =	.270		SRGOD=	3.38		GMAX =	27.9		DATUM	29	4
		DATUM	27	10				DATUM	29	4		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1986

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	7.13	.880	.925	4.64	13.7	26.0	9.89	1.93	.700	.420	1.01	.420
2	7.13	.880	.925	5.08	13.7	26.6	9.51	1.93	.700	.420	1.01	.420
3	2.71	.790	1.15	5.91	14.2	27.9	9.51	1.93	.700	.420	.970	.420
4	2.71	.790	1.73	6.52	15.6	31.1	9.12	1.73	.700	.420	.790	.420
5	2.71	.790	1.93	6.83	15.1	33.7	8.74	1.73	.700	.420	.790	.420
6	2.71	.790	1.54	7.44	14.6	32.4	8.74	1.93	.665	.420	.790	.420
7	2.71	.790	1.15	8.74	15.1	36.4	7.44	1.73	.665	.420	.790	.420
8	2.51	.790	1.15	9.12	15.1	30.4	6.83	1.73	.665	.420	.745	.420
9	2.51	.790	1.15	9.51	15.6	29.1	6.52	1.54	.630	.420	.595	.420
10	1.06	.790	1.15	8.35	16.1	27.2	6.22	1.54	.630	.420	.560	.420
11	1.06	.790	1.35	7.13	16.1	26.0	6.22	1.35	.630	.420	.525	.420
12	1.06	.790	1.15	5.08	17.1	22.9	5.91	1.15	.630	.420	.525	.420
13	1.01	.790	1.15	4.42	17.1	20.6	5.61	1.15	.630	.420	.490	.420
14	1.01	.790	1.15	4.64	17.7	21.2	5.08	1.15	.630	.420	.490	.420
15	1.01	.790	1.15	5.08	18.8	21.2	4.64	1.11	.630	.350	.490	.420
16	1.01	.700	1.15	5.30	22.3	21.7	4.42	1.11	.630	.350	.455	.420
17	.970	.745	1.11	5.91	22.9	21.2	4.20	1.11	.630	.350	.455	.420
18	.925	5.08	1.01	6.22	23.5	20.6	3.98	1.06	.630	.350	.420	.420
19	.835	5.30	.970	6.52	23.5	19.4	3.98	1.06	.630	.350	.420	.420
20	.790	5.30	.970	7.44	24.1	18.8	4.42	1.06	.630	.350	.420	.420
21	.790	5.30	.970	8.05	24.8	16.6	4.20	1.06	.630	.350	.420	.420
22	.835	1.54	.880	9.51	24.8	15.6	4.20	.970	.630	.420	.420	.420
23	.880	1.15	.790	9.89	24.8	14.6	4.42	.925	.630	.420	.420	.420
24	1.01	1.15	1.01	11.0	24.8	13.7	4.42	.880	.595	7.44	.420	.420
25	1.01	1.06	1.11	11.8	25.4	13.2	4.20	.835	.595	6.22	.455	.420
26	1.01	.970	2.32	12.2	25.4	13.2	3.76	.835	.595	3.32	.420	.420
27	.970	.880	2.90	13.7	25.4	11.8	3.54	.790	.595	1.93	.420	.420
28	.970	.880	3.32	14.2	24.8	11.0	3.10	.790	.525	1.73	.420	.420
29	.970		3.76	13.7	25.4	9.51	2.71	.745	.490	1.06	.420	.420
30	.925		3.98	13.2	26.0	9.51	2.13	.700	.455	1.06	.420	.420
31	.925		4.42		26.0		2.13	.700		1.06		.420
SD1	3.39	.808	1.28	7.21	14.9	30.1	8.25	1.77	.676	.420	.805	.420
SD2	.968	2.11	1.12	5.77	20.3	21.4	4.85	1.13	.630	.378	.469	.420
SD3	.936	1.62	2.31	11.7	25.2	12.9	3.53	.839	.574	2.27	.424	.420
MAX	7.13	5.30	4.42	14.2	26.0	36.4	9.89	1.93	.700	7.44	1.01	.420
DAT	1	19	31	28	30	7	1	6	1	24	1	1
SR	1.74	1.50	1.59	8.24	20.3	21.4	5.48	1.23	.627	1.06	.566	.420
MIN	.790	.700	.790	4.42	13.7	9.51	2.13	.700	.455	.350	.420	.420
DAT	20	16	23	13	1	29	30	30	30	15	18	1

GMIN =			.350	SRGOD=				5.36	GMAX =			36.4
DATUM			15 10						DATUM			7 6

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1987

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.455	.970	.745	.560	1.93	14.1	16.1	1.06	.665	.490	.420	3.54
2	.455	.970	.700	.560	2.32	9.82	12.7	1.06	.665	.490	.420	3.32
3	.455	.880	.700	.595	3.10	10.1	11.8	1.06	.665	.455	.420	2.90
4	.385	.835	.630	.630	4.20	10.1	11.0	1.11	.630	.455	.420	2.51
5	.350	.700	.595	.630	4.86	10.4	11.0	1.06	.630	.455	.420	2.13
6	.350	.665	.595	.835	7.44	11.2	10.3	.970	.630	.420	.420	1.54
7	.350	.665	.560	.970	8.35	11.8	9.89	.970	.560	.420	.420	1.06
8	.350	.630	.560	1.01	6.83	12.2	8.74	.970	.560	.420	.420	1.06
9	.350	.630	.560	1.06	5.30	12.9	8.05	.970	.560	.420	.385	1.01
10	.385	.665	.560	1.06	5.30	13.6	7.74	.970	.525	.420	.385	1.06
11	.455	.665	.560	1.11	3.10	14.3	7.44	1.01	.525	.420	1.35	1.11
12	.560	.665	.560	1.11	2.71	15.5	7.44	.970	.525	1.54	1.15	1.11
13	.700	.700	.595	1.15	3.54	16.2	7.13	.925	.525	1.73	1.15	1.11
14	.665	.700	.595	1.15	5.08	16.2	7.13	.925	.525	1.11	2.71	1.15
15	.665	.700	.595	1.15	6.52	16.6	6.83	.925	.525	1.01	3.10	1.15
16	.630	.745	.595	1.73	12.2	13.6	6.52	.925	.525	1.01	11.4	1.15
17	.630	.745	.595	1.93	13.7	13.2	6.52	.925	.560	1.01	9.89	1.15
18	.630	.835	.630	2.32	14.6	12.6	6.22	.925	.560	1.01	9.12	1.15
19	.630	.835	.630	2.51	13.2	13.6	6.22	.925	.525	.970	6.22	1.15
20	.630	.835	.630	2.71	12.2	14.0	5.91	.880	.525	.970	3.10	1.15
21	.595	.835	.700	2.71	11.8	15.1	5.91	.880	.525	.925	1.15	1.15
22	.595	.835	.745	2.32	11.0	16.2	4.86	.880	.525	.880	2.32	1.15
23	.630	.835	.745	2.13	9.89	11.2	4.20	.835	.525	.835	2.71	1.06
24	.630	.835	.790	1.73	8.74	8.66	3.76	.835	.490	.790	2.90	.970
25	.630	.835	.790	1.73	8.35	7.75	3.32	.835	.455	.700	3.10	.880
26	.700	.835	.745	1.54	11.8	7.44	3.10	.790	.455	.630	3.54	.880
27	.880	.835	.700	1.54	13.2	8.66	2.71	.745	.420	.560	3.76	.835
28	.970	.835	.665	1.54	14.2	8.36	2.90	.700	.455	.420	3.98	.790
29	.925		.630	1.54	14.6	8.66	1.15	.700	.455	.420	3.98	.790
30	.925		.630	1.54	15.6	8.91	1.06	.665	.525	.420	3.98	.790
31	.925		.665		16.1		1.06	.665		.420		.790
SD1	.388	.761	.620	.791	4.96	11.6	10.7	1.02	.609	.445	.413	2.01
SD2	.620	.743	.599	1.69	8.68	14.6	6.74	.934	.532	1.08	4.92	1.14
SD3	.764	.835	.710	1.83	12.3	10.1	3.09	.775	.483	.636	3.14	.917
MAX	.970	.970	.790	2.71	16.1	16.6	16.1	1.11	.665	1.73	11.4	3.54
DAT	28	1	24	20	31	15	1	4	1	13	16	1
SR	.596	.776	.645	1.44	8.77	12.1	6.73	.905	.541	.717	2.82	1.34
MIN	.350	.630	.560	.560	1.93	7.44	1.06	.665	.420	.420	.385	.790
DAT	5	8	7	1	1	26	30	30	27	6	9	28
GMIN =			.350	SRGOD=			3.12	GMAX =			16.6	
DATUM			5 1					DATUM			15 6	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1988

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	1.54	.790	.700	.925	3.56	14.6	4.86	2.32	1.32	.985	.420	9.74	
2	1.54	.790	.700	.970	3.65	13.7	4.64	2.13	1.32	.880	.357	10.0	
3	1.15	.700	.665	1.01	3.83	12.2	4.20	2.13	1.29	.880	.357	9.46	
4	1.11	.700	.665	1.11	4.45	11.0	3.98	1.93	1.25	.835	.338	8.09	
5	1.01	.700	.665	1.54	5.50	10.3	3.98	1.93	1.18	.835	.338	7.14	
6	.970	.700	.665	2.51	5.97	9.89	3.76	1.93	1.11	.835	.320	6.01	
7	.880	.745	.700	3.10	9.36	9.51	3.54	1.73	1.11	.790	.320	4.87	
8	.835	.790	.700	4.42	11.7	8.74	3.32	1.73	1.04	.790	.320	3.95	
9	.745	.790	.700	4.42	13.7	8.35	3.32	1.73	1.04	.745	.320	3.08	
10	.700	.835	.700	3.98	14.5	8.35	3.10	1.54	1.04	.700	.338	2.30	
11	.700	.835	.595	3.32	15.2	7.74	2.90	1.54	.970	.700	.338	1.47	
12	.665	.880	.560	2.51	15.6	7.44	2.71	1.54	.970	.700	.301	1.37	
13	.665	.880	.665	2.32	16.1	7.44	2.51	1.54	.970	.700	.301	1.19	
14	.630	.790	.595	2.13	16.5	7.13	2.51	1.54	.970	.700	.320	1.10	
15	.595	.790	.455	1.93	17.3	6.52	2.32	1.54	1.04	.700	.357	1.37	
16	.560	.790	.525	1.54	17.8	6.52	2.32	1.54	1.11	.790	.448	1.19	
17	.525	.790	.560	1.35	16.9	6.22	2.13	1.54	1.18	.700	.497	1.06	
18	.525	.790	.630	1.15	15.6	5.91	2.13	1.54	1.18	.700	.521	.986	
19	.665	.790	.665	1.93	14.5	5.61	1.93	1.54	1.32	.835	.542	.986	
20	.665	.745	.700	2.32	15.2	5.08	2.32	1.54	1.32	.835	.618	.859	
21	.490	.745	.790	2.51	12.8	5.08	2.32	1.35	1.48	.835	1.04	.859	
22	.525	.700	.790	2.90	12.8	5.30	2.51	1.15	2.00	.880	1.25	.859	
23	.525	.700	.835	3.32	12.5	4.86	2.71	1.01	4.59	.835	1.46	.823	
24	.525	.700	.835	3.54	9.36	4.86	3.10	.970	2.20	.790	1.90	.823	
25	.490	.700	.880	3.76	8.06	4.86	3.10	.925	2.28	.790	3.17	.823	
26	.490	.700	.880	3.76	7.79	4.64	3.54	.925	1.92	.745	3.83	.801	
27	.490	.700	.880	3.98	7.79	4.20	3.54	.880	1.83	.745	4.32	.801	
28	.490	.700	.835	4.20	7.51	3.98	3.10	.880	1.74	.700	8.65	.795	
29	.790	.700	.835	4.20	7.79	3.76	2.71	.835	1.42	.700	10.1	.724	
30	.790		.835	3.99	9.02	3.76	2.51	.835	1.10	.655	10.7	.683	
31	.790		.835		12.1		2.32	1.10		.523		.683	
SD1	1.05	.754	.686	2.40	7.61	10.7	3.87	1.91	1.17	.827	.343	6.47	
SD2	.619	.808	.595	2.05	16.1	6.56	2.38	1.54	1.10	.736	.424	1.16	
SD3	.581	.705	.839	3.62	9.78	4.53	2.86	.988	2.06	.745	4.64	.789	
MAX	1.54	.880	.880	4.42	17.8	14.6	4.86	2.32	4.60	.985	10.7	10.0	
DAT	1	12	25	8	16	1	1	1	23	1	30	2	
SR	.744	.757	.711	2.69	11.1	7.25	3.03	1.46	1.44	.769	1.80	2.74	
MIN	.490	.700	.455	.925	3.56	3.76	1.93	.835	.970	.523	.301	.683	
DAT	21	3	15	1	1	29	19	29	11	31	12	30	
		GMIN = .301		SRGOD= 2.88		GMAX = 17.8							
		DATUM 12 11				DATUM 16 5							

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1989

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.630	.490	1.15	4.20	8.05	4.64	5.61	.607	2.71	.700	.835	2.32
2	.630	.490	1.01	4.20	8.05	5.08	5.91	.607	2.32	.665	.835	1.93
3	.630	.490	.970	4.42	8.35	5.30	4.64	.839	1.93	.630	.790	1.54
4	.595	.490	.880	4.42	9.12	5.91	4.42	1.14	1.93	.560	.790	1.06
5	.595	.490	.835	4.42	9.12	7.13	4.20	1.22	1.54	.525	.835	1.11
6	.525	.490	.790	4.64	8.74	8.05	3.98	1.31	1.15	.525	.880	1.11
7	.525	.490	.790	4.64	8.35	9.51	3.98	1.39	1.15	.525	.880	1.15
8	.525	.490	.790	4.86	7.74	12.2	3.76	1.39	1.11	1.01	.880	1.15
9	.560	.490	.835	5.08	7.44	11.4	3.10	1.48	1.06	1.11	.880	1.35
10	.560	.420	.925	5.30	7.13	11.0	3.10	1.39	1.06	2.51	.880	1.35
11	.595	.420	1.01	5.30	6.52	9.89	2.90	1.39	1.01	3.98	.880	1.35
12	.595	.420	1.06	5.30	6.22	8.35	2.51	1.39	.970	15.1	.880	1.54
13	.560	.420	1.06	5.61	5.91	8.05	2.51	1.31	.970	16.6	.880	1.54
14	.560	.420	1.11	5.91	12.2	7.44	2.32	1.22	.880	17.1	.880	1.54
15	.560	.420	1.11	5.91	14.6	5.30	2.32	1.22	.880	17.7	.835	1.73
16	.560	.455	1.15	5.91	14.6	5.91	2.32	1.22	.835	22.9	.835	1.73
17	.560	.455	1.54	5.61	14.2	5.61	2.13	1.39	.835	24.1	.835	1.73
18	.560	.525	2.13	5.91	12.2	5.08	2.13	1.48	.790	18.8	.835	1.93
19	.560	.665	2.51	6.22	11.0	4.86	1.93	1.48	.790	8.74	.835	1.93
20	.560	.665	2.51	6.52	11.0	4.64	1.73	1.48	.790	5.91	1.01	2.13
21	.525	.700	2.71	6.52	11.4	4.64	1.73	1.48	.835	5.08	1.15	2.32
22	.525	.835	2.71	6.52	11.8	4.42	1.54	1.57	.835	3.32	2.13	2.32
23	.525	1.01	2.71	6.83	11.8	3.98	1.35	1.74	.790	3.10	2.51	2.51
24	.525	2.32	3.10	6.83	11.4	3.98	1.15	1.74	.790	2.13	10.7	2.71
25	.525	2.71	3.54	7.13	7.44	3.76	1.35	1.91	.745	1.35	8.05	2.71
26	.490	2.71	3.76	7.44	5.91	3.76	1.35	2.09	.745	.970	5.91	2.32
27	.490	2.13	3.76	7.44	5.91	3.76	1.54	2.45	.700	.925	5.61	1.15
28	.490	1.73	3.98	7.74	5.30	3.54	1.54	2.81	.700	.880	7.74	1.06
29	.490		3.98	7.74	5.08	3.54	1.12	3.75	.700	.880	4.42	.970
30	.490		4.20	7.74	4.86	3.54	.954	2.81	.700	.880	3.32	.880
31	.490		4.20		4.42		.795	2.21		.835		.790
SD1	.577	.483	.897	4.62	8.21	8.02	4.27	1.14	1.60	.876	.849	1.41
SD2	.567	.486	1.52	5.82	10.8	6.51	2.28	1.36	.875	15.1	.870	1.72
SD3	.506	1.77	3.51	7.19	7.76	3.89	1.31	2.23	.754	1.85	5.15	1.79
MAX	.630	2.71	4.20	7.74	14.6	12.2	5.91	3.75	2.71	24.1	10.7	2.71
DAT	1	15	30	28	15	8	2	29	1	17	24	24
SR	.549	.851	2.03	5.88	8.90	6.14	2.58	1.60	1.08	5.81	2.29	1.64
MIN	.490	.420	.790	4.20	4.42	3.54	.795	.607	.700	.525	.790	.790
DAT	26	10	6	1	31	28	31	1	27	5	3	31

GMIN =			.420	SRGOD=				3.29	GMAX =			24.1
DATUM			10 2						DATUM			17 10

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1990

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.01	.490	.490	.835	4.86	6.83	1.11	.700	.490	.109	2.84	1.11
2	.970	.490	.490	.880	4.86	6.83	1.01	.700	.385	.127	2.64	1.11
3	.925	.490	.490	.925	4.64	6.52	1.01	.665	.420	.137	2.44	2.65
4	.880	.490	.490	.970	4.20	7.13	.970	.630	.420	.155	2.36	2.20
5	.835	.490	.490	.970	3.76	6.83	.970	.630	.420	.155	2.28	1.93
6	.790	.490	.490	1.01	3.54	6.22	.925	.595	.420	.173	2.06	1.93
7	.790	.490	.490	1.06	3.32	6.22	.880	.560	.420	.194	1.98	1.57
8	.700	.490	.490	1.11	3.10	5.91	.880	.560	.420	.276	1.90	1.42
9	.700	.490	.490	1.15	3.76	5.91	.880	.525	.420	.289	2.06	1.42
10	.665	.490	.490	1.11	4.20	5.91	.835	.525	.420	.299	1.82	1.36
11	.665	.490	.525	1.06	4.86	5.61	.835	.490	.420	.351	1.67	1.36
12	.630	.490	.525	1.06	5.08	4.86	.835	.490	.420	.450	1.67	1.36
13	.595	.490	.560	1.06	5.61	4.42	.835	.490	.420	.351	1.49	1.36
14	.560	.490	.595	1.06	5.91	3.76	.790	.490	.420	.502	1.30	1.24
15	.560	.490	.630	1.06	5.91	3.76	.790	.490	.420	.554	1.18	1.24
16	.560	.455	.630	1.06	6.52	3.32	.790	.525	.420	.653	1.06	1.24
17	.560	.455	.630	26.0	7.13	3.32	.790	.525	.420	.653	.928	1.24
18	.525	.455	.630	21.2	7.44	3.10	.790	.525	.420	.653	.928	1.24
19	.525	.455	.630	11.4	8.05	3.10	.790	.525	.350	.705	.884	1.24
20	.525	.490	.630	8.74	8.35	2.71	.790	.455	.350	.754	.884	1.12
21	.490	.490	.630	8.35	9.89	2.71	.745	.455	.350	.863	.928	1.12
22	.490	.490	.665	7.74	11.0	2.51	.745	.490	.300	1.09	.928	1.12
23	.490	.490	.665	7.13	10.3	2.51	.745	.490	.300	1.21	.840	1.12
24	.490	.490	.665	6.83	9.12	2.71	.700	.455	.300	1.21	.840	1.12
25	.490	.490	.700	6.22	8.35	2.32	.700	.455	.250	1.32	.840	1.12
26	.490	.490	.745	6.22	7.44	1.93	.700	.455	.250	1.54	.708	1.12
27	.490	.490	.745	5.91	7.13	1.35	.700	.420	.200	1.62	.708	1.10
28	.490	.490	.790	5.30	6.83	1.35	.700	.420	.200	1.85	.708	1.10
29	.490		.790	5.30	6.83	1.15	.700	.420	.150	1.93	.708	1.10
30	.490		.790	5.30	7.13	1.15	.700	.420	.150	3.69	.708	1.10
31	.490		.790		7.13		.700	.420		3.69		1.10
SD1	.826	.490	.490	1.00	4.02	6.43	.947	.609	.424	.191	2.24	1.67
SD2	.571	.476	.599	7.37	6.49	3.80	.803	.501	.406	.563	1.20	1.26
SD3	.490	.490	.725	6.43	8.29	1.97	.712	.445	.245	1.82	.792	1.11
MAX	1.01	.490	.790	26.0	11.0	7.13	1.11	.700	.490	3.69	2.84	2.65
DAT	1	1	28	17	22	4	1	1	1	30	1	3
SR	.625	.485	.608	4.93	6.33	4.07	.817	.516	.358	.889	1.41	1.34
MIN	.490	.455	.490	.835	3.10	1.15	.700	.420	.150	.109	.708	1.10
DAT	21	16	1	1	8	29	24	27	29	1	26	27
GMIN =		.109		SRGOD=		1.87		GMAX =		26.0		
DATUM		1 10						DATUM		17 4		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1991

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	1.10	.420	.490	2.75	7.44	2.90	8.35	3.10	1.11	.700	1.54	8.74	
2	1.10	.420	.595	2.89	8.05	3.54	6.52	3.32	1.01	.790	1.54	8.35	
3	1.01	.420	.630	3.03	9.51	4.64	6.22	3.54	1.01	.790	1.54	5.30	
4	1.01	.420	.665	3.16	11.0	6.22	6.22	2.90	.970	.880	1.35	4.64	
5	.985	.455	.745	3.68	12.2	7.13	5.91	2.51	.880	.925	1.35	4.20	
6	.985	.455	.835	4.26	12.2	7.44	5.91	2.51	.835	.925	1.35	4.20	
7	.985	.490	.925	4.64	11.4	7.44	5.91	2.32	.790	1.01	1.54	3.76	
8	.862	.490	.925	5.01	11.0	8.05	5.91	2.32	.745	1.01	1.93	3.76	
9	.862	.525	1.01	5.68	10.7	8.74	5.61	2.13	.700	1.06	1.73	3.54	
10	.862	.525	1.06	6.85	9.89	9.89	5.30	1.93	.630	1.11	1.73	2.90	
11	.824	.490	1.01	6.85	9.89	10.3	5.30	1.93	.630	1.11	2.51	2.90	
12	.824	.490	1.11	6.42	9.51	11.0	5.08	1.73	.595	1.35	2.51	2.71	
13	.824	.490	1.11	5.93	9.12	11.8	4.64	1.54	.525	1.54	2.71	2.51	
14	.802	.490	1.15	5.45	9.12	13.2	4.64	1.54	.525	1.54	2.71	2.51	
15	.802	.490	1.15	5.45	8.74	13.7	4.42	1.35	.490	1.73	2.90	2.51	
16	.802	.490	1.15	3.88	8.74	14.6	4.20	1.15	.455	2.51	3.10	2.32	
17	.802	.490	1.35	3.49	8.35	14.6	3.98	1.15	.420	2.90	3.54	1.93	
18	.795	.490	.745	3.16	8.35	15.1	3.98	1.11	.420	3.10	3.76	1.15	
19	.795	.490	1.54	2.89	8.35	15.6	3.76	1.11	.455	7.44	3.98	1.06	
20	.795	.490	1.73	2.89	7.44	16.6	3.54	1.06	.525	8.05	4.64	1.01	
21	.752	.490	1.73	1.81	6.83	17.1	3.54	1.06	.560	14.6	4.86	.970	
22	.752	.490	1.93	1.56	5.91	17.1	3.32	1.01	.560	16.6	7.13	.880	
23	.752	.490	1.93	1.08	5.30	17.7	3.10	.970	.595	8.74	7.74	.745	
24	.681	.490	2.32	1.69	4.64	18.3	2.90	.970	.595	6.83	8.05	.700	
25	.681	.490	2.51	1.93	3.76	19.4	2.71	.970	.630	3.54	9.51	.665	
26	.681	.490	2.51	2.89	3.54	19.4	2.71	1.01	.630	2.90	11.0	.630	
27	.582	.490	2.71	3.16	3.10	20.0	2.71	.970	.630	1.93	11.8	.595	
28	.582	.490	2.90	3.49	4.42	20.6	2.71	.970	.665	1.93	10.3	.595	
29	.467		3.54	3.49	2.90	21.2	2.90	.970	.665	1.73	9.51	.560	
30	.467		3.98	4.44	2.51	21.2	2.90	.970	.665	1.73	9.51	.560	
31	.420		3.01		2.32		2.90	.970		1.54		.560	
SD1	.976	.462	.788	4.20	10.3	6.60	6.19	2.66	.868	.920	1.56	4.94	
SD2	.807	.490	1.20	4.64	8.76	13.6	4.35	1.37	.504	3.13	3.24	2.06	
SD3	.620	.490	2.64	2.56	4.11	19.2	2.95	.985	.620	5.64	8.94	.678	
MAX	1.10	.525	3.98	6.85	12.2	21.2	8.35	3.54	1.11	16.6	11.8	8.74	
DAT	1	9	30	10	5	29	1	3	1	22	27	1	
SR	.795	.480	1.58	3.80	7.62	13.1	4.45	1.65	.664	3.31	4.58	2.50	
MIN	.420	.420	.490	1.08	2.32	2.90	2.71	.970	.420	.700	1.35	.560	
DAT	31	1	1	23	31	1	25	23	17	1	4	29	

GMIN =			.420	SRGOD=				3.72	GMAX =			21.2	
DATUM			31 1						DATUM			29 6	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1992

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.560	.420	.310	.560	5.30	5.08	1.15	.790	.490	2.46	3.32	2.71
2	.560	.420	.310	.560	5.08	5.08	1.15	.745	.490	2.55	3.21	2.51
3	.560	.420	.330	.560	5.08	4.64	1.11	.745	.560	2.64	3.21	2.51
4	.525	.420	.330	.560	4.86	4.64	1.11	.745	.595	3.07	3.10	2.32
5	.525	.385	.350	.560	4.86	4.42	1.11	.700	.595	3.27	3.10	2.13
6	.525	.385	.350	.595	4.86	4.20	1.11	.700	.502	3.49	2.85	1.93
7	.525	.385	.350	.595	7.74	4.20	1.06	.700	.456	3.61	2.85	1.73
8	.525	.385	.385	.630	7.44	3.98	1.06	.665	.401	3.72	2.64	1.54
9	.525	.385	.385	.630	7.44	3.98	1.06	.665	.374	4.21	2.64	1.54
10	.525	.350	.385	.630	7.74	3.76	1.01	.630	.312	4.99	2.48	1.35
11	.490	.350	.420	.665	7.74	3.76	1.01	.630	.287	4.99	2.34	1.15
12	.490	.350	.420	.700	8.05	3.76	1.01	.630	.241	5.13	2.34	1.11
13	.490	.350	.420	.745	8.05	3.54	1.01	.630	.200	5.26	2.27	1.06
14	.490	.350	.420	.790	8.05	3.54	1.01	.595	.175	5.40	2.27	1.01
15	.490	.330	.420	.835	8.35	3.54	.970	.595	.154	6.25	2.27	.970
16	.490	.330	.455	.925	8.35	2.90	.970	.595	.130	6.52	5.08	.925
17	.490	.330	.455	.925	8.35	2.51	.925	.595	.158	6.52	5.08	.925
18	.490	.330	.455	1.01	8.74	1.73	.925	.595	.226	7.84	4.86	.925
19	.455	.330	.490	1.06	8.05	1.35	.925	.560	.249	6.52	4.86	.925
20	.455	.330	.490	1.35	8.05	1.15	1.11	.560	.294	6.09	4.86	.880
21	.420	.330	.490	2.90	8.35	1.15	.880	.560	.339	5.82	4.64	.880
22	.420	.330	.490	2.51	8.05	1.15	.880	.525	.363	5.26	4.64	.835
23	.420	.310	.525	3.10	7.74	1.15	.835	.525	.414	4.75	4.20	.835
24	.420	.310	.525	3.76	7.44	1.15	.835	.525	.466	4.21	3.98	.835
25	.420	.310	.525	3.98	7.44	1.15	.835	.525	.543	2.73	3.76	.790
26	.420	.310	.525	4.42	6.52	1.15	.835	.525	.594	2.73	3.54	.790
27	.420	.310	.560	5.08	6.22	1.15	.790	.525	.834	2.31	3.32	.790
28	.420	.310	.560	5.08	5.91	1.15	.790	.490	.942	1.19	3.10	.790
29	.420	.310	.560	5.08	5.30	1.15	.790	.490	1.02	1.19	2.90	.790
30	.420		.560	5.30	5.30	1.15	.790	.490	1.16	1.19	2.71	.790
31	.420		.560		5.30		.790	.490		1.19		.790
SD1	.536	.396	.349	.588	6.04	4.40	1.09	.709	.477	3.40	2.94	2.03
SD2	.483	.338	.444	.900	8.18	2.78	.987	.599	.211	6.05	3.62	.988
SD3	.420	.314	.535	4.12	6.69	1.15	.823	.515	.667	2.96	3.68	.810
MAX	.560	.420	.560	5.30	28.7	5.08	1.15	.790	1.16	7.84	5.08	2.71
DAT	1	4	31	30	18	1	1	1	30	18	16	1
SR	.478	.351	.445	1.87	6.96	2.78	.963	.605	.452	4.10	3.41	1.26
MIN	.420	.310	.310	.560	4.86	1.15	.790	.490	.130	1.19	2.27	.790
DAT	21	23	1	1	4	20	27	28	16	28	13	25

GMIN =			.130	SRGOD=				1.98	GMAX =			28.7
DATUM			16 9						DATUM			18 5

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1993

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.970	.420	.330	.975	1.53	4.20	1.54	.420	1.21	.854	.925	1.36
2	.970	.420	.330	1.05	1.42	4.20	1.54	.455	1.54	.621	.970	1.36
3	.970	.420	.330	1.05	1.35	4.20	1.35	.455	1.55	.587	.970	1.28
4	.970	.420	.330	1.12	1.35	4.20	1.15	.455	1.67	.525	1.73	1.28
5	.925	.420	.350	1.12	1.35	3.98	1.15	.455	1.67	.525	4.14	1.25
6	.880	.420	.350	1.12	1.54	3.98	1.06	.455	1.55	.560	6.75	1.25
7	.790	.385	.350	1.19	1.54	3.76	1.01	.490	1.55	.560	6.58	1.18
8	.745	.385	.350	1.19	1.54	1.54	.925	.525	1.43	.490	6.58	1.18
9	.745	.385	.350	1.19	1.54	2.13	.880	.525	1.43	.490	6.44	1.18
10	.665	.385	.350	1.19	1.54	1.93	.880	.560	1.43	.490	6.15	1.18
11	.665	.350	.385	1.26	1.73	1.93	.790	.525	1.31	.490	5.83	1.18
12	.665	.350	.385	1.33	1.73	1.93	.700	.525	1.31	.455	5.54	1.18
13	.630	.350	.385	1.33	2.32	1.93	.630	.525	1.19	.455	5.54	1.15
14	.630	.350	.385	1.33	2.32	2.13	.595	.490	1.31	.455	5.13	1.15
15	.595	.350	.420	1.40	2.51	2.13	.490	.455	1.43	.455	4.84	1.15
16	.595	.350	.420	1.40	2.51	2.13	.455	.455	1.43	.420	4.55	1.15
17	.560	.350	.420	1.49	2.71	2.13	.455	.455	1.55	.420	4.43	2.32
18	.560	.350	.455	1.42	2.71	1.93	.455	.420	1.55	.420	4.43	2.51
19	.560	.350	.455	1.42	3.10	1.93	.455	.420	1.55	.455	4.14	2.71
20	.560	.350	.490	1.58	3.32	1.93	.455	.385	1.55	3.76	3.65	3.10
21	.525	.350	.490	1.50	3.32	1.93	.455	.350	1.47	6.52	3.65	3.76
22	.525	.350	.490	1.50	3.54	2.13	.420	.350	1.47	8.35	3.53	4.20
23	.490	.330	.490	1.70	3.76	2.13	.420	.385	1.42	14.2	3.32	4.64
24	.490	.330	.490	1.70	4.20	1.93	.420	.385	1.42	16.6	3.19	5.91
25	.455	.330	.455	1.70	4.20	1.93	.455	.385	1.14	29.1	2.95	6.22
26	.455	.330	.455	1.88	4.20	1.93	.420	.385	1.14	22.9	2.49	4.64
27	.455	.330	.455	1.88	4.20	1.73	.420	.385	1.05	12.2	2.38	4.64
28	.420	.330	.455	1.88	3.98	1.73	.455	.385	.924	7.74	2.28	4.64
29	.420		.490	1.89	3.98	1.73	.455	.402	.924	4.42	1.78	3.76
30	.420		.490	1.96	3.76	1.73	.420	.587	1.00	1.15	1.55	3.54
31	.420		.745		3.76		.420	.984		.970		3.10
SD1	.863	.406	.342	1.12	1.47	3.41	1.15	.479	1.50	.570	4.12	1.25
SD2	.602	.350	.420	1.40	2.50	2.01	.548	.465	1.42	.779	4.81	1.76
SD3	.461	.335	.500	1.76	3.90	1.89	.433	.453	1.20	11.3	2.71	4.46
MAX	.970	.420	.745	1.96	4.20	4.20	1.54	.984	1.67	29.1	6.75	6.22
DAT	4	6	31	30	24	4	2	31	4	25	6	25
SR	.636	.366	.423	1.42	2.66	2.44	.701	.466	1.37	4.44	3.88	2.55
MIN	.420	.330	.330	.975	1.35	1.54	.420	.350	.924	.420	.925	1.15
DAT	28	23	1	1	3	8	22	21	28	16	1	13

GMIN = .330			SRGOD= 1.79					GMAX = 29.1				
DATUM 23 2								DATUM 25 10				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1994

Broj : 45821	Stanica : VUSANJE	Kota "0" = 960.00
Nacin osmat.: letva	Rijeka : GRLJA	km od usca = 3.50
Pocetak rada: 1959	Sliv : VRUJE	Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	2.71	.630	.790	2.32	1.06	6.12	2.13	.742	.512	.595	.426	1.35
2	1.93	.630	.790	2.32	1.06	6.12	2.13	.665	.482	.512	.748	1.15
3	1.15	.595	.835	2.51	1.15	5.48	2.13	.665	.451	.464	.986	1.06
4	1.11	.595	.880	2.71	1.15	5.48	2.03	.665	.426	.426	1.12	1.01
5	1.06	.595	.835	2.71	3.44	4.88	2.03	.700	.403	.426	1.54	1.01
6	.925	.595	.835	2.90	5.28	5.48	2.03	.700	.403	.464	1.54	.970
7	.970	.595	.835	3.10	7.55	4.88	2.13	.835	.424	.464	1.35	.925
8	.970	.560	.790	3.76	8.48	4.28	2.55	.835	.444	.502	1.15	.880
9	1.01	.560	.790	3.76	8.48	4.28	2.55	.790	.463	.502	1.15	.835
10	1.01	.560	.745	3.54	8.48	3.65	2.27	.790	.463	.542	1.15	.835
11	.970	.595	.745	9.51	10.4	3.65	2.55	.745	.485	.542	1.15	.790
12	.970	.630	.835	17.7	11.4	3.65	2.55	.745	.508	.542	1.11	.790
13	.925	.630	.880	26.6	11.4	3.65	7.08	.835	.527	.098	1.11	.745
14	.880	.665	.880	11.4	13.3	3.52	2.27	.835	.618	.580	1.01	.700
15	.880	.665	.925	5.61	13.3	3.52	2.55	.835	.618	.620	1.01	.630
16	.835	.665	.970	3.54	13.3	3.36	2.55	.835	.618	.620	1.01	.595
17	.835	.665	.970	2.71	12.3	3.36	2.68	.835	.618	.620	.970	.595
18	.790	.665	1.01	2.13	12.3	3.52	2.68	.745	.705	.542	.970	.595
19	.790	.595	1.01	2.13	12.3	3.36	2.55	.745	.792	.542	.925	.560
20	.745	.595	1.06	1.73	13.3	3.20	2.55	.790	.884	.542	.925	.560
21	.790	.630	1.06	6.22	13.3	3.20	2.55	.790	.792	.542	.925	.560
22	.835	.630	1.11	1.35	13.3	2.79	2.55	.835	.792	.580	.880	.560
23	.745	.700	1.11	1.15	11.4	2.79	2.41	.745	1.06	.542	.880	.595
24	.745	.700	1.54	1.54	11.4	2.65	2.41	.745	1.06	.502	.880	.595
25	.745	.835	1.54	1.35	10.4	2.36	2.41	.745	1.06	.464	.880	.630
26	.700	.835	1.54	1.35	10.4	2.50	2.27	.700	1.06	.464	.835	.630
27	.630	.835	1.73	1.15	10.4	2.36	1.89	.700	.976	.426	.835	.665
28	.630	.835	1.93	1.15	10.4	2.36	1.72	.700	.976	.426	.790	.835
29	.630		2.13	1.06	9.46	2.22	1.40	.665	.925	.426	.790	.835
30	.630		2.13	1.06	9.46	2.22	1.12	.602	.880	.426	.745	.880
31	.630		2.32		9.46		.852	.584		.346		1.11
SD1	1.28	.591	.813	2.96	4.61	5.07	2.20	.739	.447	.490	1.12	1.00
SD2	.862	.637	.929	8.31	12.3	3.48	3.00	.794	.637	.525	1.02	.656
SD3	.701	.750	1.65	1.74	10.9	2.55	1.96	.710	.959	.468	.844	.718
MAX	2.71	.835	2.32	26.6	13.3	6.12	7.07	.835	1.06	.620	1.54	1.35
DAT	1	28	31	13	14	1	13	13	23	15	5	1
SR	.941	.653	1.15	4.34	9.31	3.70	2.37	.747	.681	.493	.993	.790
MIN	.630	.560	.745	1.06	1.06	2.22	.852	.584	.403	.098	.426	.560
DAT	27	8	10	29	1	29	31	31	5	13	1	19
		GMIN =	.098			SRGOD=	2.19			GMAX =	26.6	
		DATUM	13 10							DATUM	13 4	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1995

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.884	.665	.835	.790	1.99	7.51	5.86	.880	2.12	2.32	.560	.835
2	.704	.665	.835	.745	1.68	8.00	5.54	.880	2.11	2.13	.560	.835
3	.630	.665	.790	.745	1.56	7.72	5.54	.850	5.30	1.73	.595	.925
4	.595	.700	.790	.835	1.56	7.72	5.71	.850	5.30	1.73	.595	.880
5	.595	.700	.745	.880	1.69	8.00	5.91	.820	5.30	1.93	.595	.880
6	.560	.665	.745	.925	2.08	8.00	6.22	.820	4.86	1.73	.630	.835
7	.560	.665	.700	1.01	2.53	8.00	6.22	.820	4.86	1.73	.630	.835
8	.595	.700	.790	1.01	3.56	7.72	6.52	1.15	4.42	1.35	.665	.835
9	.595	.700	.790	1.06	5.00	7.72	5.91	1.22	4.42	.970	.700	.835
10	.630	.700	.835	.970	5.61	7.72	5.61	1.40	4.20	.700	.745	.790
11	.665	.700	.925	.880	6.13	7.72	4.86	1.96	4.20	.700	.745	.790
12	.665	.745	.835	.835	6.39	7.72	4.86	3.36	3.76	.700	.790	.745
13	.700	.745	.925	.835	6.65	7.23	4.42	6.30	3.54	.700	.790	.745
14	.700	.700	.925	.790	6.92	6.94	3.76	5.66	3.32	.745	.835	.700
15	.700	.700	.970	.790	11.5	6.68	3.10	4.70	3.10	.700	1.93	.700
16	.745	.790	1.06	.835	14.6	6.68	2.32	4.43	3.10	.700	.925	.790
17	.745	.790	1.35	.835	19.6	6.94	1.93	4.01	3.10	.665	.925	.790
18	.790	.835	2.13	.880	19.6	6.94	1.73	3.90	3.10	.665	.925	.835
19	.790	.790	2.51	.925	17.5	6.94	1.35	3.63	2.71	.630	.970	.880
20	.835	.835	2.90	1.01	16.7	6.68	1.15	3.36	2.71	.630	.970	.880
21	.835	.790	3.32	1.06	12.3	6.68	1.15	3.24	2.51	.595	.925	.880
22	.880	.835	2.51	1.15	11.5	6.68	1.06	3.13	2.32	.595	.790	.925
23	.835	.880	2.32	1.35	11.5	6.68	1.06	3.13	2.13	.630	.700	.925
24	.835	.880	1.54	1.73	7.66	6.40	1.06	3.03	1.93	.630	.700	.790
25	.745	.880	1.15	1.73	7.93	6.40	1.01	2.83	2.13	.630	.700	4.42
26	.745	.835	1.06	1.54	7.93	6.14	.970	2.83	2.32	.595	.700	7.13
27	.790	.835	1.01	1.54	7.39	6.14	.925	2.62	2.32	.595	.745	26.6
28	.745	.790	1.01	1.73	7.39	6.14	.970	2.51	2.32	.595	.745	25.4
29	.700		.880	1.93	7.19	5.86	.925	2.30	2.32	.560	.790	25.4
30	.665		.880	2.13	7.19	5.86	1.06	2.12	2.32	.560	.790	24.8
31	.665		.835		7.51		.880	2.12		.560		18.3
SD1	.635	.683	.785	.897	2.73	7.81	5.90	.969	4.29	1.63	.627	.849
SD2	.734	.763	1.45	.862	12.5	7.05	2.95	4.13	3.26	.683	.981	.786
SD3	.767	.841	1.50	1.59	8.68	6.30	1.01	2.71	2.26	.595	.758	12.3
MAX	.880	.880	3.32	2.13	19.5	8.00	6.52	6.30	5.30	2.32	1.93	66.6
DAT	22	25	21	30	17	2	8	13	3	1	15	27
SR	.714	.756	1.25	1.12	8.00	7.05	3.21	2.61	3.27	.958	.789	4.90
MIN	.560	.665	.700	.745	1.56	5.86	.880	.820	1.93	.560	.560	.700
DAT	6	1	7	2	3	29	31	5	24	29	1	14
	GMIN =	.560			SRGOD=	2.90			GMAX =	66.6		
	DATUM	6 1							DATUM	27 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1996

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.06	.700	.525	.970	4.20	20.0	2.71	2.24	.616	2.90	4.42	4.47
2	1.06	.700	.525	.925	4.20	19.4	2.71	1.86	.970	2.71	4.20	4.22
3	1.01	.700	.490	.925	4.42	18.3	2.51	1.48	.970	2.71	3.81	3.86
4	1.01	.665	.490	.970	4.42	17.1	2.51	1.32	1.06	2.71	3.75	3.54
5	1.06	.665	.455	1.01	4.64	15.1	2.32	1.15	1.11	2.71	3.63	3.32
6	1.06	.630	.455	1.01	4.86	14.6	1.93	.880	1.15	2.71	2.41	3.54
7	1.06	.630	.420	1.01	5.30	14.2	1.93	.636	2.32	3.10	2.12	3.32
8	1.01	.595	.420	1.06	5.30	12.2	1.73	.529	2.71	3.10	1.94	3.10
9	.970	.595	.420	1.06	7.13	12.2	1.73	.529	3.10	3.10	1.85	3.10
10	.925	.595	.455	1.06	7.44	11.4	1.15	.529	3.98	3.76	1.75	2.90
11	.925	.595	.490	1.11	7.74	11.0	1.15	.636	3.98	4.42	1.75	2.32
12	.880	.560	.560	1.15	8.05	10.3	1.15	.636	4.20	4.86	1.47	2.13
13	.880	.560	.560	1.15	9.51	10.3	1.11	.636	4.20	4.86	1.47	2.13
14	.835	.560	.560	1.15	10.3	10.3	1.06	1.21	4.64	4.86	1.40	2.13
15	.835	.560	.595	1.15	10.7	9.89	1.06	1.21	5.30	5.08	1.40	2.13
16	.790	.560	.630	1.35	21.2	9.89	1.06	1.21	5.30	5.08	1.40	2.13
17	.790	.525	.630	1.35	21.2	11.8	1.01	1.15	5.30	5.30	1.32	1.93
18	.790	.525	.665	1.54	21.7	7.44	.970	1.15	6.83	5.30	1.40	1.93
19	.790	.525	.665	1.73	22.9	6.52	4.42	1.04	8.35	5.30	1.47	1.73
20	.790	.525	.700	1.93	22.9	6.22	4.42	.959	8.35	4.86	1.47	2.71
21	.790	.525	.700	2.13	22.9	6.22	4.20	.959	9.12	7.74	1.75	1.54
22	.835	.630	.745	2.13	22.9	5.30	4.20	.869	9.51	8.05	1.85	1.35
23	.790	.630	.790	2.32	22.9	4.64	4.20	.830	9.89	8.35	1.85	1.15
24	.745	.595	.835	2.32	22.9	4.42	4.20	.805	10.3	9.12	1.85	1.11
25	.745	.595	.880	2.71	22.9	4.42	4.20	.777	10.7	7.74	1.94	1.11
26	.745	.595	.880	2.71	21.7	3.76	4.20	.742	7.44	5.30	1.94	1.06
27	.700	.595	.880	3.10	21.7	3.10	3.98	.742	6.83	5.30	2.04	1.06
28	.700	.560	.925	3.10	21.2	2.90	3.98	.679	4.86	4.86	2.23	1.01
29	.700	.560	.925	3.76	21.2	2.90	3.56	.648	4.42	4.86	2.41	1.01
30	.700		.925	4.20	20.6	2.90	3.01	.616	2.71	4.42	4.47	.970
31	.700		.925		20.6		2.78	.616		4.42		.925
SD1	1.02	.648	.465	1.00	5.19	15.4	2.12	1.12	1.80	2.95	2.99	3.54
SD2	.831	.549	.605	1.36	15.6	9.37	1.74	.985	5.64	4.99	1.45	2.13
SD3	.741	.587	.855	2.85	22.0	4.06	3.86	.753	7.58	6.38	2.23	1.12
MAX	1.06	.700	.925	4.20	32.9	20.0	4.42	2.24	10.7	9.12	4.47	4.47
DAT	1	3	28	30	19	1	19	1	25	24	30	1
SR	.861	.595	.649	1.74	14.5	9.62	2.62	.945	5.01	4.83	2.23	2.22
MIN	.700	.525	.420	.925	4.20	2.90	.970	.529	.616	2.71	1.32	.925
DAT	27	17	7	2	1	28	18	8	1	2	17	31
GMIN =			.420	SRGOD=			3.83	GMAX =			32.9	
DATUM			7 3					DATUM			19 5	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1997

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.94	.630	.835	.420	8.64	9.89	3.10	.925	.288	1.28	1.12	.700
2	1.83	.630	.880	.455	14.8	9.51	3.10	.925	.288	1.28	1.15	.700
3	1.83	.595	.835	.455	18.8	9.12	3.10	.880	.288	1.12	1.11	.700
4	1.83	.595	.835	.490	18.8	8.74	3.10	.835	.264	1.12	1.11	.700
5	1.78	.630	.835	.490	17.8	8.74	3.10	.835	.264	.880	1.15	.700
6	1.74	.630	.700	.455	17.4	8.35	2.71	.790	.241	.880	1.15	.630
7	1.74	.595	.700	.455	17.4	8.35	2.90	.835	.230	.880	1.15	.630
8	1.74	.595	.700	.490	16.4	7.74	2.90	.790	.230	.785	1.54	.630
9	1.64	.665	.630	.490	16.4	7.74	2.51	.790	.257	.890	1.73	.630
10	1.64	.700	.595	.490	16.4	7.44	2.32	.745	.270	.960	1.73	.595
11	1.54	.790	.560	.455	15.9	7.13	1.73	.700	.357	1.18	1.93	.595
12	1.54	.835	.525	.455	15.9	6.52	1.93	.700	.357	1.31	1.93	.560
13	1.54	.835	.525	.925	15.4	6.22	1.93	.700	.374	1.40	1.93	.560
14	1.46	.880	.490	1.11	15.0	5.91	1.54	.665	.409	1.40	1.93	.560
15	1.46	.925	.490	1.11	14.0	5.30	1.35	.665	.444	1.68	1.73	.560
16	1.39	.925	.455	2.39	13.6	5.30	1.15	.665	.444	1.68	1.73	.595
17	1.39	.880	.455	3.83	13.6	5.08	1.15	.665	.444	1.85	1.54	.595
18	1.31	.835	.420	4.02	13.2	4.86	1.15	.595	.594	1.91	1.15	.595
19	1.31	.835	.420	3.74	13.2	4.86	1.15	.595	.745	1.91	1.15	.595
20	1.31	.790	.385	3.74	13.2	4.64	1.11	.560	.745	1.85	1.15	.560
21	1.23	.745	.385	3.74	12.4	4.42	1.11	.525	.822	1.85	1.15	.560
22	1.23	.700	.350	3.74	12.0	4.42	1.06	.525	.822	1.85	1.11	.560
23	1.23	.700	.350	3.66	12.0	4.20	1.06	.490	.896	2.10	1.06	.560
24	1.15	.745	.350	3.66	11.6	4.20	1.01	.420	.896	2.10	1.01	.595
25	1.15	.700	.350	3.66	11.2	4.20	.970	.420	.969	1.90	.925	.595
26	1.15	.700	.385	3.74	11.2	4.20	.970	.385	1.05	1.71	.925	.525
27	1.15	.790	.385	3.83	10.4	3.76	.970	.385	1.05	1.62	.880	.525
28	1.31	.790	.420	3.74	10.0	3.54	.970	.350	1.12	1.42	.790	.525
29	1.39		.420	3.74	10.0	3.54	.970	.350	1.20	1.42	.700	.525
30	1.46		.420	3.66	9.35	3.10	.925	.350	1.28	1.12	.700	.560
31	1.46		.420		8.77		.925	.350		1.12		.886
SD1	1.77	.627	.754	.469	16.3	8.56	2.88	.835	.262	1.01	1.29	.662
SD2	1.42	.853	.472	2.18	14.3	5.58	1.42	.651	.491	1.62	1.62	.577
SD3	1.27	.734	.385	3.72	10.8	3.96	.995	.414	1.01	1.66	.925	.583
MAX	1.94	.925	.880	4.02	38.8	9.89	3.10	.925	1.28	2.10	1.93	.886
DAT	2	15	2	18	3	1	1	1	30	23	11	31
SR	1.48	.738	.532	2.12	13.7	6.03	1.74	.626	.588	1.43	1.28	.607
MIN	1.15	.595	.350	.420	8.64	3.10	.925	.350	.230	.785	.700	.525
DAT	24	3	22	1	1	30	30	28	7	8	29	26
GMIN =		.230		SRGOD=		2.59		GMAX =		38.8		
DATUM		7 9						DATUM		3 5		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1998

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII					
1	1.12	.342	.880	4.86	8.62	5.15	.304	1.15	2.43	14.6	5.46	3.88					
2	1.12	.410	.620	9.27	14.6	5.15	.304	.750	2.43	14.6	4.12	3.88					
3	1.01	.410	.419	9.27	18.8	5.47	.304	.670	2.27	13.7	3.31	3.12					
4	1.01	.479	.467	10.9	19.4	5.47	.327	.510	2.11	13.7	2.12	2.75					
5	1.01	.479	.515	16.2	20.0	5.47	.350	.350	2.11	12.2	2.25	2.75					
6	.996	.479	.515	16.2	18.8	5.15	.510	.350	2.75	12.2	2.34	2.75					
7	.996	.479	.611	8.00	17.7	4.67	.510	.350	2.75	12.2	2.34	2.11					
8	.996	.479	.771	7.32	15.1	4.67	.350	.350	2.75	11.0	2.55	1.95					
9	.858	.547	.835	6.99	13.7	4.43	.590	.430	3.23	9.51	2.66	1.95					
10	.858	.616	.951	4.87	11.4	3.95	.590	.350	3.47	8.35	2.66	1.79					
11	.720	.616	1.10	3.36	10.7	3.47	.670	.327	3.95	8.03	2.88	1.47					
12	.720	.616	1.22	2.51	7.71	2.75	.830	.327	3.95	7.71	3.19	1.47					
13	.720	.684	1.51	1.94	5.15	2.75	.910	.327	4.43	7.39	3.19	1.15					
14	.720	.684	1.71	1.77	5.15	2.43	.910	.304	4.67	7.07	3.19	1.15					
15	.720	.684	1.71	1.94	3.95	2.11	.990	.304	5.15	7.07	3.30	1.15					
16	.720	.815	2.29	2.12	3.47	1.95	1.15	.304	5.15	6.75	3.42	1.15					
17	.720	.815	3.37	2.12	3.71	1.63	1.47	.304	5.15	6.11	3.42	.990					
18	.648	.946	3.37	2.30	3.71	1.47	1.47	.281	5.15	5.15	3.70	.990					
19	.648	.946	3.97	2.62	3.71	1.15	1.63	.281	4.67	5.15	3.30	.990					
20	.720	1.08	5.90	2.94	3.71	.990	1.63	.304	4.67	5.79	2.88	.830					
21	.720	1.08	2.91	3.13	3.95	.990	1.15	.281	4.43	5.79	2.34	.830					
22	.720	1.08	2.91	3.13	3.95	.830	1.15	.258	4.19	5.79	2.16	.750					
23	.648	1.21	2.66	3.36	3.95	.830	2.75	.258	4.67	6.43	2.16	.670					
24	.648	1.34	2.54	3.77	4.19	.590	2.43	.304	5.15	6.75	1.98	.670					
25	.576	1.34	1.77	4.43	4.43	.590	1.15	.327	5.15	6.75	1.80	.590					
26	.576	1.34	1.22	4.15	4.43	.350	1.15	.350	5.15	7.07	1.71	.350					
27	.576	1.08	.912	4.43	4.67	.350	1.63	.510	7.07	6.75	1.44	.350					
28	.432	1.08	.707	4.43	4.67	.350	1.95	.830	7.71	6.75	1.44	.350					
29	.432		.643	4.43	4.91	.350	2.11	1.15	8.35	6.75	1.44	.304					
30	.432		.707	4.70	5.15	.304	2.27	1.79	10.7	7.07	1.31	.304					
31	.360		1.86		5.15		2.11	2.11		7.07		.281					
SD1	.997	.472	.658	9.39	15.8	4.96	.414	.526	2.63	12.2	2.98	2.69					
SD2	.706	.788	2.61	2.36	5.10	2.07	1.17	.306	4.69	6.62	3.25	1.13					
SD3	.556	1.19	1.71	4.00	4.50	.553	1.80	.743	6.26	6.63	1.78	.495					
MAX	1.12	1.34	5.90	16.2	40.0	5.47	2.75	2.11	10.7	14.6	5.46	3.88					
DAT	1	24	20	5	5	3	23	31	30	1	1	1					
SR	.747	.791	1.66	5.25	8.34	2.53	1.15	.532	4.53	8.43	2.67	1.41					
MIN	.360	.342	.419	1.77	3.47	.304	.304	.258	2.11	5.15	1.31	.281					
DAT	31	1	3	14	16	30	1	22	4	18	30	31					

GMIN =			.258			SRGOD=			3.18			GMAX =			40.0		
DATUM			22 8									DATUM			5 5		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1999

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.281	.304	.350	.354	2.74	4.91	3.68	1.95	.350	.166	.590	6.76
2	.281	.304	.320	.590	2.74	4.67	2.72	1.95	.350	.166	.750	5.71
3	.304	.304	.320	.590	2.74	4.67	2.58	1.95	.304	.166	.750	5.93
4	.304	.304	.306	.750	2.95	4.67	2.58	1.79	.304	.189	.910	5.93
5	.327	.281	.306	.750	2.95	4.19	2.58	1.79	.304	.235	.990	6.09
6	.327	.281	.306	.830	3.16	3.95	2.58	1.63	.281	.235	1.15	6.32
7	.350	.281	.354	.830	3.16	3.95	2.44	1.63	.281	.235	1.15	6.54
8	.350	.281	.354	.990	3.37	3.95	2.44	1.15	.281	.235	1.15	6.76
9	.510	.258	.354	1.07	3.58	3.47	2.58	1.15	.258	.235	1.15	6.76
10	.590	.258	.450	1.15	3.58	3.47	2.44	1.15	.258	.281	1.15	6.76
11	.590	.258	.450	1.15	4.51	3.23	2.44	1.15	.235	.281	1.47	6.76
12	.590	.258	.450	1.63	4.51	3.47	2.44	1.15	.235	.281	1.63	8.09
13	.510	.258	.450	1.63	4.51	3.23	2.30	1.07	.235	.304	1.63	8.36
14	.510	.235	.498	1.63	5.14	3.47	2.30	.990	.235	.304	1.95	8.64
15	.510	.235	.546	1.79	5.14	3.47	2.30	.990	.212	.304	1.95	8.64
16	.510	.235	.546	1.79	5.14	3.47	2.30	.750	.189	.304	1.95	8.92
17	.590	.235	.546	1.95	5.14	3.47	2.30	.750	.189	.304	2.27	12.0
18	.590	.258	.498	1.95	5.45	3.47	2.16	.670	.166	.327	2.43	12.7
19	.590	.258	.498	1.95	5.45	3.23	2.16	.590	.166	.327	2.59	15.8
20	.510	.281	.498	2.11	5.76	3.23	2.02	.590	.143	.327	2.75	18.0
21	.350	.281	.498	2.11	6.07	3.47	1.88	.590	.120	.327	2.75	18.0
22	.350	.281	.450	2.11	6.07	3.47	1.60	.510	.120	.350	3.95	18.7
23	.350	.304	.450	2.27	6.38	3.95	1.60	.510	.120	.350	3.95	18.0
24	.350	.304	.402	2.27	6.38	3.95	1.60	.510	.120	.350	4.67	18.0
25	.350	.327	.402	2.27	6.38	4.19	1.60	.590	.120	.350	5.15	18.0
26	.350	.327	.402	2.11	6.38	4.43	1.51	.510	.120	.350	5.15	16.1
27	.327	.350	.354	2.11	6.07	4.43	1.41	.510	.120	.350	6.75	16.1
28	.327	.350	.354	2.11	6.07	4.67	1.41	.350	.143	.590	7.71	14.4
29	.327		.354	2.11	6.07	4.67	1.32	.350	.143	.590	7.39	14.4
30	.327		.306	1.95	6.07	4.91	1.32	.350	.143	.590	7.71	12.7
31	.304		.306		6.70		1.32	.350		.590		11.7
SD1	.362	.286	.342	.790	3.10	4.19	2.66	1.61	.297	.214	.974	6.35
SD2	.550	.251	.498	1.76	5.07	3.37	2.27	.870	.201	.306	2.06	10.8
SD3	.337	.315	.389	2.14	6.24	4.21	1.51	.466	.127	.435	5.52	16.0
MAX	.590	.350	.546	2.27	6.70	4.91	3.68	1.95	.350	.590	7.71	58.7
DAT	10	27	15	23	31	1	1	1	1	28	30	22
SR	.414	.282	.409	1.56	4.85	3.93	2.13	.967	.208	.322	2.85	11.2
MIN	.281	.235	.306	.354	2.74	3.23	1.32	.350	.120	.166	.590	5.71
DAT	1	14	4	1	1	11	29	28	21	1	1	2
	GMIN =	.120			SRGOD=	2.45			GMAX =	58.7		
	DATUM	21	9						DATUM	22	12	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2000

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	16.1	.630	.350	2.90	16.1	5.30	1.15	.700	.310	.745	2.32	2.51
2	11.4	.630	.350	4.20	17.1	4.64	1.15	.700	.310	.790	2.71	2.32
3	7.13	.630	.350	7.74	17.1	3.98	1.15	.700	.350	.790	3.10	2.13
4	5.30	.630	.350	17.1	17.7	3.98	1.15	.700	.350	.790	3.54	1.93
5	4.86	.595	.455	21.7	17.1	3.76	1.15	.665	.350	.835	3.54	1.54
6	4.86	.560	.455	22.9	17.1	3.54	1.11	.665	.420	.835	3.10	1.15
7	2.71	.525	.490	27.9	17.1	3.54	1.11	.630	.420	.925	3.54	1.06
8	2.32	.525	.490	27.9	15.1	3.10	1.01	.630	.455	.925	3.76	1.06
9	1.06	.490	.525	20.6	14.6	3.10	.970	.630	.455	.925	3.76	.970
10	.790	.490	.525	11.4	14.6	2.51	.970	.595	.490	.925	4.20	.880
11	.835	.455	.560	7.13	14.2	2.51	.925	.595	.490	1.01	4.20	.880
12	.880	.455	.595	8.05	13.7	2.32	.925	.595	.525	1.06	4.20	.835
13	.925	.420	.595	9.12	12.7	2.32	.925	.595	.525	1.06	4.42	.790
14	.925	.350	.630	8.74	12.2	2.13	.880	.525	.525	1.15	4.64	.790
15	.970	.350	.630	9.51	12.2	1.73	.880	.525	.560	1.15	4.64	.700
16	.970	.420	.630	10.3	11.4	1.73	.880	.525	.630	1.15	4.64	.700
17	.925	.420	.700	10.7	11.0	1.73	.880	.525	.630	1.15	4.86	.790
18	.925	.420	.835	11.0	10.7	1.73	.880	.490	.665	1.35	4.86	.790
19	.880	.350	.880	11.4	10.3	1.54	.835	.490	.665	1.35	4.86	.835
20	.880	.350	.880	11.4	9.89	1.54	.835	.455	.665	1.35	4.86	.880
21	.835	.350	.925	11.8	9.51	1.54	.835	.455	.630	1.15	5.08	.925
22	.835	.310	.925	12.7	8.35	1.35	.790	.455	.630	1.15	5.30	2.71
23	.790	.330	.925	13.2	8.35	1.35	.790	.420	.630	1.15	5.30	3.10
24	.790	.330	.970	14.2	7.44	1.35	.790	.420	.630	1.15	4.64	5.30
25	.745	.330	1.06	14.6	6.52	1.35	.790	.350	.665	1.15	4.20	6.83
26	.700	.350	1.15	15.1	6.52	1.35	.790	.350	.700	1.54	3.98	17.1
27	.700	.350	1.15	15.6	6.22	1.15	.745	.350	.700	1.54	3.10	22.9
28	.700	.350	1.73	15.6	6.22	1.15	.745	.310	.700	2.13	2.71	27.9
29	.665	.350	2.13	15.6	5.30	1.15	.745	.310	.745	2.13	2.71	26.6
30	.665		2.32	16.1	5.30	1.15	.700	.310	.745	2.71	2.71	16.1
31	.665		2.71		5.30		.700	.310		2.71		8.35
SD1	5.65	.571	.434	16.4	16.4	3.75	1.09	.662	.391	.849	3.36	1.55
SD2	.912	.399	.694	9.74	11.8	1.93	.885	.532	.588	1.18	4.62	.799
SD3	.735	.339	1.45	14.4	6.82	1.29	.765	.367	.677	1.68	3.97	12.5
MAX	16.1	.630	2.71	27.9	17.7	5.30	1.15	.700	.745	2.71	5.30	47.9
DAT	1	1	31	8	4	1	1	1	29	30	22	28
SR	2.38	.439	.880	13.5	11.5	2.32	.909	.515	.552	1.25	3.98	5.21
MIN	.665	.310	.350	2.90	5.30	1.15	.700	.310	.310	.745	2.32	.700
DAT	29	22	1	1	29	27	30	28	1	1	1	15
GMIN =		.310		SRGOD=		3.63		GMAX =		47.9		
DATUM		22 2						DATUM		28 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2001

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	7.74	5.61	2.00	2.13	3.98	6.52	3.10	.535	.880	.925	4.86	1.06
2	7.44	2.90	2.11	2.32	3.98	6.83	3.10	.510	1.98	.925	4.64	1.01
3	6.83	1.35	2.11	2.32	4.20	6.83	2.90	.486	3.41	.970	4.64	1.01
4	6.83	1.06	2.22	2.51	4.20	6.83	2.90	.486	3.41	1.01	4.42	.925
5	6.52	1.01	2.22	2.51	4.20	6.83	2.71	.486	3.09	1.01	4.42	.925
6	5.30	1.01	2.42	2.71	4.20	6.83	2.71	.462	3.09	1.01	4.20	.925
7	5.30	.970	2.42	2.71	4.20	6.52	2.51	.462	3.09	1.06	4.20	.880
8	4.86	.925	2.54	2.71	4.20	6.52	2.51	.438	3.09	1.06	3.98	.880
9	4.64	.925	2.54	2.71	4.42	6.52	2.32	.438	2.77	1.11	3.98	.835
10	3.98	.880	2.54	2.71	4.42	6.22	2.13	.414	2.77	1.15	3.98	.835
11	3.54	.880	2.54	2.71	4.64	5.91	2.13	.389	2.77	1.15	3.98	.790
12	3.54	.880	2.66	2.90	4.64	5.91	1.93	.389	2.46	1.15	3.54	.790
13	3.54	.835	2.66	2.90	4.64	5.91	1.93	.389	2.46	1.35	3.54	.790
14	3.10	.835	2.66	2.90	4.86	5.30	1.73	.365	2.46	1.35	3.10	.700
15	3.10	.790	2.54	2.90	4.86	5.30	1.73	.341	2.46	1.35	3.10	.700
16	2.71	.790	2.54	2.90	5.08	4.86	1.15	.341	2.46	1.73	2.71	.700
17	2.71	.700	2.66	2.90	5.08	4.64	1.06	.341	2.77	2.13	2.71	.700
18	2.71	.700	2.66	2.90	5.30	4.20	.970	.341	2.77	2.32	2.71	.700
19	2.51	.665	2.76	3.10	5.91	4.20	.880	.341	2.77	2.71	2.51	.700
20	2.13	.665	2.76	3.10	7.74	4.20	.835	.341	2.77	2.71	2.32	.665
21	1.93	.630	2.76	3.10	9.89	3.98	.790	.319	1.70	3.10	2.32	.665
22	1.54	.630	2.76	3.10	12.7	3.76	.700	.319	1.34	3.10	2.13	.665
23	1.15	.700	2.76	3.32	23.5	3.54	5.30	.319	1.34	3.54	2.13	.665
24	1.15	.700	3.70	3.54	18.8	3.54	3.86	.298	1.26	3.76	2.13	.630
25	1.15	.700	3.70	3.54	11.0	3.32	2.54	.298	1.26	3.98	1.73	.630
26	1.11	.700	4.15	3.76	8.05	3.10	2.12	.276	1.34	3.98	1.54	.595
27	1.11	.835	4.15	3.76	6.83	3.10	1.81	.276	1.34	4.86	1.54	.595
28	1.11	1.26	4.63	3.76	6.52	3.10	1.44	.276	1.48	4.86	1.15	.560
29	3.32		3.89	3.98	6.52	3.10	1.12	.276	1.48	4.86	1.15	.560
30	4.86		3.14	3.98	6.52	3.10	.880	.255	1.48	4.86	1.06	.560
31	7.74		2.82		6.52		.660	.255		4.86		.525
SD1	5.94	1.66	2.31	2.53	4.20	6.64	2.69	.472	2.76	1.02	4.33	.929
SD2	2.96	.774	2.65	2.92	5.28	5.04	1.43	.358	2.62	1.80	3.02	.723
SD3	2.38	.769	3.50	3.58	10.6	3.36	1.93	.288	1.40	4.16	1.69	.605
MAX	7.74	5.61	4.63	3.98	23.5	6.83	5.30	.535	3.41	4.86	4.86	1.06
DAT	1	1	28	29	23	2	23	1	1	27	1	1
SR	3.72	1.09	2.84	3.01	6.83	5.02	2.01	.370	2.26	2.39	3.01	.747
MIN	1.11	.630	2.00	2.13	3.98	3.10	.660	.255	.880	.925	1.06	.525
DAT	26	21	1	1	1	26	31	30	1	1	30	31

GMIN =			.255	SRGOD=				2.78	GMAX =			23.5
DATUM			30 8						DATUM			23 5

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2002

Broj : 45821 Stanica :VUSANJE Kota "0" = 960.00
Nacin osmat.: letva Rijeka :GRLJA km od usca = 3.50
Pocetak rada: 1959 Sliv :VRUJE Pov.sliva = 48.5

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.490	.350	.980	1.61	7.13	2.24	.680	4.42	2.71	5.30	3.88	2.46
2	.420	.350	1.22	1.61	7.13	2.24	.420	4.42	2.71	5.30	3.01	3.17
3	.350	.350	1.55	1.61	6.23	2.24	.420	4.42	2.71	5.30	2.68	3.03
4	.350	.385	1.55	1.71	6.23	2.24	.385	4.20	2.90	5.91	2.28	2.35
5	.350	.385	1.64	1.71	5.34	2.13	.385	4.20	2.90	5.91	2.36	2.35
6	.330	.420	1.64	1.82	4.90	2.13	.385	4.20	2.90	6.22	2.36	1.96
7	.330	.420	1.64	1.82	4.90	2.13	.350	4.20	2.90	6.22	2.44	1.67
8	.310	.420	1.64	1.92	3.98	2.02	.350	4.20	3.10	6.52	2.44	1.67
9	.310	.420	1.64	1.92	3.54	2.02	.350	4.20	3.10	6.52	2.44	1.57
10	.310	.455	1.64	2.02	3.54	2.02	.350	3.98	3.10	6.52	2.64	1.38
11	.270	.455	1.55	2.02	3.54	1.90	.350	3.98	3.10	6.83	2.64	1.20
12	.270	.455	1.55	2.02	3.54	1.90	.350	3.98	3.54	6.83	2.54	1.20
13	.250	.490	1.55	2.13	3.11	1.90	.350	3.76	3.54	6.83	2.44	1.11
14	.250	.490	1.46	2.13	3.11	1.79	.350	3.76	3.54	7.13	2.44	1.20
15	.230	.490	1.46	2.13	3.11	1.68	.350	3.76	3.76	7.13	2.44	1.03
16	.190	.490	1.46	2.13	2.64	1.68	.350	3.76	3.98	7.13	2.28	.946
17	.210	.490	1.46	2.23	2.64	1.68	.350	3.76	3.98	7.44	2.28	.946
18	.210	.525	1.55	2.23	2.64	1.57	.350	3.76	4.20	7.44	2.28	.857
19	.250	.490	1.55	2.32	2.64	1.57	.350	3.54	4.20	7.74	2.20	.768
20	.250	.490	1.55	2.44	2.44	1.68	.350	3.54	4.20	8.05	2.14	.684
21	.290	.490	1.64	2.44	2.44	1.57	.350	3.54	4.42	8.35	2.06	.684
22	.310	.490	1.64	2.55	2.32	1.57	3.10	3.32	4.42	8.35	2.06	.511
23	.310	.525	1.64	2.64	2.23	1.57	3.10	3.32	4.42	8.74	1.98	.511
24	.330	.525	1.64	3.54	2.23	1.46	3.10	3.32	4.64	8.74	1.98	.471
25	.330	.525	1.73	3.98	2.13	1.46	3.98	3.10	4.64	9.51	1.82	.471
26	.330	.525	1.73	3.98	2.34	1.34	3.98	3.10	4.86	9.51	1.90	.448
27	.350	.525	1.82	4.90	2.34	1.34	3.98	3.10	4.86	9.89	1.82	.431
28	.350	.560	1.82	5.77	2.16	1.12	3.98	2.90	5.08	10.3	1.82	.411
29	.350		1.82	6.23	2.03	.986	3.98	2.90	5.08	8.45	1.67	.411
30	.350		1.82	7.13	2.03	.880	4.42	2.90	5.08	6.21	1.67	.411
31	.350		1.82		2.03		4.42	2.90		4.22		.411
SD1	.355	.396	1.51	1.78	5.29	2.14	.407	4.24	2.90	5.97	2.65	2.16
SD2	.238	.486	1.51	2.18	2.94	1.74	.350	3.76	3.80	7.26	2.37	.995
SD3	.332	.521	1.74	4.32	2.21	1.33	3.49	3.13	4.75	8.39	1.88	.470
MAX	.490	.560	1.82	7.13	7.13	2.24	4.42	4.42	5.08	20.3	3.88	3.17
DAT	1	28	27	30	1	1	30	1	28	28	1	2
SR	.309	.464	1.59	2.76	3.44	1.73	1.48	3.69	3.82	7.24	2.30	1.19
MIN	.190	.350	.980	1.61	2.03	.880	.350	2.90	2.71	4.22	1.67	.411
DAT	16	1	1	1	29	30	7	28	1	31	29	28

GMIN = .190			SRGOD= 2.52					GMAX = 20.3				
DATUM 16 1								DATUM 28 10				
