

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1968

Broj : 47205 Stanica : ROZAJE Kota "0" =1035.74
Nacin osmat.: letva Rijeka : IBAR km od usca = 258.30
Pocetak rada: 1968 Sliv : ZAP. MORAVE Pov.sliva = 98.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.15	.630	2.25	7.05	5.00	1.15	.720	.450	.690	1.15	.570	3.13
2	1.06	.630	2.25	7.52	4.34	1.11	.720	.450	.690	1.15	.570	2.47
3	.892	.630	2.25	8.46	3.35	1.06	.720	.450	.690	1.11	.570	2.25
4	.892	.690	2.25	9.40	3.13	1.24	.720	.420	.690	1.11	.570	1.99
5	.849	.720	2.69	8.46	2.91	1.60	.690	.420	.690	1.06	.570	1.86
6	.849	.720	.892	7.99	2.69	1.33	.690	.420	.892	1.06	.570	1.60
7	.806	.720	.849	7.52	2.47	1.15	.690	.420	.849	1.02	.570	1.51
8	.806	.720	.978	7.05	2.25	1.11	.690	.420	.806	.978	.630	1.42
9	.806	.720	.849	9.40	1.99	1.06	.660	.420	.806	.978	.600	1.33
10	.763	.720	.892	6.64	1.99	1.42	.660	.420	.763	.978	1.60	1.24
11	.763	1.06	1.06	5.00	1.99	1.15	.630	.420	.720	.978	1.33	1.15
12	.720	1.02	1.06	3.35	1.73	2.12	.600	.420	.720	.935	1.15	1.11
13	.720	.978	1.06	3.13	1.60	1.99	.600	.570	.720	.892	1.15	1.06
14	.690	.978	.978	3.13	1.51	1.86	.600	.570	.720	.849	1.60	1.02
15	.690	.978	.892	2.91	2.47	2.47	.570	.660	.720	.806	1.86	.935
16	.690	.935	.849	3.13	1.60	2.12	.570	.660	.720	.763	1.15	.849
17	.720	1.06	.806	5.82	2.25	1.99	.540	.720	.720	.720	1.60	.720
18	.763	1.11	1.06	5.00	1.60	1.86	.540	.720	.720	.849	14.8	.720
19	.763	1.15	1.15	4.34	1.42	1.60	.510	.935	.720	.892	9.94	12.1
20	.763	1.11	1.15	3.13	1.15	1.42	.510	.720	.806	.806	8.93	9.40
21	.720	1.15	1.15	3.13	1.15	1.42	.510	.690	.806	.806	8.46	10.5
22	.720	1.11	2.69	2.69	1.11	1.33	.510	.660	.806	.763	7.99	7.05
23	.720	1.06	3.35	2.25	1.11	1.33	.480	.630	.849	.720	7.99	6.64
24	.690	1.11	2.91	3.68	1.06	1.24	.480	.720	.806	.570	6.64	5.82
25	.690	1.06	5.00	4.34	1.02	1.15	.480	.690	.935	.570	5.41	5.00
26	.690	7.52	4.67	5.00	.978	1.11	.450	.690	.849	.570	5.00	4.34
27	.690	8.46	4.34	6.23	.935	.935	.450	.849	.806	.570	4.34	3.68
28	.690	6.64	4.34	7.05	.935	.892	.450	.720	1.06	.570	4.01	2.91
29	.660	5.82	5.00	7.52	.849	.763	.450	.690	1.02	.570	3.35	2.25
30	.660		5.41	7.05	.935	.720	.450	.690	.978	.570	3.13	2.12
31	.630		7.05		.892		.450	.690		.570		1.73
SD1	.887	.690	1.62	7.95	3.01	1.22	.696	.429	.757	1.06	.682	1.88
SD2	.728	1.04	1.01	3.89	1.73	1.86	.567	.640	.729	.849	4.35	2.91
SD3	.687	3.77	4.17	4.89	.998	1.09	.469	.702	.891	.623	5.63	4.73
MAX	1.15	8.46	7.05	9.40	5.00	2.47	.720	.935	1.06	1.15	14.8	12.1
DAT	1	27	31	4	1	15	1	19	28	1	18	19
SR	.765	1.77	2.33	5.58	1.88	1.39	.574	.594	.792	.837	3.55	3.22
MIN	.630	.630	.806	2.25	.849	.720	.450	.420	.690	.570	.570	.720
DAT	31	1	17	23	29	30	26	4	1	24	1	17
GMIN =		.420		SRGOD=		1.93		GMAX =		14.8		
DATUM		4 8						DATUM		18 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1969

Broj : 47205 Stanica : ROZAJE Kota "0" =1035.74
Nacin osmat.: letva Rijeka : IBAR km od usca = 258.30
Pocetak rada: 1968 Sliv : ZAP. MORAVE Pov.sliva = 98.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.51	.540	.763	1.51	6.23	.763	.763	.510	.480	.570	.420	1.06
2	1.42	.600	.720	1.15	6.64	.720	.720	.510	.480	.570	.420	1.11
3	1.33	.600	.720	.978	7.05	.690	.720	.510	.480	.570	.396	1.11
4	1.24	.660	.720	.935	6.23	.690	.720	.510	.480	.570	.384	1.11
5	1.15	.978	.720	1.15	6.23	.690	.720	.510	.480	.570	.384	1.11
6	1.15	.978	.720	1.33	5.41	.892	.720	.510	1.11	.570	.384	3.35
7	1.06	.892	.720	1.33	5.00	.849	.849	.480	2.25	.570	.384	7.05
8	1.02	.806	.690	1.15	5.00	.849	.720	.480	1.73	.570	.384	4.67
9	.978	.763	.660	1.15	5.41	.806	.720	.480	1.51	.570	.384	4.67
10	.935	.720	.660	1.15	7.52	.806	.720	.480	1.33	.570	.384	4.67
11	.892	.690	.660	1.15	6.23	.763	.720	.480	1.15	.570	.384	4.67
12	.849	.660	.660	1.15	5.41	.720	.806	.480	1.06	.570	.384	4.67
13	.849	.720	.660	1.60	4.34	.720	.806	.480	1.06	.570	.384	4.34
14	.849	.660	.720	1.51	3.35	.720	.806	.480	1.06	.570	.384	4.34
15	.720	.720	.849	1.42	2.25	.720	.763	.480	1.06	.570	.384	4.01
16	.660	.420	.849	1.42	1.99	.720	.763	.480	1.06	.570	.384	4.01
17	.630	.660	5.82	1.73	1.86	.690	.720	.480	1.06	.570	.384	4.01
18	.600	.540	6.64	1.99	1.86	.690	.720	.480	.978	.570	.384	4.01
19	.600	.600	6.23	1.86	1.86	.690	.720	.480	.892	.570	.384	4.01
20	.600	.660	6.23	2.25	1.33	.720	.720	.480	.849	.570	.384	4.01
21	.600	.660	5.00	3.35	1.15	.720	.720	.480	.720	.570	.384	4.01
22	.570	.720	4.34	2.91	1.06	.720	.720	.480	.660	.570	.384	4.01
23	.570	.806	2.47	2.69	1.02	.720	.720	.480	.630	.570	.384	4.01
24	.570	.720	1.06	2.47	.849	.720	.720	.480	.600	.570	.384	4.01
25	.510	.806	.978	2.25	.806	.720	.720	.480	.600	.570	.384	4.01
26	.540	.892	.935	1.99	.720	.849	.690	.480	.600	.570	2.91	4.01
27	.540	.935	.978	1.73	.690	.849	.600	.540	.600	.570	1.99	4.01
28	.510	.806	.978	1.60	.849	1.02	.570	.510	.570	.570	1.15	4.01
29	.510		1.15	2.69	.849	.892	.540	.480	.570	.570	1.11	2.25
30	.540		1.73	3.35	.849	.763	.540	.480	.570	.570	1.06	1.11
31	.540		1.51		.720		.510	.480		.570		1.02
SD1	1.18	.754	.709	1.18	6.07	.775	.737	.498	1.03	.570	.392	2.99
SD2	.725	.633	2.93	1.61	3.05	.715	.754	.480	1.02	.570	.384	4.21
SD3	.545	.793	1.92	2.50	.869	.797	.641	.488	.612	.570	1.01	3.31
MAX	1.51	.978	6.64	3.35	7.52	1.02	.849	.510	2.25	.570	2.91	7.05
DAT	1	5	18	30	10	28	7	1	7	1	26	7
SR	.808	.722	1.86	1.76	3.25	.763	.709	.489	.889	.570	.597	3.50
MIN	.510	.420	.660	.935	.690	.690	.510	.480	.480	.570	.384	1.02
DAT	25	16	9	4	27	3	31	7	1	1	4	31
GMIN =		.384		SRGOD=		1.33		GMAX =		7.52		
DATUM		4 11						DATUM		10 5		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1970

Broj : 47205 Stanica : ROZAJE Kota "0" =1035.74
Nacin osmat.: letva Rijeka : IBAR km od usca = 258.30
Pocetak rada: 1968 Sliv : ZAP. MORAVE Pov.sliva = 98.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.978	.720	.660	9.40	8.46	3.13	.935	.420	.300	.324	.892	1.15
2	.892	.690	.690	7.05	7.05	5.00	.892	.408	.324	.360	.892	1.15
3	.892	.660	.690	6.23	6.23	5.00	.892	.408	.324	.570	.892	1.15
4	.806	.720	.690	5.82	7.05	3.68	.892	.396	.324	.806	.892	1.15
5	.806	.720	.720	5.82	7.05	3.35	1.06	.384	.324	.720	.892	1.15
6	.935	.720	.720	5.41	5.00	3.13	.978	.372	.324	.720	.892	1.15
7	7.05	.720	.720	5.00	5.00	3.13	1.15	.372	.324	.660	.720	1.15
8	5.00	.720	.720	5.00	7.05	3.13	4.34	.372	.300	.600	.660	1.15
9	3.35	.720	.720	17.5	8.46	3.13	3.35	.372	.300	.600	.600	1.15
10	2.25	.720	.720	12.1	5.00	2.91	2.91	.360	.300	.570	.570	1.15
11	2.12	.720	.806	11.0	4.67	2.91	2.25	.348	.300	.570	.600	1.15
12	1.99	.720	.806	8.93	4.01	2.91	1.73	.348	.300	.570	.600	1.06
13	1.86	.892	.892	8.46	5.00	2.69	1.15	.336	.300	.570	.600	1.02
14	1.73	.935	.849	7.52	5.00	2.69	1.06	.336	.300	.540	.600	.978
15	1.73	7.05	.935	7.52	4.34	2.47	.978	.324	.300	.480	.600	.935
16	1.73	8.46	1.06	7.52	5.00	2.47	.935	.324	.300	.480	.660	.892
17	9.94	8.46	1.15	7.52	4.67	2.47	.935	.324	.300	.480	3.35	.892
18	6.23	2.25	1.33	6.64	4.67	2.25	.935	.312	.300	.480	2.25	.849
19	3.13	1.60	1.51	6.64	4.34	1.99	.935	.312	.300	.420	1.99	.849
20	2.69	1.15	1.51	6.64	4.34	2.12	.892	.300	.300	.420	1.86	.806
21	2.47	.892	1.73	6.23	4.34	1.73	.892	.300	.300	.420	2.25	.763
22	2.25	.849	1.73	6.23	5.00	1.73	.849	.300	.300	.480	2.25	.720
23	2.25	.849	1.73	12.1	5.00	1.73	.660	.300	.300	.480	2.25	.720
24	1.99	.849	1.99	10.5	5.00	1.73	.600	.300	.300	.978	1.99	.720
25	1.86	.849	1.99	9.94	4.34	1.42	.510	.300	.324	.978	1.99	.720
26	1.73	.849	1.99	9.40	3.68	1.15	.480	.300	.324	.978	1.99	.720
27	1.15	.849	2.25	9.40	3.68	1.06	.480	.300	.324	.935	1.86	.720
28	1.06	.720	2.25	9.40	3.35	1.02	.450	.300	.324	.935	1.73	.660
29	1.02		4.34	9.40	3.13	.978	.450	.300	.324	.892	1.73	.660
30	.978		7.52	9.40	2.91	.935	.420	.300	.324	.892	1.60	.660
31	.978		8.46		2.91		.420	.300		.892		.660
SD1	2.30	.711	.705	7.93	6.63	3.56	1.74	.386	.314	.593	.790	1.15
SD2	3.31	3.22	1.08	7.84	4.60	2.50	1.18	.326	.300	.501	1.31	.943
SD3	1.61	.838	3.27	9.20	3.94	1.35	.565	.300	.314	.805	1.96	.702
MAX	9.94	8.46	8.46	17.5	8.46	5.00	4.34	.420	.324	.978	3.35	1.15
DAT	17	16	31	9	1	2	8	1	2	24	17	1
SR	2.38	1.64	1.74	8.32	5.02	2.47	1.14	.336	.310	.639	1.36	.924
MIN	.806	.660	.660	5.00	2.91	.935	.420	.300	.300	.324	.570	.660
DAT	4	3	1	7	30	30	30	20	1	1	10	28

GMIN = .300			SRGOD= 2.18					GMAX = 17.5				
DATUM 20 8								DATUM 9 4				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1971

Broj : 47205 Stanica : ROZAJE Kota "0" =1035.74
Nacin osmat.: letva Rijeka : IBAR km od usca = 258.30
Pocetak rada: 1968 Sliv : ZAP. MORAVE Pov.sliva = 98.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	7.05	.660	.408	2.25	2.69	1.51	.660	.300	.256	.540	.360	.600
2	5.82	.660	.408	2.25	3.35	5.00	.660	.300	.300	.480	.450	.600
3	5.00	.660	.408	2.25	5.00	3.13	.600	.300	.570	.420	.450	.600
4	5.00	.660	.408	2.25	4.67	2.69	.540	.300	.420	.420	.450	.600
5	5.00	.660	.408	9.40	4.34	1.99	.450	.372	.360	.420	.396	.600
6	3.68	.660	.396	9.40	2.91	1.73	.420	.324	.360	.420	.372	.600
7	2.69	.630	.384	7.52	2.69	1.51	.396	.300	.360	.420	.360	.600
8	2.25	.630	.384	4.34	2.25	1.33	.384	.300	.396	.396	.360	.600
9	1.42	.630	.372	3.68	2.12	1.33	.372	.300	.396	.396	.360	.600
10	1.15	.630	.372	3.68	1.51	1.33	.360	.300	.420	.396	.360	.600
11	1.11	.600	.372	3.68	1.15	1.24	.348	.300	.396	.396	.360	.600
12	1.06	.600	.372	3.68	1.15	1.11	.348	.300	.384	.396	.360	.600
13	1.02	.540	.372	3.68	1.15	1.02	.348	.289	.372	.396	.360	.600
14	1.02	.510	.372	3.68	1.15	1.02	.348	.289	.420	.396	.384	.600
15	.892	.450	.372	3.68	1.15	.978	.324	.289	.420	.300	.420	.600
16	.892	.450	.372	3.68	1.11	.978	.324	.289	1.99	.396	.384	.600
17	.892	.420	.372	3.13	1.06	.892	.324	.289	2.25	.396	.384	.600
18	.892	.420	.372	5.00	.935	.806	.312	.300	1.15	.396	.384	.540
19	.892	.420	.480	2.69	.892	.720	.312	.300	1.15	.660	1.06	.480
20	.806	.480	.720	1.99	.892	.660	.300	.300	1.15	.660	1.11	.420
21	.720	.480	.720	1.60	.892	.600	.300	.278	1.06	.660	.978	.420
22	.660	.420	.806	1.51	.849	.540	.300	.256	1.06	.600	.849	.480
23	.660	.420	10.5	1.51	.849	.480	.300	.256	1.06	.849	1.02	.510
24	.630	.420	7.05	1.99	.849	.420	.300	.256	.892	.420	.849	.480
25	.570	.420	5.82	7.05	.806	.396	.289	.256	.806	.396	.660	.450
26	.570	.408	5.00	4.67	.806	.384	.289	.256	.720	.384	.600	.420
27	.660	.408	4.01	2.91	.806	.384	.278	.256	.570	.384	.600	.420
28	.660	.408	3.35	2.69	.892	.372	.278	.256	.570	.384	.510	.420
29	.660		2.69	2.25	.892	.360	.278	.256	.600	.384	.600	.420
30	.660		2.25	2.25	2.25	.360	.300	.256	.600	.384	.600	.420
31	.660		2.25		.978		.300	.256		.360		.420
SD1	3.91	.648	.395	4.70	3.15	2.15	.484	.310	.384	.431	.392	.600
SD2	.948	.489	.418	3.49	1.06	.942	.329	.294	.968	.439	.521	.564
SD3	.646	.423	4.04	2.84	.988	.430	.292	.258	.794	.473	.727	.442
MAX	7.05	.660	10.5	9.40	5.00	5.00	.660	.372	2.25	.660	1.11	.600
DAT	1	1	23	5	3	2	1	5	17	19	20	1
SR	1.80	.527	1.70	3.68	1.71	1.18	.366	.286	.715	.449	.546	.532
MIN	.570	.408	.372	1.51	.806	.360	.278	.256	.256	.300	.360	.420
DAT	25	26	9	22	25	29	27	22	1	15	1	20

GMIN = .256			SRGOD= 1.12				GMAX = 10.5					
DATUM 22 8							DATUM 23 3					

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1972

Broj : 47205 Stanica : ROZAJE Kota "0" =1035.74
Nacin osmat.: letva Rijeka : IBAR km od usca = 258.30
Pocetak rada: 1968 Sliv : ZAP. MORAVE Pov.sliva = 98.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.420	.396	.600	.570	.978	.420	.300	2.25	.660	2.25	1.60	1.99
2	.420	.396	.600	.570	.892	.420	.300	1.99	.660	2.25	1.60	1.99
3	.420	.396	.600	.570	.892	.396	.300	1.60	.660	2.25	1.60	1.86
4	.420	.396	.600	.570	.806	.396	.300	2.25	.570	2.69	1.60	1.73
5	.420	.510	.600	.570	.720	.935	.300	1.99	.570	2.69	1.60	1.60
6	.420	.510	.600	.570	.720	.720	.300	1.73	.570	2.69	1.42	1.60
7	.570	.510	.600	.935	.720	.660	.360	1.60	.570	2.25	1.42	1.60
8	.570	.510	.600	.935	.720	.600	.348	1.60	.570	2.25	1.42	1.60
9	.570	.510	.600	.935	.720	.540	.348	1.60	.570	2.25	1.42	1.60
10	.570	.510	.690	.849	1.06	.540	.348	1.15	.570	3.68	1.42	1.60
11	.420	.510	.690	.763	1.15	.480	.300	1.15	.570	3.13	1.42	1.60
12	.420	.510	.660	.720	1.33	.480	.300	1.11	.570	3.13	1.60	1.60
13	.420	.396	.660	.720	1.06	.420	.300	1.02	.570	3.13	1.60	1.60
14	.420	.372	.660	.720	.978	.420	.360	.978	.570	3.13	1.60	1.60
15	.420	.360	.660	.849	.978	.420	102	.978	.570	3.13	1.60	1.60
16	.396	.372	1.02	.849	.978	.420	83.7	.935	1.73	3.13	1.60	1.60
17	.396	.348	1.02	.849	.978	.396	47.7	.935	7.52	2.69	1.60	1.60
18	.396	.348	.978	.849	.892	.372	22.4	.935	3.35	2.69	1.60	1.60
19	.396	.348	.978	.849	.806	.348	12.1	.935	3.35	2.69	1.60	1.60
20	.396	.348	.978	3.13	.720	.336	7.05	.935	2.91	2.69	1.60	1.60
21	.396	.348	.600	2.69	.720	.324	7.05	.892	2.25	3.68	1.60	1.60
22	.396	.348	.600	2.25	.690	.312	7.05	.892	2.25	3.68	1.99	1.51
23	.396	.348	.600	1.51	.660	.312	5.00	.892	2.25	3.68	3.35	1.42
24	.396	.348	.570	1.15	.660	.300	5.00	.892	1.99	3.13	3.35	1.33
25	.396	.348	.570	1.15	.630	.300	4.34	.892	1.99	3.13	3.35	1.15
26	.396	.348	.570	1.06	.600	.300	4.01	.892	1.99	3.13	3.35	1.15
27	.396	.348	.570	1.06	.600	.300	4.34	.892	6.23	2.69	3.35	1.15
28	.396	.348	.570	1.06	.540	.300	3.68	.892	14.8	2.25	3.35	1.15
29	.396	.348	.570	1.02	.480	.300	3.35	.720	3.68	1.99	2.25	1.15
30	.396		.570	.978	.420	.300	3.35	.660	3.68	1.60	1.99	1.15
31	.396		.570		.420		3.35	.600		1.60		1.15
SD1	.480	.464	.609	.707	.823	.563	.320	1.78	.597	2.53	1.51	1.72
SD2	.408	.391	.830	1.03	.987	.409	27.6	.991	2.17	2.95	1.58	1.60
SD3	.396	.348	.578	1.39	.584	.305	4.59	.829	4.11	2.78	2.79	1.26
MAX	.570	.510	1.02	3.13	1.33	.935	102	2.25	14.8	3.68	3.35	1.99
DAT	7	5	16	20	12	5	15	1	28	10	23	1
SR	.427	.403	.669	1.04	.791	.426	10.6	1.19	2.29	2.75	1.96	1.52
MIN	.396	.348	.570	.570	.420	.300	.300	.600	.570	1.60	1.42	1.15
DAT	16	17	24	1	30	24	1	31	4	30	6	25

GMIN = .300			SRGOD= 2.02					GMAX = 102				
DATUM 24 6								DATUM 15 7				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1973

Broj : 47205 Stanica : ROZAJE Kota "0" =1035.74
Nacin osmat.: letva Rijeka : IBAR km od usca = 258.30
Pocetak rada: 1968 Sliv : ZAP. MORAVE Pov.sliva = 98.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.15	1.15	1.24	1.51	34.3	3.68	.935	1.42	.849	1.11	1.51	1.73
2	1.15	1.15	1.15	1.51	39.6	2.25	1.06	1.33	.849	1.11	1.51	1.73
3	1.15	1.15	1.15	1.51	41.4	1.99	14.3	1.33	.849	1.06	1.51	1.73
4	1.15	1.15	1.15	1.86	40.5	1.86	8.46	1.33	.849	1.06	1.42	1.73
5	1.42	1.11	1.15	1.99	39.6	1.73	7.52	1.33	.849	1.06	1.33	1.73
6	1.42	1.06	1.15	1.86	38.7	1.60	6.64	1.24	.806	1.06	1.24	1.73
7	1.42	1.06	1.15	1.60	37.0	1.51	6.23	1.24	.806	1.06	1.24	1.73
8	1.42	1.02	1.15	1.51	33.5	1.33	5.41	1.15	.806	1.06	1.24	1.73
9	1.33	.978	1.42	1.99	31.7	1.06	4.34	1.15	.806	1.06	1.15	1.73
10	1.33	1.60	1.42	2.25	30.0	.935	3.35	1.15	.806	1.24	1.15	1.73
11	1.33	1.99	1.33	12.6	27.5	.935	3.13	1.15	.806	1.11	1.15	1.73
12	1.33	1.73	1.33	9.94	24.9	.892	3.13	1.06	.806	1.06	1.99	1.73
13	1.15	1.60	1.24	8.46	19.5	.892	2.47	1.06	.806	1.06	1.86	1.73
14	1.15	1.60	1.24	7.52	19.5	.806	1.99	1.06	.806	1.06	1.86	1.73
15	1.15	1.60	1.15	7.52	18.1	.720	1.86	1.06	.763	1.15	1.73	1.60
16	1.15	1.60	1.15	6.23	18.1	.720	1.73	1.06	.763	3.13	1.73	1.60
17	1.15	1.60	1.06	5.41	17.5	.720	1.60	1.06	.763	3.13	1.99	1.51
18	1.15	1.51	1.06	4.67	16.1	.720	1.51	1.06	2.91	2.69	1.99	1.51
19	1.60	1.51	1.02	4.34	14.8	.720	1.33	.935	3.35	1.99	1.99	1.51
20	1.42	1.51	1.02	3.68	11.6	.720	1.15	.849	3.68	1.33	1.99	1.51
21	1.42	1.42	.978	3.35	9.94	.720	1.15	.720	2.25	1.15	1.99	1.51
22	1.42	1.42	.978	3.35	8.93	.720	1.06	.690	1.99	1.06	1.86	1.51
23	1.33	1.33	.978	3.13	8.46	.720	1.06	.660	1.99	1.33	1.86	1.51
24	1.33	1.33	.978	3.13	7.52	.720	1.06	.660	1.99	1.33	1.86	1.51
25	1.33	1.33	.978	2.91	7.52	.720	1.06	.660	1.73	1.99	1.73	1.51
26	1.33	1.33	.978	2.91	7.05	.720	1.06	.660	1.73	1.99	1.73	5.00
27	1.33	1.33	.978	2.69	7.05	.720	1.06	.720	1.60	1.73	1.73	4.67
28	1.33	1.33	.935	2.69	6.64	.720	1.02	.720	1.51	1.73	1.73	4.34
29	1.33		1.15	2.47	6.23	.690	1.02	.806	1.33	1.60	1.73	4.34
30	1.15		1.33	2.47	4.67	.690	2.69	.849	1.15	1.60	1.73	4.01
31	1.15		1.51		4.01		1.60	.849		1.60		4.01
SD1	1.29	1.14	1.21	1.76	36.6	1.79	5.82	1.27	.827	1.09	1.33	1.73
SD2	1.26	1.63	1.16	7.04	18.8	.785	1.99	1.04	1.55	1.77	1.83	1.62
SD3	1.31	1.35	1.07	2.91	7.09	.714	1.26	.727	1.73	1.56	1.79	3.08
MAX	1.60	1.99	1.51	12.6	41.4	3.68	14.3	1.42	3.68	3.13	1.99	5.00
DAT	19	11	31	11	3	1	3	1	20	16	12	26
SR	1.29	1.37	1.15	3.90	20.4	1.10	2.97	1.00	1.37	1.47	1.65	2.17
MIN	1.15	.978	.935	1.51	4.01	.690	.935	.660	.763	1.06	1.15	1.51
DAT	1	9	28	1	31	29	1	23	15	3	9	17

GMIN = .660			SRGOD= 3.35					GMAX = 41.4				
DATUM 23 8								DATUM 3 5				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1974

Broj : 47205 Stanica : ROZAJE Kota "0" =1035.74
 Nacin osmat.: letva Rijeka : IBAR km od usca = 258.30
 Pocetak rada: 1968 Sliv : ZAP. MORAVE Pov.sliva = 98.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	2.25	1.02	1.73	12.6	8.46	8.46	2.69	.892	1.02	1.73	4.34	5.82
2	2.69	1.06	1.73	12.1	9.40	7.52	2.25	.892	1.02	1.60	4.01	5.00
3	2.47	1.06	1.73	12.1	7.52	5.82	1.73	.892	1.02	1.60	3.13	4.34
4	2.47	1.06	1.73	10.5	7.52	5.41	1.51	.892	1.02	1.60	2.91	8.46
5	2.25	1.06	1.51	9.40	7.52	5.00	1.33	.892	1.02	1.60	2.69	7.52
6	2.25	1.06	1.51	8.93	7.52	4.67	1.24	.892	1.02	1.60	2.25	7.52
7	2.25	1.06	1.42	8.93	7.52	4.34	1.15	.892	1.02	1.15	2.25	5.00
8	2.25	1.06	1.42	8.46	5.00	4.01	4.01	.849	1.02	1.15	2.25	3.68
9	2.25	2.25	1.33	7.52	5.00	4.01	2.91	.849	1.02	1.15	2.25	2.69
10	2.25	2.25	1.33	7.52	5.00	4.01	2.25	.849	1.02	1.15	2.25	2.47
11	1.11	2.25	1.33	6.64	5.00	2.25	1.33	.806	1.02	1.15	2.25	2.25
12	1.06	2.25	1.24	5.82	5.00	3.68	1.33	.806	1.02	1.15	2.25	2.25
13	1.06	2.25	1.24	5.41	5.00	3.13	1.33	.806	.978	1.15	2.12	2.25
14	1.02	2.25	1.24	5.00	5.00	2.69	1.24	.806	.978	2.69	2.12	2.25
15	1.02	1.99	1.24	5.82	5.00	2.25	1.15	.806	.935	2.91	1.99	2.25
16	1.02	1.99	1.15	6.23	18.1	2.25	1.15	.806	.892	18.1	1.99	2.25
17	1.02	1.99	1.15	6.64	14.8	2.12	1.15	.806	.849	5.82	1.99	2.25
18	1.02	1.99	1.15	7.52	9.40	1.99	1.15	.806	.806	4.34	1.99	2.25
19	1.02	1.99	1.15	7.05	8.93	1.99	1.02	.806	.763	4.34	1.99	2.25
20	1.02	1.99	1.15	5.41	9.40	2.25	1.02	.806	.763	3.35	1.99	2.25
21	1.02	1.99	1.33	5.00	18.1	2.25	1.02	.806	.720	2.91	1.99	2.25
22	1.02	1.99	1.42	4.67	16.1	2.25	1.02	.806	.720	3.35	1.99	1.99
23	1.02	1.86	8.93	4.01	18.1	2.12	1.02	.806	.978	25.8	1.99	1.99
24	1.02	1.86	8.46	3.13	14.8	1.99	1.02	.935	.892	24.9	1.99	1.99
25	1.02	1.86	8.46	3.13	12.1	1.86	1.02	.849	1.73	21.5	1.99	1.99
26	1.02	1.86	8.46	3.13	11.0	1.86	1.02	1.11	1.99	7.52	1.99	1.99
27	1.02	1.86	8.46	2.91	10.5	1.86	1.02	1.06	5.00	9.40	9.40	1.99
28	1.02	1.73	14.8	2.91	9.40	1.86	.935	1.06	4.01	5.82	8.46	1.73
29	1.02		13.7	2.91	8.93	1.73	.935	1.02	3.68	7.05	8.46	1.73
30	1.02		13.2	2.91	8.46	4.34	.892	1.02	2.25	7.05	7.99	1.51
31	1.02		13.2		8.46		.892	1.02		6.64		1.42
SD1	2.34	1.29	1.54	9.81	7.05	5.32	2.11	.879	1.02	1.43	2.83	5.25
SD2	1.04	2.09	1.20	6.15	8.56	2.46	1.19	.806	.900	4.50	2.07	2.25
SD3	1.02	1.88	9.13	3.47	12.4	2.21	.981	.954	2.20	11.1	4.63	1.87
MAX	2.69	2.25	14.8	12.6	18.1	8.46	4.01	1.11	5.00	25.8	9.40	8.46
DAT	1	9	28	1	16	1	8	26	27	23	27	4
SR	1.45	1.75	4.13	6.48	9.42	3.33	1.41	.882	1.37	5.85	3.18	3.08
MIN	1.02	1.02	1.15	2.91	5.00	1.73	.892	.806	.720	1.15	1.99	1.42
DAT	14	1	16	27	8	29	30	11	21	7	15	31

GMIN = .720			SRGOD= 3.54					GMAX = 25.8				
DATUM 21 9								DATUM 23 10				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1975

Broj : 47205 Stanica : ROZAJE Kota "0" =1035.74
 Nacin osmat.: letva Rijeka : IBAR km od usca = 258.30
 Pocetak rada: 1968 Sliv : ZAP. MORAVE Pov.sliva = 98.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.42	1.06	.978	1.86	4.34	3.68	8.93	1.06	.978	.806	3.13	5.00
2	1.42	1.06	.978	8.46	5.00	3.68	5.41	1.06	.978	.806	3.13	4.34
3	1.42	1.06	.978	6.64	7.05	3.68	3.13	1.06	.978	.806	2.91	3.68
4	1.42	1.06	.978	5.41	9.40	3.68	2.69	1.33	.978	.806	2.91	2.91
5	1.33	1.06	.978	4.67	8.46	6.23	2.69	1.24	.978	.806	2.91	2.69
6	1.33	1.06	.978	4.34	7.52	8.46	2.69	1.86	.978	.806	2.91	2.25
7	1.24	1.06	.978	4.34	7.05	7.52	2.69	1.99	.978	.806	2.91	1.51
8	1.24	1.06	1.02	4.34	6.23	6.64	2.25	1.99	.978	.806	2.25	1.42
9	1.24	1.06	1.24	4.01	5.41	6.64	2.12	1.99	.978	.806	1.99	1.33
10	1.24	1.06	1.33	3.35	5.00	6.64	1.99	1.99	.978	.806	1.73	1.33
11	1.24	1.06	1.51	3.13	5.00	6.64	1.99	1.73	.978	.806	1.60	1.33
12	1.24	1.06	2.25	2.91	5.00	6.64	1.73	1.73	.978	.806	1.60	1.33
13	1.24	1.06	2.47	2.91	5.00	5.00	1.73	1.73	.978	1.42	1.60	1.33
14	1.24	1.06	2.69	2.69	5.00	5.00	1.60	1.73	.978	3.68	1.60	1.33
15	1.24	1.06	3.13	2.69	5.00	4.34	1.60	1.73	.978	3.13	1.60	1.33
16	1.24	1.02	3.13	2.69	4.34	3.68	1.60	1.51	.978	2.25	1.51	1.33
17	1.24	1.02	3.68	2.69	4.67	3.68	1.60	1.15	.978	2.69	1.51	1.33
18	1.24	1.02	3.68	2.47	4.34	3.68	1.60	1.06	.892	5.00	9.40	5.82
19	1.24	.978	4.34	2.47	4.34	5.00	1.60	1.02	.849	10.5	20.8	5.00
20	1.24	.978	5.00	2.25	4.34	4.34	1.60	1.02	.849	3.35	18.8	3.68
21	1.24	.978	5.82	2.25	4.34	4.01	1.60	.978	.849	2.91	11.6	2.25
22	1.24	.978	7.05	2.25	4.34	4.01	1.42	.978	.806	2.69	11.0	1.99
23	1.24	.978	7.05	2.25	4.01	3.68	1.24	.978	.806	3.13	10.5	1.99
24	1.15	.978	4.34	2.25	3.68	3.68	1.15	.978	.806	3.13	9.94	1.99
25	1.15	.978	3.13	2.25	3.68	3.35	1.15	.978	.806	3.13	9.40	1.99
26	1.11	.978	2.69	2.25	3.68	4.34	1.11	.978	.806	3.13	9.40	1.99
27	1.11	.978	2.25	2.69	3.68	5.00	1.11	.978	.806	3.13	9.40	1.73
28	1.06	.978	1.99	2.91	3.68	16.1	1.11	.978	.806	3.13	9.40	1.51
29	1.06		1.99	2.91	3.68	13.7	1.11	.978	.806	3.13	8.46	1.24
30	1.06		1.99	4.34	3.68	10.5	1.06	.978	.806	3.13	8.46	1.15
31	1.06		1.86		3.68		1.06	.978		3.13		1.15
SD1	1.33	1.06	1.04	4.74	6.55	5.68	3.46	1.56	.978	.806	2.68	2.65
SD2	1.24	1.03	3.19	2.69	4.70	4.80	1.67	1.44	.944	3.36	6.00	2.38
SD3	1.13	.978	3.65	2.63	3.83	6.84	1.19	.978	.810	3.07	9.76	1.73
MAX	1.42	1.06	7.05	8.46	9.40	16.1	8.93	1.99	.978	10.5	20.8	5.82
DAT	1	1	22	2	4	28	1	7	1	19	19	18
SR	1.23	1.03	2.66	3.36	4.99	5.77	2.08	1.31	.911	2.43	6.15	2.23
MIN	1.06	.978	.978	1.86	3.68	3.35	1.06	.978	.806	.806	1.51	1.15
DAT	28	19	1	1	24	25	30	21	22	1	16	30
GMIN =			.806	SRGOD=			2.85	GMAX =			20.8	
DATUM			22 9					DATUM			19 11	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1976

Broj : 47205 Stanica : ROZAJE Kota "0" =1035.74
Nacin osmat.: letva Rijeka : IBAR km od usca = 258.30
Pocetak rada: 1968 Sliv : ZAP. MORAVE Pov.sliva = 98.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.15	.978	1.02	2.25	7.99	7.05	3.13	4.34	2.25	1.11	5.00	1.15
2	1.15	.978	1.02	2.69	7.05	7.05	3.13	3.35	1.86	1.06	3.13	1.15
3	1.15	.978	1.02	2.91	6.64	7.05	2.91	3.13	1.51	1.06	2.25	1.15
4	1.15	.978	1.02	2.91	14.8	7.05	2.69	2.91	1.42	1.06	2.12	5.82
5	1.15	.978	1.02	3.35	12.1	5.41	2.47	2.91	1.33	1.06	2.12	7.05
6	1.15	.978	1.02	5.82	12.1	4.67	2.25	15.5	1.33	1.06	1.99	8.46
7	1.15	.978	1.02	6.23	12.1	8.46	2.25	12.1	1.24	.935	1.99	8.93
8	1.15	.978	1.02	7.05	12.1	14.8	2.25	10.5	1.24	.849	1.73	16.1
9	1.15	.978	1.02	6.23	12.1	18.1	2.25	8.93	1.15	.806	1.73	14.8
10	1.15	.978	1.02	6.64	12.1	14.3	2.25	7.99	1.15	.806	1.42	13.7
11	1.15	.978	1.02	6.64	12.1	12.1	2.25	7.05	1.15	.806	1.24	13.2
12	1.15	.978	1.02	6.64	13.2	8.93	2.25	5.82	1.11	.806	1.15	12.6
13	1.15	.978	1.02	6.64	11.0	7.99	2.25	5.00	1.11	.806	1.15	12.1
14	1.15	.978	1.02	6.64	9.94	7.52	2.25	4.34	1.06	.806	1.15	9.94
15	1.15	.978	1.02	8.46	8.93	7.52	2.12	4.34	1.06	.806	1.33	8.93
16	1.15	.978	.978	8.93	7.99	5.00	1.99	4.34	1.02	1.06	1.33	7.99
17	1.15	1.15	.978	9.40	6.64	5.00	1.86	3.68	.978	1.06	1.33	6.64
18	1.15	1.33	.978	9.40	5.82	7.52	1.73	3.68	.978	1.06	1.51	5.00
19	1.15	1.24	.978	9.40	5.00	6.23	1.60	6.64	.978	1.06	1.51	4.34
20	1.15	1.15	.978	9.40	4.67	5.41	1.51	5.82	.978	1.06	1.51	4.01
21	1.06	1.06	.978	9.40	4.67	4.01	1.51	5.41	1.15	1.06	1.51	4.01
22	1.06	1.06	.978	9.40	4.67	3.35	10.5	5.00	1.15	1.06	1.51	4.01
23	1.02	1.02	1.15	9.40	4.67	2.91	9.40	5.00	1.15	1.02	1.51	3.68
24	1.02	1.02	1.15	11.6	5.00	2.47	8.46	4.67	1.15	1.02	1.51	3.68
25	.978	1.02	1.15	10.5	5.41	2.25	8.46	4.67	1.15	1.02	1.42	3.68
26	.978	1.02	1.15	10.5	5.00	2.25	7.99	4.34	1.15	1.02	1.42	3.68
27	.978	1.02	1.99	10.5	7.52	2.25	7.99	3.68	1.15	1.02	1.33	3.13
28	.978	1.02	2.25	9.40	7.52	2.25	7.99	3.68	1.15	1.02	1.15	3.13
29	.978	1.02	2.25	9.40	7.52	2.69	6.64	3.13	1.15	.978	1.15	2.91
30	.978		2.25	9.40	7.52	3.35	5.41	2.91	1.11	.978	1.15	2.91
31	.978		2.25		7.05		5.00	2.47		.978		2.91
SD1	1.15	.978	1.02	4.61	10.9	9.39	2.56	7.17	1.45	.981	2.35	7.83
SD2	1.15	1.07	.999	8.16	8.53	7.32	1.98	5.07	1.04	.933	1.32	8.48
SD3	1.00	1.03	1.60	9.95	6.05	2.78	7.21	4.09	1.15	1.02	1.37	3.43
MAX	1.15	1.33	2.25	11.6	13.2	14.8	10.5	15.5	2.25	1.11	5.00	16.1
DAT	1	18	28	24	12	8	22	6	1	1	1	8
SR	1.10	1.03	1.22	7.57	8.42	6.50	4.02	5.40	1.21	.978	1.68	6.48
MIN	.978	.978	.978	2.25	4.67	2.25	1.51	2.47	.978	.806	1.15	1.15
DAT	25	1	16	1	20	25	20	31	17	9	12	1
GMIN =		.806		SRGOD=		3.81		GMAX =		16.1		
DATUM		9 10						DATUM		8 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1977

Broj : 47205 Stanica : ROZAJE Kota "0" =1035.74
Nacin osmat.: letva Rijeka : IBAR km od usca = 258.30
Pocetak rada: 1968 Sliv : ZAP. MORAVE Pov.sliva = 98.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	2.91	3.68	4.67	14.8	5.00	1.73	.806	.690	.600	.806	.660	1.15
2	2.69	5.82	3.68	12.1	5.00	1.73	.806	.690	.600	.806	.660	1.15
3	2.69	5.00	2.69	10.5	5.00	1.73	.806	.690	.600	.806	.660	1.15
4	2.47	4.34	2.25	9.40	5.00	1.73	.806	.690	.600	.763	.660	1.15
5	2.12	3.68	2.25	8.46	5.00	1.73	.806	.690	.600	.763	.630	1.15
6	1.99	3.13	2.25	7.99	5.00	1.73	.806	.660	.600	.763	.630	1.15
7	1.86	3.13	2.12	7.99	5.00	1.60	.806	.660	.600	.763	.630	1.15
8	1.73	3.13	2.12	7.99	4.34	1.51	.806	.660	.600	.720	.630	1.15
9	1.73	3.13	2.12	7.52	4.34	1.51	.806	.600	.600	.720	.630	1.15
10	1.60	3.13	2.25	7.52	4.01	1.51	.806	.600	.720	.720	.630	1.06
11	1.51	5.00	2.25	7.52	3.68	1.33	.806	.600	.660	.720	.630	1.06
12	1.42	14.8	2.25	6.64	3.35	1.33	.720	.600	.600	.720	.630	1.06
13	1.42	12.6	2.25	5.82	1.99	1.24	.720	.600	.600	.720	.630	1.06
14	11.0	10.5	2.25	5.00	1.99	1.15	.720	.600	.600	.720	.630	1.06
15	7.52	8.93	2.25	5.00	1.99	1.15	.720	.600	.600	.806	.630	1.06
16	6.23	7.05	2.25	4.67	1.99	1.06	.720	.600	.600	.806	.630	1.06
17	5.82	5.82	2.12	4.34	1.99	1.06	.720	.600	.600	.806	.720	1.06
18	5.00	5.00	2.12	4.34	1.99	1.06	.720	.600	1.15	.806	.806	.892
19	4.34	4.01	2.12	4.34	1.86	1.02	.720	.600	1.06	.806	.892	.892
20	3.35	3.68	2.12	3.68	1.86	1.02	.720	.600	1.06	.720	.892	.892
21	2.25	3.68	2.12	3.35	1.86	.978	.720	.600	1.06	.720	.892	.892
22	1.99	4.34	2.12	2.91	1.73	.978	.720	.600	1.06	.660	.892	.892
23	1.73	4.34	4.34	4.01	1.73	.978	.720	.600	1.06	.660	2.25	.892
24	1.73	9.40	4.34	4.01	1.73	.978	.720	.600	2.12	.660	4.67	.892
25	1.51	7.99	4.34	3.68	2.25	.935	.720	.600	2.25	.660	4.34	.892
26	1.51	6.64	4.34	5.00	2.12	.935	.720	.600	1.99	.660	10.5	.978
27	1.51	5.82	5.00	5.00	1.99	.892	.720	.600	1.15	.660	9.94	.978
28	1.51	5.00	5.00	4.34	1.73	.892	.720	.600	1.11	.660	6.23	.935
29	4.34		5.00	4.34	1.73	.849	.720	.600	.892	.660	1.73	.806
30	4.01		8.46	4.34	1.73	.806	.690	.600	.806	.660	1.15	14.8
31	3.68		16.1		1.73		.690	.600		.660		9.94
SD1	2.18	3.82	2.64	9.43	4.77	1.65	.806	.663	.612	.763	.642	1.14
SD2	4.76	7.74	2.20	5.14	2.27	1.14	.729	.600	.753	.763	.709	1.01
SD3	2.34	5.90	5.56	4.10	1.85	.922	.715	.600	1.35	.665	4.26	2.99
MAX	11.0	14.8	16.1	14.8	5.00	1.73	.806	.690	2.25	.806	10.5	14.8
DAT	14	12	31	1	1	1	1	1	25	1	26	30
SR	3.07	5.81	3.53	6.22	2.93	1.24	.749	.620	.905	.728	1.87	1.75
MIN	1.42	3.13	2.12	2.91	1.73	.806	.690	.600	.600	.660	.630	.806
DAT	12	6	7	22	22	30	30	9	1	22	5	29

GMIN =			.600	SRGOD=				2.42	GMAX =			16.1
DATUM			9 8						DATUM			31 3

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1978

Broj : 47205 Stanica : ROZAJE Kota "0" =1035.74
Nacin osmat.: letva Rijeka : IBAR km od usca = 258.30
Pocetak rada: 1968 Sliv : ZAP. MORAVE Pov.sliva = 98.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	4.20	1.78	2.84	4.20	6.60	6.60	1.00	.490	1.00	3.86	1.07	.700
2	2.26	1.54	2.84	3.86	15.0	5.88	1.00	.490	.550	3.01	1.07	.700
3	2.26	1.54	2.84	3.86	9.75	5.64	1.00	.490	.550	2.50	1.07	.775
4	2.02	1.30	4.92	3.86	7.30	5.64	1.00	.490	.520	2.38	1.07	.850
5	2.02	1.15	4.92	3.86	6.60	4.68	.850	.490	.490	2.14	1.07	.850
6	2.02	1.15	5.64	4.68	8.70	4.03	.850	.490	.520	2.14	1.07	1.00
7	1.90	1.15	6.60	4.68	8.70	3.86	.850	.490	.775	2.02	1.07	1.00
8	1.90	1.15	6.12	4.20	8.00	3.52	.850	.430	1.07	1.78	1.00	1.22
9	1.90	1.15	6.12	4.20	8.00	3.52	.700	.430	.925	1.78	1.00	1.22
10	1.90	1.42	4.20	4.20	8.00	3.52	.700	.430	.850	1.78	.925	1.42
11	1.90	1.54	2.84	4.20	8.70	3.52	.700	.490	.775	1.42	.925	1.54
12	1.66	2.84	2.84	4.20	6.60	3.52	.700	.490	.775	1.42	.850	1.54
13	1.66	4.20	2.26	3.86	6.60	3.18	.550	.490	2.50	1.42	.850	1.54
14	1.66	10.1	2.26	11.6	6.60	2.50	.550	.490	8.00	1.42	.775	2.50
15	1.54	8.35	2.26	8.70	5.64	2.38	.550	.460	5.16	1.30	.775	3.18
16	1.54	7.30	2.26	5.16	5.40	3.18	.700	.430	4.20	1.22	.850	3.18
17	1.54	6.95	2.26	4.68	5.16	2.50	.700	.430	3.18	1.15	.775	3.18
18	1.54	5.40	11.1	3.52	5.16	2.02	.550	.430	2.50	1.15	.775	3.52
19	1.54	4.44	7.30	3.52	5.16	2.02	.550	.430	1.90	1.15	.775	3.52
20	1.54	4.20	5.64	3.52	5.64	2.02	.700	.430	1.66	1.15	.850	5.16
21	1.54	4.03	4.20	3.52	5.64	1.78	.550	.430	2.67	1.22	.850	4.68
22	1.30	3.86	5.64	3.52	5.64	1.78	.550	.430	2.38	1.22	.775	3.35
23	1.30	3.86	4.20	3.52	8.35	1.54	.550	.460	2.02	1.15	.700	2.67
24	1.15	3.86	3.86	3.52	6.12	1.30	.550	.460	2.26	1.07	.700	2.26
25	1.07	3.18	3.52	3.52	5.40	1.30	.550	.460	2.14	1.07	.700	1.90
26	1.07	2.84	3.52	3.18	5.16	1.15	.550	.460	1.90	1.07	.550	1.78
27	.850	2.50	2.84	3.18	5.40	1.15	.550	.460	1.66	1.07	.550	1.78
28	.850	2.50	2.84	3.18	9.40	1.54	.550	.460	3.69	1.07	.550	1.78
29	.850		2.26	3.18	8.70	1.22	.550	.460	7.65	1.00	.625	2.67
30	.850		2.84	3.18	8.35	1.00	.550	.460	4.92	1.00	.700	3.35
31	2.14		3.52		8.00		.550	.490		1.07		3.52
SD1	2.24	1.33	4.70	4.16	8.66	4.69	.880	.472	.725	2.34	1.04	.974
SD2	1.61	5.53	4.10	5.30	6.07	2.68	.625	.457	3.07	1.28	.820	2.89
SD3	1.18	3.33	3.57	3.35	6.92	1.38	.550	.457	3.13	1.09	.670	2.70
MAX	4.20	10.1	11.1	11.6	15.0	6.60	1.00	.490	8.00	3.86	1.07	5.16
DAT	1	14	18	14	2	1	1	1	14	1	1	20
SR	1.66	3.40	4.11	4.27	7.21	2.92	.681	.462	2.31	1.55	.844	2.20
MIN	.850	1.15	2.26	3.18	5.16	1.00	.550	.430	.490	1.00	.550	.700
DAT	27	5	13	26	17	30	13	8	5	29	26	1
GMIN =		.430		SRGOD=		2.63		GMAX =		15.0		
DATUM		8 8						DATUM		2 5		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1979

Broj : 47205 Stanica : ROZAJE Kota "0" =1035.74
 Nacin osmat.: letva Rijeka : IBAR km od usca = 258.30
 Pocetak rada: 1968 Sliv : ZAP. MORAVE Pov.sliva = 98.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	5.16	3.86	1.30	2.50	3.52	2.38	1.54	1.07	2.02	1.07	8.70	3.86
2	3.86	3.01	1.22	2.50	3.52	2.50	1.42	.925	1.78	1.07	8.00	3.52
3	2.84	2.84	1.54	2.50	3.52	2.50	1.30	.775	1.66	1.15	3.69	3.18
4	2.38	2.38	1.30	2.14	3.86	2.26	1.54	.700	1.54	1.15	3.52	3.01
5	2.26	2.50	1.30	2.84	4.20	2.02	1.90	.700	1.66	1.00	3.01	2.50
6	2.02	2.50	1.30	5.64	4.68	1.90	1.78	.700	3.01	1.00	3.52	2.26
7	1.78	2.67	1.22	3.35	3.69	1.78	1.66	.550	4.03	1.54	3.52	2.14
8	3.18	2.38	1.22	3.69	4.20	1.66	1.54	.550	3.18	1.54	3.52	1.90
9	2.26	2.38	1.22	2.84	4.68	1.66	3.18	.550	2.50	1.15	3.35	1.90
10	1.54	2.38	1.30	2.67	4.68	2.02	2.50	1.66	2.26	1.00	3.18	1.90
11	2.26	3.86	1.30	2.38	4.92	2.14	2.14	.850	2.02	1.00	5.16	1.78
12	5.64	3.86	1.30	2.38	6.12	1.90	1.78	4.68	2.02	.925	4.68	7.30
13	3.52	10.6	1.42	2.38	105	1.54	1.54	2.50	1.78	1.00	3.52	3.18
14	2.50	7.30	1.66	2.14	93.8	1.54	1.30	2.50	1.30	1.00	3.18	2.84
15	2.26	4.68	2.02	2.14	5.88	1.30	1.66	2.02	1.30	.925	2.84	2.26
16	2.02	3.69	2.38	2.14	4.68	1.54	2.02	2.02	1.66	.925	9.40	2.26
17	2.02	3.52	2.50	2.38	4.44	1.90	1.78	2.50	1.78	.850	62.9	2.02
18	2.02	3.86	2.02	2.84	4.44	4.20	1.78	4.20	1.22	.850	22.3	1.78
19	2.02	3.86	1.90	3.18	4.68	2.38	1.54	3.01	1.22	.775	44.1	1.54
20	2.02	3.01	1.90	2.67	4.92	2.14	1.30	3.18	1.22	1.30	16.5	1.54
21	2.02	2.50	2.26	2.50	4.68	2.02	1.22	4.44	1.22	1.30	10.1	1.54
22	1.54	1.78	2.38	2.38	4.44	2.38	1.07	121	1.22	1.15	6.36	1.30
23	1.54	1.30	2.67	2.14	4.20	2.84	1.07	109	1.00	1.00	6.36	1.30
24	1.42	1.54	2.26	2.02	3.86	3.35	1.07	91.7	1.22	1.22	6.12	4.68
25	1.54	1.30	2.02	2.02	3.69	3.35	.850	4.20	1.22	1.07	5.40	3.52
26	6.12	1.54	2.02	2.26	3.52	2.50	.850	3.86	1.15	1.07	3.52	2.84
27	3.86	1.42	2.02	2.26	3.69	2.02	.700	3.35	1.15	1.00	3.86	2.26
28	3.52	1.54	5.64	6.60	3.52	2.02	1.90	2.84	1.15	1.00	3.52	2.02
29	5.40		4.44	5.40	3.52	1.78	1.30	2.50	1.15	1.07	3.18	1.78
30	9.40		3.69	4.20	3.35	1.66	1.15	2.14	1.07	9.40	3.18	1.54
31	5.64		3.35		3.01		1.07	2.02		16.5		2.14
SD1	2.73	2.69	1.29	3.07	4.05	2.07	1.84	.818	2.36	1.17	4.40	2.62
SD2	2.63	4.82	1.84	2.46	23.9	2.06	1.68	2.75	1.55	.955	17.5	2.65
SD3	3.82	1.62	2.98	3.18	3.77	2.39	1.11	31.6	1.15	3.25	5.16	2.27
MAX	9.40	10.6	5.64	6.60	11.6	4.20	3.18	20.8	4.03	16.5	62.9	7.30
DAT	30	13	28	28	13	18	9	22	7	31	17	12
SR	3.08	3.15	2.07	2.90	10.4	2.17	1.53	12.3	1.69	1.84	9.01	2.50
MIN	1.42	1.30	1.22	2.02	3.01	1.30	.700	.550	1.00	.775	2.84	1.30
DAT	24	23	2	24	31	15	27	7	23	19	15	22

GMIN =			.550	SRGOD=				4.40	GMAX =			62.9
DATUM			7 8						DATUM			17 11

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1980

Broj : 47205 Stanica : ROZAJE Kota "0" =1035.74
Nacin osmat.: letva Rijeka : IBAR km od usca = 258.30
Pocetak rada: 1968 Sliv : ZAP. MORAVE Pov.sliva = 98.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	2.02	1.30	1.00	4.20	2.50	6.12	1.30	.430	.925	.370	2.50	3.18	
2	1.78	2.84	1.00	3.86	3.86	3.86	1.30	.430	1.00	.370	2.02	2.84	
3	1.30	2.26	1.00	5.16	3.86	3.52	1.30	.430	.925	.370	2.02	2.38	
4	1.30	2.02	1.30	4.20	3.86	3.18	1.15	.430	.700	.370	1.90	2.26	
5	1.30	2.02	1.15	3.18	7.30	2.84	1.15	.430	.700	.370	1.78	2.14	
6	1.30	2.02	1.00	2.84	8.70	3.86	1.07	.370	.550	.370	1.78	1.78	
7	1.15	2.50	1.00	2.50	7.30	3.86	1.00	.370	.550	.370	1.78	2.50	
8	1.15	2.84	1.00	2.26	6.12	3.86	1.00	.370	.550	.370	2.50	2.26	
9	1.00	2.26	1.15	2.26	6.60	2.84	1.00	.370	.700	.370	1.78	2.26	
10	1.00	2.26	1.30	2.26	7.30	4.20	.925	.370	.550	4.20	1.78	2.26	
11	.850	2.26	1.15	1.78	11.1	4.20	.775	.370	.550	3.01	4.20	2.26	
12	.850	2.26	1.15	1.78	10.1	3.52	.775	.370	.700	1.54	4.20	1.78	
13	.850	2.26	1.15	1.54	7.30	3.52	.925	.370	.700	15.0	6.60	1.54	
14	.700	2.02	1.15	1.54	6.60	3.18	.925	.550	.550	10.1	10.1	1.54	
15	1.00	1.78	1.15	2.02	5.64	3.18	.700	.550	.490	8.35	10.6	1.54	
16	.850	1.54	1.15	2.50	5.64	3.18	.700	.460	.490	6.36	6.60	1.54	
17	.850	1.30	1.15	2.50	5.64	2.50	.550	.460	.430	2.84	4.68	1.54	
18	.850	1.30	1.15	3.52	4.68	2.26	.550	3.52	.430	2.50	3.52	1.54	
19	.700	1.30	1.15	4.20	4.20	2.02	.550	1.30	.430	2.84	3.01	1.42	
20	.700	1.15	1.15	4.20	6.60	4.44	.550	1.00	.430	2.50	3.69	1.42	
21	.700	1.00	2.26	4.68	9.40	3.18	.700	.850	.370	4.68	2.50	1.66	
22	.700	1.00	2.26	5.16	7.30	2.50	.550	.550	.370	3.35	2.50	1.54	
23	.700	1.00	3.86	4.68	5.64	2.02	.550	.550	.370	2.50	2.26	1.30	
24	.700	1.00	5.16	3.52	4.20	2.02	.550	.550	.370	4.20	2.14	1.54	
25	.850	1.00	3.86	2.84	6.60	2.02	.550	.550	.430	4.20	1.90	1.15	
26	1.54	1.00	3.52	2.84	5.64	1.54	.550	.550	.490	2.84	1.90	.925	
27	1.15	1.00	2.84	2.84	4.68	1.30	.550	.550	.430	7.30	1.78	1.22	
28	.850	1.00	3.18	2.84	5.16	1.78	.550	.490	.430	5.16	1.78	1.30	
29	1.78	1.00	3.52	2.84	6.60	1.30	.550	.430	.430	3.86	1.78	1.30	
30	1.54		4.20	2.50	6.12	1.15	.490	.550	.430	3.18	4.20	1.30	
31	1.15		5.16		6.12		.490	.490		3.01		1.30	
SD1	1.33	2.23	1.09	3.27	5.74	3.81	1.12	.400	.715	.753	1.98	2.39	
SD2	.820	1.72	1.15	2.56	6.75	3.20	.700	.895	.520	5.50	5.72	1.61	
SD3	1.06	1.00	3.62	3.47	6.13	1.88	.553	.555	.412	4.03	2.27	1.32	
MAX	2.02	2.84	5.16	5.16	11.1	6.12	1.30	3.52	1.00	15.0	10.6	3.18	
DAT	1	7	24	22	11	1	1	18	2	13	15	1	
SR	1.07	1.67	2.01	3.10	6.21	2.97	.783	.615	.549	3.45	3.33	1.76	
MIN	.700	1.00	1.00	1.54	2.50	1.15	.490	.370	.370	.370	1.78	.925	
DAT	14	21	1	13	1	30	30	6	21	1	5	26	
		GMIN =		.370		SRGOD=		2.29		GMAX =		15.0	
		DATUM		6 8						DATUM		13 10	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1981

Broj : 47205 Stanica : ROZAJE Kota "0" =1035.74
 Nacin osmat.: letva Rijeka : IBAR km od usca = 258.30
 Pocetak rada: 1968 Sliv : ZAP. MORAVE Pov.sliva = 98.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.61	1.16	.980	15.6	6.30	4.43	.890	.635	.800	.800	1.70	1.52
2	1.52	1.07	.980	11.0	6.82	4.24	.890	.635	.800	.800	1.52	3.10
3	1.52	1.25	1.34	11.0	5.78	4.05	.800	.580	.800	1.98	1.34	2.26
4	1.52	1.16	3.86	9.64	7.60	3.86	.745	.580	.800	1.52	1.34	1.98
5	1.70	1.07	7.94	7.60	7.60	3.86	.745	.580	.800	1.34	1.34	1.70
6	1.70	1.07	3.29	7.34	6.82	3.48	.690	.580	3.10	1.25	1.25	1.34
7	1.70	.980	3.10	6.56	5.52	3.10	.635	.580	2.82	.800	1.25	1.16
8	1.61	.890	3.10	5.52	5.26	2.96	.745	.525	1.52	.800	1.07	6.56
9	1.52	.890	3.10	7.60	5.00	2.68	.745	.525	1.34	.800	.980	6.56
10	1.43	.890	4.24	7.60	6.04	2.54	.745	.525	1.07	.800	1.07	7.08
11	1.52	1.34	4.24	7.60	6.04	3.10	.745	.470	.980	.690	1.07	6.56
12	1.52	1.61	6.56	8.62	13.8	2.82	.635	.415	.980	.800	1.25	7.08
13	1.61	2.26	8.62	7.34	13.8	2.68	.800	.580	.980	.800	1.07	9.64
14	1.34	1.70	6.30	7.94	7.08	2.54	.980	.580	.800	1.07	.980	9.64
15	1.16	1.52	5.52	7.94	7.08	2.12	1.34	.580	7.60	.890	1.25	3.10
16	1.34	1.52	5.52	7.94	7.08	2.12	1.07	.580	4.24	.800	1.52	3.10
17	1.16	1.70	5.00	9.30	7.34	1.98	.800	.580	2.54	.800	2.26	3.48
18	1.34	1.61	5.00	7.60	7.08	1.98	.800	1.70	1.98	.800	1.34	2.68
19	1.34	1.61	15.6	6.56	7.34	1.98	.800	.745	1.70	.800	1.34	2.82
20	1.07	1.34	6.56	5.26	7.60	1.43	.800	.745	1.43	.800	1.52	5.00
21	.890	1.25	5.00	5.00	7.34	1.43	.800	.690	1.34	.690	1.52	2.82
22	1.16	1.07	5.00	6.30	7.08	1.34	.800	.800	1.16	.690	1.70	2.82
23	1.16	1.07	5.00	7.34	7.08	1.25	.635	.800	.980	.800	2.12	3.48
24	1.16	1.16	5.00	8.62	6.56	1.25	.635	.800	.980	8.28	2.96	2.96
25	1.07	1.16	5.00	11.9	6.56	1.16	.635	1.16	.800	4.24	3.48	4.62
26	1.25	1.07	6.56	10.3	6.56	1.07	.635	.800	.800	2.82	3.10	4.43
27	1.16	1.16	7.60	12.4	6.56	1.07	.635	.800	.800	1.84	2.26	3.48
28	1.25	.980	8.28	11.5	6.04	.980	1.34	.800	.800	1.70	2.12	2.68
29	1.25		11.0	8.62	5.00	.890	.800	.980	.800	1.70	2.12	2.54
30	1.25		11.0	6.82	4.81	.890	.745	.800	.800	1.70	1.98	4.43
31	1.16		9.98		4.62		.690	.890		1.70		3.48
SD1	1.58	1.04	3.19	8.95	6.27	3.52	.763	.574	1.38	1.09	1.29	3.33
SD2	1.34	1.62	6.89	7.61	8.42	2.28	.877	.697	2.32	.825	1.36	5.31
SD3	1.16	1.12	7.22	8.88	6.20	1.13	.759	.847	.926	2.38	2.34	3.43
MAX	1.70	2.26	15.6	15.6	13.8	4.43	1.34	1.70	7.60	8.28	3.48	9.64
DAT	5	13	19	1	12	1	15	18	15	24	25	13
SR	1.35	1.27	5.82	8.48	6.94	2.31	.798	.711	1.54	1.46	1.66	4.00
MIN	.890	.890	.980	5.00	4.62	.890	.635	.415	.800	.690	.980	1.16
DAT	21	8	1	21	31	29	7	12	1	11	9	7
GMIN = .415			SRGOD= 3.04			GMAX = 15.6						
DATUM 12 8						DATUM 19 3						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1982

Broj : 47205 Stanica : ROZAJE Kota "0" =1035.74
Nacin osmat.: letva Rijeka : IBAR km od usca = 258.30
Pocetak rada: 1968 Sliv : ZAP. MORAVE Pov.sliva = 98.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	3.48	1.25	.525	7.60	2.12	3.10	1.07	.635	.470	.250	.250	.470
2	5.78	1.25	.525	5.52	2.68	2.68	.980	.745	.470	.250	.250	.470
3	4.62	1.25	.415	6.56	2.40	2.26	.800	.690	.470	.250	.250	.470
4	3.86	1.25	.415	5.52	2.96	2.12	.800	.635	.470	.250	.360	.470
5	3.48	1.25	.415	4.62	4.62	1.98	.890	.580	.470	.250	.360	.470
6	2.96	1.25	.800	9.98	4.62	1.70	.800	.980	.470	.250	.360	.470
7	2.96	1.25	.980	4.62	6.30	1.61	1.43	.800	.470	.250	.360	.470
8	2.96	1.25	.800	4.81	7.34	1.52	1.25	.580	.470	.250	.360	.470
9	2.12	1.25	.800	5.78	8.96	1.52	1.07	1.16	.360	.250	.360	.470
10	1.98	1.16	.890	5.78	8.28	1.52	.980	.980	.470	.250	.360	.470
11	1.98	1.16	1.07	5.26	8.28	1.52	1.07	.890	.470	.250	.360	.470
12	1.84	1.16	.980	4.62	8.96	1.07	.980	.690	.470	.250	.360	.525
13	3.29	1.16	.800	4.24	6.82	1.43	1.07	.745	.470	.250	.360	.470
14	2.82	1.16	.800	4.24	5.52	1.34	.890	.580	.470	.250	.360	.800
15	1.84	1.16	.800	6.30	4.81	2.68	.890	.635	.470	.250	.580	1.34
16	2.12	1.16	.800	9.98	4.62	1.98	.800	.580	.360	.250	.580	.360
17	1.70	1.16	.800	9.30	4.24	1.52	.800	.580	.250	.250	.690	.360
18	1.70	1.07	.800	9.64	4.24	1.43	.745	.525	.250	.250	.690	.360
19	1.61	1.07	1.16	7.08	3.86	1.43	.745	.525	.250	.250	.470	.360
20	1.52	1.07	1.25	5.78	3.48	1.25	.690	.525	.250	.250	.470	.360
21	1.52	1.07	1.07	4.43	3.48	1.07	.690	.525	.250	.250	.470	.360
22	1.52	1.07	.890	3.48	3.48	1.70	.635	.525	.250	.250	.470	.470
23	1.34	1.07	.800	3.10	3.29	1.61	.580	.635	.250	.250	.470	.470
24	1.34	1.07	.745	2.82	3.48	1.61	.800	.580	.250	.250	.360	.470
25	1.34	1.07	.745	2.54	3.48	1.52	.580	.525	.250	.250	.360	.470
26	1.34	1.07	.745	2.68	3.67	1.52	.580	.525	.250	.250	.360	.360
27	1.34	1.07	.745	2.54	4.05	1.43	.980	.525	.250	.250	.360	.360
28	1.25	1.07	1.16	2.40	4.62	1.43	1.07	.525	.250	.250	.470	.250
29	1.25		1.61	2.26	3.48	1.34	.690	.525	.250	.250	.470	.250
30	1.25		2.68	2.26	3.48	.980	.635	.470	.250	.250	.470	.250
31	1.25		8.28		3.48		.635	.635		.250		.250
SD1	3.42	1.24	.656	6.08	5.03	2.00	1.01	.778	.459	.250	.327	.470
SD2	2.04	1.13	.926	6.64	5.48	1.57	.868	.627	.371	.250	.492	.541
SD3	1.34	1.07	1.77	2.85	3.64	1.42	.716	.545	.250	.250	.426	.360
MAX	5.78	1.25	8.28	9.98	8.96	3.10	1.43	1.16	.470	.250	.690	1.34
DAT	2	1	31	6	9	1	7	9	1	1	17	15
SR	2.24	1.15	1.14	5.19	4.68	1.66	.859	.647	.360	.250	.415	.454
MIN	1.25	1.07	.415	2.26	2.12	.980	.580	.470	.250	.250	.250	.250
DAT	28	18	3	29	1	30	23	30	17	1	1	28

GMIN =			.250	SRGOD=				1.59	GMAX =			9.98
DATUM			17 9						DATUM			6 4

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1983

Broj : 47205 Stanica : ROZAJE Kota "0" =1035.74
Nacin osmat.: letva Rijeka : IBAR km od usca = 258.30
Pocetak rada: 1968 Sliv : ZAP. MORAVE Pov.sliva = 98.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.850	.925	.700	5.16	4.20	1.30	2.84	1.54	.850	1.78	1.66	1.90
2	.850	.850	.700	5.64	4.92	1.15	2.84	1.30	.850	1.54	1.54	1.90
3	.775	.775	.700	5.40	3.86	1.07	3.69	1.15	.850	1.30	1.66	1.90
4	.775	.850	.700	4.44	3.01	1.07	4.03	1.00	1.22	1.22	1.42	1.90
5	.850	.775	.700	3.69	2.67	.925	3.18	1.00	2.26	1.15	1.22	1.90
6	.850	.850	.775	3.18	2.38	.850	2.26	.925	2.02	1.07	1.07	1.78
7	.850	1.30	.775	3.18	2.14	1.15	2.02	.850	1.54	1.00	.925	1.78
8	.850	2.67	1.15	3.35	2.02	1.78	2.50	1.00	1.22	1.00	.850	1.78
9	.850	1.42	1.78	4.20	1.90	1.54	3.01	.925	1.00	1.00	.775	1.66
10	.700	1.78	2.26	5.40	1.90	1.15	2.38	.850	.925	1.07	.700	1.54
11	.775	2.84	2.67	6.36	1.90	1.00	2.14	.850	.850	.925	.700	1.54
12	.700	4.44	2.50	6.95	1.78	1.00	2.14	.925	.850	1.22	.700	1.54
13	.775	2.26	1.78	8.00	1.78	1.22	2.26	.850	.775	1.07	.700	1.54
14	.775	1.78	1.30	5.64	1.78	2.50	2.02	1.42	.700	.925	.625	1.54
15	.700	1.42	1.30	4.03	1.66	9.40	2.26	1.07	.700	.925	.850	1.54
16	.700	1.22	1.42	3.52	1.78	15.7	2.38	.925	.700	.925	.850	1.54
17	.625	1.15	1.66	3.01	2.02	20.1	2.38	.850	.700	.850	.775	1.54
18	.625	1.00	2.02	2.84	1.66	15.7	2.26	.850	2.38	.775	.700	1.54
19	.625	1.00	2.38	2.84	1.42	10.6	2.14	.850	4.03	.700	.700	1.42
20	.625	.925	2.50	4.03	1.22	7.65	1.90	.850	8.00	.700	.625	2.02
21	.700	.850	2.67	5.64	1.15	4.68	1.54	.850	6.36	.700	.700	2.50
22	.700	.850	3.52	6.60	1.07	3.86	1.30	.925	3.86	.700	.550	2.02
23	.625	.850	4.03	6.36	1.15	4.03	1.22	1.00	2.67	.700	.700	2.02
24	.550	.850	3.52	5.40	1.22	5.88	1.15	1.07	2.14	.700	.550	1.78
25	.550	.775	6.36	5.16	1.07	4.20	1.15	.925	1.90	.625	.550	1.54
26	.625	.775	23.3	4.92	2.14	3.52	1.22	.850	3.52	.625	.550	1.30
27	.625	.775	13.0	4.68	1.42	3.01	1.15	.850	3.35	.625	.550	4.20
28	.625	.700	6.36	4.92	1.30	2.67	1.07	.850	3.01	.625	5.64	3.01
29	.700		4.44	4.92	1.42	2.67	1.00	.850	2.26	.625	4.20	2.50
30	.775		3.86	4.92	1.42	3.01	1.78	.850	2.02	.625	2.50	2.50
31	1.00		4.44		1.66		1.90	.850		.700		2.26
SD1	.820	1.22	1.02	4.36	2.90	1.20	2.88	1.05	1.27	1.21	1.18	1.80
SD2	.692	1.80	1.95	4.72	1.70	8.49	2.19	.944	1.97	.902	.722	1.58
SD3	.680	.803	6.86	5.35	1.37	3.75	1.32	.897	3.11	.659	1.65	2.33
MAX	1.00	6.60	30.2	9.05	5.16	20.1	6.36	2.14	8.70	1.78	5.64	4.20
DAT	1	12	26	13	2	17	30	14	20	1	28	27
SR	.729	1.31	3.40	4.81	1.97	4.48	2.10	.963	2.12	.916	1.18	1.92
MIN	.550	.700	.700	2.84	1.07	.850	1.00	.850	.700	.625	.550	1.30
DAT	24	28	1	18	22	6	29	7	14	25	22	26
GMIN = .550			SRGOD= 2.15					GMAX = 30.2				
DATUM 24 1								DATUM 26 3				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1984

Broj : 47205 Stanica : ROZAJE Kota "0" =1035.74
Nacin osmat.: letva Rijeka : IBAR km od usca = 258.30
Pocetak rada: 1968 Sliv : ZAP. MORAVE Pov.sliva = 98.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	2.02	1.66	1.90	4.44	4.03	3.86	.850	.430	.490	.550	.430	.625
2	1.54	1.54	3.35	4.92	9.05	3.86	.850	.430	.490	.490	.370	.625
3	2.02	1.54	3.35	11.6	13.5	3.52	.850	.430	.460	.490	.370	.550
4	2.38	1.66	2.84	14.0	16.5	3.18	.850	.430	.430	.460	.370	.550
5	2.84	1.78	2.38	8.00	20.8	2.84	.850	.430	.430	.550	.370	.460
6	2.26	1.78	2.02	6.60	21.6	2.84	.550	.430	.430	.490	.370	.460
7	2.26	1.78	2.02	9.40	16.5	2.67	.550	.430	.430	.490	.370	.460
8	1.78	1.78	1.78	7.30	15.7	2.50	.700	.550	.430	.550	.370	.460
9	1.78	1.54	1.66	6.36	14.5	2.02	.850	.460	.370	.490	.370	.460
10	2.84	1.66	1.54	5.88	17.2	2.02	.775	.430	.370	.490	.370	.460
11	2.14	1.66	1.42	5.16	16.5	1.66	.775	.430	.370	.490	.310	.460
12	2.02	1.30	1.30	5.64	15.0	2.02	.775	.430	.370	.490	.310	.460
13	1.90	1.22	1.30	5.64	13.0	2.14	.775	.400	.370	.550	.310	.460
14	2.14	1.22	1.15	5.88	10.1	1.78	.775	.490	.370	.550	.310	.460
15	1.90	1.22	1.15	5.40	8.35	1.78	.775	.550	.370	.550	.310	.460
16	1.90	1.15	1.22	6.12	9.75	1.78	.775	1.22	.370	.550	.310	.460
17	1.78	1.15	1.22	6.60	11.1	1.54	.775	.700	.550	.550	.310	.460
18	1.66	1.15	1.42	5.64	9.40	1.30	.775	.550	.430	.490	1.15	.430
19	1.54	1.07	1.54	4.92	8.70	1.30	.775	.460	.400	.490	1.66	.400
20	1.54	1.00	1.42	3.69	8.70	1.22	.775	.460	.370	.490	1.78	.400
21	1.54	1.00	1.42	3.52	14.0	1.22	.775	.460	1.15	.490	2.14	.400
22	2.14	1.00	1.30	3.52	9.75	1.22	.775	.460	.550	.490	1.15	.400
23	4.44	1.07	1.30	3.18	7.65	1.22	.775	.460	2.50	.490	.700	.400
24	3.69	1.54	1.30	4.03	7.30	1.22	.775	.430	.850	.460	.775	.400
25	3.01	1.90	1.30	4.92	5.64	1.30	.550	.430	.550	.460	.700	.430
26	2.26	1.78	2.02	3.86	4.68	1.07	.430	.430	2.67	.460	.700	.400
27	1.90	1.66	5.40	4.44	4.20	1.07	.430	.850	1.54	.430	.625	.400
28	1.90	1.54	5.88	3.86	4.20	1.07	.430	.550	1.00	.430	.925	.400
29	1.66	1.66	5.88	3.52	4.03	1.00	.430	.700	.775	.430	.700	.400
30	1.66		8.00	3.35	3.86	.925	.430	.550	.625	.430	.625	.400
31	1.66		6.36		3.69		.430	.550		.430		.400
SD1	2.17	1.67	2.28	7.85	14.9	2.93	.768	.445	.433	.505	.376	.511
SD2	1.85	1.21	1.31	5.47	11.1	1.65	.775	.569	.397	.520	.676	.445
SD3	2.35	1.46	3.65	3.82	6.27	1.13	.566	.534	1.22	.455	.904	.403
MAX	4.68	2.14	9.05	20.8	27.3	4.20	.850	1.22	2.67	.550	2.14	.625
DAT	23	24	30	3	6	1	1	16	26	8	21	1
SR	2.13	1.45	2.46	5.71	10.6	1.90	.699	.516	.684	.492	.652	.451
MIN	1.54	1.00	1.15	3.18	3.69	.925	.430	.400	.370	.430	.310	.400
DAT	2	20	14	23	31	30	26	13	9	27	11	19

GMIN = .310			SRGOD= 2.32				GMAX = 27.3					
DATUM 11 11							DATUM 6 5					

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1985

Broj : 47205 Stanica : ROZAJE Kota "0" =1035.74
Nacin osmat.: letva Rijeka : IBAR km od usca = 258.30
Pocetak rada: 1968 Sliv : ZAP. MORAVE Pov.sliva = 98.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.400	.460	.550	2.50	4.68	1.30	.490	.280	.700	.220	1.66	1.54
2	.400	.460	.550	2.50	4.03	1.22	.490	.280	.460	.220	1.90	1.42
3	.370	.460	.550	3.01	4.68	1.15	.625	.280	.370	.220	1.78	1.78
4	.400	.430	.550	3.86	7.30	1.22	.520	.280	.340	.220	1.07	2.84
5	.400	.460	.700	5.88	6.36	1.15	.490	.310	.310	.220	1.07	3.69
6	.400	.430	.925	6.95	6.12	1.15	.490	.310	.310	.235	.850	3.35
7	.400	.430	1.15	7.30	6.60	1.07	.460	.310	.310	.235	.700	2.84
8	.400	.430	1.30	6.60	5.40	1.00	.430	.340	.310	.235	1.15	2.26
9	.400	.490	1.30	6.95	4.44	1.00	.430	.340	.280	.235	1.00	2.02
10	.400	2.02	1.22	10.1	4.20	.925	.430	.340	.400	.235	.775	1.90
11	.370	5.16	1.22	14.0	4.20	.850	.520	.310	.310	.235	.700	1.78
12	.370	3.69	1.22	9.05	5.16	.850	.520	.310	.310	.235	.625	1.78
13	.370	2.14	1.15	5.88	4.92	.775	.460	.310	.310	.235	.550	1.78
14	.370	1.54	1.15	4.03	4.92	.775	.430	.310	.310	.235	.550	1.78
15	.370	1.54	1.15	3.35	4.03	.700	.400	.310	.310	.220	.550	1.54
16	.370	1.00	1.15	3.18	3.69	.700	.400	.280	.280	.220	.550	1.42
17	.370	.775	1.15	3.18	3.69	.775	.400	.280	.280	.250	.625	1.30
18	.370	.550	1.15	3.35	3.35	.925	.430	.280	.280	.250	.925	1.30
19	.370	.490	1.15	4.20	3.01	.775	.400	.280	.280	.250	9.75	1.15
20	.370	.520	1.15	4.92	2.67	.700	.400	.280	.280	.250	22.3	1.07
21	.340	.490	1.15	4.92	2.26	1.66	.400	.280	.280	.250	9.75	.925
22	.370	.490	1.15	5.16	2.02	1.15	.370	.280	.280	.250	5.40	.850
23	.430	.550	1.22	5.40	1.78	1.00	.370	.280	.280	.250	3.86	.700
24	.775	.550	1.42	4.92	1.54	.850	.340	.280	.280	.280	3.35	.775
25	1.15	.775	1.66	4.92	1.30	1.07	.340	.280	.280	.280	3.18	.700
26	.775	.700	2.14	4.92	1.66	.925	.310	.280	.280	.310	2.67	.700
27	.550	.550	2.14	6.12	1.54	.850	.310	.280	.310	.310	2.38	1.30
28	.520	.550	2.38	6.95	1.42	.775	.280	.430	.310	.310	2.14	1.00
29	.460		3.35	10.6	1.30	.700	.280	.400	.310	.310	1.90	1.54
30	.460		2.67	6.60	1.30	.550	.280	.490	.280	.310	1.54	3.18
31	.490		2.50		1.22		.280	.700		.310		5.88
SD1	.397	.607	.880	5.57	5.38	1.12	.486	.307	.379	.227	1.20	2.36
SD2	.370	1.74	1.16	5.51	3.96	.783	.436	.295	.295	.238	3.71	1.49
SD3	.575	.582	1.98	6.05	1.58	.953	.324	.362	.289	.288	3.62	1.60
MAX	1.30	6.60	3.35	14.0	7.65	3.01	.850	1.00	1.00	.310	26.3	7.30
DAT	24	11	29	11	4	21	3	31	1	31	20	31
SR	.451	1.00	1.36	5.71	3.57	.951	.412	.323	.321	.252	2.84	1.81
MIN	.340	.430	.550	2.50	1.22	.550	.280	.280	.280	.220	.550	.700
DAT	21	4	1	1	31	30	28	1	9	1	13	23

GMIN =			.220	SRGOD=				1.58	GMAX =			26.3
DATUM			1 10						DATUM			20 11

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1986

Broj : 47205 Stanica : ROZAJE Kota "0" =1035.74
Nacin osmat.: letva Rijeka : IBAR km od usca = 258.30
Pocetak rada: 1968 Sliv : ZAP. MORAVE Pov.sliva = 98.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	6.95	1.78	2.67	6.36	8.35	4.03	2.67	.925	.400	.370	.430	.400
2	4.68	3.01	2.67	5.88	7.65	3.18	4.44	.925	.400	.370	.400	.400
3	3.18	2.50	4.20	5.64	6.95	2.84	4.68	1.00	.400	.370	.400	.400
4	10.1	2.14	5.40	6.12	6.36	2.50	3.52	.700	.400	.370	.400	.400
5	8.70	2.02	5.64	6.12	6.95	2.38	3.01	.700	.400	.370	.430	.430
6	4.92	1.78	4.44	6.12	6.36	2.67	2.50	.700	.400	.370	.430	.430
7	3.86	1.66	4.20	6.36	5.40	3.69	2.14	.700	.400	.370	.460	.430
8	3.01	1.54	3.86	7.65	4.92	5.40	2.38	.625	.370	.370	.430	.400
9	2.14	1.42	3.52	6.95	5.40	4.92	2.14	.700	.370	.370	.430	.400
10	2.14	1.30	3.86	6.95	8.00	4.92	1.90	.625	.370	.370	.430	.370
11	1.90	1.22	4.03	5.40	6.12	6.36	1.66	.550	.370	.370	.430	.370
12	2.14	1.15	4.20	4.44	5.16	6.36	1.54	.520	.370	.370	.430	.370
13	2.02	1.22	4.44	4.44	5.16	4.92	1.66	.520	.370	.370	.430	.370
14	1.90	1.15	4.44	4.03	4.92	4.20	1.30	.700	.370	.370	.400	.370
15	1.90	1.15	4.44	3.35	4.92	5.88	1.30	.925	.370	.370	.400	.370
16	1.90	1.15	4.03	3.01	5.16	4.44	1.22	.625	.370	.370	.400	.370
17	1.42	1.07	3.35	2.84	4.92	3.52	1.30	.550	.370	.370	.400	.400
18	1.54	3.18	3.01	3.35	5.16	3.35	1.78	.520	.370	.370	.400	.400
19	1.30	23.3	2.67	6.36	4.20	3.18	2.14	.490	.370	.400	.400	.400
20	1.22	11.6	2.38	7.65	4.20	3.52	1.66	.490	.370	.400	.400	.460
21	1.22	6.60	2.14	5.16	4.44	3.18	1.54	.490	.370	.430	.400	.460
22	1.15	4.92	2.14	4.20	4.20	3.01	1.78	.490	.370	.430	.400	.430
23	1.30	4.20	2.14	4.03	4.44	2.67	2.67	.460	.370	.370	.400	.430
24	1.90	4.92	2.02	4.44	5.16	2.50	1.90	.430	.370	.850	.400	.430
25	4.92	5.16	2.14	4.68	11.6	2.26	1.66	.460	.370	.700	.400	.460
26	3.01	4.03	3.35	5.40	9.75	2.02	1.42	.460	.370	.520	.400	.460
27	2.38	3.35	4.68	5.64	6.12	1.90	1.22	.430	.370	.490	.400	.460
28	2.14	2.84	5.16	5.40	4.68	1.78	1.15	.430	.370	.850	.400	.430
29	1.90		6.60	5.64	4.03	1.66	1.07	.430	.370	.700	.400	.430
30	1.66		7.65	5.88	3.86	2.38	1.00	.400	.370	.520	.400	.430
31	1.54		6.95		3.86		.925	.400		.460		.430
SD1	4.97	1.91	4.05	6.41	6.63	3.65	2.94	.760	.391	.370	.424	.406
SD2	1.72	4.62	3.70	4.49	4.99	4.57	1.56	.589	.370	.376	.409	.388
SD3	2.10	4.50	4.09	5.05	5.65	2.34	1.48	.444	.370	.575	.400	.441
MAX	20.8	30.2	8.35	9.40	15.7	7.65	5.88	2.50	.460	2.84	.460	.490
DAT	4	19	30	19	25	11	2	14	1	24	7	7
SR	2.90	3.62	3.95	5.32	5.75	3.52	1.98	.593	.377	.445	.411	.413
MIN	1.15	1.07	2.02	2.84	3.86	1.66	.925	.400	.370	.370	.400	.370
DAT	22	17	24	17	30	29	31	30	8	1	2	10

GMIN =			.370	SRGOD=				2.43	GMAX =			30.2
DATUM			8 9						DATUM			19 2

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1987

Broj : 47205 Stanica : ROZAJE Kota "0" =1035.74
Nacin osmat.: letva Rijeka : IBAR km od usca = 258.30
Pocetak rada: 1968 Sliv : ZAP. MORAVE Pov.sliva = 98.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.430	3.01	1.00	2.50	3.18	2.84	.250	.090	.060	.060	.145	1.00
2	.430	2.14	.775	2.02	3.86	3.86	.235	.080	.060	.060	.145	.850
3	.550	1.42	.850	2.14	4.68	3.18	.250	.080	.060	.050	.145	.625
4	.550	1.22	.490	1.54	6.60	3.18	.235	.080	.060	.050	.145	.550
5	.925	1.00	.490	2.02	5.16	1.78	.250	.080	.060	.050	.145	.460
6	.925	.925	.775	2.50	8.00	1.54	.220	.080	.050	.050	.145	.460
7	.520	.775	.520	4.20	6.60	1.30	.190	.080	.050	.145	.145	.460
8	.490	1.00	.550	4.68	5.16	1.15	.190	.080	.050	.145	.145	.460
9	.490	1.15	.490	4.68	3.52	1.15	.190	.080	.050	.145	.130	.925
10	.430	1.07	.520	6.60	3.18	1.15	.190	.080	.050	.145	.130	.925
11	.430	1.07	.520	6.60	2.84	1.15	.190	.080	.050	.145	.250	.850
12	.625	1.15	.520	4.20	2.50	1.00	.190	.080	.050	.145	.235	.625
13	.700	1.42	.490	3.18	4.20	.700	.190	.080	.050	.190	.220	.925
14	.775	1.54	.490	3.52	4.92	.700	.190	.080	.050	.160	.205	.925
15	2.26	2.84	.490	2.50	5.64	.550	.190	.080	.050	.160	.190	2.14
16	2.67	3.52	.490	2.26	5.40	.490	.160	.220	.050	.145	.310	2.02
17	1.42	2.50	.490	2.02	5.64	.460	.160	.115	.050	.145	.310	1.42
18	1.42	2.26	.460	1.78	3.18	.430	.160	.090	.050	.145	.430	3.86
19	1.42	2.02	.430	2.50	5.64	.400	.160	.080	.050	.250	.430	3.86
20	1.00	1.78	.310	4.20	5.40	.370	.130	.080	.050	.175	.370	2.67
21	.850	3.52	1.30	4.68	3.18	.310	.115	.100	.050	.145	.550	1.90
22	.850	2.50	1.00	5.40	4.20	.310	.115	.100	.050	.145	.550	1.54
23	.850	2.02	.700	4.68	2.02	.400	.115	.090	.050	.145	.490	1.22
24	.850	1.54	.550	3.86	2.84	.310	.115	.080	.050	.145	.430	1.15
25	.850	1.30	.490	4.20	2.84	.370	.100	.070	.050	.145	1.07	.925
26	.925	1.07	.550	5.16	2.84	.370	.100	.070	.040	.145	11.6	.850
27	.550	.775	.850	6.12	2.84	.250	.100	.060	.040	.160	8.70	.700
28	.550	.925	1.30	4.68	2.50	.400	.100	.060	.040	.145	5.64	.550
29	4.92		2.02	3.86	3.18	.370	.100	.080	.130	.145	1.90	.550
30	4.03		2.84	3.18	4.68	.340	.100	.060	.115	.145	1.30	.550
31	3.69		3.86		6.60		.090	.060		.145		.550
SD1	.574	1.37	.646	3.29	4.99	2.11	.220	.081	.055	.090	.142	.672
SD2	1.27	2.01	.469	3.28	4.54	.625	.172	.098	.050	.166	.295	1.93
SD3	1.72	1.71	1.41	4.58	3.43	.343	.105	.075	.061	.146	3.22	.953
MAX	4.92	3.52	3.86	6.60	8.00	3.86	.250	.220	.130	.250	11.6	3.86
DAT	29	21	31	10	6	2	1	16	29	19	26	18
SR	1.21	1.69	.858	3.72	4.29	1.03	.164	.085	.055	.135	1.22	1.18
MIN	.430	.775	.310	1.54	2.02	.250	.090	.060	.040	.050	.130	.460
DAT	1	7	20	4	23	27	31	27	26	3	9	5
GMIN = .040			SRGOD= 1.30			GMAX = 11.6						
DATUM 26 9						DATUM 26 11						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1988

Broj : 47205 Stanica : ROZAJE Kota "0" =1035.74
Nacin osmat.: letva Rijeka : IBAR km od usca = 258.30
Pocetak rada: 1968 Sliv : ZAP. MORAVE Pov.sliva = 98.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.550	1.66	.700	4.68	5.64	1.54	1.15	.280	.220	.250	.250	1.54
2	.550	1.15	.625	4.44	5.40	2.67	1.07	.280	.220	.250	.310	5.64
3	.550	1.07	.625	3.69	5.40	2.38	1.07	.280	.220	.250	.370	12.1
4	.550	.925	.625	3.35	5.64	2.14	1.00	.280	.220	.340	.370	5.64
5	.550	1.66	.625	4.44	6.12	1.90	.925	.280	.220	.310	.370	4.44
6	.520	1.90	.700	6.95	6.36	1.66	.850	.280	.220	.310	.340	4.92
7	.520	1.78	.625	9.40	7.30	1.54	.775	.250	.220	.280	.340	4.44
8	.520	1.90	.625	10.6	6.36	1.42	.775	.235	.220	.280	.340	3.18
9	.520	3.18	.625	8.70	5.40	1.30	.775	.235	.220	.340	.340	2.50
10	.520	2.50	.625	7.65	5.40	1.42	.775	.235	.220	.250	.340	2.14
11	.490	2.26	.625	6.36	4.92	1.22	.700	.235	.220	.250	.340	1.90
12	.490	1.78	.700	6.12	4.44	1.15	.625	.235	.220	.250	.340	1.66
13	.400	1.78	.625	6.36	4.03	1.54	.625	.235	.220	.250	.340	1.54
14	.490	1.42	.850	5.88	4.03	1.42	.625	.235	.220	.250	.850	1.42
15	.550	1.15	1.30	4.92	4.03	1.78	.625	.235	.310	.250	.550	1.22
16	.460	1.07	2.14	3.86	3.52	2.14	.625	.235	.310	.250	.490	1.22
17	.430	.925	3.86	3.35	3.01	1.90	.625	.340	.550	.250	.400	1.22
18	.430	.925	3.69	2.84	2.84	2.38	.625	.340	.850	.250	.400	1.22
19	.400	.925	2.50	2.67	2.67	2.26	.550	.250	.460	.250	.460	1.15
20	.400	.850	1.90	2.38	2.50	2.38	.520	.235	.370	.250	.430	1.15
21	.400	.775	1.78	2.38	2.38	3.18	.490	.235	.340	.280	1.07	1.15
22	.400	.700	2.50	3.18	2.38	2.67	.490	.235	.520	.280	10.6	1.15
23	.400	.775	4.44	4.20	2.38	2.26	.460	.250	.625	.250	3.52	1.07
24	.400	.775	5.64	5.40	2.14	2.02	.460	.235	.460	.250	1.90	1.07
25	.370	.775	4.20	5.88	1.90	2.02	.430	.235	.400	.250	1.54	1.07
26	.625	.625	4.03	6.95	1.90	1.90	.400	.235	.340	.250	1.22	1.07
27	.625	.775	5.88	6.36	1.90	1.78	.400	.235	.310	.250	1.07	1.07
28	.520	.700	4.68	6.12	1.90	1.54	.370	.235	.280	.250	.925	1.07
29	.550	.625	3.52	6.12	1.90	1.30	.370	.220	.280	.250	.925	1.07
30	1.78		2.67	6.12	1.66	1.22	.400	.220	.250	.250	.925	1.00
31	3.18		2.50		1.54		.310	.220		.250		1.00
SD1	.535	1.77	.640	6.39	5.90	1.80	.916	.263	.220	.286	.337	4.65
SD2	.454	1.31	1.82	4.47	3.60	1.82	.614	.257	.373	.250	.460	1.37
SD3	.841	.725	3.80	5.27	2.00	1.99	.416	.232	.380	.255	2.37	1.07
MAX	6.36	3.52	8.00	11.1	8.00	3.52	1.15	.700	2.67	.460	15.0	28.2
DAT	31	9	27	8	7	21	1	16	17	8	22	2
SR	.617	1.29	2.14	5.38	3.77	1.87	.642	.250	.324	.264	1.06	2.32
MIN	.370	.625	.625	2.38	1.54	1.15	.310	.220	.220	.250	.250	1.00
DAT	25	26	2	20	31	12	31	29	1	1	1	30

GMIN =			.220	SRGOD=				1.66	GMAX =			28.2
DATUM			29 8						DATUM			2 12

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1989

Broj : 47205 Stanica : ROZAJE Kota "0" =1035.74
 Nacin osmat.: letva Rijeka : IBAR km od usca = 258.30
 Pocetak rada: 1968 Sliv : ZAP. MORAVE Pov.sliva = 98.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.07	.775	3.86	6.12	4.20	2.50	3.18	1.66	3.01	1.30	1.30	1.42
2	1.07	.775	6.36	5.64	5.16	2.67	2.84	2.50	2.50	1.15	1.22	1.30
3	1.00	.850	4.92	4.92	6.12	2.50	2.50	2.02	2.14	1.15	1.22	1.42
4	.925	.850	4.03	5.16	8.70	2.26	2.26	1.66	1.78	1.15	1.15	1.54
5	.925	.775	3.35	6.60	12.1	2.02	2.14	1.42	1.54	1.00	1.15	1.54
6	.925	.775	2.50	6.95	9.40	2.38	1.90	1.22	1.42	1.00	1.22	1.42
7	.925	.775	2.26	5.88	9.05	3.01	2.02	1.15	1.30	1.00	2.02	1.42
8	.925	.775	2.14	4.03	6.36	2.50	1.78	1.15	1.30	1.30	1.78	1.30
9	.925	.775	2.14	3.69	4.92	2.26	2.14	1.07	1.30	3.01	1.90	1.30
10	1.00	.775	2.02	3.35	4.68	2.14	2.50	4.03	1.22	11.1	1.78	1.30
11	1.00	.775	1.90	3.52	5.16	1.90	2.26	2.67	2.26	11.1	1.54	1.30
12	1.00	.700	1.78	3.52	5.64	2.02	2.50	2.14	1.22	8.00	1.42	1.30
13	1.00	.550	1.66	3.86	6.12	2.84	2.14	2.02	1.90	5.40	1.22	1.30
14	.925	.700	1.54	4.03	6.36	3.52	1.90	1.54	1.78	5.16	1.15	2.26
15	.925	.700	1.90	3.69	5.40	3.86	1.66	1.30	1.78	3.69	1.07	3.35
16	.925	.700	2.38	3.69	4.68	3.52	1.66	1.30	1.78	3.35	1.00	8.70
17	.925	.700	3.18	3.18	4.68	6.95	1.54	1.22	1.54	3.18	.925	9.05
18	.925	.775	4.03	3.86	4.44	13.0	1.66	1.15	1.42	3.18	.850	8.35
19	1.00	.775	5.40	3.52	5.16	12.6	1.78	1.15	1.30	3.01	.850	8.00
20	1.07	.775	7.30	3.18	4.03	9.05	1.54	1.15	1.22	3.01	.775	5.64
21	1.07	.850	9.05	3.01	3.86	6.36	1.30	1.15	1.15	2.38	.850	6.36
22	1.07	1.15	9.05	3.86	4.20	4.92	1.22	1.15	1.15	2.26	.925	4.92
23	1.00	1.54	7.30	3.86	9.40	3.86	1.07	1.15	1.07	2.14	3.52	4.03
24	1.00	2.14	6.12	3.18	6.60	3.52	1.00	1.22	1.00	1.90	2.67	3.52
25	1.00	3.35	4.92	2.67	4.68	3.86	.925	1.22	1.00	1.90	2.50	3.01
26	1.00	12.1	4.20	2.67	3.86	3.52	1.07	1.15	.925	1.90	2.50	2.67
27	1.00	9.40	4.03	3.18	3.35	6.36	1.78	1.15	1.00	1.66	2.38	2.38
28	.925	4.92	3.86	3.69	3.01	5.88	2.84	1.15	1.00	1.54	2.02	2.26
29	.925		4.20	3.52	2.84	4.44	2.67	2.02	1.30	1.54	2.02	2.14
30	.925		5.16	4.20	2.67	3.69	2.26	4.68	1.30	1.54	1.90	2.14
31	.850		5.64		2.50		1.54	3.52		1.30		2.02
SD1	.969	.790	3.36	5.23	7.07	2.42	2.33	1.79	1.75	2.32	1.47	1.40
SD2	.969	.715	3.11	3.61	5.17	5.93	1.86	1.56	1.62	4.91	1.08	4.93
SD3	.979	4.43	5.78	3.38	4.27	4.64	1.61	1.78	1.09	1.82	2.13	3.22
MAX	1.07	26.3	9.40	8.00	14.0	14.0	4.20	7.30	3.01	11.1	3.52	10.6
DAT	21	26	22	6	5	18	9	10	1	10	23	17
SR	.973	1.80	4.13	4.07	5.46	4.33	1.92	1.71	1.49	2.98	1.56	3.18
MIN	.850	.550	1.54	2.67	2.50	1.90	.925	1.07	.925	1.00	.775	1.30
DAT	31	13	14	25	31	11	25	9	26	5	20	2

GMIN = .550			SRGOD= 2.81					GMAX = 26.3				
DATUM 13 2								DATUM 26 2				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1990

Broj : 47205 Stanica : ROZAJE Kota "0" =1035.74
Nacin osmat.: letva Rijeka : IBAR km od usca = 258.30
Pocetak rada: 1968 Sliv : ZAP. MORAVE Pov.sliva = 98.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.90	1.00	1.22	2.38	3.86	2.67	.625	.370	.310	.370	.520	1.66
2	1.78	1.00	1.42	1.42	3.52	2.38	.520	.340	.310	.370	.520	1.30
3	1.78	.925	1.22	1.42	3.35	2.38	.490	.340	.460	.340	.520	1.15
4	1.78	.925	1.15	1.42	3.35	3.01	.490	.340	.400	.340	.490	1.15
5	1.78	.850	1.15	1.30	3.18	2.38	.490	.340	.370	.370	.520	1.07
6	1.78	.775	1.15	1.30	3.01	2.14	.460	.310	.370	.340	.520	1.07
7	1.66	.775	1.30	1.42	3.35	2.02	.430	.310	.370	.340	.490	1.07
8	1.54	.700	1.78	2.02	4.03	1.90	.430	.310	.370	.430	.490	1.07
9	1.54	.775	2.14	1.90	3.69	1.66	.400	.520	.370	.775	.460	1.00
10	1.54	.775	2.26	2.38	3.69	1.54	.400	.550	.370	.625	.460	2.50
11	1.54	.775	2.14	2.38	3.52	1.54	.400	.460	.400	.490	.460	7.65
12	1.54	.775	2.38	2.26	3.35	1.30	.400	.430	.520	.460	.460	3.69
13	1.42	.775	2.84	2.38	3.35	1.30	.400	.370	.490	.460	.430	2.67
14	1.42	.775	2.67	2.50	3.35	1.22	.520	.340	.430	.430	.430	2.14
15	1.30	1.22	2.38	3.18	3.18	1.22	.490	.340	.430	.400	.430	1.78
16	1.30	1.66	2.14	3.52	3.18	1.30	.430	.340	.400	.340	.490	1.66
17	1.22	1.15	1.90	4.03	3.01	1.22	.400	.370	.400	.340	.490	1.42
18	1.15	1.15	1.66	4.68	3.18	1.07	.460	.370	.370	.370	.490	1.30
19	1.07	1.00	1.54	4.44	3.01	1.00	.460	.370	.370	.370	.430	1.22
20	1.00	.925	1.54	4.03	3.01	1.00	.460	.340	.370	.370	.430	1.15
21	.925	.925	1.54	5.16	3.01	.925	.460	.340	.520	.925	.430	1.15
22	.850	.925	1.66	14.0	3.35	.925	.430	.340	.460	.925	.430	1.15
23	.775	.925	1.66	14.5	3.18	.850	.400	.340	.430	.700	.430	1.15
24	.700	.925	1.78	13.5	2.67	.775	.400	.340	.400	.550	3.52	1.07
25	.700	1.00	1.90	9.40	2.38	.700	.400	.340	.460	.520	2.26	1.00
26	.775	.925	1.90	7.65	2.14	.700	.400	.340	.430	.520	1.42	1.00
27	.925	1.15	1.90	6.36	2.26	.700	.430	.310	.460	.520	2.84	1.07
28	1.00	1.30	1.90	5.16	2.02	.700	.430	.310	.550	.520	5.40	1.07
29	1.07		1.78	5.40	3.01	.700	.400	.310	.460	.550	3.18	1.07
30	1.15		1.78	4.44	3.01	.700	.370	.310	.400	.520	2.02	1.07
31	1.15		1.66		2.84		.370	.310		.520		1.00
SD1	1.71	.850	1.48	1.70	3.50	2.21	.474	.373	.370	.430	.499	1.30
SD2	1.30	1.02	2.12	3.34	3.21	1.22	.442	.373	.418	.403	.454	2.47
SD3	.911	1.01	1.77	8.56	2.72	.767	.408	.326	.457	.615	2.19	1.07
MAX	1.90	2.02	3.01	17.2	5.40	3.86	.700	1.22	.850	2.14	7.30	15.7
DAT	2	16	13	23	21	4	1	9	21	22	24	11
SR	1.29	.956	1.79	4.53	3.13	1.40	.440	.356	.415	.487	1.05	1.60
MIN	.700	.700	1.15	1.30	2.02	.700	.370	.310	.310	.340	.430	1.00
DAT	24	8	4	5	28	25	30	6	1	3	13	9
GMIN =			.310	SRGOD=			1.45	GMAX =			17.2	
DATUM			6 8					DATUM			23 4	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1991

Broj : 47205 Stanica : ROZAJE Kota "0" =1035.74
 Nacin osmat.: letva Rijeka : IBAR km od usca = 258.30
 Pocetak rada: 1968 Sliv : ZAP. MORAVE Pov.sliva = 98.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.22	.850	.925	2.38	3.86	8.00	3.18	2.02	.520	.490	.775	2.38
2	1.30	.850	1.00	2.14	3.52	9.05	15.7	1.90	.520	.490	.700	2.14
3	1.30	.850	1.22	2.02	3.69	9.05	19.4	1.78	.520	.490	.625	1.78
4	1.66	.850	1.22	1.90	9.75	9.05	10.1	1.78	.520	.490	.625	1.66
5	2.50	.850	1.22	1.90	9.05	8.35	9.75	1.90	.520	.490	.775	1.66
6	2.38	.775	1.30	1.90	6.60	6.60	8.70	2.50	.490	.490	1.90	1.54
7	2.02	.775	1.90	1.90	5.64	6.36	7.30	3.69	.490	.460	1.54	1.42
8	1.90	.700	1.78	1.90	5.16	6.60	5.16	3.01	.550	.460	1.42	1.30
9	1.90	.700	4.44	1.90	4.20	9.05	4.03	2.38	1.54	.460	1.22	1.22
10	1.78	.700	4.44	1.66	4.44	7.30	3.35	2.02	.850	.460	1.22	1.30
11	1.78	.850	4.03	1.54	6.36	5.88	2.84	1.78	.775	.460	1.15	1.15
12	1.78	1.30	3.52	1.54	6.36	5.40	2.38	1.54	.775	.460	1.07	1.07
13	1.78	1.15	3.01	2.14	4.92	4.44	2.14	1.42	.775	.460	1.00	1.00
14	1.90	.850	2.67	2.02	4.03	4.03	2.26	1.42	.700	.460	.925	1.07
15	1.90	.775	2.38	1.90	3.86	3.69	3.69	1.42	.700	.460	2.14	1.07
16	1.78	.775	2.50	2.02	3.69	3.18	4.68	1.42	.700	.460	6.36	1.42
17	1.42	.775	2.50	2.02	3.69	2.84	3.52	1.22	.625	.460	18.6	1.22
18	1.22	.700	2.38	4.20	3.52	2.67	3.01	1.15	.700	.460	13.5	1.07
19	1.15	.700	2.67	7.65	3.18	2.38	3.01	1.07	1.00	.430	6.12	.925
20	.925	.700	3.01	5.64	2.67	2.14	2.50	1.15	.775	.925	4.20	.925
21	.925	.700	3.52	5.64	2.50	1.90	2.14	1.07	.700	2.50	3.52	.925
22	.925	.625	4.03	4.68	2.38	1.66	3.52	1.00	.550	3.69	4.92	.850
23	.925	.625	5.16	4.03	3.35	1.54	2.67	.925	.550	2.38	4.92	.775
24	.850	.550	6.12	3.86	6.36	1.42	2.26	.850	.520	1.90	4.44	.775
25	.850	.550	6.36	4.20	5.88	1.22	2.02	.775	.520	1.42	6.60	.775
26	.850	.625	6.12	4.20	5.40	1.22	1.78	.700	.550	1.22	5.16	.775
27	.925	.775	4.92	4.92	4.92	1.22	1.90	.700	.520	1.07	3.86	.775
28	.850	.850	4.03	5.64	6.12	1.15	2.67	.625	.520	.925	3.52	.700
29	.850		3.86	4.68	6.12	1.07	2.14	.625	.550	.925	3.01	.850
30	.850		3.18	4.20	6.36	1.07	2.50	.550	.550	.850	2.67	.775
31	.850		2.84		6.60		2.26	.520		.775		.700
SD1	1.80	.790	1.94	1.96	5.59	7.94	8.67	2.30	.652	.478	1.08	1.64
SD2	1.56	.857	2.87	3.07	4.23	3.67	3.00	1.36	.752	.504	5.51	1.09
SD3	.877	.662	4.56	4.61	5.09	1.35	2.35	.758	.553	1.60	4.26	.789
MAX	2.67	1.54	6.95	8.35	12.6	9.75	29.2	4.03	3.18	4.44	43.1	2.50
DAT	5	12	26	19	4	2	2	7	8	21	17	1
SR	1.39	.778	3.17	3.21	4.97	4.32	4.60	1.45	.652	.886	3.62	1.16
MIN	.850	.550	.925	1.54	2.38	1.07	1.78	.520	.490	.430	.625	.700
DAT	24	24	1	11	22	29	26	31	6	19	3	28
		GMIN = .430		SRGOD= 2.53		GMAX = 43.1						
		DATUM 19 10				DATUM 17 11						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1992

Broj : 47205 Stanica : ROZAJE Kota "0" =1035.74
Nacin osmat.: letva Rijeka : IBAR km od usca = 258.30
Pocetak rada: 1968 Sliv : ZAP. MORAVE Pov.sliva = 98.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.700	.625	.850	3.01	9.40	2.67	2.67	.850	.370	.340	.430	.700
2	.700	.625	1.15	3.35	8.70	3.86	2.67	.775	.370	.340	.400	.625
3	.700	.625	1.22	3.01	6.60	2.84	2.14	.700	.340	.340	.400	.625
4	.775	.625	1.07	3.18	4.92	2.38	2.14	.700	.340	.340	.370	.700
5	.625	.625	1.22	4.03	4.68	2.02	1.90	.625	.340	.310	.370	.490
6	.550	.625	1.30	4.44	4.44	1.78	1.90	.625	.370	.310	.370	.850
7	.775	.625	1.22	6.95	4.03	1.54	1.78	.550	.340	.520	.340	.850
8	.775	.625	1.15	6.60	4.03	1.66	1.78	.520	.340	.460	.340	.775
9	.775	.625	1.07	4.92	3.69	1.42	1.78	.520	.340	.430	.340	.775
10	.700	.625	1.00	5.16	3.69	1.42	1.78	.490	.340	.400	.340	.775
11	.700	.625	.925	4.92	3.69	1.42	1.78	.460	.340	.400	.340	.775
12	.850	.625	1.00	4.20	3.52	1.42	1.66	.460	.340	1.90	.430	.775
13	.775	.700	1.00	4.03	3.01	1.66	1.90	.430	.340	1.00	.490	.775
14	.700	.700	1.30	4.20	2.67	1.66	1.90	.430	.340	.700	.400	.775
15	.775	.700	1.66	4.44	2.50	1.90	1.90	.430	.340	.550	.370	.775
16	.700	.700	1.90	4.92	2.38	2.14	1.78	.430	.340	.550	.460	.775
17	.625	.775	1.42	5.16	2.26	2.14	1.66	.400	.340	.550	2.26	.775
18	.625	.850	1.22	6.60	2.26	2.50	1.42	.400	.340	.550	12.6	.775
19	.700	.850	1.07	6.12	2.26	2.84	1.30	.400	.340	.550	6.60	.700
20	.700	.850	1.07	5.88	2.02	3.35	1.30	.400	.340	.550	4.20	.700
21	.700	.850	1.00	5.88	2.14	3.01	1.22	.400	.340	.550	3.01	.700
22	.700	.775	1.00	5.40	2.26	2.84	1.22	.400	.340	.550	2.50	.700
23	.700	.700	1.15	6.60	2.14	2.84	1.22	.400	.340	.520	2.14	.700
24	.700	.625	1.78	9.40	2.14	2.14	1.15	.400	.340	.625	1.78	.625
25	.775	.625	2.84	8.35	2.14	2.14	1.15	.400	.340	.490	1.54	.625
26	.700	.700	4.92	8.70	2.02	2.14	1.15	.370	.340	.430	1.54	.625
27	.625	.775	10.1	11.1	1.90	2.14	1.07	.370	.340	.520	1.30	.625
28	.625	.850	6.12	9.75	1.78	2.14	1.00	.370	.340	.460	.925	.625
29	.625	.925	4.44	9.05	1.90	2.14	1.00	.370	.340	.460	.850	.625
30	.625		3.35	9.40	2.02	2.50	.925	.370	.340	.460	.775	.625
31	.625		3.01		2.26		.925	.370		.430		.625
SD1	.708	.625	1.13	4.46	5.42	2.16	2.05	.636	.349	.379	.370	.717
SD2	.715	.738	1.26	5.05	2.66	2.10	1.66	.424	.340	.730	2.82	.760
SD3	.673	.758	3.61	8.36	2.06	2.40	1.09	.384	.340	.500	1.64	.645
MAX	.925	1.07	13.5	11.6	10.1	4.68	2.67	.850	.370	3.35	16.5	1.00
DAT	12	29	27	27	1	1	1	1	1	12	18	6
SR	.698	.705	2.05	5.96	3.34	2.22	1.59	.478	.343	.535	1.61	.705
MIN	.550	.625	.850	3.01	1.78	1.42	.925	.370	.340	.310	.340	.490
DAT	6	1	1	1	28	9	30	26	3	5	7	5
GMIN =			.310	SRGOD=			1.68	GMAX =			16.5	
DATUM			5 10					DATUM			18 11	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1993

Broj : 47205 Stanica : ROZAJE Kota "0" =1035.74
Nacin osmat.: letva Rijeka : IBAR km od usca = 258.30
Pocetak rada: 1968 Sliv : ZAP. MORAVE Pov.sliva = 98.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.625	.625	.520	1.54	4.44	1.00	.625	.310	.235	.220	.400	.460
2	.625	.625	.520	2.14	4.20	.925	.625	.310	.235	.220	.400	.460
3	.625	.625	.520	2.38	4.03	.850	.625	.310	.235	.145	.370	.460
4	.625	.625	.520	2.50	4.20	1.00	.625	.310	.775	1.30	.370	.460
5	.625	.625	.520	2.67	4.68	1.22	.625	.310	.550	.625	.925	.460
6	.625	.625	.520	3.35	4.44	1.15	.625	.310	.370	.520	2.38	.430
7	.625	.625	.490	3.52	4.68	1.00	.775	.310	.310	.490	1.78	.430
8	.625	.550	.490	3.01	4.44	1.00	.775	.700	.280	.490	1.07	.520
9	.625	.550	.490	2.50	4.92	1.00	.625	1.07	.250	.490	1.00	.775
10	.625	.550	.490	3.35	4.44	1.00	.550	1.00	.250	.490	1.00	.925
11	.625	.550	.490	12.6	4.44	1.00	.550	.490	.235	.490	.925	1.00
12	.625	.550	.490	10.1	4.03	1.00	.520	.460	.235	.490	.775	1.30
13	.625	.550	.490	12.6	3.69	1.00	.775	.430	.235	.490	.700	1.07
14	.625	.550	.700	9.75	3.35	1.00	.775	.430	.280	.490	.700	1.00
15	.625	.520	.700	6.36	3.01	1.07	.625	.400	.310	.490	.625	12.1
16	.625	.520	.700	6.12	2.84	.850	.550	.400	.280	.490	.550	17.2
17	.625	.520	.850	7.30	2.84	.625	.520	.340	.280	.460	.550	10.1
18	.550	.520	1.00	5.88	3.35	.775	.520	.340	.280	.460	.550	4.68
19	.550	.520	1.30	5.64	3.18	.700	.490	.340	.250	.460	.550	3.18
20	.550	.520	2.02	5.64	2.84	.550	.490	.310	.250	.460	.550	2.38
21	.550	.520	2.67	5.64	2.50	.550	.490	.310	.250	.460	.520	2.14
22	.550	.520	3.69	5.64	2.38	.550	.550	.310	.250	.460	.520	2.14
23	.520	.520	4.20	6.12	2.26	.550	.700	.280	.250	.460	.520	2.14
24	.520	.520	4.44	6.60	2.02	.550	.490	.280	.235	.460	.520	2.02
25	.520	.520	5.16	6.60	1.78	.625	.430	.280	.235	.430	.520	2.38
26	.550	.520	4.03	6.60	1.66	.625	.370	.250	.235	.430	.520	2.14
27	.625	.520	2.84	6.12	1.42	.625	.340	.250	.235	.430	.490	2.67
28	.625	.520	2.26	5.88	1.42	.625	.340	.250	.235	.430	.490	2.38
29	.625		1.78	5.64	1.15	.925	.340	.250	.235	.430	.460	1.90
30	.625		1.54	5.16	1.07	.700	.310	.235	.220	.430	.460	1.42
31	.625		1.42		1.00		.310	.235		.400		1.30
SD1	.625	.603	.508	2.70	4.45	1.01	.648	.494	.349	.499	.969	.538
SD2	.603	.532	.874	8.20	3.36	.857	.581	.394	.264	.478	.648	5.40
SD3	.576	.520	3.09	6.00	1.70	.632	.425	.266	.238	.438	.502	2.06
MAX	.625	.625	5.16	12.6	4.92	1.00	.775	.700	.550	1.30	2.38	17.2
DAT	1	1	25	11	9	4	7	8	5	4	6	16
SR	.600	.554	1.54	5.63	3.12	.835	.547	.381	.284	.471	.706	2.65
MIN	.520	.520	.490	1.54	1.00	.550	.310	.235	.220	.145	.370	.430
DAT	23	15	7	1	31	20	30	30	30	3	3	6
GMIN =		.145		SRGOD=		1.45		GMAX =		17.2		
DATUM		3 10						DATUM		16 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1994

Broj : 47205 Stanica : ROZAJE Kota "0" =1035.74
 Nacin osmat.: letva Rijeka : IBAR km od usca = 258.30
 Pocetak rada: 1968 Sliv : ZAP. MORAVE Pov.sliva = 98.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.430	1.15	1.00	2.02	6.60	1.78	2.50	.625	.430	.490	.310	.370
2	.430	1.00	1.00	2.02	6.12	1.54	2.26	.700	.430	.490	.310	.370
3	.430	1.00	1.00	2.02	4.92	1.30	3.52	.700	.430	.490	.310	.370
4	.430	1.00	2.26	2.02	4.03	1.30	1.78	.700	.430	.460	.310	.370
5	.430	1.00	2.02	2.26	3.69	1.30	1.78	1.30	.430	.460	.310	.370
6	.460	1.00	2.02	2.84	4.44	1.30	1.30	1.15	.430	.460	.310	.370
7	.460	1.00	2.02	2.84	7.65	1.30	1.00	.775	.430	.430	.310	.370
8	.550	1.00	1.78	2.84	8.00	1.30	1.00	.700	.460	.460	.310	.370
9	.850	1.00	1.78	2.84	6.95	1.30	1.00	.625	.460	.460	.340	.370
10	.850	1.00	1.78	2.84	6.60	1.30	1.00	.625	.460	.490	.400	.370
11	.925	1.00	1.78	8.70	5.88	1.78	1.00	.625	.490	.490	.400	.400
12	1.22	1.00	1.78	8.00	5.64	1.78	5.64	.625	.490	.490	.700	.400
13	1.00	1.00	1.78	13.0	5.16	1.78	4.20	.625	.490	.430	.850	.370
14	.925	1.00	1.78	7.30	4.92	1.54	2.84	.625	.490	.430	.460	.370
15	8.70	1.00	1.78	5.16	5.16	3.18	1.42	.625	.490	.370	.460	.370
16	13.0	1.00	1.78	4.20	4.92	2.84	1.66	.625	.520	.370	.400	.370
17	8.70	1.00	1.78	3.52	5.16	2.26	2.50	.625	.520	.370	.400	.370
18	4.20	1.00	1.78	8.00	5.64	1.30	2.02	.625	.490	.370	.370	.370
19	2.84	1.00	1.78	6.12	5.64	1.30	1.78	.625	.490	.370	.370	.370
20	2.26	1.00	1.78	5.64	4.44	1.30	1.42	.625	.430	.370	.370	.370
21	2.02	1.00	1.78	4.92	3.86	1.30	1.42	.625	.490	.370	.370	.370
22	2.02	1.00	1.78	4.68	3.52	2.02	1.42	.625	.490	.370	.370	.370
23	2.02	1.00	2.26	5.64	3.52	1.78	2.02	.625	.490	.370	.370	.370
24	1.90	1.00	2.26	5.64	3.52	1.54	1.30	.625	.490	.370	.370	.370
25	2.26	1.00	2.26	5.16	2.50	1.30	1.66	.490	.490	.250	.370	.370
26	2.02	1.00	2.26	4.92	2.26	1.30	1.30	.430	.490	.310	.370	.370
27	2.50	1.00	3.18	5.40	2.26	1.30	1.22	.430	.490	.310	.370	.370
28	2.26	1.00	2.84	5.16	2.26	1.30	1.22	.430	.490	.310	.370	.370
29	2.02		2.84	4.68	2.02	1.00	1.07	.430	.490	.340	.370	.370
30	1.30		2.50	5.64	2.02	1.00	1.00	.430	.490	.250	.370	.370
31	1.15		2.02		1.78		.925	.430		.310		.340
SD1	.532	1.01	1.67	2.45	5.90	1.37	1.71	.790	.439	.469	.322	.370
SD2	4.38	1.00	1.78	6.96	5.26	1.91	2.45	.625	.490	.406	.478	.376
SD3	1.95	1.00	2.36	5.18	2.68	1.38	1.32	.506	.490	.324	.370	.367
MAX	13.0	1.15	3.18	13.0	9.40	3.18	5.64	1.30	.520	.490	1.78	.430
DAT	16	1	27	13	8	15	12	5	16	1	13	11
SR	2.28	1.01	1.95	4.87	4.55	1.55	1.81	.636	.473	.397	.390	.371
MIN	.430	1.00	1.00	2.02	1.78	1.00	.925	.430	.430	.250	.310	.340
DAT	1	2	1	1	31	29	31	26	1	25	1	31

GMIN = .250			SRGOD= 1.69					GMAX = 13.0				
DATUM 25 10								DATUM 16 1				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1995

Broj : 47205 Stanica : ROZAJE Kota "0" =1035.74
Nacin osmat.: letva Rijeka : IBAR km od usca = 258.30
Pocetak rada: 1968 Sliv : ZAP. MORAVE Pov.sliva = 98.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.15	.550	3.18	1.54	13.0	5.16	1.07	1.15	3.52	.700	.625	2.02
2	2.26	.550	3.18	1.42	9.40	4.68	1.07	1.42	2.84	1.00	.625	2.02
3	1.00	.700	3.35	2.26	8.00	3.69	1.00	1.30	2.26	1.15	.625	2.02
4	.700	.550	3.01	5.40	7.30	3.35	.925	1.22	2.26	1.30	.625	2.02
5	.550	.490	2.50	8.35	9.05	3.52	.925	1.15	2.50	1.54	.625	2.02
6	.490	.460	2.26	9.75	9.75	2.67	1.07	1.15	4.44	1.54	.625	2.02
7	.460	.460	1.90	10.6	11.1	2.67	1.15	1.07	4.20	1.78	.625	2.02
8	.400	.460	1.54	11.1	13.5	2.50	1.66	1.07	3.18	1.78	.625	2.02
9	.400	.490	1.22	8.70	14.0	2.26	1.07	1.07	3.01	1.42	.625	1.78
10	.400	.625	1.15	5.64	13.5	2.38	1.00	1.00	2.67	1.22	.625	1.78
11	.400	.625	1.00	4.20	14.5	2.26	1.00	1.00	2.38	1.00	.700	1.66
12	.400	.625	.925	3.86	20.8	2.02	1.00	1.00	2.02	1.07	1.00	1.66
13	.400	.700	.850	3.18	39.1	2.02	1.00	1.00	1.90	1.07	1.07	1.66
14	.400	.775	.850	2.84	30.2	1.90	1.00	1.00	1.66	1.07	1.15	1.66
15	.400	.775	.775	2.67	19.4	1.66	1.00	1.00	1.78	1.07	1.15	1.66
16	.400	.925	.775	2.84	13.5	1.54	1.00	1.00	1.54	1.00	1.30	1.78
17	.400	1.30	.925	2.84	9.05	1.54	.925	1.00	1.42	1.00	1.30	1.78
18	.400	1.54	1.00	2.26	8.70	1.30	1.15	1.00	1.30	1.07	1.66	1.66
19	.400	2.26	1.00	2.84	8.00	1.30	1.00	1.00	1.30	1.07	1.78	1.66
20	.400	1.90	1.30	3.35	8.00	1.22	1.00	1.00	1.78	1.07	1.78	1.66
21	.400	1.66	1.78	4.92	7.30	1.15	1.00	1.15	3.86	1.07	1.78	1.78
22	.400	1.90	1.42	6.60	7.65	1.07	1.00	1.15	3.35	1.07	1.78	2.26
23	.400	1.90	1.22	8.70	7.30	1.07	1.00	1.15	2.84	1.00	1.78	4.44
24	.490	2.14	1.15	10.1	7.30	1.07	.925	1.15	2.67	.925	1.90	4.68
25	.550	3.35	1.30	12.1	6.36	1.07	.850	1.15	2.67	.775	2.14	5.64
26	.850	3.01	1.66	12.1	6.36	1.00	.850	1.15	2.50	.625	2.50	8.70
27	5.16	6.12	1.66	9.75	6.12	1.00	.850	3.18	2.14	.625	2.50	15.0
28	1.78	6.12	2.50	8.35	6.12	1.00	.775	2.50	2.26	.625	2.38	14.5
29	1.15		2.84	7.30	6.12	1.15	.700	1.90	.850	.625	2.02	5.64
30	1.00		2.26	7.65	6.12	1.07	.850	2.26	.550	.625	2.02	4.92
31	.850		1.90		5.88		1.00	3.01		.625		4.92
SD1	.781	.534	2.33	6.48	10.9	3.29	1.09	1.16	3.09	1.34	.625	1.97
SD2	.400	1.14	.940	3.09	17.1	1.68	1.01	1.00	1.71	1.05	1.29	1.68
SD3	1.18	3.28	1.79	8.76	6.60	1.06	.891	1.80	2.37	.781	2.08	6.59
MAX	5.16	8.00	3.52	17.9	41.1	5.16	3.52	3.86	5.64	1.90	2.50	16.5
DAT	27	27	28	25	13	1	7	27	20	7	26	27
SR	.801	1.53	1.69	6.11	11.4	2.01	.994	1.33	2.39	1.05	1.33	3.52
MIN	.400	.460	.775	1.42	5.88	1.00	.700	1.00	.550	.625	.625	1.66
DAT	8	6	15	2	31	26	29	10	30	26	1	11
GMIN =		.400		SRGOD=		2.85		GMAX =		41.1		
DATUM		8 1						DATUM		13 5		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1996

Broj : 47205 Stanica : ROZAJE Kota "0" =1035.74
 Nacin osmat.: letva Rijeka : IBAR km od usca = 258.30
 Pocetak rada: 1968 Sliv : ZAP. MORAVE Pov.sliva = 98.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.115	.520	.490	.310	6.95	2.84	2.02	.490	.490	2.14	2.14	3.18
2	.145	.520	.490	.250	11.1	3.35	1.90	.490	.490	1.78	1.90	2.84
3	.175	.490	.490	.235	14.0	3.35	1.22	.775	.490	1.22	1.78	2.84
4	.220	.490	.490	.370	10.1	3.35	.700	1.07	.550	1.15	1.42	2.50
5	.250	.490	.490	.550	10.1	2.84	.700	1.15	.925	1.15	1.42	2.26
6	.280	.490	.490	1.00	8.70	2.38	.700	1.07	.625	1.15	1.30	2.38
7	.310	.520	.490	.925	8.35	2.26	.700	1.00	.700	1.15	1.30	2.38
8	.310	.520	.490	.775	8.00	2.26	.700	.925	.550	1.15	1.22	2.38
9	.310	.520	.490	.700	7.30	2.14	.700	.850	.520	1.15	1.22	2.50
10	.340	.550	.490	.625	6.36	2.02	.700	.850	.520	1.15	1.30	2.50
11	.340	.520	.490	.520	6.12	1.90	.700	.850	.520	1.15	1.22	2.38
12	.340	.520	.490	.550	4.92	1.90	.700	.850	.550	1.15	1.22	2.26
13	.340	.520	.490	.520	4.68	1.90	.700	.700	1.78	1.15	1.15	2.14
14	.340	.520	.490	.520	5.16	2.02	.700	.625	2.38	1.15	1.15	3.18
15	.340	.520	.460	.520	7.65	2.02	.700	.490	1.78	1.15	1.15	6.36
16	.370	.520	.430	.775	11.6	2.02	.700	.520	1.07	1.15	1.15	5.16
17	.370	.520	.400	.925	9.75	2.02	.700	.550	1.30	1.66	1.15	4.68
18	.370	.490	.430	1.07	8.70	1.78	.700	.520	1.00	1.54	1.42	4.68
19	.400	.550	.430	1.42	7.30	1.78	.700	.520	.850	1.42	8.70	3.86
20	.370	.460	.430	1.66	6.60	1.78	.700	.520	3.69	1.42	7.30	3.86
21	.370	.430	.430	1.90	5.88	1.78	.700	.430	3.18	1.42	13.0	4.03
22	.370	.430	.430	3.52	4.20	1.78	.490	.430	3.18	1.54	7.65	4.68
23	.370	.430	.430	6.12	2.84	1.90	.490	.430	1.54	1.54	20.1	6.12
24	.370	.460	.430	9.40	2.50	2.02	.520	.430	1.90	1.42	14.5	20.8
25	.490	.460	.370	9.40	2.50	2.02	.520	.430	1.66	1.30	9.75	32.2
26	.490	.490	.220	8.70	2.26	2.02	.520	.430	1.54	1.30	6.60	21.6
27	.490	.490	.130	8.00	2.38	2.02	.490	.430	9.05	1.30	5.16	14.5
28	.490	.490	.100	10.6	3.35	2.02	.490	.430	5.88	1.30	3.86	11.6
29	.490	.490	.190	11.6	3.35	1.90	.520	.430	3.18	1.30	4.03	9.75
30	.490		.220	12.1	3.52	1.90	.460	.430	2.50	1.78	3.52	9.05
31	.490		.250		3.18		.490	.490		2.38		8.35
SD1	.245	.511	.490	.574	9.10	2.68	1.00	.867	.586	1.32	1.50	2.58
SD2	.358	.514	.454	.848	7.25	1.91	.700	.614	1.49	1.29	2.56	3.86
SD3	.446	.463	.291	8.13	3.27	1.94	.517	.435	3.36	1.51	8.82	13.0
MAX	.490	.625	.490	13.0	15.0	5.88	2.14	2.50	13.0	3.86	26.3	44.1
DAT	25	19	14	30	3	2	1	4	20	30	23	25
SR	.353	.497	.408	3.19	6.43	2.18	.733	.632	1.81	1.38	4.29	6.68
MIN	.115	.430	.100	.235	2.26	1.78	.460	.430	.490	1.15	1.15	2.14
DAT	1	21	28	3	26	18	30	21	1	4	13	13

GMIN = .100			SRGOD= 2.39					GMAX = 44.1				
DATUM 28 3								DATUM 25 12				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1997

Broj : 47205 Stanica : ROZAJE Kota "0" =1035.74
 Nacin osmat.: letva Rijeka : IBAR km od usca = 258.30
 Pocetak rada: 1968 Sliv : ZAP. MORAVE Pov.sliva = 98.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	8.00	3.86	2.14	3.01	7.65	7.65	1.66	1.22	1.30	1.30	1.78	2.67	
2	8.70	3.86	2.02	2.67	8.35	7.65	1.54	2.26	1.30	1.30	1.66	2.84	
3	10.1	3.69	2.14	2.67	11.1	7.30	1.54	1.78	1.30	1.42	1.66	3.35	
4	12.1	3.52	2.67	2.84	14.0	7.30	1.66	1.42	1.30	1.30	1.66	3.86	
5	14.5	1.30	3.18	3.18	16.5	6.60	1.42	1.30	1.30	1.30	1.66	3.18	
6	13.0	1.30	3.35	3.01	16.5	5.88	1.30	1.30	1.30	1.30	1.78	3.01	
7	10.6	1.22	3.01	3.01	17.9	5.40	1.30	1.30	1.30	1.30	2.14	2.67	
8	9.40	1.22	2.84	2.67	24.3	5.64	.925	1.30	1.30	1.30	2.67	2.38	
9	8.70	1.22	2.67	2.50	20.8	4.92	.775	1.42	1.30	1.30	3.01	2.02	
10	8.00	1.22	2.38	2.67	13.0	4.44	1.22	1.30	1.30	1.30	2.84	2.14	
11	6.95	1.22	2.14	3.01	11.1	4.44	1.54	1.42	1.30	1.30	3.01	2.02	
12	6.95	1.22	2.14	4.44	10.6	4.03	1.30	1.42	1.30	1.42	2.67	2.02	
13	6.36	1.30	2.14	3.18	11.6	3.86	1.30	1.54	1.30	1.90	3.86	3.35	
14	6.36	1.54	2.38	2.67	11.6	3.35	1.22	1.42	1.30	1.66	7.65	3.01	
15	6.12	1.42	2.38	2.67	17.9	3.18	1.22	1.42	1.30	2.67	4.92	2.84	
16	5.40	3.18	2.38	2.84	16.5	3.01	1.22	1.42	1.30	1.90	3.86	2.50	
17	5.40	1.90	3.01	2.67	16.5	2.84	1.22	1.30	1.30	1.66	3.35	2.02	
18	5.16	1.54	3.69	2.67	14.5	2.50	1.22	1.30	1.30	1.78	3.01	2.02	
19	5.16	1.42	3.52	2.50	13.5	2.38	1.30	1.42	1.30	1.66	2.84	2.14	
20	4.92	1.42	6.36	2.84	12.6	2.38	1.22	1.30	1.30	1.42	2.50	2.67	
21	4.92	1.30	4.68	3.52	12.6	2.26	1.22	1.30	1.30	1.30	2.38	4.92	
22	4.92	1.30	3.86	9.05	12.1	2.02	1.22	1.30	1.30	1.22	2.26	5.64	
23	4.92	1.54	3.35	13.0	10.6	2.02	1.22	1.30	1.30	1.22	2.26	3.69	
24	4.68	1.78	3.01	8.35	8.35	1.90	1.22	1.30	1.22	1.66	2.26	3.35	
25	4.68	2.26	3.01	5.40	7.65	2.02	1.22	1.42	1.22	3.35	2.50	3.01	
26	4.68	2.67	3.01	4.44	7.65	1.90	1.22	1.42	1.22	2.50	2.50	3.01	
27	4.20	3.01	2.67	4.92	7.30	1.78	1.15	1.42	1.22	2.02	2.67	3.01	
28	4.20	2.38	3.01	6.12	8.70	1.78	1.15	1.30	1.22	1.90	2.67	3.01	
29	4.03		4.03	6.36	9.40	1.78	1.15	1.30	1.22	1.78	3.18	2.84	
30	3.86		3.69	7.30	9.05	1.66	1.22	1.30	1.22	1.78	2.67	2.38	
31	3.86		3.35		9.05		1.22	1.30		1.78		2.38	
SD1	10.3	2.24	2.64	2.82	15.0	6.28	1.33	1.46	1.30	1.31	2.09	2.81	
SD2	5.88	1.62	3.01	2.95	13.6	3.20	1.28	1.40	1.30	1.74	3.77	2.46	
SD3	4.45	2.03	3.42	6.85	9.31	1.91	1.20	1.33	1.24	1.86	2.54	3.39	
MAX	16.5	5.16	9.75	16.5	28.2	8.00	3.52	3.86	1.30	3.86	8.70	5.40	
DAT	5	16	20	23	9	5	11	2	1	25	14	21	
SR	6.80	1.96	3.04	4.21	12.5	3.80	1.27	1.39	1.28	1.65	2.80	2.90	
MIN	3.86	1.22	2.02	2.50	7.30	1.66	.775	1.22	1.22	1.22	1.66	2.02	
DAT	30	7	2	9	27	30	9	1	24	22	2	9	
		GMIN =		.775		SRGOD=		3.66		GMAX =		28.2	
		DATUM		9 7						DATUM		9 5	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1998

Broj : 47205 Stanica : ROZAJE Kota "0" =1035.74
 Nacin osmat.: letva Rijeka : IBAR km od usca = 258.30
 Pocetak rada: 1968 Sliv : ZAP. MORAVE Pov.sliva = 98.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	2.14	1.54	2.84	2.26	5.40	2.67	1.07	.775	.550	3.86	3.18	3.86
2	2.14	1.54	2.84	2.50	5.40	2.38	1.07	.850	.550	4.68	3.18	3.52
3	2.14	1.54	2.67	3.01	5.88	2.14	1.07	.850	.550	5.88	3.35	3.35
4	2.14	1.54	2.67	3.52	8.00	2.84	1.07	.775	.550	4.68	3.69	6.36
5	2.02	1.54	2.67	3.86	9.05	2.84	1.07	.775	.550	4.20	3.69	17.2
6	2.02	1.54	3.01	8.00	9.40	2.38	1.00	.775	.550	4.44	5.40	15.7
7	2.02	1.66	2.84	8.70	7.65	2.14	1.00	.775	.550	4.20	9.40	10.6
8	2.14	1.66	3.01	8.35	6.36	2.14	1.22	.775	.550	4.03	9.40	8.00
9	2.02	1.66	4.92	9.05	5.88	2.38	1.15	.700	.550	4.92	9.75	6.95
10	2.02	1.66	4.68	10.1	5.64	3.01	1.07	.700	.850	9.05	8.00	5.88
11	2.02	1.66	3.69	16.5	5.16	3.52	1.00	.700	2.02	13.5	6.60	5.64
12	1.90	1.66	3.52	17.9	4.92	3.01	1.07	.700	5.16	11.1	7.65	5.16
13	1.90	1.78	3.18	15.0	4.20	3.18	1.07	.700	8.70	13.0	9.75	4.68
14	1.90	2.14	3.01	11.6	4.03	2.67	1.07	.700	10.6	8.70	9.40	4.68
15	1.90	3.01	2.84	8.35	4.03	2.38	1.00	.700	9.40	6.60	8.70	4.44
16	1.90	3.52	2.67	8.35	3.69	2.14	1.30	.700	3.86	5.88	10.1	4.03
17	2.02	4.03	2.38	8.35	3.18	1.90	1.07	1.00	2.84	5.40	11.6	3.86
18	2.02	4.03	2.38	7.65	3.01	1.90	1.00	1.54	2.84	4.44	9.05	3.86
19	2.02	4.03	2.26	7.65	2.38	1.66	1.00	.700	3.52	3.86	7.30	3.69
20	2.02	3.35	2.14	6.95	1.78	1.66	.925	.550	8.00	3.86	5.88	3.69
21	1.90	3.18	2.02	6.36	2.67	1.42	.850	.550	13.0	6.12	5.40	3.69
22	1.78	3.18	2.02	6.36	3.01	1.22	.850	.550	9.40	4.68	4.68	3.69
23	1.90	3.18	2.02	6.36	4.20	1.22	.850	.550	6.12	4.03	4.03	3.69
24	2.02	3.18	2.02	6.36	3.69	1.15	.850	.550	5.64	3.69	4.03	3.69
25	2.02	3.18	1.78	6.12	3.18	1.15	.850	.550	5.64	3.52	3.86	3.52
26	1.78	3.18	1.90	7.65	3.86	1.15	.925	.550	5.40	5.64	3.69	3.86
27	1.66	3.01	1.90	7.30	5.64	1.15	.850	.550	5.64	6.36	4.20	3.86
28	1.66	2.84	2.02	6.60	5.16	1.07	.850	.550	5.88	4.68	4.20	3.86
29	1.54		1.78	6.95	4.03	1.07	.850	.550	4.68	4.03	4.03	3.86
30	1.54		1.78	6.12	3.52	1.15	.850	.550	4.44	3.69	4.03	3.86
31	1.54		2.02		2.84		.775	.550		3.35		3.86
SD1	2.08	1.59	3.22	5.94	6.87	2.49	1.08	.775	.580	4.99	5.90	8.14
SD2	1.96	2.92	2.81	10.8	3.64	2.40	1.05	.799	5.69	7.63	8.60	4.37
SD3	1.76	3.12	1.93	6.62	3.80	1.17	.850	.550	6.58	4.53	4.22	3.77
MAX	2.26	4.44	6.12	36.2	10.1	5.64	2.14	3.86	14.0	14.0	14.0	20.8
DAT	1	17	9	11	5	4	16	18	21	11	16	5
SR	1.93	2.50	2.63	7.79	4.74	2.02	.989	.703	4.29	5.68	6.24	5.37
MIN	1.54	1.54	1.78	2.26	1.78	1.07	.775	.550	.550	3.35	3.18	3.35
DAT	29	1	25	1	20	28	31	20	1	31	1	3

GMIN = .550			SRGOD= 3.74					GMAX = 36.2				
DATUM 20 8								DATUM 11 4				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1999

Broj : 47205 Stanica : ROZAJE Kota "0" =1035.74
 Nacin osmat.: letva Rijeka : IBAR km od usca = 258.30
 Pocetak rada: 1968 Sliv : ZAP. MORAVE Pov.sliva = 98.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	3.86	4.68	4.44	4.03	6.60	1.42	.925	1.78	1.00	1.07	.925	1.07
2	3.86	4.68	4.44	4.20	6.60	1.42	.775	2.02	1.15	1.66	.925	1.07
3	3.86	4.68	5.16	4.20	6.60	1.30	.775	1.30	2.67	1.42	.925	1.07
4	3.86	4.44	6.12	4.20	6.60	1.22	.625	1.00	1.22	1.22	.925	1.00
5	3.86	3.86	10.1	4.20	6.60	1.00	.520	.775	1.22	1.22	.925	1.07
6	3.69	3.69	12.1	4.03	6.60	.925	.460	.700	1.00	1.22	.925	1.22
7	3.69	3.52	10.6	4.20	6.60	.925	.400	.625	1.00	1.22	.925	1.07
8	3.86	3.52	8.70	8.35	6.60	.850	.370	.625	.775	1.22	.925	1.00
9	4.20	3.52	6.95	11.6	6.60	1.22	.850	.550	.775	1.22	.925	1.00
10	4.44	4.68	6.36	11.6	6.60	1.22	5.16	.520	.850	1.15	.925	1.07
11	6.12	3.86	6.36	10.6	5.40	.775	2.50	.520	.925	1.15	.925	1.15
12	9.40	3.69	6.36	12.1	4.20	.850	1.42	.520	1.00	1.07	.925	1.30
13	8.70	3.52	6.95	14.0	4.03	.625	1.00	.520	.925	1.00	.925	1.54
14	8.70	3.52	7.65	11.1	3.35	.430	.775	.520	.925	1.00	.925	1.66
15	7.30	3.35	6.95	10.6	3.18	.370	.625	.520	.850	1.00	.925	1.78
16	6.12	3.35	9.05	8.70	3.18	.400	.520	.520	.775	1.00	1.15	3.86
17	5.64	3.35	9.05	13.0	3.35	.400	.460	.520	.775	1.00	1.42	4.44
18	5.40	3.35	6.12	13.5	3.35	.400	.400	.490	.775	1.00	2.26	5.64
19	5.16	3.18	4.44	9.40	3.35	.700	.370	.490	.775	1.66	3.18	5.16
20	4.44	3.18	4.20	6.95	3.01	.490	.340	.490	.700	1.42	14.0	5.64
21	4.68	3.35	4.20	6.60	3.18	.430	.310	.490	.625	1.07	3.86	5.64
22	4.68	4.20	4.20	6.60	2.84	1.90	.310	.460	.775	1.07	6.60	3.52
23	4.68	6.12	4.20	6.95	2.26	3.18	.310	.460	.625	.925	8.00	3.01
24	4.68	4.92	4.20	6.60	2.50	2.14	.280	.460	.550	1.00	3.86	2.26
25	4.68	4.03	4.20	6.60	2.84	1.66	.250	.460	.460	.925	2.50	2.02
26	4.68	3.86	4.20	6.60	2.50	1.22	.520	.460	.400	.925	2.02	2.14
27	4.68	4.20	4.20	6.60	2.14	.925	.400	.460	.400	.925	1.66	5.64
28	4.68	4.03	4.20	6.60	1.90	.700	.370	.490	.430	.925	1.42	15.0
29	4.68		4.20	6.60	1.66	.520	.490	.490	.775	.925	1.22	17.9
30	4.68		4.03	6.60	1.66	.850	.700	.700	1.00	.925	1.07	7.30
31	4.68		4.03		1.54		1.07	.700		.925		5.16
SD1	3.92	4.13	7.50	6.06	6.60	1.15	1.09	.990	1.17	1.26	.925	1.06
SD2	6.70	3.44	6.71	11.0	3.64	.544	.841	.511	.843	1.13	2.66	3.22
SD3	4.68	4.34	4.17	6.63	2.27	1.35	.455	.512	.604	.958	3.22	6.33
MAX	9.40	6.12	12.1	14.0	6.60	3.18	5.16	2.02	2.67	1.78	14.0	17.9
DAT	12	23	6	13	1	23	11	2	3	2	23	29
SR	5.09	3.94	6.06	7.90	4.11	1.02	.783	.666	.871	1.11	2.27	3.63
MIN	3.69	3.18	4.03	4.03	1.54	.370	.250	.460	.400	.925	.925	1.00
DAT	6	19	30	1	31	15	25	22	26	23	1	4

GMIN = .250			SRGOD= 3.11					GMAX = 17.9				
DATUM 25 7								DATUM 29 12				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2000

Broj : 47205 Stanica : ROZAJE Kota "0" =1035.74
 Nacin osmat.: letva Rijeka : IBAR km od usca = 258.30
 Pocetak rada: 1968 Sliv : ZAP. MORAVE Pov.sliva = 98.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	4.68	1.54	1.15	8.00	4.92	2.50	.550	.925	2.50	.925	.925	1.00
2	3.18	.850	1.42	7.65	4.20	2.14	.550	.850	1.15	.925	.925	1.07
3	2.67	.850	1.54	6.60	3.69	1.90	.550	.850	.925	.925	.925	1.15
4	2.14	.775	1.42	8.00	3.18	1.78	.520	.850	1.30	.925	1.15	1.15
5	2.02	.775	1.42	26.3	2.67	1.78	.520	.850	4.68	.850	1.78	1.15
6	1.90	.775	1.22	15.0	2.38	1.90	.520	.850	4.44	.850	1.07	1.15
7	1.66	.850	1.30	10.6	2.38	2.02	.520	.850	1.90	.850	1.30	1.07
8	1.54	1.07	1.30	6.60	2.84	1.78	.520	.850	1.30	.850	2.26	1.07
9	1.42	1.42	1.66	4.68	3.35	1.66	.520	.850	1.07	1.07	1.78	1.07
10	1.42	1.54	2.14	3.52	4.20	1.30	.520	.850	.925	1.15	1.30	1.30
11	1.42	1.30	2.38	3.18	4.20	1.30	.520	.850	.925	1.07	1.07	1.66
12	1.30	1.30	3.35	3.35	4.20	1.30	.520	.850	.925	.925	1.00	1.54
13	1.22	1.22	3.35	4.03	4.20	1.15	.520	.850	.925	.925	.925	1.42
14	1.15	1.22	3.01	5.40	4.20	1.00	.520	.850	.850	.925	.925	1.42
15	1.07	1.15	3.01	5.64	4.20	1.30	1.15	.850	.850	.925	.925	1.30
16	1.07	1.07	3.01	6.60	4.20	1.22	1.15	.925	.850	.925	.925	2.26
17	1.07	1.90	2.50	8.00	4.03	1.07	.625	.925	.850	.925	.925	2.02
18	1.07	1.90	2.38	8.00	3.52	.775	.550	.925	.850	.925	.925	1.66
19	1.07	1.54	1.78	8.70	3.35	.625	.925	.850	1.54	.925	1.54	1.78
20	1.00	1.42	1.66	11.1	4.44	.550	.925	.850	1.07	.925	1.78	1.42
21	.925	1.22	1.42	11.1	4.20	.550	.925	.850	.925	.925	1.22	1.22
22	.775	1.22	1.15	9.05	4.20	.550	.925	.850	1.30	.925	1.07	1.07
23	.775	1.07	1.15	7.65	4.03	.550	.850	.925	2.02	.925	1.00	1.07
24	.775	1.07	1.42	6.95	4.03	.550	.850	.925	1.66	.925	.925	1.15
25	.775	1.22	1.90	5.88	4.03	.550	.850	.925	1.54	.925	.925	1.15
26	1.00	1.22	3.01	4.44	4.03	.550	.850	.850	1.22	.925	.925	1.22
27	2.02	1.15	4.44	4.20	4.03	.550	.850	.850	1.00	.925	1.07	2.02
28	2.26	1.00	4.92	4.44	3.86	.550	.850	.850	.925	.925	1.15	26.3
29	2.26	1.00	5.64	4.44	3.52	.550	.850	.850	.925	.925	1.07	16.5
30	2.26		8.00	4.68	3.18	.625	.850	.850	.925	.925	.925	7.30
31	2.26		8.00		3.01		.925	.850		.925		3.86
SD1	2.26	1.04	1.46	9.69	3.38	1.88	.529	.857	2.02	.932	1.34	1.12
SD2	1.14	1.40	2.64	6.40	4.05	1.03	.741	.873	.963	.940	1.09	1.65
SD3	1.46	1.13	3.73	6.28	3.83	.558	.870	.870	1.24	.925	1.03	5.71
MAX	4.68	2.26	11.1	30.2	4.92	5.64	3.52	.925	12.6	1.15	3.01	45.1
DAT	1	17	30	5	10	15	15	1	5	10	19	28
SR	1.62	1.19	2.65	7.46	3.76	1.15	.718	.867	1.41	.932	1.15	2.92
MIN	.775	.775	1.15	3.18	2.38	.550	.520	.850	.850	.850	.925	1.00
DAT	22	4	1	11	6	20	4	2	14	5	1	1
GMIN =		.520		SRGOD=		2.15		GMAX =		45.1		
DATUM		4 7						DATUM		28 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2001

Broj : 47205 Stanica : ROZAJE Kota "0" =1035.74
Nacin osmat.: letva Rijeka : IBAR km od usca = 258.30
Pocetak rada: 1968 Sliv : ZAP. MORAVE Pov.sliva = 98.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	3.01	3.69	1.30	2.14	10.1	2.38	1.22	1.22	.625	1.15	1.15	1.22
2	2.50	3.01	1.30	1.90	8.00	2.26	2.38	1.22	.625	1.15	1.15	1.22
3	2.26	2.38	2.26	1.90	6.60	2.14	2.84	1.22	.700	1.15	1.15	1.15
4	2.14	2.26	4.68	1.90	5.88	4.20	2.84	1.22	.775	1.15	1.15	1.15
5	1.90	2.14	5.40	1.78	5.16	4.03	2.26	1.22	1.00	1.15	1.15	1.15
6	1.78	2.14	6.60	1.66	4.68	3.52	1.90	1.22	1.22	1.15	1.22	1.15
7	1.66	2.02	5.16	1.66	6.12	3.18	1.66	1.22	1.22	1.15	1.22	1.15
8	1.78	2.02	3.86	1.54	15.0	2.67	1.30	1.15	.925	1.15	1.15	1.15
9	3.18	2.26	3.69	1.78	16.5	2.38	1.22	1.15	.925	1.15	1.15	1.15
10	2.67	2.26	3.52	2.02	15.0	2.26	1.22	1.15	1.07	1.15	1.15	1.15
11	2.38	2.38	3.52	2.14	10.1	1.90	1.15	1.15	1.90	1.15	1.15	1.22
12	2.14	2.38	3.52	2.84	11.1	1.78	1.15	1.15	2.02	1.15	1.15	1.22
13	1.90	2.26	3.69	5.16	6.12	1.66	1.15	1.15	1.54	1.15	1.30	1.22
14	1.78	2.26	4.03	3.86	4.92	1.66	1.66	1.22	1.15	1.07	3.35	1.22
15	1.66	2.02	4.03	3.52	4.20	1.66	1.22	1.22	1.15	1.07	2.02	1.22
16	1.66	1.78	3.52	3.18	4.03	1.54	1.15	1.22	1.15	1.07	1.54	1.22
17	1.54	1.66	3.52	3.86	3.86	1.42	1.15	1.15	1.30	1.07	1.42	1.22
18	1.54	1.54	3.69	6.12	3.69	1.30	1.15	1.15	1.78	1.07	1.22	1.22
19	1.54	1.54	3.69	6.36	3.52	1.22	1.15	1.15	1.66	1.07	1.22	1.30
20	1.54	1.54	3.86	6.60	3.18	1.78	1.07	1.15	1.42	1.00	1.15	1.30
21	1.54	1.54	3.69	12.1	2.84	2.50	1.07	1.22	1.22	1.00	1.15	1.30
22	1.30	1.54	3.86	15.0	2.84	2.84	1.07	1.22	1.15	1.00	1.15	1.30
23	1.15	1.54	4.92	11.1	3.18	2.14	1.07	1.22	1.15	1.00	1.15	1.42
24	1.15	1.54	4.44	9.40	2.84	1.78	1.07	1.22	1.15	1.07	1.15	1.42
25	1.15	1.30	5.16	9.05	3.69	1.54	1.07	1.22	1.15	1.07	1.15	1.42
26	1.78	1.30	5.40	9.40	5.64	1.30	1.07	1.22	1.22	1.07	1.15	1.30
27	8.00	1.30	4.92	10.1	4.68	1.22	1.07	1.30	1.78	1.15	1.15	1.30
28	7.30	1.54	3.86	9.40	3.86	1.22	1.15	1.30	1.42	1.15	1.15	1.30
29	6.60		3.35	8.70	3.01	1.30	1.15	1.15	1.22	1.15	1.22	1.30
30	6.95		2.67	9.40	2.84	1.22	1.15	.700	1.22	1.15	1.30	1.30
31	5.16		2.38		2.84		1.15	.550		1.15		1.30
SD1	2.29	2.42	3.78	1.83	9.30	2.90	1.88	1.20	.909	1.15	1.16	1.16
SD2	1.77	1.94	3.71	4.36	5.47	1.59	1.20	1.17	1.51	1.09	1.55	1.24
SD3	3.83	1.45	4.06	10.4	3.48	1.71	1.10	1.12	1.27	1.09	1.17	1.33
MAX	14.5	4.20	8.00	17.2	20.1	8.00	3.52	1.30	2.26	1.15	5.88	1.42
DAT	27	1	6	22	8	4	3	27	12	1	14	23
SR	2.67	1.97	3.85	5.52	6.00	2.07	1.38	1.16	1.23	1.11	1.30	1.25
MIN	1.15	1.30	1.30	1.54	2.84	1.22	1.07	.550	.625	1.00	1.15	1.15
DAT	23	25	1	8	21	19	20	31	1	20	1	3

GMIN = .550			SRGOD= 2.46					GMAX = 20.1				
DATUM 31 8								DATUM 8 5				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2002

Broj : 47205 Stanica : ROZAJE Kota "0" =1035.74
 Nacin osmat.: letva Rijeka : IBAR km od usca = 258.30
 Pocetak rada: 1968 Sliv : ZAP. MORAVE Pov.sliva = 98.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.30	2.67	2.38	2.84	3.35	2.14	1.22	5.16	3.18	26.3	5.40	2.26
2	1.22	2.38	2.50	3.01	3.52	1.90	1.22	4.68	5.64	20.8	5.16	2.67
3	1.22	2.14	3.18	3.35	3.86	1.78	1.22	4.68	5.16	15.0	5.40	2.84
4	1.30	2.02	3.69	3.35	3.86	1.66	1.22	4.68	4.03	11.1	5.40	2.84
5	1.30	2.02	3.52	3.35	3.69	1.54	1.22	4.20	4.20	8.70	6.12	5.16
6	1.30	1.90	3.52	3.18	3.35	1.54	1.22	6.12	4.68	6.60	3.52	6.12
7	1.30	1.90	4.03	3.01	2.84	1.30	4.68	12.1	4.92	6.12	3.01	4.92
8	1.30	1.90	4.68	2.84	2.50	1.30	1.78	6.60	4.20	5.88	2.84	4.20
9	1.30	2.02	3.69	2.84	2.84	1.30	1.30	5.64	3.69	4.92	2.84	3.69
10	1.42	2.02	3.35	2.67	2.50	1.30	1.22	4.68	3.52	4.03	2.84	3.18
11	1.42	2.02	3.18	2.67	2.67	1.30	1.22	4.20	3.18	6.12	2.50	3.18
12	1.42	2.02	3.01	6.36	2.50	1.30	1.22	3.86	3.52	32.2	2.50	3.01
13	1.30	2.02	2.84	17.2	3.35	1.30	2.02	3.52	3.35	29.2	3.35	2.84
14	1.30	2.02	2.84	12.6	2.50	1.30	1.54	2.84	2.84	40.1	3.18	2.84
15	1.30	2.02	3.01	8.70	3.52	1.30	1.30	3.18	2.67	25.3	3.35	2.67
16	1.30	2.02	3.01	8.00	3.86	1.22	1.54	3.69	2.50	16.5	3.01	2.84
17	1.30	2.02	3.18	8.70	3.01	1.22	1.54	4.68	2.26	14.0	3.01	2.84
18	1.22	2.50	3.18	8.35	2.50	1.22	1.54	5.16	2.14	13.5	2.84	3.01
19	1.22	4.20	3.18	6.60	2.38	1.22	1.30	4.68	2.02	10.1	2.50	3.18
20	1.22	3.86	3.35	5.88	2.50	1.22	1.30	4.20	1.90	9.40	2.50	2.84
21	1.22	3.01	3.69	4.92	2.50	1.22	1.30	3.86	1.78	8.35	2.14	2.84
22	1.22	2.67	4.44	4.20	2.67	1.22	1.30	3.69	2.38	8.00	1.78	2.84
23	1.22	2.38	4.20	4.03	2.50	1.22	2.02	3.69	3.52	7.65	1.78	3.18
24	1.22	2.38	3.69	3.86	2.38	1.22	4.20	3.52	6.12	8.70	2.26	3.52
25	1.22	2.26	3.18	3.52	2.14	1.78	5.40	2.38	11.1	8.00	2.02	3.69
26	1.22	2.14	3.01	3.18	1.90	1.54	11.1	2.26	15.0	6.60	1.90	3.69
27	1.30	2.14	2.84	3.18	1.78	1.30	28.2	2.26	15.0	5.88	1.66	3.52
28	1.42	2.38	2.50	3.35	1.78	1.22	18.6	2.26	10.1	5.40	1.54	3.52
29	1.78		2.38	3.35	1.78	1.22	12.1	2.50	10.1	5.64	1.54	4.92
30	2.26		2.50	3.35	2.14	1.22	7.30	2.84	15.0	5.64	1.78	4.68
31	2.67		2.67		2.26		6.12	2.84		5.64		4.68
SD1	1.30	2.10	3.45	3.04	3.23	1.58	1.63	5.85	4.32	10.9	4.25	3.79
SD2	1.30	2.47	3.08	8.51	2.88	1.26	1.45	4.00	2.64	19.6	2.87	2.92
SD3	1.52	2.42	3.19	3.69	2.17	1.32	8.88	2.92	9.01	6.86	1.84	3.73
MAX	2.67	5.88	5.16	20.1	5.40	3.18	32.2	16.5	27.3	42.1	6.60	6.36
DAT	31	19	22	13	15	25	27	7	30	14	5	6
SR	1.38	2.32	3.24	5.08	2.74	1.38	4.14	4.21	5.32	12.3	2.99	3.49
MIN	1.22	1.90	2.38	2.67	1.78	1.22	1.22	2.26	1.78	4.03	1.54	2.26
DAT	2	6	1	10	27	16	1	26	21	10	28	1
GMIN =		1.22		SRGOD=		4.07		GMAX =		42.1		
DATUM		2 1						DATUM		14 10		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2003

Broj : 47205 Stanica : ROZAJE Kota "0" =1035.74
 Nacin osmat.: letva Rijeka : IBAR km od usca = 258.30
 Pocetak rada: 1968 Sliv : ZAP. MORAVE Pov.sliva = 98.2

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	4.68	1.90	1.90	9.05	20.1	5.64	2.50	.550	.700	1.30	32.2	2.26
2	4.20	1.90	2.02	8.00	21.6	5.64	2.50	.550	.700	1.30	12.1	2.26
3	5.64	2.02	2.26	6.60	20.8	5.16	2.02	.550	.700	1.30	32.2	2.02
4	6.60	2.14	2.26	5.88	17.9	5.16	2.02	.550	.700	1.30	13.0	2.02
5	7.30	6.12	2.14	5.64	17.2	5.16	1.78	.490	.550	1.30	11.1	2.02
6	6.36	4.20	2.14	4.92	15.0	5.16	2.14	.490	.550	5.64	10.1	2.02
7	12.1	3.52	2.14	4.20	14.0	4.68	1.30	1.42	.550	4.68	9.40	2.02
8	13.5	2.84	2.14	3.69	13.0	4.68	1.30	1.30	.850	4.20	7.30	2.02
9	11.1	2.84	2.02	3.35	12.1	4.68	1.66	1.30	1.15	3.86	6.60	1.78
10	19.4	2.50	2.14	3.01	11.1	4.20	1.66	1.30	1.30	3.86	5.64	1.78
11	12.1	2.26	2.14	4.20	10.1	4.20	1.66	1.15	1.90	3.52	5.16	1.78
12	8.70	2.26	2.50	7.30	9.05	4.20	1.54	1.15	2.50	2.84	3.86	1.78
13	8.00	2.26	3.18	7.65	8.35	4.20	1.30	1.15	3.52	2.50	3.18	1.78
14	3.86	2.14	3.01	7.30	6.95	4.20	1.30	1.15	3.52	2.50	2.84	1.78
15	3.86	2.02	2.67	5.88	5.88	4.20	1.30	1.15	3.52	2.50	2.84	2.02
16	3.69	2.02	2.50	8.35	5.40	4.20	1.15	1.15	2.50	2.50	2.84	2.02
17	3.69	1.90	2.38	9.40	4.44	4.20	1.15	1.15	2.26	2.50	2.84	2.02
18	3.52	1.90	2.38	9.40	4.44	4.20	1.00	1.00	2.26	2.50	2.84	2.02
19	3.52	1.90	2.26	9.05	4.03	4.20	1.00	1.00	2.02	4.20	2.50	2.02
20	3.18	1.90	2.26	7.65	4.03	4.20	1.00	1.00	2.02	4.20	2.26	2.02
21	3.18	1.78	2.26	7.30	3.86	3.52	1.00	1.00	1.78	4.20	2.26	2.02
22	3.35	1.66	2.02	8.70	4.68	3.18	1.00	1.00	1.78	10.1	2.26	2.02
23	3.01	1.66	2.02	9.05	8.70	2.84	.700	1.00	1.78	32.2	2.26	2.02
24	3.01	1.66	1.90	9.05	13.0	2.84	.700	1.00	1.78	15.0	2.26	2.02
25	2.84	1.66	1.90	8.70	11.1	2.84	.550	.850	1.78	10.1	2.26	1.78
26	2.38	1.66	2.14	9.40	9.40	2.84	.550	.850	1.30	8.70	2.26	1.78
27	2.26	1.66	2.38	9.40	8.00	2.50	.550	.700	1.30	8.00	2.26	1.78
28	2.14	1.78	3.18	11.1	4.20	2.50	.700	.700	1.30	4.68	2.84	1.78
29	2.02		4.20	14.0	4.20	2.50	.850	.700	1.30	4.20	2.84	1.78
30	2.02		5.16	16.5	4.44	2.50	.550	.700	1.30	52.0	2.50	1.78
31	2.02		6.36		4.68		.550	.700		32.2		1.54
SD1	9.09	3.00	2.12	5.43	16.3	5.02	1.89	.850	.775	2.87	14.0	2.02
SD2	5.41	2.06	2.53	7.62	6.27	4.20	1.24	1.11	2.60	2.98	3.12	1.92
SD3	2.57	1.69	3.05	10.3	6.93	2.81	.700	.836	1.54	16.5	2.40	1.85
MAX	21.6	8.35	7.65	18.6	23.3	5.64	2.50	1.42	3.52	52.0	32.2	2.26
DAT	7	5	31	30	3	1	1	7	13	30	1	1
SR	5.59	2.29	2.58	7.79	9.73	4.01	1.26	.927	1.64	7.74	6.49	1.93
MIN	2.02	1.66	1.90	3.01	3.86	2.50	.550	.490	.550	1.30	2.26	1.54
DAT	29	22	1	10	21	27	25	5	5	1	20	31
GMIN =		.490		SRGOD=		4.34		GMAX =		52.0		
DATUM		5 8						DATUM		30 10		