

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1957

Broj : 45993 Stanica : DUSKI MOST Kota "0" = 760.00
 Nacin osmat.: limnigraf Rijeka : KOMARNICA km od usca = 26.90
 Pocetak rada: 1957 Sliv : PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	5.65	3.10	10.9	16.4	29.5	21.5	4.12	2.54	1.64	1.88	3.70	4.34
2	8.26	3.40	10.2	19.2	32.1	23.1	4.12	2.54	1.64	2.63	3.70	4.12
3	7.90	3.60	9.52	18.9	29.1	14.0	3.90	2.45	1.58	9.16	3.50	3.90
4	7.10	3.50	8.80	20.5	34.4	13.8	5.52	2.36	1.76	15.9	3.50	3.90
5	6.17	3.30	8.26	21.5	29.1	13.0	4.34	2.36	1.88	21.5	3.30	3.80
6	5.26	3.20	7.74	22.7	25.5	13.0	4.01	2.18	3.20	18.2	3.10	3.70
7	5.00	4.12	8.44	21.1	26.9	13.3	3.90	2.18	3.60	27.2	3.00	3.60
8	4.89	4.01	9.52	19.2	28.0	14.3	3.90	2.09	2.81	15.9	5.65	3.60
9	4.78	4.23	11.8	20.5	22.7	10.9	3.40	2.09	2.36	10.4	38.6	9.70
10	4.67	4.12	9.16	19.5	19.5	9.93	3.30	2.00	2.27	8.08	24.4	13.5
11	4.45	4.45	8.44	58.0	18.2	9.34	3.20	2.00	2.72	6.78	105	14.5
12	4.34	6.17	7.74	60.2	20.8	8.80	3.40	1.76	2.72	5.91	56.3	11.1
13	4.23	6.62	7.58	41.3	21.5	8.08	3.30	1.82	3.10	5.91	47.0	189
14	4.45	10.9	6.94	45.7	20.5	7.74	3.10	1.76	3.20	4.67	26.9	81.4
15	4.56	18.5	6.78	40.5	22.4	7.26	3.00	1.76	4.23	4.34	20.8	60.2
16	4.78	117	8.26	35.6	25.5	6.94	3.00	1.70	4.23	4.12	17.2	54.7
17	4.56	210	8.80	77.4	19.5	6.17	2.90	1.70	3.50	3.90	14.0	38.6
18	4.23	149	9.16	71.4	20.2	6.04	2.90	1.70	2.90	3.70	12.3	31.0
19	3.80	46.5	10.9	21.5	25.5	5.91	2.81	1.76	2.54	3.50	12.5	25.1
20	3.70	43.8	13.3	21.8	25.5	8.44	3.20	1.82	2.27	3.20	9.34	21.8
21	3.80	26.9	14.3	23.4	24.1	6.94	3.50	2.09	2.09	3.10	8.44	17.2
22	3.50	23.1	19.8	23.1	22.7	6.17	3.70	2.00	2.00	3.20	7.74	15.0
23	3.40	22.1	21.5	25.5	21.8	5.78	3.70	1.76	2.09	5.00	7.26	14.0
24	3.30	18.2	23.4	23.7	20.2	5.52	3.30	1.70	1.88	7.58	6.62	12.8
25	4.12	15.6	24.4	25.1	20.2	5.13	3.10	2.00	1.82	7.74	6.30	11.5
26	3.80	14.3	25.1	23.4	18.2	4.89	2.90	1.88	1.82	5.00	5.91	11.5
27	3.50	13.0	21.1	24.8	19.5	4.89	2.81	1.82	1.88	5.00	5.65	10.6
28	3.70	11.8	18.9	26.9	19.8	4.89	2.72	1.76	2.09	4.78	5.26	9.93
29	3.80		19.2	27.2	25.8	4.34	2.72	1.76	2.09	4.45	5.00	11.1
30	3.40		18.5	28.3	26.9	4.23	2.72	1.70	2.00	4.12	4.89	21.8
31	3.40		16.4		27.2		2.45	1.82		3.90		23.7
SD1	5.97	3.66	9.43	20.0	27.7	14.7	4.05	2.28	2.27	13.1	9.24	5.42
SD2	4.31	61.3	8.79	47.3	22.0	7.47	3.08	1.78	3.14	4.60	32.1	52.7
SD3	3.61	18.1	20.2	25.1	22.4	5.28	3.06	1.84	1.98	4.90	6.31	14.5
MAX	8.26	263	25.1	77.4	34.4	23.1	5.52	2.54	4.23	27.2	105	189
DAT	2	17	26	17	4	2	4	1	15	7	11	13
SR	4.60	28.4	13.1	30.8	24.0	9.14	3.39	1.96	2.46	7.44	15.9	23.9
MIN	3.30	3.10	6.78	16.4	18.2	4.23	2.45	1.70	1.58	1.88	3.00	3.60
DAT	24	1	15	1	11	30	31	16	3	1	7	7
GMIN =		1.58		SRGOD=		13.6		GMAX =		263		
DATUM		3 9						DATUM		17 2		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1958

Broj : 45993 Stanica :DUSKI MOST Kota "0" = 760.00
Nacin osmat.: limnigraf Rijeka :KOMARNICA km od usca = 26.90
Pocetak rada: 1957 Sliv :PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	17.2	6.46	52.0	43.0	35.9	25.1	8.08	3.30	2.45	1.52	4.12	7.42
2	13.5	5.91	37.1	34.8	31.8	24.4	7.90	3.30	2.54	9.70	5.91	6.78
3	11.8	5.65	26.2	29.9	37.1	23.1	7.26	3.40	2.81	22.7	89.3	6.30
4	10.9	5.65	21.1	29.1	39.8	21.1	6.78	3.90	2.72	10.9	27.2	6.04
5	8.80	5.65	16.4	47.5	46.5	20.2	6.30	3.80	2.54	7.42	23.1	5.78
6	8.80	5.65	14.0	69.5	52.0	18.5	6.04	3.70	2.36	5.39	19.2	5.78
7	8.80	6.46	13.0	52.0	54.7	16.4	5.65	3.40	2.18	4.67	16.1	5.52
8	16.4	6.46	12.5	37.8	66.5	15.3	5.52	3.50	2.18	4.23	38.6	5.39
9	11.3	6.78	14.0	29.9	69.5	14.3	5.39	3.60	2.18	3.90	32.5	5.52
10	9.70	6.78	11.8	21.1	76.0	13.5	5.13	3.40	2.27	3.70	37.1	5.52
11	9.16	7.10	10.4	19.5	80.1	23.4	5.00	3.10	2.45	3.70	32.9	9.70
12	11.8	8.80	13.0	16.4	83.5	21.5	4.89	2.90	2.81	3.50	27.2	38.6
13	15.0	9.70	10.9	15.0	76.0	15.9	4.67	3.10	2.54	3.10	28.3	26.5
14	13.0	9.34	9.70	16.4	72.8	17.2	4.56	3.10	2.36	3.10	37.1	30.2
15	11.8	8.80	9.34	57.5	66.5	17.5	4.23	3.30	2.36	2.90	39.0	95.9
16	10.4	9.70	8.44	72.8	60.2	14.3	4.12	3.10	2.36	2.90	34.4	55.3
17	9.34	11.3	8.08	52.0	76.0	13.0	4.01	2.90	2.27	3.70	25.1	49.8
18	8.80	20.5	7.74	41.7	74.7	11.8	4.56	2.63	2.18	2.90	21.1	78.0
19	8.44	127	8.44	34.0	71.4	10.9	4.34	2.36	2.09	2.90	19.8	119
20	7.74	69.5	7.74	26.2	59.1	10.2	4.01	2.27	2.00	2.90	19.2	69.5
21	9.70	37.8	8.08	22.7	56.3	9.52	3.90	2.09	2.00	2.72	15.0	54.2
22	28.0	28.0	8.80	27.2	48.1	9.16	3.90	2.36	2.00	2.72	12.8	72.1
23	15.9	22.7	8.08	31.8	42.5	8.62	3.90	2.54	2.00	3.10	11.1	59.1
24	11.8	17.9	8.08	54.7	40.9	8.98	4.01	2.36	2.00	3.50	10.4	51.4
25	9.70	16.4	7.42	52.0	37.5	8.62	3.90	2.36	1.94	4.12	9.70	60.2
26	8.80	17.9	7.42	41.7	37.1	7.90	3.70	2.45	1.88	4.12	9.34	54.7
27	8.08	29.9	13.0	39.0	37.1	7.90	3.50	2.45	1.76	4.12	8.80	40.2
28	7.74	98.9	21.1	44.3	34.8	11.5	3.30	2.45	1.76	4.23	8.08	33.3
29	7.42		24.4	52.0	32.9	13.0	3.30	2.36	1.58	4.67	7.58	27.2
30	7.10		29.9	41.7	29.5	8.26	3.30	2.27	1.52	4.23	6.78	22.1
31	7.10		41.7		28.0		3.20	2.18		4.23		20.2
SD1	11.7	6.14	21.8	39.5	51.0	19.2	6.41	3.53	2.42	7.41	29.3	6.01
SD2	10.5	28.2	9.38	35.2	72.0	15.6	4.44	2.88	2.34	3.16	28.4	57.3
SD3	11.0	33.7	16.2	40.7	38.6	9.35	3.63	2.35	1.84	3.80	9.96	45.0
MAX	28.0	127	52.0	72.8	83.5	25.1	8.08	3.90	2.81	22.7	89.3	157
DAT	22	19	1	16	12	1	1	4	3	3	3	19
SR	11.1	21.9	15.8	38.4	53.4	14.7	4.79	2.90	2.20	4.76	22.6	36.4
MIN	7.10	5.65	7.42	15.0	28.0	7.90	3.20	2.09	1.52	1.52	4.12	5.39
DAT	30	3	25	13	31	26	31	21	30	1	1	8

GMIN =			1.52	SRGOD=				19.0	GMAX =			157
DATUM			30 9						DATUM			19 12

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1959

Broj : 45993 Stanica :DUSKI MOST Kota "0" = 760.00
 Nacin osmat.: limnigraf Rijeka :KOMARNICA km od usca = 26.90
 Pocetak rada: 1957 Sliv :PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	17.2	4.12	2.00	24.4	22.4	26.9	23.1	3.30	6.94	1.24	22.4	40.9
2	15.6	5.52	6.46	30.2	35.2	24.4	16.7	3.30	6.17	1.12	16.7	50.3
3	14.8	5.26	6.78	24.4	28.0	19.8	13.3	2.72	4.23	1.04	13.0	37.1
4	16.1	5.26	7.10	17.2	25.1	16.9	11.5	2.81	3.50	.924	11.5	28.7
5	12.5	5.26	7.58	14.5	23.1	14.5	9.70	2.72	3.20	2.00	10.2	22.4
6	11.3	4.89	10.4	15.6	19.2	12.8	8.44	2.72	2.90	2.00	24.4	18.9
7	9.93	4.78	14.3	19.2	17.9	11.5	7.74	2.36	8.98	2.00	28.3	16.1
8	14.0	4.56	34.8	39.4	17.2	10.2	7.10	2.18	15.6	1.88	24.8	23.7
9	28.7	4.12	39.4	28.7	16.1	9.70	6.46	2.00	9.34	1.82	18.9	41.7
10	16.7	4.12	28.7	40.9	15.6	8.98	5.91	2.63	7.26	1.76	16.1	29.5
11	12.5	4.12	27.2	43.4	15.6	11.1	5.39	2.54	6.04	1.70	14.0	28.7
12	10.4	3.90	31.4	29.1	15.9	21.8	5.00	2.54	5.26	1.64	13.0	45.2
13	9.34	3.70	25.1	24.4	18.5	17.9	6.04	2.54	4.78	1.64	20.5	65.9
14	8.44	3.40	21.1	23.1	20.5	14.0	5.65	2.36	4.34	1.64	23.1	78.7
15	9.52	3.30	17.5	23.4	31.8	13.5	5.65	2.36	4.12	1.88	17.9	65.9
16	22.4	3.10	15.0	21.8	31.0	13.0	5.13	2.72	4.01	1.88	37.8	48.1
17	30.2	3.00	13.5	19.5	27.6	11.8	5.26	3.10	3.70	1.76	30.2	37.8
18	18.2	2.81	12.5	20.5	24.4	10.6	4.67	3.30	3.50	1.76	21.5	30.6
19	9.34	2.72	11.3	20.8	22.4	11.3	5.39	4.56	3.30	1.76	17.9	25.1
20	9.34	2.63	10.6	19.8	22.4	10.2	5.26	3.50	3.00	1.76	16.1	20.8
21	8.26	2.54	11.3	17.2	22.4	9.34	5.00	3.40	2.00	1.76	13.8	14.5
22	7.42	2.45	11.8	15.3	19.2	8.26	5.00	2.63	2.18	1.76	13.0	16.7
23	7.26	2.00	13.0	13.5	17.9	8.26	4.78	2.54	2.09	1.64	11.1	14.5
24	7.58	2.00	12.8	12.0	17.2	8.80	4.34	3.30	1.94	1.58	10.2	16.4
25	7.26	1.88	12.0	10.4	18.5	9.70	3.90	3.20	1.88	1.40	9.34	30.6
26	6.30	1.82	12.0	11.5	18.5	10.9	3.70	3.10	1.76	1.76	9.34	21.5
27	5.78	2.00	12.0	12.5	16.7	9.70	3.70	2.90	1.64	1.70	9.70	21.1
28	5.52	2.54	11.5	13.0	15.0	10.2	3.70	2.81	1.82	1.76	10.2	82.8
29	5.00		10.6	12.8	14.5	9.52	3.50	2.90	1.58	8.26	9.34	56.9
30	4.78		13.0	12.0	31.8	13.3	3.30	2.54	1.36	13.3	10.6	38.6
31	4.45		17.9		33.3		3.10	6.78		31.0		29.5
SD1	15.7	4.79	15.8	25.5	22.0	15.6	11.0	2.67	6.81	1.58	18.6	30.9
SD2	14.0	3.27	18.5	24.6	23.0	13.5	5.34	2.95	4.20	1.74	21.2	44.7
SD3	6.33	2.15	12.5	13.0	20.5	9.80	4.00	3.28	1.83	5.99	10.7	31.2
MAX	39.0	5.52	39.4	58.5	35.2	26.9	23.1	6.78	23.1	31.0	48.7	128
DAT	17	2	9	11	2	1	1	31	8	31	16	28
SR	11.8	3.49	15.5	21.0	21.8	13.0	6.69	2.98	4.28	3.20	16.8	35.5
MIN	4.45	1.82	2.00	10.4	14.5	8.26	3.10	2.00	1.36	.924	9.34	14.5
DAT	31	26	1	25	29	22	31	9	30	4	25	21
		GMIN =	.924			SRGOD=	13.1			GMAX =	128	
		DATUM	4 10							DATUM	28 12	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1960

Broj : 45993 Stanica : DUSKI MOST Kota "0" = 760.00
 Nacin osmat.: limnigraf Rijeka : KOMARNICA km od usca = 26.90
 Pocetak rada: 1957 Sliv : PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	24.4	10.2	17.9	37.8	16.9	20.5	5.78	2.36	1.76	5.65	19.2	15.0
2	21.1	12.5	17.2	31.8	20.5	21.8	5.52	2.36	1.70	3.80	14.5	13.8
3	18.9	11.1	16.4	25.8	21.8	20.5	5.52	2.36	1.64	3.10	12.3	12.5
4	10.2	10.2	15.0	23.1	20.5	18.5	5.78	2.27	1.52	2.81	10.9	11.5
5	13.3	9.16	14.0	21.1	21.1	17.9	5.26	2.18	1.52	2.54	9.70	11.1
6	12.0	8.98	13.0	19.8	26.5	16.4	4.78	2.09	2.18	2.36	43.4	10.9
7	11.1	7.58	12.3	19.8	30.2	16.1	4.67	2.00	2.00	2.45	98.9	10.2
8	9.93	7.26	11.5	20.5	29.9	16.1	4.67	2.00	1.70	6.78	62.4	11.5
9	9.34	7.10	10.6	20.5	28.7	16.7	4.67	2.54	1.64	7.74	40.9	53.6
10	8.98	6.94	9.93	22.7	31.0	16.7	4.78	2.54	1.64	11.1	62.4	97.4
11	8.62	6.46	11.3	24.4	31.4	19.5	4.34	2.27	1.64	63.5	84.2	52.5
12	8.98	12.5	16.4	26.9	31.4	16.7	4.12	2.09	1.64	34.0	47.0	38.2
13	8.98	30.2	17.5	28.3	31.8	14.0	3.90	3.10	1.64	40.9	42.5	31.8
14	8.62	42.5	15.3	32.5	34.0	13.5	3.80	3.40	1.64	38.6	74.7	30.2
15	7.90	69.5	14.5	31.0	37.5	12.5	3.70	2.45	1.64	25.1	78.7	22.7
16	7.26	46.1	19.2	28.7	39.0	12.3	3.40	2.36	1.64	40.9	51.4	21.1
17	7.26	33.3	43.4	28.7	43.4	12.3	3.10	2.18	1.64	40.9	34.4	21.1
18	6.62	61.3	39.4	25.8	43.4	11.5	3.40	2.09	1.58	25.1	26.9	42.5
19	6.30	108	30.2	25.1	42.5	10.6	3.30	2.00	1.52	19.2	21.8	53.0
20	6.17	84.2	24.4	25.5	44.3	9.70	3.20	2.00	1.70	15.0	76.7	40.2
21	6.04	65.9	20.5	22.4	43.0	9.70	3.10	2.00	1.70	22.4	44.3	47.0
22	5.78	58.0	15.9	21.8	37.8	8.98	3.00	1.88	1.88	31.0	32.9	69.5
23	5.26	56.9	15.0	20.5	32.5	7.90	2.90	1.88	1.88	20.5	26.2	56.9
24	5.52	48.7	14.0	18.2	31.0	7.58	2.81	1.88	1.88	16.1	22.1	40.9
25	5.52	37.8	13.5	18.5	29.9	7.10	2.90	1.82	1.76	13.5	19.2	31.8
26	5.78	31.0	14.0	15.6	29.5	6.62	2.90	1.76	1.64	11.8	16.7	25.8
27	7.90	25.8	34.8	13.3	25.1	6.62	2.72	1.76	1.64	14.8	14.8	21.8
28	13.5	22.4	50.3	14.5	22.4	6.94	2.72	1.76	2.27	14.0	14.0	19.2
29	19.8	20.2	50.8	16.7	18.5	6.46	2.54	1.64	4.89	11.5	17.2	17.2
30	20.8		49.2	16.9	18.9	6.04	2.54	1.64	9.93	12.3	19.8	15.6
31	18.5		43.4		19.2		2.45	1.64		21.8		13.5
SD1	13.9	9.10	13.8	24.3	24.7	18.1	5.14	2.27	1.73	4.83	37.5	24.8
SD2	7.67	49.4	23.2	27.7	37.9	13.3	3.63	2.39	1.63	34.3	53.8	35.3
SD3	10.4	40.7	29.2	17.8	28.0	7.39	2.78	1.79	2.95	17.2	22.7	32.7
MAX	24.4	108	50.8	37.8	44.3	21.8	5.78	75.0	9.93	63.5	99.7	162
DAT	1	19	29	1	20	2	1	75	30	11	7	10
SR	10.7	32.8	22.3	23.3	30.1	12.9	3.82	2.14	2.10	18.7	38.0	31.0
MIN	5.26	6.46	9.93	13.3	16.9	6.04	2.45	1.64	1.52	2.36	9.70	10.2
DAT	23	11	10	27	1	30	31	29	4	6	5	7
GMIN =		1.52		SRGOD=		18.9		GMAX =		162		
DATUM		4 9						DATUM		10 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1961

Broj : 45993 Stanica :DUSKI MOST Kota "0" = 760.00
Nacin osmat.: limnigraf Rijeka :KOMARNICA km od usca = 26.90
Pocetak rada: 1957 Sliv :PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	12.5	5.39	4.67	7.42	31.8	9.93	3.20	2.27	1.76	1.16	5.91	8.98
2	11.5	6.04	4.56	7.90	27.2	9.52	3.00	2.00	1.70	1.24	5.91	12.0
3	13.8	5.52	4.34	9.70	22.4	9.70	2.81	1.82	1.70	1.20	5.65	10.6
4	18.9	5.00	4.01	11.3	19.2	8.98	2.81	1.88	1.58	1.24	5.52	8.08
5	34.4	4.67	3.90	12.3	16.7	8.80	2.90	1.82	1.58	1.24	31.0	7.74
6	25.8	4.56	3.70	14.0	15.6	8.62	2.81	1.76	1.52	1.24	40.5	8.26
7	20.5	4.34	3.60	15.3	15.0	8.26	2.63	1.82	1.52	1.24	29.5	19.2
8	16.9	4.45	3.70	16.7	14.5	8.80	2.54	1.82	1.52	1.32	46.1	14.5
9	14.8	4.34	4.12	19.2	13.0	8.44	3.30	1.76	1.52	1.36	82.8	10.4
10	13.5	4.34	4.45	23.7	13.5	7.90	3.30	1.76	1.82	1.32	103	9.70
11	12.0	4.01	5.39	19.5	14.0	10.9	3.00	1.76	1.70	1.36	130	11.1
12	11.8	3.90	6.30	17.5	13.3	5.26	2.72	1.70	1.64	1.32	162	10.2
13	12.5	3.90	7.26	19.5	13.5	5.00	2.54	1.70	1.52	1.32	42.5	9.52
14	11.8	3.90	7.90	19.2	13.5	4.67	2.45	1.76	1.46	1.28	45.2	9.16
15	11.1	3.80	8.98	19.2	15.6	4.34	2.36	1.76	1.46	1.24	55.8	8.44
16	9.70	3.70	10.2	16.7	16.7	4.56	2.18	1.70	1.40	1.24	50.3	7.74
17	8.98	3.70	10.9	18.2	17.2	4.67	2.18	1.64	1.36	1.32	37.8	6.94
18	8.44	3.70	10.6	23.1	27.2	4.23	2.09	1.88	1.32	1.88	28.7	6.78
19	7.74	3.70	10.9	21.1	28.3	10.9	2.00	1.82	1.32	30.2	22.4	6.62
20	7.58	3.80	12.5	23.7	29.5	9.52	2.00	1.88	1.36	87.1	22.1	6.30
21	7.42	3.90	13.0	16.9	29.5	8.26	2.00	1.88	1.40	33.7	15.6	6.04
22	7.26	4.01	14.0	13.5	29.5	7.42	1.94	1.88	1.40	20.5	10.4	5.91
23	7.58	4.12	12.5	12.5	29.9	6.62	1.94	1.94	1.36	19.2	9.52	5.78
24	7.42	4.12	10.9	16.1	25.8	6.04	2.00	1.88	1.32	15.0	10.9	5.78
25	7.74	4.12	9.70	22.1	23.1	5.65	1.88	1.88	1.32	13.3	12.5	5.39
26	7.42	4.12	9.70	14.5	20.5	3.90	1.82	1.88	1.24	11.3	20.2	5.52
27	6.94	4.45	9.34	14.8	17.9	3.70	1.76	1.82	1.20	9.70	18.2	6.94
28	6.30	4.56	9.34	17.2	15.6	3.60	1.76	1.82	1.16	8.80	28.0	74.7
29	6.17		8.62	15.6	14.5	4.23	1.70	1.82	1.16	8.26	28.7	42.5
30	5.78		7.90	19.8	13.3	3.60	1.88	1.76	1.16	6.30	20.5	25.8
31	5.65		7.58		11.3		1.64	1.76		6.94		20.5
SD1	18.3	4.87	4.11	13.8	18.9	8.90	2.93	1.87	1.62	1.26	35.6	10.9
SD2	10.2	3.81	9.09	19.8	18.9	6.41	2.35	1.76	1.45	12.8	59.7	8.28
SD3	6.88	4.18	10.2	16.3	21.0	5.30	1.85	1.85	1.27	13.9	17.5	18.6
MAX	34.4	6.04	14.0	23.7	31.8	10.9	3.30	2.27	1.82	87.1	219	74.7
DAT	5	2	22	10	1	11	9	1	10	20	12	28
SR	11.6	4.29	7.89	16.6	19.6	6.87	2.36	1.83	1.45	9.48	37.6	12.8
MIN	5.65	3.70	3.60	7.42	11.3	3.60	1.64	1.64	1.16	1.16	5.52	5.39
DAT	31	16	7	1	31	28	31	17	28	1	4	25
GMIN =		1.16		SRGOD=		11.0		GMAX =		219		
DATUM		28 9						DATUM		12 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1962

Broj : 45993 Stanica :DUSKI MOST Kota "0" = 760.00
Nacin osmat.: limnigraf Rijeka :KOMARNICA km od usca = 26.90
Pocetak rada: 1957 Sliv :PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	18.5	4.89	6.30	113	23.7	20.5	6.04	3.20	1.70	1.88	3.10	21.8
2	16.9	4.78	9.70	76.0	21.8	19.8	5.78	3.00	1.64	1.76	16.7	18.5
3	17.2	4.56	7.90	52.5	21.1	17.2	5.78	2.90	1.64	1.70	13.5	17.2
4	16.1	4.23	11.1	42.5	25.1	14.5	5.52	2.72	1.70	1.64	8.08	15.9
5	13.8	4.12	63.5	72.1	28.0	12.5	5.65	2.54	1.70	1.58	5.78	14.0
6	12.5	4.23	205	60.2	39.8	12.0	5.52	2.27	1.70	1.52	5.00	12.5
7	11.1	4.12	114	41.7	46.1	10.6	5.52	2.27	1.70	1.52	5.78	11.3
8	8.62	4.01	58.0	32.5	44.3	10.2	5.00	2.18	1.70	1.52	6.04	10.6
9	7.74	4.23	37.1	27.2	51.4	7.58	4.89	2.27	1.64	1.58	5.52	9.34
10	7.26	5.00	33.3	24.4	56.9	8.98	4.78	2.36	1.64	1.58	23.1	8.62
11	7.10	5.00	25.1	25.1	55.8	8.26	4.56	2.81	1.64	1.52	15.9	7.90
12	7.26	5.00	29.5	27.2	53.6	9.16	4.34	2.45	1.64	1.52	28.0	7.26
13	7.26	5.26	28.7	24.8	50.3	9.34	4.12	2.27	1.64	1.52	15.3	6.62
14	8.44	51.4	23.7	23.7	53.6	8.62	4.01	2.27	1.58	1.46	17.9	35.6
15	18.2	21.1	21.1	23.1	60.2	8.62	3.90	2.18	1.52	1.46	14.0	28.7
16	35.6	13.0	17.9	23.7	47.0	8.62	3.60	2.18	1.52	1.52	31.0	21.8
17	21.8	10.4	16.1	25.8	37.1	9.34	3.70	2.00	1.52	12.5	27.2	50.3
18	16.9	8.62	14.5	24.4	34.0	8.44	4.67	1.88	1.58	7.42	17.9	31.8
19	16.1	7.58	13.3	31.0	34.0	8.98	4.34	1.88	1.58	4.34	55.8	24.4
20	13.5	6.94	11.5	34.0	35.6	8.26	4.12	1.88	1.52	3.70	70.8	19.2
21	12.0	6.30	11.5	35.6	35.6	7.90	4.01	1.88	1.76	3.30	97.4	15.6
22	10.9	5.78	40.2	36.3	29.5	7.58	3.70	1.88	1.76	2.90	48.1	13.5
23	10.2	5.26	37.5	36.7	28.3	7.26	3.30	1.82	1.64	2.54	45.2	10.6
24	9.16	4.78	34.8	37.1	26.5	6.62	3.30	1.76	1.58	2.54	60.2	9.34
25	8.26	4.56	46.1	37.1	25.5	6.46	3.30	1.76	1.64	2.36	54.7	8.98
26	7.74	4.23	63.5	38.6	25.1	6.62	3.30	1.76	1.70	2.36	45.2	8.80
27	7.10	3.90	39.4	39.4	24.4	6.94	3.20	1.76	1.70	2.18	34.0	8.62
28	6.17	4.34	30.2	38.6	23.7	7.58	3.10	1.76	1.70	2.18	28.0	7.58
29	5.65		23.7	34.0	22.4	6.62	3.10	1.76	1.70	2.27	25.1	7.26
30	5.00		20.5	29.5	21.1	6.04	2.90	1.70	1.82	2.27	23.7	19.8
31	5.00		21.1		21.1		3.20	1.70		2.54		70.8
SD1	13.0	4.42	54.6	54.2	35.8	13.4	5.45	2.57	1.68	1.63	9.26	14.0
SD2	15.2	13.4	20.1	26.3	46.1	8.76	4.14	2.18	1.57	3.70	29.4	23.4
SD3	7.93	4.89	33.5	36.3	25.7	6.96	3.31	1.78	1.70	2.49	46.2	16.4
MAX	35.6	51.4	245	113	60.2	20.5	6.04	3.20	1.82	12.5	154	70.8
DAT	16	14	6	1	15	1	1	1	30	17	21	31
SR	11.9	7.77	36.0	38.9	35.6	9.70	4.27	2.16	1.65	2.60	28.3	17.9
MIN	5.00	3.90	6.30	23.1	21.1	6.04	2.90	1.70	1.52	1.46	3.10	6.62
DAT	30	27	1	15	3	30	30	30	15	14	1	13
GMIN =		1.46		SRGOD=		16.4		GMAX =		245		
DATUM		14 10						DATUM		6 3		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1963

Broj : 45993 Stanica :DUSKI MOST Kota "0" = 760.00
Nacin osmat.: limnigraf Rijeka :KOMARNICA km od usca = 26.90
Pocetak rada: 1957 Sliv :PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	48.1	8.62	9.70	16.7	39.8	31.8	8.62	3.40	3.90	2.90	2.54	13.5
2	35.6	8.44	8.98	16.7	41.7	30.2	8.26	3.30	3.30	2.72	2.45	10.9
3	42.5	13.5	8.08	15.6	48.1	29.5	7.90	3.10	2.90	4.34	2.36	9.52
4	48.1	15.0	7.58	14.3	56.9	28.7	7.58	2.90	2.90	6.17	2.27	8.98
5	37.8	19.5	7.26	13.5	54.7	26.9	8.26	2.90	2.81	19.8	11.5	34.0
6	52.5	15.0	7.10	13.5	51.4	26.5	7.90	2.90	2.72	23.1	28.0	31.8
7	76.0	12.0	6.94	14.0	43.4	25.8	7.26	2.90	2.72	14.0	47.0	20.8
8	59.1	10.6	6.78	14.5	42.5	24.4	6.30	2.81	3.10	9.70	52.5	16.1
9	50.3	8.98	6.62	15.0	42.5	23.7	6.17	2.90	7.26	7.90	30.6	13.5
10	47.5	8.98	6.62	16.9	43.4	24.1	6.04	3.00	6.04	7.10	18.5	12.0
11	54.7	9.16	14.0	23.1	42.5	32.5	5.52	2.81	4.34	6.04	14.0	10.9
12	49.2	11.5	22.4	51.4	42.5	41.7	5.78	2.81	3.70	5.39	11.5	14.3
13	50.8	14.3	28.7	50.8	46.1	37.8	5.52	2.72	3.30	5.00	10.6	19.2
14	42.5	13.8	21.8	44.3	44.8	31.8	5.00	2.72	3.10	4.67	13.0	15.3
15	33.3	11.8	17.9	40.9	40.2	29.5	4.78	2.63	2.81	4.34	16.1	17.5
16	28.0	10.6	15.0	37.1	39.8	25.8	4.78	2.54	2.72	4.23	16.1	149
17	23.7	45.2	13.5	37.1	42.5	22.4	4.67	2.45	2.63	4.12	14.0	121
18	21.5	44.3	12.3	39.0	40.9	20.5	4.56	2.36	2.63	3.90	19.8	59.1
19	25.5	43.8	12.0	41.7	41.7	18.5	4.34	3.10	2.54	3.70	15.9	42.1
20	34.0	43.0	12.5	42.1	37.8	17.2	4.78	2.72	2.45	3.50	14.5	64.7
21	24.4	34.8	21.5	46.1	34.8	15.6	4.56	2.72	2.36	3.30	13.8	140
22	18.5	31.8	19.8	48.1	32.5	14.5	4.34	2.63	2.27	3.20	12.3	133
23	16.1	31.0	19.2	50.3	33.3	14.0	4.12	2.54	2.18	3.20	11.5	78.7
24	14.5	29.5	16.1	51.4	32.5	13.5	4.01	2.45	2.09	3.10	9.34	53.6
25	13.3	27.6	14.5	49.2	32.9	12.5	3.90	2.18	2.00	3.00	8.62	40.9
26	12.0	20.5	14.3	50.3	34.0	12.0	3.80	2.09	4.12	2.90	8.26	35.6
27	11.1	16.7	13.8	51.4	40.2	11.1	3.70	2.09	5.78	2.81	15.6	31.4
28	10.2	10.6	13.0	49.2	37.8	10.4	3.60	2.18	4.23	2.72	22.4	25.5
29	9.34		12.5	44.3	34.8	9.70	3.50	2.27	3.50	2.72	19.2	16.1
30	8.98		14.5	40.9	34.4	9.34	3.50	3.10	3.20	2.72	15.6	19.2
31	8.80		15.3		32.5		3.40	6.04		2.63		16.7
SD1	49.7	12.1	7.57	15.1	46.4	27.2	7.43	3.01	3.76	9.77	19.8	17.1
SD2	36.3	24.7	17.0	40.8	41.9	27.8	4.97	2.69	3.02	4.49	14.5	51.3
SD3	13.4	25.3	15.9	48.1	34.5	12.3	3.86	2.75	3.17	2.94	13.7	53.7
MAX	76.0	45.2	28.7	51.4	56.9	41.7	8.62	6.04	7.26	23.1	52.5	197
DAT	7	17	13	12	4	12	1	31	9	6	8	16
SR	32.5	20.4	13.6	34.6	40.7	22.4	5.37	2.81	3.32	5.64	16.0	41.1
MIN	8.80	8.44	6.62	13.5	32.5	9.34	3.40	2.09	2.00	2.63	2.27	8.98
DAT	31	2	9	5	22	30	31	26	25	31	4	4
		GMIN = 2.00			SRGOD= 19.9			GMAX = 197				
		DATUM 25 9						DATUM 16 12				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1964

Broj : 45993 Stanica : DUSKI MOST Kota "0" = 760.00
 Nacin osmat.: limnigraf Rijeka : KOMARNICA km od usca = 26.90
 Pocetak rada: 1957 Sliv : PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	15.0	3.70	6.78	35.6	18.9	20.5	7.26	3.80	2.81	2.81	21.1	76.7
2	14.3	3.60	6.04	34.8	18.2	17.5	6.62	3.90	3.10	2.72	32.9	46.1
3	12.8	3.50	5.65	31.4	18.5	16.1	6.04	4.12	3.30	2.63	45.7	41.7
4	11.5	3.40	5.39	52.5	18.9	14.3	5.52	3.90	3.30	2.54	35.9	40.9
5	10.2	3.40	5.13	59.7	23.1	13.0	5.00	3.70	3.10	2.72	31.4	31.8
6	9.34	3.30	5.26	42.1	21.5	11.5	5.26	3.50	2.81	2.54	35.6	26.5
7	8.80	3.20	5.26	34.0	16.4	10.6	5.00	3.40	2.72	2.45	29.9	23.1
8	8.08	3.10	4.89	29.1	16.7	10.4	4.67	3.30	2.72	2.54	27.6	20.5
9	7.58	3.10	5.00	25.8	18.5	9.34	4.45	3.50	2.63	39.4	28.0	18.2
10	7.26	3.20	5.13	22.7	18.2	8.62	4.34	3.60	2.45	48.1	27.6	16.7
11	6.78	3.20	5.13	20.5	18.5	7.90	5.52	3.50	2.36	213	24.4	15.3
12	6.30	3.20	5.39	18.9	19.5	7.74	14.3	3.40	2.27	235	23.1	14.3
13	6.17	3.10	5.52	16.9	20.5	7.26	14.3	3.20	2.27	139	24.8	13.5
14	6.04	3.10	5.78	16.9	18.9	6.94	9.93	3.00	2.54	127	24.1	12.5
15	6.04	3.10	9.16	17.2	19.2	6.78	8.98	2.90	2.45	113	21.5	11.3
16	5.52	3.10	34.0	15.6	22.1	7.74	8.08	3.20	2.36	67.1	19.8	11.1
17	5.13	3.10	22.1	15.9	15.3	8.08	7.42	3.20	2.27	53.0	17.5	12.8
18	5.00	11.1	15.3	16.7	13.0	8.80	6.62	3.30	2.36	46.5	16.1	36.3
19	4.89	22.7	13.5	17.2	14.8	8.80	6.17	3.90	2.54	44.3	14.8	68.9
20	4.89	44.3	12.8	17.2	16.4	8.26	5.52	5.26	2.36	37.5	14.0	95.2
21	4.89	20.2	25.5	17.2	16.4	7.42	5.39	4.34	3.00	34.0	13.0	63.0
22	4.78	12.8	78.0	16.7	14.3	6.62	5.00	3.90	4.34	32.1	12.0	45.7
23	4.56	9.52	49.2	16.7	14.0	6.46	5.00	3.50	3.80	29.9	11.1	36.3
24	4.34	7.90	34.0	18.5	13.5	7.58	4.89	3.50	3.40	30.6	10.4	30.2
25	4.23	7.10	25.5	29.1	12.8	13.0	4.56	3.30	4.01	50.3	9.93	27.2
26	4.12	6.62	21.1	24.8	12.3	11.3	4.23	3.20	3.90	46.5	9.52	45.7
27	4.12	6.46	18.9	19.8	17.2	9.16	4.34	3.00	3.70	51.4	9.16	59.1
28	4.01	6.46	22.1	17.9	15.6	8.08	4.23	2.81	3.30	42.5	8.98	42.1
29	4.01	6.17	39.4	17.2	15.9	12.0	4.23	2.72	3.00	32.9	10.2	45.2
30	3.90		29.5	18.9	26.5	8.98	4.34	2.72	2.90	27.6	39.4	58.5
31	3.80		29.5		23.4		4.01	2.63		23.4		44.3
SD1	10.5	3.35	5.45	36.8	18.9	13.2	5.42	3.67	2.89	10.8	31.6	34.2
SD2	5.68	10.0	12.9	17.3	17.8	7.83	8.68	3.49	2.38	108	20.0	29.1
SD3	4.25	9.25	33.9	19.7	16.5	9.06	4.57	3.24	3.54	36.5	13.4	45.2
MAX	15.0	68.3	96.7	72.1	29.5	22.4	17.2	8.62	4.89	409	98.9	119
DAT	1	20	22	5	31	1	12	20	22	12	3	20
SR	6.72	7.47	17.9	24.6	17.7	10.0	6.17	3.46	2.94	51.1	21.6	36.5
MIN	3.80	3.10	4.89	15.6	12.3	6.46	4.01	2.63	2.27	2.45	8.98	11.1
DAT	31	8	8	16	26	23	31	31	12	7	28	16
GMIN =		2.27		SRGOD=		17.3		GMAX =		409		
DATUM		12 9						DATUM		12 10		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1965

Broj : 45993 Stanica :DUSKI MOST Kota "0" = 760.00
Nacin osmat.: limnigraf Rijeka :KOMARNICA km od usca = 26.90
Pocetak rada: 1957 Sliv :PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	33.7	33.3	6.30	12.5	30.2	54.7	13.5	5.26	4.23	4.78	2.90	105
2	28.7	37.8	59.1	12.0	28.7	53.0	13.0	5.13	4.12	4.45	2.90	54.7
3	25.1	25.1	98.9	12.5	28.7	42.5	12.5	5.00	4.23	4.23	2.90	38.6
4	21.8	19.8	42.5	13.8	30.2	35.2	11.8	5.00	4.01	4.12	2.90	30.6
5	19.2	16.7	27.2	13.8	32.1	40.2	11.5	5.00	4.78	4.12	2.90	24.4
6	17.2	14.5	27.2	15.6	40.9	49.8	10.6	4.89	5.91	3.80	2.90	20.5
7	16.1	12.5	21.5	16.1	37.8	41.7	9.70	4.78	5.00	3.70	2.90	17.9
8	14.3	12.3	17.9	21.5	31.4	35.2	9.34	4.78	4.67	3.70	2.90	25.1
9	14.0	11.8	14.8	50.3	31.8	34.0	11.5	4.67	4.56	3.70	2.90	40.2
10	13.5	10.6	12.8	84.2	33.3	35.2	9.70	4.56	4.45	3.70	2.90	64.7
11	11.8	10.4	11.3	55.8	34.8	37.8	9.16	4.56	4.34	3.70	4.01	108
12	11.1	9.93	10.4	46.1	30.6	38.6	8.26	4.45	5.00	3.50	6.30	60.2
13	10.9	9.34	9.70	41.7	30.2	33.7	8.26	4.45	5.26	3.50	21.1	41.7
14	10.2	9.16	9.34	37.8	32.1	31.4	8.08	4.34	5.00	3.50	33.3	33.3
15	10.2	9.34	9.16	33.3	33.3	30.2	7.74	4.34	4.56	3.50	19.8	27.2
16	9.70	8.98	9.70	30.2	34.8	27.6	7.58	4.23	4.12	3.30	14.5	23.1
17	9.34	8.08	10.4	25.8	40.9	26.9	7.26	4.12	4.01	3.30	11.5	20.2
18	9.34	7.90	10.4	23.7	52.5	28.0	7.10	3.90	3.90	3.30	12.5	17.5
19	9.93	7.74	10.6	24.4	59.1	26.5	6.62	3.80	4.01	3.20	31.0	15.6
20	9.70	7.58	11.3	30.2	63.5	25.8	6.46	3.90	4.12	3.20	49.2	13.5
21	8.98	7.26	13.5	46.1	61.3	24.1	6.30	3.90	3.90	3.10	44.3	12.5
22	8.80	7.10	14.5	37.8	52.5	23.4	6.30	3.90	3.90	3.10	68.3	11.8
23	8.08	6.94	16.7	31.8	61.3	22.4	6.30	3.80	3.90	3.10	48.1	11.1
24	8.08	6.94	28.7	28.7	49.2	20.5	6.17	4.01	3.90	3.00	37.1	10.6
25	7.90	6.94	30.2	28.0	44.3	19.5	6.17	7.58	3.80	3.00	28.0	11.5
26	7.90	6.62	25.5	26.5	44.3	18.5	5.65	5.65	3.60	3.00	22.1	12.0
27	7.74	6.62	21.8	25.1	42.1	16.7	5.52	4.89	3.80	2.90	24.4	10.9
28	7.58	6.30	19.2	29.5	41.7	16.1	5.52	4.56	4.56	2.90	81.4	20.5
29	8.62		15.6	40.2	52.5	15.3	5.52	4.34	4.78	2.90	50.3	39.4
30	16.7		14.5	34.4	48.1	14.3	5.39	4.34	5.00	2.90	44.3	34.8
31	27.6		13.5		46.1		5.26	4.23		2.90		25.5
SD1	20.4	19.4	32.8	25.2	32.5	42.2	11.3	4.91	4.60	4.03	2.90	42.2
SD2	10.2	8.85	10.2	34.9	41.2	30.6	7.65	4.21	4.43	3.40	20.3	36.0
SD3	10.7	6.84	19.4	32.8	49.4	19.1	5.83	4.65	4.11	2.98	44.8	18.2
MAX	38.2	43.0	178	98.9	72.1	58.0	14.5	10.2	5.91	4.89	114	137
DAT	1	2	3	10	20	1	1	25	6	1	28	11
SR	13.7	12.1	20.8	31.0	41.3	30.6	8.19	4.59	4.38	3.45	22.7	31.7
MIN	7.58	6.30	6.30	12.0	28.7	14.3	5.26	3.80	3.60	2.90	2.90	10.6
DAT	28	28	1	2	2	30	31	19	26	27	1	24
GMIN = 2.90			SRGOD= 18.7			GMAX = 178						
DATUM 27 10						DATUM 3 3						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1966

Broj : 45993 Stanica :DUSKI MOST Kota "0" = 760.00
 Nacin osmat.: limnigraf Rijeka :KOMARNICA km od usca = 26.90
 Pocetak rada: 1957 Sliv :PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	20.2	6.17	21.8	16.9	51.4	29.5	8.98	6.94	8.26	9.70	38.6	23.1
2	16.7	6.17	20.5	15.3	48.1	30.2	8.26	6.04	6.17	6.62	30.6	35.9
3	15.3	6.04	19.5	14.0	44.3	29.1	7.58	5.65	5.13	13.5	25.5	107
4	14.0	6.04	19.5	14.0	42.1	25.8	7.26	5.26	4.67	10.6	22.4	76.0
5	12.3	6.04	18.5	14.0	39.4	24.4	6.94	5.13	4.67	7.90	46.1	52.0
6	10.6	5.91	18.5	14.8	37.1	22.7	6.78	4.89	4.45	6.94	42.1	42.1
7	10.2	5.91	17.2	16.4	36.3	22.7	6.62	4.67	4.23	6.17	33.7	36.7
8	9.70	5.91	15.9	17.9	32.9	21.8	6.46	4.67	4.01	5.65	26.9	32.1
9	9.34	6.46	14.5	19.8	28.7	20.5	6.17	4.56	3.90	5.39	23.4	28.7
10	8.98	13.5	13.5	34.0	28.3	19.8	5.91	4.34	3.80	14.3	20.5	26.2
11	9.16	42.5	12.8	47.5	44.8	18.9	5.52	4.23	3.80	14.3	18.2	24.4
12	14.0	59.7	13.0	41.3	41.7	17.5	5.39	4.12	3.70	10.6	29.5	24.4
13	10.4	37.8	16.7	42.1	38.2	17.9	5.26	4.12	3.60	9.93	35.6	51.4
14	8.98	39.8	15.6	40.5	37.1	16.7	5.13	4.01	3.50	10.6	36.3	73.4
15	8.44	31.0	14.0	40.2	36.7	16.1	5.00	3.90	3.50	9.16	30.6	49.2
16	10.4	24.4	12.3	44.3	35.2	15.9	5.00	3.90	3.40	8.08	26.9	38.6
17	11.3	20.8	11.3	80.1	34.4	14.8	5.00	3.90	3.30	7.26	30.2	32.9
18	13.0	22.4	10.9	66.5	32.5	14.5	4.89	3.90	3.30	7.26	36.7	29.5
19	11.5	21.1	10.2	52.0	29.5	13.5	4.67	3.90	3.30	6.46	41.3	26.9
20	9.52	19.5	9.70	48.7	27.2	12.0	4.45	3.80	3.30	6.17	43.4	25.1
21	8.44	21.5	9.52	49.2	24.8	10.9	5.13	3.70	3.30	8.26	39.4	23.4
22	7.90	24.8	9.70	52.0	24.1	9.70	5.13	3.60	3.20	12.5	33.3	22.1
23	8.98	46.1	9.93	44.3	24.4	9.34	6.04	3.60	3.20	9.70	29.9	19.5
24	9.70	68.3	10.2	39.4	23.7	8.98	9.52	3.60	3.10	8.80	66.5	18.2
25	8.80	42.5	10.6	39.8	26.2	8.80	9.34	3.50	3.10	8.08	70.8	16.7
26	8.26	32.1	10.9	38.6	23.7	8.26	13.3	3.60	3.00	20.8	46.5	14.5
27	7.74	25.8	11.1	44.3	29.5	7.74	9.34	3.50	3.00	64.7	36.7	13.3
28	7.26	22.4	12.3	43.8	59.1	7.42	7.58	3.50	2.90	63.0	31.0	13.0
29	6.94		21.1	35.9	44.3	7.74	7.90	3.60	2.90	64.7	27.2	12.8
30	6.46		27.2	40.5	35.2	10.6	8.44	3.50	3.40	73.4	26.5	12.0
31	6.17		20.5		31.4		7.58	4.67		53.6		11.8
SD1	12.7	6.82	17.9	17.7	38.9	24.6	7.10	5.22	4.93	8.68	31.0	46.0
SD2	10.7	31.9	12.6	50.3	35.7	15.8	5.03	3.98	3.47	8.98	32.9	37.6
SD3	7.88	35.4	13.9	42.8	31.5	8.95	8.12	3.67	3.11	35.2	40.8	16.1
MAX	22.4	84.2	31.0	90.7	65.9	31.8	13.3	7.26	9.70	95.9	100	138
DAT	1	24	1	17	28	2	26	1	1	30	25	3
SR	10.3	24.0	14.8	36.9	35.2	16.5	6.79	4.27	3.84	18.2	34.9	32.7
MIN	6.17	5.91	9.52	14.0	23.7	7.42	4.45	3.50	2.90	5.39	18.2	11.8
DAT	31	6	21	3	24	28	20	25	28	9	11	31

GMIN = 2.90			SRGOD= 19.8					GMAX = 138				
DATUM 28 9								DATUM 3 12				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1967

Broj : 45993 Stanica : DUSKI MOST Kota "0" = 760.00
 Nacin osmat.: limnigraf Rijeka : KOMARNICA km od usca = 26.90
 Pocetak rada: 1957 Sliv : PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	10.4	5.26	7.58	64.1	39.4	24.4	8.98	4.01	2.90	2.54	2.00	18.2
2	7.90	5.26	10.9	43.0	40.5	20.5	8.62	3.90	3.00	2.45	1.94	11.5
3	7.90	5.26	12.0	34.0	46.1	19.5	8.62	3.90	3.00	2.72	1.94	8.98
4	7.42	5.26	9.70	27.6	58.5	19.2	7.90	4.01	3.00	2.81	2.00	7.74
5	7.26	5.65	8.98	23.4	48.7	17.5	7.58	3.70	3.00	3.70	1.94	6.78
6	11.5	5.52	8.98	20.5	43.8	16.7	7.26	3.60	3.10	6.30	2.90	6.17
7	13.5	5.39	8.98	34.8	44.3	16.4	7.10	3.50	3.10	4.12	5.52	5.91
8	9.70	5.39	8.98	50.8	43.8	16.1	7.26	3.40	3.10	3.50	22.4	6.30
9	5.78	5.26	10.2	53.0	45.7	16.7	7.10	3.40	3.20	3.10	14.3	8.62
10	5.39	5.00	13.5	53.6	49.2	15.6	9.52	3.40	3.20	2.81	8.08	7.10
11	5.26	5.00	16.1	55.3	48.1	15.0	10.9	3.30	3.30	2.72	6.62	7.10
12	5.39	5.00	17.5	52.5	45.2	13.8	8.98	3.30	3.40	2.54	5.65	8.98
13	5.26	4.78	18.5	53.6	44.3	13.5	8.08	3.40	3.50	2.54	4.89	9.34
14	5.13	4.67	20.8	74.1	40.5	17.9	7.58	3.40	3.30	2.45	4.56	7.90
15	5.39	4.56	16.7	70.8	38.6	22.1	6.94	3.30	3.60	2.36	4.45	6.94
16	6.62	4.56	14.5	56.9	39.0	17.2	6.78	3.20	4.45	2.36	4.23	6.46
17	5.91	4.45	12.8	49.2	36.7	15.6	6.78	3.20	4.56	2.36	3.90	5.91
18	5.78	4.45	11.3	48.1	37.5	14.3	6.46	3.10	4.56	2.36	3.70	5.65
19	5.52	4.78	10.6	42.5	35.9	13.5	6.30	3.10	4.23	2.27	3.50	5.39
20	5.39	4.01	10.6	35.2	31.8	13.5	6.04	3.10	4.01	2.27	3.40	5.26
21	5.52	3.90	10.2	31.0	30.2	15.9	5.91	3.20	3.90	2.18	3.20	4.67
22	5.26	4.45	9.34	34.8	35.2	15.6	5.65	3.20	3.70	2.18	3.10	4.78
23	5.26	4.67	9.16	43.8	32.9	14.0	5.52	3.10	3.40	2.09	3.00	4.78
24	5.78	4.67	9.16	35.9	34.8	13.0	5.39	3.00	3.20	2.09	2.90	4.89
25	7.26	4.45	8.98	30.6	35.2	12.0	5.26	3.00	3.00	2.00	2.81	16.9
26	6.62	4.45	8.80	26.2	28.7	11.3	5.39	3.00	2.90	2.18	2.81	65.9
27	6.30	4.89	9.16	23.1	26.9	10.6	5.39	2.90	2.81	2.00	2.72	78.7
28	6.04	5.78	9.34	22.4	26.5	10.2	5.78	2.90	2.72	2.00	2.90	41.7
29	5.65		15.6	35.6	25.1	9.70	5.52	3.00	2.63	2.00	16.1	26.5
30	5.26		100	40.9	24.1	9.34	5.13	3.00	2.63	1.94	37.5	24.1
31	5.26		109		25.8		4.78	2.90		1.94		60.8
SD1	8.67	5.32	9.98	40.5	46.0	18.3	7.99	3.68	3.06	3.40	6.30	8.73
SD2	5.56	4.63	14.9	53.8	39.8	15.6	7.48	3.24	3.89	2.42	4.49	6.89
SD3	5.84	4.66	27.2	32.4	29.6	12.2	5.43	3.02	3.09	2.05	7.70	30.3
MAX	13.5	6.30	140	85.0	61.3	26.9	13.8	4.23	4.56	7.58	43.0	90.7
DAT	7	28	31	14	4	1	11	1	17	6	30	27
SR	6.66	4.88	17.7	42.2	38.2	15.4	6.92	3.30	3.35	2.61	6.17	15.8
MIN	5.13	3.90	7.58	20.5	24.1	9.34	4.78	2.90	2.63	1.94	1.94	4.67
DAT	14	21	1	6	30	30	31	27	29	30	2	21
GMIN =		1.94		SRGOD=		13.6		GMAX =		140		
DATUM		30 10						DATUM		31 3		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1968

Broj : 45993 Stanica :DUSKI MOST Kota "0" = 760.00
Nacin osmat.: limnigraf Rijeka :KOMARNICA km od usca = 26.90
Pocetak rada: 1957 Sliv :PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	54.2	5.00	18.9	27.2	42.5	15.9	7.74	3.60	4.01	7.58	3.70	13.8
2	45.2	4.89	15.9	28.3	38.2	12.5	7.42	3.60	4.34	7.10	3.60	12.3
3	30.6	5.00	14.0	28.7	34.4	11.5	7.26	3.70	4.34	6.78	3.70	11.5
4	21.8	5.00	12.8	48.7	32.5	11.5	6.94	3.80	3.90	6.78	16.9	10.9
5	16.7	5.00	11.5	50.8	34.0	11.5	6.62	3.50	3.70	6.30	14.8	10.2
6	14.8	5.26	11.1	53.0	38.2	12.0	6.30	3.20	4.78	6.04	10.6	9.52
7	15.3	5.39	11.1	50.3	37.8	11.1	6.17	3.10	5.13	5.39	8.98	8.98
8	16.1	6.17	10.2	50.8	35.9	9.70	5.65	3.02	4.67	5.39	8.08	8.44
9	13.0	9.34	9.93	46.5	31.8	9.34	5.39	2.84	4.67	5.26	9.70	9.34
10	11.8	10.6	9.93	37.8	27.6	14.5	5.39	2.73	4.67	5.13	45.7	9.34
11	10.6	13.0	10.6	30.6	26.2	39.8	5.26	2.62	4.78	5.00	39.4	8.62
12	9.70	12.0	9.93	27.2	28.0	31.8	5.00	3.21	4.89	4.89	24.4	8.08
13	8.62	11.1	8.98	24.4	30.2	23.7	4.89	5.13	5.00	4.78	18.2	7.74
14	8.26	10.4	8.44	24.1	28.0	21.5	4.89	4.56	5.26	4.45	15.6	7.58
15	7.74	11.5	8.26	26.9	25.1	24.4	4.67	5.26	5.13	4.45	14.0	7.26
16	7.26	19.5	8.98	31.0	22.4	26.9	4.56	5.00	4.56	4.34	24.1	7.10
17	6.94	25.8	9.93	32.9	22.4	21.8	4.67	4.34	4.23	4.34	93.7	11.5
18	6.94	19.8	10.2	37.5	19.8	25.5	5.39	4.01	6.17	4.45	229	63.0
19	6.62	15.6	11.5	39.4	18.9	22.4	5.13	6.04	37.5	4.23	109	213
20	6.30	13.5	12.3	35.2	16.9	18.2	4.67	6.30	21.8	4.01	84.2	143
21	6.04	12.0	14.3	35.6	16.4	16.1	4.56	5.13	14.8	3.80	57.5	68.3
22	5.91	11.1	46.5	36.3	18.9	14.3	4.89	4.56	11.8	3.90	43.0	43.0
23	5.78	11.1	73.4	35.9	17.5	12.8	4.56	4.23	11.5	3.90	35.6	35.2
24	5.78	16.9	74.1	36.7	14.8	12.0	4.45	4.01	11.1	3.90	29.9	29.1
25	5.78	32.1	36.3	39.4	14.0	11.5	4.23	4.23	13.0	3.90	25.8	24.1
26	5.52	40.5	32.9	39.4	13.8	10.4	4.12	5.26	13.0	4.12	22.7	20.8
27	5.39	37.8	30.6	38.2	14.0	9.70	4.01	5.13	11.3	4.45	20.5	18.2
28	5.13	27.6	28.7	38.6	12.3	9.16	3.90	4.45	9.93	4.67	18.5	16.1
29	5.13	22.1	29.1	40.9	11.8	8.80	3.70	3.90	9.16	4.45	16.9	14.8
30	5.00		30.6	45.7	12.0	8.26	3.70	3.80	8.08	4.01	15.9	13.3
31	5.00		32.1		17.5		3.70	3.90		3.80		11.8
SD1	24.0	6.16	12.5	42.2	35.3	12.0	6.49	3.31	4.42	6.18	12.6	10.4
SD2	7.90	15.2	9.91	30.9	23.8	25.6	4.91	4.65	9.93	4.49	65.2	47.7
SD3	5.50	23.5	39.0	38.7	14.8	11.3	4.17	4.42	11.4	4.08	28.6	26.8
MAX	61.3	42.5	91.5	53.0	45.2	47.5	7.90	7.42	47.0	7.90	303	250
DAT	1	26	23	6	1	11	1	20	19	1	18	19
SR	12.2	14.7	21.1	37.3	24.3	16.3	5.16	4.13	8.57	4.89	35.5	28.3
MIN	5.00	4.89	8.26	24.1	11.8	8.26	3.70	2.62	3.70	3.80	3.60	7.10
DAT	30	2	15	14	29	30	29	11	5	21	2	16

GMIN =			2.62	SRGOD=				17.6	GMAX =			303
DATUM			11 8						DATUM			18 11

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1969

Broj : 45993 Stanica :DUSKI MOST Kota "0" = 760.00
Nacin osmat.: limnigraf Rijeka :KOMARNICA km od usca = 26.90
Pocetak rada: 1957 Sliv :PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	11.5	7.10	15.3	11.1	46.1	22.1	7.26	4.45	7.10	7.74	3.30	19.2
2	9.52	6.94	13.5	10.9	47.0	19.8	7.26	4.23	6.30	7.42	3.30	18.2
3	9.34	9.93	13.5	11.1	44.8	17.5	6.94	4.01	5.78	7.10	3.30	17.2
4	8.80	25.1	14.0	12.3	46.5	15.6	6.94	3.70	5.39	6.62	3.30	16.7
5	8.26	53.6	13.5	14.0	48.1	15.9	7.10	3.60	5.13	6.46	3.40	41.3
6	8.08	28.0	12.5	14.8	51.4	27.2	7.10	3.50	5.13	6.30	3.40	115
7	7.74	19.8	11.8	15.9	52.5	52.5	6.78	3.50	6.62	6.17	3.50	59.7
8	7.42	15.9	10.9	16.1	47.5	37.8	6.30	3.50	7.26	6.04	3.80	42.1
9	7.26	15.3	9.93	15.9	48.1	32.5	6.17	3.60	10.2	5.91	6.30	29.1
10	7.10	13.3	9.70	14.5	43.0	24.8	8.26	3.50	8.08	5.78	10.6	23.1
11	6.62	11.5	9.70	14.0	45.7	21.5	9.16	3.50	7.42	5.65	7.10	19.5
12	6.17	10.4	9.93	14.8	46.1	19.2	10.6	3.50	7.58	5.52	5.39	16.7
13	6.17	11.5	9.70	16.7	45.2	17.5	9.70	3.50	7.26	5.26	4.89	14.8
14	6.46	16.7	11.5	49.2	45.2	15.6	8.26	3.40	6.78	5.00	4.56	13.5
15	16.7	21.1	20.5	52.0	46.5	15.6	7.42	3.30	9.93	5.00	4.34	12.3
16	24.1	21.5	33.3	33.7	46.5	14.5	6.94	3.40	27.6	4.89	4.34	11.5
17	25.1	16.1	34.4	27.2	44.8	13.3	6.46	3.50	20.8	4.89	4.23	10.4
18	18.5	12.3	32.5	23.1	42.1	12.5	6.17	4.01	27.6	4.78	4.67	9.52
19	15.3	9.93	28.7	20.5	46.1	11.5	5.91	3.62	18.9	4.56	7.42	9.52
20	12.5	8.80	27.6	18.5	45.7	12.0	5.78	3.01	23.1	4.34	5.65	9.16
21	10.6	13.0	23.7	17.9	43.0	12.0	5.78	2.75	39.8	4.23	5.13	8.44
22	9.52	25.8	20.2	26.5	37.8	11.1	5.52	2.48	25.5	4.12	5.00	8.08
23	8.98	22.1	17.2	82.1	31.4	10.4	5.39	2.85	18.9	4.12	6.62	7.90
24	8.62	17.9	15.6	85.7	29.1	9.93	5.26	3.20	15.3	4.01	18.5	7.58
25	8.08	28.7	14.5	52.5	27.2	9.70	5.00	3.70	13.0	3.90	34.0	6.30
26	7.58	25.5	15.6	46.1	26.2	9.52	4.89	18.9	11.8	3.90	116	7.10
27	7.26	20.5	16.4	50.3	25.1	9.16	4.78	11.1	10.6	3.60	85.0	6.94
28	7.10	16.9	15.3	43.8	23.4	8.62	4.67	16.1	9.70	3.50	46.5	6.78
29	6.94		14.0	48.7	24.1	8.44	4.56	14.5	8.98	3.50	31.8	6.78
30	7.90		12.8	50.3	24.8	8.08	4.78	10.2	8.08	3.40	26.5	6.62
31	7.58		11.8		24.4		4.56	8.44		3.40		8.26
SD1	8.50	19.5	12.5	13.7	47.5	26.6	7.01	3.76	6.70	6.55	4.42	38.2
SD2	13.8	14.0	21.8	27.0	45.4	15.3	7.64	3.47	15.7	4.99	5.26	12.7
SD3	8.20	21.3	16.1	50.4	28.8	9.70	5.02	8.57	16.2	3.79	37.5	7.34
MAX	31.0	81.4	36.7	133	55.8	52.5	13.0	26.5	48.1	7.74	133	137
DAT	17	5	17	24	7	7	12	26	21	1	26	6
SR	10.1	18.0	16.8	30.3	40.2	17.2	6.51	5.37	12.9	5.07	15.7	19.0
MIN	6.17	6.94	9.70	10.9	23.4	8.08	4.56	2.48	5.13	3.40	3.30	6.30
DAT	12	2	10	2	28	30	29	22	5	30	1	25

GMIN = 2.48			SRGOD= 16.4				GMAX = 137					
DATUM 22 8							DATUM 6 12					

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1970

Broj : 45993 Stanica : DUSKI MOST Kota "0" = 760.00
 Nacin osmat.: limnigraf Rijeka : KOMARNICA km od usca = 26.90
 Pocetak rada: 1957 Sliv : PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	42.5	9.93	8.98	47.0	50.8	40.2	15.0	4.67	2.90	1.64	6.04	8.62
2	47.0	9.34	7.90	70.2	42.5	37.8	14.5	4.56	2.90	2.72	5.39	11.5
3	27.6	8.80	7.58	58.5	36.3	34.0	13.5	4.56	2.63	2.27	4.78	10.4
4	19.8	8.98	7.26	43.4	31.0	31.0	13.0	4.12	2.54	3.10	4.67	8.62
5	19.2	12.5	8.44	33.3	28.7	25.8	12.0	4.23	2.63	2.63	4.34	7.58
6	70.8	49.2	11.5	31.0	25.8	29.5	9.93	4.23	2.63	2.27	4.01	6.94
7	69.5	34.8	10.2	25.1	24.4	28.7	9.70	3.90	2.36	2.18	3.90	6.46
8	118	26.2	8.80	50.3	29.5	35.6	10.2	4.78	2.27	1.94	3.90	5.91
9	62.4	21.1	10.2	196	39.4	41.7	9.34	3.70	2.27	1.94	3.70	5.65
10	41.7	18.2	7.74	130	45.2	37.5	8.98	3.60	2.09	1.88	15.3	5.26
11	32.5	26.2	7.74	78.7	55.8	41.3	8.80	3.70	2.09	1.76	15.9	5.00
12	28.7	29.5	9.70	55.8	64.1	34.8	8.44	3.50	2.00	1.70	9.70	5.00
13	78.7	21.1	10.4	105	50.3	33.7	7.90	3.50	2.00	1.76	7.74	4.67
14	59.1	26.2	9.70	39.0	42.5	31.0	7.26	3.40	1.94	1.76	6.62	4.67
15	51.4	47.0	25.5	62.4	45.7	31.0	6.94	3.40	1.94	1.76	40.2	5.00
16	60.2	34.4	27.2	48.1	49.8	28.0	6.62	3.10	1.88	1.70	91.5	4.89
17	129	32.5	19.8	43.0	52.0	29.5	14.5	3.10	1.88	1.64	41.7	4.67
18	66.5	20.5	16.1	38.2	47.0	29.5	14.8	2.90	1.88	1.70	25.1	4.56
19	47.5	18.5	13.8	31.8	40.9	31.0	10.4	2.90	1.88	1.64	19.2	4.45
20	38.2	15.9	12.8	39.4	37.5	27.2	9.34	2.81	1.82	1.58	28.7	4.34
21	31.8	14.5	11.3	51.4	42.5	26.5	8.62	2.72	1.82	1.76	30.6	3.90
22	26.5	13.5	10.6	56.9	41.7	27.2	7.90	2.81	1.82	16.4	91.5	4.01
23	22.4	12.5	9.93	46.1	69.5	23.7	7.26	2.72	1.82	34.8	48.1	4.01
24	19.5	12.3	10.2	51.4	47.0	21.8	6.94	2.63	1.82	16.1	31.0	3.90
25	17.5	11.3	15.0	54.2	37.1	19.2	6.62	3.20	1.76	10.4	22.4	3.80
26	15.3	10.6	20.5	53.6	32.5	17.9	6.30	3.10	1.76	8.08	17.5	4.12
27	13.5	10.2	29.9	63.5	34.0	18.2	5.39	2.81	1.76	7.74	14.5	3.20
28	12.5	9.52	137	62.4	35.6	16.7	5.26	2.72	1.76	7.42	12.3	9.34
29	12.3		114	124	37.1	15.0	5.13	2.63	1.64	7.10	10.4	23.4
30	11.1		60.2	73.4	36.3	14.0	4.89	2.54	1.64	6.46	9.16	150
31	10.6		40.2		39.4		4.78	2.63		6.17		129
SD1	51.8	19.9	8.86	68.5	35.4	34.2	11.6	4.23	2.52	2.26	5.60	7.69
SD2	59.2	27.2	15.3	54.1	48.6	31.7	9.50	3.23	1.93	1.70	28.6	4.73
SD3	17.5	11.8	41.7	63.7	41.2	20.0	6.28	2.77	1.76	11.1	28.7	30.8
MAX	154	55.3	173	204	69.5	45.2	17.2	4.78	2.90	36.7	95.9	150
DAT	17	6	28	9	23	9	1	1	1	23	16	30
SR	42.0	20.2	22.6	62.1	41.7	28.6	9.04	3.39	2.07	5.23	21.0	14.9
MIN	10.6	8.80	7.26	25.1	24.4	14.0	4.78	2.54	1.64	1.58	3.70	3.20
DAT	31	3	4	7	7	30	31	30	29	20	9	27
		GMIN =	1.58			SRGOD=	22.7			GMAX =	204	
		DATUM	20 10							DATUM	9 4	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1971

Broj : 45993 Stanica : DUSKI MOST Kota "0" = 760.00
 Nacin osmat.: limnigraf Rijeka : KOMARNICA km od usca = 26.90
 Pocetak rada: 1957 Sliv : PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	33.3	27.2	4.56	10.6	48.1	21.8	4.12	2.36	1.36	3.90	2.63	77.4
2	36.7	21.1	4.67	18.5	58.5	20.2	4.01	2.27	1.36	3.50	2.36	74.7
3	32.5	16.4	4.78	30.2	68.3	19.2	3.90	2.45	1.36	3.00	2.27	69.5
4	29.5	15.0	4.67	25.5	61.3	17.9	3.80	2.45	1.46	2.72	2.00	67.7
5	26.5	13.5	4.56	27.2	56.9	16.4	3.80	2.27	1.36	2.45	2.54	64.1
6	28.3	12.3	4.56	53.0	46.1	15.0	3.70	2.18	1.32	2.36	3.00	61.8
7	27.2	11.5	4.45	36.3	40.9	14.5	3.70	2.09	1.32	2.18	3.40	59.7
8	26.5	9.93	4.34	30.2	38.6	14.0	3.50	2.00	1.32	2.00	3.70	57.5
9	25.8	9.34	4.34	30.6	37.8	13.0	3.50	1.94	1.36	1.94	3.90	50.3
10	24.4	8.80	4.34	30.2	38.6	12.8	3.40	1.94	1.36	1.88	4.56	47.0
11	23.1	8.44	4.12	38.6	37.1	12.5	3.30	1.94	1.40	1.76	5.13	46.1
12	18.5	8.26	4.12	42.5	38.6	11.5	3.30	1.88	2.63	1.76	5.91	45.2
13	17.5	7.42	3.80	37.1	37.8	9.93	3.30	1.88	1.82	1.76	6.30	43.0
14	17.2	7.10	3.90	31.8	34.8	9.34	3.20	1.82	1.76	1.70	7.10	41.7
15	16.7	6.62	4.12	25.8	33.7	8.98	3.10	1.76	3.70	1.76	8.80	40.9
16	15.3	6.62	6.30	22.4	32.5	8.62	3.10	1.76	4.78	20.5	11.1	39.0
17	14.5	7.10	8.98	23.1	34.0	7.90	3.00	1.76	4.56	16.7	13.3	39.7
18	14.0	6.46	8.80	28.7	34.0	7.26	2.90	1.76	3.50	10.4	14.5	34.8
19	13.0	6.30	8.62	25.5	30.2	7.10	2.90	1.76	2.90	7.74	31.8	33.3
20	12.0	6.30	13.5	30.2	28.7	6.30	2.90	1.70	3.20	6.30	52.5	31.4
21	11.8	6.17	20.5	32.9	28.0	6.17	2.72	1.64	3.00	5.39	82.8	29.1
22	13.5	6.04	30.2	35.6	28.3	5.78	2.72	1.64	3.00	4.78	105	25.8
23	14.5	6.04	55.8	37.8	24.4	5.78	2.72	1.46	2.36	4.34	97.4	20.5
24	13.5	5.91	33.7	39.4	24.4	5.52	2.63	1.52	2.09	3.90	31.0	18.5
25	16.9	5.52	24.1	81.4	20.8	5.26	2.63	1.52	2.00	3.80	27.2	16.1
26	20.5	5.52	19.5	59.1	19.2	5.26	2.54	1.46	1.88	3.40	25.8	14.0
27	23.1	5.26	17.9	42.5	19.2	4.78	2.45	1.40	1.82	3.10	38.6	10.4
28	26.5	4.78	15.6	39.4	19.2	4.67	2.36	1.46	1.64	2.90	63.5	9.34
29	27.2		14.5	41.7	18.2	4.34	2.45	1.40	2.72	2.81	90.0	7.90
30	29.5		14.0	40.9	19.8	4.34	2.72	1.40	3.90	2.72	80.1	5.78
31	31.4		11.3		20.5		2.45	1.40		2.63		5.00
SD1	29.1	14.5	4.53	29.2	49.5	16.5	3.74	2.20	1.36	2.59	3.04	63.0
SD2	16.2	7.06	6.63	30.6	34.1	8.94	3.10	1.80	3.03	7.04	15.6	44.9
SD3	20.8	5.65	23.4	45.1	22.0	5.19	2.58	1.48	2.44	3.62	64.1	14.8
MAX	36.7	27.2	55.8	81.4	68.3	21.8	4.12	2.45	4.78	20.5	153	93.7
DAT	2	1	23	25	3	1	1	3	16	16	22	17
SR	22.0	9.32	11.9	35.0	34.8	10.2	3.12	1.82	2.27	4.39	27.6	40.0
MIN	11.8	4.78	3.80	10.6	18.2	4.34	2.36	1.40	1.32	1.70	2.00	5.00
DAT	21	28	13	1	29	29	28	27	6	14	4	31
GMIN =		1.32		SRGOD=		16.9		GMAX =		153		
DATUM		6 9						DATUM		22 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1972

Broj : 45993 Stanica : DUSKI MOST Kota "0" = 760.00
 Nacin osmat.: limnigraf Rijeka : KOMARNICA km od usca = 26.90
 Pocetak rada: 1957 Sliv : PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	6.04	6.62	17.9	21.1	27.2	11.8	3.20	3.50	3.70	23.7	13.0	6.04
2	6.94	6.46	17.5	21.5	24.1	11.1	3.00	3.40	3.80	25.8	10.9	5.65
3	7.74	5.78	16.7	21.8	28.3	10.6	2.90	3.30	3.80	28.3	9.16	5.13
4	8.08	5.65	15.6	21.5	30.6	9.93	2.72	3.30	3.90	30.6	8.26	5.00
5	8.44	5.00	14.0	20.8	29.5	9.52	2.63	3.50	3.90	32.9	7.10	4.78
6	9.34	5.13	11.5	21.8	20.8	8.44	2.63	3.70	3.80	34.8	6.62	4.78
7	10.4	4.12	11.5	22.4	27.2	7.90	2.72	3.80	3.70	29.5	6.04	4.56
8	9.70	4.23	12.0	22.4	26.5	7.74	2.63	3.90	3.90	21.5	6.04	4.56
9	9.52	4.34	17.9	23.7	25.1	7.58	2.63	4.23	4.01	16.9	5.78	4.56
10	9.34	5.00	20.2	25.1	24.4	7.42	2.54	4.56	4.23	14.5	5.91	4.34
11	8.98	11.5	19.2	25.8	24.1	7.90	2.54	4.78	4.45	13.0	5.52	4.12
12	8.44	12.8	18.5	27.2	22.7	6.78	2.45	4.67	4.67	11.3	6.30	3.90
13	7.58	15.6	17.9	29.9	22.1	6.30	2.36	4.56	4.89	9.93	35.6	4.01
14	7.90	11.5	15.0	32.1	20.8	6.04	2.36	4.34	5.78	9.52	21.8	3.90
15	7.10	8.98	13.5	34.0	19.8	5.78	2.63	4.23	6.30	9.16	14.5	3.70
16	6.62	7.90	13.3	36.3	20.2	5.65	2.81	4.12	7.26	8.80	15.6	3.50
17	6.94	8.26	13.5	38.2	20.5	5.39	2.90	4.12	7.90	8.44	36.3	3.40
18	6.62	24.4	12.8	39.0	19.8	5.00	3.00	4.12	8.44	8.26	25.8	3.30
19	6.17	24.8	12.5	37.8	19.5	4.67	3.40	4.23	9.34	8.26	17.9	3.20
20	5.91	24.1	12.5	35.9	20.2	4.45	3.60	4.45	9.52	7.74	55.8	3.10
21	5.78	24.8	13.0	34.0	19.5	4.23	3.90	4.34	10.6	7.58	76.0	2.90
22	5.65	19.8	13.5	36.7	19.2	4.01	4.34	4.23	12.3	21.8	61.3	2.90
23	5.65	16.1	14.0	35.6	17.9	3.80	4.23	4.12	14.0	13.5	44.3	2.72
24	5.39	15.6	14.8	42.1	16.9	3.70	4.56	4.01	14.0	10.4	78.0	2.63
25	5.26	16.7	14.5	44.3	16.4	3.60	2.90	3.90	23.7	9.16	41.7	2.54
26	5.13	14.8	15.0	56.9	16.1	3.50	3.70	3.90	29.5	8.26	38.6	2.45
27	5.00	16.7	15.6	48.1	15.9	3.40	3.70	4.12	32.5	8.08	35.6	2.45
28	5.26	17.5	16.9	45.7	15.9	3.30	3.70	4.01	35.2	12.0	29.5	2.36
29	5.78	17.9	17.9	42.1	14.8	3.50	2.90	3.90	27.2	11.1	28.7	2.27
30	6.78		19.8	36.3	14.0	3.30	3.80	3.80	21.8	10.6	27.2	2.18
31	7.42		20.8		12.8		3.70	3.70		11.8		2.09
SD1	8.55	5.23	15.5	22.2	26.4	9.20	2.76	3.72	3.87	25.9	7.88	4.94
SD2	7.23	15.0	14.9	33.6	21.0	5.80	2.80	4.36	6.86	9.44	23.5	3.61
SD3	5.74	17.8	16.0	42.2	16.3	3.63	3.77	4.00	22.1	11.3	46.1	2.50
MAX	10.4	24.8	20.8	56.9	30.6	11.8	4.56	4.78	35.2	34.8	147	6.04
DAT	7	19	31	26	4	1	24	11	28	6	24	1
SR	7.13	12.5	15.5	32.7	21.1	6.21	3.13	4.03	10.9	15.4	25.8	3.65
MIN	5.00	4.12	11.5	20.8	12.8	3.30	2.36	3.30	3.70	7.58	5.52	2.09
DAT	27	7	6	5	31	28	13	3	1	21	11	31
GMIN =		2.09		SRGOD=		13.1		GMAX =		147		
DATUM		31 12						DATUM		24 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1973

Broj : 45993 Stanica :DUSKI MOST Kota "0" = 760.00
Nacin osmat.: limnigraf Rijeka :KOMARNICA km od usca = 26.90
Pocetak rada: 1957 Sliv :PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	26.2	5.65	7.66	4.61	8.90	11.1	3.06	2.32	1.84	17.4	10.2	6.44
2	23.2	5.65	7.25	4.73	9.98	10.6	3.06	2.32	1.84	15.5	7.25	6.85
3	20.5	5.49	7.05	5.18	14.6	10.4	2.98	2.32	1.80	35.7	6.28	15.1
4	18.0	5.81	6.85	7.05	30.3	10.2	2.98	2.26	1.80	33.4	6.85	16.3
5	16.5	5.33	7.66	10.2	65.0	9.98	2.90	2.26	1.80	19.2	7.66	31.2
6	12.8	5.18	8.48	10.4	27.0	9.76	2.90	2.26	1.84	14.1	12.8	44.3
7	12.1	4.86	8.90	10.4	16.3	9.76	2.83	2.21	1.88	8.48	18.0	40.3
8	11.1	4.73	8.48	10.2	14.6	9.55	2.77	2.21	2.30	7.66	41.4	29.8
9	8.27	4.61	9.12	10.4	12.5	9.33	2.83	2.21	2.00	40.3	23.2	27.8
10	7.46	4.49	8.48	10.6	11.1	9.33	2.77	2.21	1.92	49.2	15.9	23.2
11	7.05	4.36	8.07	10.9	9.98	9.12	2.77	2.17	1.96	41.4	14.9	20.1
12	6.64	4.36	7.46	10.6	8.27	8.90	2.71	2.17	2.20	16.3	15.7	18.0
13	6.44	4.49	7.05	9.33	7.66	8.90	2.71	2.17	8.83	18.5	18.0	17.4
14	6.28	5.97	6.85	8.90	6.12	8.48	2.66	2.17	25.3	16.8	15.9	14.1
15	6.12	8.07	6.64	12.1	5.81	8.27	2.66	2.12	23.9	12.5	15.1	10.2
16	5.97	8.27	6.28	9.33	5.18	8.27	2.60	2.12	18.6	9.33	14.1	8.90
17	6.64	9.76	6.12	11.1	15.7	8.07	2.60	2.12	14.4	7.46	13.0	7.25
18	9.55	9.76	5.97	14.1	14.1	7.66	2.60	2.12	13.4	5.18	11.8	6.28
19	15.5	8.90	5.81	20.5	12.8	7.66	2.54	2.12	10.7	4.36	10.6	5.81
20	19.2	8.48	5.65	15.1	12.1	7.66	2.54	2.17	10.2	4.11	10.2	5.65
21	26.6	8.07	5.49	12.8	10.6	7.25	2.54	2.17	7.50	57.3	9.55	5.49
22	23.2	8.07	5.33	12.1	9.76	7.25	2.54	2.17	6.06	45.2	8.69	9.33
23	18.2	8.07	5.18	11.5	9.12	6.85	2.49	2.12	4.72	35.3	7.86	8.48
24	16.3	7.66	5.02	8.90	8.48	6.44	2.49	2.12	4.19	28.6	9.76	7.25
25	9.12	7.86	4.86	7.66	8.07	6.12	2.49	2.12	3.86	19.4	6.85	6.85
26	8.48	7.25	4.73	7.25	7.25	5.97	2.49	2.08	3.64	22.5	11.5	5.81
27	7.66	7.05	4.61	6.85	6.28	5.81	2.43	2.08	25.6	20.8	10.4	5.18
28	6.44	7.25	4.49	6.85	5.81	5.65	2.43	2.17	13.9	18.9	8.90	4.11
29	6.44		4.49	6.44	5.18	5.49	2.37	2.21	15.9	15.5	7.46	3.62
30	5.97		4.36	6.12	4.73	5.18	2.37	2.17	13.7	12.8	6.85	3.46
31	5.81		4.36		4.36		2.32	2.08		14.9		3.30
SD1	15.6	5.18	7.99	8.38	21.0	10.0	2.91	2.26	1.90	24.1	14.9	24.1
SD2	8.94	7.24	6.59	12.2	9.77	8.30	2.64	2.15	12.9	13.6	13.9	11.4
SD3	12.2	7.66	4.81	8.65	7.24	6.20	2.45	2.14	9.91	26.5	8.79	5.72
MAX	23.2	5.14	2.64	6.24	126	7.88	2.71	2.05	25.6	50.7	36.6	39.2
DAT	1	17	1	30	5	1	1	1	27	21	8	6
SR	12.2	6.63	6.41	9.74	12.5	8.17	2.66	2.18	8.25	21.6	12.6	13.5
MIN	5.81	4.36	4.36	4.61	4.36	5.18	2.32	2.08	1.80	4.11	6.28	3.30
DAT	31	11	30	1	31	30	31	26	3	20	3	31
GMIN =		1.80		SRGOD=		9.72		GMAX =		126		
DATUM		3 9						DATUM		5 5		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1974

Broj : 45993 Stanica : DUSKI MOST Kota "0" = 760.00
 Nacin osmat.: limnigraf Rijeka : KOMARNICA km od usca = 26.90
 Pocetak rada: 1957 Sliv : PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	17.9	3.90	6.94	19.2	42.5	21.8	6.94	2.45	1.88	25.1	28.0	35.9
2	21.1	3.80	6.78	17.9	42.5	20.5	5.91	2.45	1.70	18.5	23.7	33.3
3	17.5	3.80	6.62	16.9	33.7	17.2	5.39	2.36	1.70	45.2	22.1	29.9
4	15.3	10.2	6.17	16.9	32.1	17.5	5.00	2.36	1.64	29.5	20.5	24.4
5	13.5	10.6	7.42	16.4	50.8	17.2	4.67	2.27	1.70	27.2	23.7	20.8
6	12.0	8.26	12.5	15.3	40.5	16.4	4.45	2.27	1.58	19.2	25.8	18.2
7	10.9	28.3	12.0	13.3	34.0	15.0	4.34	2.27	1.58	23.1	24.4	15.0
8	9.70	18.9	10.6	11.8	31.0	12.8	4.23	2.36	1.64	76.0	23.7	12.3
9	8.80	12.5	9.93	11.1	30.2	11.3	3.90	2.27	1.52	69.5	17.9	11.8
10	8.08	10.2	9.16	12.0	26.2	11.3	3.80	2.36	1.52	45.2	22.7	12.5
11	7.42	8.44	8.44	11.1	24.4	13.5	3.60	2.36	1.46	31.0	20.8	12.0
12	6.94	7.58	7.90	15.0	26.2	11.1	3.40	2.45	1.46	20.5	18.5	12.5
13	6.46	7.26	7.58	16.4	27.6	9.34	3.30	2.27	1.46	38.6	17.2	11.1
14	6.04	10.4	7.26	16.4	26.9	8.26	3.30	2.36	1.40	125	16.1	11.3
15	5.78	10.6	6.78	13.8	28.7	8.08	3.00	2.36	1.46	69.5	14.8	12.0
16	5.26	9.52	6.17	11.8	26.5	8.80	2.81	2.27	1.40	180	13.5	12.5
17	5.13	8.98	5.91	10.2	22.1	9.16	2.81	2.18	1.36	64.7	12.0	11.1
18	4.89	8.44	5.78	9.52	21.5	10.4	2.81	2.18	1.40	41.7	11.3	9.70
19	4.56	10.2	7.42	9.16	19.5	8.80	2.90	2.18	1.46	31.8	31.4	8.98
20	4.56	9.16	9.93	10.4	25.1	8.08	2.81	2.09	1.46	24.8	43.8	8.80
21	4.56	8.62	10.4	11.8	25.1	7.58	2.81	2.00	1.58	30.2	42.1	8.62
22	4.34	8.44	12.0	12.5	25.1	8.44	2.90	1.88	7.26	49.2	40.9	7.90
23	4.34	8.44	14.8	13.0	29.1	7.90	3.00	2.09	10.4	96.7	41.7	7.58
24	4.45	8.26	16.7	14.0	25.8	6.78	3.10	2.18	8.08	344	27.2	7.42
25	4.34	7.90	17.9	14.5	29.5	6.17	3.10	2.27	29.1	145	22.1	7.26
26	4.45	8.26	19.8	15.3	33.7	5.78	3.10	2.09	34.8	97.4	55.3	6.94
27	4.34	7.74	20.5	17.2	26.9	5.65	3.10	1.88	29.5	40.5	64.1	6.78
28	4.45	7.42	21.1	26.2	23.1	5.52	3.00	1.82	14.5	38.6	55.3	6.78
29	4.12		19.5	31.4	26.5	5.13	2.81	1.94	9.93	52.5	58.0	6.46
30	3.90		18.9	34.4	25.1	6.17	2.72	1.94	10.2	36.7	38.6	6.30
31	3.90		16.7		23.1		2.63	1.82		31.0		6.30
SD1	13.5	11.0	8.81	15.1	36.3	16.1	4.86	2.34	1.65	37.8	23.2	21.4
SD2	5.70	9.06	7.32	12.4	24.9	9.55	3.07	2.27	1.43	62.8	19.9	11.0
SD3	4.29	8.14	17.1	19.0	26.6	6.51	2.93	1.99	15.5	87.4	44.5	7.12
MAX	22.1	47.5	22.4	35.2	54.7	24.1	7.58	2.54	48.1	426	64.1	35.9
DAT	2	7	28	30	5	1	1	1	26	24	27	1
SR	7.71	9.50	11.3	15.5	29.2	10.7	3.60	2.19	6.20	63.5	29.2	13.0
MIN	3.90	3.80	5.78	9.16	19.5	5.13	2.63	1.82	1.36	18.5	11.3	6.30
DAT	30	2	18	19	19	29	31	28	17	2	18	30

GMIN = 1.36			SRGOD= 16.9					GMAX = 426				
DATUM 17 9								DATUM 24 10				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1975

Broj : 45993 Stanica :DUSKI MOST Kota "0" = 760.00
Nacin osmat.: limnigraf Rijeka :KOMARNICA km od usca = 26.90
Pocetak rada: 1957 Sliv :PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	7.12	4.41	3.28	85.9	16.7	8.57	6.09	2.87	3.73	1.88	7.84	12.5
2	6.97	4.41	3.28	114	19.4	8.20	8.20	2.87	3.28	1.88	7.12	12.3
3	6.83	4.29	3.50	85.9	16.7	8.02	8.20	2.77	3.18	1.82	6.83	12.3
4	6.53	4.18	3.62	58.1	17.3	7.48	6.83	2.77	3.28	1.82	6.53	11.2
5	6.38	4.18	3.95	43.6	18.2	7.12	6.09	2.67	3.28	1.88	6.24	10.6
6	6.24	4.18	5.15	39.3	18.5	6.97	5.65	2.67	3.18	1.82	5.94	9.94
7	6.24	4.18	5.53	41.5	22.8	6.68	5.28	2.67	3.07	1.82	5.94	9.54
8	7.12	4.07	5.15	42.4	24.3	6.68	5.03	2.67	2.97	1.76	5.94	8.93
9	6.68	3.95	6.83	37.2	28.8	8.20	4.78	2.57	2.87	1.76	5.94	8.57
10	6.38	3.95	6.97	35.9	24.3	8.38	4.53	2.57	2.77	1.82	5.94	8.02
11	6.09	3.95	7.12	59.3	20.2	7.48	4.41	2.57	2.67	2.18	6.83	7.84
12	5.65	3.95	8.57	41.0	18.9	6.83	4.41	2.67	2.67	4.78	6.83	6.83
13	5.40	3.95	24.6	31.6	18.5	6.38	4.18	2.77	2.87	44.3	6.83	7.30
14	5.15	4.07	23.8	26.1	20.2	6.24	4.07	2.67	2.87	45.2	6.68	7.48
15	5.03	4.18	30.7	24.6	20.9	5.80	3.84	2.67	2.87	29.5	6.53	6.83
16	4.78	4.18	23.2	26.1	19.4	5.65	3.73	2.57	2.67	16.9	6.53	6.53
17	4.53	3.95	18.2	22.8	19.1	5.80	3.73	2.57	2.57	29.1	12.0	14.5
18	4.90	3.84	14.7	21.4	18.5	5.40	3.62	2.46	2.36	55.8	91.3	41.5
19	4.78	3.84	12.8	18.9	18.0	5.28	3.50	2.87	2.36	45.7	180	26.8
20	4.66	3.73	13.3	18.9	16.2	5.15	3.39	2.77	2.26	31.8	74.5	19.4
21	4.66	3.73	14.7	19.1	15.0	5.03	3.39	2.67	2.26	26.2	47.1	15.3
22	4.66	3.62	14.7	20.2	13.9	4.90	3.28	2.57	2.26	23.7	35.0	13.6
23	4.66	3.62	13.0	23.8	13.3	4.78	3.28	2.46	2.26	18.9	28.4	12.0
24	4.66	3.62	11.5	25.3	13.0	5.03	3.28	2.36	2.19	16.1	23.8	11.0
25	4.66	3.50	10.4	21.7	11.8	6.53	3.18	2.97	2.19	13.0	20.6	10.6
26	4.53	3.39	9.33	20.6	11.2	5.80	3.18	3.62	2.36	11.8	17.6	9.74
27	4.53	3.39	8.75	15.8	10.6	5.53	3.07	3.73	2.26	10.2	15.8	9.33
28	4.90	3.28	12.3	13.9	9.94	5.15	2.97	4.41	2.26	9.16	14.7	8.93
29	4.90		41.0	12.8	9.74	4.78	2.97	4.29	2.19	8.44	13.6	8.20
30	4.66		45.8	14.1	9.54	4.66	2.97	4.07	2.12	7.90	13.0	7.84
31	4.53		42.7		8.93		2.87	4.07		7.26		7.48
SD1	6.65	4.18	4.73	58.4	20.7	7.63	6.07	2.71	3.16	1.83	6.43	10.4
SD2	5.10	3.97	17.7	29.1	19.0	6.00	3.89	2.66	2.62	30.5	39.8	14.5
SD3	4.67	3.52	20.4	18.7	11.5	5.22	3.13	3.38	2.24	13.9	23.0	10.3
MAX	6.30	4.12	50.3	105	27.2	7.90	7.74	4.45	3.30	65.9	243	36.7
DAT	1	1	30	2	9	1	2	28	1	18	19	18
SR	5.45	3.91	14.5	35.4	16.9	6.28	4.32	2.93	2.67	15.4	23.1	11.7
MIN	4.53	3.28	3.28	12.8	8.93	4.66	2.87	2.36	2.12	1.76	5.94	6.53
DAT	17	28	1	29	31	30	31	24	30	8	6	16
GMIN =		1.76		SRGOD=		11.9		GMAX =		243		
DATUM		8 10						DATUM		19 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1976

Broj : 45993 Stanica : DUSKI MOST Kota "0" = 760.00
 Nacin osmat.: limnigraf Rijeka : KOMARNICA km od usca = 26.90
 Pocetak rada: 1957 Sliv : PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	7.12	5.15	7.12	13.3	47.1	14.5	7.30	3.84	3.73	2.90	48.0	10.4
2	6.97	5.15	7.48	15.3	47.1	13.6	7.30	3.62	9.94	2.81	29.9	69.3
3	6.83	5.15	8.02	18.2	82.9	21.7	6.83	3.50	11.0	2.72	26.8	84.4
4	6.24	5.15	8.02	21.7	77.2	18.9	6.68	3.50	20.2	2.72	24.6	53.1
5	5.94	5.15	7.48	26.1	61.8	15.8	6.38	3.50	32.9	2.81	45.0	54.4
6	5.94	5.15	6.83	28.4	58.8	23.2	6.24	3.39	19.8	3.40	37.2	38.9
7	5.65	5.15	6.83	30.7	58.8	38.4	6.09	3.39	13.0	3.30	39.3	30.4
8	5.40	4.78	6.38	29.9	59.3	29.9	6.38	3.50	10.1	3.00	53.1	82.9
9	5.40	4.41	6.09	27.6	48.6	26.4	5.94	3.50	8.57	2.90	35.9	64.3
10	5.40	4.41	5.65	21.7	48.6	22.4	5.65	3.50	7.66	2.72	29.2	45.0
11	5.15	4.41	5.40	18.0	44.5	19.4	5.53	3.39	6.83	2.63	24.3	53.1
12	5.15	4.41	5.40	15.8	40.2	17.3	5.28	4.29	6.38	2.33	20.6	42.4
13	4.66	4.41	5.28	15.0	38.1	15.8	5.15	4.78	5.80	2.63	29.6	32.4
14	4.66	4.41	5.28	15.8	35.9	14.5	4.90	5.53	5.53	3.10	53.7	26.1
15	4.41	4.78	5.15	17.0	33.3	13.3	4.78	6.53	5.28	3.30	35.9	22.4
16	4.41	5.94	5.15	19.1	30.7	12.3	4.66	11.0	5.28	4.01	28.0	19.8
17	4.18	5.94	5.65	22.0	29.6	13.0	4.41	8.93	5.03	47.0	23.5	28.4
18	4.41	6.68	6.24	26.4	27.2	18.0	4.29	7.48	4.66	39.4	20.6	80.7
19	4.18	6.68	7.12	31.6	26.1	13.6	4.18	6.24	4.53	20.8	19.4	52.1
20	4.18	6.68	7.48	38.1	23.8	12.0	4.18	6.09	4.29	14.8	18.2	42.7
21	4.18	6.68	7.48	40.2	23.5	11.2	4.18	5.94	4.18	12.0	16.7	32.4
22	4.18	6.68	6.83	38.4	21.7	11.0	4.18	4.41	3.95	10.2	17.0	34.6
23	3.95	6.68	6.83	36.7	19.8	10.1	4.18	5.53	3.95	9.16	16.7	23.2
24	6.38	6.38	25.3	54.4	19.4	9.74	5.15	5.53	3.73	8.08	15.3	20.2
25	6.83	5.94	37.2	78.5	19.8	9.13	4.78	5.40	3.73	7.74	14.1	18.2
26	6.83	5.65	21.7	63.1	18.9	8.75	4.41	4.90	3.62	7.10	12.8	16.4
27	6.09	6.24	17.0	46.2	17.3	8.57	4.29	4.53	3.50	6.46	11.8	15.3
28	5.40	6.68	15.6	35.9	20.2	8.38	4.18	4.18	3.50	6.17	11.2	14.1
29	5.40	6.83	14.1	59.3	20.9	8.02	4.53	3.95	3.39	5.91	10.6	15.3
30	4.78		12.5	69.3	16.7	7.66	4.41	3.84	3.28	8.26	10.1	20.6
31	4.78		12.5		15.3		4.18	3.73		79.4		14.7
SD1	6.09	4.97	6.99	23.3	59.0	22.5	6.48	3.53	13.7	2.93	36.9	53.3
SD2	4.54	5.43	5.81	21.9	33.0	14.9	4.74	6.42	5.36	14.0	27.4	40.0
SD3	5.35	6.42	16.1	52.2	19.4	9.26	4.41	4.72	3.68	14.6	13.6	20.4
MAX	6.30	6.04	32.9	80.1	81.4	37.1	7.10	9.70	32.5	92.2	59.7	143
DAT	1	29	25	25	3	7	2	16	5	31	14	3
SR	5.33	5.58	9.84	32.5	36.6	15.5	5.18	4.88	7.58	10.6	26.0	37.4
MIN	3.95	4.41	5.15	13.3	15.3	7.66	4.18	3.39	3.28	2.33	10.1	10.4
DAT	23	9	15	1	31	30	19	6	30	12	30	1

GMIN = 2.33			SRGOD= 16.4				GMAX = 143					
DATUM 12 10							DATUM 3 12					

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1977

Broj : 45993 Stanica :DUSKI MOST Kota "0" = 760.00
Nacin osmat.: limnigraf Rijeka :KOMARNICA km od usca = 26.90
Pocetak rada: 1957 Sliv :PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	11.1	34.0	29.9	77.4	31.0	10.4	4.12	3.40	26.2	15.9	5.78	22.4
2	10.2	35.6	22.7	76.0	29.9	9.34	3.90	3.10	24.8	15.3	9.34	25.1
3	9.34	28.3	20.5	81.4	27.2	9.16	3.70	2.81	23.1	48.1	8.98	22.1
4	8.98	21.8	17.9	55.8	26.9	8.80	3.70	2.63	21.5	38.6	7.74	19.2
5	8.62	17.9	16.7	54.2	27.2	8.98	3.60	2.54	19.8	17.5	7.10	16.1
6	8.08	15.0	15.6	47.0	25.1	7.90	3.60	2.54	18.2	14.8	6.62	14.5
7	7.90	13.8	14.0	38.6	24.4	7.58	3.40	2.45	17.2	13.0	6.30	18.2
8	7.58	12.5	13.5	39.4	21.1	7.26	3.30	2.36	17.2	11.5	6.04	15.6
9	7.26	11.5	14.0	43.0	17.5	7.10	3.20	2.36	16.7	10.2	5.65	15.9
10	7.10	11.3	14.3	38.6	16.1	6.94	3.20	2.27	16.1	14.5	5.52	27.6
11	7.58	15.0	15.0	30.2	15.0	6.78	3.10	2.18	15.6	70.8	5.26	22.4
12	34.8	121	16.1	24.8	15.0	8.62	3.10	2.18	14.5	72.1	5.00	17.9
13	31.8	91.5	55.8	21.1	15.0	8.08	2.90	2.18	14.5	40.2	5.00	15.0
14	19.2	58.0	41.7	18.5	16.1	7.90	2.90	2.18	14.0	29.5	11.1	13.3
15	15.3	41.7	30.2	18.5	15.9	7.26	2.81	2.27	13.5	26.9	15.0	12.0
16	16.1	33.3	23.7	17.5	15.3	6.78	2.72	2.09	12.8	20.5	24.1	10.6
17	13.3	27.6	20.5	16.7	15.3	6.17	2.81	2.00	12.0	16.1	53.6	9.70
18	11.5	23.1	18.5	16.1	16.1	5.91	3.00	2.00	12.8	14.3	44.3	8.80
19	10.2	20.2	17.9	16.1	19.2	5.65	2.72	2.00	20.5	12.5	31.8	8.44
20	9.34	19.2	27.2	17.2	20.5	5.52	2.72	2.00	58.0	11.3	23.4	7.90
21	8.80	23.4	88.6	16.4	19.5	5.26	2.63	2.00	89.3	10.2	18.5	7.42
22	8.26	50.3	64.7	15.9	15.9	5.39	2.63	325	45.2	9.34	37.5	7.10
23	7.74	63.5	38.6	15.9	15.6	5.13	3.20	186	46.1	8.98	84.2	6.78
24	7.58	52.5	31.8	17.5	14.0	5.13	2.90	80.8	49.2	8.26	53.0	6.46
25	7.58	43.4	29.9	21.5	13.3	5.00	2.72	63.0	37.1	7.74	37.5	6.62
26	7.74	46.1	26.2	17.9	12.8	4.78	2.63	48.7	31.0	7.42	68.3	6.17
27	13.0	39.4	26.5	17.5	11.8	4.56	2.54	40.9	27.6	7.10	56.9	5.91
28	19.8	32.1	23.7	21.5	11.3	4.56	2.54	37.8	23.1	6.62	37.1	5.91
29	25.5		24.8	24.8	11.5	4.34	2.45	29.5	20.5	6.30	29.5	22.4
30	52.0		35.6	28.7	11.3	4.23	2.36	29.5	17.2	6.04	24.8	78.7
31	32.1		77.4		11.1		2.36	27.2		5.91		42.1
SD1	8.62	20.2	17.9	55.1	24.6	8.35	3.57	2.65	20.1	19.9	6.91	19.7
SD2	16.9	45.1	26.7	19.7	16.3	6.87	2.88	2.11	18.8	31.4	21.9	12.6
SD3	17.3	43.8	42.5	19.8	13.5	4.84	2.63	79.1	38.6	7.63	44.7	17.8
MAX	54.7	149	100	100	34.8	11.8	4.12	455	89.3	130	109	111
DAT	30	12	21	3	2	12	1	22	21	11	23	30
SR	14.4	35.8	29.5	31.5	18.0	6.68	3.01	29.6	25.8	19.3	24.5	16.7
MIN	7.10	11.3	13.5	15.9	11.1	4.23	2.36	2.00	12.0	5.91	5.00	5.91
DAT	10	10	8	22	31	30	30	17	17	31	12	27
		GMIN = 2.00		SRGOD= 21.1		GMAX = 455						
		DATUM 17 8				DATUM 22 8						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1978

Broj : 45993 Stanica :DUSKI MOST Kota "0" = 760.00
Nacin osmat.: limnigraf Rijeka :KOMARNICA km od usca = 26.90
Pocetak rada: 1957 Sliv :PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	25.8	11.5	63.5	13.5	51.4	34.0	11.5	3.30	2.81	37.1	4.56	4.23
2	20.5	9.93	49.2	13.5	113	32.5	11.1	3.30	2.54	70.8	4.45	4.12
3	15.6	8.98	37.8	13.8	94.4	31.8	10.4	3.20	2.54	52.5	4.34	4.01
4	13.5	7.90	32.1	15.6	64.7	31.8	9.34	3.20	2.36	36.7	4.23	3.80
5	12.0	7.26	31.4	17.2	53.6	29.5	8.80	3.10	2.27	36.7	4.12	3.70
6	10.2	7.10	32.5	19.2	50.8	27.2	8.80	3.10	3.70	34.4	4.01	3.50
7	9.34	6.62	33.3	18.5	77.4	25.8	8.80	2.90	9.93	25.5	4.01	3.70
8	8.80	6.46	29.5	25.8	70.8	25.8	8.08	2.90	6.94	20.2	4.01	3.50
9	8.26	6.04	25.1	38.6	50.3	25.8	7.42	2.90	4.89	17.5	3.90	3.40
10	7.90	5.78	22.4	34.0	43.4	25.5	6.94	2.90	4.01	14.8	3.80	3.40
11	7.42	12.0	18.5	32.9	40.9	25.5	6.62	2.90	3.50	12.5	3.70	3.30
12	7.74	39.8	16.7	33.3	35.6	24.8	6.46	2.81	4.56	11.3	3.70	3.50
13	8.44	62.4	15.3	58.5	30.2	25.5	6.17	2.72	12.5	10.2	3.70	8.62
14	7.74	76.0	13.5	131	69.5	23.7	6.04	2.72	11.8	9.34	3.60	43.4
15	7.26	41.7	17.2	81.4	59.1	23.7	5.91	2.63	8.98	8.80	3.50	35.6
16	7.58	27.2	16.1	60.2	45.2	31.0	5.78	2.63	6.78	8.26	3.50	24.4
17	11.1	20.5	25.5	54.7	40.9	25.8	5.39	2.54	5.52	7.58	3.40	61.3
18	13.0	15.3	76.7	35.6	40.2	21.8	5.13	2.54	5.00	7.42	3.40	63.5
19	10.6	16.7	40.9	29.5	40.2	19.8	4.89	2.45	4.56	7.26	3.30	53.6
20	8.98	50.8	29.1	25.1	42.5	17.9	4.89	2.45	4.78	6.62	3.30	55.3
21	8.26	39.8	25.5	24.8	43.8	17.9	4.56	2.36	4.78	6.78	3.30	38.6
22	7.58	29.5	22.4	24.8	43.8	17.2	4.45	2.36	4.78	6.46	3.20	29.1
23	7.10	21.8	19.2	25.1	90.0	15.6	4.34	2.36	4.67	6.17	3.10	22.4
24	6.62	17.9	17.2	25.1	80.1	14.3	4.12	2.27	4.67	5.91	3.10	17.5
25	7.26	16.7	15.0	24.8	57.5	13.8	4.01	2.27	4.56	5.65	3.10	16.1
26	6.62	41.3	13.8	32.5	45.7	13.3	3.90	2.27	4.12	5.52	3.10	14.5
27	6.46	96.7	13.0	52.5	43.8	13.8	3.70	2.18	4.01	5.26	3.90	13.5
28	6.04	63.5	11.8	84.2	41.7	18.5	3.70	2.18	8.98	5.13	6.62	13.5
29	15.0		11.3	72.1	38.6	14.8	3.60	2.18	28.7	5.00	5.52	20.5
30	25.1		11.8	53.6	35.6	12.3	3.50	2.18	15.6	4.78	4.78	34.8
31	15.0		13.0		33.3		3.40	2.72		4.67		40.2
SD1	13.2	7.76	35.7	21.0	67.0	29.0	9.12	3.08	4.20	34.6	4.14	3.74
SD2	8.99	36.2	27.0	54.2	44.4	24.0	5.73	2.64	6.80	8.93	3.51	35.3
SD3	10.1	40.9	15.8	42.0	50.4	15.2	3.93	2.30	8.49	5.58	3.97	23.7
MAX	58.0	114	87.1	169	145	34.0	11.5	3.90	41.7	82.8	7.42	122
DAT	30	27	18	14	2	1	1	31	29	2	28	18
SR	10.7	27.4	25.8	39.0	53.8	22.7	6.19	2.66	6.49	16.0	3.88	21.0
MIN	6.04	5.78	11.3	13.5	30.2	12.3	3.40	2.18	2.27	4.67	3.10	3.30
DAT	28	10	29	1	13	30	31	27	5	31	23	11

GMIN = 2.18			SRGOD= 19.6					GMAX = 169				
DATUM 27 8								DATUM 14 4				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1979

Broj : 45993 Stanica : DUSKI MOST Kota "0" = 760.00
 Nacin osmat.: limnigraf Rijeka : KOMARNICA km od usca = 26.90
 Pocetak rada: 1957 Sliv : PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	47.0	31.8	9.34	25.8	38.2	23.7	10.9	4.01	6.04	4.67	42.5	13.3	
2	32.9	25.1	9.34	22.1	33.3	23.7	11.5	3.80	5.26	4.56	28.7	12.0	
3	25.8	21.5	8.80	19.2	29.1	23.1	12.5	3.70	5.26	4.23	21.8	11.1	
4	21.5	25.8	8.80	17.2	29.5	21.8	16.1	3.60	5.00	4.12	17.9	9.93	
5	18.5	26.5	8.80	23.1	32.9	20.5	18.9	3.50	4.78	3.90	16.1	9.34	
6	16.1	22.4	8.80	43.4	35.2	17.9	15.0	3.40	4.78	11.5	34.8	8.62	
7	14.5	20.2	8.80	34.0	34.8	15.0	12.8	3.30	4.89	28.7	28.7	7.90	
8	11.5	17.2	8.80	25.1	45.2	14.5	11.5	3.30	4.56	15.0	22.4	7.42	
9	11.1	15.3	8.44	19.8	41.7	13.3	10.6	3.30	4.34	11.1	20.2	7.10	
10	20.5	15.6	8.62	17.9	41.3	12.5	9.34	3.20	4.12	8.98	19.8	6.78	
11	30.2	23.7	8.08	16.4	37.8	12.0	8.98	3.50	4.23	7.90	37.8	7.10	
12	24.4	21.8	7.90	16.4	36.7	11.3	8.26	3.70	4.01	7.26	48.1	24.4	
13	16.9	52.5	7.58	16.7	38.2	11.1	7.90	3.30	3.80	12.5	34.4	17.2	
14	14.0	54.2	7.58	16.1	35.6	10.6	7.58	2.98	3.70	33.7	28.7	12.8	
15	12.0	41.7	7.90	16.4	31.8	11.1	7.26	2.62	3.60	17.2	50.3	11.3	
16	10.6	42.5	11.1	17.2	28.7	12.8	6.94	2.41	3.50	12.8	183	12.5	
17	9.52	36.3	18.9	19.8	29.1	31.0	7.10	2.85	3.40	10.6	228	11.3	
18	8.80	35.2	14.5	21.5	28.7	90.7	6.62	3.30	3.30	11.3	172	10.2	
19	8.26	26.5	13.3	21.1	31.0	41.7	6.04	6.30	3.20	13.0	124	9.16	
20	7.74	21.8	13.8	17.2	34.0	29.5	5.91	38.2	3.10	11.3	77.4	11.3	
21	7.26	18.5	20.8	15.0	34.8	23.7	5.52	21.8	3.00	9.93	52.5	42.5	
22	6.94	16.9	19.5	14.0	34.8	20.5	5.39	17.5	3.10	9.16	40.9	38.6	
23	6.94	14.5	16.4	13.5	34.0	18.2	5.26	12.8	3.20	8.44	33.7	39.4	
24	8.98	13.3	17.9	13.5	33.3	16.7	5.00	9.70	8.62	7.90	28.7	31.0	
25	33.7	12.5	14.0	18.2	30.6	15.0	4.89	9.34	11.1	7.42	24.4	24.4	
26	39.4	11.1	13.5	76.0	29.1	13.8	4.67	10.2	6.94	7.10	20.5	19.8	
27	27.2	10.6	36.7	124	28.0	13.0	4.56	8.62	5.65	6.78	17.9	16.7	
28	28.0	10.2	57.5	77.4	26.5	12.3	4.89	8.26	5.00	6.46	15.9	14.8	
29	69.5		49.2	70.8	25.5	12.0	4.56	7.42	4.67	13.0	14.3	13.5	
30	66.5		37.8	44.3	25.8	11.1	4.23	7.10	5.26	43.4	13.0	13.0	
31	40.9		30.2		24.4		4.12	6.62		63.5		17.2	
SD1	21.9	22.1	8.85	24.8	36.1	18.6	12.9	3.51	4.90	9.68	25.3	9.35	
SD2	14.2	35.6	11.1	17.9	33.2	26.2	7.26	6.92	3.58	13.8	98.4	12.7	
SD3	30.5	13.4	28.5	46.7	29.7	15.6	4.83	10.9	5.65	16.6	26.2	24.6	
MAX	69.5	54.2	57.5	138	45.2	121	20.8	51.4	16.7	74.7	303	50.3	
DAT	29	14	28	27	8	18	5	20	24	31	17	21	
SR	22.5	24.5	16.5	29.8	32.9	20.1	8.22	7.21	4.71	13.5	49.9	15.9	
MIN	6.94	10.2	7.58	13.5	24.4	10.6	4.12	2.41	3.00	3.90	13.0	6.78	
DAT	22	28	13	23	31	14	31	16	21	5	30	10	
GMIN =			2.41	SRGOD=			20.4	GMAX =			303		
DATUM			16 8					DATUM			17 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1980

Broj : 45993 Stanica :DUSKI MOST Kota "0" = 760.00
Nacin osmat.: limnigraf Rijeka :KOMARNICA km od usca = 26.90
Pocetak rada: 1957 Sliv :PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	19.4	14.7	5.15	20.9	20.6	26.8	8.20	2.67	2.12	1.28	6.68	35.0
2	15.8	29.9	5.03	18.9	29.6	40.2	8.02	2.57	2.26	1.28	6.53	28.0
3	13.6	19.8	5.28	23.8	33.3	36.7	8.20	2.46	2.12	1.24	6.24	24.3
4	12.0	15.8	5.53	20.2	35.0	31.6	7.48	2.46	2.06	1.24	8.93	21.4
5	10.8	13.3	5.15	16.7	41.0	30.7	6.83	2.36	1.99	1.24	31.6	18.5
6	10.4	13.6	5.03	14.5	61.8	31.2	6.53	2.36	1.92	1.24	55.0	16.7
7	9.74	13.9	5.65	12.8	65.5	29.2	6.24	2.36	1.85	1.24	56.3	19.4
8	8.93	17.6	7.66	11.8	56.3	26.8	5.94	2.26	1.85	1.24	28.8	18.0
9	8.20	17.0	8.38	11.0	60.6	28.4	5.65	2.46	1.79	2.54	20.9	15.0
10	8.02	15.0	7.66	10.4	55.6	30.7	5.65	2.26	1.79	37.8	32.4	13.6
11	7.66	13.9	6.83	9.54	48.6	32.4	5.40	2.19	1.79	32.5	34.1	12.5
12	7.12	12.5	6.24	8.93	45.4	28.4	4.90	2.12	1.72	45.2	22.4	11.5
13	6.68	11.2	5.94	8.75	45.0	25.3	4.53	3.50	1.72	112	29.9	10.8
14	6.38	10.4	5.80	8.75	41.5	25.3	4.18	3.18	1.65	82.8	164	10.4
15	6.53	9.54	5.94	9.74	40.6	24.6	4.07	2.57	1.65	44.3	80.7	9.74
16	7.84	8.93	6.24	12.3	59.3	23.5	3.95	2.36	1.58	29.9	48.0	9.54
17	7.12	8.38	6.09	14.5	77.9	20.6	3.73	2.57	1.58	24.1	33.3	9.13
18	6.68	7.84	5.80	17.3	61.8	18.9	3.73	3.73	1.58	55.8	26.1	9.33
19	6.53	7.48	5.65	20.6	46.2	17.6	3.62	3.07	1.58	47.0	21.7	9.74
20	6.24	6.97	6.24	20.9	42.7	17.6	3.50	2.67	1.54	32.1	18.9	10.6
21	6.09	6.68	10.6	41.9	41.0	16.2	3.50	2.46	1.54	25.1	16.4	11.5
22	5.94	6.38	15.8	50.1	38.1	15.3	3.39	2.36	1.54	20.5	13.6	11.5
23	6.09	6.24	52.1	33.8	37.2	15.0	3.28	2.26	1.54	17.2	11.8	10.1
24	7.66	5.94	43.6	25.7	41.0	14.7	3.28	2.26	1.49	15.0	10.6	9.74
25	19.8	5.94	28.4	21.4	43.2	13.3	3.28	2.19	1.54	13.5	9.94	9.33
26	26.4	5.65	23.2	20.2	36.3	11.5	3.18	2.12	1.54	19.2	14.1	9.13
27	16.7	5.65	19.4	19.1	33.3	10.6	3.07	2.06	1.49	12.5	17.6	8.93
28	12.5	5.53	18.9	18.9	38.4	10.6	3.07	1.99	1.49	9.93	65.5	8.38
29	10.8	5.28	20.2	20.6	48.0	9.33	2.97	2.06	1.49	8.44	67.5	8.02
30	9.74		24.3	19.1	42.7	8.75	2.87	1.92	1.45	7.58	48.0	7.48
31	8.93		25.7		32.4		2.77	1.85		6.62		7.30
SD1	11.7	17.1	6.05	16.1	45.9	31.2	6.87	2.42	1.98	5.03	25.3	21.0
SD2	6.88	9.72	6.08	13.1	50.9	23.4	4.16	2.80	1.64	50.6	47.9	10.3
SD3	11.9	5.92	25.6	27.1	39.2	12.5	3.15	2.14	1.51	14.1	27.5	9.23
MAX	31.8	36.3	61.3	60.2	74.7	37.1	7.74	4.56	2.09	129	207	35.6
DAT	25	1	23	21	17	2	3	13	2	12	14	1
SR	10.2	11.1	13.0	18.8	45.2	22.4	4.68	2.44	1.71	23.0	33.6	13.4
MIN	5.94	5.28	5.03	8.75	20.6	8.75	2.77	1.85	1.45	1.24	6.24	7.30
DAT	22	29	2	13	1	30	31	31	30	3	3	31
GMIN =			1.24	SRGOD=			16.6	GMAX =			207	
DATUM			3 10					DATUM			14 11	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1981

Broj : 45993 Stanica : DUSKI MOST Kota "0" = 760.00
 Nacin osmat.: limnigraf Rijeka : KOMARNICA km od usca = 26.90
 Pocetak rada: 1957 Sliv : PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	7.12	4.41	5.65	54.4	32.9	22.0	6.38	2.36	1.64	6.24	15.8	4.66
2	6.83	4.41	5.65	50.1	34.1	20.9	6.09	2.26	1.64	5.03	13.6	6.97
3	6.83	4.41	19.1	47.1	35.0	19.4	5.65	2.26	1.64	21.7	12.0	6.38
4	6.68	4.53	46.2	41.5	39.8	19.4	5.15	2.19	1.64	20.9	10.4	5.80
5	8.02	6.53	30.7	34.6	55.6	18.9	4.90	2.12	1.64	10.1	9.54	5.40
6	7.12	5.94	20.6	31.6	44.1	16.7	4.66	2.12	3.00	7.12	8.75	5.15
7	6.83	5.15	15.8	32.4	36.3	15.0	5.28	2.19	2.27	5.65	8.20	10.1
8	6.38	5.03	13.9	34.1	31.2	12.8	4.29	2.26	2.00	5.15	7.48	35.5
9	6.24	4.90	13.3	35.0	32.4	12.8	4.18	2.67	1.82	4.41	6.83	61.8
10	6.24	5.03	13.3	35.0	34.6	12.5	4.07	2.46	1.76	4.41	6.53	58.1
11	6.09	6.38	14.7	33.3	37.2	13.6	3.95	2.36	1.88	4.18	6.24	68.0
12	5.94	24.6	17.3	28.8	47.6	12.5	4.07	2.26	2.63	4.41	5.80	146
13	6.83	19.4	24.6	26.8	42.7	12.3	3.95	2.12	2.36	4.90	5.53	176
14	13.0	13.3	31.2	29.2	35.0	10.6	3.73	2.12	2.09	4.18	5.53	110
15	11.5	10.6	33.3	33.3	34.1	9.54	3.62	2.12	3.10	3.95	5.28	59.3
16	8.02	8.93	28.0	34.1	37.2	9.33	3.39	2.12	3.20	3.73	5.03	42.4
17	7.12	8.02	29.9	33.3	40.2	8.93	3.28	2.06	2.54	3.50	4.90	35.0
18	6.83	7.30	33.3	28.4	36.7	23.8	3.18	2.06	2.27	3.28	4.66	26.8
19	6.24	6.83	41.5	24.3	38.1	32.4	3.62	1.99	1.88	3.07	4.53	56.8
20	6.09	6.53	32.9	20.6	36.7	18.0	3.62	1.99	1.82	3.07	4.41	54.4
21	5.80	6.24	25.3	19.4	35.9	13.6	3.39	1.99	1.76	2.97	4.41	37.6
22	5.53	7.84	21.7	21.7	35.0	12.3	3.28	2.12	1.70	3.07	4.53	29.2
23	5.28	8.02	20.9	25.3	35.9	10.8	3.07	2.12	1.64	47.1	4.53	25.0
24	5.15	7.30	21.7	31.2	31.6	9.94	2.97	2.12	1.70	60.6	4.66	20.9
25	5.15	6.83	20.2	57.4	29.2	9.33	2.87	2.06	1.64	41.5	5.03	32.0
26	4.90	6.53	24.3	55.6	29.9	8.75	2.87	1.99	1.64	23.8	5.65	26.8
27	4.78	6.24	32.0	85.9	29.9	8.38	2.77	1.99	1.64	28.4	5.53	20.9
28	4.66	5.94	39.3	69.3	28.8	7.66	2.67	1.99	1.64	58.1	5.15	17.6
29	4.53		47.1	46.2	25.7	7.12	2.57	1.99	4.01	40.2	5.28	15.8
30	4.53		49.5	36.7	22.8	6.83	2.46	1.92	7.26	27.2	4.90	34.1
31	4.41		49.5		22.0		2.46	1.85		20.2		29.9
SD1	6.83	5.03	18.4	39.6	37.6	17.1	5.07	2.29	1.90	9.08	9.90	20.0
SD2	7.77	11.2	28.7	29.2	38.6	15.1	3.64	2.12	2.38	3.83	5.19	77.5
SD3	4.97	6.87	32.0	44.9	29.7	9.46	2.85	2.01	2.46	32.1	4.97	26.3
MAX	14.5	23.7	50.3	82.8	55.3	90.0	5.65	3.60	7.58	63.5	15.6	241
DAT	14	12	31	27	5	18	1	9	30	24	1	13
SR	6.47	7.76	26.5	37.9	35.1	13.9	3.82	2.14	2.25	15.6	6.69	40.8
MIN	4.41	4.41	5.65	19.4	22.0	6.83	2.46	1.85	1.64	2.97	4.41	4.66
DAT	31	1	1	21	31	30	30	31	1	21	20	1
		GMIN =	1.64			SRGOD=	16.7			GMAX =	241	
		DATUM	1 9							DATUM	13 12	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1982

Broj : 45993 Stanica : DUSKI MOST Kota "0" = 760.00
 Nacin osmat.: limnigraf Rijeka : KOMARNICA km od usca = 26.90
 Pocetak rada: 1957 Sliv : PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	26.2	5.18	3.22	83.1	11.5	13.6	3.54	2.66	1.88	2.03	4.73	9.98
2	38.9	5.02	3.22	57.3	10.9	12.8	3.46	2.66	1.84	2.08	4.36	10.4
3	33.9	4.86	3.30	50.1	11.3	11.5	3.38	2.60	1.84	2.08	4.11	10.9
4	26.6	4.61	3.30	44.3	13.6	10.6	3.30	2.54	1.84	2.08	3.86	9.55
5	22.5	4.61	3.30	39.9	17.6	9.76	3.22	2.66	1.84	2.21	3.86	8.48
6	19.2	4.36	3.54	34.4	18.9	8.90	3.14	2.71	1.84	6.28	3.86	7.86
7	18.0	4.36	3.74	32.1	21.7	8.90	3.62	2.66	1.84	42.3	3.74	7.46
8	15.1	4.24	4.11	30.7	26.2	8.48	3.54	2.54	1.88	28.6	3.62	7.05
9	14.1	4.24	4.36	34.4	33.9	8.07	3.22	2.54	1.92	18.5	3.54	6.64
10	13.2	4.11	4.49	36.6	32.1	7.46	3.14	2.54	1.96	19.4	3.46	8.07
11	12.5	3.99	5.02	35.3	32.1	7.05	3.06	2.49	1.92	12.5	3.46	21.4
12	13.8	3.99	5.97	34.8	34.8	6.85	3.22	2.43	1.92	9.98	3.38	22.0
13	15.5	3.86	5.02	31.2	21.0	9.76	3.62	2.43	1.92	9.76	3.38	17.1
14	13.6	3.86	4.73	35.7	26.2	14.6	3.46	2.37	1.88	8.48	5.65	36.6
15	12.3	3.74	4.49	66.8	21.0	13.2	3.22	2.37	1.88	17.4	40.3	33.0
16	11.5	3.62	4.24	61.6	34.4	8.90	2.98	2.32	1.84	18.5	20.1	22.5
17	11.1	3.62	4.11	49.2	21.4	7.66	2.98	2.32	1.84	14.1	30.7	18.5
18	10.2	3.62	4.11	52.5	20.1	6.85	2.90	2.26	1.84	11.1	32.1	44.3
19	9.76	3.62	9.55	44.3	19.2	6.28	2.83	2.26	1.84	9.12	20.1	86.0
20	9.33	3.54	8.90	34.4	19.2	5.97	2.77	2.26	1.84	7.86	15.7	47.1
21	8.69	3.38	6.85	28.3	18.2	5.65	2.71	2.26	1.84	6.85	13.0	33.0
22	8.27	3.38	5.81	24.0	18.0	5.18	2.90	2.83	1.84	6.28	11.5	43.3
23	7.86	3.46	5.18	21.0	17.4	4.86	2.98	2.90	1.84	5.81	10.4	75.7
24	7.46	3.46	4.73	18.9	18.0	4.61	2.83	2.49	1.88	7.05	9.55	65.0
25	7.05	3.46	4.49	16.8	19.2	4.49	2.83	2.49	1.88	8.90	8.90	43.3
26	6.64	3.38	4.24	15.9	18.0	4.24	3.06	2.32	1.84	8.07	8.48	30.3
27	6.44	3.38	4.24	15.5	17.6	4.11	2.98	2.26	1.80	6.85	8.07	25.1
28	6.28	3.30	4.86	14.4	17.4	4.24	2.90	2.21	1.80	6.28	9.55	21.4
29	5.97		7.05	13.2	16.3	4.11	2.90	2.21	1.80	5.81	11.1	18.9
30	5.81		27.8	12.8	15.5	3.74	2.77	2.26	1.76	5.33	10.2	16.5
31	5.49		145		17.1		2.71	2.21		5.02		14.4
SD1	22.8	4.56	3.66	44.3	19.8	10.0	3.35	2.61	1.87	12.6	3.92	8.64
SD2	12.0	3.74	5.61	44.6	24.9	8.71	3.10	2.35	1.87	11.9	17.5	34.8
SD3	6.91	3.40	20.0	18.1	17.5	4.52	2.87	2.40	1.83	6.57	10.1	35.2
MAX	37.4	4.86	183	101	35.7	17.2	4.08	3.20	2.00	56.4	46.9	97.0
DAT	2	1	31	1	12	14	22	5	9	7	15	19
SR	13.7	3.94	10.1	35.6	20.6	7.75	3.10	2.45	1.86	10.2	10.5	26.5
MIN	5.49	3.30	3.22	12.8	10.9	3.74	2.71	2.21	1.76	2.03	3.38	6.64
DAT	31	28	1	30	2	30	21	28	30	1	12	9

GMIN =			1.76	SRGOD=				12.2	GMAX =			183
DATUM			30 9						DATUM			31 3

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1983

Broj : 45993 Stanica : DUSKI MOST Kota "0" = 760.00
 Nacin osmat.: limnigraf Rijeka : KOMARNICA km od usca = 26.90
 Pocetak rada: 1957 Sliv : PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	13.6	4.73	5.49	30.7	30.3	9.76	5.97	2.83	2.25	3.14	2.77	11.5
2	12.5	4.61	5.18	43.3	45.8	9.33	5.97	2.83	2.25	2.98	2.83	9.76
3	10.9	4.49	5.02	44.7	34.4	8.69	5.49	2.49	2.20	2.90	3.46	8.48
4	10.6	4.11	4.86	35.7	25.9	8.69	5.18	2.49	2.30	2.83	4.11	7.46
5	9.76	4.11	4.73	28.3	21.7	8.69	5.02	2.49	2.57	2.83	4.11	6.64
6	8.69	4.11	4.73	22.5	21.0	8.07	4.86	2.60	2.40	2.77	3.74	5.97
7	8.07	10.2	4.86	19.8	18.5	10.2	5.18	2.71	2.20	2.77	3.62	5.49
8	7.46	12.3	5.49	18.9	19.4	13.6	8.07	2.83	2.10	2.71	3.38	5.33
9	6.85	13.0	6.64	21.0	16.8	10.4	6.64	2.66	1.96	2.71	3.30	4.86
10	6.44	29.4	8.69	27.8	21.7	9.33	5.81	2.60	1.73	2.66	3.22	4.61
11	5.97	54.1	10.2	42.3	21.0	8.48	5.18	2.60	1.62	2.60	2.98	5.49
12	5.65	37.5	11.3	53.0	22.5	7.86	4.73	2.60	2.54	2.66	2.90	5.49
13	5.49	21.7	9.76	103	21.0	7.25	4.49	2.71	3.13	2.71	2.77	4.86
14	5.33	15.7	9.12	45.8	20.5	7.05	4.24	2.98	2.40	2.60	2.71	4.61
15	5.65	13.6	8.90	33.9	19.2	7.25	4.49	2.49	2.20	2.54	2.77	4.24
16	5.18	11.1	8.90	25.9	18.5	8.27	4.36	2.49	2.10	2.54	2.71	3.99
17	4.86	9.55	8.90	21.7	18.0	13.2	5.18	2.49	2.64	2.49	2.66	7.05
18	4.73	8.27	9.33	19.8	18.5	14.4	4.73	2.54	15.4	3.46	2.60	44.7
19	4.61	7.46	11.1	18.5	16.3	11.8	4.61	2.49	9.40	4.36	2.60	66.8
20	4.49	6.85	12.8	19.8	15.7	9.98	4.24	2.43	7.14	3.62	2.54	92.0
21	4.24	6.44	13.8	29.4	14.1	8.90	4.11	2.32	5.70	3.38	2.54	62.7
22	4.24	5.81	16.3	35.7	13.6	8.07	3.99	2.26	4.86	3.14	2.60	38.4
23	4.11	5.18	21.0	36.2	12.3	7.86	3.86	2.32	4.30	2.98	2.49	26.6
24	3.99	4.86	25.9	34.4	11.8	8.90	3.86	2.32	3.86	2.83	2.49	21.0
25	3.86	5.81	54.1	34.4	12.3	8.48	3.62	3.06	3.53	2.77	2.43	17.6
26	3.74	5.81	142	33.9	14.6	8.07	3.62	5.33	3.31	2.71	2.49	15.7
27	3.62	5.81	90.4	31.6	15.7	7.46	3.46	3.38	3.13	2.66	2.54	14.4
28	3.62	5.65	59.4	32.5	12.8	6.85	3.38	2.71	2.99	2.66	43.3	12.8
29	3.62		33.0	32.5	11.8	6.28	3.30	2.54	3.06	2.60	30.3	11.5
30	3.74		32.1	31.2	11.1	6.12	3.62	2.54	2.92	2.60	14.1	11.3
31	5.02		29.8		10.6		3.14	2.66		2.60		10.6
SD1	9.49	9.11	5.57	29.3	25.5	9.67	5.82	2.65	2.20	2.83	3.45	7.01
SD2	5.20	18.6	10.0	38.4	19.1	9.55	4.62	2.58	4.86	2.96	2.72	23.9
SD3	3.98	5.67	47.1	33.2	12.8	7.70	3.63	2.86	3.77	2.81	10.5	22.1
MAX	12.5	56.4	170	91.2	40.5	12.9	10.7	6.42	17.5	4.19	67.0	105
DAT	1	11	26	13	2	18	8	26	18	19	28	20
SR	6.15	11.5	21.7	33.6	18.9	8.97	4.66	2.70	3.61	2.86	5.57	17.8
MIN	3.62	4.11	4.73	18.5	10.6	6.12	3.14	2.26	1.62	2.49	2.43	3.99
DAT	27	4	5	19	31	30	31	22	11	17	25	16

GMIN =			1.62	SRGOD=				11.5	GMAX =			170
DATUM			11 9						DATUM			26 3

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1984

Broj : 45993 Stanica : DUSKI MOST Kota "0" = 760.00
 Nacin osmat.: limnigraf Rijeka : KOMARNICA km od usca = 26.90
 Pocetak rada: 1957 Sliv : PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	7.26	7.74	8.26	18.9	24.4	26.2	4.89	1.76	1.36	19.8	5.78	9.93
2	6.78	7.74	13.0	16.1	44.8	25.1	4.45	1.76	1.32	24.4	5.65	9.16
3	6.30	7.58	12.0	64.1	47.0	23.7	4.45	1.76	1.28	46.5	5.52	8.44
4	6.94	8.44	10.4	85.7	48.1	21.8	4.23	1.70	1.24	65.9	5.39	7.74
5	15.9	10.2	8.62	48.1	54.7	20.2	4.01	1.70	1.24	39.8	5.26	7.26
6	12.0	9.16	7.58	33.7	56.9	19.5	3.90	1.64	1.24	29.1	5.13	6.78
7	9.70	8.44	6.62	32.1	45.2	21.8	3.70	1.70	1.24	39.0	6.17	6.46
8	8.98	7.90	6.30	31.8	48.1	22.1	3.70	1.64	1.20	63.5	7.90	6.04
9	10.4	7.26	5.78	28.7	46.1	18.9	3.30	1.58	1.20	57.5	7.42	5.78
10	18.9	6.46	5.39	25.8	51.4	16.4	3.30	1.58	1.16	39.0	6.78	5.52
11	13.0	6.04	5.13	24.8	101	15.0	3.20	1.58	1.12	30.6	6.46	5.39
12	10.4	5.65	4.67	26.5	87.1	14.5	3.10	1.52	1.12	24.8	5.91	5.13
13	9.16	5.13	4.56	25.8	64.7	12.8	3.00	1.52	1.16	21.5	5.65	5.00
14	7.58	5.00	4.34	26.2	54.7	12.0	2.90	1.82	1.12	18.2	5.52	4.89
15	7.58	4.78	4.23	24.4	43.0	11.5	2.81	1.70	1.12	15.6	5.52	4.78
16	8.62	4.67	4.23	27.6	45.2	11.1	2.72	1.64	1.20	14.0	7.26	4.56
17	6.62	4.45	4.23	30.2	53.0	9.93	2.90	1.52	7.26	12.5	13.0	6.04
18	6.46	4.34	4.12	27.2	46.1	9.16	2.81	1.52	10.4	11.5	59.1	30.2
19	6.04	4.23	4.23	23.1	40.9	8.26	2.54	1.40	4.89	10.4	33.3	24.4
20	8.26	4.01	4.23	19.2	42.5	8.08	2.45	1.36	3.50	9.52	63.5	16.4
21	9.70	4.01	4.45	17.9	111	7.90	2.36	1.36	5.52	9.34	47.0	13.0
22	21.8	3.80	4.67	19.2	73.4	7.58	2.27	1.32	11.1	8.62	32.1	10.6
23	35.9	3.90	4.89	17.5	53.0	7.26	2.18	1.32	14.5	8.26	24.1	9.16
24	25.8	5.78	5.00	21.1	57.5	6.94	2.09	1.28	28.7	7.90	19.2	8.08
25	17.2	6.17	5.26	21.1	47.0	6.46	2.00	1.46	317	7.58	17.9	7.58
26	12.5	6.17	8.26	17.9	40.5	6.04	2.00	1.58	153	7.26	15.0	7.10
27	10.2	8.44	31.0	17.2	39.8	5.65	1.94	2.00	72.8	6.94	15.0	6.62
28	8.98	10.4	23.7	16.1	37.1	5.52	1.94	1.64	41.7	6.62	15.9	6.04
29	8.98	8.44	19.2	15.6	34.8	5.26	1.88	1.46	31.0	6.30	12.5	5.78
30	8.44		31.4	16.1	31.8	5.13	1.82	1.40	23.7	6.04	11.1	5.52
31	8.08		25.8		27.2		1.82	1.40		5.91		5.13
SD1	10.3	8.09	8.40	38.5	46.7	21.6	3.99	1.68	1.25	42.5	6.10	7.31
SD2	8.37	4.83	4.40	25.5	57.8	11.2	2.84	1.56	3.29	16.9	20.5	10.7
SD3	15.2	6.35	14.9	18.0	50.3	6.37	2.03	1.47	69.9	7.34	21.0	7.69
MAX	41.7	11.5	36.3	108	129	26.9	5.00	2.36	396	65.9	80.1	37.1
DAT	23	28	30	4	21	1	1	27	25	4	20	18
SR	11.4	6.43	9.40	27.3	51.5	13.1	2.92	1.57	24.8	21.7	15.9	8.53
MIN	6.04	3.80	4.12	15.6	24.4	5.13	1.82	1.28	1.12	5.91	5.13	4.56
DAT	19	22	18	29	1	30	30	24	11	31	6	16
GMIN =		1.12		SRGOD=		16.2		GMAX =		396		
DATUM		11 9						DATUM		25 9		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1985

Broj : 45993 Stanica :DUSKI MOST Kota "0" = 760.00
Nacin osmat.: limnigraf Rijeka :KOMARNICA km od usca = 26.90
Pocetak rada: 1957 Sliv :PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	5.00	8.80	5.26	11.8	25.1	7.58	3.90	2.00	1.32	1.12	19.8	33.3
2	5.00	8.44	5.13	12.0	21.1	7.10	3.70	2.00	1.32	1.12	19.2	33.3
3	4.78	7.42	5.65	13.3	21.8	6.46	3.70	2.00	1.32	1.12	48.1	30.2
4	4.67	6.62	6.62	14.5	35.9	6.17	3.50	2.00	1.32	1.12	16.9	25.8
5	4.89	6.30	6.78	19.2	38.6	6.04	3.40	2.00	1.24	1.12	13.3	25.8
6	4.67	6.04	7.26	25.8	37.1	5.78	3.30	2.00	1.24	1.12	20.2	25.8
7	4.23	5.78	7.58	39.4	37.1	5.52	3.10	2.00	1.24	1.12	56.9	23.1
8	4.45	5.52	8.08	51.4	44.8	5.26	3.00	2.00	1.24	1.12	25.8	23.1
9	4.23	5.65	7.90	40.2	39.4	5.78	2.81	1.94	1.20	1.08	14.5	19.2
10	4.12	34.4	8.08	50.3	49.2	6.04	2.72	1.94	1.20	1.08	9.93	13.5
11	3.90	91.5	8.44	59.1	38.2	5.52	2.72	1.88	1.20	1.08	7.74	13.5
12	3.70	58.0	9.34	48.7	37.8	6.30	2.72	1.70	1.20	1.08	6.17	13.5
13	3.70	34.0	9.52	36.3	34.0	5.65	2.72	1.64	1.20	1.08	5.78	12.5
14	4.01	23.7	10.2	27.2	31.0	5.00	2.45	1.64	1.16	1.08	216	12.5
15	3.90	17.9	10.9	21.8	28.0	4.78	2.36	1.64	1.16	1.08	148	12.5
16	3.70	15.3	11.1	19.2	25.1	4.56	2.18	1.58	1.16	1.08	55.3	12.5
17	3.60	12.8	11.8	17.5	24.4	4.45	2.45	1.52	1.16	1.08	39.4	12.5
18	3.50	11.3	15.3	16.1	22.7	4.56	3.70	1.52	1.16	1.04	74.7	12.0
19	3.40	9.93	13.0	14.8	21.8	4.34	2.54	1.40	1.16	1.04	473	5.26
20	3.40	8.80	11.1	14.5	19.5	4.23	2.27	1.40	1.16	1.04	384	5.26
21	3.40	8.26	10.2	16.1	17.9	4.34	2.18	1.36	1.16	1.04	431	5.26
22	3.30	7.58	9.93	19.2	16.7	4.89	2.00	1.32	1.16	1.04	289	5.26
23	6.78	7.10	10.6	22.4	14.8	5.39	2.00	1.32	1.16	1.04	171	5.26
24	23.7	6.62	11.3	23.1	13.5	6.04	2.00	1.32	1.16	1.04	116	5.26
25	44.3	6.17	12.5	23.7	12.8	6.04	2.00	1.32	1.16	1.00	102	5.26
26	23.7	5.91	12.8	24.4	13.3	5.26	2.00	1.24	1.16	1.00	90.0	5.26
27	16.7	5.65	11.5	29.1	11.3	4.78	2.00	1.28	1.16	1.00	70.8	5.91
28	16.9	5.39	11.5	37.8	10.2	4.56	1.88	1.46	1.12	1.00	50.3	5.65
29	14.0		13.8	46.1	9.16	4.34	1.88	1.58	1.12	1.00	44.3	25.8
30	11.5		13.0	38.2	8.62	4.12	2.09	1.36	1.12	1.00	34.8	88.6
31	9.93		12.3		7.90		2.00	1.32		1.88		106
SD1	4.60	9.50	6.83	27.8	35.0	6.17	3.31	1.99	1.26	1.11	24.5	25.3
SD2	3.68	28.3	11.1	27.5	28.3	4.94	2.61	1.59	1.17	1.07	141	11.2
SD3	15.8	6.59	11.8	28.0	12.4	4.98	2.00	1.35	1.15	1.09	140	24.0
MAX	56.9	100	17.9	63.5	56.9	8.08	5.13	2.00	1.32	12.0	512	145
DAT	25	11	18	11	10	1	18	1	1	31	19	31
SR	8.29	15.4	9.95	27.8	24.8	5.36	2.62	1.63	1.19	1.09	102	20.3
MIN	3.30	5.39	5.13	11.8	7.90	4.12	1.88	1.24	1.12	1.00	5.78	5.26
DAT	22	28	2	1	31	30	28	26	28	25	13	19
GMIN =		1.00		SRGOD=		18.2		GMAX =		512		
DATUM		25 10						DATUM		19 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1986

Broj : 45993 Stanica : DUSKI MOST Kota "0" = 760.00
 Nacin osmat.: limnigraf Rijeka : KOMARNICA km od usca = 26.90
 Pocetak rada: 1957 Sliv : PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	98.2	11.5	15.9	35.9	38.2	21.1	7.26	3.20	2.00	1.58	3.90	3.30
2	61.8	18.5	17.5	33.3	44.8	19.5	7.10	3.10	2.00	1.58	3.60	3.10
3	41.3	14.5	59.1	31.8	40.9	16.9	6.94	3.60	1.94	1.58	3.30	3.00
4	61.8	12.5	29.5	31.8	35.2	15.6	6.62	3.20	1.94	1.58	3.10	2.81
5	57.5	11.1	42.5	31.0	36.7	15.0	6.30	3.30	1.94	1.52	2.90	2.72
6	39.0	9.93	33.3	31.0	35.9	40.2	6.17	3.20	1.94	1.46	2.81	2.63
7	30.6	9.16	27.6	32.5	32.9	80.8	5.78	3.10	1.94	1.46	2.72	2.63
8	23.7	8.62	24.1	36.7	31.4	42.5	6.17	3.00	1.88	1.46	2.63	2.45
9	19.8	8.08	21.8	38.2	31.0	34.4	6.17	3.00	1.82	1.52	2.54	2.45
10	16.7	7.74	20.8	39.8	30.2	28.7	5.78	3.10	1.82	1.52	2.45	2.27
11	14.5	7.26	21.1	32.1	25.5	24.8	5.39	2.90	1.82	1.52	2.36	2.18
12	13.3	6.94	22.1	30.2	25.8	21.5	5.26	2.81	1.82	1.52	2.36	2.09
13	11.8	6.46	23.4	33.7	24.4	18.9	5.13	2.72	1.82	1.46	2.27	2.00
14	10.6	6.30	23.1	33.3	26.2	18.2	4.89	2.72	1.82	1.46	2.27	2.27
15	10.9	6.17	22.1	27.6	28.0	17.2	4.78	2.72	1.76	1.40	2.27	2.18
16	9.93	6.46	21.8	23.7	29.9	15.3	4.78	2.63	1.64	1.40	2.18	2.90
17	9.16	6.94	19.8	21.5	29.1	14.0	4.67	2.63	1.64	1.40	2.09	6.94
18	8.44	21.1	17.2	24.1	29.9	13.5	4.67	2.54	1.64	1.46	2.00	4.56
19	7.90	125	15.6	58.0	28.7	13.3	4.45	2.45	1.64	1.40	2.00	4.01
20	7.58	105	14.0	63.5	25.5	14.5	4.34	2.45	1.64	1.52	2.00	5.52
21	7.26	60.2	13.0	40.2	32.5	13.5	4.34	2.81	1.58	1.64	2.00	4.56
22	7.10	38.6	12.3	32.1	29.1	12.8	4.56	2.54	1.52	1.64	2.00	4.12
23	8.98	31.4	11.5	28.3	30.6	11.3	4.56	2.45	1.52	1.58	3.50	3.70
24	18.9	30.2	10.9	29.1	30.2	11.1	4.45	2.45	1.52	12.5	8.26	3.30
25	36.7	35.2	10.6	31.4	28.7	10.4	4.12	2.36	1.52	16.1	9.93	3.10
26	19.5	26.9	35.6	34.0	29.9	9.52	3.90	2.27	1.70	6.46	6.46	3.00
27	14.8	21.8	76.7	36.3	24.8	8.80	3.80	2.27	1.88	8.08	5.13	3.00
28	12.5	17.9	57.5	34.8	23.1	8.44	3.70	2.18	1.88	9.52	4.34	2.90
29	10.9		46.5	31.8	25.1	8.08	3.60	2.18	1.70	6.78	3.90	2.63
30	9.70		44.8	29.1	22.4	7.58	3.50	2.18	1.64	5.26	3.60	2.72
31	9.34		40.5		21.5		3.40	2.09		4.45		2.63
SD1	45.0	11.2	29.2	34.2	35.7	31.5	6.43	3.18	1.92	1.53	3.00	2.74
SD2	10.4	29.8	20.0	34.8	27.3	17.1	4.84	2.66	1.72	1.45	2.18	3.47
SD3	14.2	32.8	32.7	32.7	27.1	10.2	3.99	2.34	1.65	6.73	4.91	3.24
MAX	113	169	87.1	97.4	48.1	108	7.42	3.90	2.00	38.2	11.5	7.58
DAT	1	19	27	19	2	7	1	3	1	24	25	17
SR	22.9	24.0	27.5	33.9	29.9	19.6	5.05	2.71	1.76	3.35	3.36	3.15
MIN	7.10	6.17	10.6	21.5	21.5	7.58	3.40	2.09	1.52	1.40	2.00	2.00
DAT	22	15	25	17	31	30	31	31	22	15	18	13
		GMIN =	1.40			SRGOD=	14.7			GMAX =	169	
		DATUM	15 10							DATUM	19 2	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1987

Broj : 45993 Stanica :DUSKI MOST Kota "0" = 760.00
Nacin osmat.: limnigraf Rijeka :KOMARNICA km od usca = 26.90
Pocetak rada: 1957 Sliv :PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	2.97	26.4	9.74	28.0	28.8	33.3	6.97	2.67	1.46	1.79	1.79	33.3
2	2.97	20.2	9.33	21.4	34.1	30.4	6.53	2.57	1.46	1.72	1.79	26.8
3	7.12	16.4	9.94	16.7	38.9	28.0	6.53	2.19	1.46	1.65	1.72	21.7
4	6.97	14.1	8.57	14.7	41.9	27.6	6.09	2.19	1.52	1.65	1.72	18.2
5	5.28	12.3	8.20	14.7	38.1	30.7	5.94	2.19	1.46	1.54	1.72	15.6
6	4.90	11.0	7.66	18.0	45.4	31.2	5.53	2.36	1.46	1.54	1.72	17.0
7	4.53	10.4	7.12	23.2	47.1	27.6	5.28	2.26	1.46	1.54	1.72	21.7
8	4.18	9.54	6.68	25.7	36.3	27.2	4.90	2.19	1.40	1.54	1.72	18.5
9	3.84	8.75	6.38	32.9	29.6	26.4	4.66	2.12	1.40	1.54	1.65	30.7
10	3.95	8.38	6.09	51.1	25.7	26.8	4.53	2.06	1.40	1.54	1.72	25.7
11	6.68	8.57	5.94	63.6	26.4	24.3	4.41	2.06	1.40	1.54	1.99	19.4
12	22.8	15.0	5.65	45.0	30.4	21.7	4.29	2.06	1.40	1.99	2.12	16.4
13	12.0	25.7	5.40	35.9	30.7	19.8	4.18	2.36	1.36	5.80	2.06	14.1
14	77.2	23.2	5.40	29.2	45.0	19.1	3.95	2.12	1.32	5.03	2.87	13.9
15	111	20.6	5.28	24.6	92.0	18.0	3.84	2.06	1.32	3.50	8.93	63.1
16	69.8	18.9	5.03	21.7	75.1	18.2	3.84	2.06	1.32	2.87	15.0	48.0
17	39.3	18.2	4.90	19.4	62.5	16.2	3.84	1.99	1.28	2.46	9.33	34.1
18	26.4	16.7	4.78	18.2	55.6	13.9	3.62	1.99	1.28	2.36	6.97	26.4
19	19.8	15.3	4.78	23.2	53.7	12.0	3.39	1.99	1.28	3.28	5.94	22.4
20	16.2	21.7	13.0	32.9	50.1	11.5	3.28	2.06	1.32	3.07	5.53	20.2
21	13.3	27.6	17.6	41.9	52.1	12.5	3.18	1.99	1.32	2.87	5.53	17.6
22	11.5	22.4	10.6	49.5	49.0	11.0	3.07	1.99	1.32	2.57	5.15	15.8
23	10.1	18.9	8.38	38.1	38.4	10.6	2.97	1.92	1.28	2.36	4.66	14.1
24	9.33	15.6	7.30	30.7	35.5	9.94	2.87	1.85	1.28	2.26	11.8	13.0
25	8.02	13.9	6.68	29.2	34.6	9.13	2.77	1.85	1.32	2.12	98.4	11.8
26	7.48	12.3	6.68	33.3	31.6	8.57	2.67	1.79	1.32	1.99	141	10.6
27	7.30	11.0	6.83	35.9	32.4	8.38	2.67	1.79	1.32	1.92	183	9.74
28	7.48	10.4	8.57	32.0	32.0	8.20	2.67	1.79	1.46	1.79	105	8.93
29	53.7		21.7	27.2	32.9	7.84	2.57	1.72	2.00	1.79	59.9	8.57
30	94.4		71.8	26.1	41.0	7.84	2.46	1.72	1.76	1.79	42.4	8.02
31	38.1		43.2		39.3		2.36	1.65		1.79		7.66
SD1	4.67	13.7	7.97	24.6	36.6	28.9	5.70	2.28	1.45	1.60	1.72	22.9
SD2	40.1	18.4	6.02	31.4	52.1	17.5	3.86	2.07	1.33	3.19	6.08	27.8
SD3	23.7	16.5	19.0	34.4	38.1	9.40	2.75	1.82	1.44	2.11	65.7	11.4
MAX	98.9	28.3	76.0	67.7	87.1	31.8	6.62	2.54	2.09	6.30	196	70.8
DAT	30	1	30	11	15	1	1	13	29	13	25	15
SR	22.9	16.2	11.3	30.1	42.1	18.6	4.06	2.05	1.40	2.30	24.5	20.4
MIN	2.97	8.38	4.78	14.7	25.7	7.84	2.36	1.65	1.28	1.54	1.65	7.66
DAT	1	10	18	4	10	29	31	31	17	5	9	31

GMIN =			1.28	SRGOD=				16.3	GMAX =			196
DATUM			17 9						DATUM			25 11

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1988

Broj : 45993 Stanica : DUSKI MOST Kota "0" = 760.00
 Nacin osmat.: limnigraf Rijeka : KOMARNICA km od usca = 26.90
 Pocetak rada: 1957 Sliv : PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	7.30	32.4	8.38	25.7	52.1	13.3	4.90	1.88	2.12	6.24	3.18	17.6
2	6.97	22.0	7.66	24.3	48.0	26.4	4.78	1.88	1.92	5.80	3.07	109
3	6.83	17.6	6.97	22.0	46.2	22.0	4.66	1.82	1.92	5.40	3.07	87.5
4	6.53	15.0	6.68	20.2	43.6	17.0	4.41	1.76	1.92	5.40	3.07	61.2
5	6.24	20.6	6.53	25.7	41.0	15.0	4.18	1.76	1.72	4.90	2.97	43.6
6	5.94	31.2	6.38	44.1	40.2	13.6	4.07	1.76	1.72	4.78	2.87	43.2
7	5.80	23.2	6.38	51.6	38.9	12.0	3.95	1.76	1.72	5.03	2.77	38.4
8	6.24	31.2	6.38	61.8	38.4	11.5	3.84	1.70	1.72	7.12	2.77	29.2
9	6.68	66.1	6.09	55.6	35.0	10.4	3.73	1.76	1.72	14.7	2.67	23.5
10	6.24	41.0	5.94	49.5	34.6	9.33	3.50	1.82	1.72	9.94	2.67	20.2
11	5.80	31.6	5.80	42.4	32.9	8.93	3.50	1.82	1.72	7.66	2.67	16.7
12	5.53	25.7	5.65	41.5	31.2	8.38	3.28	1.70	1.72	6.68	2.57	14.5
13	5.40	21.7	5.65	45.8	29.9	8.38	3.18	1.70	1.72	6.09	2.46	12.5
14	5.28	18.2	5.53	52.5	29.2	8.38	3.07	1.70	6.24	5.65	3.28	11.2
15	5.15	15.3	6.53	41.0	31.6	7.66	2.97	1.64	58.8	5.15	3.84	10.1
16	4.90	13.6	9.13	31.2	29.2	7.12	2.97	1.64	71.2	4.90	3.50	9.33
17	4.78	12.5	51.6	25.7	25.0	7.12	2.97	1.70	27.2	4.53	3.18	8.57
18	4.53	11.5	34.1	21.4	24.3	8.93	2.77	1.70	34.6	4.29	3.07	8.02
19	4.53	10.8	23.2	19.8	22.0	9.94	2.67	1.64	21.7	4.18	3.18	7.30
20	4.41	9.94	17.3	20.6	21.4	10.8	2.67	1.64	16.4	4.07	3.28	7.12
21	4.41	9.33	14.1	23.8	20.2	9.74	2.67	1.58	13.0	4.53	14.5	6.53
22	4.41	8.38	13.3	29.6	18.2	8.20	2.57	1.52	16.4	3.95	68.7	6.38
23	4.53	8.02	61.8	33.3	17.3	7.30	2.57	7.58	20.6	5.03	29.9	5.94
24	4.53	8.38	52.5	37.6	16.4	6.68	2.46	5.26	16.2	4.41	18.2	5.65
25	4.41	11.0	38.1	41.5	16.4	6.53	2.26	4.12	13.0	4.18	13.9	5.28
26	7.30	9.13	32.4	51.6	16.4	6.53	2.26	3.40	9.54	4.07	11.2	5.03
27	8.20	8.38	35.9	52.5	14.1	6.09	2.26	2.72	8.57	3.95	9.74	4.90
28	6.83	7.66	31.6	51.6	13.3	5.80	2.26	2.72	7.48	3.73	8.38	4.66
29	6.97	7.30	25.0	50.1	15.6	5.53	2.19	2.45	6.97	3.50	7.48	4.66
30	52.5		20.6	51.6	16.4	5.28	2.36	2.18	6.24	3.50	7.12	4.41
31	59.9		22.0		13.9		2.46	2.18		3.28		4.41
SD1	6.48	30.0	6.74	38.0	41.8	15.1	4.20	1.79	1.82	6.93	2.91	47.4
SD2	5.03	17.1	16.5	34.2	27.7	8.56	3.00	1.69	24.1	5.32	3.10	10.5
SD3	14.9	8.62	31.6	42.3	16.2	6.77	2.39	3.25	11.8	4.01	18.9	5.26
MAX	98.2	68.9	75.3	54.7	46.1	28.7	4.56	7.58	63.0	13.0	93.0	156
DAT	30	9	23	8	1	2	1	23	16	9	22	2
SR	9.00	18.9	18.7	38.2	28.2	10.1	3.17	2.27	12.6	5.38	8.31	20.5
MIN	4.41	7.30	5.53	19.8	13.3	5.28	2.19	1.52	1.72	3.28	2.46	4.41
DAT	20	29	14	19	28	30	29	22	5	31	13	30

GMIN =			1.52	SRGOD=				14.6	GMAX =			156
DATUM			22 8						DATUM			2 12

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1989

Broj : 45993 Stanica : DUSKI MOST Kota "0" = 760.00
 Nacin osmat.: limnigraf Rijeka : KOMARNICA km od usca = 26.90
 Pocetak rada: 1957 Sliv : PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	4.29	2.09	24.6	23.8	24.3	8.02	5.80	3.28	6.68	4.07	4.66	19.4
2	4.07	2.00	63.6	24.6	22.8	7.48	5.40	3.84	5.28	3.73	4.41	18.0
3	3.84	1.94	35.0	24.3	21.7	7.66	5.28	3.50	5.15	3.50	4.41	16.4
4	3.73	2.00	26.8	25.3	20.2	8.02	5.03	3.28	5.65	3.39	4.41	13.6
5	3.73	2.00	20.2	29.6	20.2	11.0	4.90	3.07	5.40	3.28	7.48	13.6
6	3.73	2.00	16.4	27.6	21.4	9.74	4.53	2.97	5.15	3.18	11.0	13.3
7	3.73	1.94	14.1	20.6	23.2	9.74	4.41	2.87	4.66	3.07	24.6	13.0
8	3.50	1.88	12.5	17.0	17.6	9.54	4.18	2.77	4.29	8.93	46.2	13.0
9	3.39	1.88	11.8	15.3	15.0	8.75	4.07	2.77	3.95	45.4	31.2	12.0
10	3.39	1.82	10.4	15.8	15.3	7.48	3.95	3.18	14.1	99.2	28.4	12.0
11	3.28	1.82	9.94	17.0	18.2	7.12	4.07	2.87	16.4	89.7	26.8	11.0
12	3.18	1.82	9.33	17.6	18.9	6.38	4.07	3.07	11.2	47.1	23.8	10.6
13	3.18	1.88	8.93	20.2	20.2	6.09	6.38	3.07	9.13	31.6	20.9	12.8
14	3.18	1.82	9.33	22.0	24.6	6.09	8.02	2.87	8.20	23.8	15.8	31.6
15	3.07	1.82	9.74	18.2	20.2	5.94	7.12	2.77	8.93	19.4	9.33	37.6
16	2.97	1.76	9.94	16.7	18.2	5.94	8.57	2.57	8.02	15.8	8.75	50.1
17	2.87	1.76	12.8	25.3	16.7	6.53	7.30	2.46	6.68	13.6	8.02	45.4
18	2.87	1.76	16.7	73.8	17.0	9.33	6.24	2.46	5.80	11.5	7.12	38.4
19	2.87	1.76	19.4	46.7	18.0	9.74	5.65	2.36	5.28	10.6	9.74	37.2
20	2.87	1.76	22.4	36.3	16.4	8.20	5.15	2.26	5.03	9.74	12.0	23.8
21	2.87	1.76	23.2	31.6	14.7	7.48	4.78	2.19	4.78	8.75	11.0	35.0
22	2.77	1.88	38.1	41.5	13.6	6.97	4.53	2.12	4.29	8.02	11.5	27.6
23	2.67	1.94	29.2	39.8	13.0	6.53	4.18	2.12	4.18	7.12	43.6	26.8
24	2.67	2.90	28.4	29.9	11.5	6.53	3.95	2.36	4.07	6.68	53.1	27.6
25	2.46	17.2	22.4	23.8	10.6	6.09	3.84	2.26	3.73	6.38	45.4	18.2
26	2.57	70.2	19.4	22.0	9.54	6.09	3.84	2.19	3.62	5.94	43.6	18.0
27	2.57	43.4	20.2	23.2	8.93	6.97	3.84	2.12	3.50	5.80	32.4	16.7
28	2.46	24.1	19.4	25.3	8.57	6.53	3.73	2.19	3.39	5.40	27.6	16.7
29	2.26		20.2	26.8	8.57	6.24	3.62	21.7	3.62	5.28	24.3	14.1
30	2.36		22.4	26.4	8.57	6.09	3.39	18.2	3.84	4.90	23.2	14.1
31	2.26		22.4		8.02		3.18	10.1		4.78		13.6
SD1	3.74	1.96	23.5	22.4	20.2	8.74	4.76	3.15	6.03	17.8	16.7	14.4
SD2	3.03	1.80	12.9	29.4	18.8	7.14	6.26	2.68	8.47	27.3	14.2	29.8
SD3	2.54	20.4	24.1	29.0	10.5	6.55	3.90	6.15	3.90	6.28	31.6	20.8
MAX	3.90	107	75.3	82.8	23.4	10.9	8.26	29.1	18.2	160	53.0	44.3
DAT	1	26	2	18	14	5	16	29	11	10	24	16
SR	3.09	7.17	20.3	26.9	16.3	7.48	4.94	4.06	6.13	16.8	20.8	21.6
MIN	2.26	1.76	8.93	15.3	8.02	5.94	3.18	2.12	3.39	3.07	4.41	10.6
DAT	29	16	13	9	31	15	31	22	28	7	2	12
		GMIN = 1.76		SRGOD= 13.0		GMAX = 160						
		DATUM 16 2				DATUM 10 10						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1990

Broj : 45993 Stanica : DUSKI MOST Kota "0" = 760.00
 Nacin osmat.: limnigraf Rijeka : KOMARNICA km od usca = 26.90
 Pocetak rada: 1957 Sliv : PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	15.1	19.2	6.85	6.85	17.4	3.86	3.38	2.90	2.20	2.43	21.0	36.6
2	14.6	15.5	6.85	7.25	17.4	3.74	3.30	2.90	2.20	2.43	18.9	33.0
3	14.4	13.0	6.44	6.85	16.8	3.74	3.14	2.83	2.30	2.49	17.6	30.7
4	14.1	11.5	5.97	6.44	14.4	4.11	3.14	2.83	2.30	2.49	20.8	28.9
5	13.6	10.2	5.18	5.81	14.4	4.73	3.14	2.77	2.30	2.43	18.5	24.6
6	14.6	7.25	5.49	5.97	13.6	5.49	3.14	2.77	2.30	2.43	14.6	25.4
7	13.6	6.64	5.33	11.5	12.8	5.49	3.14	2.83	2.30	2.60	12.3	24.0
8	15.1	8.07	5.49	24.3	12.1	5.33	3.06	2.83	2.25	10.6	10.6	22.5
9	15.1	7.66	5.81	21.7	11.8	5.18	3.06	3.30	2.30	32.1	9.33	21.0
10	15.7	7.25	5.65	28.9	12.3	4.86	2.90	3.30	2.25	14.6	8.48	50.1
11	15.1	6.85	5.97	21.7	11.8	4.86	2.98	2.98	2.25	8.90	7.86	96.7
12	14.1	6.44	7.05	17.4	11.1	4.73	2.98	2.77	2.25	5.97	7.05	52.5
13	12.1	6.44	7.46	15.1	10.6	4.73	2.98	2.77	2.25	5.81	6.64	39.4
14	10.4	6.12	7.25	14.4	9.98	4.61	3.14	3.06	2.25	5.49	6.28	32.1
15	9.55	6.44	6.44	14.6	9.55	4.49	2.98	2.77	2.25	4.73	10.2	26.2
16	8.69	9.33	6.12	15.1	9.33	4.61	2.98	2.77	2.25	4.11	19.8	22.5
17	7.66	7.66	5.97	14.6	9.33	4.61	2.98	2.71	2.03	3.46	15.7	19.4
18	6.85	6.44	5.65	15.1	9.12	4.49	2.98	2.66	1.82	3.38	13.0	18.0
19	6.12	5.97	5.49	16.3	9.12	4.49	3.38	2.66	1.65	3.54	11.5	16.5
20	5.65	5.81	5.65	22.5	8.69	4.49	4.49	2.66	1.65	3.54	10.2	14.9
21	5.33	5.81	5.97	46.2	8.90	4.36	3.99	2.66	1.83	8.07	9.55	14.1
22	5.18	5.81	5.97	55.7	8.27	4.24	3.46	2.60	1.90	11.1	9.12	13.0
23	4.61	5.49	6.12	111	6.64	3.86	3.22	2.60	2.20	8.07	13.2	12.1
24	4.24	5.49	6.44	67.3	5.81	3.74	3.14	2.60	2.30	6.44	58.4	11.5
25	3.99	5.81	6.12	50.6	5.33	3.62	3.14	2.60	2.35	5.49	47.7	10.6
26	4.73	5.81	7.86	38.9	4.86	3.54	3.14	2.54	2.30	5.18	35.3	10.4
27	7.66	6.28	9.33	31.6	4.86	3.54	3.14	2.54	2.30	5.49	75.1	9.76
28	6.44	8.07	9.98	27.5	4.36	3.46	3.14	2.54	2.25	7.86	84.5	10.2
29	38.0		8.07	23.2	4.36	3.46	2.98	2.54	2.25	11.5	56.3	9.55
30	52.5		7.25	19.8	4.36	3.38	2.90	2.54	2.25	42.8	40.3	9.12
31	28.3		6.85		4.24		2.90	2.54		36.6		8.90
SD1	14.6	10.6	5.91	12.6	14.3	4.65	3.14	2.92	2.27	7.46	15.2	29.7
SD2	9.63	6.75	6.31	16.7	9.86	4.61	3.19	2.78	2.07	4.89	10.8	33.8
SD3	14.6	6.07	7.27	47.2	5.64	3.72	3.20	2.57	2.19	13.5	43.0	10.8
MAX	76.1	19.9	9.82	121	15.9	5.00	3.97	3.86	2.35	54.5	84.9	130
DAT	30	1	28	23	2	6	20	9	25	30	28	11
SR	13.0	7.94	6.52	25.5	9.79	4.33	3.18	2.75	2.18	8.78	23.0	24.3
MIN	3.99	5.49	5.18	5.81	4.24	3.38	2.90	2.54	1.65	2.43	6.28	8.90
DAT	25	23	5	5	31	30	10	26	19	1	14	31

GMIN =			1.65	SRGOD=				10.9	GMAX =			130
DATUM			19 9						DATUM			11 12

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1991

Broj : 45993 Stanica : DUSKI MOST Kota "0" = 760.00
 Nacin osmat.: limnigraf Rijeka : KOMARNICA km od usca = 26.90
 Pocetak rada: 1957 Sliv : PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	6.09	3.73	2.46	16.4	24.6	21.4	8.20	3.62	1.46	1.40	5.15	21.7
2	8.93	3.73	2.87	14.5	24.6	22.8	8.02	3.84	1.46	1.72	4.66	18.5
3	8.57	3.39	4.90	13.0	24.6	22.8	7.84	3.28	1.46	2.67	4.41	16.4
4	8.02	3.18	6.68	11.8	26.8	22.4	7.84	3.07	1.40	2.12	4.41	14.5
5	7.48	3.18	7.12	12.0	27.6	22.8	7.48	2.87	1.40	1.58	48.0	13.0
6	7.48	3.18	6.97	12.3	27.6	22.8	7.30	2.77	1.40	1.54	66.8	11.5
7	7.30	3.07	8.02	13.0	27.6	52.5	6.83	2.67	1.36	1.49	30.4	10.1
8	6.97	3.07	11.0	16.4	27.2	66.8	6.38	2.57	1.36	1.45	20.6	9.33
9	6.97	3.07	17.3	18.2	26.4	42.7	6.09	2.36	1.40	1.49	15.6	8.38
10	6.97	3.07	18.9	17.6	24.6	35.5	5.53	2.26	1.32	1.54	13.3	7.84
11	6.83	3.07	19.1	15.3	24.6	30.7	5.28	2.26	1.32	1.58	12.5	7.30
12	6.83	3.07	17.6	14.7	26.4	27.6	5.03	2.19	1.32	1.54	11.5	6.97
13	6.83	3.07	15.6	13.6	28.4	23.8	4.66	2.19	1.36	2.87	10.6	6.68
14	6.53	3.07	13.6	12.0	28.4	21.7	4.41	2.12	1.32	10.6	32.4	6.09
15	6.24	2.97	14.1	11.5	28.4	19.4	4.18	2.26	1.28	8.75	107	5.80
16	6.09	2.57	13.9	11.0	71.8	17.0	3.95	2.12	1.28	8.75	103	5.40
17	5.80	2.46	13.6	12.5	51.6	16.4	3.73	1.99	1.28	9.74	168	5.28
18	5.53	2.46	12.0	14.1	38.4	15.0	3.28	1.99	1.24	8.20	82.9	5.15
19	5.28	2.46	11.5	14.1	31.2	13.6	3.07	1.92	1.28	6.53	53.1	5.03
20	5.15	2.46	13.0	25.7	27.2	12.0	3.07	1.92	1.28	64.3	47.1	4.90
21	4.78	2.36	16.4	26.8	29.2	10.6	2.87	1.92	1.24	47.1	110	4.66
22	4.66	2.36	20.6	26.8	30.7	10.1	2.77	1.85	1.24	41.5	120	4.41
23	4.41	2.36	25.3	26.4	34.1	9.33	2.77	1.85	1.24	25.3	71.8	4.18
24	4.41	2.36	26.8	24.3	28.0	8.75	2.67	1.79	1.24	17.0	66.8	4.18
25	4.29	2.26	28.4	22.8	24.3	8.75	2.57	1.79	1.24	12.5	84.4	4.07
26	4.07	2.26	28.4	21.4	20.9	8.75	2.57	1.72	1.20	10.1	59.9	3.95
27	4.07	2.26	28.4	19.1	19.1	8.75	3.07	1.72	1.20	8.57	46.2	3.95
28	3.95	2.26	27.2	18.0	18.0	8.75	3.50	1.72	1.24	7.48	37.6	3.73
29	4.07		25.0	20.2	16.7	8.75	4.41	1.72	1.24	6.53	31.6	3.62
30	3.95		22.0	23.8	17.0	8.57	3.62	1.72	1.24	5.94	24.6	3.39
31	3.73		19.1		18.5		3.18	1.65		5.65		3.28
SD1	7.48	3.27	8.62	14.5	26.2	33.3	7.15	2.93	1.40	1.70	21.3	13.1
SD2	6.11	2.77	14.4	14.4	35.6	19.7	4.07	2.10	1.30	12.3	62.9	5.86
SD3	4.22	2.31	24.3	23.0	23.3	9.11	3.09	1.77	1.23	17.1	65.3	3.95
MAX	8.44	3.30	28.0	23.7	76.0	88.6	7.42	3.60	2.18	93.7	205	20.8
DAT	2	1	25	21	16	8	1	2	1	20	17	1
SR	5.88	2.82	16.1	17.3	28.2	20.7	4.71	2.25	1.31	10.6	49.8	7.53
MIN	3.73	2.26	2.46	11.0	16.7	8.57	2.57	1.65	1.20	1.40	4.41	3.28
DAT	31	25	1	16	29	30	25	31	26	1	3	31
GMIN =			1.20	SRGOD=			13.9	GMAX =			205	
DATUM			26 9					DATUM			17 11	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1992

Broj : 45993 Stanica :DUSKI MOST Kota "0" = 760.00
Nacin osmat.: limnigraf Rijeka :KOMARNICA km od usca = 26.90
Pocetak rada: 1957 Sliv :PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	3.28	1.85	2.26	18.2	37.2	5.80	6.68	1.79	1.24	1.18	8.93	12.8
2	3.28	1.85	2.26	14.5	35.5	7.84	6.53	1.79	1.24	1.18	7.30	12.3
3	3.07	1.92	2.36	13.3	36.7	8.02	6.24	1.72	1.20	1.22	6.24	14.7
4	3.07	1.85	2.67	30.7	33.3	6.83	5.94	1.72	1.20	2.67	5.53	15.3
5	2.97	1.85	2.97	26.1	28.8	5.94	5.65	1.79	1.16	3.95	4.90	17.0
6	2.97	1.85	3.07	30.4	25.3	5.40	5.53	1.72	1.16	8.57	4.29	43.6
7	2.87	1.85	3.50	31.6	23.2	5.03	5.15	1.58	1.12	28.4	4.07	31.2
8	2.87	1.72	3.73	33.3	21.7	4.66	5.03	1.58	1.12	13.6	3.84	28.4
9	2.87	1.72	3.84	44.5	20.6	4.41	4.90	1.58	1.12	13.0	3.73	38.1
10	2.77	1.79	3.84	35.0	20.2	4.41	4.66	1.58	1.12	13.0	3.73	31.6
11	2.77	1.79	3.73	27.6	18.2	4.90	4.53	1.58	1.16	17.6	3.73	32.4
12	2.77	1.79	3.50	25.3	15.3	4.90	4.41	1.58	1.16	28.4	4.07	30.4
13	2.67	1.72	3.39	22.0	15.8	4.90	4.18	1.58	1.12	10.6	3.95	26.8
14	2.67	1.72	3.28	18.5	14.7	13.3	3.95	1.54	1.12	8.20	5.15	24.6
15	2.67	1.72	3.28	15.6	13.3	16.2	3.84	1.54	1.08	9.33	4.18	23.8
16	2.57	1.79	3.28	14.7	12.0	17.0	3.62	1.54	1.08	16.4	4.29	23.8
17	2.46	1.85	4.07	14.1	11.2	13.3	3.39	1.49	1.08	53.1	138	22.8
18	2.26	2.12	5.94	15.0	10.6	10.1	3.28	1.49	1.08	153	250	21.7
19	2.19	3.73	5.28	20.2	9.74	11.5	3.18	1.49	1.08	80.0	96.8	20.9
20	2.26	4.07	4.53	26.1	8.93	15.0	3.07	1.49	1.08	56.8	69.3	20.2
21	2.26	3.39	4.07	21.7	7.48	15.3	2.67	1.54	1.12	36.7	52.5	20.2
22	2.26	3.07	3.95	20.2	6.83	14.7	2.46	1.54	1.12	23.5	42.4	18.9
23	2.26	2.77	3.62	22.0	6.68	13.6	2.19	1.54	1.08	16.4	34.1	18.2
24	2.19	2.67	3.50	21.7	6.83	11.0	1.99	1.49	1.08	18.0	27.6	17.6
25	2.12	2.36	3.39	19.1	6.97	9.33	1.85	1.49	1.08	18.5	20.9	17.0
26	1.99	2.26	20.9	26.1	7.12	8.20	1.85	1.49	1.08	16.4	17.6	16.4
27	1.99	2.26	48.0	28.4	6.83	7.84	1.85	1.49	1.04	20.2	17.0	16.4
28	1.99	2.19	48.0	31.6	6.53	7.48	1.85	1.45	1.04	15.3	16.2	16.2
29	1.99	2.19	51.1	35.5	5.94	7.12	1.85	1.45	1.04	14.5	15.0	16.2
30	1.99		32.4	37.6	5.65	6.83	1.85	1.45	1.04	13.6	13.9	15.8
31	1.99		23.2		5.53		1.79	1.45		11.0		15.6
SD1	3.00	1.83	3.05	27.8	28.2	5.83	5.63	1.68	1.17	8.67	5.26	24.5
SD2	2.53	2.23	4.03	19.9	13.0	11.1	3.74	1.53	1.10	43.3	57.9	24.8
SD3	2.09	2.57	22.0	26.4	6.58	10.1	2.02	1.49	1.07	18.5	25.7	17.1
MAX	2.90	4.56	58.0	42.5	36.7	15.9	5.91	1.58	1.24	289	394	38.6
DAT	1	20	27	9	1	16	1	1	1	18	18	6
SR	2.53	2.20	10.1	24.7	15.6	9.03	3.74	1.57	1.11	23.3	29.6	22.0
MIN	1.99	1.72	2.26	13.3	5.53	4.41	1.79	1.45	1.04	1.18	3.73	12.3
DAT	26	8	1	3	31	9	31	28	27	1	9	2

GMIN =			1.04	SRGOD=				12.1	GMAX =			394
DATUM			27 9						DATUM			18 11

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1993

Broj : 45993 Stanica : DUSKI MOST Kota "0" = 760.00
 Nacin osmat.: limnigraf Rijeka : KOMARNICA km od usca = 26.90
 Pocetak rada: 1957 Sliv : PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	8.20	7.66	6.68	8.75	18.2	7.48	5.15	4.41	2.35	3.07	9.33	9.74
2	8.20	7.48	6.68	8.75	17.6	7.12	5.15	4.29	1.95	3.07	9.13	9.33
3	8.20	7.48	6.68	8.57	17.0	7.12	5.03	4.18	1.77	32.0	9.13	9.33
4	8.02	7.48	6.83	8.57	17.0	7.12	5.03	3.96	2.01	7.84	9.74	8.93
5	8.02	7.48	6.83	8.57	18.2	7.12	5.03	3.96	3.00	20.2	35.9	8.93
6	8.02	7.30	6.68	9.13	18.2	6.97	5.03	3.84	3.10	15.3	41.9	8.57
7	8.20	7.12	6.68	9.94	15.8	6.97	5.03	4.18	2.90	12.0	23.2	8.57
8	8.20	7.12	6.68	9.94	14.7	6.83	4.90	3.96	2.81	11.5	13.6	8.57
9	8.20	7.12	6.68	10.1	13.0	6.83	4.90	3.84	2.81	10.8	12.5	8.20
10	8.02	7.12	6.68	10.6	12.5	6.83	4.90	3.73	2.72	10.4	9.33	7.84
11	8.02	7.12	6.68	20.2	12.0	6.68	4.90	3.73	2.63	9.54	7.84	116
12	7.84	7.12	6.68	27.6	12.0	6.68	4.90	3.62	2.72	9.54	7.48	120
13	7.84	7.12	6.68	26.8	10.6	6.53	4.90	3.50	2.72	9.33	14.7	88.9
14	7.84	7.12	6.68	28.4	10.6	6.53	4.78	3.50	2.63	9.33	10.1	75.8
15	7.84	6.97	6.68	35.9	10.6	6.24	4.78	3.50	2.63	8.93	9.33	68.0
16	7.84	6.97	6.68	37.6	10.4	6.24	4.78	3.50	2.63	8.93	8.93	65.5
17	7.84	6.97	6.68	26.1	10.1	6.24	4.78	3.39	2.63	8.75	8.93	64.3
18	7.84	6.97	6.68	20.9	10.1	6.24	4.78	3.39	2.63	8.57	8.57	61.8
19	7.84	6.97	6.97	18.5	9.74	5.94	4.78	3.39	2.63	8.38	8.38	58.8
20	7.84	6.97	7.48	19.1	9.33	5.94	4.66	3.28	2.63	8.38	8.38	54.3
21	7.84	6.97	7.84	21.4	9.33	5.80	4.66	3.28	2.63	8.20	8.20	51.6
22	7.84	6.97	8.20	23.5	8.93	5.80	4.66	3.28	2.72	7.84	8.20	45.4
23	7.84	6.97	9.33	23.2	8.75	5.65	4.66	3.18	2.72	13.0	13.0	43.2
24	7.84	6.83	12.0	22.0	8.57	5.65	4.66	3.18	2.72	19.8	20.2	40.2
25	7.66	6.83	15.8	22.4	8.57	5.53	4.66	3.18	2.72	15.8	15.8	54.3
26	7.66	6.83	20.2	20.2	8.38	5.40	4.66	3.07	2.63	12.5	12.8	43.6
27	7.66	6.83	13.3	18.9	8.38	5.40	4.66	3.07	2.63	12.0	12.5	42.7
28	7.84	6.83	10.6	18.9	8.38	5.28	4.53	2.97	2.63	11.0	11.0	40.2
29	7.84		9.74	18.5	8.38	5.15	4.53	2.97	2.63	10.6	10.6	39.8
30	7.84		8.93	18.2	8.20	5.15	4.41	2.87	2.63	10.1	10.1	39.8
31	7.84		8.75		8.20		4.41	2.87		9.74		39.8
SD1	8.13	7.34	6.71	9.29	16.2	7.04	5.02	4.03	2.54	12.6	17.4	8.80
SD2	7.86	7.03	6.79	26.1	10.5	6.33	4.80	3.48	2.65	8.97	9.27	77.4
SD3	7.79	6.88	11.3	20.7	8.55	5.48	4.59	3.08	2.67	11.9	12.2	43.7
MAX	7.26	6.78	14.0	33.3	16.1	6.94	4.56	3.90	3.10	37.8	37.1	169
DAT	1	1	25	16	1	1	1	1	6	4	6	12
SR	7.92	7.10	8.38	18.7	11.7	6.28	4.80	3.52	2.62	11.2	13.0	43.3
MIN	7.66	6.83	6.68	8.57	8.20	5.15	4.41	2.87	1.77	3.07	7.48	7.84
DAT	25	24	1	3	30	29	30	30	3	1	12	10
GMIN =		1.77		SRGOD=		11.6		GMAX =		169		
DATUM		3 9						DATUM		12 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1994

Broj : 45993 Stanica : DUSKI MOST Kota "0" = 760.00
 Nacin osmat.: limnigraf Rijeka : KOMARNICA km od usca = 26.90
 Pocetak rada: 1957 Sliv : PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	26.1	8.57	13.0	18.9	36.7	16.4	10.1	5.15	3.50	5.00	12.3	5.65
2	25.3	8.20	12.5	23.2	35.9	16.2	10.1	5.15	3.50	5.00	10.4	5.53
3	23.8	8.20	12.3	32.4	30.7	15.8	9.94	5.03	3.50	4.78	7.84	5.53
4	23.2	7.84	12.0	36.7	27.6	15.6	9.94	5.03	3.73	4.56	7.48	5.40
5	18.9	7.48	10.8	25.3	29.1	15.6	9.94	4.90	3.73	4.34	7.12	5.40
6	24.6	6.97	10.1	26.8	27.6	18.2	9.74	4.90	3.73	4.34	6.83	5.15
7	26.1	6.68	9.74	28.0	26.4	15.8	9.74	4.66	3.62	4.12	6.68	4.90
8	25.3	6.53	9.33	22.4	26.1	14.7	9.74	3.73	3.73	3.90	6.68	5.15
9	24.6	6.24	8.57	21.7	23.8	13.6	9.74	3.96	4.18	3.90	6.24	5.40
10	23.8	5.94	7.84	23.2	21.7	13.3	9.74	3.73	3.96	3.90	5.94	5.65
11	23.2	5.65	8.38	42.7	26.8	12.5	9.74	3.73	3.96	3.70	17.6	5.65
12	22.4	5.65	12.5	141	28.4	12.5	9.33	3.73	3.84	3.50	32.4	5.53
13	21.7	5.65	13.3	69.3	27.6	12.0	9.54	3.50	3.73	3.50	25.3	5.40
14	20.9	5.40	16.4	50.1	28.4	11.5	9.54	3.50	3.50	3.30	17.6	5.28
15	20.2	5.40	17.6	43.6	31.6	13.0	9.54	3.50	6.24	3.30	14.1	5.15
16	19.4	5.15	17.0	48.0	32.4	12.0	9.33	3.73	6.83	3.30	10.4	4.90
17	19.1	5.15	16.4	81.5	31.6	11.5	9.33	3.73	6.83	3.10	9.74	4.90
18	18.9	22.4	18.2	68.0	31.6	11.0	9.33	3.96	5.40	2.90	8.93	4.66
19	18.9	16.2	17.6	48.0	36.7	13.0	9.33	4.41	3.96	2.90	8.57	4.66
20	19.4	15.6	16.4	49.0	33.3	12.5	9.33	4.66	6.53	2.90	8.02	4.66
21	19.4	14.7	15.3	48.0	35.5	12.0	8.93	4.41	6.24	2.90	7.84	4.66
22	18.9	13.6	20.9	46.2	31.6	11.5	8.57	4.18	8.57	3.10	7.48	4.53
23	17.6	13.0	20.2	46.2	30.7	11.0	8.38	3.96	9.74	3.10	7.30	4.53
24	16.4	14.1	22.4	45.4	29.1	10.8	8.20	3.73	8.20	3.10	7.12	4.53
25	14.7	13.6	24.6	47.1	28.4	10.4	7.48	3.73	6.83	2.90	6.97	4.41
26	14.1	16.4	26.1	46.2	28.4	10.6	7.12	5.15	6.53	2.56	6.83	4.41
27	13.0	15.3	24.6	45.4	27.6	10.6	6.83	5.28	5.40	2.02	6.68	4.41
28	12.0	14.1	20.9	47.1	26.1	10.4	6.38	4.90	5.40	1.82	6.53	4.41
29	10.6		20.2	41.0	23.5	10.4	6.24	4.41	5.40	2.72	6.53	4.41
30	9.33		19.1	41.0	18.9	10.1	5.65	3.96	5.53	41.7	6.38	4.41
31	8.20		18.2		16.4		5.15	3.73		19.8		4.41
SD1	24.2	7.27	10.6	25.9	28.6	15.5	9.88	4.62	3.72	4.38	7.75	5.38
SD2	20.4	9.22	15.4	64.2	30.8	12.2	9.43	3.84	5.08	3.24	15.3	5.08
SD3	14.0	14.3	21.1	45.4	26.9	10.8	7.18	4.31	6.78	7.79	6.97	4.47
MAX	34.0	24.4	26.5	163	34.8	17.2	8.98	4.78	8.62	52.5	51.4	5.00
DAT	1	18	26	12	1	1	1	1	23	30	12	1
SR	19.4	9.98	15.9	45.1	28.7	12.8	8.78	4.26	5.19	5.22	10.00	4.96
MIN	8.20	5.15	7.84	18.9	16.4	10.1	5.15	3.50	3.50	1.82	5.94	4.41
DAT	31	16	10	1	31	30	31	13	1	28	10	25
		GMIN =	1.82			SRGOD=	14.2			GMAX =	163	
		DATUM	28 10							DATUM	12 4	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1995

Broj : 45993 Stanica :DUSKI MOST Kota "0" = 760.00
 Nacin osmat.: limnigraf Rijeka :KOMARNICA km od usca = 26.90
 Pocetak rada: 1957 Sliv :PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	47.1	8.38	38.4	12.0	30.0	11.0	5.15	7.42	8.75	16.4	5.80	20.9
2	49.0	8.20	33.3	11.0	24.6	21.7	5.15	7.74	7.66	15.3	5.65	18.2
3	50.1	8.02	30.7	9.74	21.7	20.9	5.03	5.52	6.68	14.1	5.65	14.1
4	46.7	10.1	29.1	8.57	19.8	17.6	5.03	4.67	6.97	13.6	5.53	12.5
5	38.4	10.6	35.0	7.84	18.9	15.3	5.03	4.12	10.1	12.5	5.53	11.5
6	33.3	11.0	39.3	11.0	18.2	14.7	4.90	3.80	59.3	12.0	5.40	11.0
7	26.8	7.84	34.1	13.6	18.0	14.7	4.90	3.60	46.2	11.5	5.40	15.8
8	20.9	6.97	27.6	15.8	18.9	13.3	4.90	3.40	43.2	10.6	5.28	14.1
9	11.0	6.24	22.4	14.1	18.2	12.0	4.90	3.20	38.4	10.1	5.28	11.0
10	8.93	5.94	15.3	11.5	18.0	11.2	4.90	3.10	30.0	9.94	5.15	9.74
11	6.83	5.65	13.3	9.74	17.6	11.0	4.78	2.81	26.8	9.74	5.15	8.93
12	6.24	5.65	11.5	8.57	29.1	21.7	4.78	2.56	26.1	9.54	4.90	8.57
13	5.94	5.40	11.0	7.84	32.4	20.9	4.66	2.12	25.3	9.33	5.15	11.5
14	5.65	5.40	10.6	7.48	73.1	17.6	4.66	1.91	24.6	9.13	5.28	14.7
15	5.65	5.15	10.1	7.12	68.0	15.3	4.53	2.03	24.6	8.93	5.65	8.20
16	5.40	4.90	9.74	6.83	53.1	13.6	4.41	2.12	24.3	8.93	5.40	15.8
17	5.40	4.66	9.54	7.12	50.6	11.5	4.29	2.45	24.3	8.75	5.28	17.0
18	5.28	4.41	8.75	7.48	47.1	8.57	4.18	2.81	23.5	8.75	5.15	20.9
19	5.15	10.6	7.84	7.84	41.9	8.20	3.96	2.81	22.4	8.57	5.03	26.1
20	5.03	21.7	7.12	7.66	30.7	7.84	3.84	2.90	43.6	8.38	4.90	20.9
21	4.90	14.5	6.83	7.48	25.6	7.48	3.73	2.81	37.6	8.20	4.78	17.6
22	4.66	13.3	6.68	7.84	22.8	7.12	3.62	3.30	35.0	8.02	4.66	15.3
23	4.41	11.5	6.53	7.48	20.2	6.83	3.50	3.30	32.0	7.66	4.53	16.4
24	4.29	10.6	6.38	7.12	18.9	6.53	3.39	3.20	27.6	7.30	4.41	48.0
25	6.83	14.7	6.24	29.1	18.0	5.80	3.28	3.10	25.3	6.97	4.29	58.1
26	8.20	17.6	5.94	36.7	17.3	5.40	3.18	6.94	23.8	6.68	4.18	68.0
27	8.93	45.4	5.65	48.0	16.7	5.40	3.18	17.9	22.4	6.53	13.0	144
28	8.57	48.0	5.65	40.2	16.2	5.40	3.96	8.26	21.7	6.24	18.9	108
29	8.57		15.3	38.4	15.3	5.15	5.65	13.0	19.8	6.09	33.3	85.1
30	8.38		14.7	32.4	14.1	4.90	6.09	12.0	18.2	5.94	30.0	60.6
31	8.38		13.0		13.0		7.84	8.62		5.80		51.1
SD1	33.2	8.32	30.5	11.5	20.6	15.2	4.99	4.66	25.7	12.6	5.47	13.9
SD2	5.66	7.35	9.95	7.77	44.4	13.6	4.41	2.45	26.6	9.00	5.19	15.3
SD3	6.92	22.0	8.44	25.5	18.0	6.00	4.31	7.49	26.3	6.86	12.2	61.1
MAX	48.1	45.2	38.6	46.1	75.3	21.1	7.10	20.5	61.8	15.3	33.7	157
DAT	3	28	6	27	14	2	31	27	6	1	29	27
SR	15.0	11.9	16.1	14.9	27.4	11.6	4.56	4.95	26.2	9.40	7.62	31.1
MIN	4.29	4.41	5.65	6.83	13.0	4.90	3.18	1.91	6.68	5.80	4.18	8.20
DAT	24	18	27	16	31	30	26	14	3	31	26	15
GMIN =		1.91		SRGOD=		15.1		GMAX =		157		
DATUM		14 8						DATUM		27 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1996

Broj : 45993 Stanica :DUSKI MOST Kota "0" = 760.00
Nacin osmat.: limnigraf Rijeka :KOMARNICA km od usca = 26.90
Pocetak rada: 1957 Sliv :PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	58.0	10.4	6.62	18.2	53.6	6.94	2.72	1.88	1.88	5.13	9.70	10.2
2	50.3	9.52	6.62	21.8	56.9	6.30	2.72	1.94	1.24	4.89	6.17	7.50
3	41.7	9.34	6.17	51.4	45.2	6.04	2.54	1.88	1.52	4.89	4.12	6.06
4	35.6	9.70	6.04	97.4	59.7	5.52	2.54	1.94	1.76	4.34	3.90	5.28
5	30.2	12.3	5.91	81.4	51.4	5.00	2.45	1.88	1.32	4.23	4.01	4.30
6	25.5	10.9	5.65	52.5	42.5	4.67	2.45	1.94	1.36	4.12	4.23	3.53
7	22.7	10.2	5.52	37.8	37.1	4.23	2.45	2.00	1.58	4.01	4.12	3.20
8	21.5	9.52	5.39	30.2	35.6	4.01	2.36	2.00	1.70	3.80	3.80	2.92
9	21.1	8.80	5.39	28.0	32.5	3.90	2.36	2.00	1.88	3.70	4.23	2.99
10	19.2	8.26	5.13	28.0	29.5	3.80	2.27	2.00	1.94	3.80	4.12	2.64
11	17.9	7.74	5.00	27.2	40.9	3.80	2.18	2.09	2.00	3.60	3.70	2.50
12	17.2	7.42	5.26	25.1	38.6	3.70	2.18	2.00	1.94	3.30	3.60	2.50
13	15.6	7.26	5.26	23.7	35.6	3.70	2.18	2.00	6.30	3.40	3.50	2.92
14	14.0	7.90	5.13	25.1	46.1	3.60	2.18	1.94	18.5	7.42	3.20	18.1
15	13.0	7.42	5.39	21.8	52.5	3.60	2.09	2.00	16.1	13.5	2.63	62.8
16	12.0	7.10	7.74	19.2	49.2	3.50	2.09	1.94	12.5	14.0	1.76	54.0
17	11.1	6.78	11.1	16.7	54.7	3.50	2.09	2.00	7.26	37.8	1.40	44.3
18	10.4	6.46	10.2	15.0	63.0	3.40	2.09	2.09	3.50	60.8	3.00	42.6
19	9.93	6.17	9.93	15.3	69.5	3.40	2.00	2.09	3.90	46.1	19.5	35.7
20	9.34	10.2	9.93	15.0	53.6	3.30	2.00	2.09	35.6	17.9	17.2	30.4
21	8.62	16.7	9.52	18.5	49.2	3.30	2.00	2.18	15.0	9.16	23.1	36.6
22	8.26	12.0	9.34	23.4	37.8	3.20	2.00	2.18	11.3	8.08	35.6	34.0
23	7.90	10.2	9.52	29.5	31.8	3.20	1.94	2.18	13.0	7.42	94.4	44.3
24	7.74	9.16	9.34	36.7	25.8	3.10	1.94	2.09	22.4	7.10	56.9	49.8
25	17.9	8.26	9.93	39.4	22.7	3.10	1.94	2.09	30.2	5.65	38.2	63.8
26	40.2	7.58	12.0	40.9	18.5	3.00	1.94	2.09	26.2	5.26	31.0	56.4
27	22.4	7.26	29.1	41.3	14.0	3.00	1.88	2.09	14.3	5.00	24.4	45.2
28	16.7	7.10	72.8	34.8	11.3	2.90	1.88	2.18	8.80	4.89	20.9	37.4
29	14.5	6.94	39.4	35.2	9.52	2.90	1.88	2.18	5.39	5.26	14.6	31.6
30	13.0		26.9	45.2	8.62	2.90	1.88	2.27	5.65	7.74	11.7	29.2
31	11.5		21.5		7.26		1.88	2.18		10.6		26.0
SD1	32.6	9.89	5.84	44.7	44.4	5.04	2.49	1.95	1.62	4.29	4.84	4.86
SD2	13.0	7.44	7.49	20.4	50.4	3.55	2.11	2.02	10.8	20.8	5.95	29.6
SD3	15.3	9.47	22.7	34.5	21.5	3.06	1.92	2.16	15.2	6.92	35.1	41.3
MAX	64.1	22.1	101	106	85.7	6.94	2.72	2.36	38.6	65.9	150	74.8
DAT	1	21	28	4	19	1	1	30	20	18	23	25
SR	20.2	8.92	12.3	33.2	38.2	3.88	2.16	2.05	9.20	10.5	15.3	25.8
MIN	7.74	6.17	5.00	15.0	7.26	2.90	1.88	1.88	1.24	3.30	1.40	2.50
DAT	24	19	11	18	31	28	27	1	2	12	17	11
GMIN =		1.24		SRGOD=		15.2		GMAX =		150		
DATUM		2 9						DATUM		23 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1997

Broj : 45993 Stanica :DUSKI MOST Kota "0" = 760.00
Nacin osmat.: limnigraf Rijeka :KOMARNICA km od usca = 26.90
Pocetak rada: 1957 Sliv :PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	15.5	9.33	7.66	8.69	27.8	8.48	1.92	2.71	3.99	3.22	4.86	12.3
2	16.8	9.12	7.66	8.69	33.5	7.86	1.92	3.22	2.90	3.14	4.86	13.8
3	25.4	8.90	7.46	8.48	45.2	7.46	1.88	3.62	3.38	3.14	4.73	15.9
4	30.3	8.69	7.46	8.48	49.2	7.25	1.88	4.73	3.74	3.06	4.73	28.3
5	33.5	8.48	7.25	8.48	54.6	6.85	1.84	4.61	3.06	3.06	4.61	26.6
6	24.6	8.27	7.25	8.69	62.7	6.44	1.84	4.73	3.14	3.06	4.61	24.3
7	24.0	8.07	7.05	8.90	81.6	6.12	1.84	4.86	3.46	2.98	4.36	22.0
8	21.0	7.86	7.05	8.90	47.7	5.97	1.80	4.86	3.62	2.98	4.36	20.1
9	19.2	7.66	6.85	8.48	42.3	5.81	1.80	4.86	3.99	2.90	18.5	18.2
10	18.2	7.46	6.85	8.48	40.3	5.65	1.80	4.86	4.11	2.90	16.8	16.8
11	17.6	7.25	6.64	8.27	38.4	5.49	1.76	5.02	3.99	2.90	21.0	13.8
12	16.8	7.25	6.64	8.27	36.6	5.33	1.76	4.86	3.99	2.83	23.2	12.8
13	16.3	7.05	6.64	8.07	35.7	5.18	1.76	4.86	3.86	2.83	21.7	14.9
14	15.1	7.05	6.44	7.86	33.9	4.86	1.76	4.73	3.86	2.90	36.6	16.5
15	14.4	6.85	6.44	7.66	33.0	4.73	1.76	4.86	3.86	2.90	36.6	14.6
16	13.6	6.85	6.28	7.25	32.1	4.61	1.76	4.73	3.86	3.06	26.6	13.0
17	12.5	16.3	6.28	7.25	31.2	4.49	1.72	4.86	3.74	3.22	22.5	11.8
18	12.3	13.6	6.28	6.85	30.3	4.36	1.72	5.02	3.74	3.30	18.5	10.9
19	12.1	12.1	6.12	6.44	29.4	4.24	1.72	5.02	3.62	3.30	16.8	10.4
20	11.8	11.1	10.9	11.1	28.6	3.99	1.72	5.02	3.62	3.38	15.1	10.9
21	11.3	10.6	12.8	14.1	27.0	3.74	1.68	5.18	3.54	3.30	11.5	35.7
22	11.1	10.2	10.9	11.5	25.9	3.54	1.68	5.18	3.54	3.30	11.1	81.6
23	10.6	9.98	10.4	11.1	24.6	3.38	1.68	5.18	3.46	3.22	13.0	29.8
24	10.2	9.76	9.98	10.9	22.5	3.22	1.68	5.02	3.46	3.22	15.1	27.5
25	9.98	9.55	9.55	10.6	21.4	3.06	1.68	5.02	3.38	3.30	14.1	19.4
26	9.76	9.33	9.12	10.4	20.5	2.83	1.68	5.02	3.38	3.30	12.1	16.5
27	9.55	9.12	8.69	10.2	19.2	2.66	1.68	5.02	3.30	3.38	11.8	14.9
28	9.33	8.90	8.48	9.98	16.8	2.54	1.68	5.18	3.30	3.38	11.1	26.6
29	9.33		8.27	9.76	15.7	2.37	1.68	5.18	3.30	3.38	10.6	25.9
30	9.33		8.07	9.55	14.6	2.26	1.68	5.33	3.22	3.30	10.4	19.8
31	9.33		7.86		13.6		1.68	5.02		3.30		17.6
SD1	22.8	8.38	7.25	8.63	48.5	6.79	1.85	4.31	3.54	3.04	7.25	19.8
SD2	14.2	9.53	6.86	7.90	32.9	4.73	1.74	4.90	3.81	3.06	23.9	12.9
SD3	9.98	9.68	9.46	10.8	20.2	2.96	1.68	5.12	3.39	3.31	12.1	28.7
MAX	29.6	14.4	11.3	12.5	72.2	7.50	1.92	4.72	3.53	2.99	32.4	136
DAT	5	17	21	21	7	1	1	30	1	20	14	22
SR	15.5	9.16	7.91	9.11	33.4	4.83	1.76	4.79	3.58	3.14	14.4	20.7
MIN	9.33	6.85	6.12	6.44	13.6	2.26	1.68	2.71	2.90	2.83	4.36	10.4
DAT	28	15	19	19	31	30	21	1	2	12	7	19

GMIN = 1.68			SRGOD= 10.7				GMAX = 136					
DATUM 21 7									DATUM 22 12			

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1998

Broj : 45993 Stanica : DUSKI MOST Kota "0" = 760.00
 Nacin osmat.: limnigraf Rijeka : KOMARNICA km od usca = 26.90
 Pocetak rada: 1957 Sliv : PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	4.86	5.65	5.49	24.3	56.3	15.7	4.61	3.99	3.30	2.92	3.54	4.36
2	4.86	11.3	5.33	24.0	59.4	14.6	4.61	3.74	3.22	2.85	3.46	4.36
3	4.86	9.98	5.18	24.6	65.5	14.6	4.61	3.54	3.14	2.71	3.46	3.86
4	5.02	9.55	5.02	28.6	72.1	13.2	4.49	3.38	3.30	2.57	3.30	4.11
5	4.86	6.44	4.49	21.7	77.2	12.1	4.36	3.22	3.38	2.57	3.30	4.24
6	4.61	5.97	4.36	17.6	80.1	11.3	4.24	3.14	3.62	2.50	3.22	4.36
7	4.36	5.65	4.49	15.7	80.1	11.3	3.99	2.98	3.54	2.45	19.8	4.24
8	4.11	5.49	5.02	16.5	80.1	11.1	4.11	2.98	3.46	2.50	33.0	4.24
9	4.36	5.65	5.81	21.7	69.7	11.5	3.46	2.90	3.30	2.64	15.1	11.1
10	4.24	6.44	5.33	33.9	58.4	12.1	3.62	2.90	3.22	2.50	10.6	18.0
11	4.36	14.6	4.86	75.2	45.2	9.76	3.62	3.06	3.14	2.45	8.90	12.1
12	4.36	9.55	4.36	48.1	37.1	8.90	3.54	3.06	3.06	2.40	8.07	10.4
13	3.99	8.07	4.36	33.0	37.1	8.48	3.54	2.98	3.14	2.30	7.66	8.69
14	3.54	8.48	4.24	26.2	32.1	10.2	3.46	3.06	3.14	2.05	7.25	7.86
15	3.74	46.7	4.24	21.7	35.7	9.98	3.30	3.14	3.46	2.35	6.64	7.66
16	3.99	27.0	4.24	18.9	35.7	8.69	3.22	3.22	3.54	9.40	6.12	6.44
17	4.11	18.5	4.49	17.6	34.8	7.46	3.14	3.14	3.62	2.50	5.65	5.81
18	16.8	13.8	4.73	17.1	31.2	6.28	3.14	2.98	3.62	2.71	5.18	6.12
19	27.5	11.3	4.49	16.5	31.6	6.28	3.14	3.06	4.24	2.92	4.86	6.44
20	18.0	9.76	4.36	18.5	36.6	5.97	3.14	3.06	3.99	2.78	4.61	10.2
21	11.5	8.90	4.24	21.0	35.3	5.65	3.06	3.22	3.74	2.57	4.36	21.0
22	11.1	8.27	4.36	20.5	30.7	5.33	2.98	3.14	3.46	2.50	4.11	43.3
23	11.3	7.86	4.73	19.2	30.7	5.33	2.83	3.06	3.38	4.19	3.99	45.2
24	10.4	7.46	5.49	16.8	28.6	5.18	3.14	3.22	3.38	5.00	3.86	27.8
25	9.12	6.44	6.12	48.1	27.0	5.02	3.54	3.38	3.22	4.72	3.62	24.6
26	8.07	5.97	7.86	42.3	24.0	4.86	3.99	3.62	3.14	4.30	3.86	48.1
27	7.46	5.97	11.5	33.0	20.1	4.61	4.61	3.62	3.06	4.08	9.76	77.2
28	6.85	5.65	14.9	33.0	18.0	4.49	5.65	4.36	3.14	3.97	6.64	48.1
29	5.33		15.9	41.4	17.4	4.36	5.33	4.11	6.12	3.75	5.18	33.5
30	4.86		19.4	48.1	16.8	4.61	4.86	3.62	3.46	3.64	5.02	25.1
31	4.86		22.5		15.9		4.36	3.46		3.31		20.8
SD1	4.61	7.21	5.05	22.9	69.9	12.8	4.21	3.28	3.35	2.62	9.88	6.28
SD2	9.04	16.8	4.44	29.3	35.7	8.20	3.32	3.08	3.49	3.19	6.49	8.17
SD3	8.26	7.07	10.6	32.3	24.0	4.94	4.03	3.53	3.61	3.82	5.04	37.7
MAX	24.3	41.3	19.9	66.5	129	13.9	5.00	3.86	3.75	9.40	29.2	68.3
DAT	19	15	31	11	6	1	28	28	19	16	8	27
SR	7.34	10.6	6.84	28.2	42.6	8.63	3.86	3.30	3.48	3.23	7.14	18.0
MIN	3.54	5.49	4.24	15.7	15.9	4.36	2.83	2.90	3.06	2.05	3.22	3.86
DAT	14	8	14	7	31	29	23	9	12	14	6	3

GMIN = 2.05			SRGOD= 11.9				GMAX = 129					
DATUM 14 10							DATUM 6 5					

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1999

Broj : 45993 Stanica : DUSKI MOST Kota "0" = 760.00
 Nacin osmat.: limnigraf Rijeka : KOMARNICA km od usca = 26.90
 Pocetak rada: 1957 Sliv : PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	7.25	4.11	8.07	7.25	31.2	8.07	4.73	2.90	2.37	1.88	2.71	12.8
2	7.66	3.86	8.90	7.86	28.9	7.66	4.61	2.90	2.32	1.88	2.66	11.5
3	10.6	3.74	11.5	8.69	27.8	6.85	4.49	2.83	2.32	1.88	2.60	9.55
4	16.3	3.62	13.2	8.07	34.8	6.44	4.36	2.83	2.32	1.88	2.54	8.27
5	18.5	3.54	19.2	9.55	41.8	6.12	4.36	2.83	2.32	1.88	2.54	7.66
6	15.5	3.46	33.5	11.1	27.0	5.97	4.24	2.77	2.26	1.84	2.54	24.0
7	12.1	3.38	40.3	13.0	24.0	5.81	4.24	2.77	2.26	1.84	2.49	21.0
8	9.76	3.38	38.4	14.6	26.2	5.49	4.11	2.77	2.26	1.84	2.49	19.2
9	8.90	3.30	30.3	18.5	24.6	5.18	4.11	2.77	2.26	1.84	2.49	15.5
10	10.4	7.66	22.0	22.0	23.2	4.86	3.99	2.71	2.26	1.84	18.0	14.1
11	14.1	40.9	18.5	19.8	21.4	4.73	3.99	2.71	2.21	1.84	14.1	29.8
12	26.2	26.2	15.1	17.4	20.5	4.61	3.99	2.71	2.21	1.84	12.1	42.3
13	33.0	21.0	14.1	15.5	25.4	4.49	3.86	2.71	2.21	1.84	10.6	31.2
14	39.4	14.1	15.7	14.1	22.5	4.36	3.86	2.66	2.21	1.84	8.48	26.2
15	26.6	11.1	14.6	19.2	26.6	4.36	3.86	2.66	2.21	1.80	7.66	23.2
16	20.8	8.69	12.3	27.5	30.3	4.24	3.74	2.66	2.21	1.80	6.85	68.5
17	16.3	7.66	9.12	52.5	24.0	4.24	3.62	2.66	2.21	1.80	6.44	118
18	14.1	6.28	7.86	50.1	20.1	4.24	3.54	2.60	2.17	1.80	16.8	101
19	11.1	5.97	7.46	30.3	18.0	4.24	3.46	2.60	2.17	1.80	22.5	96.7
20	9.76	5.49	6.85	27.5	20.8	4.24	3.38	2.60	2.17	1.80	41.4	77.2
21	8.48	5.18	6.44	18.0	19.8	8.90	3.30	2.60	2.17	1.76	30.3	63.2
22	8.07	4.73	6.12	16.3	15.7	7.46	3.30	2.60	2.17	1.76	105	54.1
23	7.25	37.5	5.81	33.0	13.0	6.64	3.22	2.54	2.17	1.76	72.1	45.2
24	6.44	26.2	5.49	40.3	12.1	6.12	3.22	2.54	2.17	1.76	60.0	39.9
25	5.97	21.7	5.33	33.9	11.1	5.81	3.14	2.54	2.17	3.06	53.6	34.8
26	5.49	18.0	5.18	28.9	10.4	5.65	3.14	2.49	2.17	3.31	40.3	32.1
27	5.33	10.4	5.02	26.2	9.76	5.49	3.06	2.49	2.12	2.92	37.5	72.1
28	5.18	8.90	7.25	21.7	8.90	5.18	3.06	2.49	2.12	2.64	31.2	51.1
29	5.02		8.69	16.8	8.27	5.02	2.98	2.43	2.12	2.50	21.0	65.0
30	4.73		8.07	13.6	7.86	4.86	2.98	2.43	2.12	2.45	15.1	52.0
31	4.36		7.66		8.48		2.90	2.37		2.40		40.3
SD1	11.7	4.01	22.5	12.1	29.0	6.25	4.32	2.81	2.29	1.86	4.10	14.4
SD2	21.1	14.7	12.2	27.4	22.9	4.38	3.73	2.66	2.20	1.82	14.7	61.4
SD3	6.03	16.6	6.46	24.9	11.4	6.11	3.12	2.50	2.15	2.39	46.6	50.0
MAX	34.9	36.2	35.7	46.5	37.0	7.88	4.19	2.57	2.10	3.31	123	104
DAT	14	11	7	17	5	21	1	1	1	26	22	17
SR	12.7	11.4	13.5	21.4	20.8	5.58	3.70	2.65	2.21	2.03	21.8	42.2
MIN	4.36	3.30	5.02	7.25	7.86	4.24	2.90	2.37	2.12	1.76	2.49	7.66
DAT	31	9	27	1	30	16	31	31	27	21	7	5

GMIN =			1.76	SRGOD=				13.4	GMAX =			123
DATUM			21 10						DATUM			22 11

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2000

Broj : 45993 Stanica : DUSKI MOST Kota "0" = 760.00
 Nacin osmat.: limnigraf Rijeka : KOMARNICA km od usca = 26.90
 Pocetak rada: 1957 Sliv : PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	37.5	4.24	3.46	21.4	24.0	5.49	4.11	2.85	6.85	2.54	5.65	14.6
2	32.1	4.24	8.07	17.6	23.6	5.18	4.24	2.85	9.12	53.0	12.8	13.0
3	28.3	4.36	7.25	11.5	22.8	4.86	4.24	2.71	3.62	58.4	11.5	12.1
4	24.6	4.24	6.12	25.4	22.5	4.73	4.11	2.57	5.02	33.9	11.1	11.1
5	21.4	4.11	6.12	198	22.0	4.61	4.11	2.50	7.05	20.8	44.8	10.6
6	18.9	4.11	5.65	120	21.4	4.61	4.36	2.40	5.97	15.7	29.4	9.76
7	16.3	4.24	5.18	66.1	20.8	4.36	4.36	2.35	5.18	13.6	44.8	8.90
8	14.6	4.36	4.86	46.7	19.4	4.36	4.49	2.30	3.74	12.1	101	8.48
9	11.8	4.73	5.02	36.6	18.9	4.11	4.61	2.25	3.14	11.1	48.6	8.07
10	12.1	5.02	5.49	29.4	18.2	3.99	4.73	2.20	2.83	10.6	36.2	8.07
11	10.6	4.61	6.64	24.3	17.6	3.86	4.86	2.15	2.71	11.1	29.8	8.07
12	9.98	4.61	8.69	22.8	17.1	3.86	5.18	2.15	2.66	14.6	25.1	7.66
13	9.33	4.49	9.55	27.0	16.5	3.74	5.49	2.10	2.60	13.0	20.5	7.25
14	8.69	4.24	9.33	19.4	15.5	3.86	5.97	2.10	2.49	11.1	17.4	6.85
15	8.07	4.24	9.55	35.3	15.1	3.74	6.64	2.05	2.37	10.4	15.1	6.44
16	7.46	4.11	9.76	33.9	14.6	3.62	7.46	2.05	2.32	9.55	13.6	40.3
17	7.25	7.25	8.90	36.2	14.1	3.62	8.90	2.00	2.26	8.48	12.3	12.5
18	7.05	6.44	8.07	35.3	13.6	3.62	8.07	2.00	2.21	8.07	12.5	11.1
19	6.64	5.18	6.12	34.3	13.0	3.74	7.46	2.00	2.21	7.66	16.3	9.76
20	6.12	5.02	5.49	28.6	12.8	3.62	6.64	2.00	2.21	7.46	33.0	9.12
21	5.97	4.49	5.33	28.3	12.5	3.62	5.97	2.00	2.49	6.85	28.6	8.27
22	5.49	4.11	5.18	27.8	12.3	3.54	5.18	2.00	6.12	6.44	24.0	7.46
23	5.49	3.86	5.02	27.0	12.1	3.62	4.73	1.96	3.62	6.12	21.0	6.85
24	5.33	3.74	5.18	26.6	7.86	3.62	4.24	1.92	3.30	5.65	16.8	6.44
25	5.18	3.62	5.49	26.2	7.66	3.74	3.74	1.92	3.22	5.65	18.0	6.44
26	4.73	3.46	9.33	25.9	7.25	3.62	3.46	1.92	2.83	5.33	23.2	25.4
27	4.86	3.54	19.2	25.1	6.64	3.62	3.46	1.88	2.77	4.86	27.8	113
28	4.61	3.38	27.0	24.3	6.44	3.62	3.30	1.92	2.49	4.86	22.5	285
29	4.49	3.38	28.3	23.6	6.12	3.54	3.30	1.92	2.43	4.61	18.5	171
30	4.36		35.7	23.2	5.81	3.54	3.30	1.92	2.37	4.36	16.3	183
31	4.24		28.6		5.81		3.30	1.92		4.36		62.2
SD1	21.7	4.37	5.72	57.2	21.4	4.63	4.34	2.50	5.25	23.2	34.6	10.5
SD2	8.12	5.02	8.21	29.7	15.0	3.73	6.67	2.06	2.40	10.1	19.6	11.9
SD3	4.98	3.73	15.8	25.8	8.23	3.61	4.00	1.93	3.16	5.37	21.7	79.5
MAX	33.2	6.42	31.6	175	21.2	4.86	7.88	2.85	8.07	51.7	89.8	325
DAT	1	17	30	5	1	1	17	1	2	3	8	28
SR	11.4	4.39	10.1	37.6	14.6	3.99	4.97	2.16	3.61	12.7	25.3	35.4
MIN	4.24	3.38	3.46	11.5	5.81	3.54	3.30	1.88	2.21	2.54	5.65	6.44
DAT	31	28	1	3	30	22	28	27	18	1	1	15
GMIN =		1.88		SRGOD=		13.9		GMAX =		325		
DATUM		27 8						DATUM		28 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2001

Broj : 45993 Stanica : DUSKI MOST Kota "0" = 760.00
 Nacin osmat.: limnigraf Rijeka : KOMARNICA km od usca = 26.90
 Pocetak rada: 1957 Sliv : PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	43.3	36.6	9.98	13.2	28.6	6.85	3.22	2.37	2.03	1.96	2.21	25.4
2	33.9	30.7	12.3	12.1	26.2	6.44	3.14	2.37	2.03	1.96	2.60	20.1
3	28.6	25.4	20.5	11.1	24.0	5.81	3.14	2.37	2.08	1.92	3.14	17.1
4	24.6	20.5	86.0	10.6	23.2	9.33	3.14	2.32	2.03	1.92	4.61	15.1
5	20.5	20.5	83.8	11.1	22.5	10.6	3.06	2.32	2.37	1.92	6.85	13.6
6	19.8	19.2	75.7	10.6	21.0	8.07	3.06	2.26	3.62	1.88	10.4	12.1
7	18.5	17.4	63.2	9.33	19.8	6.85	2.90	2.26	2.71	1.88	13.2	11.1
8	24.6	16.8	44.8	11.1	20.5	6.12	2.90	2.26	2.54	1.84	16.3	10.2
9	31.2	16.3	37.1	14.1	19.8	5.81	2.83	2.21	2.43	1.84	24.6	9.33
10	29.8	15.1	33.5	12.1	18.0	5.49	2.83	2.17	2.71	1.84	30.7	8.69
11	24.3	14.6	27.5	10.6	16.8	5.18	2.83	2.17	3.46	1.80	26.2	8.07
12	20.8	14.1	24.6	10.2	13.0	4.86	3.54	2.17	3.38	1.80	27.0	7.66
13	18.5	14.1	22.8	11.5	10.6	4.61	2.71	2.17	2.83	1.80	113	7.25
14	17.4	13.8	24.0	11.8	11.5	4.61	2.71	2.17	2.71	1.80	116	6.85
15	16.8	12.3	24.3	10.6	13.0	4.36	2.66	2.12	2.77	1.76	62.7	6.44
16	14.4	12.3	22.5	9.76	13.0	4.11	2.66	2.12	4.73	1.76	42.8	6.12
17	13.8	11.1	20.8	16.3	13.0	3.99	2.71	2.12	6.85	1.76	30.3	5.81
18	13.2	11.1	21.4	22.8	13.0	4.36	2.71	2.21	26.2	1.72	24.0	5.49
19	13.0	10.6	22.8	22.5	13.0	5.02	2.60	2.21	24.6	1.72	22.5	5.49
20	12.1	10.2	24.0	32.1	11.1	4.86	2.60	2.17	22.0	1.72	22.5	5.18
21	11.1	9.33	23.2	73.3	10.6	4.61	2.60	2.17	18.0	1.68	19.8	5.18
22	10.2	9.12	28.6	75.7	10.2	4.36	2.54	2.17	11.1	1.68	16.8	4.86
23	9.76	8.90	35.7	55.1	10.2	4.11	2.54	2.12	7.05	1.64	16.8	5.49
24	9.12	8.90	27.8	41.4	8.90	3.86	2.49	2.12	5.49	1.64	15.1	5.02
25	9.12	9.98	29.4	33.9	9.55	3.74	2.49	2.12	4.24	1.60	13.6	4.73
26	10.2	10.2	33.9	33.9	10.2	3.54	2.83	2.12	3.30	1.60	12.1	4.61
27	80.1	9.76	29.4	33.9	10.2	3.46	2.71	2.08	2.66	1.60	11.5	4.61
28	55.1	9.76	23.2	30.7	8.48	3.46	2.60	2.08	2.32	1.56	59.4	4.36
29	56.7		19.2	27.0	7.25	3.38	2.54	2.08	2.17	1.56	53.0	4.61
30	69.2		16.3	27.5	7.05	3.30	2.49	2.08	1.94	1.52	33.9	7.46
31	52.0		14.6		6.85		2.43	2.03		1.52		10.2
SD1	27.5	21.9	46.7	11.5	22.3	7.14	3.02	2.29	2.45	1.90	11.5	14.3
SD2	16.4	12.4	23.5	15.8	12.8	4.60	2.77	2.16	9.96	1.76	48.7	6.44
SD3	33.9	9.49	25.6	43.2	9.04	3.78	2.57	2.11	5.82	1.60	25.2	5.56
MAX	106	38.7	76.1	100	26.8	11.5	2.92	2.30	23.2	1.96	165	25.3
DAT	27	1	4	21	1	4	26	18	18	1	14	1
SR	26.2	15.0	31.7	23.5	14.5	5.17	2.78	2.18	6.08	1.75	28.5	8.65
MIN	9.12	8.90	9.98	9.33	6.85	3.30	2.43	2.03	1.94	1.52	2.21	4.36
DAT	24	23	1	7	31	30	31	31	30	30	1	28
GMIN =		1.52		SRGOD=		13.8		GMAX =		165		
DATUM		30 10						DATUM		14 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2002

Broj : 45993 Stanica : DUSKI MOST Kota "0" = 760.00
 Nacin osmat.: limnigraf Rijeka : KOMARNICA km od usca = 26.90
 Pocetak rada: 1957 Sliv : PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	8.07	6.64	14.1	8.90	14.9	8.07	2.30	1.76	2.83	18.0	7.66	13.0
2	6.85	7.05	16.3	9.33	14.6	6.85	2.20	1.85	2.83	15.7	7.05	15.1
3	6.44	7.25	18.5	9.76	14.4	6.12	2.10	2.03	2.98	13.6	7.66	23.2
4	5.81	7.25	23.2	9.76	13.6	5.49	2.05	2.21	3.06	12.3	10.2	25.4
5	5.49	7.25	21.4	9.76	12.8	5.02	2.10	2.32	2.98	10.6	33.9	23.2
6	5.18	7.25	20.5	9.12	11.5	4.61	2.05	2.43	2.98	9.76	20.8	19.8
7	5.02	8.69	21.0	8.07	10.6	4.36	2.15	2.54	2.98	8.90	16.3	16.8
8	4.86	9.33	25.4	7.66	9.76	4.36	2.15	2.66	3.06	8.48	14.1	14.6
9	4.61	9.12	21.0	7.66	8.90	4.11	2.00	2.71	3.30	8.07	12.1	13.0
10	4.61	8.90	33.0	15.1	7.86	5.18	1.96	2.71	3.62	9.33	11.1	11.5
11	4.36	8.48	29.4	30.3	7.05	6.12	1.92	7.66	3.86	123	9.76	10.6
12	4.36	8.07	21.0	42.3	6.85	5.18	1.92	20.5	3.86	155	9.12	9.76
13	4.36	7.86	17.4	86.0	6.64	4.61	2.00	10.6	3.46	88.9	9.76	9.33
14	4.36	7.86	16.3	80.1	6.28	4.11	2.15	6.85	3.22	61.6	17.4	8.69
15	4.24	7.86	16.8	62.7	5.97	3.74	2.00	5.49	2.98	45.2	14.1	8.07
16	4.24	7.86	16.3	46.2	5.49	3.46	2.00	4.61	2.90	34.8	12.1	12.1
17	4.24	8.48	16.3	40.9	5.33	3.38	2.00	4.11	2.83	28.6	9.55	13.0
18	4.11	17.4	16.8	38.4	4.73	3.22	2.00	3.86	2.77	24.0	9.33	11.8
19	3.86	47.1	16.8	32.1	4.49	3.14	2.00	3.46	2.71	21.7	9.76	11.1
20	3.86	28.6	17.4	28.6	4.24	2.98	2.00	3.38	2.66	18.5	15.1	10.2
21	3.62	24.6	21.0	25.9	3.99	2.90	2.00	3.22	2.60	16.3	14.1	9.33
22	3.62	21.0	23.6	23.2	4.11	2.83	1.92	3.22	2.66	14.6	13.6	8.90
23	3.62	17.4	18.5	21.7	4.11	2.71	1.84	3.14	12.1	14.6	30.7	8.48
24	4.11	15.7	15.1	19.4	4.24	2.66	1.80	3.14	53.0	17.4	24.0	7.86
25	4.24	14.6	13.0	17.4	4.36	2.66	1.80	3.06	43.3	17.4	18.5	7.25
26	4.24	13.0	11.5	16.8	4.49	2.66	1.76	2.98	52.0	14.1	17.4	6.85
27	4.36	12.5	10.6	15.7	4.61	2.60	1.76	2.90	49.2	13.8	15.1	6.44
28	4.49	12.1	9.76	16.3	4.86	2.60	1.68	2.90	28.6	13.0	13.0	11.1
29	4.86		8.90	16.3	13.6	2.54	1.60	2.98	20.5	9.76	11.5	62.7
30	5.49		8.69	16.3	13.6	2.49	1.52	2.98	17.4	8.90	10.6	34.8
31	5.97		8.69		10.2		1.48	2.90		8.27		25.4
SD1	5.69	7.87	21.4	9.52	11.9	5.42	2.11	2.32	3.06	11.5	14.1	17.6
SD2	4.20	15.0	18.5	48.8	5.71	3.99	2.00	7.05	3.13	60.1	11.6	10.5
SD3	4.42	16.4	13.6	18.9	6.55	2.66	1.74	3.04	28.1	13.5	16.9	17.2
MAX	8.07	54.0	33.2	85.6	13.2	7.88	2.30	25.3	58.5	192	36.6	73.5
DAT	1	19	10	13	1	1	1	12	24	11	5	29
SR	4.76	12.8	17.7	25.7	8.00	4.03	1.94	4.10	11.4	27.9	14.2	15.1
MIN	3.62	6.64	8.69	7.66	3.99	2.49	1.48	1.76	2.60	8.07	7.05	6.44
DAT	21	1	30	8	21	30	31	1	21	9	2	27

GMIN = 1.48			SRGOD= 12.3				GMAX = 192					
DATUM 31 7									DATUM 11 10			

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2003

Broj : 45993 Stanica : DUSKI MOST Kota "0" = 760.00
 Nacin osmat.: limnigraf Rijeka : KOMARNICA km od usca = 26.90
 Pocetak rada: 1957 Sliv : PIVE Pov.sliva = 367.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	27.0	6.64	3.74	15.1	39.4	9.33	3.62	1.94	1.36	1.58	40.3	48.6
2	22.8	6.12	3.86	14.6	43.3	10.2	3.54	1.90	1.32	1.54	57.3	44.8
3	26.2	5.81	3.86	14.6	42.3	9.33	3.54	1.90	1.36	1.54	71.0	40.3
4	36.6	8.07	4.11	14.1	41.4	8.69	3.46	1.85	1.36	1.58	63.7	38.0
5	34.3	21.0	4.11	12.5	39.9	8.07	3.38	1.85	1.36	1.58	62.7	35.3
6	30.3	13.0	4.11	11.1	37.5	8.07	3.30	1.81	1.36	1.58	61.6	33.9
7	57.3	10.6	4.24	9.76	36.2	7.25	3.14	1.81	1.28	1.54	50.1	33.5
8	51.1	9.33	4.24	8.90	34.3	6.85	2.98	1.76	1.28	1.54	43.7	33.0
9	53.0	8.07	4.24	8.07	32.1	8.48	2.90	1.72	1.44	6.85	39.4	33.0
10	61.6	7.25	4.36	20.5	30.3	8.07	2.83	1.72	2.10	5.33	35.3	32.5
11	44.3	6.85	4.73	72.1	27.8	6.44	2.77	1.72	2.64	5.33	31.2	31.6
12	32.1	6.44	5.81	51.5	27.0	5.97	2.71	1.67	2.00	5.18	29.4	31.2
13	24.6	5.97	6.44	101	24.6	5.49	2.71	1.67	1.92	5.02	26.2	30.7
14	20.8	5.65	6.12	31.2	22.5	5.18	2.66	1.67	1.84	4.86	22.8	30.3
15	18.0	5.49	5.49	30.3	19.8	5.02	2.66	1.67	1.76	4.86	19.8	30.3
16	15.7	5.02	5.02	37.5	18.2	4.86	2.60	1.67	1.68	4.73	16.3	29.8
17	14.1	4.86	4.73	37.1	16.3	4.73	2.54	1.63	1.64	4.61	13.8	29.4
18	13.0	4.61	4.61	37.1	15.1	4.61	2.49	1.63	1.60	4.36	10.9	28.9
19	12.1	4.61	4.36	36.6	13.0	4.61	2.49	1.63	1.52	4.11	8.27	28.6
20	10.9	4.36	4.24	36.6	13.8	4.49	2.43	1.63	1.52	3.86	5.18	28.3
21	10.2	4.24	4.11	36.2	13.6	4.49	2.37	1.63	1.48	15.5	4.11	27.8
22	10.6	4.11	3.86	36.2	13.2	4.36	2.26	1.63	1.44	35.3	3.62	26.2
23	11.1	3.86	3.86	35.7	14.1	4.36	2.21	1.63	1.44	49.2	3.30	25.9
24	10.6	3.74	3.86	35.7	15.5	4.24	2.21	1.67	1.44	47.7	2.98	25.4
25	9.76	3.74	3.86	36.2	14.1	4.11	2.17	1.76	1.40	46.2	4.73	25.4
26	9.12	3.74	4.11	36.6	12.5	3.99	2.12	1.72	1.40	43.3	6.64	25.1
27	8.69	3.62	4.86	37.1	11.1	3.99	2.08	1.81	1.40	41.4	18.0	25.1
28	8.07	3.62	6.44	37.5	10.6	3.86	2.08	1.63	1.40	35.7	44.8	24.6
29	8.27		9.33	38.0	10.2	3.74	2.03	1.63	1.36	33.9	58.4	24.6
30	7.86		11.5	38.4	9.55	3.62	1.99	1.58	1.36	32.1	53.0	24.6
31	7.25		13.8		8.48		1.94	1.54		30.3		25.9
SD1	40.0	9.59	4.09	12.9	37.7	8.43	3.27	1.83	1.42	2.47	52.5	37.3
SD2	20.6	5.39	5.15	47.1	19.8	5.14	2.61	1.66	1.81	4.69	18.4	29.9
SD3	9.23	3.83	6.33	36.7	12.1	4.08	2.13	1.66	1.41	37.3	20.0	25.5
MAX	73.5	22.5	13.4	72.2	41.7	9.82	3.42	1.80	2.64	43.5	113	43.0
DAT	9	5	31	11	2	2	1	1	11	23	3	1
SR	22.8	6.45	5.23	32.3	22.8	5.88	2.65	1.71	1.55	15.5	30.3	30.7
MIN	7.25	3.62	3.74	8.07	8.48	3.62	1.94	1.54	1.28	1.54	2.98	24.6
DAT	31	27	1	9	31	30	31	31	7	2	24	28
GMIN =		1.28		SRGOD=		14.9		GMAX =		113		
DATUM		7 9						DATUM		3 11		