

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1983

Broj : 60128 Stanica : ZLATICA Kota "0" = 53.00  
Nacin osmat.: limnigraf Rijeka : MORACA km od usca = 38.20  
Pocetak rada: 1985 Sliv : SKADAR. JEZERA Pov.sliva = 985.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	31.0	11.0	18.0	85.4	94.2	31.0	10.0	2.80	1.05	2.52	.750	71.0	
2	29.9	31.0	17.0	85.4	94.2	31.0	10.0	2.52	1.35	2.24	1.74	53.2	
3	29.9	27.7	15.0	101	115	29.9	10.0	2.52	1.50	2.24	3.40	34.6	
4	29.4	24.4	15.0	175	96.0	29.9	8.24	2.52	2.24	1.98	6.00	24.4	
5	29.9	22.2	13.0	139	77.4	29.9	7.44	2.24	4.64	1.74	6.00	17.0	
6	27.7	20.0	13.0	103	63.0	25.5	7.44	2.24	5.32	1.74	6.00	10.0	
7	25.5	49.0	13.0	85.4	63.0	25.5	7.44	2.24	4.00	1.74	2.80	14.0	
8	24.4	184	13.0	72.6	47.8	20.0	14.0	1.74	3.40	1.35	2.80	9.12	
9	23.3	175	15.0	64.6	43.0	23.3	14.0	1.74	3.40	1.35	2.80	6.00	
10	22.2	252	20.0	71.0	67.8	22.2	10.0	1.74	2.80	1.35	2.52	6.00	
11	18.0	208	25.5	85.4	66.2	20.0	9.12	1.74	2.52	1.20	2.24	6.00	
12	17.0	198	31.0	103	66.2	19.0	8.24	1.74	1.74	1.20	1.74	71.0	
13	15.0	151	29.9	147	66.2	15.0	7.44	1.50	2.80	1.35	1.50	46.6	
14	14.0	103	28.8	189	61.6	14.0	6.72	1.50	3.40	1.35	1.35	31.0	
15	15.0	85.4	27.7	127	57.4	13.0	6.00	1.50	2.52	1.35	1.35	23.3	
16	15.0	66.2	23.3	88.8	54.6	13.0	6.00	1.50	2.24	1.20	1.35	19.0	
17	15.0	53.2	23.3	75.8	46.6	10.0	10.0	1.35	1.74	1.20	1.35	14.0	
18	15.0	46.6	25.5	61.6	45.4	37.0	9.12	1.35	4.00	1.20	1.35	177	
19	14.0	40.6	28.8	54.6	44.2	29.9	9.12	1.50	37.0	1.20	1.20	308	
20	14.0	34.6	31.0	49.0	43.0	26.6	6.72	1.74	24.4	1.50	1.05	368	
21	13.0	31.0	31.0	75.8	41.8	23.3	6.00	1.74	15.0	1.50	1.05	314	
22	12.0	28.8	34.6	87.0	39.4	20.0	6.00	1.74	11.0	1.50	1.05	299	
23	11.0	25.5	37.0	90.6	38.2	19.0	6.00	1.50	7.44	1.35	1.05	143	
24	11.0	23.3	49.0	94.2	40.6	20.0	6.00	1.50	6.72	1.20	.900	77.4	
25	12.5	20.0	79.0	96.0	47.8	20.0	6.00	1.50	6.00	1.20	.900	66.2	
26	9.12	18.0	198	96.0	54.6	18.0	4.64	1.74	4.64	1.05	.900	49.0	
27	8.24	18.0	353	96.0	54.6	15.0	3.40	7.44	4.00	1.05	.900	43.0	
28	7.44	18.0	263	96.0	47.8	14.0	3.40	7.44	2.80	.900	173	43.0	
29	6.72		166	96.0	43.0	14.0	2.80	6.72	2.52	.750	161	43.0	
30	6.72		127	97.8	39.4	10.0	2.80	6.00	2.52	.750	105	35.8	
31	6.72		77.4		35.8		2.80	13.5		.750		31.0	
SD1	27.3	79.6	15.2	98.2	76.1	26.8	9.86	2.23	2.97	1.83	3.48	24.5	
SD2	15.2	98.7	27.5	98.1	55.1	19.8	7.85	1.54	8.24	1.27	1.45	106	
SD3	9.50	22.8	129	92.5	43.9	17.3	4.53	4.62	6.26	1.09	44.6	104	
MAX	31.0	252	353	189	115	31.0	10.0	13.5	37.0	2.52	173	497	
DAT	1	10	27	14	3	1	1	31	19	1	28	20	
SR	17.1	70.2	59.4	96.3	57.9	21.3	7.32	2.86	5.82	1.39	16.5	79.1	
MIN	6.72	11.0	13.0	49.0	35.8	10.0	2.80	1.35	1.05	.750	.750	6.00	
DAT	29	1	5	20	31	17	29	17	1	29	1	9	
		GMIN = .750			SRGOD= 36.0			GMAX = 497					
		DATUM 29 10						DATUM 20 12					

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1984

Broj : 60128      Stanica : ZLATICA      Kota "0" = 53.00  
Nacin osmat.: limnigraf      Rijeka : MORACA      km od usca = 38.20  
Pocetak rada: 1985      Sliv : SKADAR. JEZERA      Pov.sliva = 985.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	31.0	215	77.4	127	50.4	94.2	22.2	1.74	6.00	40.6	11.0	37.0	
2	25.5	210	105	80.6	54.6	87.0	22.2	1.74	5.32	54.6	11.0	34.6	
3	24.4	207	94.2	105	157	83.8	21.1	1.50	2.24	257	10.0	31.0	
4	24.4	203	103	308	145	87.0	20.0	1.50	1.35	198	9.12	28.8	
5	83.8	201	79.0	205	145	87.0	18.0	1.50	1.35	141	9.12	26.6	
6	94.2	71.0	56.0	184	145	85.4	18.0	1.50	1.35	113	7.44	25.5	
7	67.8	49.0	43.0	149	133	83.8	11.0	1.50	1.35	109	6.72	21.1	
8	53.2	43.0	38.2	119	135	83.8	11.0	1.35	1.35	198	56.0	19.0	
9	44.2	37.0	35.8	96.0	125	71.0	10.0	1.35	1.35	175	41.2	16.0	
10	542	37.0	31.0	87.0	125	63.0	9.12	1.35	1.35	141	31.0	15.0	
11	210	29.9	29.9	77.4	135	56.0	9.12	1.50	1.35	111	24.4	15.0	
12	127	29.9	26.6	72.6	213	54.6	9.12	1.50	1.35	69.4	22.2	13.0	
13	103	24.4	22.2	71.0	208	47.8	7.44	1.50	1.35	53.2	19.0	12.0	
14	77.4	24.4	22.2	71.0	208	47.8	7.44	1.50	1.35	41.8	15.0	10.0	
15	54.6	23.3	22.2	63.0	157	47.8	6.72	1.74	1.35	35.8	12.0	10.0	
16	61.6	19.0	20.0	71.0	137	46.6	6.72	1.98	1.35	31.0	71.0	10.0	
17	54.6	18.0	19.0	80.6	155	40.6	6.72	1.74	117	29.9	79.0	9.12	
18	47.8	16.0	19.0	72.6	157	35.8	6.72	1.50	96.0	27.7	458	151	
19	41.8	16.0	17.0	63.0	143	34.6	6.72	1.50	54.6	24.4	238	127	
20	35.8	15.0	20.0	56.0	135	34.6	6.00	1.50	31.0	20.0	473	125	
21	155	15.0	20.0	56.0	353	34.6	5.32	1.35	29.9	22.2	458	92.4	
22	143	15.0	21.1	56.0	365	34.6	5.32	1.20	43.0	37.0	266	67.8	
23	392	15.0	20.0	56.0	238	34.6	5.32	1.50	186	35.8	177	53.2	
24	257	15.0	19.0	51.8	210	33.4	4.64	1.50	119	32.2	127	43.0	
25	225	54.6	19.0	54.6	168	32.2	4.64	1.50	713	29.9	103	38.2	
26	225	41.8	17.0	49.0	139	31.0	4.64	3.40	398	27.7	79.0	37.0	
27	213	47.8	266	50.4	189	31.0	4.00	6.00	266	23.3	63.0	25.5	
28	225	54.6	159	43.0	149	27.7	3.40	6.00	189	20.0	61.6	24.4	
29	230	105	127	43.0	145	20.0	2.52	6.00	143	17.0	58.8	22.2	
30	227		125	43.0	133	22.2	2.24	6.00	96.0	14.0	46.6	16.0	
31	215		145		105		1.98	6.00		14.0		18.0	
SD1	99.1	127	66.3	146	122	82.6	16.3	1.50	2.30	143	19.3	25.5	
SD2	81.4	21.6	21.8	69.8	165	44.6	7.27	1.60	30.7	44.4	141	48.2	
SD3	228	40.4	85.3	50.3	199	30.1	4.00	3.68	218	24.8	144	39.8	
MAX	542	215	266	308	365	94.2	22.2	6.00	831	257	473	151	
DAT	10	1	27	4	22	1	1	27	25	3	20	18	
SR	139	63.9	58.7	88.7	163	52.4	9.01	2.30	83.8	69.2	101	37.9	
MIN	24.4	15.0	17.0	43.0	50.4	20.0	1.98	1.20	1.35	14.0	6.72	9.12	
DAT	3	20	19	28	1	29	31	22	4	30	7	17	
		GMIN = 1.20			SRGOD= 72.4			GMAX = 831					
		DATUM 22 8						DATUM 25 9					

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1985

Broj : 60128 Stanica : ZLATICA Kota "0" = 53.00  
Nacin osmat.: limnigraf Rijeka : MORACA km od usca = 38.20  
Pocetak rada: 1985 Sliv : SKADAR. JEZERA Pov.sliva = 985.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	16.0	49.0	20.0	57.4	147	34.6	12.0	.900	.650	.000	189	79.0
2	14.0	43.0	20.0	56.0	111	33.4	10.0	.900	.600	.000	105	63.0
3	13.0	37.0	20.0	54.6	79.0	31.0	9.12	1.05	.600	.000	177	54.6
4	13.0	34.6	54.6	54.6	294	31.0	9.12	1.20	.500	.000	103	49.0
5	13.0	29.9	44.2	60.2	220	26.6	9.12	1.20	.500	.000	64.6	49.0
6	38.2	28.8	43.0	80.6	189	25.5	9.12	1.35	.500	.000	56.0	47.8
7	31.0	21.1	41.8	96.9	196	24.4	8.24	1.50	.500	.000	191	43.0
8	29.9	24.4	40.6	184	213	21.1	7.44	2.52	.525	.000	105	40.6
9	27.7	22.2	39.4	137	201	20.0	6.72	2.52	.525	.000	64.6	34.6
10	25.5	210	35.8	135	201	49.0	6.00	2.52	.525	.000	43.0	34.6
11	21.1	485	35.8	135	179	37.0	5.32	1.98	.550	.000	31.0	33.4
12	18.0	332	54.6	135	168	29.9	5.32	1.50	.550	.000	20.0	32.2
13	16.0	243	49.0	125	164	26.6	5.32	1.50	.575	.000	15.0	31.0
14	16.0	168	46.6	96.0	153	21.1	5.32	1.50	.600	.000	638	31.0
15	16.0	107	47.8	80.6	145	20.0	5.32	1.50	.600	.000	266	27.7
16	14.0	92.4	49.0	69.4	115	20.0	4.64	1.35	.625	.000	166	26.6
17	14.0	71.0	66.2	57.4	105	19.0	4.64	1.20	.600	.000	189	25.5
18	13.0	63.0	135	57.4	99.6	19.0	4.64	1.05	.575	.000	238	25.5
19	13.0	43.0	121	56.0	87.0	12.0	4.00	.900	.550	.000	937	21.1
20	13.0	37.0	92.4	56.0	79.0	12.0	3.40	.900	.550	.000	653	21.1
21	20.0	34.6	71.0	61.6	79.0	11.0	2.80	.900	.525	.000	635	20.0
22	24.4	31.0	56.0	63.0	71.0	10.0	2.52	.900	.525	.000	443	20.0
23	127	28.8	56.0	71.0	63.0	10.0	2.52	.750	.500	.000	323	19.0
24	155	25.5	56.0	71.0	56.0	31.0	2.24	.750	.500	.000	232	18.0
25	455	25.5	61.6	69.4	49.0	29.9	1.98	.700	.000	.000	189	15.0
26	164	23.3	56.0	71.0	47.8	25.5	1.74	.700	.000	.000	149	13.0
27	111	21.1	77.4	79.0	49.0	21.1	1.50	.700	.000	.000	210	37.0
28	115	20.0	79.0	87.0	49.0	20.0	1.35	.700	.000	.000	155	56.0
29	113		96.0	164	43.0	19.0	1.20	.700	.000	.000	125	56.0
30	77.4		87.0	166	40.6	18.0	1.05	.700	.000	.000	103	617
31	63.0		71.0		35.8		.900	.700		31.0		1062
SD1	22.1	50.0	35.9	91.6	185	29.7	8.69	1.57	.543	.000	110	49.5
SD2	15.4	164	69.7	86.8	129	21.7	4.79	1.34	.577	.000	315	27.5
SD3	130	26.2	69.7	90.3	53.0	19.5	1.80	.745	.205	2.82	256	176
MAX	455	485	135	184	294	49.0	12.0	2.52	.650	.000	937	1249
DAT	25	11	18	8	4	10	1	8	1	1	19	31
SR	58.1	84.0	58.8	89.6	120	23.6	4.99	1.20	.442	1.00	227	87.2
MIN	13.0	20.0	20.0	54.6	35.8	10.0	.900	.700	.000	.000	15.0	13.0
DAT	3	28	1	3	31	22	31	25	25	1	13	26
		GMIN = .000			SRGOD= 62.6			GMAX = 1249				
		DATUM 25 9						DATUM 31 12				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1986

Broj               : 60128                      Stanica : ZLATICA                      Kota "0" = 53.00  
Nacin osmat.: limnigraf                Rijeka : MORACA                      km od usca = 38.20  
Pocetak rada: 1985                      Sliv : SKADAR. JEZERA                Pov.sliva = 985.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	683	54.6	109	125	99.6	74.2	29.9	9.12	2.80	1.20	20.0	25.5
2	440	145	96.0	115	105	71.0	25.5	8.24	2.80	1.05	19.0	19.0
3	299	105	533	109	135	72.6	27.7	7.44	2.80	.900	15.0	14.0
4	533	87.0	338	105	133	49.0	23.3	7.44	2.52	.900	12.0	10.0
5	443	87.0	282	103	105	47.8	22.2	6.72	2.52	.900	11.0	9.12
6	308	61.6	201	99.6	123	296	22.2	6.72	2.52	.900	10.0	9.12
7	213	50.4	155	105	105	401	22.2	6.72	2.52	.900	10.0	9.12
8	166	45.4	135	115	105	266	24.4	6.72	2.52	.900	9.12	9.12
9	135	41.8	115	117	101	201	25.5	6.72	2.52	.900	9.12	8.24
10	105	38.2	105	119	103	166	22.2	6.00	1.50	.900	8.24	6.72
11	85.4	38.2	96.0	105	96.0	115	20.0	6.00	1.50	.900	7.44	6.00
12	69.4	39.4	92.4	87.0	101	105	17.0	6.00	1.50	.900	6.72	5.32
13	56.0	35.8	90.6	96.0	87.0	87.0	15.0	6.00	1.50	.900	6.00	4.00
14	49.0	32.2	87.0	119	91.5	71.0	15.0	6.00	1.50	.900	6.00	4.00
15	43.0	29.9	79.0	105	97.8	63.0	15.0	6.00	1.50	.900	6.00	4.00
16	63.0	33.4	74.2	87.0	100	63.0	15.0	6.00	1.35	.900	6.00	4.00
17	56.0	50.4	71.0	43.0	103	61.6	14.0	6.00	1.35	.900	5.32	67.8
18	43.0	56.0	64.6	71.0	103	50.4	14.0	6.00	1.35	.900	5.32	63.0
19	37.0	1083	56.0	105	103	49.0	15.0	5.32	1.35	.900	5.32	43.0
20	31.0	698	49.0	238	103	49.0	15.0	5.32	1.35	.900	5.32	43.0
21	38.2	488	49.0	213	109	49.0	15.0	5.32	1.35	1.05	5.32	43.0
22	32.2	338	44.2	189	111	47.8	14.0	5.32	1.35	3.40	5.32	37.0
23	137	277	43.0	125	125	43.0	14.0	4.64	1.35	6.00	5.32	31.0
24	213	210	39.4	115	105	43.0	14.0	4.64	1.35	6.00	31.0	25.5
25	497	145	40.6	115	105	44.2	13.0	4.64	1.35	105	56.0	23.3
26	210	143	155	96.0	87.0	37.0	13.0	4.00	1.35	38.2	37.0	20.0
27	145	135	323	125	87.0	31.0	12.0	2.80	1.35	37.0	31.0	20.0
28	113	129	238	125	79.0	31.0	12.0	2.80	1.35	54.6	31.0	20.0
29	87.0		189	107	74.2	31.0	12.0	2.80	1.35	39.4	29.9	20.0
30	69.4		166	107	71.0	31.0	12.0	2.80	1.35	31.0	28.8	17.0
31	53.2		145		71.0		12.0	2.80		25.5		17.0
SD1	333	71.6	207	111	111	164	24.5	7.18	2.50	.945	12.3	12.0
SD2	53.3	210	76.0	106	98.5	71.4	15.5	5.86	1.43	.900	5.94	24.4
SD3	145	233	130	132	93.1	38.8	13.0	3.87	1.35	31.6	26.1	24.9
MAX	683	1202	533	238	135	401	29.9	9.12	2.80	105	56.0	67.8
DAT	1	19	3	20	3	7	1	1	1	25	25	17
SR	176	167	137	116	101	91.6	17.5	5.58	1.76	11.8	14.8	20.6
MIN	31.0	29.9	39.4	43.0	71.0	31.0	12.0	2.80	1.35	.900	5.32	4.00
DAT	20	15	24	17	30	27	27	27	16	3	17	13
		GMIN = .900		SRGOD= 71.1		GMAX = 1202						
		DATUM 3 10				DATUM 19 2						

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1987

Broj : 60128      Stanica : ZLATICA      Kota "0" = 53.00  
 Nacin osmat.: limnigraf      Rijeka : MORACA      km od usca = 38.20  
 Pocetak rada: 1985      Sliv : SKADAR. JEZERA      Pov.sliva = 985.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	14.0	159	37.0	175	87.0	166	31.0	4.64	.400	.000	1.50	137
2	13.0	115	34.6	121	83.8	135	31.0	4.00	.400	.000	1.50	105
3	145	96.0	44.2	101	96.0	115	31.0	4.00	.350	.000	1.50	90.6
4	79.0	79.0	43.0	71.0	99.6	105	25.5	2.80	.350	.000	1.50	64.6
5	49.0	56.0	43.0	61.6	101	115	25.5	2.52	.350	.000	1.50	49.0
6	43.0	53.2	37.0	56.0	105	125	20.0	2.52	.300	.000	1.35	37.0
7	38.2	47.8	37.0	69.4	145	115	15.0	2.24	.300	.000	1.20	79.0
8	31.0	43.0	31.0	71.0	175	115	15.0	2.24	.300	.000	1.05	63.0
9	25.5	37.6	29.9	79.0	115	105	15.0	1.98	.300	.525	.900	280
10	20.0	37.6	29.9	96.0	115	105	15.0	1.98	.300	.350	6.00	189
11	29.9	34.6	28.8	135	79.0	87.0	15.0	1.74	.300	.300	37.0	145
12	280	37.0	28.8	125	87.0	82.2	14.0	1.74	.300	1.05	44.2	105
13	323	85.4	25.5	105	91.5	77.4	14.0	1.50	.300	51.8	37.0	79.0
14	593	85.4	25.5	105	91.5	74.2	12.0	1.35	.300	37.0	35.8	71.0
15	353	79.0	24.4	79.0	332	74.2	11.0	1.35	.300	34.6	189	608
16	383	71.0	19.0	61.6	252	72.6	11.0	1.05	.300	27.7	266	368
17	213	103	19.0	56.0	238	71.0	10.0	1.05	.300	13.0	155	225
18	155	85.4	15.0	133	213	58.8	10.0	.900	.300	7.44	105	155
19	125	71.0	15.0	63.0	193	43.0	9.12	.750	.300	7.44	87.0	143
20	103	58.8	25.5	72.6	170	37.0	9.12	.750	.150	10.0	56.0	125
21	79.0	79.0	249	96.0	155	45.4	8.24	.700	.000	8.24	63.0	115
22	56.0	87.0	213	145	266	56.0	7.44	.700	.000	7.44	56.0	87.0
23	49.0	113	96.0	157	189	51.8	7.44	.650	.000	6.00	43.0	49.0
24	43.0	92.4	85.4	113	155	46.6	7.08	.550	.000	6.00	49.0	43.0
25	37.0	69.4	60.2	96.0	135	43.0	6.72	.500	.000	5.32	125	37.0
26	33.4	56.0	49.0	99.6	115	38.2	6.72	.500	.000	4.64	398	37.0
27	31.0	49.0	43.0	103	115	37.0	4.64	.450	.000	4.00	473	37.0
28	37.0	43.0	43.0	87.0	111	35.8	4.00	.450	.000	3.40	323	31.0
29	198		37.0	79.0	115	33.4	2.80	.450	.000	2.80	225	29.9
30	198		201	71.0	135	32.2	2.52	.400	.000	2.24	179	28.8
31	161		187		193		2.80	.400		1.98		28.3
SD1	45.8	72.4	36.7	90.1	112	120	22.4	2.89	.335	.087	1.80	109
SD2	256	71.1	22.6	93.5	175	67.7	11.5	1.22	.285	19.0	101	202
SD3	83.9	73.6	115	105	153	41.9	5.49	.523	.000	4.73	193	47.5
MAX	593	159	249	175	332	166	31.0	4.64	.400	51.8	473	761
DAT	14	1	21	1	15	1	1	1	1	13	27	15
SR	127	72.3	59.9	96.1	147	76.6	12.9	1.51	.207	7.85	98.8	117
MIN	13.0	34.6	15.0	56.0	79.0	32.2	2.52	.400	.000	.000	.900	28.3
DAT	2	11	18	6	11	30	30	30	21	1	9	31
		GMIN = .000			SRGOD= 68.1			GMAX = 761				
		DATUM 21 9						DATUM 15 12				

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1988

Broj : 60128      Stanica : ZLATICA      Kota "0" = 53.00  
 Nacin osmat.: limnigraf      Rijeka : MORACA      km od usca = 38.20  
 Pocetak rada: 1985      Sliv : SKADAR. JEZERA      Pov.sliva = 985.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	28.8	165	93.3	201	118	62.3	20.5	2.66	1.13	28.3	10.0	52.5
2	26.0	114	77.4	158	110	131	20.5	2.66	1.05	24.4	9.56	443
3	26.0	88.8	56.7	123	107	104	17.0	2.66	1.05	22.8	8.68	564
4	21.6	73.4	45.4	93.3	102	79.0	15.0	2.66	1.05	21.6	9.56	410
5	21.6	166	39.4	82.2	104	65.4	13.0	2.66	.900	22.8	10.0	277
6	19.5	301	35.8	102	112	56.0	13.0	2.38	.900	21.1	9.12	221
7	17.0	170	34.6	126	121	49.7	11.0	2.38	.900	21.1	8.24	226
8	17.0	173	35.2	134	121	46.0	11.0	1.98	.900	24.4	7.80	161
9	19.0	450	35.2	134	106	41.8	10.0	1.98	.825	26.6	7.44	127
10	19.5	266	31.6	137	104	38.2	10.0	1.86	.825	99.6	7.08	204
11	19.0	181	28.3	99.6	96.9	35.8	7.08	1.74	.825	57.4	6.72	79.0
12	18.0	134	26.0	102	84.6	34.6	7.08	1.62	.750	41.8	6.36	62.3
13	17.0	105	25.0	105	85.4	33.4	7.08	1.50	.750	30.5	5.66	51.8
14	16.5	80.6	24.4	165	83.8	34.6	7.08	1.42	4.64	26.6	7.08	46.0
15	16.0	63.8	30.5	137	89.7	32.8	7.08	1.35	41.8	21.6	15.5	41.2
16	15.0	51.8	38.2	102	89.7	31.6	7.08	1.35	350	19.5	15.0	37.6
17	14.0	47.8	173	81.4	84.6	29.4	7.08	1.35	238	17.5	13.0	34.6
18	13.5	43.6	220	66.2	76.6	28.8	7.08	1.27	263	17.5	11.0	32.2
19	13.0	40.6	122	58.8	67.0	29.4	7.08	1.27	166	15.0	10.5	28.8
20	13.0	36.4	83.8	56.0	63.0	31.6	7.08	1.27	131	13.5	61.6	27.1
21	12.5	33.4	64.6	57.4	59.5	31.0	7.08	1.20	83.8	13.5	124	25.5
22	12.5	29.4	52.5	70.2	56.7	28.3	6.00	1.20	131	15.0	558	23.3
23	13.0	27.7	246	78.2	60.2	26.0	6.00	1.20	170	31.0	289	21.6
24	15.5	27.1	252	85.4	53.9	23.9	4.98	1.74	115	23.3	172	20.5
25	15.0	72.6	166	160	53.9	23.3	4.98	1.86	83.8	18.0	128	19.5
26	58.1	66.2	132	166	54.6	25.0	4.98	1.86	60.9	16.0	94.2	18.0
27	82.2	52.5	129	145	50.4	25.0	4.98	1.62	43.0	15.0	71.0	16.5
28	56.7	49.0	126	128	45.4	23.9	4.98	1.50	40.6	14.0	51.1	16.0
29	44.8	43.6	96.9	121	75.8	22.8	4.00	1.27	37.0	13.0	41.2	15.5
30	211		76.6	130	90.6	20.5	4.00	1.20	31.6	12.0	36.4	14.5
31	329		71.0		69.4		4.00	1.20		10.5		14.0
SD1	21.6	197	48.5	129	111	67.3	14.1	2.39	.953	31.3	8.75	269
SD2	15.5	78.5	77.1	97.3	82.1	32.2	7.08	1.41	120	26.1	15.2	44.1
SD3	77.3	44.6	128	114	60.9	25.0	5.09	1.44	79.7	16.5	156	18.6
MAX	518	555	417	268	130	138	20.5	2.66	350	99.6	699	751
DAT	30	9	23	1	7	2	1	1	16	10	22	2
SR	39.4	109	86.1	113	83.8	41.5	8.64	1.74	66.8	24.4	60.2	107
MIN	12.5	27.1	24.4	56.0	45.4	20.5	4.00	1.20	.750	10.5	5.66	14.0
DAT	21	24	14	20	28	30	29	21	12	31	13	31
		GMIN = .750			SRGOD= 61.5			GMAX = 751				
		DATUM 12 9						DATUM 2 12				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1989

Broj           : 60128                      Stanica : ZLATICA                      Kota "0" = 53.00  
Nacin osmat.: limnigraf                Rijeka : MORACA                      km od usca = 38.20  
Pocetak rada: 1985                      Sliv : SKADAR. JEZERA                Pov.sliva = 985.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	13.5	3.10	172	60.2	80.6	25.5	14.0	4.30	22.8	9.56	.750	28.3	
2	12.5	3.10	462	59.5	88.8	27.1	13.0	6.72	15.0	8.24	.750	20.0	
3	12.0	2.80	264	67.0	86.2	35.2	11.5	11.0	16.0	6.00	.675	16.0	
4	11.0	2.80	216	59.5	75.8	37.6	10.5	9.12	26.0	5.32	.675	12.5	
5	10.0	2.80	158	63.8	70.2	37.6	9.56	7.08	23.3	4.00	1.50	12.5	
6	10.0	2.80	113	62.3	64.6	39.4	9.12	6.00	9.12	4.00	43.0	11.5	
7	10.0	2.80	83.8	56.7	65.4	38.2	8.68	4.64	15.0	3.40	453	10.5	
8	10.0	2.66	67.8	47.2	56.7	40.0	7.80	4.30	12.5	96.0	225	10.0	
9	8.68	2.52	56.7	41.8	46.6	34.6	6.72	3.40	10.0	333	108	10.0	
10	8.24	2.38	49.0	40.6	43.0	31.0	6.00	3.70	60.9	671	63.0	8.24	
11	7.80	2.38	44.2	43.6	46.0	28.3	5.66	6.36	79.8	509	44.2	8.24	
12	7.44	2.24	40.0	44.2	51.8	25.5	4.98	5.66	44.8	263	33.4	7.80	
13	7.08	2.24	36.4	46.6	50.4	23.3	4.98	7.44	31.0	145	25.5	7.80	
14	6.72	2.24	35.2	87.0	61.6	21.1	7.08	6.00	25.5	80.6	17.0	7.80	
15	6.72	2.24	35.2	80.6	62.3	20.0	6.72	4.64	28.8	49.0	15.5	18.5	
16	6.36	2.24	34.6	71.0	56.0	18.5	7.08	3.70	27.1	37.0	9.56	69.4	
17	6.00	2.24	34.0	74.2	51.1	18.5	6.72	3.10	22.2	27.1	12.0	74.2	
18	5.66	2.24	37.0	383	51.1	21.1	6.72	2.66	15.0	21.1	8.24	60.2	
19	4.98	2.24	44.2	232	50.4	23.3	6.00	2.38	12.0	15.0	5.32	55.3	
20	4.98	2.24	49.7	151	49.0	23.3	5.66	2.24	10.5	14.5	4.00	97.8	
21	4.98	2.24	60.2	117	44.2	21.6	4.64	2.24	8.24	10.0	3.10	83.8	
22	4.98	2.24	84.6	109	40.6	20.0	4.30	2.24	8.24	8.24	2.80	61.6	
23	4.98	2.24	94.2	109	40.6	18.5	3.70	2.24	6.72	5.66	119	49.0	
24	4.64	2.24	76.6	87.0	38.8	18.0	2.80	8.24	6.72	4.00	127	40.0	
25	4.30	7.44	63.0	71.0	35.8	20.5	2.66	8.24	4.64	3.40	299	32.8	
26	4.00	227	55.3	60.9	31.6	20.0	6.00	7.80	4.64	2.80	263	28.3	
27	4.00	280	52.5	58.1	28.8	18.0	6.72	7.80	4.00	2.38	131	25.5	
28	3.70	156	51.1	59.5	26.6	18.0	6.72	12.0	4.00	2.38	71.0	24.4	
29	3.70		51.1	70.2	25.5	17.0	6.36	119	4.98	1.74	49.7	21.1	
30	3.10		53.9	70.2	26.0	15.0	6.00	13.5	7.08	1.20	35.2	19.0	
31	3.10		56.7		25.5		4.98	34.6		.975		17.0	
SD1	10.6	2.78	164	55.9	67.8	34.6	9.69	6.03	21.1	114	89.6	14.0	
SD2	6.37	2.25	39.1	121	53.0	22.3	6.16	4.42	29.7	116	17.5	40.7	
SD3	4.13	84.9	63.6	81.2	33.1	18.7	4.99	19.8	5.93	3.89	110	36.6	
MAX	14.0	542	599	518	91.5	41.2	14.5	119	79.8	796	453	97.8	
DAT	1	27	2	18	2	8	1	29	11	10	7	20	
SR	6.94	26.1	88.1	86.1	50.7	25.2	6.88	10.4	18.9	75.6	72.4	30.6	
MIN	3.10	2.24	34.0	40.6	25.5	15.0	2.66	2.24	4.00	.975	.675	7.80	
DAT	30	12	17	10	29	30	25	20	27	31	3	12	
		GMIN =	.675			SRGOD=	41.5			GMAX =	796		
		DATUM	3 11							DATUM	10 10		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1990

Broj : 60128      Stanica : ZLATICA      Kota "0" = 53.00  
 Nacin osmat.: limnigraf      Rijeka : MORACA      km od usca = 38.20  
 Pocetak rada: 1985      Sliv : SKADAR. JEZERA      Pov.sliva = 985.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	15.0	91.5	33.4	23.3	57.4	18.0	3.40	.900	.575	1.27	149	94.2
2	14.0	69.4	34.0	21.1	46.6	17.0	2.80	.900	.575	1.13	161	67.8
3	13.0	55.3	40.6	21.1	44.2	16.0	2.52	.750	.550	.975	123	48.4
4	12.0	43.6	37.0	21.1	43.0	15.0	2.24	.750	.550	.900	91.5	38.2
5	12.0	34.0	31.0	19.0	41.2	15.0	2.24	.750	.550	.825	77.4	29.9
6	11.0	27.7	26.6	17.0	37.0	16.0	2.24	.750	.550	.725	63.8	25.0
7	10.0	25.0	26.0	17.5	35.2	15.0	1.98	.750	.550	.725	49.7	21.1
8	9.12	22.8	25.5	63.0	33.4	14.0	1.74	.750	.550	49.0	40.0	19.5
9	8.68	20.5	24.4	90.6	32.8	14.0	1.74	.750	.550	122	32.8	19.0
10	8.24	19.5	24.4	127	32.2	13.0	1.50	.750	.550	71.0	27.1	141
11	7.44	17.5	23.3	146	33.4	13.0	1.50	.750	.550	43.0	23.3	395
12	7.08	16.0	22.8	104	31.6	13.0	1.50	.750	.550	28.8	20.0	220
13	6.72	26.6	21.6	74.2	30.5	13.0	1.35	.700	.525	18.5	18.0	166
14	6.00	27.7	21.1	57.4	28.8	13.0	1.35	.700	.525	12.5	16.0	125
15	5.32	23.9	20.0	47.2	28.3	12.0	1.50	.700	.525	9.12	16.5	98.7
16	4.98	41.2	19.5	41.2	27.7	12.0	1.50	.700	.500	7.44	34.0	78.2
17	4.98	45.4	18.0	37.0	28.8	11.0	1.35	.700	.500	6.00	34.6	63.0
18	5.32	33.4	16.0	35.2	27.7	16.0	1.20	.725	.475	5.32	29.9	51.8
19	5.32	28.8	15.0	40.6	26.6	14.0	1.35	.725	.475	4.30	26.6	45.4
20	5.32	25.5	15.0	51.8	24.4	12.0	1.35	.700	.450	3.70	24.4	40.6
21	5.32	23.3	15.0	145	23.3	10.0	1.50	.700	.475	41.8	22.2	37.0
22	5.32	23.3	15.0	312	24.4	8.24	1.50	.700	.475	61.6	20.5	33.4
23	5.32	23.3	15.0	350	29.4	7.08	1.35	.675	.475	43.0	24.4	30.5
24	5.32	23.3	15.0	377	28.8	7.08	1.20	.650	.475	31.0	401	27.7
25	5.32	22.8	15.0	250	26.6	6.72	1.05	.650	.725	21.1	329	25.5
26	5.32	21.6	15.0	189	24.4	6.72	1.05	.625	1.42	16.5	222	24.4
27	10.0	20.5	19.0	147	22.2	6.00	1.05	.625	1.20	18.5	323	22.8
28	18.0	29.4	27.7	113	21.1	5.32	1.05	.600	2.38	41.8	320	38.8
29	58.8		32.8	90.6	20.0	4.64	1.05	.600	4.00	64.6	209	56.7
30	252		30.5	71.0	19.0	4.00	.900	.600	1.98	299	140	45.4
31	144		26.6		18.0		.900	.600		240		38.8
SD1	11.3	40.9	30.3	42.1	40.3	15.3	2.24	.780	.555	24.9	81.5	50.4
SD2	5.85	28.6	19.2	63.5	28.8	12.9	1.40	.715	.507	13.9	24.3	128
SD3	46.8	23.4	20.6	204	23.4	6.58	1.15	.639	1.36	79.9	201	34.6
MAX	323	111	41.8	548	63.8	18.0	3.40	.900	4.64	410	542	683
DAT	30	1	3	24	1	1	1	1	29	30	24	11
SR	22.1	31.5	23.3	103	30.6	11.6	1.58	.709	.808	40.8	102	70.0
MIN	4.98	16.0	15.0	17.0	18.0	4.00	.900	.600	.450	.725	16.0	19.0
DAT	16	12	19	6	31	30	30	28	20	6	14	9
		GMIN = .450			SRGOD= 36.4			GMAX = 683				
		DATUM 20 9						DATUM 11 12				



## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1991

Broj : 60128      Stanica : ZLATICA      Kota "0" = 53.00  
 Nacin osmat.: limnigraf      Rijeka : MORACA      km od usca = 38.20  
 Pocetak rada: 1985      Sliv : SKADAR. JEZERA      Pov.sliva = 985.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	33.4	5.32	30.5	44.2	72.6	41.8	15.0	6.72	.900	7.08	18.0	68.6
2	39.4	4.98	34.0	38.2	67.8	50.4	14.0	10.0	.750	3.70	16.0	56.0
3	48.4	4.64	36.4	34.6	63.8	59.5	13.5	13.0	.750	3.40	14.5	47.8
4	43.0	4.00	39.4	34.0	88.8	64.6	13.5	9.12	.750	2.80	13.0	43.0
5	38.2	4.00	37.0	34.6	123	64.6	13.0	7.08	.750	2.38	94.2	38.8
6	34.6	3.70	34.0	35.2	111	63.8	13.5	5.66	.750	2.10	341	35.2
7	32.8	3.40	33.4	40.0	89.7	65.4	14.0	4.64	.750	1.74	170	32.2
8	30.5	5.66	51.1	46.6	120	103	12.5	4.00	.750	1.50	113	28.8
9	28.3	117	57.4	49.0	108	356	10.0	3.40	.750	11.0	80.6	26.0
10	27.7	77.4	59.5	46.0	96.0	220	9.12	2.80	.750	18.5	59.5	23.9
11	27.7	88.8	60.2	44.2	113	166	8.24	2.52	.750	14.5	58.8	21.6
12	27.1	392	56.0	40.0	147	135	7.44	2.24	.750	9.56	56.0	20.0
13	26.6	332	51.1	34.6	120	111	6.72	1.98	.750	14.0	47.2	19.0
14	25.5	170	46.6	32.2	99.6	89.7	7.08	1.98	.750	137	43.0	17.5
15	23.9	109	44.2	31.0	94.2	76.6	9.56	1.86	.750	133	513	17.0
16	22.2	77.4	43.0	33.4	87.0	65.4	6.72	1.74	.750	110	479	15.0
17	20.0	60.2	41.2	37.0	240	54.6	6.00	1.74	.750	87.0	754	14.5
18	18.5	46.6	37.0	44.2	246	50.4	5.32	1.62	.750	63.8	503	13.5
19	17.0	40.6	32.2	179	170	46.6	4.64	1.50	.725	46.6	329	13.5
20	16.0	40.6	29.9	166	127	40.6	4.64	1.35	.725	161	240	13.0
21	14.0	41.2	31.0	147	97.8	35.8	4.00	1.35	.725	260	362	13.5
22	13.0	40.0	38.8	107	87.0	31.6	3.10	1.27	.725	302	389	13.5
23	11.5	38.2	49.0	80.6	92.4	29.9	3.70	1.20	.700	184	277	12.0
24	11.0	37.6	59.5	66.2	96.0	27.1	2.80	1.20	.700	127	210	11.0
25	9.56	34.6	66.2	56.0	92.4	25.0	2.66	1.20	.700	88.8	250	10.0
26	9.12	32.2	76.6	47.2	75.8	23.3	2.52	1.05	.700	63.8	252	9.12
27	8.24	31.0	75.0	47.8	61.6	22.2	2.80	1.05	1.13	46.0	189	8.68
28	7.44	29.9	61.6	117	50.4	21.1	7.08	.975	16.5	33.4	128	8.24
29	7.44		53.2	94.2	44.8	20.0	8.24	.975	22.8	28.3	216	7.44
30	7.08		49.0	79.8	40.6	19.0	9.12	.900	13.5	24.4	84.6	6.72
31	6.36		47.8		40.0		8.24	.900		21.1		6.00
SD1	35.6	23.0	41.3	40.2	94.1	109	12.8	6.64	.765	5.42	92.0	40.0
SD2	22.5	136	44.1	64.2	144	83.6	6.64	1.85	.745	77.6	302	16.5
SD3	9.52	35.6	55.2	84.3	70.8	25.5	4.93	1.10	5.82	107	236	9.65
MAX	50.4	501	79.8	201	377	488	17.0	14.0	25.5	389	911	102
DAT	3	12	26	19	18	9	1	3	29	22	17	1
SR	22.1	66.9	47.2	62.9	102	72.7	8.02	3.13	2.44	64.8	210	21.6
MIN	6.36	3.40	29.9	31.0	40.0	19.0	2.52	.900	.700	1.50	13.0	6.00
DAT	31	7	20	15	31	30	26	30	23	8	4	31
		GMIN = .700			SRGOD= 56.6			GMAX = 911				
		DATUM 23 9						DATUM 17 11				

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1992

Broj : 60128      Stanica : ZLATICA      Kota "0" = 53.00  
 Nacin osmat.: limnigraf      Rijeka : MORACA      km od usca = 38.20  
 Pocetak rada: 1985      Sliv : SKADAR. JEZERA      Pov.sliva = 985.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	6.00	6.00	6.72	58.1	92.4	43.0	10.5	1.98	.900	1.86	144	41.8
2	5.32	4.98	7.08	67.8	87.9	38.8	9.12	1.74	.825	1.35	131	38.2
3	5.32	4.00	7.80	94.2	82.2	31.0	8.68	1.74	.750	1.05	101	35.8
4	4.64	4.00	8.68	109	71.0	26.6	8.24	1.62	.750	17.0	81.4	37.6
5	4.64	3.70	9.12	97.8	64.6	22.2	7.44	1.50	.750	50.4	66.2	49.0
6	4.00	3.40	9.56	87.9	61.6	18.0	6.36	1.50	.750	97.8	55.3	268
7	4.00	2.80	9.56	133	58.1	16.0	7.44	1.42	.750	220	49.0	288
8	4.00	2.80	9.12	131	58.8	13.5	8.68	1.35	.750	285	44.2	176
9	4.00	2.66	8.24	112	51.8	14.0	9.56	1.35	.750	189	41.2	187
10	4.00	2.52	7.08	104	47.8	14.5	9.12	1.35	.750	133	36.4	167
11	4.98	2.52	6.72	99.6	47.2	14.5	9.12	1.27	.750	100	34.0	128
12	5.32	2.52	6.72	80.6	45.4	38.2	8.24	1.20	.750	308	45.4	101
13	6.00	2.52	6.36	63.0	41.8	80.6	10.0	1.20	.725	182	161	83.8
14	6.00	2.52	6.00	53.2	37.0	92.4	11.5	1.20	.700	131	125	69.4
15	5.66	2.52	6.72	47.2	34.0	71.0	10.0	1.20	.700	106	99.6	58.8
16	5.32	2.80	10.0	44.2	34.0	51.8	8.68	1.13	.700	109	61.6	51.8
17	4.98	18.5	11.0	97.8	31.0	47.8	7.80	1.05	.700	268	386	46.6
18	4.30	49.0	10.0	257	28.8	47.8	6.36	1.05	.700	1005	809	43.0
19	4.00	34.0	8.68	173	24.4	45.4	5.66	1.05	.700	548	485	39.4
20	4.64	23.9	7.80	121	20.0	46.0	4.64	1.05	.700	324	329	36.4
21	4.64	18.0	6.72	88.8	18.0	40.6	4.00	1.05	.700	226	247	33.4
22	3.70	16.0	6.00	71.8	18.0	33.4	3.40	.975	.700	243	184	32.2
23	7.44	12.5	5.32	60.2	19.0	28.8	3.10	.975	.700	210	141	29.9
24	11.5	10.0	74.2	57.4	21.1	25.0	3.10	1.05	.700	193	106	27.7
25	11.5	8.68	196	64.6	20.5	21.1	3.10	1.42	.700	199	86.2	26.0
26	11.0	7.80	159	74.2	20.0	19.0	2.80	1.50	.700	157	71.0	24.4
27	10.0	6.72	145	86.2	19.0	17.0	2.66	1.35	.700	175	60.2	23.3
28	8.24	6.72	115	93.3	18.0	15.0	2.66	1.20	.700	141	53.9	21.6
29	8.24	6.72	87.0	94.2	16.5	13.0	2.52	1.13	.700	157	49.7	21.1
30	7.08		74.2	92.4	18.0	12.0	2.38	1.05	.725	177	45.4	20.0
31	6.36		62.3		34.0		2.10	.900		157		19.0
SD1	4.59	3.69	8.30	99.5	67.6	23.8	8.51	1.56	.772	99.6	75.0	129
SD2	5.12	14.1	8.00	104	34.4	53.5	8.20	1.14	.712	308	254	65.8
SD3	8.15	10.3	84.6	78.3	20.2	22.5	2.89	1.15	.702	185	104	25.3
MAX	12.0	60.2	271	323	97.8	99.6	12.0	1.98	1.35	1280	1008	515
DAT	25	17	24	18	1	14	14	1	30	18	17	6
SR	6.03	9.34	35.3	93.8	40.1	33.3	6.42	1.28	.729	197	144	71.8
MIN	3.70	2.52	5.32	44.2	16.5	12.0	2.10	.900	.700	1.05	34.0	19.0
DAT	22	10	23	16	29	30	31	31	14	3	11	31
GMIN = .700			SRGOD= 53.4			GMAX = 1280						
DATUM 14 9						DATUM 18 10						

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1993

Broj : 60128      Stanica : ZLATICA      Kota "0" = 53.00  
 Nacin osmat.: limnigraf      Rijeka : MORACA      km od usca = 38.20  
 Pocetak rada: 1985      Sliv : SKADAR. JEZERA      Pov.sliva = 985.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	18.5	6.00	2.80	41.8	47.8	15.5	2.80	1.74	1.50	29.9	15.0	29.9
2	18.0	5.66	3.10	40.0	45.4	14.5	2.80	1.42	1.50	43.0	13.5	29.9
3	17.0	5.32	6.00	60.2	42.4	13.0	2.80	1.42	1.50	156	13.0	31.0
4	16.0	5.32	14.5	100	41.2	12.5	2.80	1.42	1.50	291	35.8	34.6
5	15.0	5.32	15.0	75.8	43.0	11.5	2.80	1.42	20.0	191	282	34.0
6	14.5	4.98	12.0	64.6	44.2	10.5	2.80	1.42	57.4	125	738	31.0
7	14.0	4.64	10.0	61.6	41.2	9.12	2.80	1.62	38.8	83.8	563	28.8
8	13.5	4.30	7.80	54.6	38.2	7.80	2.80	1.74	22.2	58.8	323	35.2
9	13.0	4.00	6.72	50.4	37.6	9.12	2.80	1.98	15.0	56.0	222	57.4
10	12.0	4.00	6.36	46.6	35.8	9.12	2.80	3.70	9.56	120	166	71.8
11	11.5	4.00	6.00	50.4	34.0	8.24	2.80	4.64	7.44	64.6	125	75.8
12	11.0	4.00	6.00	166	31.0	7.80	2.80	3.70	13.0	59.5	95.1	184
13	10.5	3.70	6.00	198	28.3	7.44	2.80	3.40	30.5	45.4	102	139
14	10.0	3.70	6.00	145	26.0	6.36	2.80	3.10	22.2	35.8	154	94.2
15	9.56	3.40	6.72	129	30.5	6.00	2.80	2.80	16.5	28.8	112	413
16	9.12	3.40	8.24	125	64.6	5.66	2.24	2.24	28.8	24.4	189	638
17	9.12	3.40	10.0	101	60.2	5.32	2.24	2.24	28.3	21.1	152	503
18	8.68	3.40	11.5	81.4	50.4	4.64	2.24	2.24	22.2	18.0	105	341
19	8.24	3.40	13.0	67.8	43.6	4.64	2.10	2.10	17.0	16.0	79.8	227
20	8.24	3.40	17.0	62.3	38.8	4.30	2.10	2.10	13.0	14.0	64.6	167
21	8.24	3.40	19.5	67.0	38.8	3.70	1.98	2.10	10.0	13.0	52.5	133
22	7.80	3.40	20.0	75.8	38.8	3.40	2.10	2.10	8.24	12.5	45.4	198
23	7.44	3.10	21.1	76.6	35.8	3.10	1.98	1.50	7.08	12.0	40.6	239
24	7.44	3.10	22.8	73.4	29.9	3.10	1.98	1.50	6.36	68.6	37.0	178
25	7.08	3.10	24.4	75.0	28.8	3.10	1.98	1.50	5.66	56.7	35.2	215
26	7.08	3.10	74.2	69.4	25.5	3.10	1.74	1.50	4.98	40.6	33.4	238
27	7.08	3.10	151	66.2	22.8	3.10	1.74	1.50	4.64	31.0	31.0	268
28	7.08	3.10	105	63.0	21.1	2.80	1.74	1.50	4.00	25.5	28.3	205
29	6.72		74.2	60.2	19.5	2.80	1.74	1.50	7.44	21.1	27.7	147
30	6.36		56.0	50.4	18.0	2.80	1.74	1.50	36.4	18.5	27.7	109
31	6.36		46.6		16.0		1.74	1.50		17.0		83.0
SD1	15.1	4.95	8.43	59.6	41.7	11.3	2.80	1.79	16.9	115	237	38.4
SD2	9.60	3.58	9.05	113	40.7	6.04	2.49	2.86	19.9	32.8	118	278
SD3	7.15	3.18	55.9	67.7	26.8	3.10	1.86	1.61	9.48	28.8	35.9	183
MAX	19.0	6.00	164	222	67.8	16.0	2.80	4.64	62.3	332	889	793
DAT	1	1	26	13	16	1	1	11	6	4	6	15
SR	10.5	3.95	25.5	79.9	36.1	6.80	2.37	2.07	15.4	58.0	130	167
MIN	6.36	3.10	2.80	40.0	16.0	2.80	1.74	1.42	1.50	12.0	13.0	28.8
DAT	30	23	1	2	31	28	26	2	1	23	3	7
		GMIN =	1.42			SRGOD=	45.0			GMAX =	889	
		DATUM	2 8							DATUM	6 11	

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1994

Broj : 60128      Stanica : ZLATICA      Kota "0" = 53.00  
 Nacin osmat.: limnigraf      Rijeka : MORACA      km od usca = 38.20  
 Pocetak rada: 1985      Sliv : SKADAR. JEZERA      Pov.sliva = 985.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	69.4	22.8	55.3	71.0	117	45.4	20.5	10.0	7.44	12.0	113	17.0
2	60.2	19.5	55.3	97.8	111	42.4	20.0	10.0	7.44	11.5	77.4	17.5
3	51.8	20.0	56.0	75.0	91.5	40.6	19.0	9.56	7.44	10.5	57.4	16.0
4	46.0	19.5	53.2	61.6	79.0	40.0	18.0	9.56	7.44	10.5	44.2	15.0
5	83.8	18.5	49.0	58.1	80.6	40.0	17.5	9.56	7.08	27.1	35.8	14.5
6	213	18.0	46.0	70.2	84.6	38.2	17.0	9.56	7.08	27.7	31.0	14.0
7	137	17.0	43.0	98.7	80.6	34.0	17.0	9.12	7.08	23.3	28.3	14.0
8	116	17.0	43.0	87.0	71.0	29.9	17.0	8.68	7.08	20.0	27.7	13.5
9	100	16.0	43.0	97.8	63.0	28.8	17.0	8.24	7.08	18.0	31.6	13.5
10	83.8	15.5	41.8	145	63.0	28.3	16.5	8.24	7.08	16.0	36.4	12.5
11	70.2	15.5	43.0	578	68.6	27.7	16.0	8.24	7.08	15.0	146	12.5
12	60.2	15.0	51.8	838	71.0	26.6	15.5	8.24	6.72	14.0	245	12.0
13	50.4	14.0	60.9	620	68.6	25.5	15.0	8.24	6.72	13.0	164	12.0
14	45.4	13.5	79.0	389	68.6	44.2	15.0	7.80	6.36	12.5	109	11.5
15	43.0	12.5	87.0	277	78.2	47.8	17.5	7.44	6.36	12.0	85.4	11.0
16	40.6	12.0	90.6	217	87.0	43.0	18.0	7.44	14.0	11.5	61.6	11.0
17	50.4	12.5	81.4	243	86.2	38.2	16.5	7.44	16.0	10.5	50.4	11.0
18	82.2	71.8	79.0	401	85.4	34.0	15.0	7.44	20.0	10.0	41.8	11.0
19	88.8	72.6	66.2	294	115	31.0	14.0	7.44	21.1	9.56	37.0	10.5
20	71.8	63.0	63.8	215	115	29.4	13.5	7.44	31.0	9.56	33.4	10.5
21	79.0	53.9	60.9	177	94.2	28.3	13.0	7.44	56.0	9.12	29.4	10.5
22	75.0	53.9	63.8	153	85.4	26.6	12.5	7.08	42.4	9.12	27.7	10.5
23	61.6	53.2	64.6	136	80.6	26.0	12.5	7.08	29.9	8.68	25.5	10.5
24	51.1	63.0	71.0	127	77.4	25.5	13.0	7.08	23.3	8.24	24.4	10.5
25	45.4	75.8	89.7	123	75.0	25.0	13.5	7.08	19.5	31.0	22.8	14.5
26	40.6	71.0	105	119	72.6	23.9	13.5	8.24	17.0	34.6	22.2	22.8
27	37.0	63.0	115	115	66.2	22.2	13.0	9.12	15.5	31.6	21.1	24.4
28	32.8	61.6	89.7	129	61.6	21.1	12.0	8.68	14.5	30.5	19.5	22.8
29	30.5		71.0	120	55.3	21.1	11.5	8.24	13.5	177	18.5	20.0
30	27.7		58.8	118	49.7	21.6	11.5	7.44	13.0	356	18.0	18.0
31	25.0		63.0		47.8		11.0	7.44		173		54.6
SD1	96.1	18.4	48.6	86.2	84.1	36.8	18.0	9.25	7.22	17.7	48.3	14.8
SD2	60.3	30.2	70.3	407	84.4	34.7	15.6	7.72	13.5	11.8	97.4	11.3
SD3	46.0	61.9	77.5	132	69.6	24.1	12.5	7.72	24.5	79.0	22.9	19.9
MAX	311	72.6	118	1001	123	50.4	21.1	10.5	59.5	497	280	260
DAT	6	19	25	12	1	14	1	1	21	30	12	31
SR	66.8	35.1	65.8	208	79.1	31.9	15.2	8.21	15.1	37.5	56.2	15.5
MIN	25.0	12.0	41.8	58.1	47.8	21.1	11.0	7.08	6.36	8.24	18.0	10.5
DAT	31	16	10	5	31	28	31	22	14	24	30	19
		GMIN = 6.36			SRGOD= 52.8			GMAX = 1001				
		DATUM 14 9								DATUM 12 4		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1995

Broj : 60128      Stanica : ZLATICA      Kota "0" = 53.00  
 Nacin osmat.: limnigraf      Rijeka : MORACA      km od usca = 38.20  
 Pocetak rada: 1985      Sliv : SKADAR. JEZERA      Pov.sliva = 985.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	294	121	170	74.2	112	77.4	12.0	10.0	62.3	32.2	8.24	66.2
2	672	83.8	132	63.8	113	84.6	12.5	13.5	48.4	28.8	8.24	52.5
3	344	79.0	107	56.7	113	90.6	12.0	15.0	38.2	26.6	7.80	43.6
4	222	75.0	108	80.6	96.9	73.4	12.0	10.0	39.4	25.0	7.80	37.0
5	157	60.2	149	91.5	84.6	60.2	12.5	8.68	90.6	24.4	7.44	33.4
6	120	46.0	158	95.1	74.2	55.3	12.5	8.68	193	22.8	7.08	34.6
7	90.6	44.2	122	96.9	71.0	50.4	12.0	8.68	145	20.5	6.72	52.5
8	67.8	43.0	98.7	96.0	77.4	48.4	11.5	8.24	98.7	19.5	6.72	56.0
9	52.5	44.8	83.0	90.6	87.9	43.6	10.5	8.24	139	18.0	6.72	50.4
10	44.2	78.2	74.2	76.6	92.4	40.6	9.56	7.80	115	17.0	6.72	43.6
11	40.6	105	66.2	64.6	96.0	39.4	7.80	7.80	83.8	16.0	6.72	38.2
12	38.2	87.0	58.8	56.0	97.8	38.2	7.44	7.80	63.0	15.0	6.36	34.0
13	34.0	74.2	53.9	50.4	232	38.2	7.44	7.44	49.0	14.5	6.00	49.7
14	31.0	63.0	49.0	46.0	530	38.2	7.08	7.44	40.6	14.0	6.72	58.8
15	28.8	54.6	45.4	43.0	365	34.6	8.68	7.44	129	13.5	17.5	80.6
16	27.1	47.8	41.8	41.8	243	32.8	7.08	7.08	159	12.5	20.5	69.4
17	25.5	45.4	40.6	44.8	185	31.0	7.44	7.08	99.6	12.0	33.4	56.0
18	24.4	41.8	43.6	44.8	154	29.9	10.0	6.72	74.2	11.5	189	53.9
19	23.9	129	43.0	43.6	138	28.3	12.5	6.72	58.8	11.0	157	101
20	23.9	198	43.6	44.2	125	27.1	9.12	6.72	109	10.5	97.8	123
21	23.9	159	90.6	49.0	130	23.3	9.12	6.72	193	10.0	64.6	91.5
22	23.9	119	75.8	59.5	125	20.5	8.68	6.72	138	10.0	47.8	71.0
23	23.3	89.7	79.0	72.6	111	16.5	8.68	6.72	114	9.56	38.2	87.0
24	44.2	87.0	54.6	84.6	97.8	19.5	7.80	6.72	89.7	9.56	30.5	497
25	95.1	198	47.2	103	98.7	17.5	7.44	6.72	71.0	9.56	26.6	447
26	65.4	198	43.0	288	95.1	12.5	7.44	33.4	56.7	9.56	24.4	8.24
27	145	311	40.6	294	95.1	11.5	9.12	118	47.8	9.56	25.5	1021
28	164	243	149	197	94.2	10.0	7.44	75.0	42.4	9.12	79.0	701
29	104		159	146	87.9	10.0	7.08	143	38.2	9.12	130	465
30	79.0		122	123	87.9	12.0	7.44	122	34.6	8.68	89.7	354
31	111		94.2		81.4		8.68	80.6		8.24		282
SD1	206	67.5	120	82.2	92.2	62.4	11.7	9.88	97.0	23.5	7.35	47.0
SD2	29.7	84.6	48.6	47.9	217	33.8	8.46	7.22	86.6	13.1	54.1	66.5
SD3	79.9	176	86.8	142	100	15.3	8.08	55.1	82.5	9.36	55.6	366
MAX	857	311	294	386	570	90.6	12.5	198	277	34.0	209	1195
DAT	2	27	28	26	14	3	2	29	6	1	18	27
SR	105	104	85.3	90.6	135	37.2	9.37	25.1	88.7	15.1	39.0	166
MIN	23.3	41.8	40.6	41.8	71.0	10.0	7.08	6.72	34.6	8.24	6.00	8.24
DAT	23	18	17	16	7	28	14	18	30	31	13	26
		GMIN = 6.00			SRGOD= 75.0			GMAX = 1195				
		DATUM 13 11								DATUM 27 12		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1996

Broj : 60128      Stanica : ZLATICA      Kota "0" = 53.00  
 Nacin osmat.: limnigraf      Rijeka : MORACA      km od usca = 38.20  
 Pocetak rada: 1985      Sliv : SKADAR. JEZERA      Pov.sliva = 985.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	452	49.7	38.8	121	126	60.2	12.0	4.00	4.64	63.0	74.2	161	
2	350	44.8	37.0	108	217	56.0	12.0	3.70	9.12	49.0	58.8	125	
3	257	42.4	34.6	506	99.6	52.5	11.5	3.70	10.0	49.7	46.6	97.8	
4	177	50.4	32.2	407	246	49.0	11.0	3.40	8.68	81.4	41.8	77.4	
5	164	96.0	29.9	464	257	47.2	10.5	3.40	11.5	69.4	38.2	64.6	
6	133	97.8	28.8	219	219	46.6	10.0	3.40	15.5	56.0	35.2	55.3	
7	107	77.4	26.6	168	198	43.0	9.56	3.40	14.0	47.8	32.2	49.0	
8	87.9	64.6	25.5	139	189	42.4	8.68	3.40	12.0	41.8	29.9	45.4	
9	80.6	56.0	24.4	120	155	37.0	8.68	3.40	10.0	38.8	28.8	41.8	
10	71.0	49.0	22.8	106	159	34.0	8.24	3.40	8.24	38.8	26.0	39.4	
11	64.6	44.8	22.2	92.4	142	31.6	7.80	3.40	8.68	37.0	25.0	37.6	
12	62.3	40.6	22.2	80.6	140	29.9	7.44	3.40	8.24	34.6	23.9	37.0	
13	56.7	39.4	25.5	74.2	166	28.8	7.08	3.70	157	31.6	22.8	35.8	
14	51.8	80.6	35.2	80.6	156	27.7	6.72	4.64	282	29.4	21.6	141	
15	47.2	77.4	39.4	101	181	26.0	6.36	4.98	170	41.2	20.5	353	
16	44.2	60.2	56.7	85.4	190	23.3	6.36	4.64	112	47.2	19.5	213	
17	94.2	51.8	87.0	72.6	162	20.5	6.36	6.36	71.0	191	18.5	141	
18	58.8	45.4	71.0	61.6	150	19.0	6.36	6.72	50.4	324	25.5	106	
19	37.6	40.6	61.6	56.7	137	18.0	6.36	5.66	40.6	288	257	83.8	
20	35.8	97.8	55.3	53.9	124	18.0	6.00	4.64	184	329	227	67.0	
21	34.6	266	50.4	57.4	111	18.5	6.00	4.30	193	256	482	103	
22	32.2	178	46.6	69.4	99.6	17.0	5.66	3.70	134	103	314	125	
23	31.0	146	44.2	84.6	87.0	19.0	5.32	3.40	157	74.2	563	121	
24	29.9	86.2	42.4	94.2	77.4	18.5	5.32	3.40	210	59.5	446	186	
25	103	66.2	40.6	99.6	71.8	16.5	4.98	3.70	230	48.4	332	302	
26	202	54.6	43.0	105	65.4	16.0	4.98	4.00	189	42.4	238	323	
27	133	47.8	61.6	111	64.6	15.5	4.64	4.00	208	37.0	311	208	
28	96.0	43.6	401	105	86.2	15.0	4.64	3.70	153	34.6	227	149	
29	75.8	41.2	249	105	105	14.0	4.00	3.40	111	32.2	288	111	
30	64.6		168	104	77.4	13.0	4.00	3.40	82.2	31.0	213	92.4	
31	56.7		143		66.2		4.00	3.40		79.0		105	
SD1	188	62.8	30.1	236	187	46.8	10.2	3.52	10.4	53.6	41.2	75.7	
SD2	55.3	57.9	47.6	75.9	155	24.3	6.68	4.81	108	135	66.1	122	
SD3	78.1	103	117	93.5	82.9	16.3	4.87	3.67	167	72.5	341	166	
MAX	515	392	491	603	266	63.0	12.0	5.66	320	419	696	398	
DAT	1	21	28	3	5	1	1	15	25	18	23	15	
SR	106	73.7	66.7	135	140	29.1	7.18	3.99	95.2	86.6	150	122	
MIN	29.9	39.4	22.2	53.9	64.6	13.0	4.00	3.40	4.64	29.4	18.5	35.8	
DAT	24	13	11	20	27	30	29	4	1	14	17	13	
		GMIN =	3.40			SRGOD=	84.5			GMAX =	696		
		DATUM	4 8							DATUM	23 11		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1997

Broj : 60128      Stanica : ZLATICA      Kota "0" = 53.00  
 Nacin osmat.: limnigraf      Rijeka : MORACA      km od usca = 38.20  
 Pocetak rada: 1985      Sliv : SKADAR. JEZERA      Pov.sliva = 985.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	125	19.0	57.4	23.3	60.9	28.3	5.66	4.64	1.42	.650	14.0	55.8	
2	135	18.0	45.4	22.8	60.2	27.1	5.66	4.00	1.42	.650	14.0	61.2	
3	189	17.0	37.0	22.2	62.3	26.6	4.98	3.70	1.42	.650	13.5	112	
4	208	16.0	32.8	22.2	74.2	26.6	4.64	3.40	1.42	.650	13.0	214	
5	267	15.0	31.0	22.8	87.9	27.1	4.64	3.40	1.42	.650	11.5	136	
6	213	14.0	30.5	23.3	93.3	26.6	4.64	3.40	1.35	.650	10.0	98.0	
7	157	13.5	29.9	22.8	105	26.6	4.64	3.10	1.35	.625	11.5	77.2	
8	120	13.0	28.3	21.1	232	31.0	4.64	3.10	1.27	.625	31.0	61.2	
9	90.6	12.5	25.5	20.0	437	31.6	4.30	3.10	1.27	.625	145	51.1	
10	82.2	12.0	23.9	19.0	280	29.4	4.30	2.80	1.13	.625	139	43.2	
11	132	11.0	22.2	18.5	198	27.7	4.30	2.80	1.13	.625	380	38.6	
12	127	10.0	20.5	18.5	157	26.6	4.30	2.52	1.05	9.12	210	35.4	
13	100	9.12	20.0	19.0	137	24.4	4.00	2.52	1.05	58.8	139	83.6	
14	79.8	18.5	19.5	18.5	123	22.8	4.00	2.52	.975	101	291	91.6	
15	67.8	22.2	19.0	18.5	111	21.1	4.00	2.38	.975	153	227	72.4	
16	56.0	101	19.0	18.0	97.8	20.0	4.00	2.24	.900	88.8	145	58.4	
17	49.0	87.0	19.0	18.0	88.8	18.0	4.00	2.24	.900	56.0	101	46.5	
18	44.8	60.2	18.5	18.0	79.0	18.0	4.64	2.10	.750	38.2	74.2	40.6	
19	40.6	47.2	20.0	18.0	85.4	17.5	14.0	2.10	.750	29.4	64.6	36.7	
20	37.0	38.2	166	18.0	75.0	16.0	13.0	1.98	.700	25.0	51.7	63.2	
21	34.6	31.0	101	19.5	69.4	15.0	12.0	1.98	.700	20.0	43.2	310	
22	32.8	26.6	71.8	189	69.4	12.5	11.0	1.86	.675	17.5	38.0	257	
23	29.4	25.0	53.9	401	64.6	11.5	10.0	1.86	.675	15.0	60.5	177	
24	28.8	23.3	44.2	243	53.9	10.5	9.12	1.74	.675	14.5	85.2	148	
25	26.0	22.2	37.0	166	46.6	10.0	8.24	1.62	.675	33.4	67.6	98.0	
26	26.0	23.3	31.6	118	43.0	8.68	7.44	1.50	.675	35.8	55.8	77.2	
27	25.5	43.0	28.3	88.8	41.2	7.80	6.72	1.50	.675	27.7	47.1	70.8	
28	25.0	75.8	26.6	77.4	38.2	7.08	6.36	1.50	.675	22.2	44.5	164	
29	22.8		26.6	67.8	38.8	6.72	6.00	1.50	.675	17.5	48.4	164	
30	21.6		26.6	58.8	35.8	6.00	5.32	1.50	.650	15.0	47.8	113	
31	20.0		24.4		31.0		5.32	1.50		14.0		88.4	
SD1	159	15.0	34.2	22.0	149	28.1	4.81	3.46	1.35	.640	40.3	91.0	
SD2	73.4	40.4	34.4	18.3	115	21.2	6.02	2.34	.918	56.0	168	56.7	
SD3	26.6	33.8	42.9	143	48.4	9.58	7.96	1.64	.675	21.1	53.8	152	
MAX	294	151	208	473	533	33.4	14.0	4.64	1.42	232	599	370	
DAT	6	16	20	22	8	8	19	1	1	14	11	21	
SR	84.3	29.5	37.3	61.1	102	19.6	6.32	2.45	.980	25.8	87.5	101	
MIN	20.0	9.12	18.5	18.0	31.0	6.00	4.00	1.50	.650	.625	10.0	35.4	
DAT	31	13	18	16	31	30	13	26	30	7	6	12	
		GMIN =	.625			SRGOD=	46.7			GMAX =	599		
		DATUM	7 10							DATUM	11 11		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1998

Broj : 60128      Stanica : ZLATICA      Kota "0" = 53.00  
 Nacin osmat.: limnigraf      Rijeka : MORACA      km od usca = 38.20  
 Pocetak rada: 1985      Sliv : SKADAR. JEZERA      Pov.sliva = 985.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	70.8	25.2	24.1	9.30	82.8	34.1	12.9	4.90	17.2	116	47.1	28.3
2	60.5	24.7	24.1	9.65	74.0	31.5	12.9	4.50	12.0	170	49.8	45.8
3	64.6	24.7	22.9	10.0	80.4	29.0	12.0	4.50	9.30	334	61.9	59.1
4	69.2	43.2	21.8	11.0	149	27.0	11.0	4.20	7.90	200	88.4	131
5	78.8	79.6	21.8	15.5	524	26.4	10.0	4.20	6.50	138	129	352
6	78.0	56.4	21.8	30.2	395	25.8	9.65	3.90	49.1	102	161	316
7	76.4	44.5	21.8	41.9	260	24.7	9.30	3.90	60.5	78.8	251	185
8	66.8	38.0	21.2	48.4	195	23.5	18.3	3.60	40.6	63.2	260	132
9	57.8	32.8	39.3	56.4	156	22.3	36.7	3.60	39.3	55.1	170	98.0
10	49.8	29.6	49.1	105	134	20.6	27.0	3.30	36.7	200	124	76.4
11	44.5	26.4	43.2	160	112	19.5	20.6	3.30	27.7	367	99.8	61.9
12	40.6	25.2	36.7	376	96.4	144	14.9	3.00	22.9	219	157	52.4
13	36.7	25.2	30.9	265	85.2	172	12.9	3.00	305	148	140	45.8
14	34.8	27.7	26.4	226	75.6	119	12.0	2.86	604	105	114	41.3
15	32.8	34.8	24.1	188	66.0	86.8	9.30	2.86	346	77.2	146	36.7
16	31.5	36.7	22.3	141	58.4	66.0	8.60	2.72	243	60.5	179	32.8
17	40.6	37.3	20.6	145	50.4	54.4	8.60	2.86	177	51.1	132	29.0
18	56.4	36.7	18.9	209	45.1	58.4	7.90	2.72	144	44.5	99.8	26.4
19	53.7	34.1	17.2	233	41.9	38.0	7.90	2.72	116	39.3	78.8	24.7
20	94.8	32.2	15.5	181	39.3	32.8	7.90	2.72	91.6	40.6	64.6	23.5
21	151	30.9	14.9	148	38.0	29.0	7.20	2.86	70.0	328	53.7	24.1
22	98.0	29.6	13.9	117	39.3	26.4	7.20	3.00	55.1	164	46.5	75.6
23	73.2	29.0	12.9	105	40.0	24.1	6.50	2.86	43.8	108	43.2	59.1
24	59.1	28.3	12.0	97.2	38.0	21.8	6.50	2.58	36.7	83.6	40.6	45.1
25	49.8	27.0	11.5	92.4	37.3	20.6	6.10	2.44	32.2	67.6	39.3	37.3
26	42.5	26.4	11.0	85.2	40.0	19.5	6.10	2.44	29.0	132	38.6	32.2
27	36.7	25.2	10.5	80.4	52.4	18.3	5.70	2.44	26.4	147	36.7	29.0
28	34.1	24.7	10.0	77.2	43.2	16.6	5.70	3.00	257	108	35.4	25.2
29	31.5		9.65	80.4	45.1	14.9	5.30	72.4	241	85.2	32.8	24.1
30	29.0		9.30	98.0	40.6	13.9	5.30	44.5	166	67.6	30.9	21.8
31	26.4		9.30		36.7		4.90	26.4		55.1		20.0
SD1	67.3	39.9	26.8	33.7	205	26.5	16.0	4.06	27.9	146	134	142
SD2	46.6	31.6	25.6	212	67.0	79.1	11.1	2.88	208	115	121	37.5
SD3	57.4	27.6	11.4	98.1	41.0	20.5	6.05	15.0	95.7	122	39.8	35.8
MAX	188	94.8	51.1	451	571	421	20.6	150	740	508	373	460
DAT	21	5	10	12	5	12	11	29	5	21	8	5
SR	57.1	33.4	20.9	115	102	42.0	10.9	7.56	110	128	98.4	70.7
MIN	26.4	24.7	9.30	9.30	36.7	13.9	4.90	2.44	6.50	39.3	30.9	20.0
DAT	31	2	30	1	31	30	31	25	5	19	30	31
GMIN =		2.44		SRGOD=		66.3		GMAX =		740		
DATUM		25 8						DATUM		5 9		



## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1999

Broj : 60128      Stanica : ZLATICA      Kota "0" = 53.00  
 Nacin osmat.: limnigraf      Rijeka : MORACA      km od usca = 38.20  
 Pocetak rada: 1985      Sliv : SKADAR. JEZERA      Pov.sliva = 985.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	24.7	20.6	51.1	41.3	136	61.2	11.5	3.15	1.60	.610	5.90	30.2
2	23.5	19.5	49.8	42.5	136	59.8	11.0	3.75	1.60	.610	5.10	26.4
3	31.5	17.2	48.4	43.2	128	56.4	10.0	4.35	1.60	.610	4.50	22.9
4	39.3	16.0	50.4	41.9	132	55.1	8.95	3.90	1.60	.720	4.05	21.2
5	34.1	14.9	122	40.0	154	50.4	7.90	3.45	1.60	.720	3.60	38.0
6	29.6	14.9	210	42.5	148	43.2	7.90	3.15	1.60	.720	3.30	195
7	27.0	13.9	179	50.4	126	37.3	6.85	3.00	1.60	.720	3.15	114
8	26.4	21.8	164	58.4	113	34.1	6.30	3.00	1.49	.720	2.86	63.2
9	26.4	34.1	108	72.4	113	30.9	5.70	2.86	1.49	.720	2.72	58.4
10	35.4	94.8	86.0	86.8	108	29.0	6.50	2.86	1.49	.720	4.90	52.4
11	45.1	349	69.2	86.0	108	27.0	6.30	2.72	1.49	.720	50.4	138
12	172	168	61.9	79.6	107	25.2	5.70	2.72	1.49	.720	40.6	148
13	158	101	61.2	81.2	108	24.7	5.10	2.72	1.38	.720	27.7	120
14	228	70.0	61.9	174	112	21.8	4.70	2.58	1.38	.720	18.9	132
15	140	53.7	61.9	128	122	18.3	4.50	2.58	1.38	.720	13.9	224
16	197	43.2	59.1	120	130	17.2	4.20	2.44	1.38	.720	12.9	964
17	71.6	36.7	55.1	162	137	18.3	3.90	2.44	1.27	.720	39.3	1040
18	57.1	32.8	48.4	251	100	18.3	3.60	2.44	1.27	.720	151	788
19	48.4	27.0	43.2	224	88.4	18.3	3.30	2.30	1.27	1.27	152	508
20	41.9	24.1	36.7	162	85.2	17.2	3.15	2.30	1.16	40.6	397	412
21	36.7	22.3	32.8	124	102	16.0	2.86	2.30	1.16	22.3	192	340
22	32.8	59.1	29.0	101	103	43.2	2.72	2.16	1.16	12.9	398	271
23	29.6	358	26.4	116	86.0	91.6	2.58	2.16	2.16	11.0	424	219
24	26.4	164	25.2	172	75.6	60.5	2.44	2.16	1.60	24.1	228	181
25	25.2	112	24.1	149	72.4	41.9	2.44	2.02	1.38	55.1	163	155
26	23.5	88.4	24.1	124	66.8	30.2	3.00	2.02	1.16	43.2	108	143
27	22.3	69.2	24.1	107	78.0	22.9	4.90	1.88	.940	29.0	79.6	305
28	32.8	56.4	29.0	105	78.8	18.9	4.20	1.88	.830	18.9	57.8	604
29	33.5		39.3	110	78.0	14.9	3.60	1.74	.720	12.9	45.1	448
30	28.3		41.9	126	59.8	12.9	3.45	1.74	.720	8.95	36.0	282
31	23.5		41.9		59.1		3.30	1.60		6.85		209
SD1	29.8	26.8	107	51.9	129	45.7	8.26	3.35	1.57	.687	4.01	62.2
SD2	116	90.6	55.9	147	110	20.6	4.45	2.52	1.35	4.76	90.4	447
SD3	28.6	116	30.7	123	78.1	35.3	3.23	1.97	1.18	22.3	173	287
MAX	277	499	233	274	162	66.0	12.0	4.35	2.16	57.8	580	1321
DAT	14	23	5	18	5	1	1	3	23	24	23	17
SR	57.1	75.1	63.4	107	105	33.9	5.24	2.59	1.37	9.67	89.2	266
MIN	22.3	13.9	24.1	40.0	59.1	12.9	2.44	1.60	.720	.610	2.72	21.2
DAT	27	7	25	5	31	30	24	31	29	1	9	4
		GMIN = .610		SRGOD= 68.1		GMAX = 1321						
		DATUM 1 10				DATUM 17 12						

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
2000

Broj : 60128      Stanica : ZLATICA      Kota "0" = 53.00  
 Nacin osmat.: limnigraf      Rijeka : MORACA      km od usca = 38.20  
 Pocetak rada: 1985      Sliv : SKADAR. JEZERA      Pov.sliva = 985.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	169	36.7	40.6	99.8	87.6	25.8	9.30	6.85	233	21.8	47.1	74.0
2	140	37.3	124	132	78.0	25.2	8.95	6.50	144	52.4	170	61.9
3	115	41.3	162	112	75.6	23.5	8.95	6.50	85.2	224	130	54.4
4	98.9	45.8	97.2	149	75.6	22.9	8.60	6.30	52.4	168	132	49.1
5	88.4	44.5	91.6	445	70.0	21.8	8.25	6.10	128	116	403	45.1
6	78.8	41.9	88.4	400	65.3	21.8	7.90	5.90	114	82.0	226	41.3
7	74.0	41.9	75.6	291	61.9	21.2	7.55	5.70	80.4	66.0	322	38.0
8	69.2	43.8	67.6	214	61.2	21.8	7.55	5.70	59.1	55.1	538	35.4
9	64.6	45.8	62.5	164	59.8	21.2	7.20	5.70	44.5	56.4	305	33.5
10	61.9	50.4	59.8	131	59.8	19.5	6.85	5.50	41.9	56.4	208	31.5
11	59.1	49.8	59.1	107	56.4	19.5	7.20	5.30	31.5	59.1	148	30.9
12	56.4	47.1	60.5	91.6	55.1	19.5	7.20	5.30	27.7	116	110	29.6
13	55.1	45.8	65.3	86.0	57.1	18.3	7.55	5.10	25.2	88.4	86.8	28.3
14	52.4	45.1	64.6	90.8	53.7	17.2	7.55	4.90	25.2	72.4	68.4	26.4
15	51.1	44.5	63.2	100	49.8	16.6	8.25	4.90	20.0	60.5	57.1	26.4
16	48.4	43.2	61.2	99.8	49.1	16.0	24.1	4.70	19.5	51.1	49.1	32.8
17	46.5	108	59.1	107	46.5	14.9	31.5	4.70	17.2	43.2	45.8	41.3
18	45.8	124	55.8	109	44.5	13.9	26.4	4.70	16.6	39.3	41.9	43.8
19	45.1	89.2	51.7	114	43.2	13.4	20.0	4.50	21.8	36.7	55.1	45.1
20	43.2	75.6	48.4	119	41.3	12.9	16.6	4.50	61.9	34.8	182	41.9
21	41.9	72.4	45.8	120	39.3	12.4	13.4	4.35	53.7	32.8	177	38.0
22	40.6	64.6	43.8	122	38.0	12.0	12.0	4.20	59.1	30.2	134	34.8
23	42.5	57.8	41.9	115	36.0	11.5	11.0	4.20	61.2	27.7	107	32.2
24	48.4	52.4	41.3	108	35.4	11.0	10.5	4.20	52.4	26.4	87.6	29.6
25	44.5	49.1	41.3	99.8	32.8	11.0	10.0	4.05	43.2	25.2	94.8	29.0
26	41.3	46.5	45.8	85.2	31.5	10.5	9.30	3.90	36.7	24.1	142	98.0
27	39.3	44.5	57.8	81.2	30.9	10.5	8.95	3.90	31.5	22.9	178	574
28	38.0	41.9	79.6	78.8	29.6	10.0	8.25	3.75	27.7	21.8	164	1087
29	36.7	41.9	82.0	78.8	29.0	9.65	8.25	4.05	25.2	20.6	107	733
30	36.7		88.4	85.2	27.7	9.65	7.90	4.35	24.1	19.5	88.4	548
31	36.0		99.8	26.4			7.20	4.90		19.5		430
SD1	96.0	42.9	86.9	214	69.5	22.5	8.11	6.08	98.3	89.8	248	46.4
SD2	50.3	67.2	58.9	102	49.7	16.2	15.6	4.86	26.7	60.2	84.4	34.7
SD3	40.5	52.3	60.7	97.4	32.4	10.8	9.70	4.17	41.5	24.6	128	330
MAX	190	174	219	607	90.8	25.8	32.8	7.20	664	277	986	1253
DAT	1	17	2	5	1	1	16	1	1	3	7	28
SR	61.6	54.2	68.6	138	49.9	16.5	11.1	5.01	55.5	57.1	154	143
MIN	36.0	36.7	40.6	78.8	26.4	9.65	6.85	3.75	16.6	19.5	41.9	26.4
DAT	31	1	1	28	31	29	10	28	18	30	18	14
GMIN =		3.75		SRGOD=		67.7		GMAX =		1253		
DATUM		28 8						DATUM		28 12		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
2001

Broj : 60128      Stanica : ZLATICA      Kota "0" = 53.00  
 Nacin osmat.: limnigraf      Rijeka : MORACA      km od usca = 38.20  
 Pocetak rada: 1985      Sliv : SKADAR. JEZERA      Pov.sliva = 985.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	317	237	100	63.2	103	31.5	7.90	5.70	1.60	28.3	6.10	123
2	238	181	114	57.8	101	29.0	7.55	5.70	1.74	24.1	5.70	90.0
3	185	140	249	53.1	96.4	29.0	7.20	5.70	1.60	21.8	5.70	67.6
4	154	110	356	51.1	91.6	86.0	6.85	5.50	1.88	19.5	5.50	53.7
5	127	93.2	312	52.4	86.0	86.0	6.50	5.30	2.72	17.2	5.50	44.5
6	107	86.0	281	52.4	80.4	57.8	6.50	5.10	36.7	15.5	5.30	39.3
7	91.6	78.8	232	48.4	78.0	46.5	6.30	4.90	24.1	14.4	5.30	34.1
8	79.6	72.4	171	49.1	82.0	39.3	6.10	4.70	13.9	12.9	5.90	29.0
9	96.4	66.0	135	91.6	78.0	34.1	6.10	4.50	9.30	12.0	22.9	25.8
10	113	63.2	108	91.6	74.0	30.9	6.10	4.35	14.4	11.0	4.70	23.5
11	98.0	57.8	91.6	75.6	71.6	27.7	6.10	4.20	39.3	9.65	195	21.8
12	86.8	53.7	82.0	63.9	63.2	26.4	6.10	4.05	41.9	8.60	154	19.5
13	79.6	51.1	80.4	61.9	56.4	24.1	6.10	3.90	29.0	8.25	427	18.3
14	77.2	48.4	88.4	66.0	49.8	22.3	6.10	3.75	19.5	7.90	496	16.6
15	71.6	45.1	94.0	62.5	47.8	20.6	5.90	3.60	13.9	7.55	310	14.9
16	64.6	41.9	87.6	56.4	48.4	19.5	5.90	3.45	56.4	6.85	200	13.9
17	59.8	39.3	81.2	92.4	49.8	18.3	5.90	3.30	91.6	7.20	141	12.4
18	55.1	37.3	91.6	274	52.4	17.2	5.90	3.15	233	6.85	101	12.0
19	51.7	36.0	107	168	53.7	16.6	5.90	3.00	200	6.50	79.6	11.0
20	49.1	34.1	100	179	47.1	16.0	5.90	2.86	136	6.30	78.0	10.0
21	46.5	32.2	89.2	246	44.5	15.5	5.90	2.72	91.6	6.10	68.4	9.30
22	43.2	30.9	90.0	267	44.5	13.4	5.90	2.58	66.0	6.10	56.4	9.30
23	41.9	29.0	130	209	45.1	12.9	5.90	2.44	47.1	6.10	55.1	9.65
24	41.3	29.0	123	166	41.3	12.4	5.90	2.30	35.4	6.10	77.2	19.5
25	41.9	57.1	114	134	44.5	12.0	5.90	2.16	45.1	6.10	60.5	18.3
26	123	91.6	118	119	53.7	11.0	5.90	2.02	52.4	6.30	49.8	14.4
27	490	84.4	113	117	47.8	10.0	5.90	1.88	52.4	6.85	43.2	13.4
28	412	71.6	101	110	41.9	9.30	5.90	1.60	47.1	7.20	156	13.4
29	454		86.8	97.2	37.3	8.60	5.90	1.49	39.3	7.20	310	12.9
30	454		76.4	98.0	35.4	8.25	5.90	1.38	32.8	6.85	177	47.1
31	349		69.2		33.5		5.90	1.38		6.50		180
SD1	151	113	206	61.1	87.0	47.0	6.71	5.14	10.8	17.7	7.26	53.0
SD2	69.3	44.5	90.4	110	54.0	20.9	5.98	3.53	86.1	7.57	218	15.0
SD3	227	53.2	101	156	42.7	11.3	5.90	2.00	50.9	6.49	105	31.6
MAX	604	282	379	349	108	98.0	7.90	5.70	320	29.6	559	295
DAT	27	1	3	18	1	4	1	1	18	1	14	31
SR	152	71.4	131	109	60.6	26.4	6.19	3.51	49.3	10.4	110	33.2
MIN	41.3	29.0	69.2	48.4	33.5	8.25	5.90	1.38	1.60	6.10	4.70	9.30
DAT	24	23	31	7	31	30	15	30	1	21	10	21
GMIN =		1.38		SRGOD=		63.4		GMAX =		604		
DATUM		30 8						DATUM		27 1		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
2002

Broj : 60128      Stanica : ZLATICA      Kota "0" = 53.00  
 Nacin osmat.: limnigraf      Rijeka : MORACA      km od usca = 38.20  
 Pocetak rada: 1985      Sliv : SKADAR. JEZERA      Pov.sliva = 985.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	177	27.7	40.0	17.2	49.1	41.9	5.70	4.90	4.90	61.9	27.0	59.8
2	108	27.7	39.3	17.2	46.5	39.3	5.70	4.90	4.70	51.1	24.1	74.0
3	77.2	26.4	40.0	18.3	44.5	36.7	5.50	4.90	4.70	40.0	21.8	90.0
4	57.1	26.4	43.8	19.5	41.9	34.1	5.30	4.50	4.70	33.5	47.1	101
5	43.8	24.7	47.1	20.0	39.3	32.2	5.10	4.20	4.70	28.3	144	91.6
6	35.4	24.1	47.1	20.0	38.0	30.2	5.10	7.20	5.10	24.1	95.6	82.0
7	30.9	29.0	44.5	18.3	36.7	28.3	4.90	20.0	6.85	20.6	74.0	66.0
8	25.8	44.5	50.4	17.2	32.8	26.4	4.90	38.6	7.20	18.9	55.8	55.1
9	22.9	40.6	48.4	17.2	31.5	24.7	4.90	26.4	6.85	17.2	43.8	44.5
10	19.5	35.4	65.3	21.8	30.9	22.9	4.90	26.4	6.85	31.5	35.4	37.3
11	18.3	30.2	78.0	61.2	29.6	20.6	4.90	24.7	7.55	524	29.6	31.5
12	17.2	26.4	60.5	99.8	28.3	19.5	4.70	26.4	7.20	565	25.2	27.7
13	16.0	23.5	47.1	270	28.3	17.8	4.70	26.4	6.30	413	61.9	25.2
14	15.5	21.2	40.6	277	27.7	16.0	4.50	21.8	5.90	285	221	24.1
15	14.9	20.6	39.3	195	25.2	14.4	4.70	15.5	5.30	209	141	21.8
16	14.9	19.5	39.3	146	23.5	12.9	4.70	12.0	4.90	153	95.6	30.2
17	13.9	18.9	38.0	114	21.2	11.5	4.70	9.65	4.50	108	71.6	49.8
18	16.0	19.5	38.0	112	19.5	10.5	5.50	7.90	4.20	83.6	53.7	45.1
19	16.6	128	38.0	94.0	18.3	9.30	6.30	6.85	4.05	64.6	44.5	46.5
20	16.0	112	38.0	80.4	17.2	8.60	6.50	6.30	3.90	49.8	43.8	41.9
21	15.5	87.6	41.9	69.2	16.0	7.90	6.50	6.85	3.75	40.6	41.9	35.4
22	14.9	100	52.4	60.5	16.0	7.20	6.30	7.20	3.60	34.8	43.2	30.9
23	14.9	85.2	51.7	55.1	16.6	6.50	5.70	6.85	44.5	63.9	138	27.7
24	14.9	67.6	41.3	51.1	16.0	6.50	5.30	6.50	190	107	103	24.7
25	14.9	61.9	34.1	45.8	14.9	6.30	5.50	5.90	182	141	78.8	21.8
26	18.3	53.1	29.0	42.5	13.4	6.30	10.0	5.90	200	98.0	62.5	19.5
27	19.5	45.8	25.2	40.6	11.0	6.10	9.65	5.70	195	69.2	51.7	17.8
28	19.5	41.3	21.8	54.4	14.9	5.90	8.60	5.70	125	53.1	42.5	20.0
29	19.5		19.5	62.5	45.1	5.70	7.55	5.50	86.0	43.8	35.4	298
30	24.1		17.8	57.1	56.4	5.70	6.50	5.10	69.2	36.7	34.1	185
31	26.4		17.2		44.5		5.90	4.90		31.5		125
SD1	59.8	30.6	46.6	18.7	39.1	31.7	5.20	14.2	5.65	32.7	56.9	70.1
SD2	15.9	42.0	45.7	145	23.9	14.1	5.12	15.8	5.38	246	78.8	34.4
SD3	18.4	67.8	32.0	53.9	24.1	6.41	7.05	6.01	110	65.4	63.1	73.3
MAX	260	216	82.8	322	59.1	42.5	11.0	41.9	270	733	258	388
DAT	1	19	10	14	30	1	26	8	24	11	14	29
SR	30.9	45.3	41.1	72.5	28.9	17.4	5.83	11.8	40.3	113	66.3	59.7
MIN	13.9	18.9	17.2	17.2	11.0	5.70	4.50	4.20	3.60	17.2	21.8	17.8
DAT	17	17	31	1	27	29	14	5	22	9	3	27
GMIN =		3.60		SRGOD=		44.4		GMAX =		733		
DATUM		22 9						DATUM		11 10		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
2003

Broj : 60128      Stanica : ZLATICA      Kota "0" = 53.00  
 Nacin osmat.: limnigraf      Rijeka : MORACA      km od usca = 38.20  
 Pocetak rada: 1985      Sliv : SKADAR. JEZERA      Pov.sliva = 985.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	158	41.3	6.50	23.5	85.2	12.4	3.30	2.86	2.72	1.60	233	216	
2	117	32.8	6.85	23.5	93.2	12.0	3.30	2.86	2.86	1.49	475	150	
3	107	26.4	7.20	24.1	94.8	11.0	3.30	2.72	3.00	1.38	610	110	
4	141	36.7	7.55	22.3	93.2	9.30	3.15	2.72	3.00	1.16	370	88.4	
5	138	382	8.25	22.9	94.8	8.95	3.15	2.72	3.00	90.0	251	69.2	
6	129	184	8.25	20.6	91.6	8.95	3.00	2.72	3.00	434	181	56.4	
7	185	108	8.60	17.2	90.0	8.60	3.00	2.58	3.00	213	138	47.1	
8	260	74.8	8.60	12.9	87.6	7.90	3.00	2.58	3.15	172	107	40.6	
9	249	54.4	8.60	11.0	82.0	7.20	3.00	2.58	3.15	200	79.6	36.7	
10	559	41.9	8.60	10.0	78.8	6.85	3.00	2.58	63.2	129	60.5	32.2	
11	316	34.1	8.60	166	67.6	7.20	3.00	2.44	82.0	90.8	47.8	29.0	
12	195	29.0	9.65	162	62.5	6.85	3.00	2.44	47.1	64.6	40.6	25.2	
13	136	24.1	12.0	125	57.8	6.30	3.00	2.44	36.0	45.8	35.4	24.7	
14	99.8	21.2	12.4	93.2	49.8	5.70	3.00	2.44	24.7	34.1	31.5	26.4	
15	75.6	18.9	11.0	72.4	43.2	4.90	3.00	2.44	14.9	24.1	27.7	26.4	
16	59.1	16.0	9.30	66.0	37.3	4.50	3.00	2.30	10.0	18.3	25.2	24.7	
17	48.4	13.9	8.25	74.8	33.5	4.20	3.00	2.30	6.50	14.4	22.9	21.8	
18	40.6	12.4	7.55	75.6	29.6	4.05	3.00	2.30	5.50	12.0	21.8	19.5	
19	39.3	12.0	6.85	65.3	25.2	4.20	3.00	2.30	4.70	11.0	24.1	17.2	
20	36.7	11.0	6.50	56.4	24.1	5.70	2.86	2.16	4.20	21.8	22.9	14.9	
21	34.1	9.30	6.10	53.1	24.7	4.90	2.86	2.16	3.60	382	20.6	13.9	
22	40.6	8.60	5.70	58.4	25.8	4.20	2.86	2.16	3.30	385	19.5	47.1	
23	63.2	7.55	5.50	66.0	25.8	3.90	2.86	2.16	3.00	679	17.2	132	
24	58.4	6.85	5.10	59.1	25.8	3.60	2.86	2.02	2.72	472	15.5	81.2	
25	47.8	6.50	5.10	52.4	25.2	3.60	2.86	2.02	2.58	310	19.5	59.1	
26	40.6	6.50	5.10	45.8	24.1	3.45	2.86	2.02	2.30	216	72.4	46.5	
27	34.1	6.50	5.70	49.1	21.8	3.30	2.86	2.02	2.16	214	322	36.7	
28	30.2	6.50	7.90	52.4	20.6	3.30	2.86	2.16	1.88	249	433	30.2	
29	28.3		11.5	64.6	19.5	3.30	2.86	2.16	1.74	177	430	26.4	
30	39.3		16.6	75.6	17.8	3.30	2.86	2.44	1.74	271	325	30.2	
31	44.5		21.2		14.9		2.86	2.58		367		37.3	
SD1	204	98.2	7.90	18.8	89.1	9.32	3.12	2.69	9.01	124	251	84.7	
SD2	105	19.3	9.21	95.7	43.1	5.36	2.99	2.36	23.6	33.7	30.0	23.0	
SD3	41.9	7.29	8.68	57.7	22.4	3.68	2.86	2.17	2.50	338	167	49.1	
MAX	688	508	22.3	228	101	12.9	3.30	2.86	183	919	756	257	
DAT	10	5	31	11	5	1	1	1	10	23	2	1	
SR	115	44.0	8.60	57.4	50.6	6.12	2.98	2.40	11.7	171	149	52.2	
MIN	28.3	6.50	5.10	10.0	14.9	3.30	2.86	2.02	1.74	1.16	15.5	13.9	
DAT	29	25	24	10	31	27	20	24	29	4	24	21	
GMIN =			1.16	SRGOD=			56.0	GMAX =			919		
DATUM			4 10					DATUM			23 10		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
2004

Broj : 60128      Stanica : ZLATICA      Kota "0" = 53.00  
 Nacin osmat.: limnigraf      Rijeka : MORACA      km od usca = 38.20  
 Pocetak rada: 1985      Sliv : SKADAR. JEZERA      Pov.sliva = 985.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	39.3	45.8	238	85.2	82.0	66.0	12.0	3.90	1.60	13.9	9.30	364
2	35.4	39.3	185	80.4	72.4	64.6	11.0	3.60	1.60	9.65	7.90	864
3	30.2	35.4	143	75.6	72.4	71.6	10.5	3.15	1.49	7.20	7.20	800
4	25.2	31.5	108	72.4	69.2	73.2	9.30	3.00	1.49	6.10	6.85	676
5	22.9	29.0	85.2	81.2	94.8	72.4	8.60	3.00	1.38	5.70	6.10	466
6	20.6	29.0	66.0	82.0	228	74.0	7.90	3.00	1.27	4.90	5.90	364
7	17.8	30.2	53.1	174	553	105	7.55	3.00	1.27	4.70	5.90	282
8	16.6	30.2	65.3	278	394	96.4	6.85	2.86	1.27	4.50	38.0	207
9	14.9	35.4	98.9	227	319	85.2	6.50	2.86	1.16	4.20	124	162
10	13.9	36.7	75.6	277	236	75.6	6.50	2.86	1.16	3.90	101	128
11	13.4	34.1	59.1	307	181	69.2	6.10	2.86	1.05	4.35	72.4	103
12	12.4	30.9	51.1	249	149	63.2	5.70	2.86	.940	8.60	70.8	82.0
13	12.0	26.4	48.4	226	131	59.1	5.90	2.86	.940	10.5	130	65.3
14	16.6	24.1	49.1	228	125	52.4	6.10	2.86	.940	12.0	379	56.4
15	112	21.8	52.4	204	110	47.1	5.30	4.50	.940	41.9	288	49.8
16	146	19.5	57.8	166	96.4	43.2	4.90	4.50	.940	136	185	44.5
17	95.6	18.3	66.0	140	83.6	40.6	4.90	3.60	.940	198	124	40.6
18	152	16.0	69.2	126	74.0	36.7	4.70	3.15	.940	212	90.0	120
19	352	14.9	74.0	124	68.4	34.1	4.50	2.86	.940	136	69.2	179
20	574	14.4	76.4	164	67.6	31.5	4.50	2.58	.940	144	94.8	122
21	310	14.9	74.8	195	70.8	30.2	4.50	2.44	.940	96.4	80.4	94.8
22	197	20.6	79.6	158	74.0	30.2	4.35	2.44	1.16	69.2	60.5	75.6
23	142	124	185	136	68.4	27.7	4.20	2.16	1.16	49.8	48.4	61.9
24	102	188	291	120	78.8	25.2	4.20	2.16	1.16	36.7	41.9	52.4
25	94.8	195	241	107	70.8	24.1	4.05	1.88	21.8	27.7	35.4	45.8
26	60.5	334	200	101	60.5	22.3	4.05	1.88	69.2	22.9	31.5	43.2
27	49.1	668	224	92.4	60.5	20.6	4.20	2.02	73.2	18.9	27.7	370
28	72.4	461	166	90.0	61.9	18.9	4.20	1.88	52.4	16.0	31.5	243
29	126	346	238	86.8	64.6	18.3	4.50	1.74	33.5	13.9	41.3	233
30	82.0		103	86.0	85.2	14.9	4.20	1.74	21.8	12.0	57.8	168
31	59.1		89.2		77.2		4.05	1.60		10.0		124
SD1	23.7	34.3	112	143	212	78.4	8.67	3.12	1.37	6.47	31.2	431
SD2	149	22.0	60.3	193	109	47.7	5.26	3.26	.951	90.3	150	86.3
SD3	118	261	172	117	70.2	23.2	4.23	1.99	27.6	34.0	45.6	137
MAX	756	826	307	346	565	107	12.9	5.70	95.6	268	524	1158
DAT	20	27	24	10	7	7	1	15	26	18	14	2
SR	97.3	100	117	151	128	49.8	5.99	2.77	9.98	43.3	75.7	216
MIN	12.0	14.4	48.4	72.4	60.5	14.9	4.05	1.60	.940	3.90	5.90	40.6
DAT	13	20	13	4	26	30	25	31	12	10	6	17
GMIN = .940			SRGOD= 83.1			GMAX = 1158						
DATUM 12 9						DATUM 2 12						

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
2005

Broj : 60128      Stanica : ZLATICA      Kota "0" = 53.00  
 Nacin osmat.: limnigraf      Rijeka : MORACA      km od usca = 38.20  
 Pocetak rada: 1985      Sliv : SKADAR. JEZERA      Pov.sliva = 985.3

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	94.8	12.0	61.9	190	152	47.1	11.0	5.10	9.30	101	25.8	371	
2	72.4	11.5	51.1	156	169	41.9	11.0	5.10	8.95	105	22.9	352	
3	60.5	11.0	39.3	126	219	38.0	11.0	5.10	8.25	77.2	20.6	241	
4	55.1	11.0	74.8	114	263	36.7	10.0	4.90	6.85	59.1	19.5	288	
5	48.4	10.0	274	114	268	36.0	9.30	4.90	6.50	44.5	17.2	260	
6	41.9	10.0	162	120	249	34.1	8.95	4.90	6.50	36.0	16.0	412	
7	39.3	9.30	100	135	224	76.4	8.25	4.70	6.10	30.2	14.4	424	
8	36.7	9.30	70.0	144	177	62.5	7.90	6.30	5.90	26.4	13.9	316	
9	32.8	9.30	55.1	146	152	55.8	7.20	11.0	5.70	22.3	12.0	224	
10	29.6	9.30	47.1	166	156	52.4	6.85	9.30	5.30	20.6	11.5	164	
11	29.0	9.30	39.3	203	183	44.5	6.85	7.20	5.10	18.3	11.5	126	
12	27.7	9.30	36.7	267	185	36.7	7.90	6.10	4.90	17.2	9.65	98.0	
13	26.4	12.0	41.3	238	190	32.8	8.25	5.70	4.90	16.0	9.30	82.0	
14	25.2	82.0	45.8	200	152	29.6	7.90	5.30	4.70	14.4	8.95	70.0	
15	24.1	177	45.8	155	146	27.7	7.90	5.10	4.70	12.9	8.25	61.2	
16	22.9	105	55.1	148	133	26.4	7.20	5.10	4.70	12.0	43.8	55.1	
17	19.5	70.8	70.0	183	116	25.8	6.50	5.10	4.70	11.0	532	52.4	
18	19.5	52.4	86.0	188	110	25.2	6.50	6.50	192	10.0	281	59.1	
19	19.5	42.5	112	155	103	24.1	17.8	7.90	319	9.30	170	52.4	
20	18.3	36.7	132	203	94.8	22.9	18.9	8.25	159	8.95	126	45.8	
21	17.2	36.0	120	263	78.8	20.6	13.9	8.60	94.0	8.60	93.2	41.3	
22	16.6	75.6	108	181	70.8	18.3	12.0	13.9	66.0	24.1	75.6	38.0	
23	14.9	116	112	126	72.4	17.8	8.60	55.1	57.8	433	60.5	34.8	
24	13.9	108	126	103	72.4	16.0	7.90	77.2	49.1	172	53.7	37.3	
25	13.9	94.8	134	96.4	70.8	15.5	7.55	53.7	38.0	134	55.1	38.6	
26	13.9	146	148	98.0	76.4	14.9	7.20	36.7	32.2	91.6	75.6	40.6	
27	16.0	108	231	140	75.6	13.9	6.85	26.4	27.7	69.2	265	140	
28	15.5	82.0	475	177	69.2	13.4	6.50	20.6	22.9	53.7	376	448	
29	14.9		364	188	66.0	12.9	6.10	16.0	22.3	43.2	231	415	
30	13.9		271	177	59.1	12.0	5.90	13.9	25.2	34.1	200	388	
31	12.4		231		52.4		5.70	11.0		29.6		319	
SD1	51.2	10.3	93.5	141	203	48.1	9.14	6.13	6.93	52.2	17.4	305	
SD2	23.2	59.7	66.4	194	141	29.6	9.57	6.22	70.4	13.0	120	70.2	
SD3	14.8	95.8	211	155	69.4	15.5	8.02	30.3	43.5	99.4	149	176	
MAX	105	224	499	305	310	85.2	19.5	81.2	694	544	682	658	
DAT	1	15	28	21	5	7	20	24	18	23	17	6	
SR	29.2	52.4	126	163	136	31.1	8.88	14.7	40.3	56.3	95.3	184	
MIN	12.4	9.30	36.7	96.4	52.4	12.0	5.70	4.70	4.70	8.60	8.25	34.8	
DAT	31	7	12	25	31	30	31	7	14	21	15	23	
		GMIN =	4.70			SRGOD=	78.3			GMAX =	694		
		DATUM	7 8							DATUM	18 9		