

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1948

Broj               : 60113                      Stanica :   MEDJURECJE            Kota "0" = 187.51  
Nacin osmat.: limnigraf            Reka     :   MRTVICA                km od usca =   .20  
Pocetak rada: 1948                Sliv      :   MORACE                    Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	63.5	28.0	12.0	15.8	30.6	20.8	10.4	12.0	6.88	1.54	29.5	9.12
2	43.2	25.4	12.0	15.4	31.7	19.9	11.4	10.7	6.88	1.48	35.1	8.80
3	36.4	23.5	12.0	15.8	29.0	19.5	11.4	10.4	6.88	1.42	28.5	8.80
4	28.0	21.7	11.7	15.4	32.3	18.7	11.0	10.4	6.64	1.42	24.9	8.56
5	25.4	21.7	11.7	18.3	35.1	18.3	11.0	9.44	6.64	1.42	23.0	8.56
6	26.4	19.9	11.7	29.5	35.1	17.9	11.0	9.44	6.64	1.42	19.5	8.32
7	26.4	19.1	11.7	35.1	32.9	16.6	11.4	9.44	6.40	1.82	18.3	8.32
8	36.4	19.1	12.0	58.0	36.4	15.8	10.7	9.44	6.40	3.90	41.7	8.08
9	137	18.7	12.0	34.5	40.4	19.1	10.7	9.12	6.40	11.4	38.4	8.08
10	72.7	17.9	14.3	29.5	39.1	17.9	10.4	9.12	6.40	8.80	32.3	7.84
11	72.7	17.0	13.9	29.5	41.7	17.9	9.76	8.80	6.40	8.56	27.5	7.84
12	38.4	16.6	13.9	29.0	35.1	17.4	9.76	8.32	6.18	7.84	23.9	7.36
13	33.4	15.8	13.5	28.5	37.1	17.4	12.4	8.32	6.18	7.84	19.5	7.36
14	28.0	14.3	13.5	32.9	37.1	29.5	15.4	8.32	6.18	8.32	18.3	7.36
15	25.4	12.4	13.1	35.1	35.1	24.4	12.0	8.80	23.9	8.56	15.4	7.36
16	27.0	12.0	12.8	31.7	34.5	21.3	11.4	8.80	6.64	22.1	15.4	7.12
17	68.0	11.7	12.8	34.5	32.3	18.7	10.4	8.56	6.64	56.3	19.9	7.12
18	51.1	11.7	13.1	35.1	29.5	17.0	9.44	8.32	6.64	29.5	17.9	7.12
19	51.1	11.7	13.5	37.7	25.4	15.8	12.0	7.84	6.40	27.0	15.8	7.12
20	51.1	11.7	14.3	35.1	24.4	15.4	12.0	7.84	6.40	25.4	15.4	7.12
21	88.3	11.4	13.5	35.1	29.5	15.0	8.80	7.60	6.40	19.5	13.5	6.88
22	68.0	15.0	13.5	38.4	49.4	14.3	10.4	7.60	6.40	15.0	13.1	6.88
23	51.1	41.7	15.4	34.5	41.0	15.4	9.44	7.36	5.52	13.9	12.4	6.88
24	36.4	23.9	19.5	40.4	87.2	12.8	9.44	7.36	4.05	12.0	12.0	6.88
25	33.4	19.5	17.4	39.1	48.6	12.4	11.4	7.36	3.30	11.4	12.0	6.64
26	30.6	15.8	15.8	36.4	41.0	12.0	11.7	7.12	2.59	10.7	11.7	6.64
27	30.6	15.0	15.8	28.5	32.3	11.7	12.0	7.12	1.60	10.1	11.0	6.64
28	29.5	14.7	15.0	24.4	29.5	11.4	15.8	6.88	1.48	9.12	11.0	6.40
29	30.6	14.3	13.9	25.9	25.4	11.0	13.9	6.64	1.48	12.0	10.7	6.40
30	30.6		13.9	29.5	23.9	10.4	12.4	6.88	1.48	19.9	10.1	6.40
31	28.0		14.3		22.6		12.0	6.88		21.7		6.40
SD1	49.5	21.5	12.1	26.7	34.3	18.5	10.9	9.95	6.62	3.46	29.1	8.45
SD2	44.6	13.5	13.4	32.9	33.2	19.5	11.5	8.39	8.16	20.1	18.9	7.29
SD3	41.6	19.0	15.3	33.2	39.1	12.6	11.6	7.16	3.43	14.1	11.7	6.64
MAX	165	51.1	22.1	74.6	113	35.1	17.4	12.0	6.88	65.3	49.4	9.76
DAT	9	23	24	8	24	14	28	1	1	17	8	1
SR	45.1	18.0	13.7	31.0	35.7	16.9	11.3	8.46	6.07	12.6	19.9	7.43
MIN	25.4	11.4	11.7	15.4	22.6	10.4	8.80	6.64	1.48	1.42	10.1	6.40
DAT	5	21	4	2	31	30	21	29	28	3	30	28
GMIN =		1.42		SRGOD=		18.8		GMAX =		165		
DATUM		3 10						DATUM		9 1		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1949

Broj : 60113 Stanica : MEDJURECJE Kota "0" = 187.51  
Nacin osmat.: limnigraf Reka : MRTVICA km od usca = .20  
Pocetak rada: 1948 Sliv : MORACE Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	12.0	7.36	8.32	9.76	22.1	14.7	15.0	5.74	13.1	7.36	9.76	49.4
2	24.4	7.36	7.84	9.76	21.3	13.9	14.3	13.9	11.7	7.60	10.7	31.7
3	43.2	7.36	7.60	9.76	19.9	13.1	14.3	13.1	9.76	7.60	11.4	24.4
4	56.3	7.12	7.60	11.4	19.1	12.8	13.1	12.4	8.32	7.36	11.0	22.6
5	29.5	6.88	7.36	13.1	18.3	12.8	11.7	12.0	7.12	7.36	31.7	23.9
6	19.1	6.88	7.12	16.2	17.4	12.8	11.4	11.7	7.12	7.36	35.1	17.9
7	15.8	6.64	6.88	20.8	16.6	12.0	10.4	11.0	7.12	7.36	124	16.2
8	13.5	6.64	6.88	23.5	15.8	12.0	10.4	11.0	6.64	7.36	111	15.4
9	12.8	6.64	6.88	25.4	15.0	11.4	9.76	10.7	6.64	7.36	58.0	14.7
10	12.8	6.64	6.64	19.1	14.3	10.7	12.4	10.7	6.40	7.36	27.5	87.2
11	12.0	6.88	6.64	15.8	13.5	10.4	8.80	10.1	6.64	7.36	19.9	36.4
12	12.8	6.64	6.40	13.9	44.8	10.4	12.4	9.76	6.18	7.36	18.3	28.5
13	17.4	6.64	7.60	11.4	30.1	9.76	11.7	9.12	6.18	7.36	15.8	41.7
14	14.3	6.40	7.84	8.80	23.9	9.44	11.0	10.7	6.18	7.36	15.8	74.6
15	12.0	6.40	8.80	31.7	22.1	10.7	10.7	10.1	6.40	7.36	41.7	47.9
16	11.4	6.40	9.76	28.5	18.3	9.44	9.76	12.8	6.18	7.36	124	85.1
17	10.4	6.64	10.1	23.0	19.1	13.5	9.12	13.5	6.18	7.36	76.5	56.3
18	9.76	6.64	9.76	21.7	21.7	14.3	9.12	14.3	6.18	7.36	65.3	38.4
19	9.12	6.88	10.1	19.5	19.9	13.1	8.80	13.1	7.12	7.36	44.8	29.5
20	8.80	7.12	12.8	21.7	17.9	12.8	8.32	12.8	7.36	7.12	41.0	21.7
21	8.56	7.60	11.7	26.4	21.7	12.0	7.84	12.0	7.60	7.12	34.5	17.9
22	8.80	8.08	10.1	26.4	43.2	12.0	7.60	11.7	7.60	6.88	33.4	15.8
23	8.56	8.32	9.44	26.4	55.4	14.3	7.36	14.3	7.84	6.88	20.8	14.7
24	8.32	8.32	9.76	25.4	58.9	15.0	7.12	15.4	7.60	6.88	98.2	13.5
25	8.08	8.32	10.1	24.9	34.5	19.5	6.64	14.3	7.60	6.64	111	12.4
26	7.84	8.32	10.4	24.9	24.4	22.6	5.74	15.0	7.60	6.40	67.1	12.0
27	7.60	8.32	10.7	54.6	22.1	22.1	4.42	19.5	7.36	6.40	58.0	11.7
28	7.60	8.56	10.7	35.8	19.5	16.2	3.60	18.3	7.36	6.18	124	11.0
29	7.60		11.0	27.5	17.4	16.2	2.48	17.4	7.36	6.18	150	10.7
30	7.36		10.4	23.9	15.8	15.4	1.82	16.2	7.36	6.88	72.7	10.4
31	7.36		10.1		15.8		1.60	16.2		8.08		10.4
SD1	23.9	6.95	7.31	15.9	18.0	12.6	12.3	11.2	8.39	7.41	43.0	30.3
SD2	11.8	6.66	8.98	19.6	23.1	11.4	9.97	11.6	6.46	7.34	46.3	46.0
SD3	7.97	8.23	10.4	29.6	29.9	16.5	5.11	15.5	7.53	6.77	77.0	12.8
MAX	65.3	8.56	14.3	82.9	93.8	24.4	15.0	22.1	7.84	7.60	217	126
DAT	4	28	20	27	24	26	1	27	23	2	29	10
SR	14.4	7.21	8.95	21.7	23.9	13.5	8.99	12.9	7.46	7.16	55.4	29.2
MIN	7.36	6.40	6.40	8.80	13.5	9.44	1.60	5.74	6.18	6.18	9.76	10.4
DAT	30	14	12	14	11	14	31	1	12	28	1	30
		GMIN = 1.60			SRGOD= 17.6			GMAX = 217				
		DATUM 31 7						DATUM 29 11				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1950

Broj : 60113 Stanica : MEDJURECJE Kota "0" = 187.51  
Nacin osmat.: limnigraf Reka : MRTVICA km od usca = .20  
Pocetak rada: 1948 Sliv : MORACE Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	10.1	7.36	25.4	24.9	37.7	14.3	6.88	5.30	2.04	6.88	76.5	16.6
2	9.44	7.12	19.9	22.6	33.4	13.1	6.64	4.86	2.48	13.9	67.1	15.8
3	9.44	6.88	16.6	21.3	34.5	12.4	6.64	4.64	3.60	10.1	76.5	15.0
4	9.12	6.88	14.7	25.9	36.4	12.0	6.64	4.64	4.64	9.76	111	29.5
5	9.12	6.64	12.4	25.4	28.0	11.7	6.40	4.64	6.40	9.12	124	124
6	8.80	6.64	11.4	22.1	27.5	11.0	6.40	4.64	6.40	8.80	67.1	76.5
7	11.0	12.0	11.0	18.7	25.4	10.7	6.18	4.64	6.18	7.84	49.4	49.4
8	10.1	12.4	11.0	17.9	25.4	10.4	6.18	4.64	5.96	7.12	35.1	92.7
9	9.12	10.4	11.4	16.6	25.4	10.4	5.96	4.64	5.52	6.40	32.3	98.2
10	8.80	11.4	12.0	17.0	24.9	10.1	5.74	4.64	5.08	6.18	29.5	124
11	8.56	9.44	13.5	19.1	24.4	11.4	5.74	4.42	4.86	5.96	28.5	67.1
12	8.32	17.4	12.8	22.6	23.0	10.7	5.74	4.42	4.86	5.74	27.0	124
13	8.08	15.4	12.0	28.0	23.5	11.4	5.52	4.42	4.86	5.52	25.9	124
14	7.84	13.1	11.4	41.7	22.1	11.7	5.52	4.42	4.86	5.08	25.9	58.0
15	7.60	39.1	11.4	51.1	18.7	14.3	5.30	3.90	4.86	5.08	124	67.1
16	7.60	15.8	10.7	59.8	18.3	12.0	5.08	3.15	4.64	4.86	67.1	61.6
17	7.84	14.3	10.4	61.6	18.7	11.0	4.64	2.59	4.64	4.86	24.4	76.5
18	24.4	13.5	12.0	49.4	19.9	11.0	4.64	2.26	5.08	4.86	41.7	52.8
19	17.9	13.1	16.6	35.8	19.5	10.1	4.86	2.04	4.86	4.64	29.5	36.4
20	15.0	12.8	16.6	38.4	18.7	9.76	5.08	1.82	4.86	4.64	41.7	25.9
21	11.7	12.4	18.3	44.8	18.7	9.44	5.08	1.71	4.64	4.64	29.5	22.6
22	10.1	12.4	17.9	47.9	19.1	9.12	5.08	1.60	5.30	4.64	58.0	19.1
23	9.44	11.7	17.4	54.6	19.9	8.80	5.08	1.54	5.30	4.42	39.1	17.9
24	8.56	10.7	16.6	46.3	20.4	8.56	5.08	1.54	5.08	4.20	124	25.4
25	8.32	9.44	15.0	67.1	19.5	8.32	5.08	1.54	4.86	4.64	37.7	30.1
26	7.84	9.44	13.9	89.4	18.3	8.08	4.86	1.48	4.42	165	24.4	25.4
27	7.60	93.8	13.1	46.3	17.9	7.84	4.86	1.48	4.42	292	22.6	25.4
28	7.36	39.1	12.0	35.8	16.6	7.60	4.86	1.48	4.86	111	21.7	25.9
29	7.60		12.0	36.4	17.9	7.36	4.86	1.48	5.30	197	19.9	20.4
30	7.84		13.9	39.1	16.6	7.12	4.64	1.48	6.40	181	18.7	15.8
31	7.60		22.6		16.2		10.1	1.71		87.2		13.5
SD1	9.50	8.77	14.6	21.2	29.9	11.6	6.37	4.73	4.83	8.61	66.8	64.2
SD2	11.3	16.4	12.7	40.7	20.7	11.3	5.21	3.34	4.84	5.12	43.6	69.3
SD3	8.54	24.9	15.7	50.8	18.3	8.22	5.42	1.55	5.06	96.0	39.6	22.0
MAX	28.5	144	29.5	153	44.8	15.8	10.1	6.40	6.88	404	184	174
DAT	18	27	1	26	1	1	31	31	2	27	5	5
SR	9.75	16.1	14.4	37.6	22.8	10.4	5.66	3.15	4.91	38.5	50.0	50.9
MIN	7.36	6.64	10.4	16.6	16.2	7.12	4.64	1.48	2.04	4.20	18.7	13.5
DAT	28	5	17	9	31	30	17	26	1	24	30	31
GMIN =		1.48		SRGOD=		22.0		GMAX =		404		
DATUM		26 8						DATUM		27 10		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1951

Broj               : 60113                      Stanica :   MEDJURECJE            Kota "0" = 187.51  
Nacin osmat.: limnigraf            Reka     :   MRTVICA             km od usca =   .20  
Pocetak rada: 1948                Sliv      :   MORACE                Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	13.5	11.0	21.7	40.4	39.7	40.4	11.4	6.40	4.64	15.8	15.4	12.0
2	13.9	10.1	13.5	28.5	41.0	38.4	12.0	6.18	4.64	18.3	87.2	10.1
3	11.7	9.44	13.1	29.5	41.7	36.4	11.7	6.18	4.64	17.9	33.4	9.44
4	11.7	9.12	12.8	30.6	43.2	32.9	11.7	5.96	4.64	15.8	26.4	9.44
5	11.7	9.12	12.0	31.7	42.5	28.5	11.0	5.96	4.64	11.4	18.7	9.44
6	11.4	12.0	11.4	27.5	41.7	44.8	10.4	5.74	4.64	9.44	15.0	9.12
7	10.7	16.6	11.0	24.9	40.4	70.9	10.1	5.74	4.64	8.80	13.5	8.80
8	10.4	15.0	47.1	24.9	39.1	51.1	10.1	5.52	4.64	8.32	12.4	12.0
9	10.1	13.5	54.6	28.5	36.4	42.5	9.76	5.52	7.60	8.80	64.4	12.4
10	9.76	15.4	30.6	35.1	58.0	41.7	9.44	5.52	7.12	9.44	35.1	21.7
11	9.44	11.4	23.9	29.0	87.2	38.4	9.44	5.30	6.88	8.80	24.9	13.5
12	9.12	11.0	23.0	37.7	67.1	34.5	9.12	5.30	6.64	8.32	76.5	13.1
13	12.8	10.4	47.1	58.0	63.5	29.5	8.80	5.08	6.64	9.44	87.2	12.8
14	13.5	17.9	44.8	49.4	45.6	28.0	8.56	5.08	6.40	10.4	76.5	12.8
15	12.0	15.8	42.5	36.4	39.7	27.0	8.32	5.08	6.40	10.1	76.5	12.4
16	11.7	15.0	32.3	27.5	35.1	25.4	8.32	5.08	6.18	9.76	49.4	10.1
17	11.0	12.8	27.5	29.0	60.7	24.4	8.08	4.86	5.96	9.44	29.5	9.44
18	10.1	12.0	23.9	29.5	44.0	22.6	13.9	4.86	5.74	8.80	22.1	9.12
19	9.76	11.7	24.4	30.6	39.1	21.7	10.7	4.86	5.52	9.44	19.9	8.56
20	9.76	34.0	30.6	30.1	39.1	20.8	9.76	4.86	5.30	13.5	19.1	8.56
21	9.44	22.1	35.1	36.4	44.8	22.1	9.12	4.86	5.08	17.0	18.7	8.08
22	9.12	32.9	23.0	49.4	49.4	20.4	8.80	4.86	4.86	16.6	18.3	8.08
23	6.88	21.7	21.7	40.4	48.6	18.7	8.32	4.86	3.00	21.3	35.1	7.84
24	8.32	17.0	18.3	29.5	47.1	17.9	8.08	6.88	1.60	21.7	30.1	7.60
25	8.08	14.7	19.5	23.5	48.6	17.0	7.60	6.40	1.54	34.0	25.4	7.12
26	8.32	18.7	20.8	32.9	49.4	16.2	7.60	5.74	1.60	24.9	21.7	8.80
27	18.3	45.6	18.3	32.9	49.4	15.8	7.36	5.08	6.88	31.7	18.3	7.84
28	12.8	29.5	15.4	35.1	47.9	14.7	7.12	4.86	28.0	29.5	13.5	9.12
29	11.7		13.9	34.0	44.8	13.1	6.88	4.86	22.6	24.4	12.4	12.0
30	11.4		32.3	35.8	42.5	12.4	6.64	4.86	18.3	18.3	12.0	12.8
31	11.0		45.6		41.0		6.40	4.64		13.1		13.9
SD1	11.5	12.1	22.8	30.2	42.4	42.8	10.8	5.87	5.18	12.4	32.2	11.4
SD2	10.9	15.2	32.0	35.7	52.1	27.2	9.50	5.04	6.17	9.80	48.2	11.0
SD3	10.5	25.3	24.0	35.0	46.7	16.8	7.63	5.26	9.35	23.0	20.5	9.38
MAX	20.8	69.0	82.9	92.7	143	116	16.2	6.88	28.0	56.3	174	25.4
DAT	27	27	9	13	11	7	18	24	28	25	2	10
SR	10.9	17.0	26.2	33.6	47.0	28.9	9.24	5.39	6.90	15.3	33.6	10.6
MIN	6.88	9.12	11.0	23.5	35.1	12.4	6.40	4.64	1.54	8.32	12.0	7.12
DAT	23	4	7	25	16	30	31	31	25	8	30	25
-----												
GMIN =			1.54	SRGOD=				20.4	GMAX =			174
DATUM			25 9						DATUM			2 11
-----												

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1952

Broj               : 60113                    Stanica :   MEDJURECJE            Kota "0" = 187.51  
Nacin osmat.: limnigraf            Reka     :   MRTVICA                km od usca =   .20  
Pocetak rada: 1948                Sliv     :   MORACE                    Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	12.4	12.0	7.12	44.8	41.0	17.4	6.88	4.20	1.36	76.5	36.4	29.5	
2	11.7	15.8	6.88	44.8	37.7	17.9	6.64	4.20	1.36	41.0	39.1	25.4	
3	12.0	12.4	6.64	49.4	36.4	19.1	6.64	4.20	1.36	59.8	27.0	69.0	
4	11.7	10.7	6.64	45.6	35.8	18.3	6.40	4.20	1.30	40.4	19.9	104	
5	15.8	9.44	6.64	41.7	35.8	17.9	6.40	4.05	1.30	24.9	16.2	69.0	
6	11.7	9.12	7.12	29.5	35.8	17.4	6.18	4.05	1.30	22.1	13.1	47.9	
7	9.76	8.80	7.12	19.9	35.8	16.6	6.18	4.05	1.54	17.0	12.0	32.3	
8	8.80	8.80	6.88	19.5	35.8	15.4	5.96	4.05	5.96	13.5	74.6	29.0	
9	8.56	8.80	6.64	18.3	35.1	14.7	5.74	4.05	8.56	41.7	30.6	26.4	
10	8.08	7.60	6.40	19.1	34.0	13.9	5.52	3.90	5.96	29.5	24.4	22.1	
11	8.08	6.40	6.40	22.1	34.0	13.5	5.52	3.90	5.08	20.8	19.1	17.4	
12	15.8	6.64	6.40	25.9	34.0	13.1	5.30	3.90	4.86	98.2	17.4	15.8	
13	67.1	8.32	6.40	30.6	67.1	12.8	5.30	3.90	4.20	44.0	16.6	15.0	
14	66.2	19.9	6.18	34.0	39.1	12.0	5.30	3.90	4.05	30.6	15.8	29.0	
15	41.7	20.4	6.18	36.4	24.4	11.7	5.08	3.75	3.90	96.0	15.0	498	
16	19.9	17.0	6.18	37.1	20.8	11.7	5.08	3.75	3.75	43.2	113	150	
17	16.6	13.5	6.18	37.7	17.4	11.0	5.08	3.75	3.75	29.5	98.2	85.1	
18	14.3	12.0	5.96	35.1	15.8	10.4	5.30	3.60	3.90	19.9	63.5	92.7	
19	18.3	11.4	5.74	37.1	15.8	9.76	5.08	3.60	34.5	15.8	47.9	58.0	
20	13.9	10.4	6.40	39.1	15.8	9.76	4.86	3.60	51.1	14.3	34.0	41.0	
21	11.7	10.1	7.36	38.4	16.2	9.44	4.64	3.45	27.0	12.8	41.7	29.0	
22	10.7	9.76	7.12	36.4	17.0	9.12	4.20	3.45	15.8	12.0	27.0	24.9	
23	9.76	8.80	6.64	35.8	15.4	8.80	4.20	3.45	11.7	17.9	24.4	23.5	
24	9.44	8.32	6.40	35.8	15.8	8.56	4.20	3.45	10.1	35.8	35.1	21.7	
25	9.76	8.08	9.76	37.7	15.8	8.32	4.20	3.30	8.56	24.4	24.9	19.1	
26	17.9	7.84	14.3	39.1	15.8	8.32	4.05	2.70	35.1	20.4	21.7	17.0	
27	28.5	7.60	34.5	39.1	16.2	7.84	4.05	2.26	21.7	30.6	49.4	15.0	
28	55.4	7.60	48.6	39.1	16.6	7.36	4.05	1.71	85.1	27.5	67.1	35.1	
29	29.0	7.36	62.5	39.1	17.4	7.12	3.90	1.54	35.1	19.9	41.7	137	
30	19.1		68.0	37.7	18.3	6.88	4.05	1.42	27.5	16.2	34.5	91.6	
31	12.8		44.8		18.3		4.05	1.36		29.5		111	
SD1	11.1	10.3	6.81	33.3	36.3	16.9	6.25	4.09	3.00	36.6	29.3	45.5	
SD2	28.2	12.6	6.20	33.5	28.4	11.6	5.19	3.76	11.9	41.2	44.0	100	
SD3	19.5	8.38	28.2	37.8	16.6	8.18	4.14	2.55	27.8	22.5	36.8	47.7	
MAX	81.8	23.5	87.2	63.5	79.7	19.5	6.88	4.20	103	118	126	603	
DAT	13	15	30	3	13	3	1	1	28	12	16	15	
SR	19.6	10.5	14.2	34.9	26.8	12.2	5.16	3.44	14.2	33.1	36.7	63.9	
MIN	8.08	6.40	5.74	18.3	15.4	6.88	3.90	1.36	1.30	12.0	12.0	15.0	
DAT	10	11	19	9	23	30	29	31	4	22	7	13	
GMIN =			1.30	SRGOD=			22.9	GMAX =			603		
DATUM			4 9					DATUM			15 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1953

Broj               : 60113                      Stanica :   MEDJURECJE            Kota "0" = 187.51  
Nacin osmat.: limnigraf            Reka     :   MRTVICA                km od usca =   .20  
Pocetak rada: 1948                Sliv     :   MORACE                    Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	61.6	6.40	6.64	21.3	39.1	65.3	7.60	4.20	2.04	1.60	1.36	1.18
2	54.6	5.96	6.18	24.4	34.0	61.6	7.36	4.05	1.93	1.60	1.36	1.18
3	35.1	5.74	5.96	28.0	33.4	59.8	7.12	3.90	1.82	1.60	1.36	1.18
4	25.9	5.52	5.74	31.2	31.7	51.1	11.7	3.75	1.82	1.60	1.60	1.12
5	19.9	5.52	5.52	25.9	34.5	47.1	10.1	3.45	1.82	1.60	1.60	1.12
6	19.1	5.30	5.30	27.0	35.1	35.1	10.7	3.15	1.71	1.71	1.60	1.12
7	16.6	5.08	4.86	29.5	34.5	34.0	12.4	2.85	1.71	1.71	1.54	1.12
8	13.9	4.86	4.86	35.1	42.5	30.6	12.0	2.59	1.60	1.60	1.54	1.12
9	12.0	4.64	4.64	33.4	58.0	28.0	10.4	2.59	1.60	1.60	1.48	1.12
10	11.0	4.42	4.42	36.4	35.8	26.4	8.80	2.48	1.60	1.54	1.48	1.12
11	10.1	4.20	4.20	41.7	29.5	22.1	8.08	2.48	1.60	1.54	1.48	1.12
12	9.12	23.5	4.05	38.4	28.5	23.9	7.36	2.37	3.90	1.48	1.48	1.12
13	8.80	20.4	3.90	29.0	32.9	24.4	6.88	2.37	3.90	1.48	1.42	1.12
14	8.56	18.3	3.90	24.4	30.6	24.9	6.64	2.37	2.59	1.48	1.42	1.12
15	8.08	12.0	3.75	22.1	29.5	25.4	6.40	2.26	2.26	1.48	1.42	1.12
16	7.60	10.4	3.75	22.6	27.0	26.4	6.18	2.26	2.04	1.48	1.42	1.12
17	7.12	8.80	3.75	21.3	23.9	24.4	5.74	2.26	1.93	1.48	1.42	1.06
18	6.88	8.56	3.60	19.9	23.0	23.0	5.52	2.26	1.82	1.42	1.42	1.06
19	6.64	8.32	3.90	15.8	21.7	21.7	5.30	2.26	1.82	1.42	1.36	1.06
20	6.40	7.84	4.42	13.5	24.4	19.9	5.30	2.15	1.82	1.42	1.36	1.06
21	6.18	7.60	5.08	14.7	29.0	18.7	5.08	2.15	1.82	1.42	1.36	1.06
22	5.96	7.36	5.74	17.9	33.4	17.0	5.08	2.15	1.71	1.42	1.36	1.06
23	5.74	7.36	6.40	23.9	35.8	13.5	4.86	2.15	1.71	1.36	1.30	1.18
24	5.52	7.36	7.12	25.9	39.1	12.0	4.86	2.15	1.71	1.36	1.30	1.12
25	5.30	7.12	8.08	29.5	38.4	11.7	4.64	2.15	1.71	1.36	1.30	1.06
26	5.08	7.12	10.7	32.3	38.4	11.0	4.64	2.04	1.71	1.36	1.30	1.06
27	5.08	7.12	13.5	35.1	37.7	10.4	4.64	2.04	1.71	1.36	1.24	1.06
28	4.86	6.88	14.7	111	35.8	9.76	4.42	2.15	1.71	1.36	1.24	1.06
29	4.86		15.8	62.5	34.5	8.80	4.42	2.26	1.60	1.36	1.24	1.18
30	4.86		17.9	51.1	32.9	8.08	4.42	2.26	1.60	1.36	1.24	1.24
31	4.64		19.1		59.8		4.42	2.26		1.36		1.24
SD1	27.0	5.34	5.41	29.2	37.9	43.9	9.82	3.30	1.77	1.62	1.49	1.14
SD2	7.93	12.2	3.92	24.9	27.1	23.6	6.34	2.30	2.37	1.47	1.42	1.10
SD3	5.28	7.24	11.3	40.4	37.7	12.1	4.68	2.16	1.70	1.37	1.29	1.12
MAX	82.9	25.4	19.9	181	59.8	65.3	12.4	4.20	3.90	1.71	1.60	1.18
DAT	1	12	31	28	9	1	7	1	13	6	4	1
SR	13.1	8.35	7.01	31.5	34.3	26.5	6.87	2.57	1.94	1.48	1.40	1.12
MIN	4.64	4.20	3.60	13.5	21.7	8.08	4.42	2.04	1.60	1.36	1.24	1.06
DAT	31	11	18	20	19	30	28	26	8	23	27	17
-----												
GMIN =			1.06	SRGOD=				11.3	GMAX =			181
DATUM			17 12						DATUM			28 4
-----												

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1954

Broj : 60113 Stanica : MEDJURECJE Kota "0" = 187.51  
Nacin osmat.: limnigraf Reka : MRTVICA km od usca = .20  
Pocetak rada: 1948 Sliv : MORACE Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.12	1.06	10.1	29.5	56.3	33.4	6.88	2.15	1.42	8.32	5.96	17.4
2	1.06	1.06	29.0	34.0	67.1	32.9	6.18	2.04	1.42	5.30	5.30	15.8
3	1.06	1.06	58.0	30.6	57.1	31.7	5.74	2.04	1.36	4.20	4.42	13.9
4	1.06	1.06	51.1	28.5	53.7	30.6	5.30	1.93	1.36	3.75	6.40	11.4
5	1.06	1.06	27.5	25.9	72.7	32.9	4.86	1.93	1.36	3.15	18.3	9.44
6	1.06	1.06	41.7	36.4	76.5	35.1	4.42	1.82	1.30	2.70	13.1	8.80
7	1.12	1.06	29.5	30.1	52.0	34.0	4.42	1.82	1.30	2.48	12.0	7.36
8	1.06	1.06	15.0	34.5	35.8	35.1	4.42	1.71	1.30	53.7	11.0	6.88
9	1.06	1.12	12.0	29.5	29.5	25.4	4.20	1.71	1.30	25.4	9.76	8.32
10	1.06	1.18	10.4	24.4	27.5	29.5	4.20	1.60	1.30	22.1	32.9	7.60
11	1.06	1.18	8.80	20.4	25.9	29.0	4.20	1.60	1.60	24.4	22.1	29.5
12	1.00	1.18	10.7	17.4	24.4	28.0	3.75	1.60	1.54	35.8	18.3	80.8
13	1.00	1.18	11.0	15.0	34.5	25.9	3.45	1.60	1.54	47.9	13.5	86.1
14	1.00	1.24	11.7	14.3	41.7	20.8	3.45	1.60	1.48	41.7	12.4	92.7
15	1.12	1.60	12.0	13.1	37.7	20.4	3.30	1.60	1.48	34.5	19.9	67.1
16	1.24	2.85	15.0	12.4	35.1	19.1	3.15	1.54	1.42	29.5	24.9	23.9
17	1.24	4.20	13.9	18.3	33.4	17.9	3.00	1.54	1.42	25.4	22.1	18.3
18	1.24	6.18	12.8	13.1	37.7	16.6	2.85	1.60	1.42	24.4	13.5	14.7
19	1.18	3.15	12.0	11.4	47.1	15.8	2.70	1.60	1.36	17.9	11.7	11.7
20	1.18	2.48	12.4	10.1	63.5	15.4	2.70	1.54	1.36	12.4	10.1	8.80
21	1.18	1.82	13.5	8.80	51.1	14.3	2.59	1.54	1.30	5.52	8.80	7.60
22	1.18	1.54	14.3	8.56	41.7	12.8	2.48	1.54	1.30	4.20	7.84	6.64
23	1.18	1.48	13.5	8.08	37.1	11.0	2.48	1.54	4.20	4.05	6.40	5.96
24	1.12	1.48	12.0	7.84	36.4	10.4	2.48	1.54	8.32	4.05	5.96	6.18
25	1.12	1.48	59.8	7.36	35.8	10.1	2.37	1.54	4.64	3.90	5.30	5.74
26	1.12	1.42	41.7	6.88	37.7	9.44	2.37	1.60	3.90	3.90	5.08	4.86
27	1.12	1.42	29.5	6.64	37.1	8.80	2.37	1.48	3.00	16.6	4.86	4.42
28	1.12	1.48	41.7	49.4	36.4	8.56	2.26	1.48	2.37	12.0	4.42	4.05
29	1.12		34.5	58.0	35.1	8.08	2.26	1.48	2.15	10.1	39.1	3.90
30	1.12		32.9	44.8	34.5	7.60	2.26	1.48	11.7	7.12	32.9	3.90
31	1.06		29.5		33.4		2.15	1.48		6.40		3.60
SD1	1.07	1.08	28.4	30.3	52.8	32.1	5.06	1.88	1.34	13.1	11.9	10.7
SD2	1.13	2.52	12.0	14.6	38.1	20.9	3.25	1.58	1.46	29.4	16.9	43.4
SD3	1.13	1.52	29.4	20.6	37.8	10.1	2.37	1.52	4.29	7.08	12.1	5.17
MAX	1.24	7.60	78.6	85.1	98.2	34.0	7.12	2.26	13.5	72.7	49.4	144
DAT	16	18	3	29	6	1	1	1	30	8	29	14
SR	1.11	1.72	23.5	21.8	42.8	21.0	3.52	1.65	2.36	16.2	13.6	19.3
MIN	1.00	1.06	8.80	6.64	24.4	7.60	2.15	1.48	1.30	2.48	4.42	3.60
DAT	12	1	11	27	12	30	31	27	6	7	3	31
GMIN = 1.00			SRGOD= 14.1			GMAX = 144						
DATUM 12 1						DATUM 14 12						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1955

Broj : 60113 Stanica : MEDJURECJE Kota "0" = 187.51  
Nacin osmat.: limnigraf Reka : MRTVICA km od usca = .20  
Pocetak rada: 1948 Sliv : MORACE Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	3.75	5.74	23.0	58.0	29.0	7.84	3.60	6.40	2.85	17.0	62.5	5.52
2	3.60	7.84	17.9	39.7	29.0	7.60	3.45	5.74	16.6	14.3	67.1	5.30
3	3.90	13.5	13.5	29.5	30.1	7.36	3.15	5.08	13.9	12.0	81.8	5.30
4	3.15	12.0	11.4	18.3	30.6	7.36	2.85	4.42	5.96	9.44	52.8	5.52
5	3.00	10.7	9.12	15.8	30.1	7.12	2.59	4.05	4.64	8.32	35.8	16.2
6	3.15	9.12	8.08	12.0	28.5	6.88	3.00	3.75	4.20	6.64	23.5	12.8
7	3.60	49.4	7.36	11.4	27.5	8.80	3.60	3.60	3.90	6.40	17.9	10.1
8	41.7	35.1	6.64	10.1	27.0	8.32	3.90	3.45	3.75	47.9	17.4	8.56
9	24.4	27.0	8.56	10.7	25.4	7.60	4.86	35.1	3.60	42.5	12.0	7.60
10	16.2	19.9	7.84	12.0	25.4	7.36	5.30	16.6	3.45	26.4	10.4	6.64
11	12.0	12.0	7.36	11.4	25.9	6.18	4.42	10.7	14.3	18.3	9.44	6.18
12	13.5	10.4	6.88	11.7	24.9	5.52	4.05	7.60	30.6	15.0	8.80	6.40
13	24.4	8.80	6.64	12.4	20.8	4.86	3.75	5.96	24.9	12.8	8.08	6.88
14	35.1	26.4	6.40	12.0	18.7	4.42	3.60	4.86	41.7	11.4	34.0	6.64
15	87.2	15.8	6.18	12.0	18.3	4.20	3.90	4.20	32.3	9.76	40.4	6.40
16	47.9	11.0	5.74	11.7	18.3	4.05	3.75	4.05	61.6	8.80	26.4	80.8
17	139	24.9	5.30	11.0	19.9	3.90	4.05	3.75	67.1	8.32	19.9	56.3
18	72.7	53.7	5.74	8.80	19.5	3.90	3.90	3.60	35.1	12.4	15.8	49.4
19	135	87.2	6.88	6.64	18.3	3.60	3.75	3.45	22.6	179	12.8	29.5
20	54.6	57.1	5.52	6.40	17.4	3.60	3.60	3.00	15.0	76.5	11.4	124
21	29.5	35.1	5.08	6.18	15.8	3.45	3.15	2.85	11.4	42.5	10.7	76.5
22	22.1	28.5	4.86	7.60	14.3	3.45	2.70	2.70	8.56	24.4	10.1	47.9
23	15.8	16.6	18.3	9.12	12.4	3.30	2.59	2.59	6.88	23.9	9.44	27.5
24	13.5	32.9	16.2	15.4	11.0	3.30	2.37	2.37	5.96	144	8.80	19.1
25	11.7	76.5	15.4	16.6	10.4	3.15	6.40	1.93	5.08	121	8.32	16.2
26	8.80	100	17.9	16.6	9.76	2.85	5.96	1.71	4.64	72.7	7.60	12.8
27	8.08	61.6	20.8	17.4	10.4	2.85	4.42	2.04	4.20	47.1	6.64	10.7
28	7.12	39.1	24.4	20.4	11.4	3.15	22.6	2.59	27.0	34.5	6.40	8.80
29	6.40		25.9	24.4	11.4	3.30	12.0	2.37	56.3	22.1	5.96	7.84
30	6.18		49.4	27.5	11.4	3.45	12.4	2.26	22.1	19.1	5.74	6.88
31	5.96		56.3		10.4		11.4	2.15		17.0		42.5
SD1	10.6	19.0	11.3	21.8	28.3	7.62	3.63	8.82	6.28	19.1	38.1	8.35
SD2	62.1	30.7	6.26	10.4	20.2	4.42	3.88	5.12	34.5	35.2	18.7	37.3
SD3	12.3	48.8	23.1	16.1	11.7	3.22	7.82	2.32	15.2	51.7	7.97	25.2
MAX	197	143	69.0	65.3	31.7	9.44	24.4	39.7	87.2	364	100	162
DAT	17	26	31	1	4	7	28	9	17	19	3	20
SR	27.8	31.7	13.9	16.1	19.8	5.09	5.20	5.32	18.7	35.9	21.6	23.6
MIN	3.00	5.74	4.86	6.18	9.76	2.85	2.37	1.71	2.85	6.40	5.74	5.30
DAT	5	1	22	21	26	26	24	26	1	7	30	2
GMIN =		1.71		SRGOD=		18.7		GMAX =		364		
DATUM		26 8						DATUM		19 10		



ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1956

Broj : 60113 Stanica : MEDJURECJE Kota "0" = 187.51  
Nacin osmat.: limnigraf Reka : MRTVICA km od usca = .20  
Pocetak rada: 1948 Sliv : MORACE Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	78.6	6.64	4.20	11.7	51.1	19.1	5.08	1.82	1.18	.960	49.4	36.4	
2	36.4	6.18	4.64	10.7	34.5	39.1	5.30	1.71	1.18	.960	47.1	26.4	
3	19.9	5.52	4.86	12.8	27.0	24.9	5.52	1.60	1.18	.960	33.4	18.3	
4	15.8	5.08	5.08	17.0	20.4	18.7	5.96	1.60	1.12	.960	35.8	14.7	
5	12.8	4.86	7.12	15.8	20.8	17.0	5.08	1.60	1.12	.960	20.8	12.0	
6	10.1	4.42	8.56	14.7	27.0	15.4	4.86	1.60	1.12	.960	17.0	10.1	
7	8.32	4.20	6.40	11.7	30.1	14.7	4.64	1.54	1.12	1.24	12.0	8.80	
8	7.60	4.05	5.08	9.44	31.2	14.3	4.20	1.54	1.12	1.36	9.12	8.08	
9	6.64	3.90	4.20	7.36	31.7	14.3	4.05	1.54	1.12	1.36	8.32	6.40	
10	6.18	3.60	3.75	6.40	32.9	13.5	3.90	1.54	1.12	1.36	6.64	5.96	
11	5.52	3.45	3.45	5.96	55.4	11.7	3.75	1.48	1.06	1.30	5.52	5.30	
12	5.30	3.60	3.30	6.40	58.0	10.7	3.60	1.48	1.06	1.24	4.86	5.08	
13	5.08	3.90	3.15	7.84	37.7	10.4	3.90	1.48	1.06	1.24	4.86	4.86	
14	4.86	3.45	3.00	10.7	30.1	10.1	3.45	1.42	1.06	1.30	15.0	4.42	
15	4.42	3.30	2.85	16.6	26.4	9.12	3.15	1.42	1.06	1.36	39.7	4.05	
16	4.20	3.15	2.59	15.8	23.9	8.56	3.00	1.42	1.06	1.36	86.1	3.90	
17	4.42	3.15	2.59	3.75	27.0	7.36	2.85	1.36	1.06	1.30	67.1	3.75	
18	4.64	3.00	2.70	27.0	26.4	7.12	2.70	1.36	1.00	1.30	41.7	3.60	
19	87.2	13.9	2.70	34.0	27.0	6.88	2.59	1.36	1.00	1.24	35.1	3.45	
20	63.5	10.1	3.00	31.2	27.5	6.40	2.48	1.30	1.00	1.24	32.3	3.45	
21	41.7	7.12	3.90	27.0	34.5	6.40	2.48	1.30	1.00	1.24	22.1	3.30	
22	23.0	5.96	5.30	23.9	31.7	25.4	2.37	1.30	1.00	1.18	18.3	3.00	
23	21.3	5.08	6.40	22.6	29.5	19.9	2.26	1.30	1.00	1.18	37.7	4.05	
24	19.9	4.86	8.56	31.7	29.0	15.0	2.26	1.30	.960	1.12	24.4	7.60	
25	27.0	4.20	9.76	46.3	29.0	12.0	2.15	1.30	.960	1.12	17.9	5.52	
26	21.3	4.64	10.1	37.7	29.5	10.1	2.15	1.30	.960	1.06	13.9	4.20	
27	16.2	5.52	11.0	38.4	26.4	8.08	2.04	1.24	.960	39.1	12.0	3.75	
28	13.1	5.08	11.7	39.1	23.9	7.36	2.04	1.24	1.12	54.6	10.1	3.30	
29	10.4	4.42	11.7	42.5	22.6	6.40	1.93	1.24	1.12	30.6	56.3	3.15	
30	8.80		11.4	49.4	21.7	5.96	1.93	1.24	1.00	15.8	54.6	3.00	
31	7.60		12.4		19.9		1.82	1.24		51.1		3.45	
SD1	20.2	4.85	5.39	11.8	30.7	19.1	4.86	1.61	1.14	1.11	24.0	14.7	
SD2	18.9	5.10	2.93	15.9	33.9	8.83	3.15	1.41	1.04	1.29	33.2	4.19	
SD3	19.1	5.21	9.29	35.9	27.1	11.7	2.13	1.27	1.01	18.0	26.7	4.03	
MAX	107	17.4	17.0	67.1	93.8	51.1	6.18	1.82	1.18	67.1	134	47.1	
DAT	19	19	31	30	11	2	4	1	1	28	16	1	
SR	19.4	5.05	5.98	21.2	30.4	13.2	3.34	1.42	1.06	7.16	28.0	7.53	
MIN	4.20	3.00	2.59	3.75	19.9	5.96	1.82	1.24	.960	.960	4.86	3.00	
DAT	16	18	16	17	31	30	31	27	24	1	12	22	
		GMIN = .960		SRGOD= 12.0		GMAX = 134							
		DATUM 24 9				DATUM 16 11							

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1957

Broj               : 60113                    Stanica :   MEDJURECJE            Kota "0" = 187.51  
Nacin osmat.: limnigraf        Reka     :   MRTVICA                km od usca =   .20  
Pocetak rada: 1948            Sliv     :   MORACE                    Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	5.96	2.15	6.18	11.4	28.0	17.0	2.85	2.48	1.36	2.70	4.64	3.30
2	8.80	2.15	5.74	14.7	29.0	17.0	2.70	2.26	1.36	111	4.42	3.15
3	6.88	2.37	5.08	15.8	33.4	14.7	2.70	2.15	1.30	67.1	4.05	3.00
4	5.52	3.30	4.86	15.4	41.0	13.9	4.20	2.04	1.36	58.0	4.64	2.85
5	4.20	3.30	4.42	17.4	33.4	13.1	3.60	1.93	1.48	65.3	4.42	2.70
6	3.75	3.45	4.20	19.5	23.5	15.4	2.70	1.82	1.42	32.9	4.05	2.48
7	3.45	3.45	4.05	18.3	28.5	12.0	2.59	1.71	1.48	37.1	3.75	2.37
8	3.30	3.30	3.90	16.6	23.5	12.0	2.48	1.71	1.42	26.4	62.5	2.37
9	3.00	3.30	5.96	18.7	18.3	11.4	2.37	1.60	1.36	16.6	98.2	2.37
10	2.85	3.45	5.52	20.8	16.6	10.1	2.48	1.60	1.36	12.8	54.6	5.30
11	2.85	5.30	4.86	121	16.2	8.80	2.37	1.60	1.30	10.1	118	13.9
12	2.70	3.45	4.20	64.4	15.8	7.84	2.37	1.54	1.30	7.84	67.1	29.0
13	2.59	4.05	3.90	46.3	20.4	8.08	2.15	1.48	1.30	6.64	43.2	92.7
14	2.59	5.08	3.75	44.8	19.9	7.60	2.04	1.48	1.42	5.52	27.0	150
15	2.59	18.3	4.20	52.0	21.7	6.88	2.04	1.48	1.42	4.86	17.9	105
16	2.70	165	5.52	30.6	23.9	6.18	1.93	1.48	10.1	4.42	14.7	63.5
17	2.70	177	5.96	19.1	21.3	5.30	1.82	1.48	10.4	4.20	12.0	39.1
18	2.59	63.5	6.64	15.8	22.1	5.08	1.82	1.42	6.64	3.90	10.1	23.5
19	2.48	47.9	8.32	13.5	24.9	5.52	1.71	1.42	4.20	3.75	8.32	18.7
20	2.48	29.0	11.7	13.5	23.9	5.08	1.71	1.48	3.75	3.60	7.36	15.0
21	2.04	19.5	15.8	15.0	23.0	4.42	10.1	3.30	3.45	3.30	6.40	9.70
22	2.04	17.4	19.5	18.7	23.0	4.20	6.18	2.37	2.70	3.15	5.74	8.20
23	2.15	13.9	20.4	20.4	22.1	4.05	5.96	1.93	2.48	51.1	5.08	7.20
24	2.26	10.7	20.8	21.3	19.9	4.05	8.32	1.71	2.15	21.3	4.64	6.44
25	3.90	9.12	20.4	20.4	19.5	3.90	6.64	1.54	2.04	15.8	4.42	5.87
26	3.90	7.84	21.7	20.8	18.7	3.75	5.08	1.54	1.82	11.4	4.20	5.49
27	3.30	7.60	18.3	23.5	17.9	3.45	4.20	1.54	2.48	8.80	3.90	5.14
28	2.85	7.60	15.0	28.0	17.4	3.30	3.75	1.48	3.90	7.36	3.90	4.82
29	2.59		14.7	28.5	23.9	3.00	3.30	1.48	3.45	6.40	3.75	4.98
30	2.48		15.0	29.0	28.0	2.85	2.85	1.42	3.15	5.52	3.60	9.70
31	2.26		12.0		23.9		2.59	1.42		5.08		27.6
SD1	4.77	3.02	4.99	16.9	27.5	13.7	2.87	1.93	1.39	43.0	24.5	2.99
SD2	2.63	51.9	5.90	42.1	21.0	6.64	2.00	1.49	4.18	5.48	32.6	55.0
SD3	2.71	11.7	17.6	22.6	21.6	3.70	5.36	1.79	2.76	12.7	4.56	8.65
MAX	10.1	246	23.0	146	58.0	18.7	11.4	3.75	12.0	134	156	171
DAT	2	17	26	11	4	1	21	21	17	2	11	14
SR	3.35	22.9	9.76	27.2	23.3	8.00	3.47	1.74	2.78	20.1	20.6	21.8
MIN	2.04	2.15	3.75	11.4	15.8	2.85	1.71	1.42	1.30	2.70	3.60	2.37
DAT	21	1	14	1	12	30	19	18	3	1	30	7
GMIN =		1.30		SRGOD=		13.7		GMAX =		246		
DATUM		3 9						DATUM		17 2		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1958

Broj : 60113 Stanica : MEDJURECJE Kota "0" = 187.51  
Nacin osmat.: limnigraf Reka : MRTVICA km od usca = .20  
Pocetak rada: 1948 Sliv : MORACE Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	14.8	3.46	35.4	21.4	16.2	22.2	6.44	1.74	1.16	.965	2.86	3.46
2	11.4	3.34	18.5	16.6	16.6	20.9	5.68	1.74	1.16	1.10	4.98	3.22
3	8.95	3.34	13.8	14.1	20.0	20.0	5.30	1.74	1.22	40.4	80.0	3.10
4	7.01	3.34	10.5	13.8	20.5	18.1	4.82	1.64	1.55	15.5	37.5	2.86
5	6.06	3.22	8.20	19.2	26.1	16.6	4.66	1.64	1.42	8.20	31.7	2.98
6	5.49	3.22	6.82	34.8	27.1	19.2	4.18	1.64	1.29	5.30	21.4	2.62
7	5.30	3.34	6.06	21.8	33.5	13.8	3.86	1.55	1.22	3.70	13.2	2.50
8	10.3	3.34	5.68	16.6	36.1	12.8	3.70	1.55	1.16	3.34	75.0	2.50
9	8.20	3.46	10.8	12.5	44.2	12.2	3.58	2.21	1.16	2.98	66.7	2.31
10	6.44	3.46	7.20	9.98	51.0	11.7	3.46	1.83	1.16	2.62	56.9	2.31
11	6.06	3.58	6.25	8.20	53.9	16.2	3.46	1.64	1.16	2.31	53.0	7.70
12	12.8	4.18	14.8	6.82	53.9	16.9	3.22	1.55	3.34	2.31	33.5	38.2
13	15.1	4.50	7.45	6.25	55.9	12.5	2.86	1.55	2.86	1.93	26.1	23.1
14	10.5	4.82	5.49	5.87	51.0	13.8	2.98	1.48	2.03	1.83	36.8	23.1
15	7.70	5.30	5.14	20.0	49.3	18.1	2.98	1.74	1.64	1.74	38.2	170
16	6.63	6.63	4.98	34.8	45.9	13.2	2.86	1.55	1.48	1.64	26.6	66.7
17	5.49	7.70	4.34	26.1	59.8	11.7	2.62	1.48	1.42	1.64	20.5	45.9
18	4.98	36.1	4.34	17.7	57.9	8.70	2.86	1.42	1.36	1.74	15.1	63.1
19	4.50	131	4.50	14.1	54.9	8.45	3.10	1.42	1.29	1.64	13.5	162
20	4.34	60.8	4.50	11.4	54.9	8.20	2.86	1.42	1.22	1.55	12.2	90.3
21	4.34	29.2	4.98	10.3	65.5	7.20	2.62	1.36	1.22	1.48	10.3	48.5
22	16.9	14.8	8.20	12.2	49.3	6.82	2.50	1.36	1.16	1.42	8.70	85.0
23	10.5	11.7	5.30	14.1	39.7	6.44	2.31	1.29	1.16	3.46	7.20	63.1
24	7.70	8.95	4.02	92.9	47.6	6.82	2.40	1.29	1.16	4.02	5.87	47.9
25	6.25	7.20	3.86	53.9	38.2	8.70	2.21	1.22	1.10	4.34	5.30	52.8
26	5.30	7.95	3.86	32.9	35.4	7.45	2.12	1.22	1.10	4.34	4.82	44.8
27	4.82	29.8	14.1	25.0	36.1	6.44	2.12	1.22	1.03	4.66	4.34	26.4
28	4.34	59.8	12.5	25.0	34.2	7.01	2.03	1.22	1.03	4.34	3.86	19.1
29	4.18		14.5	44.2	32.3	7.45	1.93	1.16	1.03	4.02	3.70	15.8
30	3.70		15.5	24.0	27.6	7.20	1.93	1.16	.965	3.70	3.46	12.8
31	3.58		14.1		25.0		1.83	1.16		3.22		10.7
SD1	8.40	3.35	12.3	18.1	29.1	16.8	4.57	1.73	1.25	8.41	39.0	2.79
SD2	7.81	26.5	6.18	15.1	53.7	12.8	2.98	1.52	1.78	1.83	27.5	69.0
SD3	6.51	21.2	9.17	33.5	39.2	7.15	2.18	1.24	1.10	3.55	5.76	38.8
MAX	19.2	158	41.1	114	87.6	23.1	6.63	2.31	3.70	49.3	109	261
DAT	22	19	1	24	21	1	1	9	12	3	3	15
SR	7.54	16.7	9.22	22.2	40.6	12.2	3.21	1.49	1.38	4.56	24.1	36.9
MIN	3.58	3.22	3.86	5.87	16.2	6.44	1.83	1.16	.965	.965	2.86	2.31
DAT	31	5	25	14	1	23	31	29	30	1	1	9
GMIN =		.965		SRGOD=		15.0		GMAX =		261		
DATUM		30 9						DATUM		15 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1959

Broj               : 60113                    Stanica :   MEDJURECJE            Kota "0" = 187.51  
Nacin osmat.: limnigraf        Reka     :   MRTVICA                km od usca =   .20  
Pocetak rada: 1948            Sliv     :   MORACE                    Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII					
1	9.44	3.30	3.90	34.5	37.1	28.5	19.5	2.15	16.6	1.42	41.7	78.6					
2	8.32	4.20	5.30	33.4	44.0	21.7	17.9	2.85	9.76	1.36	23.5	88.3					
3	7.84	4.86	5.96	25.9	28.0	17.0	13.9	2.70	6.40	1.30	17.9	66.2					
4	8.56	3.90	6.64	16.6	21.3	14.7	10.7	2.59	4.64	1.30	16.2	45.6					
5	7.60	3.45	6.88	15.4	19.9	11.7	8.32	2.48	3.90	1.36	13.1	29.5					
6	6.18	3.30	8.56	16.2	18.3	10.1	7.12	2.48	24.4	1.30	40.4	23.5					
7	5.52	3.15	12.0	22.1	18.7	8.56	6.18	2.70	35.1	1.30	30.1	18.7					
8	7.60	3.00	27.0	35.1	19.1	7.84	5.30	2.85	19.5	1.30	23.5	22.6					
9	21.7	2.70	29.0	25.4	18.3	7.36	4.42	2.59	12.0	1.24	17.9	53.7					
10	10.4	2.59	20.8	41.7	19.1	6.64	4.05	2.26	8.80	1.18	13.5	28.0					
11	7.36	2.59	24.4	43.2	19.1	11.7	3.90	2.04	6.64	1.18	10.4	25.4					
12	5.96	2.59	28.0	26.4	17.9	39.1	3.75	1.93	5.08	1.24	10.1	68.0					
13	5.74	2.48	19.5	19.1	17.4	29.5	3.45	3.60	4.05	1.18	29.5	69.9					
14	5.30	2.37	15.8	19.1	19.9	18.7	3.30	3.90	3.75	1.18	23.5	63.5					
15	6.64	2.26	12.8	19.9	23.5	15.8	3.15	3.15	3.60	1.18	17.4	49.4					
16	31.7	2.15	10.4	19.1	20.8	13.1	3.00	2.59	3.30	1.12	54.6	27.5					
17	33.4	2.15	9.12	16.2	19.1	11.0	2.85	4.42	3.00	1.12	39.7	19.5					
18	17.4	2.04	8.32	28.0	17.9	9.12	2.59	5.08	2.85	1.06	20.4	15.4					
19	12.0	2.04	7.36	25.4	16.6	8.08	2.48	6.40	2.48	1.06	16.6	12.4					
20	8.80	1.93	7.12	24.4	15.8	8.80	2.48	9.44	2.26	1.06	15.4	9.76					
21	7.12	1.93	7.84	19.5	16.2	8.56	2.37	7.12	2.15	1.06	13.5	8.32					
22	6.18	2.04	10.1	15.8	15.4	7.60	2.26	5.74	2.04	1.06	11.0	11.4					
23	5.74	2.04	12.0	12.0	14.7	6.64	2.26	4.64	1.93	1.00	9.76	12.4					
24	5.74	1.93	13.1	10.1	13.5	6.64	2.59	3.75	1.82	1.00	8.08	13.1					
25	5.74	1.93	14.3	8.56	11.7	7.36	2.37	3.45	1.71	.960	6.88	38.4					
26	5.30	1.93	15.0	8.32	12.0	8.32	2.15	3.15	1.60	1.00	6.64	20.4					
27	4.64	2.26	14.7	8.80	11.4	7.84	2.04	3.00	1.60	1.00	8.08	15.4					
28	4.20	3.30	13.5	8.80	11.0	12.0	2.04	2.70	1.60	1.30	10.1	69.9					
29	3.90		13.9	10.1	10.4	12.0	1.93	2.48	1.54	22.1	10.7	42.5					
30	3.60		16.2	7.84	54.6	10.7	1.82	2.37	1.48	47.9	16.2	22.1					
31	3.45		36.4		49.4		1.71	15.4		69.0		15.8					
SD1	9.32	3.45	12.6	26.6	24.4	13.4	9.74	2.57	14.1	1.31	23.8	45.5					
SD2	13.4	2.26	14.3	24.1	18.8	16.5	3.10	4.26	3.70	1.14	23.8	36.1					
SD3	5.06	2.17	15.2	11.0	20.0	8.77	2.14	4.89	1.75	13.4	10.1	24.5					
MAX	46.3	5.74	44.8	54.6	63.5	50.3	20.4	15.4	49.4	113	78.6	210					
DAT	17	3	31	8	30	12	1	31	7	31	16	2					
SR	9.13	2.66	14.1	20.6	21.0	12.9	4.90	3.94	6.52	5.54	19.2	35.0					
MIN	3.45	1.93	3.90	7.84	10.4	6.64	1.71	1.93	1.48	.960	6.64	8.32					
DAT	31	20	1	30	29	10	31	12	30	25	26	21					
-----																	
GMIN =			.960			SRGOD=			13.0			GMAX =			210		
DATUM			25 10									DATUM			2 12		
-----																	

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1960

Broj               : 60113                      Stanica :   MEDJURECJE            Kota "0" = 187.51  
Nacin osmat.: limnigraf              Reka     :   MRTVICA                km od usca =   .20  
Pocetak rada: 1948                    Sliv     :   MORACE                    Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII		
1	12.8	8.80	9.44	23.9	13.5	24.9	6.64	2.04	1.24	15.0	27.5	10.7		
2	10.4	7.36	9.44	19.1	13.9	28.5	6.18	2.04	1.24	9.12	17.4	11.0		
3	8.56	6.18	9.76	17.4	16.6	26.4	6.40	1.93	1.18	6.40	13.5	8.80		
4	7.60	5.30	9.76	15.8	13.9	23.5	7.12	1.93	1.12	4.20	10.1	7.36		
5	6.40	4.86	9.12	15.4	12.4	23.5	6.64	1.82	1.12	3.60	8.32	6.40		
6	5.52	4.42	8.32	15.0	17.0	21.7	5.30	1.71	1.12	3.30	271	5.74		
7	5.08	4.05	7.36	15.8	30.6	20.8	4.64	1.71	1.30	3.75	181	5.08		
8	4.64	3.60	6.64	17.0	30.1	20.4	4.42	1.60	1.24	16.2	74.6	6.40		
9	4.20	3.60	5.74	20.4	28.5	19.9	4.20	1.60	1.18	15.0	46.3	72.7		
10	4.20	3.15	5.08	22.6	29.5	20.4	4.20	1.71	1.18	9.44	49.4	137		
11	4.05	3.15	5.08	26.4	32.9	24.4	4.20	1.60	1.12	124	98.2	65.3		
12	4.20	3.00	9.44	29.5	32.3	25.4	3.90	1.54	1.12	45.6	54.6	41.7		
13	28.5	29.0	15.0	27.0	37.1	18.7	3.90	3.15	1.12	41.7	32.3	28.5		
14	15.8	19.5	11.4	35.1	39.1	16.6	3.90	3.30	1.06	45.6	24.9	22.1		
15	10.4	52.8	9.44	34.5	52.8	16.2	3.60	2.15	1.06	24.4	62.5	18.7		
16	7.60	51.1	10.7	32.3	49.4	15.8	3.45	1.82	1.06	48.6	38.4	21.7		
17	6.64	22.1	34.0	32.9	58.0	15.8	3.45	1.71	1.12	61.6	21.7	20.4		
18	7.12	58.0	34.0	28.5	54.6	15.4	3.30	1.60	1.06	39.1	17.0	19.9		
19	5.96	108	21.7	24.4	49.4	13.9	3.00	1.54	1.06	21.7	13.9	60.7		
20	5.08	78.6	17.4	29.5	49.4	12.8	3.00	1.54	1.00	15.8	124	37.7		
21	4.42	54.6	13.9	22.6	47.1	12.0	3.00	1.48	2.48	11.7	41.7	31.7		
22	4.20	46.3	11.4	22.1	48.6	11.4	2.85	1.42	2.48	36.4	21.7	67.1		
23	3.90	30.1	10.1	24.4	40.4	9.44	2.70	1.42	3.00	18.7	17.0	44.8		
24	3.75	31.7	8.56	23.0	36.4	8.32	2.59	1.36	2.26	14.7	13.5	24.9		
25	3.45	20.8	8.32	22.6	35.1	8.32	2.59	1.36	1.71	10.7	11.4	19.1		
26	3.45	16.6	7.84	17.9	36.4	7.36	2.48	1.30	1.48	8.56	9.12	15.0		
27	4.42	13.1	63.5	14.7	32.9	7.12	2.15	1.30	1.42	19.1	7.84	11.7		
28	8.32	11.4	57.1	16.6	27.5	7.84	2.15	1.24	1.36	13.5	7.36	9.76		
29	9.76	10.1	47.9	20.4	19.1	7.36	2.15	1.24	13.9	9.76	7.12	8.56		
30	10.7		43.2	15.8	18.7	6.64	2.15	1.24	39.1	25.4	19.9	7.84		
31	10.4		32.9		23.0		2.15	1.24		26.4		7.12		
SD1	6.94	5.13	8.07	18.2	20.6	23.0	5.57	1.81	1.19	8.60	69.9	27.1		
SD2	9.53	42.5	16.8	30.0	45.5	17.5	3.57	2.00	1.08	46.8	48.8	33.7		
SD3	6.07	26.1	27.7	20.0	33.2	8.58	2.45	1.33	6.92	17.7	15.7	22.5		
MAX	33.4	126	76.5	45.6	85.1	34.0	7.60	3.45	47.9	156	374	184		
DAT	13	19	27	14	17	2	4	14	30	11	6	10		
SR	7.47	24.5	17.9	22.8	33.1	16.4	3.82	1.70	3.06	24.2	44.8	27.6		
MIN	3.45	3.00	5.08	14.7	12.4	6.64	2.15	1.24	1.00	3.30	7.12	5.08		
DAT	25	12	10	27	5	30	27	28	20	6	29	7		
-----														
			GMIN =	1.00				SRGOD=	18.9				GMAX =	374
			DATUM	20 9									DATUM	6 11
-----														

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1961

Broj : 60113 Stanica : MEDJURECJE Kota "0" = 187.51  
Nacin osmat.: limnigraf Reka : MRTVICA km od usca = .20  
Pocetak rada: 1948 Sliv : MORACE Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	6.40	2.85	3.75	4.86	46.3	17.4	3.60	3.30	1.18	.960	7.36	19.5
2	5.74	3.90	3.60	5.30	32.9	7.84	3.30	2.85	1.12	.960	12.4	15.8
3	6.88	3.75	3.15	8.32	23.9	8.32	3.00	2.26	1.12	.960	8.80	12.0
4	12.8	3.45	2.70	10.4	19.1	8.56	2.85	2.04	1.12	.960	6.88	10.4
5	28.5	3.15	2.59	12.8	18.3	8.08	2.70	1.82	1.12	.920	131	8.56
6	16.2	2.85	2.48	15.8	17.9	7.36	2.70	2.26	1.12	.920	62.5	7.36
7	11.4	2.70	2.37	18.3	18.3	6.64	2.59	1.60	1.12	.920	40.4	41.7
8	9.12	2.59	2.48	20.8	17.9	8.80	2.48	1.48	1.12	1.00	46.3	24.9
9	7.60	2.48	3.00	23.5	15.4	10.7	3.00	1.42	1.12	1.12	36.4	15.8
10	6.64	2.37	3.60	23.9	17.9	8.80	5.08	1.42	1.12	1.06	23.5	11.7
11	5.96	2.26	4.86	19.5	17.0	20.8	3.75	1.36	1.18	1.00	91.6	9.12
12	5.96	2.26	6.88	17.9	14.3	19.1	3.30	1.30	1.18	.960	80.8	7.36
13	12.0	2.26	8.56	21.3	13.5	14.7	3.15	1.30	1.12	.960	53.7	6.40
14	9.12	2.26	8.80	20.8	12.4	11.0	3.00	1.36	1.12	.960	40.4	5.96
15	7.60	2.15	8.08	19.1	12.0	8.80	2.48	1.36	1.12	.920	26.4	5.30
16	6.64	2.04	9.44	19.1	12.4	8.80	2.37	1.30	1.12	.920	18.3	4.64
17	5.96	2.04	10.4	20.8	15.0	8.08	2.15	1.42	1.06	.920	15.0	4.05
18	5.08	2.37	10.4	23.5	24.9	6.88	2.15	1.60	1.06	4.05	12.4	3.90
19	4.64	2.59	10.7	24.9	18.3	6.18	1.93	1.48	1.06	1.97	9.76	3.45
20	4.42	2.70	10.4	27.0	32.3	5.30	1.93	1.42	1.06	1.13	8.32	3.30
21	4.05	3.00	12.4	18.7	28.5	4.86	1.82	1.36	1.06	76.5	6.40	3.15
22	3.90	3.00	16.6	15.8	24.9	4.64	1.71	1.30	1.00	51.1	5.96	3.15
23	3.75	3.15	13.1	16.6	25.4	7.12	1.71	1.30	1.00	37.7	4.86	2.85
24	3.75	3.30	8.80	42.5	18.7	7.36	1.60	1.24	.960	17.4	4.05	2.85
25	3.90	3.45	7.12	43.2	17.0	5.30	1.54	1.24	.960	11.4	7.12	2.85
26	4.05	3.45	6.18	24.9	15.0	4.42	1.48	1.24	.960	8.56	78.6	2.59
27	3.60	3.45	5.74	31.2	12.8	4.05	1.48	1.18	.960	6.64	36.4	3.00
28	3.30	3.60	6.18	27.0	11.4	4.05	1.48	1.24	.920	5.30	82.9	69.0
29	3.00		5.96	20.4	10.4	5.52	1.42	1.24	.960	4.20	58.0	45.6
30	3.00		5.08	41.7	9.76	3.90	3.30	1.18	.960	3.75	31.2	19.5
31	3.00		4.86		8.32		4.05	1.18		18.3		13.1
SD1	11.1	3.01	2.97	14.4	22.8	9.25	3.13	2.04	1.13	.978	37.6	16.8
SD2	6.74	2.29	8.85	21.4	17.2	11.0	2.62	1.39	1.11	32.1	35.7	5.35
SD3	3.57	3.30	8.37	28.2	16.6	5.12	1.96	1.25	.974	21.9	31.5	15.2
MAX	45.6	4.64	21.3	61.6	69.9	36.4	5.52	3.75	1.18	262	171	105
DAT	5	2	22	25	1	11	10	1	1	19	5	28
SR	7.03	2.84	6.78	21.3	18.8	8.45	2.55	1.55	1.07	18.4	34.9	12.5
MIN	3.00	2.04	2.37	4.86	8.32	3.90	1.42	1.18	.920	.920	4.05	2.59
DAT	29	16	7	1	31	30	29	27	28	5	24	26
-----												
GMIN = .920			SRGOD= 11.4					GMAX = 262				
DATUM 28 9								DATUM 19 10				
-----												

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1962

Broj               : 60113                    Stanica :   MEDJURECJE            Kota "0" = 187.51  
Nacin osmat.: limnigraf        Reka     :   MRTVICA                km od usca =   .20  
Pocetak rada: 1948            Sliv     :   MORACE                    Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	9.76	2.48	5.30	71.8	25.9	20.4	3.45	1.42	.840	1.54	3.90	21.3
2	8.56	2.37	8.56	58.0	19.5	19.9	3.75	1.42	.840	1.36	32.9	16.2
3	9.76	2.26	5.96	42.5	16.6	17.4	3.30	1.30	.840	1.18	23.0	12.8
4	11.4	2.04	9.12	26.4	15.0	15.4	3.30	1.24	.840	1.06	13.5	10.1
5	8.56	1.93	43.2	70.9	14.7	12.0	12.4	1.24	.840	1.00	8.56	8.32
6	6.88	1.82	205	40.4	20.8	9.76	6.40	1.24	.800	.960	7.12	7.12
7	5.74	1.71	85.1	21.7	26.4	8.32	4.64	1.18	.800	.920	27.0	6.18
8	4.42	1.60	51.1	15.8	29.5	6.64	4.05	1.18	.800	.880	15.4	5.08
9	4.05	1.60	29.0	15.0	36.4	6.18	3.60	1.18	.800	.840	11.4	4.42
10	3.75	1.71	16.2	15.0	44.0	5.08	3.30	1.12	.800	.840	49.4	4.05
11	3.45	2.85	12.0	15.0	47.9	4.64	3.00	1.06	.800	.840	22.6	4.05
12	3.30	2.48	25.4	16.2	43.2	5.96	2.85	1.06	.800	.800	28.5	3.75
13	8.32	2.26	16.6	12.0	40.4	5.30	3.45	1.06	.760	.800	17.4	3.45
14	5.96	44.8	12.0	11.7	41.7	5.52	3.90	1.06	.760	.800	19.5	58.0
15	14.7	15.4	9.76	10.1	64.4	7.36	3.60	1.06	.760	.880	15.0	23.5
16	40.4	8.32	8.08	10.7	44.8	6.88	3.30	1.00	.760	1.36	28.5	14.3
17	17.4	5.96	6.40	15.0	32.3	9.12	3.30	1.00	.760	24.9	27.5	40.4
18	12.4	4.42	5.08	14.7	30.6	9.76	3.60	.960	.800	13.1	17.0	19.1
19	11.4	3.60	4.64	19.9	30.1	10.4	5.08	.960	.960	7.36	70.9	13.1
20	8.56	3.00	4.42	25.4	30.6	8.80	3.60	.960	.840	4.64	181	9.12
21	7.36	2.59	4.42	28.5	31.7	7.36	3.00	.960	2.26	3.90	124	7.12
22	5.96	2.48	56.3	30.1	28.0	6.40	3.00	.960	1.30	3.30	65.3	5.96
23	5.08	2.26	30.1	26.4	26.4	5.96	2.70	.920	1.06	2.70	50.3	4.64
24	4.64	2.04	22.1	28.5	25.9	5.30	2.59	.920	.960	2.48	76.5	4.05
25	4.05	2.04	29.5	29.5	23.0	4.64	2.26	.920	.880	2.04	51.1	3.75
26	3.75	1.71	58.0	32.3	23.9	4.05	1.93	.920	.880	1.82	27.0	3.60
27	3.45	1.60	30.6	34.0	22.6	4.20	1.71	.880	.920	1.60	18.3	3.45
28	3.30	1.71	18.7	33.4	22.6	4.20	1.60	.880	.920	1.48	14.7	3.30
29	3.30		14.3	29.5	22.1	4.64	1.71	.880	1.30	1.48	19.9	3.15
30	2.70		11.0	29.0	21.7	3.90	1.60	.880	2.26	3.00	22.1	17.9
31	2.70		9.76		22.1		1.48	.840		3.00		70.9
SD1	7.29	1.95	45.9	37.8	24.9	12.1	4.82	1.25	.820	1.06	19.2	9.56
SD2	12.6	9.31	10.4	15.1	40.6	7.37	3.57	1.02	.800	5.55	42.8	18.9
SD3	4.21	2.05	25.9	30.1	24.5	5.07	2.14	.905	1.27	2.44	46.9	11.6
MAX	51.1	58.0	271	87.2	79.7	22.1	14.3	1.42	2.37	30.6	235	88.3
DAT	16	14	6	1	15	1	5	1	21	17	20	31
SR	7.91	4.61	27.3	27.6	29.8	8.18	3.47	1.05	.965	3.00	36.3	13.3
MIN	2.70	1.60	4.42	10.1	14.7	3.90	1.48	.840	.760	.800	3.90	3.15
DAT	30	8	20	15	5	30	31	31	13	12	1	29
-----												
GMIN =			.760	SRGOD=				13.7	GMAX =			271
DATUM			13 9						DATUM			6 3
-----												

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1963

Broj : 60113 Stanica : MEDJURECJE Kota "0" = 187.51  
Nacin osmat.: limnigraf Reka : MRTVICA km od usca = .20  
Pocetak rada: 1948 Sliv : MORACE Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	51.1	3.60	3.30	8.32	31.2	36.4	9.44	2.48	6.40	2.37	1.18	14.3
2	32.9	3.45	3.00	7.12	34.0	38.4	8.80	2.48	3.45	1.93	1.12	8.08
3	27.0	10.1	2.85	5.96	35.1	33.4	8.32	2.26	2.59	7.84	1.12	6.40
4	41.0	11.0	2.70	4.86	62.5	30.6	7.84	2.15	2.37	15.4	1.12	5.30
5	25.4	15.0	2.48	4.64	68.0	29.0	9.44	2.04	1.82	32.3	23.0	47.1
6	55.4	11.0	2.26	4.42	52.8	28.5	8.80	2.04	1.60	29.5	51.1	34.5
7	98.2	7.12	2.26	4.64	41.0	27.0	8.32	2.04	1.54	24.9	70.9	19.1
8	104	5.96	2.15	5.30	39.1	24.4	6.88	2.04	1.93	10.4	41.0	14.3
9	56.3	5.30	2.26	4.86	39.1	23.0	6.18	1.82	16.6	7.36	20.4	10.4
10	33.4	4.64	2.85	4.86	42.5	24.4	5.52	1.93	13.5	5.52	12.8	7.60
11	34.0	4.42	7.36	7.36	42.5	40.4	4.64	1.93	7.60	4.20	9.12	6.18
12	43.2	8.56	8.56	30.1	42.5	48.6	8.80	1.82	4.64	3.45	6.88	6.64
13	52.8	12.8	17.0	31.7	46.3	38.4	11.4	1.60	3.15	3.15	6.18	21.7
14	30.6	8.08	12.0	28.0	47.1	30.6	7.60	1.54	2.59	3.00	13.9	13.1
15	19.1	5.52	8.56	25.9	41.7	26.4	6.64	1.48	2.37	2.70	18.3	14.7
16	15.0	4.42	6.64	23.9	39.1	27.5	6.18	1.42	2.15	2.48	23.0	226
17	11.4	43.2	5.52	24.4	42.5	23.0	5.30	1.42	2.04	2.37	16.6	127
18	9.44	51.1	5.08	28.0	41.7	20.4	4.42	1.42	1.71	2.15	13.9	65.3
19	15.4	25.4	4.64	30.6	41.0	17.9	4.05	1.42	1.60	1.82	15.0	43.2
20	46.3	29.5	4.86	29.5	41.7	15.8	4.86	1.36	1.48	1.71	8.56	65.3
21	23.9	17.0	8.80	32.9	37.1	14.7	4.86	1.30	1.42	1.60	7.12	125
22	16.2	11.0	9.12	34.0	35.1	15.0	4.86	1.30	1.36	1.48	5.96	86.1
23	12.0	7.84	10.1	37.1	36.4	15.8	4.05	1.30	1.30	1.42	5.08	55.4
24	9.76	5.96	7.84	39.1	35.8	15.4	3.60	1.24	1.30	1.36	4.20	35.8
25	7.84	4.86	5.96	39.7	36.4	14.7	3.30	1.18	1.24	1.36	3.90	22.6
26	6.40	4.42	4.86	37.1	37.1	13.1	3.00	1.18	4.20	1.30	3.45	19.1
27	5.96	3.90	4.86	37.1	41.7	12.0	2.70	1.18	6.18	1.30	22.1	18.3
28	4.86	3.60	5.08	39.1	40.4	11.4	2.70	1.18	4.05	1.30	32.3	16.6
29	4.42		5.96	35.1	36.4	10.4	2.70	1.12	3.15	1.30	23.9	14.3
30	4.05		6.64	30.6	34.0	10.1	2.59	1.71	2.59	1.24	15.0	12.8
31	3.90		9.44		32.3		2.48	12.8		1.18		11.4
SD1	52.5	7.72	2.61	5.50	44.5	29.5	7.95	2.13	5.18	13.8	22.4	16.7
SD2	27.7	19.3	8.02	25.9	42.6	28.9	6.39	1.54	2.93	2.70	13.1	58.9
SD3	9.03	7.32	7.15	36.2	36.6	13.3	3.35	2.32	2.68	1.35	12.3	37.9
MAX	156	116	19.5	55.4	77.6	66.2	17.4	15.0	21.7	41.0	147	415
DAT	7	18	13	25	5	12	13	31	9	5	7	16
SR	29.1	11.7	5.97	22.5	41.1	23.9	5.82	2.01	3.60	5.79	15.9	37.9
MIN	3.90	3.45	2.15	4.42	31.2	10.1	2.48	1.12	1.24	1.18	1.12	5.30
DAT	31	2	8	6	1	30	31	29	25	31	2	4
GMIN =		1.12		SRGOD=		17.2		GMAX =		415		
DATUM		29 8						DATUM		16 12		



ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1964

Broj : 60113 Stanica : MEDJURECJE Kota "0" = 187.51  
Nacin osmat.: limnigraf Reka : MRTVICA km od usca = .20  
Pocetak rada: 1948 Sliv : MORACE Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	10.1	3.15	6.40	49.4	19.5	17.9	11.7	4.42	2.70	2.70	11.0	100
2	9.12	3.00	5.96	35.1	18.7	16.6	9.76	4.20	3.45	2.59	34.0	51.1
3	8.32	3.00	5.08	27.5	19.1	15.8	8.08	4.05	3.90	2.48	49.4	34.0
4	7.60	3.00	4.86	30.6	20.8	14.3	7.12	3.75	3.75	2.04	30.6	31.7
5	7.12	3.00	4.64	61.6	23.5	13.1	6.18	3.60	3.45	1.60	23.0	19.5
6	6.64	2.85	4.42	34.5	24.9	11.7	5.96	3.45	3.30	1.48	34.0	14.3
7	6.64	2.85	4.42	21.7	20.4	11.0	5.52	3.30	3.15	1.36	24.4	11.4
8	6.40	2.85	4.42	17.9	19.9	11.0	5.30	3.15	3.45	1.36	17.9	9.44
9	6.18	2.85	4.86	17.0	20.8	12.0	5.08	3.15	3.45	63.5	29.5	8.32
10	5.74	2.70	5.52	13.9	20.4	11.0	4.86	3.90	3.15	52.0	27.5	7.36
11	5.52	2.70	5.74	12.0	21.7	9.76	5.74	4.64	3.00	157	19.1	6.88
12	5.30	2.70	5.74	11.0	23.9	8.80	15.8	5.52	2.85	104	16.6	6.64
13	5.08	2.70	5.96	11.4	23.0	8.32	14.7	4.42	2.70	70.9	20.4	6.40
14	5.08	2.70	5.52	14.3	21.7	7.60	10.4	3.75	2.59	91.6	18.3	6.18
15	4.86	2.59	7.84	16.6	23.9	6.88	8.08	3.45	2.48	76.5	15.0	5.96
16	4.64	2.59	45.6	15.8	29.0	6.40	6.64	3.60	2.37	46.3	12.4	5.74
17	4.42	2.59	22.6	17.0	19.5	7.60	5.96	4.05	2.37	27.0	10.4	9.12
18	4.20	7.36	14.7	18.3	17.0	14.7	5.52	3.90	2.37	27.0	8.80	47.1
19	4.05	20.8	11.0	19.9	17.9	17.9	5.30	3.75	2.48	34.0	7.84	79.7
20	3.90	75.6	10.1	19.5	19.5	15.8	4.86	3.90	2.37	23.5	6.64	114
21	3.75	30.6	19.1	20.4	20.8	18.7	4.64	3.90	2.59	21.7	5.96	59.8
22	3.60	15.4	84.0	19.9	25.4	13.5	4.42	3.60	4.42	22.6	5.52	35.8
23	3.45	10.7	44.8	20.4	19.5	13.5	5.30	3.45	4.42	20.4	5.08	21.7
24	3.45	8.08	23.0	21.7	17.0	16.2	6.18	3.45	3.90	32.3	4.86	17.0
25	3.30	6.88	16.6	41.7	15.8	26.4	5.30	3.30	3.75	44.0	4.64	14.7
26	3.30	6.18	13.5	24.9	15.0	20.4	4.86	3.15	3.45	42.5	4.42	37.7
27	3.30	5.96	12.8	17.4	16.2	15.0	4.64	3.15	3.30	47.9	4.20	46.3
28	3.15	5.96	16.2	16.2	16.2	13.5	4.42	3.00	3.30	34.5	4.05	27.5
29	3.15	5.74	39.7	17.4	15.0	18.3	4.86	2.85	3.00	20.8	7.36	30.6
30	3.15		24.4	19.1	17.4	13.9	5.96	2.85	2.85	16.2	99.5	43.2
31	3.15		23.5		17.4		4.86	2.70		12.8		24.9
SD1	7.39	2.93	5.06	30.9	20.8	13.4	6.96	3.70	3.38	13.1	28.1	28.7
SD2	4.71	12.2	13.5	15.6	21.7	10.4	8.30	4.10	2.56	65.8	13.5	28.8
SD3	3.34	10.6	28.9	21.9	17.8	16.9	5.04	3.22	3.50	28.7	14.6	32.7
MAX	10.7	114	104	86.1	31.2	22.6	20.4	5.96	4.64	287	165	190
DAT	1	20	22	5	22	1	12	12	3	11	30	20
SR	5.09	8.52	16.2	22.8	20.0	13.6	6.71	3.66	3.14	35.6	18.7	30.1
MIN	3.15	2.59	4.42	11.0	15.0	6.40	4.42	2.70	2.37	1.36	4.05	5.74
DAT	28	15	6	12	26	16	22	31	16	7	28	16
GMIN =		1.36		SRGOD=		15.4		GMAX =		287		
DATUM		7 10						DATUM		11 10		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1965

Broj : 60113 Stanica : MEDJURECJE Kota "0" = 187.51  
Nacin osmat.: limnigraf Reka : MRTVICA km od usca = .20  
Pocetak rada: 1948 Sliv : MORACE Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	17.0	25.9	2.59	8.08	16.6	56.3	13.1	2.26	2.59	3.00	1.12	164
2	13.1	34.5	39.1	7.12	15.0	52.0	12.4	2.48	2.37	2.59	1.12	72.1
3	11.4	19.5	74.6	6.40	15.8	44.0	11.7	2.37	2.26	2.37	1.12	39.7
4	10.1	13.9	29.0	7.36	18.7	37.7	11.0	2.26	2.04	2.26	1.12	24.1
5	8.56	10.7	17.4	9.76	22.6	50.3	11.0	2.15	1.93	2.04	1.12	20.0
6	7.36	8.56	17.0	11.4	35.8	61.6	10.4	2.04	1.93	1.82	1.06	16.6
7	6.64	7.12	12.8	11.4	25.4	48.6	8.08	2.04	2.48	1.71	1.06	14.7
8	6.18	6.18	9.44	16.6	20.4	39.1	7.36	1.93	2.26	1.60	1.06	51.5
9	5.74	5.74	7.84	51.1	23.0	35.8	6.88	1.93	2.15	1.54	1.06	97.3
10	5.30	5.30	6.64	87.2	25.9	37.1	6.40	1.82	1.93	1.48	1.06	132
11	5.08	4.86	5.74	52.0	25.4	37.7	5.96	1.82	1.82	1.42	12.9	154
12	4.86	4.64	5.30	35.1	21.3	36.4	5.30	1.71	1.93	1.36	24.6	80.7
13	4.64	4.20	5.08	27.0	17.9	38.4	5.08	1.71	5.74	1.30	50.5	51.5
14	4.42	4.05	4.86	27.0	19.9	31.7	4.86	1.60	5.30	1.42	77.4	27.1
15	4.20	3.90	5.08	21.7	25.4	33.4	4.86	1.60	3.90	1.42	38.2	20.0
16	4.05	3.75	5.52	17.4	29.0	30.1	4.64	1.60	3.45	1.36	20.6	16.2
17	3.90	3.60	6.18	14.7	38.4	28.5	4.42	1.60	3.00	1.36	14.3	13.4
18	3.90	3.30	6.40	13.1	48.6	34.0	4.20	1.60	2.48	1.36	14.3	10.3
19	4.42	3.30	6.64	14.3	56.3	32.3	4.05	1.60	2.26	1.36	35.3	8.90
20	5.52	3.15	6.64	18.7	59.8	29.0	3.90	1.54	2.26	1.30	71.0	7.88
21	5.08	3.15	7.12	34.5	56.3	26.4	3.75	1.54	2.04	1.30	74.2	7.20
22	5.08	3.00	8.08	23.9	56.3	27.0	3.60	1.48	1.93	1.24	115	6.64
23	4.64	3.00	9.44	17.4	57.1	26.4	3.45	1.48	1.82	1.24	74.2	5.80
24	4.20	2.85	19.5	13.5	47.1	24.4	3.30	1.71	1.71	1.24	48.6	5.52
25	4.05	2.85	21.3	11.4	82.9	23.0	3.30	15.8	1.60	1.24	25.8	8.90
26	3.90	2.85	16.2	10.1	45.6	21.7	3.15	11.4	1.54	1.18	18.6	11.5
27	3.60	2.70	13.5	10.1	41.7	19.1	3.00	6.64	1.82	1.18	21.7	8.22
28	3.45	2.70	11.4	14.3	48.6	17.9	2.85	4.05	2.85	1.12	106	64.9
29	3.60		9.44	34.5	71.8	17.0	2.70	3.60	2.85	1.12	55.2	88.5
30	9.44		8.80	20.8	54.6	15.0	2.48	3.30	3.15	1.12	56.2	46.9
31	27.0		8.56		47.1		2.37	3.15		1.12		25.8
SD1	9.14	13.7	21.6	21.6	21.9	46.3	9.83	2.13	2.19	2.04	1.09	63.2
SD2	4.50	3.88	5.74	24.1	34.2	33.2	4.73	1.64	3.21	1.37	35.9	39.0
SD3	6.73	2.89	12.1	19.0	55.4	21.8	3.09	4.92	2.13	1.19	59.5	25.4
MAX	28.0	45.6	133	102	92.7	69.9	14.3	18.7	7.12	3.15	265	277
DAT	31	2	3	10	25	1	1	25	13	1	22	1
SR	6.79	7.12	13.1	21.6	37.8	33.7	5.79	2.96	2.51	1.52	32.2	42.0
MIN	3.45	2.70	2.59	6.40	15.0	15.0	2.37	1.48	1.54	1.12	1.06	5.52
DAT	28	27	1	3	2	30	31	22	26	28	6	24
GMIN =			1.06	SRGOD=			17.3	GMAX =			277	
DATUM			6 11					DATUM			1 12	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1966

Broj           : 60113                    Stanica :   MEDJURECJE            Kota "0" = 187.51  
Nacin osmat.: limnigraf            Reka     :   MRTVICA                km od usca =   .20  
Pocetak rada: 1948                Sliv     :   MORACE                    Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	16.2	2.69	12.4	10.3	50.5	17.6	10.3	6.08	31.0	50.5	27.1	10.3
2	11.5	2.88	12.0	8.56	49.6	20.6	7.54	5.24	14.3	27.1	19.5	24.1
3	9.92	3.26	10.6	7.20	46.1	21.7	6.36	4.40	7.54	36.0	19.0	111
4	8.90	3.07	9.92	6.64	44.5	17.6	5.52	4.21	5.52	21.7	17.1	53.3
5	7.54	3.07	9.92	6.64	42.9	18.6	4.96	4.02	4.40	13.4	41.3	27.8
6	6.36	2.88	10.3	7.20	41.3	17.6	4.68	3.64	4.02	9.58	43.7	19.5
7	5.52	2.88	8.90	8.90	39.0	18.1	4.68	3.45	3.64	7.54	24.1	16.6
8	5.24	3.07	7.88	11.5	35.3	18.6	9.24	3.45	3.07	6.08	16.6	13.8
9	4.68	3.07	7.20	12.9	29.7	18.6	11.1	3.26	2.69	5.52	13.8	11.5
10	4.68	5.80	6.36	25.2	39.7	18.1	7.88	3.07	2.50	13.4	11.1	9.92
11	4.21	30.3	5.80	42.1	62.0	17.6	6.36	2.69	2.24	16.6	9.24	8.90
12	12.0	87.4	5.80	34.5	39.0	18.6	5.80	2.50	2.24	11.1	26.4	8.56
13	10.3	34.5	13.8	28.4	30.3	17.6	5.24	2.50	2.11	19.0	25.2	29.0
14	6.36	24.6	11.1	29.0	31.6	16.2	4.96	2.37	2.11	27.1	22.3	46.9
15	4.96	24.1	8.56	33.0	34.5	15.7	4.68	2.24	1.98	15.7	17.1	22.9
16	5.52	14.3	7.20	38.2	35.3	15.2	4.40	2.24	1.85	12.0	13.8	16.2
17	12.4	11.5	6.08	66.8	36.0	16.6	4.40	2.24	1.72	8.90	15.7	12.4
18	12.4	12.9	5.52	46.1	34.5	19.0	4.02	2.11	1.72	6.92	27.8	9.92
19	8.22	10.6	5.24	36.7	30.3	15.7	3.83	1.98	2.37	6.08	31.6	8.56
20	5.80	9.58	4.96	34.5	27.8	14.3	3.64	1.85	2.50	5.24	28.4	7.54
21	4.68	12.0	4.40	36.0	29.7	12.0	3.64	1.85	2.11	12.0	21.2	6.92
22	4.02	12.4	4.21	39.7	29.7	10.3	3.64	1.85	1.98	21.7	14.7	6.36
23	3.64	13.8	4.21	40.5	29.7	9.24	3.83	1.72	1.85	13.8	12.4	5.80
24	5.52	66.8	4.02	39.0	27.1	8.90	9.58	1.85	1.72	9.92	39.7	5.52
25	4.96	33.8	4.02	39.0	30.3	8.22	11.5	1.72	1.59	8.22	46.1	5.24
26	4.02	19.0	4.68	39.7	29.0	7.54	9.92	1.85	1.59	29.7	22.9	4.96
27	3.64	13.4	5.24	43.7	31.0	6.64	8.22	2.11	1.59	85.2	17.6	4.96
28	3.45	12.4	5.52	42.9	46.9	5.80	6.64	1.85	1.59	64.9	13.8	4.68
29	3.07		16.2	39.7	31.0	5.52	6.64	1.72	1.46	62.9	11.5	4.40
30	2.88		20.6	45.3	20.6	11.5	8.22	1.72	2.24	56.2	12.0	4.40
31	2.69		14.3		18.1		7.88	4.02		42.1		4.21
SD1	8.05	3.27	9.55	10.5	41.9	18.7	7.23	4.08	7.87	19.1	23.3	29.8
SD2	8.22	26.0	7.41	38.9	36.1	16.6	4.73	2.27	2.08	12.9	21.8	17.1
SD3	3.87	22.9	7.95	40.5	29.4	8.57	7.25	2.02	1.77	37.0	21.2	5.22
MAX	18.6	108	25.8	79.6	82.9	24.1	13.8	39.7	53.3	135	87.4	196
DAT	1	12	13	17	11	3	9	1	1	27	6	3
SR	6.62	17.0	8.29	30.0	35.6	14.6	6.43	2.77	3.91	23.4	22.1	17.0
MIN	2.69	2.69	4.02	6.64	18.1	5.52	3.64	1.72	1.46	5.24	9.24	4.21
DAT	31	1	24	4	31	29	20	23	29	20	11	31
GMIN =		1.46		SRGOD=		15.6		GMAX =		196		
DATUM		29 9						DATUM		3 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1967

Broj : 60113 Stanica : MEDJURECJE Kota "0" = 187.51  
Nacin osmat.: limnigraf Reka : MRTVICA km od usca = .20  
Pocetak rada: 1948 Sliv : MORACE Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	4.02	3.26	4.02	15.7	27.8	26.4	7.20	2.50	1.20	2.11	1.46	32.3
2	3.83	3.45	5.52	15.7	29.7	22.9	6.92	2.50	1.20	1.98	1.46	15.2
3	4.21	3.45	6.92	16.2	49.6	19.0	6.36	2.37	1.33	1.85	1.33	10.3
4	4.68	3.45	5.80	12.0	54.3	19.5	6.92	2.69	1.20	1.85	1.33	7.88
5	4.21	4.02	5.24	10.3	46.9	18.6	7.20	2.37	1.20	9.24	1.46	6.36
6	11.5	3.83	5.80	8.22	39.7	17.1	7.88	2.24	1.20	35.3	1.98	5.52
7	11.1	3.64	5.80	19.0	41.3	18.1	6.92	2.24	1.20	16.2	25.8	4.96
8	6.64	3.64	5.80	29.0	43.7	18.6	5.80	2.11	1.11	9.58	33.0	6.36
9	5.52	3.45	6.08	25.8	45.3	18.6	5.24	2.11	1.11	6.92	18.1	9.92
10	4.96	3.07	6.64	24.6	49.6	17.1	9.24	2.11	1.20	7.20	11.1	8.56
11	4.21	2.88	8.22	27.8	51.5	16.6	15.2	1.98	1.20	7.20	7.88	6.92
12	4.02	2.88	12.0	31.6	53.3	15.7	11.5	1.98	1.20	6.92	6.36	12.0
13	3.64	2.50	12.4	37.5	52.4	15.7	8.22	1.98	1.20	3.64	4.96	13.4
14	3.45	2.37	12.4	67.9	46.1	15.7	6.64	1.98	1.20	3.26	4.21	10.3
15	3.26	2.37	9.92	64.9	44.5	18.1	5.80	1.85	1.20	2.88	4.02	7.54
16	3.26	2.24	7.88	49.6	42.1	16.2	5.24	1.85	2.88	2.69	3.83	6.36
17	3.07	2.11	6.36	39.0	33.8	14.3	5.24	1.72	4.21	2.50	3.45	5.52
18	3.07	2.11	5.80	35.3	41.3	12.4	4.68	1.72	4.68	2.37	3.07	4.96
19	3.07	2.88	5.52	29.0	40.5	11.5	4.40	1.72	3.83	2.24	3.07	4.40
20	2.88	3.07	4.96	21.2	34.5	12.0	4.21	1.72	3.45	2.24	2.69	4.21
21	2.69	2.88	4.40	20.6	33.8	13.8	4.21	2.11	3.26	2.11	2.50	4.02
22	2.69	3.26	4.21	31.0	34.5	12.9	4.02	1.72	2.88	1.98	2.37	3.83
23	2.50	3.64	4.02	41.3	31.0	11.5	3.64	1.59	6.08	1.85	2.24	3.45
24	2.88	3.45	4.21	29.7	36.0	10.6	3.64	1.59	7.20	1.72	2.11	3.07
25	8.56	3.26	4.21	18.1	39.7	9.58	3.64	1.59	4.96	1.72	1.98	16.6
26	5.80	3.07	4.21	15.2	27.8	9.58	3.45	1.46	3.83	1.59	1.98	89.8
27	4.21	3.07	4.40	12.0	24.1	8.56	3.26	1.46	3.45	1.59	1.85	110
28	3.83	3.07	4.68	13.4	22.3	8.22	3.07	1.46	2.88	1.59	2.11	51.5
29	3.83		8.56	29.7	29.0	7.54	2.88	1.33	2.50	1.46	28.4	21.7
30	3.26		33.8	32.3	27.8	7.54	2.69	1.33	2.24	1.46	62.9	31.0
31	3.26		17.6		29.7		2.69	1.20		1.46		46.9
SD1	6.07	3.53	5.76	17.7	42.8	19.6	6.97	2.32	1.19	9.22	9.70	10.7
SD2	3.39	2.54	8.55	40.4	44.0	14.8	7.11	1.85	2.51	3.59	4.35	7.56
SD3	3.96	3.21	8.57	24.3	30.5	9.98	3.38	1.53	3.93	1.68	10.8	34.7
MAX	25.2	4.02	112	75.3	59.0	29.7	18.1	2.50	7.88	47.7	80.7	214
DAT	6	2	30	14	4	1	11	1	24	6	30	27
SR	4.46	3.08	7.66	27.5	38.8	14.8	5.74	1.89	2.54	4.73	8.30	18.2
MIN	2.50	2.11	4.02	8.22	22.3	7.54	2.69	1.20	1.11	1.46	1.33	3.07
DAT	23	17	1	6	28	29	30	31	8	29	3	24
GMIN =			1.11	SRGOD=			11.5	GMAX =			214	
DATUM			8 9					DATUM			27 12	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1968

Broj               : 60113                      Stanica :   MEDJURECJE            Kota "0" = 187.51  
Nacin osmat.: limnigraf            Reka     :   MRTVICA                km od usca =   .20  
Pocetak rada: 1948                Sliv      :   MORACE                    Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	42.1	2.69	8.90	21.2	43.7	18.1	4.21	1.72	9.58	4.21	2.69	6.08
2	46.9	2.88	7.20	18.6	32.3	14.3	4.02	1.72	7.54	4.02	2.50	5.80
3	20.6	3.07	6.08	19.5	39.0	12.9	4.02	1.85	6.36	3.83	2.37	5.52
4	13.8	3.07	5.24	31.6	39.7	12.0	3.83	4.21	4.96	3.45	33.8	5.24
5	10.3	3.26	4.68	31.6	39.7	11.5	3.83	4.02	4.68	3.07	29.0	4.96
6	8.22	3.64	4.40	31.6	39.7	11.5	3.64	2.88	5.80	2.88	29.7	4.40
7	16.2	3.83	4.96	33.8	39.7	10.6	3.64	2.50	5.80	2.69	14.3	4.21
8	18.6	6.64	5.24	33.0	40.5	9.58	4.02	2.69	4.68	2.69	9.24	4.21
9	9.92	8.56	4.68	31.6	38.2	8.90	3.26	2.88	4.21	2.69	10.6	4.40
10	7.54	8.56	4.68	27.1	33.8	9.24	3.07	3.07	4.02	2.50	78.5	6.64
11	6.36	8.56	5.52	20.6	29.0	20.6	2.88	2.69	3.83	2.37	62.0	5.80
12	5.52	7.88	5.52	18.1	31.0	22.3	2.88	2.69	3.83	2.24	39.0	5.24
13	4.68	6.36	4.40	16.2	30.3	16.2	2.69	13.4	4.40	2.24	24.6	4.96
14	4.68	5.80	4.02	16.2	39.0	17.6	2.69	9.58	8.22	1.98	12.9	4.68
15	4.21	6.08	3.83	19.5	32.3	15.7	2.50	16.6	6.36	1.85	11.5	4.40
16	4.02	16.2	3.64	26.4	28.4	15.2	2.37	11.5	5.80	1.72	73.2	4.21
17	3.83	18.1	4.68	31.0	27.8	14.7	2.37	7.20	4.02	1.72	217	6.64
18	3.83	15.2	4.68	39.7	22.9	15.7	2.69	5.52	4.40	1.85	312	80.7
19	4.40	9.92	4.40	41.3	19.0	14.3	2.88	6.08	39.7	1.85	169	248
20	4.21	7.54	4.68	32.3	20.0	12.4	2.50	7.54	30.3	1.85	116	172
21	4.02	6.36	4.68	37.5	18.6	9.92	2.69	6.64	15.2	1.98	93.5	68.9
22	3.64	5.80	32.3	36.7	19.5	8.56	3.45	5.24	11.5	1.85	57.1	42.9
23	3.45	5.80	45.3	34.5	18.1	7.54	3.45	4.68	10.6	1.85	38.2	24.6
24	3.45	7.54	28.4	36.0	17.1	6.64	2.88	4.40	8.90	1.72	26.4	16.2
25	3.64	12.4	22.3	39.0	16.6	6.08	2.50	4.02	7.54	2.37	22.3	13.4
26	3.45	19.0	19.5	40.5	16.6	5.80	2.37	3.64	6.64	2.88	18.6	10.6
27	3.26	18.6	18.1	39.7	16.2	5.24	2.24	6.08	5.52	3.26	16.6	9.24
28	3.07	14.3	16.6	39.0	15.2	4.68	2.11	6.64	4.68	4.40	11.5	7.54
29	2.88	10.6	17.1	39.0	15.2	4.40	1.98	6.64	4.40	4.02	10.6	7.20
30	2.69		18.6	44.5	13.8	4.40	1.72	4.96	4.21	3.45	9.58	6.64
31	2.69		20.6		20.6		1.72	8.56		2.88		5.52
SD1	19.4	4.62	5.61	28.0	38.6	11.9	3.75	2.75	5.76	3.20	21.3	5.15
SD2	4.57	10.2	4.54	26.1	28.0	16.5	2.64	8.28	11.1	1.97	104	53.7
SD3	3.29	11.2	22.1	38.6	17.0	6.33	2.46	5.59	7.92	2.79	30.4	19.3
MAX	56.2	22.3	74.2	47.7	45.3	29.0	4.21	20.0	44.5	4.40	429	300
DAT	2	26	23	19	1	12	1	15	19	28	18	19
SR	8.91	8.56	11.1	30.9	27.5	11.6	2.94	5.54	8.26	2.66	51.8	25.8
MIN	2.69	2.69	3.64	16.2	13.8	4.40	1.72	1.72	3.83	1.72	2.37	4.21
DAT	30	1	16	13	30	29	30	1	11	16	3	7
-----												
GMIN =			1.72	SRGOD=				16.2	GMAX =			429
DATUM			30 7						DATUM			18 11
-----												

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1969

Broj : 60113 Stanica : MEDJURECJE Kota "0" = 187.51  
Nacin osmat.: limnigraf Reka : MRTVICA km od usca = .20  
Pocetak rada: 1948 Sliv : MORACE Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	5.52	3.83	5.80	5.52	46.1	31.6	5.80	2.69	8.22	4.96	1.59	31.6	
2	4.96	3.45	5.80	4.96	46.9	29.0	5.52	2.88	6.36	4.40	1.20	25.2	
3	4.68	5.52	5.80	4.96	46.9	29.0	5.52	2.69	4.96	4.96	.930	13.4	
4	4.68	24.1	6.08	4.96	43.7	26.4	5.24	2.24	4.40	4.02	.930	13.8	
5	4.40	59.0	6.08	5.52	47.7	35.3	5.24	2.24	4.21	3.45	.930	46.1	
6	4.21	22.3	5.52	5.52	59.0	56.2	4.96	2.24	3.83	3.26	.930	108	
7	4.21	12.4	4.96	8.56	61.0	76.3	4.68	2.24	8.56	3.07	.930	55.2	
8	4.02	8.90	4.40	9.92	62.0	47.7	4.68	2.11	12.0	2.88	1.20	23.5	
9	4.02	9.24	4.21	11.5	73.2	45.3	4.21	2.24	19.0	2.50	6.08	16.2	
10	4.02	8.56	4.02	10.6	55.2	37.5	4.21	2.11	13.8	2.50	9.92	12.4	
11	3.64	7.20	4.02	9.92	49.6	22.9	4.68	1.85	10.6	2.50	6.92	9.58	
12	3.64	5.80	4.02	10.6	49.6	21.2	4.96	1.85	9.24	2.37	5.52	7.88	
13	3.45	6.64	4.02	13.8	54.3	46.9	4.96	1.85	7.88	2.37	4.40	8.56	
14	3.26	12.0	5.80	39.7	59.0	12.0	4.68	1.85	7.20	2.37	3.64	7.54	
15	16.2	16.6	22.9	53.3	58.1	13.4	4.40	1.85	28.4	2.24	3.26	7.20	
16	24.1	14.7	38.2	27.1	61.0	16.6	4.40	1.59	52.4	2.24	3.83	7.20	
17	25.2	9.24	27.8	17.6	59.0	14.3	4.02	3.83	42.1	2.11	4.40	6.36	
18	13.4	6.36	20.0	14.7	54.3	9.92	4.02	13.8	38.2	1.98	5.52	5.80	
19	9.92	5.24	18.1	11.5	54.3	9.92	3.64	7.88	21.7	2.11	8.56	5.52	
20	7.88	4.96	16.2	9.92	57.1	10.6	3.83	5.52	20.6	1.72	6.64	6.08	
21	6.64	8.90	13.4	13.4	54.3	14.7	3.64	4.21	28.4	1.85	5.52	5.80	
22	6.08	9.92	9.92	41.3	46.1	12.9	3.45	3.45	22.9	1.85	5.52	5.24	
23	5.52	8.56	8.56	111	39.7	11.5	3.45	3.26	21.2	1.72	32.3	5.24	
24	4.96	14.7	7.20	75.3	36.0	10.6	3.26	2.88	13.4	1.59	87.4	5.24	
25	4.40	23.5	6.64	44.5	34.5	9.92	3.26	7.20	8.22	1.46	77.4	4.96	
26	4.02	15.7	9.24	36.7	45.3	8.90	3.07	27.8	7.20	1.46	61.0	4.21	
27	3.64	10.6	8.90	42.1	32.3	8.56	2.88	20.0	6.36	1.72	121	4.02	
28	3.64	7.88	7.20	39.7	29.0	7.20	2.88	42.1	5.52	1.72	55.2	4.96	
29	3.64		6.08	57.1	33.0	6.36	3.26	21.7	4.96	1.72	28.4	6.36	
30	3.83		5.80	52.4	34.5	6.08	3.83	14.7	4.96	1.72	20.6	6.64	
31	4.02		5.52		33.8		2.69	10.3		1.72		7.54	
SD1	4.47	15.7	5.27	7.20	54.2	41.4	5.01	2.37	8.53	3.60	2.46	34.5	
SD2	11.1	8.87	16.1	20.8	55.6	17.8	4.36	4.19	23.8	2.20	5.27	7.17	
SD3	4.58	12.5	8.04	51.4	38.0	9.67	3.24	14.3	12.3	1.68	49.4	5.47	
MAX	29.0	66.8	44.5	172	84.1	82.9	5.80	46.9	96.0	4.96	266	135	
DAT	17	5	16	23	9	7	1	28	16	1	27	6	
SR	6.64	12.4	9.75	26.5	48.9	23.0	4.17	7.20	14.9	2.47	19.1	15.4	
MIN	3.26	3.45	4.02	4.96	29.0	6.08	2.69	1.59	3.83	1.46	.930	4.02	
DAT	14	2	10	2	28	30	31	16	6	25	3	27	
		GMIN =	.930			SRGOD=	15.8			GMAX =	266		
		DATUM	3 11							DATUM	27 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1970

Broj : 60113 Stanica : MEDJURECJE Kota "0" = 187.51  
Nacin osmat.: limnigraf Reka : MRTVICA km od usca = .20  
Pocetak rada: 1948 Sliv : MORACE Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	52.4	5.80	4.40	20.0	43.7	39.7	17.1	4.40	2.69	1.20	4.21	6.36
2	29.0	5.52	4.02	49.6	22.9	39.0	16.6	4.40	2.50	7.20	4.02	12.4
3	15.2	4.68	3.83	31.0	17.6	34.5	15.2	4.02	2.50	4.02	3.64	10.3
4	14.3	4.96	4.21	21.2	16.2	32.3	14.7	4.02	2.37	6.08	3.45	9.58
5	20.0	14.3	7.20	17.1	14.3	31.0	12.9	3.83	2.11	4.40	3.07	6.92
6	72.1	66.8	17.6	14.3	12.9	25.2	12.0	3.64	1.98	2.88	2.88	6.64
7	140	38.2	9.92	12.0	12.4	23.5	12.4	3.64	1.85	2.69	3.07	5.80
8	94.8	20.0	6.92	57.1	12.0	41.3	11.5	3.45	1.85	2.24	2.88	5.52
9	53.3	15.7	5.52	265	31.0	39.7	10.6	3.45	1.72	2.11	4.21	4.96
10	33.8	15.2	4.40	81.8	42.1	49.6	10.6	3.45	1.72	1.98	12.0	4.68
11	18.6	18.1	4.96	55.2	54.3	48.6	10.3	3.26	1.72	1.72	11.5	4.68
12	17.1	17.6	12.0	43.7	61.0	42.1	9.58	3.07	1.72	1.46	11.5	4.40
13	96.0	10.6	6.64	29.0	54.3	40.5	9.58	2.88	1.59	1.46	6.64	3.64
14	47.7	15.2	5.80	64.9	46.1	39.7	9.24	2.69	1.59	1.46	5.24	3.45
15	36.7	52.4	27.8	50.5	44.5	38.2	8.90	2.69	1.59	1.33	22.3	3.45
16	88.5	25.8	22.3	29.7	49.6	37.5	7.54	2.50	1.59	1.33	119	3.26
17	125	19.0	13.4	20.0	48.6	40.5	51.5	2.50	1.59	1.33	43.7	3.26
18	55.2	9.92	10.6	16.6	48.6	42.9	27.1	2.50	1.72	1.33	18.1	2.88
19	36.7	7.88	8.22	18.6	42.9	39.7	14.7	2.37	1.72	1.20	31.6	2.88
20	20.0	6.64	6.92	31.0	41.3	36.7	12.4	2.37	1.59	1.20	44.5	2.69
21	16.2	6.08	6.36	40.5	52.4	38.2	10.3	2.37	1.59	1.59	46.1	2.50
22	13.4	5.80	5.80	40.5	52.4	33.8	8.56	2.37	1.59	66.8	188	2.50
23	10.6	5.52	5.80	40.5	72.1	27.1	7.54	2.24	1.46	60.0	67.9	2.50
24	8.56	6.08	5.52	41.3	40.5	24.1	7.20	2.24	1.33	32.3	39.0	2.37
25	7.54	5.80	8.22	47.7	30.3	21.7	6.08	2.50	1.33	16.2	33.8	2.37
26	7.20	5.24	11.5	48.6	30.3	20.6	6.08	2.37	1.33	10.3	13.8	3.45
27	6.64	4.68	14.7	56.2	32.3	20.6	5.52	2.24	1.20	7.54	11.1	2.88
28	5.52	4.68	101	58.1	40.5	20.0	4.96	2.11	1.20	6.36	8.90	16.6
29	5.24		89.8	82.9	38.2	19.5	4.68	2.11	1.20	5.52	7.54	18.1
30	5.24		47.7	58.1	37.5	19.0	4.68	1.85	1.20	5.24	6.92	256
31	5.80		25.8		39.0		4.40	2.50		5.24		77.4
SD1	52.5	19.1	6.80	56.9	22.5	35.6	13.4	3.83	2.13	3.48	4.34	7.32
SD2	54.2	18.3	11.9	35.9	49.1	40.6	16.1	2.68	1.64	1.38	31.4	3.46
SD3	8.36	5.48	29.3	51.4	42.3	24.5	6.36	2.26	1.34	19.7	42.3	35.2
MAX	157	73.2	116	312	79.6	55.2	62.9	4.40	2.69	77.4	224	364
DAT	7	6	28	9	23	10	17	1	1	22	22	30
SR	37.4	14.9	16.4	48.1	38.1	33.6	11.8	2.90	1.70	8.57	26.0	15.9
MIN	5.24	4.68	3.83	12.0	12.0	19.0	4.40	1.85	1.20	1.20	2.88	2.37
DAT	29	3	3	7	8	30	31	30	27	1	6	24
GMIN =		1.20		SRGOD=		21.3		GMAX =		364		
DATUM		27 9						DATUM		30 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1971

Broj : 60113 Stanica : MEDJURECJE Kota "0" = 187.51  
Nacin osmat.: limnigraf Reka : MRTVICA km od usca = .20  
Pocetak rada: 1948 Sliv : MORACE Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	81.8	7.88	2.37	5.80	43.7	23.5	4.21	2.37	1.11	15.2	2.69	62.9	
2	65.8	15.7	2.24	20.0	64.9	23.5	4.21	2.11	1.33	6.36	2.37	42.9	
3	66.8	15.2	2.24	19.5	63.9	22.9	4.02	2.69	1.33	5.24	2.24	25.8	
4	31.0	8.56	2.11	13.8	63.9	21.7	3.83	3.45	1.11	4.21	2.24	18.1	
5	31.0	7.20	2.11	14.7	59.0	23.5	3.64	4.68	1.11	3.83	2.11	13.8	
6	18.1	6.36	2.11	40.5	56.2	18.6	3.64	3.83	1.11	3.64	1.98	10.6	
7	12.4	5.24	1.98	24.1	52.4	18.6	3.45	2.88	1.02	3.45	1.98	10.3	
8	11.5	4.68	1.98	21.2	43.7	18.6	3.26	2.37	1.02	3.07	1.85	8.90	
9	8.22	4.40	1.98	22.3	41.3	21.7	3.45	2.37	1.02	2.88	1.85	8.22	
10	6.92	4.02	1.98	21.2	43.7	18.1	3.45	2.11	1.20	2.69	1.98	7.54	
11	6.36	3.83	1.98	26.4	43.7	17.1	3.45	1.98	6.36	2.50	15.7	6.36	
12	5.80	3.64	1.85	31.0	43.7	17.1	3.45	1.98	7.54	2.11	20.6	5.80	
13	4.96	3.45	1.85	29.0	42.1	14.3	3.07	1.72	4.40	2.11	17.6	5.24	
14	4.68	3.45	1.98	19.5	44.5	12.4	2.88	1.59	7.20	2.50	18.6	4.68	
15	4.21	3.26	1.98	17.1	43.7	12.0	2.88	1.59	11.5	29.0	14.3	4.40	
16	4.02	3.45	4.40	16.6	42.1	11.5	2.88	1.59	19.5	77.4	10.3	4.21	
17	4.02	6.92	5.80	17.1	42.9	10.6	2.69	1.72	12.9	43.7	8.56	4.21	
18	4.02	4.96	6.36	17.6	42.1	9.58	2.50	1.85	12.4	22.3	7.20	4.02	
19	4.02	4.68	6.64	18.1	41.3	9.58	2.37	1.72	6.92	16.2	31.6	4.02	
20	3.83	4.68	8.56	21.2	42.1	9.58	2.37	1.59	6.36	9.92	103	4.02	
21	4.02	4.21	8.90	28.4	42.1	7.20	2.37	1.46	5.52	7.54	44.5	3.83	
22	60.0	4.02	17.1	31.6	41.3	6.92	2.24	1.46	4.21	7.20	21.2	3.64	
23	32.3	3.83	59.0	35.3	36.7	6.64	2.11	1.46	3.83	5.24	68.9	3.64	
24	16.6	3.45	20.6	34.5	33.8	6.36	1.98	1.46	3.45	4.40	24.6	3.64	
25	14.7	3.45	15.2	104	29.7	6.08	1.85	1.33	3.26	4.21	14.7	3.64	
26	22.3	2.88	12.0	55.2	27.1	5.80	1.85	1.20	2.69	3.83	12.0	3.64	
27	15.2	2.69	10.3	55.2	28.4	5.24	1.85	1.20	4.02	3.64	10.6	3.45	
28	18.1	2.50	8.90	21.2	28.4	4.96	1.85	1.20	2.37	3.26	12.0	3.45	
29	12.4		7.54	29.0	28.4	4.68	1.85	1.20	31.0	3.07	129	3.45	
30	9.92		6.64	36.0	27.8	4.40	2.50	1.11	17.1	2.88	86.3	3.26	
31	7.88		6.08		28.4		2.88	1.11		2.69		3.26	
SD1	33.4	7.92	2.11	20.3	53.3	21.1	3.72	2.89	1.14	5.06	2.13	20.9	
SD2	4.59	4.23	4.14	21.4	42.8	12.4	2.85	1.73	9.51	20.8	24.7	4.70	
SD3	19.4	3.38	15.7	43.0	32.0	5.83	2.12	1.29	7.75	4.36	42.4	3.54	
MAX	96.0	17.6	91.0	143	73.2	23.5	4.21	4.68	33.8	94.8	265	66.8	
DAT	1	2	23	25	2	1	1	5	29	16	29	1	
SR	19.1	5.31	7.57	28.2	42.4	13.1	2.87	1.95	6.13	9.88	23.1	9.51	
MIN	3.83	2.50	1.85	5.80	27.1	4.40	1.85	1.11	1.02	2.11	1.85	3.26	
DAT	20	28	12	1	26	30	25	30	7	12	8	30	
GMIN =			1.02	SRGOD=			14.1	GMAX =			265		
DATUM			7 9					DATUM			29 11		



ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1972

Broj : 60113 Stanica : MEDJURECJE Kota "0" = 187.51  
Nacin osmat.: limnigraf Reka : MRTVICA km od usca = .20  
Pocetak rada: 1948 Sliv : MORACE Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	5.52	5.80	9.58	19.0	19.5	17.6	3.07	5.24	5.24	12.0	8.56	9.92	
2	6.08	5.24	7.20	20.6	21.2	16.6	5.24	5.24	4.21	9.92	6.92	29.0	
3	4.21	4.21	4.96	21.7	25.8	17.1	4.68	6.92	3.83	8.22	5.80	22.3	
4	4.02	3.64	6.36	21.7	27.8	16.2	3.83	11.1	3.83	7.54	5.24	15.7	
5	4.96	3.07	6.08	24.1	21.2	15.2	3.45	9.24	4.02	6.92	4.68	12.0	
6	7.20	2.88	7.20	25.8	24.6	13.8	3.26	7.54	4.02	6.08	4.40	9.58	
7	6.36	2.69	6.92	21.2	24.6	12.9	3.07	6.08	3.83	5.52	4.40	7.88	
8	5.52	2.69	6.64	24.6	27.1	12.4	2.88	4.96	3.83	5.24	4.21	6.92	
9	7.54	2.88	6.36	25.2	26.4	12.9	2.69	4.21	10.6	5.24	4.02	5.80	
10	7.54	4.40	6.08	26.4	28.4	12.4	2.50	3.83	33.0	5.52	3.83	5.24	
11	7.20	7.20	12.0	26.4	30.3	11.1	2.37	3.64	17.6	6.08	3.64	4.96	
12	5.52	10.6	13.4	31.0	33.8	9.92	2.37	3.26	12.9	6.64	34.5	4.40	
13	4.96	14.7	12.4	31.6	25.8	8.90	2.50	3.07	10.6	8.56	25.2	4.21	
14	4.68	8.90	9.92	33.0	21.2	8.22	2.37	2.88	8.90	9.24	14.3	4.02	
15	4.68	12.0	8.56	34.5	28.4	7.88	3.26	2.69	9.58	6.92	18.6	3.83	
16	3.83	4.21	8.56	41.3	32.3	7.20	10.6	2.50	11.0	8.22	43.7	3.64	
17	3.64	4.02	8.22	51.5	31.0	6.64	7.88	2.37	51.5	6.64	24.1	3.64	
18	3.83	3.64	7.88	42.1	26.4	6.36	4.68	2.24	26.4	6.08	18.1	3.45	
19	3.07	3.26	7.20	25.8	22.3	5.80	4.02	2.24	15.2	5.24	32.3	3.07	
20	3.07	3.45	10.3	22.3	43.7	5.52	4.21	9.58	11.5	4.68	19.5	2.88	
21	2.88	13.4	11.5	33.0	34.5	5.24	6.36	42.1	8.90	9.92	57.1	2.69	
22	2.69	12.9	12.9	35.3	29.0	4.68	8.22	21.7	6.64	21.7	42.9	2.69	
23	2.69	9.58	12.4	30.3	25.8	4.40	8.90	11.1	5.80	13.8	27.8	2.50	
24	2.69	8.90	13.4	29.0	24.6	4.21	8.22	8.56	5.24	9.92	47.7	2.50	
25	2.50	8.90	13.8	47.7	21.7	4.02	10.6	7.54	4.68	7.88	50.5	2.37	
26	2.50	8.56	13.8	62.9	22.3	3.83	13.4	6.36	4.40	6.64	29.7	2.37	
27	3.45	9.92	14.3	44.5	21.2	3.45	11.5	5.24	39.7	5.52	18.6	2.24	
28	4.02	10.6	14.3	28.4	23.5	3.45	8.90	4.68	70.0	5.24	13.8	2.24	
29	4.21	11.1	13.8	19.5	21.2	3.45	7.20	4.40	35.3	12.4	11.1	2.11	
30	4.96		16.2	18.6	16.2	3.26	6.08	3.83	16.6	11.1	9.58	2.11	
31	5.80		17.6		17.1		5.24	4.68		9.92		1.98	
SD1	5.90	3.75	6.74	23.0	24.7	14.7	3.47	6.44	7.64	7.22	5.21	12.4	
SD2	4.45	7.20	9.84	33.9	29.5	7.75	4.43	3.45	27.4	6.83	23.4	3.81	
SD3	3.49	10.4	14.0	34.9	23.4	4.00	8.60	10.9	19.7	10.4	30.9	2.35	
MAX	7.54	14.7	17.6	71.0	47.7	19.0	15.7	48.6	224	29.0	98.5	31.6	
DAT	9	13	31	26	20	1	26	21	16	22	21	2	
SR	4.57	7.01	10.3	30.6	25.8	8.82	5.60	7.07	18.3	8.21	19.8	6.07	
MIN	2.50	2.69	4.96	18.6	16.2	3.26	2.37	2.24	3.83	4.68	3.64	1.98	
DAT	25	7	3	30	30	30	11	18	3	20	11	31	
		GMIN = 1.98		SRGOD= 12.6		GMAX = 224							
		DATUM 31 12				DATUM 16 9							

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1973

Broj : 60113 Stanica : MEDJURECJE Kota "0" = 187.51  
Nacin osmat.: limnigraf Reka : MRTVICA km od usca = .20  
Pocetak rada: 1948 Sliv : MORACE Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.85	2.69	2.11	7.88	29.7	15.7	5.80	3.83	4.02	7.20	4.02	7.20
2	1.85	4.96	1.85	9.58	37.5	13.8	6.08	3.64	3.64	5.52	3.83	6.08
3	1.85	4.21	1.85	12.0	41.3	13.4	7.20	3.45	3.26	4.40	3.45	5.80
4	1.85	3.26	1.98	12.4	44.5	12.0	6.64	3.64	2.69	4.21	3.07	5.80
5	1.85	3.07	1.98	9.24	57.1	10.3	5.24	4.02	2.50	3.83	2.88	5.52
6	1.85	2.88	1.98	6.92	63.9	10.3	4.40	3.64	2.37	3.64	2.88	5.52
7	1.85	2.88	1.85	5.80	67.9	9.92	4.02	3.45	2.24	3.45	43.7	5.24
8	1.72	3.07	3.45	6.64	63.9	9.58	3.83	3.07	2.11	3.26	48.6	1.98
9	1.59	2.88	4.96	8.56	56.2	12.9	4.02	2.88	1.85	3.07	19.0	5.80
10	1.59	2.88	3.64	13.4	50.5	15.7	7.20	2.50	1.72	3.07	16.6	7.54
11	1.72	7.20	3.26	42.9	31.6	11.1	7.88	2.37	1.72	2.88	12.9	4.40
12	1.72	6.08	2.88	27.1	20.6	9.24	5.80	2.24	1.59	2.69	10.6	3.26
13	1.72	4.40	2.50	17.6	25.8	7.54	5.24	1.98	1.46	2.50	8.90	2.69
14	1.59	3.83	2.37	14.3	28.4	6.64	4.68	1.98	1.46	2.37	7.20	2.50
15	1.59	29.0	2.24	10.3	32.3	6.36	4.21	1.98	1.46	13.8	6.64	2.37
16	1.59	18.6	2.24	8.22	33.0	5.80	4.02	1.85	1.46	21.2	6.08	2.37
17	2.11	13.4	2.24	6.64	30.3	5.52	3.83	1.85	1.33	13.4	5.52	2.11
18	6.64	6.92	2.24	6.36	29.0	4.96	3.45	1.72	1.33	9.92	4.96	2.11
19	33.0	5.24	2.11	7.20	30.3	4.68	3.26	1.72	4.40	7.88	4.96	2.37
20	12.9	4.68	2.11	8.56	36.7	4.40	2.88	1.59	23.5	6.36	4.68	3.64
21	8.56	3.83	1.85	10.3	41.3	4.40	2.69	1.59	9.92	5.80	4.40	10.3
22	7.88	3.64	1.85	9.58	39.0	4.40	2.50	1.46	12.0	63.9	4.21	19.0
23	6.92	3.26	1.98	6.92	39.0	4.40	2.50	1.46	27.1	31.6	3.83	13.8
24	5.80	3.07	2.88	8.56	36.0	4.40	2.50	1.46	12.9	15.7	3.45	6.36
25	4.68	3.07	3.07	29.0	34.5	4.21	3.45	1.33	8.22	10.6	3.07	5.24
26	4.02	2.69	3.45	20.6	27.1	4.21	7.54	1.33	6.08	8.22	13.4	5.24
27	3.83	2.50	5.80	15.7	20.6	4.02	11.1	1.33	10.3	6.64	27.1	18.1
28	3.26	2.37	7.88	15.7	17.6	3.83	8.90	3.64	28.4	5.80	14.7	7.88
29	3.07		7.88	19.0	16.2	3.64	6.36	4.02	14.3	5.24	11.1	4.96
30	2.69		6.92	18.6	15.7	3.64	5.24	4.21	9.58	4.68	9.24	4.68
31	2.69		7.54		14.3		4.40	4.21		4.40		3.45
SD1	1.79	3.28	2.57	9.24	51.3	12.4	5.44	3.41	2.64	4.16	14.8	5.65
SD2	6.46	9.93	2.42	14.9	29.8	6.62	4.53	1.93	3.97	8.30	7.24	2.78
SD3	4.85	3.05	4.65	15.4	27.4	4.12	5.20	2.37	13.9	14.8	9.45	9.00
MAX	48.6	48.6	7.88	58.1	74.2	24.1	11.1	4.68	45.3	103	180	19.0
DAT	19	15	28	11	6	9	27	30	22	22	7	22
SR	4.38	5.59	3.26	13.2	35.9	7.70	5.06	2.56	6.83	9.27	10.5	5.91
MIN	1.59	2.37	1.85	5.80	14.3	3.64	2.50	1.33	1.33	2.37	2.88	1.98
DAT	9	28	2	7	31	29	22	25	17	14	5	8
GMIN =		1.33		SRGOD=		9.20		GMAX =		180		
DATUM		25 8						DATUM		7 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1974

Broj : 60113 Stanica : MEDJURECJE Kota "0" = 187.51  
Nacin osmat.: limnigraf Reka : MRTVICA km od usca = .20  
Pocetak rada: 1948 Sliv : MORACE Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	12.0	2.24	3.64	21.2	61.0	32.3	11.1	1.85	1.85	26.4	20.6	16.6	
2	18.1	2.11	3.45	19.5	56.2	31.0	8.90	1.72	1.59	31.6	16.6	13.4	
3	17.6	2.11	3.45	20.0	36.0	28.4	6.92	1.72	1.46	57.1	12.9	11.5	
4	15.7	11.1	3.26	18.1	27.1	24.1	6.08	1.59	1.20	31.6	11.5	9.92	
5	12.4	10.6	3.83	17.1	62.0	27.8	5.52	1.59	1.02	19.5	11.1	8.22	
6	9.92	7.20	9.92	16.6	44.5	25.8	5.24	1.46	1.02	24.6	10.6	7.88	
7	8.56	24.6	8.90	16.2	35.3	22.9	4.96	1.46	1.20	57.1	10.6	7.20	
8	7.20	19.5	6.64	14.7	27.1	22.3	4.68	1.59	2.88	99.8	12.4	6.64	
9	6.36	10.6	5.80	13.4	29.7	19.5	4.40	1.46	2.11	70.0	12.0	6.08	
10	5.80	7.54	5.24	13.4	26.4	17.6	4.21	1.59	1.33	43.7	10.3	6.08	
11	5.52	5.80	4.68	13.4	24.1	20.0	4.02	1.59	1.11	26.4	9.58	5.52	
12	4.96	5.24	4.21	12.9	26.4	20.6	3.83	1.59	1.11	16.6	8.90	7.54	
13	4.96	4.96	4.02	12.9	28.4	15.2	3.64	1.59	1.11	31.0	8.56	19.5	
14	4.68	5.52	4.02	19.5	32.3	12.9	3.45	1.46	1.11	85.2	8.22	12.0	
15	4.40	7.88	4.02	20.0	37.5	11.5	3.26	1.46	1.11	75.3	7.54	8.90	
16	4.21	6.64	4.02	18.1	39.0	11.1	3.07	1.33	1.20	169	7.54	7.20	
17	4.02	6.64	3.83	16.6	28.4	11.5	2.88	1.33	1.33	75.3	7.88	6.36	
18	3.83	6.08	3.64	16.6	25.8	12.0	2.88	1.33	1.33	49.6	7.88	6.08	
19	3.83	6.08	4.21	13.8	24.6	11.1	2.88	1.33	1.20	32.3	7.88	5.52	
20	3.64	6.36	5.80	11.5	31.6	10.3	2.69	1.20	1.20	18.6	8.56	5.52	
21	3.45	5.80	7.88	10.3	35.3	9.92	2.50	1.20	2.24	41.3	10.3	5.24	
22	3.07	4.68	11.1	9.58	33.8	8.90	2.50	1.20	46.9	62.9	8.56	5.24	
23	2.88	4.40	15.2	9.58	37.5	8.90	2.37	1.20	52.4	46.9	7.54	5.24	
24	2.69	4.40	17.6	9.58	33.0	8.22	2.37	1.20	35.3	226	6.64	4.96	
25	2.69	4.40	19.5	10.3	62.9	7.88	2.37	1.20	84.1	86.3	15.7	4.96	
26	2.50	4.21	18.6	10.3	52.4	7.54	2.24	1.33	84.1	58.1	60.0	4.68	
27	2.50	4.02	19.5	12.0	41.3	7.20	2.11	1.20	62.9	38.2	30.3	3.83	
28	2.50	3.83	20.0	16.6	36.0	7.20	2.11	1.72	36.0	22.3	22.9	4.02	
29	2.37		19.5	36.0	35.3	6.92	2.11	2.24	16.2	21.7	68.9	3.83	
30	2.37		19.5	36.7	36.7	12.9	1.98	2.11	10.6	23.5	27.1	3.83	
31	2.24		17.1		34.5		1.98	2.11		19.5		3.83	
SD1	11.4	9.76	5.41	17.0	40.5	25.2	6.20	1.60	1.57	46.1	12.9	9.35	
SD2	4.41	6.12	4.24	15.5	29.8	13.6	3.26	1.42	1.18	57.9	8.25	8.41	
SD3	2.66	4.47	16.9	16.1	39.9	8.56	2.24	1.52	43.1	58.8	25.8	4.51	
MAX	19.5	52.4	21.2	43.7	79.6	34.5	15.2	2.37	142	413	103	25.2	
DAT	2	7	28	30	25	1	1	29	25	24	29	13	
SR	6.03	6.95	9.10	16.2	36.8	15.8	3.85	1.51	15.3	54.4	15.6	7.33	
MIN	2.24	2.11	3.26	9.58	24.1	6.92	1.98	1.20	1.02	16.6	6.64	3.83	
DAT	31	2	4	22	11	29	30	20	5	12	24	27	
GMIN =			1.02	SRGOD=			15.8	GMAX =			413		
DATUM			5 9					DATUM			24 10		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1975

Broj : 60113 Stanica : MEDJURECJE Kota "0" = 187.51  
Nacin osmat.: limnigraf Reka : MRTVICA km od usca = .20  
Pocetak rada: 1948 Sliv : MORACE Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	3.64	2.11	1.46	66.8	14.3	6.36	3.45	1.59	2.50	1.46	4.40	7.54
2	3.45	2.11	1.46	93.5	17.6	6.08	7.54	1.59	2.37	1.46	4.40	7.20
3	3.26	2.11	1.33	72.1	17.6	6.08	9.58	1.59	1.98	1.46	4.21	6.64
4	3.26	2.11	1.33	41.3	17.6	6.64	8.90	1.72	1.85	1.46	3.83	6.64
5	3.07	1.98	1.20	22.3	17.1	6.92	6.92	1.59	2.50	1.33	3.64	6.08
6	2.88	1.98	1.72	18.6	17.6	7.20	8.22	1.59	2.50	1.33	3.45	5.80
7	2.69	1.85	2.11	22.9	20.6	7.20	13.4	1.46	2.24	1.33	3.26	5.24
8	2.50	1.85	3.45	29.0	22.3	7.20	9.24	1.46	2.11	1.20	3.07	4.96
9	2.50	1.85	3.26	27.1	28.4	6.92	7.20	1.33	1.98	1.20	2.88	4.68
10	2.37	1.72	3.07	28.4	24.1	6.36	6.36	1.33	1.85	1.20	2.88	4.68
11	2.37	1.85	3.26	59.0	20.0	6.08	5.52	1.33	1.72	1.33	6.36	4.40
12	2.24	1.72	3.83	31.6	18.1	5.52	5.24	1.33	1.59	8.56	9.24	4.21
13	2.11	1.72	13.8	17.1	18.6	4.96	4.68	1.46	1.72	102	8.22	4.21
14	2.24	1.72	17.6	14.3	21.2	4.68	4.02	1.46	2.50	73.2	7.20	4.21
15	2.37	1.72	25.2	14.3	22.9	4.68	3.64	1.33	2.24	52.4	6.36	4.40
16	2.24	1.72	15.2	17.6	20.0	4.40	3.45	1.02	2.24	31.6	6.08	4.68
17	2.24	1.59	10.3	15.7	19.0	4.21	3.07	.840	2.11	62.9	21.7	14.3
18	2.37	1.59	8.22	18.1	18.6	4.02	2.88	.840	1.98	85.2	142	79.6
19	2.37	1.59	7.20	17.1	18.6	3.64	2.69	.840	1.98	66.8	170	38.2
20	2.37	1.59	6.92	17.6	17.1	3.64	2.69	.840	1.85	41.3	93.5	18.6
21	2.37	1.59	7.88	18.6	14.3	3.64	2.69	.840	1.72	38.2	60.0	13.4
22	2.24	1.46	8.90	20.0	13.8	3.45	2.69	.840	1.72	32.3	38.2	9.58
23	2.37	1.46	7.88	29.0	12.4	3.26	2.50	.750	1.72	19.5	22.9	8.22
24	2.24	1.46	6.64	27.1	12.0	3.07	2.37	.750	1.72	16.2	15.7	6.92
25	2.24	1.33	6.08	23.5	10.3	3.64	2.11	.750	1.59	12.9	12.9	6.36
26	2.24	1.46	5.80	20.0	9.24	5.24	1.98	.840	1.59	10.3	10.6	5.80
27	2.24	1.46	5.52	15.7	8.90	4.02	1.85	1.72	1.59	8.22	9.58	5.24
28	2.24	1.46	9.92	12.9	8.22	3.83	1.72	3.07	1.46	6.92	9.24	4.68
29	2.37		55.2	11.1	7.88	3.64	1.72	2.69	1.46	6.36	8.56	4.40
30	2.24		36.7	12.9	7.20	3.45	1.72	2.50	1.46	5.80	8.22	4.02
31	2.24		33.8		6.64		1.72	2.50		5.24		3.83
SD1	2.96	1.97	2.04	42.2	19.7	6.70	8.08	1.52	2.19	1.34	3.60	5.95
SD2	2.29	1.68	11.2	22.2	19.4	4.58	3.79	1.13	1.99	52.5	47.1	17.7
SD3	2.28	1.46	16.8	19.1	10.1	3.72	2.10	1.57	1.60	14.7	19.6	6.59
MAX	3.64	2.24	87.4	99.8	31.0	7.20	16.2	3.45	2.69	178	274	115
DAT	1	4	29	1	9	5	7	28	1	13	19	18
SR	2.50	1.72	10.2	27.8	16.2	5.00	4.57	1.41	1.93	22.6	23.4	9.96
MIN	2.11	1.33	1.20	11.1	6.64	3.07	1.72	.750	1.46	1.20	2.88	3.83
DAT	13	25	5	29	31	24	28	23	28	8	9	31
-----												
GMIN = .750			SRGOD= 10.6					GMAX = 274				
DATUM 23 8								DATUM 19 11				
-----												

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1976

Broj : 60113 Stanica : MEDJURECJE Kota "0" = 187.51  
Nacin osmat.: limnigraf Reka : MRTVICA km od usca = .20  
Pocetak rada: 1948 Sliv : MORACE Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	3.83	3.26	3.26	5.80	50.5	18.1	4.96	3.45	3.64	1.98	58.1	6.36
2	3.64	3.83	3.45	6.92	34.5	17.1	4.96	3.45	14.7	1.98	29.0	70.0
3	3.45	3.64	3.83	9.24	60.0	18.1	4.68	3.45	16.2	1.98	20.0	73.2
4	3.26	3.45	3.83	13.8	79.6	26.4	4.40	3.45	27.1	1.72	42.9	37.5
5	2.88	3.26	3.45	18.1	62.9	20.0	4.02	3.26	64.9	1.85	62.9	29.0
6	2.88	3.07	3.07	19.0	57.1	18.6	3.64	3.64	36.0	6.92	43.7	19.5
7	2.88	2.88	2.69	19.5	54.3	37.5	3.83	3.45	18.6	6.92	70.0	15.2
8	2.69	2.69	2.50	16.6	58.1	28.4	3.83	3.26	13.4	5.24	72.1	74.2
9	2.69	2.50	2.37	14.3	57.1	21.2	4.02	2.69	10.3	4.40	37.5	50.5
10	2.50	2.37	2.37	14.3	45.3	17.6	4.02	2.69	8.56	4.02	24.6	27.1
11	2.37	2.24	2.37	11.1	44.5	14.3	3.83	2.88	6.92	3.45	19.0	36.0
12	2.24	2.11	2.37	8.90	37.5	12.4	3.64	5.52	5.80	3.07	16.6	29.0
13	2.11	2.24	2.37	7.54	39.0	11.5	3.45	4.96	4.96	3.07	38.2	17.1
14	2.11	2.88	2.24	6.92	34.5	10.3	3.26	4.21	4.68	6.36	79.6	12.4
15	1.98	2.69	2.24	6.64	32.3	9.24	3.45	4.02	4.40	6.92	49.6	10.6
16	1.98	4.68	2.24	6.92	32.3	8.56	3.64	3.64	4.21	6.08	32.3	9.58
17	1.98	4.68	2.24	7.88	30.3	8.22	3.64	3.64	4.02	125	25.2	42.1
18	1.85	4.21	2.37	11.1	31.0	14.3	3.45	3.83	3.83	81.8	22.3	63.9
19	1.85	4.02	2.50	16.2	31.0	12.0	3.07	5.24	3.83	44.5	23.5	32.3
20	1.85	3.83	2.50	18.1	30.3	10.3	2.88	8.90	3.64	24.1	22.9	21.7
21	1.85	3.64	2.69	22.3	30.3	8.56	2.69	7.20	3.45	16.6	22.3	16.6
22	1.85	3.26	2.69	21.2	28.4	8.22	2.69	6.36	3.26	13.4	21.7	13.4
23	1.85	3.26	2.50	22.3	26.4	7.88	2.69	7.54	3.26	11.1	18.6	12.0
24	1.72	3.07	18.6	28.4	23.5	7.20	5.80	8.56	3.07	9.58	14.3	10.3
25	5.52	2.88	22.9	59.0	27.1	6.92	6.36	7.20	2.88	7.20	12.4	9.24
26	11.5	2.88	11.1	48.6	27.1	6.36	5.24	5.80	2.69	6.08	10.6	8.56
27	12.9	2.88	7.54	30.3	23.5	6.08	4.68	4.68	2.50	5.80	9.24	7.54
28	12.0	2.88	6.92	22.3	36.0	5.52	4.40	4.02	2.37	5.52	7.88	6.64
29	3.83	2.88	6.36	29.0	29.7	5.24	4.02	3.83	2.37	10.3	6.64	8.90
30	3.26		6.08	81.8	21.2	5.24	3.64	3.64	2.24	39.0	6.08	9.24
31	2.88		5.52		18.6		3.45	3.45		133		6.36
SD1	3.07	3.10	3.08	13.8	55.9	22.3	4.24	3.28	21.3	3.70	46.1	40.3
SD2	2.03	3.36	2.34	10.1	34.3	11.1	3.43	4.68	4.63	30.4	32.9	27.5
SD3	5.38	3.07	8.45	36.5	26.5	6.72	4.15	5.66	2.81	23.4	13.0	9.89
MAX	28.4	4.96	39.7	101	99.8	46.1	6.92	9.24	85.2	257	108	167
DAT	26	16	24	30	3	7	25	20	4	30	8	2
SR	3.55	3.18	4.75	20.1	38.5	13.4	3.95	4.58	9.59	19.3	30.7	25.4
MIN	1.72	2.11	2.24	5.80	18.6	5.24	2.69	2.69	2.24	1.72	6.08	6.36
DAT	24	12	14	1	31	29	21	9	30	4	30	1
-----												
GMIN =			1.72	SRGOD=				14.8	GMAX =			257
DATUM			24 1						DATUM			30 10
-----												

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1977

Broj : 60113 Stanica : MEDJURECJE Kota "0" = 187.51  
Nacin osmat.: limnigraf Reka : MRTVICA km od usca = .20  
Pocetak rada: 1948 Sliv : MORACE Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	5.52	20.0	15.2	112	37.5	12.4	4.96	5.24	6.08	5.24	3.26	12.9	
2	5.24	22.3	12.9	106	36.7	11.1	4.96	4.02	4.96	4.96	16.2	21.2	
3	4.96	17.1	9.92	102	35.3	12.0	4.96	3.26	5.24	39.7	13.4	21.7	
4	4.96	12.4	8.56	76.3	33.8	12.9	4.68	2.88	4.40	22.3	8.90	16.6	
5	4.68	9.92	7.54	62.9	34.5	12.4	4.68	2.88	4.02	14.3	7.54	12.4	
6	4.68	8.22	7.20	54.3	30.3	10.6	4.68	2.50	3.83	11.1	6.64	10.3	
7	4.40	7.20	7.88	45.3	27.1	11.1	4.68	2.24	3.83	7.54	6.08	12.4	
8	4.40	6.92	9.24	39.0	22.9	11.1	4.21	2.24	3.64	6.36	6.08	11.5	
9	4.21	6.36	10.3	45.3	19.0	10.3	4.02	2.24	3.26	6.08	5.52	12.4	
10	4.02	6.36	10.3	45.3	21.2	9.92	3.83	1.98	3.07	14.7	4.96	33.0	
11	5.24	57.1	11.5	29.7	19.5	15.7	3.64	2.11	3.07	79.6	4.68	22.9	
12	40.5	122	14.7	20.0	18.1	28.4	3.64	1.98	2.69	66.8	4.21	16.6	
13	21.2	76.3	68.9	15.7	19.5	26.4	3.45	1.98	2.69	36.0	4.02	12.9	
14	9.92	48.6	38.2	13.8	21.2	18.6	3.26	1.85	2.69	19.0	23.5	9.92	
15	11.5	29.0	20.6	13.4	20.6	15.7	3.07	1.85	2.69	13.8	18.1	8.22	
16	11.1	21.2	15.7	13.8	22.3	12.9	2.88	1.98	2.69	11.5	53.3	7.20	
17	8.56	18.1	13.4	12.0	22.9	10.6	2.69	1.98	2.69	9.92	48.6	6.36	
18	7.20	15.7	12.0	10.3	23.5	9.58	2.69	1.98	28.4	8.22	43.7	6.36	
19	6.08	12.9	12.9	9.92	29.0	8.56	2.69	2.11	27.1	7.20	27.8	5.80	
20	5.24	11.1	29.7	10.3	30.3	8.22	2.69	2.37	39.0	6.36	18.6	5.80	
21	4.96	12.9	77.4	10.6	28.4	7.54	2.69	2.50	64.9	5.80	13.8	5.52	
22	4.40	50.5	58.1	11.5	24.6	6.92	2.69	122	31.6	5.24	59.0	5.52	
23	4.21	45.3	39.7	14.3	28.4	6.36	2.69	81.8	24.6	4.96	85.2	5.24	
24	4.40	34.5	36.0	22.3	29.7	6.08	2.69	60.0	33.8	4.96	51.5	4.68	
25	5.80	26.4	36.7	29.0	30.3	6.08	2.69	42.9	21.2	4.96	32.3	4.68	
26	6.08	29.0	33.0	27.8	25.2	5.80	2.69	27.1	14.3	4.96	63.9	4.40	
27	9.24	24.1	36.7	28.4	25.8	5.80	2.69	17.6	11.1	4.68	49.6	4.21	
28	16.6	18.1	31.0	29.0	21.7	6.36	2.69	13.4	8.90	4.02	28.4	4.21	
29	33.0		39.7	29.7	16.6	6.08	2.69	8.90	7.20	4.02	19.0	16.6	
30	44.5		47.7	36.0	13.8	4.96	2.69	7.20	6.08	3.83	15.2	81.8	
31	22.9		129		12.4		2.69	6.36		3.26		47.7	
SD1	4.71	11.7	9.90	68.8	29.8	11.4	4.57	2.95	4.23	13.2	7.86	16.4	
SD2	12.7	41.2	23.8	14.9	22.7	15.5	3.07	2.02	11.4	25.8	24.7	10.2	
SD3	14.2	30.1	51.4	23.9	23.4	6.20	2.69	35.4	22.4	4.61	41.8	16.8	
MAX	81.8	183	166	152	41.3	40.5	4.96	391	86.3	111	152	93.5	
DAT	29	12	31	1	1	11	1	22	21	11	22	30	
SR	10.6	27.5	29.1	35.9	25.2	11.0	3.42	14.2	12.7	14.2	24.8	14.5	
MIN	4.02	6.36	7.20	9.92	12.4	4.96	2.69	1.85	2.69	3.26	3.26	4.21	
DAT	10	9	6	19	31	30	17	14	12	31	1	27	
		GMIN =	1.85			SRGOD=	18.5			GMAX =	391		
		DATUM	14 8							DATUM	22 8		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1978

Broj : 60113 Stanica : MEDJURECJE Kota "0" = 187.51  
Nacin osmat.: limnigraf Reka : MRTVICA km od usca = .20  
Pocetak rada: 1948 Sliv : MORACE Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	21.7	11.5	64.9	11.1	39.7	36.7	11.1	2.69	39.7	86.3	3.26	1.72
2	15.7	8.56	60.0	9.24	119	38.2	9.92	2.69	28.4	101	3.07	1.72
3	12.0	7.20	53.3	8.90	92.3	36.7	9.58	2.69	19.0	111	2.88	1.98
4	9.58	5.52	39.7	7.88	66.8	33.8	9.24	2.69	5.80	68.9	2.69	2.24
5	8.22	4.96	33.8	7.20	54.3	32.3	9.24	2.50	5.52	38.2	2.50	2.24
6	6.92	4.68	24.6	6.36	51.5	34.5	8.90	2.50	5.52	38.2	2.37	2.11
7	6.08	4.96	25.2	5.52	75.3	34.5	8.56	2.37	47.7	31.0	2.37	2.11
8	5.52	4.40	21.7	12.0	75.3	35.3	7.54	2.37	57.1	20.6	2.37	2.11
9	4.96	4.40	18.1	33.8	54.3	35.3	5.80	2.24	33.8	13.4	2.24	1.98
10	4.68	4.40	15.2	27.1	39.7	35.3	5.80	2.24	27.1	12.0	2.24	1.98
11	4.40	8.56	12.0	24.1	35.3	35.3	5.52	2.11	8.22	9.92	2.11	1.98
12	4.40	27.1	10.6	24.1	31.6	34.5	5.24	2.11	8.22	8.56	2.11	1.98
13	4.96	62.9	9.24	68.9	24.1	29.7	4.96	1.98	41.3	7.88	1.98	2.50
14	4.68	118	8.56	142	101	27.8	4.68	1.98	36.7	6.64	1.98	73.2
15	4.21	50.5	8.22	82.9	58.1	27.1	4.40	1.85	31.0	5.80	1.85	115
16	4.21	23.5	9.58	59.0	42.9	39.7	4.40	1.85	22.3	4.96	1.72	161
17	6.08	16.2	15.7	31.6	40.5	28.4	4.40	1.72	19.0	4.96	1.72	125
18	11.5	12.4	74.2	20.0	41.3	22.3	4.40	1.72	6.64	4.96	1.59	75.3
19	7.88	12.4	33.8	17.1	43.7	22.3	4.21	1.59	6.64	4.96	1.59	77.4
20	6.08	44.5	21.7	13.8	46.9	21.7	4.02	1.59	4.96	4.96	1.46	61.0
21	4.96	35.3	19.0	12.0	49.6	19.5	3.83	1.46	4.96	4.68	1.46	57.1
22	4.40	20.0	16.6	10.6	68.9	18.1	3.64	1.46	4.40	4.68	1.46	47.7
23	4.96	16.2	14.7	9.58	160	16.2	3.45	1.46	4.96	4.68	1.46	39.7
24	4.96	12.9	12.4	12.4	98.5	15.2	3.45	1.46	5.52	4.68	1.46	29.0
25	4.96	12.0	10.6	14.3	75.3	14.3	3.26	1.33	4.96	4.40	1.46	11.5
26	4.96	53.3	8.90	29.7	59.0	13.4	3.26	1.33	4.68	4.21	1.46	10.6
27	4.96	103	7.54	49.6	50.5	14.3	3.07	1.33	4.21	4.02	1.46	12.4
28	4.96	71.0	6.92	79.6	53.3	18.1	3.07	1.20	49.6	3.83	1.59	12.0
29	15.2		6.64	59.0	49.6	15.7	2.88	1.33	61.0	3.64	1.59	24.6
30	40.5		7.88	41.3	46.1	12.9	2.88	1.46	28.4	3.45	1.59	46.1
31	19.0		10.3		40.5		2.88	1.72		3.26		44.5
SD1	9.54	6.06	35.7	12.9	66.8	35.3	8.57	2.50	27.0	52.1	2.60	2.02
SD2	5.84	37.6	20.4	48.3	46.5	28.9	4.62	1.85	18.5	6.36	1.81	69.4
SD3	10.3	40.5	11.0	31.8	68.3	15.8	3.24	1.41	17.3	4.14	1.50	30.5
MAX	40.5	163	87.4	247	214	53.3	11.1	2.69	61.0	111	3.26	161
DAT	30	14	18	14	23	16	1	1	29	3	1	16
SR	8.63	27.2	22.0	31.0	60.8	26.6	5.41	1.90	20.9	20.3	1.97	33.9
MIN	4.21	4.40	6.64	5.52	24.1	12.9	2.88	1.20	4.21	3.26	1.46	1.72
DAT	15	8	29	7	13	30	29	28	27	31	20	1
GMIN =		1.20		SRGOD=		21.7		GMAX =		247		
DATUM		28 8						DATUM		14 4		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1979

Broj : 60113 Stanica : MEDJURECJE Kota "0" = 187.51  
Nacin osmat.: limnigraf Reka : MRTVICA km od usca = .20  
Pocetak rada: 1948 Sliv : MORACE Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	72.1	31.0	6.36	18.1	33.8	32.3	10.3	3.83	6.08	4.21	46.1	9.58
2	43.7	19.0	6.08	16.2	21.2	32.3	9.92	3.45	4.96	3.64	24.6	9.24
3	22.3	15.2	5.52	13.8	19.0	32.3	9.24	3.45	4.96	3.64	15.7	8.90
4	17.1	27.1	5.24	12.0	21.7	29.7	18.1	3.26	5.24	3.26	12.0	8.22
5	13.4	23.5	4.96	20.0	30.3	27.1	21.2	2.88	5.24	3.26	10.6	7.54
6	10.3	16.2	5.52	65.8	32.3	22.3	17.1	2.69	6.08	17.1	31.0	6.64
7	8.56	12.9	5.52	32.3	31.0	20.0	13.4	2.69	6.08	39.7	22.3	6.08
8	6.64	10.3	5.52	19.5	35.3	18.1	9.92	2.88	5.24	20.0	16.2	5.80
9	7.20	8.22	5.52	15.2	43.7	17.6	9.24	2.88	4.40	12.9	12.9	5.52
10	12.0	8.90	5.52	12.9	43.7	16.2	8.56	2.88	4.40	9.58	14.3	5.52
11	24.1	25.8	5.24	12.4	42.9	14.3	7.88	2.88	4.40	7.20	49.6	5.24
12	37.5	23.5	5.24	12.0	41.3	14.3	7.88	2.88	4.21	5.80	57.1	25.8
13	18.1	84.1	5.52	13.8	40.5	14.3	5.80	2.88	4.02	11.5	33.8	16.2
14	10.6	70.0	5.52	13.4	38.2	14.3	5.52	2.50	3.64	41.3	21.2	11.5
15	8.90	41.3	5.52	14.3	34.5	29.0	5.52	2.24	3.26	19.0	77.4	9.24
16	7.88	38.2	10.3	17.1	32.3	35.3	5.24	3.26	3.07	12.4	293	9.92
17	7.20	30.3	24.1	19.0	31.0	98.5	3.64	15.2	3.07	9.24	324	10.3
18	6.36	31.0	15.2	23.5	34.5	125	3.64	24.6	3.07	9.92	184	8.56
19	5.52	19.0	13.8	22.3	42.1	62.9	3.83	39.7	3.07	15.7	122	7.54
20	4.96	13.8	14.7	15.7	46.9	39.7	3.83	47.7	2.88	11.5	77.4	9.92
21	4.40	10.3	29.0	13.8	47.7	23.5	3.64	31.0	2.88	9.24	52.4	64.9
22	4.21	8.56	24.6	13.8	48.6	17.6	3.64	17.6	2.88	8.56	35.3	42.9
23	4.02	7.20	19.0	12.9	46.1	16.2	4.02	18.6	4.02	7.20	22.9	36.0
24	3.64	6.92	16.2	12.0	45.3	14.3	4.02	19.5	8.56	6.08	17.6	24.6
25	12.4	6.64	14.3	21.2	41.3	12.0	3.64	22.9	6.36	5.52	15.7	19.5
26	27.1	6.64	13.8	163	39.7	10.6	3.64	30.3	5.52	4.96	14.3	15.2
27	8.56	6.64	46.1	279	39.7	10.6	4.02	19.5	5.52	4.40	12.9	12.9
28	7.20	6.64	101	123	36.0	10.6	4.02	13.4	5.24	4.40	11.5	10.3
29	122		81.8	66.8	34.5	11.1	4.02	10.6	4.96	20.0	10.3	9.24
30	97.3		51.5	46.1	33.8	12.0	4.02	9.24	4.40	35.3	9.58	9.92
31	55.2		29.7		33.0		3.83	7.20		62.0		11.5
SD1	21.3	17.2	5.58	22.6	31.2	24.8	12.7	3.09	5.27	11.7	20.6	7.30
SD2	13.1	37.7	10.5	16.4	38.4	44.8	5.28	14.4	3.47	14.4	124	11.4
SD3	31.5	7.44	38.8	75.2	40.5	13.9	3.86	18.2	5.03	15.2	20.2	23.4
MAX	215	101	143	381	51.5	202	21.2	47.7	19.0	86.3	415	75.3
DAT	29	13	28	27	22	18	5	20	24	31	16	21
SR	22.3	21.7	19.0	38.0	36.8	27.8	7.17	12.1	4.59	13.8	54.9	14.3
MIN	3.64	6.64	4.96	12.0	19.0	10.6	3.64	2.24	2.88	3.26	9.58	5.24
DAT	24	25	5	4	3	26	17	15	20	4	30	11
GMIN = 2.24			SRGOD= 22.6			GMAX = 415						
DATUM 15 8						DATUM 16 11						



ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1980

Broj               : 60113                    Stanica :   MEDJURECJE            Kota "0" = 187.51  
Nacin osmat.: limnigraf        Reka     :   MRTVICA                km od usca =   .20  
Pocetak rada: 1948            Sliv     :   MORACE                    Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	19.5	9.24	3.45	16.2	11.1	36.7	9.24	2.69	1.98	1.11	6.92	22.3
2	20.0	24.1	3.26	14.7	14.7	47.7	9.24	2.69	2.69	1.11	6.64	17.1
3	9.24	13.4	3.26	13.4	21.7	40.5	10.3	2.50	2.37	1.02	6.64	13.8
4	8.56	11.5	3.26	12.0	22.3	33.8	8.56	2.50	2.24	1.02	24.1	12.4
5	7.20	9.58	3.45	10.3	28.4	32.3	7.88	2.37	2.11	1.02	54.3	10.6
6	6.64	8.56	3.64	9.24	78.5	33.0	6.92	2.37	1.85	1.02	111	9.24
7	6.08	8.90	3.64	8.22	67.9	31.0	6.36	2.24	1.72	1.02	75.3	17.6
8	5.80	12.9	6.08	7.88	53.3	29.0	6.08	2.24	1.59	1.02	39.7	15.2
9	5.52	11.5	7.20	7.54	46.1	31.0	6.08	2.24	1.59	18.1	22.3	11.1
10	5.24	9.92	5.80	6.64	46.1	38.2	5.80	2.24	1.59	121	55.2	8.56
11	4.96	9.24	5.24	6.36	41.3	41.3	5.52	2.24	1.46	84.1	45.3	7.20
12	4.68	8.56	4.40	6.08	41.3	38.2	5.52	2.24	1.46	108	27.1	6.64
13	4.40	7.88	4.02	6.36	42.1	34.5	5.24	2.37	1.33	166	108	6.36
14	4.02	7.20	3.64	6.36	42.9	33.0	4.96	2.69	1.33	101	191	6.08
15	4.02	6.64	4.21	7.88	44.5	32.3	4.68	2.37	1.33	64.9	91.0	6.08
16	6.64	6.08	4.40	10.6	77.4	31.0	4.40	2.50	1.33	39.7	57.1	6.08
17	6.08	5.52	4.21	12.9	89.8	27.1	4.40	2.88	1.20	29.7	38.2	6.08
18	5.52	4.96	4.02	15.7	60.0	21.7	4.21	3.07	1.20	80.7	20.0	6.08
19	4.96	4.68	3.83	17.1	40.5	20.0	4.21	2.88	1.20	81.8	16.6	6.36
20	4.68	4.40	3.64	17.1	36.0	21.2	4.02	2.69	1.20	51.5	15.7	6.64
21	4.40	4.21	8.56	38.2	34.5	18.1	4.02	2.50	1.20	33.0	14.3	7.88
22	4.40	4.21	18.1	41.3	33.8	17.1	4.02	2.50	1.20	20.0	13.4	9.58
23	4.40	4.02	53.3	22.3	35.3	17.1	3.83	2.24	1.20	15.2	11.1	7.88
24	5.52	4.02	34.5	16.2	44.5	17.1	3.83	1.98	1.20	10.3	9.24	6.36
25	15.2	4.02	20.0	12.4	43.7	16.2	3.64	1.85	1.11	9.92	8.22	6.08
26	20.0	4.02	14.7	11.1	39.7	14.3	3.45	1.72	1.11	22.3	7.54	5.80
27	12.4	3.83	11.5	11.1	40.5	12.4	3.26	1.72	1.11	17.1	13.4	5.52
28	9.92	3.83	11.5	10.6	42.9	11.5	3.07	1.72	1.11	13.8	85.2	5.52
29	6.92	3.64	12.4	10.6	46.1	9.92	2.88	1.85	1.11	10.3	59.0	5.24
30	6.08		15.2	10.6	44.5	9.24	2.88	1.85	1.11	9.58	35.3	4.96
31	4.96		17.6		42.1		2.69	1.85		7.88		4.68
SD1	9.38	12.0	4.30	10.6	39.0	35.3	7.65	2.41	1.97	14.7	40.2	13.8
SD2	5.00	6.52	4.16	10.6	51.6	30.0	4.72	2.59	1.30	80.7	61.0	6.36
SD3	8.56	3.98	19.8	18.4	40.7	14.3	3.42	1.98	1.15	15.4	25.7	6.32
MAX	42.9	46.9	75.3	65.8	116	49.6	10.6	3.07	2.69	238	254	25.8
DAT	1	1	23	21	16	2	3	18	2	13	13	1
SR	7.68	7.61	9.74	13.2	43.7	26.5	5.20	2.32	1.47	36.3	42.3	8.74
MIN	4.02	3.64	3.26	6.08	11.1	9.24	2.69	1.72	1.11	1.02	6.64	4.68
DAT	14	29	2	12	1	30	31	26	25	3	2	31
GMIN =			1.02	SRGOD=			17.1	GMAX =			254	
DATUM			3 10					DATUM			13 11	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1981

Broj : 60113 Stanica : MEDJURECJE Kota "0" = 187.51  
Nacin osmat.: limnigraf Reka : MRTVICA km od usca = .20  
Pocetak rada: 1948 Sliv : MORACE Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	4.40	2.37	2.88	36.7	20.6	26.4	5.80	2.24	1.59	15.2	13.4	3.26
2	4.40	2.37	2.88	32.3	22.9	24.6	5.52	2.11	1.59	12.0	11.5	6.64
3	4.21	2.37	19.5	29.7	27.1	23.5	5.24	2.11	1.59	57.1	9.24	6.08
4	4.02	2.50	51.5	25.8	36.7	23.5	4.96	2.11	1.72	36.7	8.22	4.68
5	7.88	5.80	22.3	21.2	49.6	21.7	4.68	1.98	1.72	17.6	7.20	4.02
6	6.36	4.96	13.4	20.0	33.8	19.5	4.40	2.24	1.98	12.0	6.64	3.45
7	5.24	4.02	9.92	22.9	22.3	16.6	4.21	4.40	2.24	9.24	6.36	11.5
8	4.40	3.45	8.90	25.8	21.7	15.2	4.21	4.21	2.11	7.20	5.80	32.3
9	4.02	3.07	8.22	25.8	26.4	14.7	4.02	3.83	1.98	5.80	5.52	33.0
10	3.83	3.64	8.56	25.2	29.7	18.1	3.83	3.45	1.85	4.96	5.52	51.5
11	3.64	4.68	9.92	25.8	33.0	23.5	3.64	2.88	1.85	4.68	4.96	66.8
12	3.64	32.3	13.4	21.7	47.7	18.6	3.64	2.50	4.02	4.40	4.68	125
13	4.68	16.2	17.6	19.5	41.3	17.6	3.64	2.24	3.64	4.96	4.40	154
14	14.3	9.92	21.2	24.1	30.3	15.2	3.45	2.24	3.26	7.88	4.21	82.9
15	7.20	7.20	16.6	27.1	27.8	13.4	3.45	2.11	6.08	7.20	4.02	46.1
16	6.36	5.80	16.2	27.8	32.3	12.4	3.45	2.11	6.36	5.80	4.02	25.8
17	5.52	4.96	17.1	27.1	34.5	11.5	3.26	1.98	4.40	5.24	3.83	19.5
18	4.40	4.21	16.6	29.7	34.5	14.7	3.07	1.98	4.02	4.68	3.64	15.7
19	4.02	3.83	27.1	37.5	36.7	21.7	3.64	1.98	3.64	4.40	3.64	57.1
20	3.83	3.64	21.2	24.1	35.3	12.9	5.24	1.98	3.26	4.21	3.45	46.1
21	3.64	3.64	16.6	18.1	34.5	10.3	5.52	1.85	2.88	4.02	3.45	23.5
22	3.45	4.40	15.2	17.6	36.7	9.58	4.68	2.24	2.69	36.7	3.26	17.6
23	3.26	4.68	14.7	19.5	35.3	9.24	4.21	2.50	2.50	79.6	3.26	14.3
24	3.07	4.40	15.2	22.3	29.7	8.90	3.83	2.11	2.37	84.1	3.45	12.4
25	2.88	4.02	13.8	39.7	28.4	8.56	3.45	2.11	2.24	41.3	3.64	20.6
26	2.69	3.83	17.6	42.9	29.7	7.88	3.07	1.98	2.11	27.1	3.64	16.2
27	2.69	3.64	22.9	81.8	29.7	7.20	2.88	1.85	1.98	33.8	3.64	11.5
28	2.69	3.45	26.4	57.1	27.8	6.64	2.69	1.85	1.98	62.9	3.45	9.92
29	2.50		31.6	35.3	25.2	6.36	2.50	1.72	17.1	44.5	3.45	8.22
30	2.50		35.3	23.5	25.2	6.08	2.37	1.72	22.9	25.8	3.26	25.8
31	2.50		37.5		25.2		2.37	1.59		16.6		18.1
SD1	4.88	3.45	14.8	26.5	29.1	20.4	4.69	2.87	1.84	17.8	7.94	15.6
SD2	5.76	9.27	17.7	26.4	35.3	16.1	3.65	2.20	4.05	5.34	4.09	63.9
SD3	2.90	4.01	22.4	35.8	29.8	8.07	3.42	1.96	5.88	41.5	3.45	16.2
MAX	21.2	46.1	65.8	121	59.0	31.6	5.80	4.96	26.4	166	14.7	257
DAT	14	12	4	27	5	19	1	7	29	23	1	13
SR	4.46	5.69	18.4	29.6	31.3	14.9	3.90	2.33	3.92	22.2	5.16	31.4
MIN	2.50	2.37	2.88	17.6	20.6	6.08	2.37	1.59	1.59	4.02	3.26	3.26
DAT	29	1	1	22	1	30	30	31	1	21	22	1
GMIN =		1.59		SRGOD=		14.5		GMAX =		257		
DATUM		31 8						DATUM		13 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1982

Broj               : 60113                    Stanica :   MEDJURECJE            Kota "0" = 187.51  
Nacin osmat.: limnigraf        Reka     :   MRTVICA                km od usca =   .20  
Pocetak rada: 1948            Sliv     :   MORACE                    Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	12.9	3.26	2.69	62.9	9.24	14.3	3.64	2.24	1.33	1.11	4.21	10.3
2	24.1	3.07	2.69	44.5	8.22	12.9	3.26	2.11	1.33	1.20	4.02	10.6
3	18.6	3.07	2.88	35.3	9.92	12.0	3.07	1.98	1.33	1.20	4.02	11.1
4	14.3	2.88	2.88	29.7	14.3	10.6	2.88	1.85	1.20	1.33	3.83	9.24
5	11.1	2.88	3.07	25.8	20.6	9.24	2.88	1.98	1.20	1.33	3.45	8.56
6	9.24	2.88	3.07	23.5	21.7	8.22	2.88	1.98	1.20	24.6	3.07	6.36
7	9.58	2.69	3.26	22.9	24.1	7.88	2.69	1.98	1.20	53.3	2.88	5.52
8	9.92	2.69	3.45	22.9	25.8	7.20	2.69	1.72	1.20	64.9	2.88	4.96
9	8.22	2.69	3.45	25.8	31.0	6.64	2.69	1.46	1.20	55.2	2.69	5.52
10	7.20	2.69	3.45	25.8	29.7	6.36	2.50	1.46	1.20	26.4	2.50	6.64
11	6.92	2.69	3.45	27.1	32.3	6.08	2.50	1.59	1.20	19.0	2.37	31.0
12	25.8	2.50	3.45	24.6	33.8	6.36	2.69	1.59	1.20	19.0	2.24	21.2
13	22.9	2.50	3.64	20.6	31.6	17.1	7.88	1.59	1.20	22.3	2.24	15.2
14	16.6	2.50	3.64	26.4	28.4	28.4	7.54	1.46	1.20	16.2	6.64	31.0
15	12.4	2.50	3.64	70.0	22.9	22.3	6.08	1.46	1.20	31.0	54.3	29.0
16	9.92	2.50	3.45	48.6	24.1	14.3	6.08	1.46	1.20	23.5	29.7	26.4
17	8.56	2.50	3.26	46.1	23.5	10.6	4.40	1.59	1.20	18.6	47.7	13.8
18	7.54	2.50	3.07	46.9	21.7	8.56	3.83	1.59	1.20	14.7	35.3	75.3
19	6.92	2.69	8.56	39.0	20.6	7.20	3.45	2.69	1.20	13.4	19.5	87.4
20	6.64	2.69	6.08	29.0	21.2	6.64	3.07	2.69	1.20	8.56	14.3	44.5
21	6.08	2.69	4.40	19.5	20.0	6.36	2.69	2.69	1.20	7.88	11.5	22.3
22	5.52	2.69	3.83	17.6	21.2	5.52	2.69	2.88	1.20	6.36	8.90	49.6
23	5.24	2.69	3.64	16.2	21.7	5.24	2.50	4.21	1.20	4.96	8.22	160
24	4.96	2.69	3.45	13.4	22.3	4.96	2.37	4.02	1.20	6.64	6.36	80.7
25	4.68	2.69	3.45	11.5	21.2	4.68	2.24	2.37	1.20	8.56	5.80	49.6
26	4.40	2.69	3.26	11.1	20.0	4.40	2.24	2.11	1.20	7.20	5.52	21.2
27	4.21	2.69	3.07	11.1	19.0	4.21	2.37	1.98	1.11	7.20	4.96	17.1
28	4.02	2.69	3.45	10.6	18.1	4.02	2.69	1.72	1.11	7.20	5.80	14.3
29	3.83		4.02	10.6	17.6	4.02	2.50	1.59	1.11	5.52	9.24	10.6
30	3.64		22.3	10.3	17.1	3.83	2.37	1.46	1.11	4.68	9.92	9.24
31	3.45		116		16.2		2.24	1.46		4.40		7.54
SD1	12.5	2.88	3.09	31.9	19.5	9.53	2.92	1.88	1.24	23.1	3.36	7.88
SD2	12.4	2.56	4.22	37.8	26.0	12.8	4.75	1.77	1.20	18.6	21.4	37.5
SD3	4.55	2.69	15.5	13.2	19.5	4.72	2.45	2.41	1.16	6.42	7.62	40.2
MAX	33.0	3.26	139	88.5	39.7	39.7	7.88	4.21	1.33	64.9	54.3	207
DAT	12	1	31	15	11	14	13	23	1	8	15	23
SR	9.66	2.71	7.87	27.6	21.6	9.00	3.34	2.03	1.20	15.7	10.8	28.9
MIN	3.45	2.50	2.69	10.3	8.22	3.83	2.24	1.46	1.11	1.11	2.24	4.96
DAT	31	12	1	30	2	30	25	9	27	1	12	8
-----												
GMIN = 1.11			SRGOD= 11.8			GMAX = 207						
DATUM 27 9						DATUM 23 12						
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1983

Broj               : 60113                      Stanica :   MEDJURECJE            Kota "0" = 187.51  
Nacin osmat.: limnigraf            Reka     :   MRTVICA                km od usca =   .20  
Pocetak rada: 1948                Sliv     :   MORACE                    Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	6.08	2.88	2.37	16.2	32.3	10.6	4.40	2.69	3.26	2.37	2.24	10.6
2	5.80	2.88	2.37	27.1	51.5	10.3	4.21	2.50	4.02	2.24	3.07	8.56
3	5.52	2.88	2.37	39.7	42.9	9.58	4.02	2.50	4.40	2.11	4.21	6.64
4	5.52	2.88	2.24	24.1	29.7	8.90	4.02	2.37	4.96	1.98	5.80	4.68
5	5.52	2.88	2.24	19.5	24.1	8.56	3.83	2.37	6.36	1.85	4.96	4.40
6	5.24	2.69	2.24	15.2	20.0	8.22	3.83	2.24	5.24	1.72	4.02	4.02
7	4.96	15.7	2.24	12.4	19.0	7.54	4.40	2.24	4.40	1.72	3.45	3.83
8	4.40	12.4	2.50	11.1	18.1	10.6	4.96	2.11	4.21	1.59	2.88	3.64
9	4.21	10.3	3.83	14.3	19.5	8.56	5.80	2.11	3.64	1.59	2.69	3.45
10	4.02	24.1	5.52	19.5	28.4	7.54	5.24	2.11	3.26	1.46	2.24	3.07
11	3.83	28.4	6.64	25.2	23.5	6.36	4.96	2.11	2.88	1.46	2.24	3.26
12	3.83	24.6	7.88	31.0	21.2	5.52	4.68	1.98	2.50	1.46	2.24	4.96
13	3.64	13.8	6.64	62.9	19.5	5.24	4.40	1.98	6.64	1.46	2.24	3.83
14	3.64	10.3	6.08	41.3	19.0	4.96	4.21	1.98	4.21	1.33	1.85	3.07
15	3.45	7.88	5.80	24.1	18.6	4.96	4.02	1.98	2.88	1.33	1.85	2.88
16	3.26	6.64	5.80	16.2	18.1	7.20	3.64	1.98	2.50	1.33	1.85	2.69
17	3.26	5.52	5.80	13.8	18.1	12.4	7.88	1.98	4.96	1.33	1.59	6.08
18	3.07	4.40	5.80	12.4	17.1	10.6	7.20	2.11	59.0	1.72	1.59	53.3
19	3.07	3.83	7.20	12.4	17.1	9.24	5.52	2.37	15.7	2.50	1.46	103
20	2.88	3.64	9.24	14.7	16.2	7.88	4.21	2.24	8.90	2.37	1.46	114
21	2.88	3.45	9.24	25.8	16.2	7.54	4.02	1.98	6.64	2.11	1.46	57.1
22	2.69	3.26	9.58	28.4	15.2	7.20	3.83	1.85	6.08	1.85	1.46	27.1
23	2.50	3.07	11.5	28.4	15.2	6.64	3.64	1.85	4.40	1.72	1.46	18.1
24	2.50	2.88	18.6	29.0	14.3	6.36	3.64	1.85	4.02	1.46	1.33	13.4
25	2.50	2.69	46.9	31.6	14.3	5.80	3.45	1.85	3.83	1.46	1.33	11.1
26	2.37	2.50	101	33.8	13.4	5.52	3.26	9.24	3.07	1.46	1.33	8.56
27	2.37	2.37	73.2	33.8	13.4	5.24	3.07	6.36	2.88	1.46	1.33	8.22
28	2.37	2.37	44.5	33.8	12.9	4.96	3.07	5.52	2.69	1.33	73.2	7.20
29	2.37		24.6	35.3	12.4	4.68	2.88	3.83	2.50	1.33	34.5	6.36
30	2.50		19.0	33.8	12.0	4.68	2.88	3.26	2.37	1.33	16.2	6.92
31	2.88		17.6		11.1		2.69	3.26		1.33		6.92
SD1	5.13	7.96	2.79	19.9	28.6	9.04	4.47	2.32	4.37	1.86	3.56	5.29
SD2	3.39	10.9	6.69	25.4	18.8	7.44	5.07	2.07	11.0	1.63	1.84	29.7
SD3	2.54	2.82	34.2	31.4	13.7	5.86	3.31	3.71	3.85	1.53	13.4	15.5
MAX	6.64	40.5	148	79.6	63.9	12.4	8.56	9.24	59.0	2.50	191	137
DAT	1	7	26	13	2	17	17	26	18	19	28	20
SR	3.65	7.54	15.2	25.6	20.1	7.45	4.25	2.74	6.41	1.67	6.25	16.8
MIN	2.37	2.37	2.24	11.1	11.1	4.68	2.69	1.85	2.37	1.33	1.33	2.69
DAT	26	27	4	8	31	29	31	22	30	14	24	16
GMIN =			1.33	SRGOD=			9.80	GMAX =			191	
DATUM			14 10					DATUM			28 11	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1984

Broj : 60113 Stanica : MEDJURECJE Kota "0" = 187.51  
Nacin osmat.: limnigraf Reka : MRTVICA km od usca = .20  
Pocetak rada: 1948 Sliv : MORACE Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	5.52	5.80	4.40	12.4	22.3	36.0	6.92	2.11	1.46	12.4	3.83	9.24
2	5.52	6.64	12.9	9.58	45.3	38.2	6.64	2.11	1.46	25.8	3.64	7.88
3	5.52	6.36	14.3	41.3	48.6	35.3	6.08	1.98	1.46	50.5	3.26	6.64
4	6.64	5.80	8.90	84.1	50.5	34.5	5.80	1.98	1.46	51.5	3.07	6.36
5	18.6	6.92	7.20	43.7	51.5	30.3	5.24	1.98	1.46	27.1	3.07	5.80
6	10.6	6.36	6.08	23.5	54.3	29.7	4.96	1.85	1.46	19.0	2.88	5.52
7	8.22	5.80	5.24	22.3	51.5	29.7	4.68	1.98	1.46	19.5	15.2	5.24
8	6.64	4.96	4.21	22.3	52.4	26.4	4.40	1.98	1.46	49.6	20.0	4.68
9	11.1	4.68	4.02	19.0	47.7	22.9	4.21	1.85	1.46	39.7	13.4	4.21
10	31.0	4.21	3.45	18.6	47.7	20.0	4.21	1.85	1.20	21.7	10.3	4.02
11	14.7	3.83	3.26	18.1	122	18.6	4.02	1.85	1.20	18.6	8.22	4.02
12	10.3	3.45	3.07	17.6	91.0	20.0	4.02	1.72	1.20	12.9	9.92	3.83
13	8.22	3.26	2.88	18.1	73.2	18.6	4.02	1.72	1.02	10.3	5.52	3.64
14	6.64	3.07	2.69	17.6	58.1	18.1	4.02	1.72	1.02	7.88	4.40	3.45
15	6.36	2.88	2.69	17.1	42.9	17.6	3.83	1.85	1.02	7.20	4.02	3.07
16	6.36	2.69	2.69	22.9	41.3	17.1	3.83	1.72	14.3	6.64	13.4	2.88
17	6.08	2.69	2.69	27.8	55.2	16.2	3.64	1.59	51.5	6.08	18.1	4.40
18	5.80	2.50	2.50	22.3	51.5	14.7	3.64	1.46	35.3	6.08	103	42.9
19	5.52	2.37	2.50	22.3	46.1	14.3	3.45	1.46	15.7	5.80	73.2	32.3
20	8.90	2.37	2.50	19.0	50.5	14.3	3.26	1.46	9.24	5.80	116	20.6
21	9.92	2.37	2.50	19.0	164	13.8	2.88	1.20	20.6	5.52	66.8	13.8
22	17.6	2.24	2.69	18.1	98.5	13.4	2.69	1.20	42.9	9.58	36.7	9.92
23	27.1	2.24	3.45	17.1	75.3	12.4	2.69	1.20	42.9	9.24	20.0	7.88
24	16.2	4.68	3.26	16.2	65.8	10.6	2.69	1.20	49.6	8.56	15.2	6.92
25	12.4	4.68	3.26	21.2	50.5	10.6	2.50	2.50	194	7.20	14.3	6.64
26	8.56	4.40	3.07	18.1	48.6	9.58	2.50	2.50	91.0	6.64	13.8	6.08
27	6.64	6.64	34.5	19.0	47.7	8.56	2.50	2.69	53.3	5.80	15.2	5.52
28	6.08	9.24	20.6	17.6	43.7	7.88	2.37	2.50	35.3	4.96	17.6	4.96
29	5.80	5.52	12.9	17.1	43.7	7.54	2.24	2.11	20.0	4.40	14.3	4.40
30	5.80		31.6	17.1	38.2	7.20	2.24	1.72	14.3	4.21	11.1	4.02
31	5.80		21.2		32.3		2.11	1.46		4.02		3.83
SD1	10.9	5.75	7.07	29.7	47.2	30.3	5.31	1.97	1.43	31.7	7.87	5.96
SD2	7.89	2.91	2.75	20.3	63.2	17.0	3.77	1.66	13.1	8.73	35.6	12.1
SD3	11.1	4.67	12.6	18.0	64.4	10.2	2.49	1.84	56.4	6.38	22.5	6.72
MAX	53.3	9.24	39.7	125	202	43.7	6.92	2.69	312	51.5	184	56.2
DAT	10	28	27	3	21	1	1	27	25	4	18	18
SR	10.0	4.44	7.65	22.7	58.4	19.1	3.82	1.82	23.7	15.3	22.0	8.21
MIN	5.52	2.24	2.50	9.58	22.3	7.20	2.11	1.20	1.02	4.02	2.88	2.88
DAT	1	22	18	2	1	30	31	21	13	31	6	16
GMIN =		1.02		SRGOD=		16.4		GMAX =		312		
DATUM		13 9						DATUM		25 9		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1985

Broj : 60113 Stanica : MEDJURECJE Kota "0" = 187.51  
Nacin osmat.: limnigraf Reka : MRTVICA km od usca = .20  
Pocetak rada: 1948 Sliv : MORACE Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	3.83	3.64	3.26	7.54	29.7	12.0	5.52	1.59	1.02	.840	41.3	8.22
2	3.64	5.52	4.96	9.24	22.3	12.0	5.52	1.59	1.02	.750	62.9	7.88
3	3.45	4.96	6.08	11.5	29.7	10.6	6.64	1.59	1.02	.750	44.5	7.54
4	3.26	4.68	6.36	16.6	80.7	10.6	6.08	1.46	1.02	.750	20.0	7.20
5	3.26	4.21	6.08	21.7	62.9	9.24	4.68	1.46	1.02	.750	18.1	6.92
6	3.45	4.02	5.80	23.5	49.6	8.56	4.40	1.46	1.02	.750	39.7	6.64
7	3.64	3.64	6.08	41.3	68.9	7.88	4.40	1.59	1.02	.750	35.3	6.64
8	3.45	3.45	6.36	40.5	66.8	7.20	3.83	3.07	1.02	.750	14.3	6.36
9	3.45	3.26	6.64	36.0	66.8	15.2	3.64	2.50	1.02	.750	9.24	5.80
10	3.45	80.7	6.64	43.7	58.1	12.4	3.45	2.50	1.02	.750	7.88	5.24
11	3.26	88.5	6.36	47.7	48.6	9.24	3.26	2.24	1.02	.750	6.64	4.96
12	3.26	84.1	6.64	39.7	46.9	8.22	2.88	1.72	1.02	.750	6.64	5.80
13	3.07	46.1	6.64	28.4	41.3	7.54	2.69	1.59	.840	.750	39.7	6.92
14	2.50	35.3	6.92	21.2	42.9	6.36	2.50	1.46	.840	.750	114	6.64
15	2.50	29.7	7.20	14.3	40.5	5.80	2.50	1.46	.840	.660	22.3	6.08
16	2.50	25.2	7.20	13.8	37.5	5.52	2.50	1.46	.840	.660	13.4	5.80
17	2.50	6.36	9.92	13.4	33.8	5.24	2.37	1.33	.840	.660	17.1	4.96
18	2.50	6.08	12.4	12.9	32.3	5.52	2.37	1.33	.840	.660	119	4.68
19	2.50	6.08	8.90	12.4	29.0	6.36	2.37	1.33	.840	.660	221	4.21
20	2.37	5.80	7.54	17.1	27.1	5.80	2.24	1.20	.750	.660	166	4.02
21	2.24	5.52	7.20	19.5	25.8	6.64	2.24	1.20	.750	.660	103	4.02
22	2.88	4.96	5.80	19.0	21.7	7.54	2.11	1.11	.750	.660	64.9	3.83
23	16.6	4.40	6.08	25.8	20.0	9.92	1.98	1.11	.750	.660	38.2	3.64
24	19.0	4.02	6.36	20.0	18.6	16.2	1.98	1.02	.750	.570	25.8	3.64
25	47.7	3.45	6.36	21.2	17.1	12.0	1.85	1.02	.750	.570	18.1	3.64
26	21.2	3.45	7.20	28.4	18.6	9.58	1.85	1.02	.840	.570	15.2	3.64
27	11.5	3.26	6.64	39.7	16.2	7.88	1.72	1.02	.840	.570	16.2	4.21
28	13.8	3.26	7.20	41.3	13.4	6.36	1.72	1.02	.840	.570	13.4	4.40
29	9.24		9.92	79.6	13.8	6.08	1.72	1.02	.840	.570	11.5	35.3
30	7.88		8.90	51.5	13.4	5.52	1.72	1.02	.840	.570	9.24	148
31	6.64		7.88		13.4		1.59	1.02		.840		152
SD1	3.49	11.8	5.83	25.2	53.5	10.6	4.82	1.88	1.02	.759	29.3	6.84
SD2	2.70	33.3	7.97	22.1	38.0	6.56	2.57	1.51	.867	.696	72.6	5.41
SD3	14.4	4.04	7.23	34.6	17.5	8.77	1.86	1.05	.795	.619	31.6	33.3
MAX	47.7	88.5	12.4	79.6	93.5	44.5	6.64	3.07	1.02	4.40	385	152
DAT	25	11	18	29	4	9	3	8	1	31	19	31
SR	7.11	17.3	7.02	27.3	35.7	8.63	3.04	1.47	.894	.689	44.5	15.8
MIN	2.24	3.26	3.26	7.54	13.4	5.24	1.59	1.02	.750	.570	6.64	3.64
DAT	21	9	1	1	28	17	31	24	20	24	11	23
-----												
GMIN = .570			SRGOD= 14.0					GMAX = 385				
DATUM 24 10								DATUM 19 11				
-----												

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1986

Broj : 60113 Stanica : MEDJURECJE Kota "0" = 187.51  
Nacin osmat.: limnigraf Reka : MRTVICA km od usca = .20  
Pocetak rada: 1948 Sliv : MORACE Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	114	11.5	6.92	29.0	33.8	24.6	4.96	2.24	1.11	.840	4.40	3.64
2	56.2	15.2	15.7	28.4	45.3	19.5	5.24	2.11	1.11	.840	4.02	3.45
3	33.0	9.58	70.0	27.8	42.1	16.6	5.52	1.98	1.11	.750	3.26	3.07
4	72.1	7.54	36.7	27.1	36.0	14.7	5.24	1.98	1.11	.750	3.07	2.69
5	53.3	6.08	24.1	25.2	35.3	14.7	5.24	1.98	1.02	.750	2.88	2.37
6	31.0	4.96	20.0	27.8	33.0	96.0	7.88	1.98	1.02	.750	2.88	2.37
7	20.0	4.40	18.1	31.0	31.0	92.3	6.36	1.98	1.02	.750	2.69	2.24
8	14.3	4.02	16.2	35.3	31.0	60.0	5.80	1.98	1.02	.750	2.50	2.24
9	10.6	4.02	15.2	35.3	31.0	40.5	5.24	1.98	1.02	.660	2.24	2.11
10	8.22	4.02	13.8	36.0	33.8	34.5	5.24	1.98	1.02	.660	1.85	1.98
11	7.20	4.02	15.7	25.8	29.0	29.7	4.40	1.98	1.02	.660	1.85	1.98
12	6.92	4.02	15.2	19.5	28.4	25.2	4.02	1.85	.930	.660	1.85	1.85
13	6.92	4.02	14.7	22.9	27.8	21.2	3.83	1.85	.930	.660	1.72	1.72
14	6.64	4.02	13.8	24.1	27.1	18.1	3.64	1.72	.930	.660	1.59	1.59
15	6.08	4.02	12.9	19.0	29.0	15.2	3.64	1.59	.930	.660	1.59	1.46
16	6.08	4.68	13.4	15.7	29.0	13.4	3.45	1.46	.930	.660	1.59	7.88
17	5.80	5.24	12.9	13.8	31.0	12.9	3.45	1.46	.930	.660	1.46	13.4
18	4.96	35.3	11.1	17.1	33.0	12.9	3.45	1.46	.930	.660	1.46	9.58
19	4.40	210	9.58	71.0	31.6	16.6	3.26	1.46	.840	.660	1.33	7.20
20	4.21	93.5	8.22	64.9	31.0	13.8	3.26	1.46	.840	.660	1.33	5.24
21	4.02	49.6	6.92	37.5	35.3	11.1	2.88	1.46	.840	.840	1.20	4.96
22	4.02	27.1	6.36	31.0	35.3	9.92	2.88	1.46	.840	1.46	1.11	4.21
23	8.22	19.5	6.08	29.0	42.1	8.90	2.69	1.46	.840	1.20	6.92	4.02
24	20.6	16.2	5.52	29.7	34.5	8.22	2.69	1.46	.840	32.3	29.0	3.83
25	33.0	17.1	7.20	30.3	30.3	7.54	2.69	1.46	.840	23.5	21.2	3.45
26	13.8	13.4	93.5	33.8	26.4	7.20	2.50	1.46	.840	8.90	10.6	3.45
27	9.24	10.3	89.8	36.0	23.5	6.92	2.50	1.33	.840	11.5	7.54	2.88
28	9.24	8.56	58.1	33.8	22.9	6.36	2.50	1.33	.840	13.8	6.08	2.69
29	9.24		43.7	29.7	24.1	5.80	2.50	1.20	.840	9.24	4.21	2.69
30	9.24		37.5	27.8	20.6	4.96	2.37	1.20	.840	7.20	3.83	2.50
31	9.24		33.0		24.1		2.37	1.20		5.52		2.24
SD1	41.3	7.13	23.7	30.3	35.2	41.3	5.67	2.02	1.06	.750	2.98	2.62
SD2	5.92	36.9	12.8	29.4	29.7	17.9	3.64	1.63	.921	.660	1.58	5.19
SD3	11.8	20.2	35.2	31.9	29.0	7.69	2.60	1.37	.840	10.5	9.17	3.36
MAX	178	293	146	115	62.9	137	9.24	2.24	1.11	86.3	33.0	19.0
DAT	1	19	26	19	22	7	6	1	1	24	24	16
SR	19.4	21.5	24.3	30.5	31.2	22.3	3.93	1.66	.939	4.18	4.58	3.71
MIN	4.02	4.02	5.52	13.8	20.6	4.96	2.37	1.20	.840	.660	1.11	1.46
DAT	21	8	24	17	30	30	30	29	19	9	22	15
GMIN =		.660		SRGOD=		13.9		GMAX =		293		
DATUM		9 10						DATUM		19 2		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1987

Broj : 60113 Stanica : MEDJURECJE Kota "0" = 187.51  
Nacin osmat.: limnigraf Reka : MRTVICA km od usca = .20  
Pocetak rada: 1948 Sliv : MORACE Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	2.88	19.5	5.24	18.6	23.5	40.5	7.88	2.11	1.02	.750	1.46	24.1	
2	2.88	13.8	4.40	13.4	28.4	33.8	7.54	2.11	1.02	.750	1.20	17.6	
3	19.0	10.6	4.96	9.24	33.8	28.4	6.92	1.98	.930	.750	1.11	12.9	
4	9.24	8.56	4.68	6.92	36.7	31.6	6.36	1.98	.930	.750	1.11	9.92	
5	6.36	6.92	4.21	6.64	33.8	44.5	5.80	1.98	.930	.750	1.02	8.22	
6	5.24	6.08	4.02	6.92	41.3	41.3	5.52	1.98	.930	.750	1.02	12.0	
7	4.96	5.52	3.83	9.24	40.5	37.5	4.96	1.98	.930	.750	1.02	16.6	
8	4.21	4.96	3.83	14.3	24.6	31.0	4.68	1.85	.930	.750	.930	22.9	
9	3.64	4.96	3.64	18.1	15.7	29.7	4.21	1.72	.930	1.33	.840	70.0	
10	3.64	4.96	3.45	24.1	14.3	29.0	4.02	1.46	.930	1.46	2.69	41.3	
11	6.36	5.24	3.45	35.3	19.0	25.2	3.83	1.46	.930	2.37	9.24	27.1	
12	17.1	7.54	3.26	24.6	20.6	24.1	3.64	1.46	.840	2.50	4.40	17.6	
13	11.5	20.0	3.26	18.1	21.7	22.9	3.64	1.46	.840	16.2	2.37	12.4	
14	64.9	16.6	3.07	15.7	61.0	21.7	3.64	1.46	.840	7.20	14.3	20.0	
15	87.4	14.7	2.88	13.4	89.8	19.5	3.45	1.46	.840	4.40	87.4	87.4	
16	59.0	12.4	2.50	12.0	72.1	20.0	3.45	1.46	.840	4.02	58.1	57.1	
17	29.0	12.4	2.37	10.6	61.0	16.6	3.26	1.46	.840	4.02	27.8	35.3	
18	17.1	10.6	2.37	10.3	51.5	12.4	3.07	1.46	.840	3.45	16.6	25.8	
19	12.9	10.3	2.37	13.4	47.7	10.6	2.88	1.46	.840	3.26	12.0	17.6	
20	12.4	9.58	6.64	22.3	45.3	9.92	2.88	1.46	.840	3.26	8.56	12.0	
21	11.1	15.7	12.4	27.1	59.0	15.2	2.88	1.33	.840	3.26	6.08	8.90	
22	10.3	14.3	6.36	33.0	50.5	14.3	2.69	1.20	.840	3.07	4.96	7.88	
23	8.56	12.4	6.08	21.2	31.6	13.4	2.69	1.20	.840	3.07	4.40	7.54	
24	6.36	10.3	4.40	14.7	27.8	11.5	2.50	1.20	.840	2.88	18.6	7.20	
25	4.96	8.90	3.64	18.6	29.0	9.92	2.37	1.20	.840	2.50	114	6.64	
26	4.21	7.88	3.26	24.1	28.4	9.24	2.37	1.20	.840	1.98	167	6.08	
27	4.21	6.92	3.26	21.7	31.6	8.90	2.24	1.20	.840	1.85	155	4.96	
28	6.36	6.08	3.45	18.6	31.6	8.56	2.24	1.20	.840	1.85	88.5	4.02	
29	48.6		6.92	19.5	32.3	8.56	2.24	1.20	.930	1.72	54.3	3.83	
30	62.9		55.2	23.5	55.2	8.22	2.24	1.11	.840	1.72	37.5	3.83	
31	37.5		34.5		49.6		2.11	1.02		1.59		3.64	
SD1	6.20	8.59	4.23	12.7	29.3	34.7	5.79	1.91	.948	.879	1.24	23.6	
SD2	31.8	11.9	3.22	17.6	49.0	18.3	3.37	1.46	.849	5.07	24.1	31.2	
SD3	18.6	10.3	12.7	22.2	38.8	10.8	2.42	1.19	.849	2.32	65.0	5.87	
MAX	104	23.5	75.3	36.0	106	50.5	7.88	2.11	1.02	23.5	348	104	
DAT	30	13	30	22	14	5	1	1	1	13	25	15	
SR	18.9	10.3	6.90	17.5	39.0	21.3	3.81	1.51	.882	2.74	30.1	19.8	
MIN	2.88	4.96	2.37	6.64	14.3	8.22	2.11	1.02	.840	.750	.840	3.64	
DAT	1	8	17	5	10	30	31	31	12	1	9	31	
		GMIN =	.750			SRGOD=	14.4			GMAX =	348		
		DATUM	1 10							DATUM	25 11		



ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1988

Broj               : 60113                    Stanica :   MEDJURECJE            Kota "0" = 187.51  
Nacin osmat.: limnigraf        Reka     :   MRTVICA                km od usca =   .20  
Pocetak rada: 1948            Sliv     :   MORACE                    Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	4.02	16.2	8.22	20.0	28.4	22.3	4.21	1.33	1.02	4.68	2.50	11.5
2	4.02	14.7	7.54	12.0	27.8	31.0	4.02	1.33	.930	4.02	2.50	129
3	3.83	11.5	6.64	9.24	28.4	18.6	4.02	1.33	.930	3.64	2.37	102
4	3.64	9.24	5.52	8.56	28.4	15.2	4.02	1.33	.840	3.64	2.37	63.9
5	3.64	21.2	5.24	9.92	30.3	13.8	3.83	1.20	.840	3.64	2.24	40.5
6	3.64	25.8	3.45	23.5	33.8	12.9	3.83	1.20	.840	3.64	2.24	35.3
7	3.64	15.7	2.88	30.3	39.0	12.4	3.64	1.02	.840	3.64	2.24	27.8
8	3.64	31.0	2.88	33.0	39.7	11.5	3.45	1.02	.840	3.64	2.24	17.1
9	3.64	42.1	2.88	28.4	37.5	10.6	3.07	1.02	.840	5.24	2.24	12.9
10	3.64	20.0	2.69	23.5	33.8	9.92	2.88	1.02	.750	19.0	2.24	9.92
11	3.45	13.8	2.69	21.7	29.7	8.90	2.69	1.02	.750	11.5	2.24	7.88
12	3.45	10.3	2.50	25.2	26.4	8.22	2.69	1.02	.750	8.56	2.24	7.20
13	3.45	8.22	2.37	29.7	26.4	7.88	2.50	1.02	.750	6.64	2.37	6.92
14	3.26	6.36	2.11	41.3	21.2	6.64	2.37	1.02	.840	5.52	3.07	6.92
15	3.26	5.52	2.11	25.8	29.0	5.52	2.24	1.02	154	4.68	2.88	6.92
16	2.69	5.24	2.69	16.6	32.3	4.68	2.24	1.02	116	4.21	2.88	6.64
17	2.50	4.96	24.1	12.4	28.4	4.02	2.11	1.02	106	3.83	2.69	6.64
18	2.50	4.40	12.4	11.1	22.3	4.40	1.98	1.02	89.8	3.64	2.69	6.36
19	2.50	4.21	7.54	11.5	18.6	6.08	1.85	1.02	39.7	3.26	2.50	6.08
20	2.50	4.02	5.52	12.0	18.1	8.90	1.85	1.02	24.6	2.88	3.07	5.80
21	2.37	3.83	4.40	15.7	17.6	8.56	1.72	1.02	11.5	2.69	6.64	5.52
22	2.37	3.64	3.83	21.2	18.1	7.88	1.59	1.02	31.6	2.50	85.2	4.96
23	2.37	3.26	46.9	24.1	21.7	7.20	1.46	1.02	24.1	3.45	30.3	4.40
24	2.24	3.45	29.0	25.8	18.6	6.64	1.46	1.02	15.2	5.24	13.4	4.02
25	2.24	7.54	18.1	44.5	20.0	6.08	1.46	1.02	11.1	4.96	9.24	3.64
26	3.64	4.96	15.2	43.7	18.6	5.24	1.46	1.02	8.56	4.40	6.92	3.26
27	4.02	3.83	17.1	33.8	16.2	4.40	1.46	1.02	7.54	4.02	5.52	3.07
28	3.07	3.64	15.2	31.0	14.3	4.21	1.46	1.02	6.92	3.83	4.68	2.69
29	2.50	3.83	10.3	31.6	26.4	4.21	1.46	1.02	6.08	3.26	4.21	2.37
30	74.2		7.88	33.8	29.0	4.21	1.46	1.02	5.52	3.07	4.02	2.24
31	42.9		11.1		22.9		1.46	1.02		2.50		2.11
SD1	3.73	20.7	4.79	19.8	32.7	15.8	3.70	1.18	.867	5.48	2.32	45.0
SD2	2.96	6.70	6.40	20.7	25.2	6.52	2.25	1.02	53.3	5.47	2.66	6.74
SD3	12.9	4.22	16.3	30.5	20.3	5.86	1.50	1.02	12.8	3.63	17.0	3.48
MAX	128	68.9	74.2	49.6	43.7	41.3	4.21	1.33	154	27.1	157	289
DAT	30	9	23	25	8	2	1	1	15	10	22	2
SR	6.74	10.8	9.39	23.7	25.9	9.40	2.45	1.07	22.3	4.82	7.33	17.9
MIN	2.24	3.26	2.11	8.56	14.3	4.02	1.46	1.02	.750	2.50	2.24	2.11
DAT	24	23	14	4	28	17	23	7	10	22	5	31
-----												
GMIN =			.750	SRGOD=				11.8	GMAX =			289
DATUM			10 9						DATUM			2 12
-----												

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1989

Broj : 60113 Stanica : MEDJURECJE Kota "0" = 187.51  
Nacin osmat.: limnigraf Reka : MRTVICA km od usca = .20  
Pocetak rada: 1948 Sliv : MORACE Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	2.11	1.11	21.2	26.4	19.5	6.92	3.64	2.88	6.36	4.40	82.9	6.36	
2	1.98	1.11	68.9	17.6	18.1	6.64	3.64	6.92	6.64	4.21	91.0	6.64	
3	2.11	1.11	23.5	24.6	16.2	7.20	3.45	6.08	6.92	4.21	99.8	6.08	
4	2.11	1.02	19.0	27.1	16.6	8.22	3.45	4.68	6.64	4.21	111	5.52	
5	2.24	1.02	10.3	29.0	15.7	9.58	3.45	2.69	7.20	4.21	116	4.96	
6	2.24	1.02	9.92	46.9	14.3	9.58	3.45	2.69	6.36	4.21	136	4.21	
7	2.24	1.02	9.92	46.9	16.2	9.92	3.45	2.69	6.64	4.40	151	4.02	
8	2.24	1.02	9.58	49.6	14.3	9.24	3.45	2.50	4.40	4.68	169	3.83	
9	2.24	.930	9.58	50.5	14.7	8.56	3.45	2.50	4.21	62.9	11.5	3.64	
10	2.11	.930	9.58	51.5	15.7	6.64	3.45	2.50	11.1	163	9.92	3.45	
11	2.11	.930	9.92	53.3	16.2	5.52	3.45	2.37	25.2	154	8.90	3.45	
12	1.98	.930	9.92	54.3	16.2	4.68	3.45	2.37	8.90	145	8.22	3.26	
13	1.98	.930	10.3	55.2	16.6	4.40	3.26	2.24	8.22	136	8.22	3.26	
14	1.85	.930	10.3	56.2	16.6	4.40	3.26	2.11	7.20	130	6.92	3.64	
15	1.72	.930	10.3	57.1	16.2	4.40	3.26	2.24	6.92	116	6.36	3.83	
16	1.46	1.02	10.6	54.3	14.3	4.21	3.26	2.24	6.36	68.9	5.80	4.02	
17	1.46	1.02	11.5	53.3	13.8	4.68	3.26	2.24	5.24	64.9	4.96	4.40	
18	1.46	1.02	11.5	41.3	13.4	4.68	2.88	2.37	4.21	61.0	4.21	4.68	
19	1.46	1.02	12.4	33.8	13.4	4.68	2.69	2.37	4.02	56.2	3.83	4.96	
20	1.33	1.11	12.9	21.2	13.8	4.40	2.37	2.37	4.02	49.6	3.64	4.96	
21	1.33	1.11	13.8	19.5	12.9	4.40	2.24	2.50	4.21	46.9	29.7	5.24	
22	1.20	1.11	14.7	22.9	12.4	4.40	2.11	2.50	4.40	42.1	112	5.52	
23	1.20	1.11	15.7	26.4	12.0	4.21	1.98	2.50	4.40	39.0	54.3	5.52	
24	1.20	1.20	16.2	23.5	10.3	4.21	1.85	2.50	4.68	36.0	29.7	5.80	
25	1.20	1.20	16.6	15.2	9.58	4.21	1.72	2.37	4.68	33.0	17.1	6.08	
26	1.20	85.2	17.1	16.2	8.56	4.02	2.24	2.37	4.68	29.7	12.4	5.52	
27	1.20	43.7	18.1	17.1	7.20	4.02	2.37	2.37	4.40	28.4	9.58	4.96	
28	1.11	56.2	19.5	18.1	6.08	3.83	2.50	2.37	4.40	26.4	8.56	4.02	
29	1.11		21.7	18.1	6.08	3.83	2.69	42.9	4.40	24.1	7.88	3.83	
30	1.11		22.9	19.0	6.36	3.83	2.69	16.2	4.68	22.9	7.54	3.83	
31	1.11		24.1		6.92		2.88	14.7		20.6		3.45	
SD1	2.16	1.03	19.1	37.0	16.1	8.25	3.49	3.61	6.65	26.0	97.8	4.87	
SD2	1.68	.984	11.0	48.0	15.1	4.61	3.11	2.29	8.03	98.2	6.11	4.05	
SD3	1.18	23.9	18.2	19.6	8.94	4.10	2.30	8.48	4.49	31.7	28.9	4.89	
MAX	2.24	97.3	79.6	66.8	19.5	9.92	3.64	47.7	29.0	194	252	6.64	
DAT	7	26	2	15	1	7	1	29	11	10	8	2	
SR	1.66	7.53	16.2	34.9	13.2	5.65	2.94	4.91	6.39	51.3	44.3	4.61	
MIN	1.11	.930	9.58	15.2	6.08	3.83	1.72	2.11	4.02	4.21	3.64	3.26	
DAT	28	9	8	25	28	28	25	14	19	2	20	12	
		GMIN =	.930			SRGOD=	16.1			GMAX =	252		
		DATUM	9 2							DATUM	8 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1990

Broj               : 60113                      Stanica :   MEDJURECJE            Kota "0" = 187.51  
Nacin osmat.: limnigraf            Reka     :   MRTVICA                km od usca =   .20  
Pocetak rada: 1948                Sliv     :   MORACE                    Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	3.45	27.1	5.80	6.08	11.5	4.96	1.98	.840	.750	.930	42.9	28.4	
2	3.26	31.0	5.24	5.24	10.6	4.21	1.72	.840	.750	.930	36.7	13.4	
3	3.07	24.1	4.68	4.96	9.92	4.02	1.59	.840	.750	.930	27.1	10.3	
4	3.07	19.0	4.02	4.96	9.24	4.02	1.46	.840	.750	1.02	19.0	8.56	
5	2.88	15.2	4.21	5.52	8.90	3.83	1.46	.750	.750	1.20	16.2	7.20	
6	2.69	5.24	4.02	4.02	8.22	3.64	1.33	.750	.750	1.59	13.8	6.36	
7	2.24	5.24	4.02	17.1	7.54	3.45	1.33	.750	.750	1.98	10.3	5.80	
8	2.24	4.96	4.02	31.0	7.54	3.26	1.33	1.46	.750	57.1	8.56	5.24	
9	2.11	4.21	3.83	22.3	7.88	3.26	1.20	1.11	.750	58.1	6.92	4.68	
10	2.11	3.83	3.83	36.7	7.20	3.07	1.20	1.02	.750	25.2	6.08	61.0	
11	1.98	4.02	3.83	31.0	6.92	3.07	1.20	.930	.750	12.4	4.96	71.0	
12	1.98	2.88	3.83	15.2	6.92	2.88	1.20	.930	.660	7.20	4.21	32.3	
13	1.85	2.88	4.02	11.5	6.64	2.88	1.33	.930	.660	5.24	4.02	18.1	
14	1.72	2.69	4.02	9.24	6.36	3.26	1.46	.930	.660	4.21	3.83	13.8	
15	1.72	3.07	4.21	7.88	6.08	3.45	1.46	.840	.660	3.64	4.68	11.1	
16	1.72	3.26	3.83	7.88	5.80	3.64	1.33	.840	.660	3.45	12.9	8.90	
17	1.59	3.45	3.83	7.20	5.52	3.64	1.33	.840	.660	3.26	10.6	7.54	
18	1.59	3.45	3.83	6.92	5.24	3.83	1.20	.840	.660	3.07	8.56	6.64	
19	1.46	3.83	3.64	7.54	4.96	3.83	1.20	.840	.660	2.69	7.20	5.80	
20	1.46	3.64	3.45	9.58	4.68	3.64	1.20	.840	.660	2.69	7.20	5.80	
21	1.46	3.64	3.45	9.92	4.68	3.64	1.11	.840	.660	29.0	5.80	4.96	
22	1.33	3.64	3.45	36.7	4.68	3.45	1.11	.840	.660	19.5	5.80	4.68	
23	1.33	3.64	3.64	41.3	4.96	3.45	1.11	.840	.660	11.1	20.6	4.21	
24	1.20	3.64	3.64	66.8	4.96	3.45	1.02	.840	.660	7.54	116	4.02	
25	1.20	3.45	3.83	35.3	5.24	3.26	1.02	.840	.660	5.80	70.0	3.83	
26	1.20	3.45	4.02	36.7	5.52	2.88	1.02	.840	.660	4.96	50.5	3.83	
27	1.11	3.64	7.54	24.6	5.80	2.37	.930	.840	.660	7.88	103	3.64	
28	2.50	4.02	16.2	20.0	6.08	2.24	.930	.840	.660	14.7	92.3	4.21	
29	27.1		9.92	17.1	5.80	1.98	.930	.840	.660	17.1	50.5	4.68	
30	47.7		7.88	13.4	5.52	1.98	.930	.840	.750	81.8	28.4	4.21	
31	39.7		7.20		5.24		.930	.840		42.9		4.21	
SD1	2.71	14.0	4.37	13.8	8.85	3.77	1.46	.920	.750	14.9	18.8	15.1	
SD2	1.71	3.32	3.85	11.4	5.91	3.41	1.29	.876	.669	4.78	6.82	18.1	
SD3	11.4	3.64	6.43	30.2	5.32	2.87	1.00	.840	.669	22.0	54.3	4.23	
MAX	47.7	31.0	16.2	66.8	11.5	4.96	1.85	1.46	.570	98.5	154	227	
DAT	30	2	28	24	1	1	1	8	1	30	24	11	
SR	5.48	7.22	4.93	18.5	6.65	3.35	1.24	.877	.696	14.2	26.6	12.2	
MIN	1.11	2.69	3.45	4.02	4.68	1.98	.930	.750	.660	.930	3.83	3.64	
DAT	27	14	20	6	20	29	27	5	12	1	14	27	
-----													
GMIN =			.660	SRGOD=				8.46	GMAX =			227	
DATUM			12 9						DATUM			11 12	
-----													

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1991

Broj : 60113 Stanica : MEDJURECJE Kota "0" = 187.51  
Nacin osmat.: limnigraf Reka : MRTVICA km od usca = .20  
Pocetak rada: 1948 Sliv : MORACE Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	3.83	2.88	3.26	8.56	15.7	13.8	4.02	3.64	.930	1.85	3.64	10.3
2	4.68	2.88	3.64	7.20	15.2	18.6	3.83	5.52	.930	1.59	3.45	8.56
3	5.80	2.69	3.83	6.92	17.1	21.2	3.83	4.40	.930	1.33	3.26	7.20
4	5.24	2.50	4.02	7.88	42.1	23.5	3.83	3.83	.930	1.11	3.07	6.64
5	4.96	2.50	3.83	7.88	39.7	21.7	3.83	3.26	.930	1.02	33.8	6.08
6	4.68	2.37	3.83	8.56	31.6	22.3	3.83	3.26	.930	1.02	51.5	5.52
7	4.40	2.24	4.40	13.4	24.6	22.9	3.64	3.07	.840	1.02	27.8	4.68
8	4.21	2.24	8.22	16.2	27.1	91.0	3.45	2.88	.840	1.02	16.2	4.21
9	4.02	7.54	9.92	17.6	19.5	70.0	3.26	2.88	.840	1.11	11.5	4.02
10	4.02	4.21	12.0	15.2	23.5	44.5	3.07	2.69	.750	1.11	9.24	3.83
11	4.21	11.1	12.9	14.7	44.5	31.6	3.07	2.50	.750	1.11	12.9	3.64
12	4.21	56.2	11.5	11.5	44.5	27.1	2.88	2.37	.750	1.11	12.9	3.45
13	4.40	19.5	10.6	13.8	31.6	23.5	2.69	2.37	.750	9.92	10.3	3.26
14	4.40	9.58	9.58	13.8	27.1	21.2	2.69	2.24	.750	38.2	30.3	3.07
15	4.21	6.64	9.24	14.7	28.4	19.0	2.50	2.11	.750	32.3	136	3.07
16	4.02	4.96	8.56	12.4	29.0	16.6	2.50	2.11	.660	21.7	130	3.07
17	3.83	4.02	8.56	14.3	89.8	15.2	2.37	1.98	.660	25.8	196	3.07
18	3.64	3.45	7.20	31.6	62.9	14.7	2.37	1.85	.660	15.7	86.3	2.88
19	3.45	3.26	6.08	57.1	24.6	13.4	2.37	1.85	.660	10.6	58.1	2.88
20	3.45	3.26	5.80	35.3	16.6	11.1	2.37	1.72	.660	27.1	39.7	2.69
21	3.26	3.07	7.20	19.5	15.2	9.24	2.37	1.72	.570	63.9	110	2.69
22	3.26	3.07	12.9	13.8	20.0	8.56	2.37	1.59	.570	93.5	87.4	2.50
23	3.26	3.07	17.6	10.6	26.4	7.88	2.24	1.46	.570	42.9	61.0	2.37
24	3.26	3.07	20.6	9.92	30.3	7.20	2.24	1.33	.570	21.7	38.2	2.37
25	3.26	3.07	24.6	8.56	22.3	6.64	2.24	1.20	.570	13.8	65.8	2.37
26	3.26	3.07	28.4	7.20	16.2	6.08	2.24	1.11	.570	10.3	49.6	2.37
27	3.26	3.07	22.9	8.22	17.6	6.08	2.24	1.02	1.85	8.56	29.7	2.24
28	3.07	3.07	16.6	12.9	11.1	5.80	4.40	.930	3.45	6.64	19.0	2.24
29	3.07		14.7	13.4	9.92	5.24	4.02	.930	3.83	5.52	15.2	2.24
30	3.07		12.4	13.4	8.90	4.40	4.02	.930	2.50	4.21	12.4	2.11
31	3.07		10.3		10.6		3.64	.930		4.02		2.11
SD1	4.58	3.20	5.69	10.9	25.6	35.0	3.66	3.54	.885	1.22	16.3	6.10
SD2	3.98	12.2	9.00	21.9	39.9	19.3	2.58	2.11	.705	18.4	71.3	3.11
SD3	3.19	3.07	17.1	11.8	17.1	6.71	2.91	1.20	1.50	25.0	48.8	2.33
MAX	6.08	74.2	29.0	92.3	128	172	5.24	5.80	4.40	110	308	11.5
DAT	3	12	26	19	17	8	28	2	30	22	17	1
SR	3.90	6.38	10.8	14.9	27.2	20.3	3.05	2.25	1.03	15.2	45.5	3.80
MIN	3.07	2.24	3.26	6.92	8.90	4.40	2.24	.930	.570	1.02	3.07	2.11
DAT	28	7	1	3	30	30	23	28	21	5	4	30
-----												
GMIN = .570			SRGOD= 12.8					GMAX = 308				
DATUM 21 9								DATUM 17 11				
-----												

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1992

Broj : 60113 Stanica : MEDJURECJE Kota "0" = 187.51  
Nacin osmat.: limnigraf Reka : MRTVICA km od usca = .20  
Pocetak rada: 1948 Sliv : MORACE Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	2.11	2.24	2.11	6.64	31.0	19.0	3.07	1.59	.750	.750	23.5	7.20
2	2.11	2.24	2.11	9.92	28.4	14.3	2.88	1.46	.750	.750	18.6	6.64
3	1.98	2.11	2.24	11.1	27.1	10.3	2.69	1.46	.750	.750	14.3	6.08
4	1.98	2.11	2.24	12.9	23.5	8.22	2.69	1.46	.660	11.1	11.5	6.36
5	1.98	2.11	2.24	14.7	21.2	6.36	2.50	1.46	.660	24.1	9.58	19.5
6	1.98	2.11	2.24	18.1	20.0	5.52	2.50	1.33	.660	29.7	7.88	85.2
7	1.85	2.11	2.24	35.3	19.0	4.68	3.64	1.33	.660	221	6.92	73.2
8	1.85	2.11	2.24	22.3	20.0	4.21	4.40	1.33	.660	63.9	6.36	36.7
9	1.72	2.11	2.24	16.2	17.1	4.68	4.21	1.33	.660	38.2	5.52	43.7
10	1.72	2.11	2.24	18.6	15.7	4.68	4.40	1.20	.660	18.1	4.96	37.5
11	1.59	2.11	2.24	16.6	15.2	4.96	4.40	1.20	.570	12.0	4.40	22.9
12	1.59	1.98	2.24	12.4	14.3	14.3	4.02	1.20	.570	55.2	4.21	17.1
13	1.46	1.98	2.24	9.24	12.9	25.8	6.64	1.20	.570	47.7	20.6	14.3
14	1.46	1.98	2.24	8.56	11.5	28.4	6.36	1.11	.570	33.0	15.2	11.5
15	1.33	1.98	2.24	8.56	10.3	19.0	5.52	1.11	.570	22.3	11.5	9.58
16	1.33	1.98	2.24	8.56	10.3	12.9	4.40	1.11	.570	25.8	9.24	8.22
17	1.33	3.26	2.24	19.5	9.24	12.4	3.83	1.11	.570	55.2	58.1	7.20
18	1.46	4.02	2.24	31.0	8.22	12.9	3.64	1.02	.570	342	274	6.08
19	1.72	3.64	2.24	17.1	6.36	11.1	3.26	1.02	.570	108	114	5.52
20	2.24	3.07	2.24	12.0	5.24	11.1	2.88	1.02	.570	44.5	73.2	4.96
21	2.24	3.07	2.24	10.3	4.96	9.58	2.69	.930	.570	26.4	49.6	4.68
22	2.37	2.50	2.24	9.24	4.96	7.88	2.50	.930	.570	39.7	33.8	4.40
23	2.37	2.24	2.24	8.56	5.52	6.36	2.37	.930	.570	43.7	20.0	4.21
24	2.37	2.24	27.1	11.1	6.08	5.52	2.24	.930	.570	32.3	15.2	4.02
25	2.37	2.24	54.3	18.6	6.08	4.68	2.11	.840	.570	33.0	13.4	3.83
26	2.37	2.24	41.3	24.6	5.80	4.21	1.98	.840	.480	22.3	12.4	3.64
27	2.37	2.24	33.8	30.3	5.52	3.83	1.72	.840	.480	27.1	10.3	3.64
28	2.37	2.11	20.0	32.3	4.68	3.64	1.59	.840	.480	19.5	9.58	3.45
29	2.37	2.11	14.3	32.3	4.21	3.45	1.59	.840	.480	27.1	8.90	3.26
30	2.37		10.3	31.6	5.52	3.26	1.59	.750	.660	34.5	7.88	3.26
31	2.37		7.88		13.4		1.59	.750		30.3		3.07
SD1	1.93	2.14	2.21	16.6	22.3	8.19	3.30	1.39	.687	40.8	10.9	32.2
SD2	1.55	2.60	2.24	14.4	10.4	15.3	4.49	1.11	.570	74.6	58.4	10.7
SD3	2.36	2.33	19.6	20.9	6.07	5.24	2.00	.856	.543	30.5	18.1	3.77
MAX	2.37	4.02	93.5	41.3	33.0	31.0	7.88	1.59	.750	576	420	194
DAT	22	18	24	7	1	14	13	1	1	7	18	6
SR	1.96	2.36	8.39	17.3	12.7	9.57	3.22	1.11	.600	48.1	29.2	15.2
MIN	1.33	1.98	2.11	6.64	4.21	3.26	1.59	.750	.480	.750	4.21	3.07
DAT	15	12	1	1	29	30	28	30	26	1	12	31
-----												
GMIN = .480			SRGOD= 12.5					GMAX = 576				
DATUM 26 9								DATUM 7 10				
-----												

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1993

Broj               : 60113                    Stanica :   MEDJURECJE            Kota "0" = 187.51  
Nacin osmat.: limnigraf        Reka     :   MRTVICA                km od usca =   .20  
Pocetak rada: 1948            Sliv     :   MORACE                    Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	2.88	1.72	1.33	5.24	14.3	3.45	1.72	1.33	.750	6.64	3.64	5.80
2	2.88	1.72	1.59	4.96	13.4	3.45	1.72	1.20	.750	9.58	3.45	5.80
3	2.88	1.72	1.85	7.20	12.0	3.26	1.85	1.20	.750	62.9	3.45	6.64
4	2.69	1.72	1.85	7.88	11.5	3.07	1.85	1.20	1.20	71.0	5.24	7.88
5	2.69	1.72	1.72	6.08	12.9	3.07	1.72	1.20	2.88	38.2	59.0	7.54
6	2.69	1.59	1.72	5.52	13.4	2.88	1.72	1.20	4.96	18.6	194	6.64
7	2.69	1.59	1.59	5.80	12.0	2.69	1.72	1.33	3.45	11.5	110	6.08
8	2.50	1.59	1.59	5.52	10.6	2.69	1.72	1.46	2.88	8.90	59.0	7.88
9	2.50	1.59	1.59	5.24	10.6	2.50	1.72	1.59	2.37	17.6	37.5	11.1
10	2.50	1.59	1.59	4.96	9.92	2.50	1.72	2.11	2.11	13.8	21.7	14.3
11	2.37	1.46	1.59	6.08	9.24	2.50	1.72	2.24	1.98	8.90	14.7	15.7
12	2.37	1.46	1.59	28.4	7.88	2.50	1.72	2.11	5.24	7.20	11.5	40.5
13	2.37	1.46	1.59	32.3	6.64	2.50	1.72	1.85	5.80	5.80	20.6	25.8
14	2.24	1.46	1.59	22.3	6.08	2.37	1.59	1.85	3.64	4.68	32.3	14.7
15	2.24	1.46	1.59	24.6	8.22	2.24	1.46	1.20	3.45	4.21	18.1	130
16	2.24	1.46	1.59	25.8	17.1	2.11	1.46	1.11	4.21	4.02	25.2	114
17	2.24	1.46	1.72	18.1	13.4	2.11	1.46	.930	3.64	3.64	17.1	88.5
18	2.24	1.46	1.72	15.2	10.6	2.11	1.46	.930	3.07	3.26	12.4	47.7
19	2.11	1.46	2.50	13.4	9.24	2.11	1.46	.840	2.88	3.07	9.92	25.8
20	2.11	1.46	3.45	13.8	7.54	1.98	1.46	.840	2.88	2.88	8.56	16.2
21	2.11	1.33	3.83	18.1	9.24	1.98	1.46	.840	2.69	2.69	7.20	12.9
22	2.11	1.33	4.21	22.3	9.92	1.98	1.59	.840	2.37	2.50	6.36	37.5
23	1.98	1.33	4.68	23.5	8.56	1.85	1.46	.750	2.24	3.64	5.80	47.7
24	1.98	1.33	5.52	21.2	7.20	1.85	1.46	.750	1.98	40.5	5.52	26.4
25	1.98	1.33	6.08	23.5	6.36	1.85	1.46	.750	1.98	19.5	5.52	40.5
26	1.98	1.33	22.3	20.6	5.80	1.85	1.33	.750	1.98	10.6	5.52	25.2
27	1.98	1.33	18.1	19.5	4.96	1.85	1.33	.750	1.72	8.22	5.24	32.3
28	1.98	1.33	11.1	19.0	4.68	1.72	1.33	.750	1.72	6.36	4.96	19.0
29	1.85		7.88	18.1	4.21	1.72	1.33	.750	2.37	5.24	4.96	17.6
30	1.85		6.36	14.7	4.02	1.72	1.33	.750	9.92	4.40	5.24	9.58
31	1.85		5.80		3.83		1.33	.750		4.02		7.54
SD1	2.69	1.66	1.64	5.84	12.1	2.96	1.75	1.38	2.21	25.9	49.7	7.97
SD2	2.25	1.46	1.89	20.0	9.59	2.25	1.55	1.39	3.68	4.77	17.0	51.9
SD3	1.97	1.33	8.71	20.1	6.25	1.84	1.40	.766	2.90	9.79	5.63	25.1
MAX	2.88	1.72	22.3	39.7	19.5	3.45	1.72	2.24	9.92	99.8	332	270
DAT	1	1	26	12	16	1	1	11	30	3	6	15
SR	2.29	1.49	4.23	15.3	9.20	2.35	1.56	1.17	2.93	13.4	24.1	28.2
MIN	1.85	1.33	1.33	4.96	3.83	1.72	1.33	.750	.750	2.50	3.45	5.80
DAT	29	21	1	2	31	28	26	23	1	22	2	1
-----												
GMIN =			.750	SRGOD=				8.89	GMAX =			332
DATUM			23 8						DATUM			6 11
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1994

Broj           : 60113                      Stanica :   MEDJURECJE            Kota "0" = 187.51  
Nacin osmat.: limnigraf              Reka     :   MRTVICA                km od usca =   .20  
Pocetak rada: 1948                    Sliv     :   MORACE                    Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	6.64	3.45	4.40	12.0	33.8	9.92	3.07	2.11	1.46	2.69	24.6	2.24
2	6.08	3.45	4.40	31.0	29.7	9.24	3.07	1.98	1.46	2.88	13.4	2.24
3	5.52	3.45	5.52	32.3	22.3	8.22	3.07	1.85	1.33	2.88	9.58	1.98
4	4.96	3.45	5.24	18.1	19.0	8.22	3.07	1.72	1.33	6.64	7.54	1.98
5	19.0	3.45	4.68	14.7	22.9	7.88	3.07	1.59	1.33	9.92	6.08	1.72
6	42.9	3.26	4.02	20.0	25.2	6.92	3.07	1.46	1.33	6.36	4.96	1.72
7	20.0	3.26	3.83	18.6	21.2	5.80	3.07	1.20	1.33	4.40	4.21	1.46
8	20.0	3.26	3.83	14.7	18.1	4.96	3.07	1.11	1.33	4.02	4.21	1.46
9	18.6	3.26	3.83	13.4	16.2	4.68	3.07	1.11	1.33	3.64	5.52	1.20
10	14.3	3.26	3.83	21.7	17.6	4.68	3.07	1.11	1.20	3.64	6.36	1.20
11	11.5	3.07	4.40	142	19.5	4.40	2.88	1.11	1.20	3.45	64.9	1.20
12	9.58	3.07	6.36	268	19.0	4.21	2.88	1.11	1.20	3.26	59.0	1.20
13	8.22	2.88	8.56	103	18.1	4.02	2.88	1.11	1.20	2.88	32.3	1.11
14	7.54	2.69	11.5	53.3	19.0	7.54	3.07	1.11	1.20	2.69	17.1	1.11
15	6.92	2.69	13.8	31.6	24.1	7.20	3.07	1.11	4.68	2.50	12.0	1.11
16	6.64	2.50	15.2	24.1	25.8	6.92	3.26	1.11	4.40	2.69	9.24	1.11
17	6.92	3.64	13.4	53.3	25.8	6.08	3.26	1.11	4.02	2.50	7.54	1.11
18	8.56	8.56	12.4	74.2	25.2	5.52	3.07	1.11	6.92	2.24	6.36	1.11
19	7.88	6.64	10.6	45.3	38.2	4.96	3.07	1.11	6.08	2.11	5.80	1.11
20	6.64	5.80	9.58	30.3	32.3	4.40	3.07	1.11	23.5	1.98	4.40	1.11
21	9.92	4.96	9.24	27.1	25.2	4.02	2.88	1.11	14.3	1.72	4.02	1.11
22	9.24	4.40	9.58	25.8	22.3	4.02	2.88	1.11	8.56	1.59	3.83	1.11
23	7.54	4.02	9.92	26.4	21.7	3.83	2.69	1.11	5.80	1.33	3.64	1.02
24	6.36	4.40	10.6	27.8	20.6	3.83	2.69	1.11	4.40	1.11	3.45	1.02
25	5.52	7.20	15.2	29.7	19.5	3.83	2.50	1.11	4.02	8.56	3.26	1.02
26	4.96	6.08	17.6	29.0	18.1	3.64	2.50	1.46	3.45	5.24	2.88	1.02
27	4.68	4.68	18.6	30.3	16.2	3.45	2.37	1.59	3.07	4.96	2.88	1.02
28	4.40	4.40	16.2	36.7	14.3	3.45	2.37	1.59	2.88	4.68	2.50	1.02
29	4.02		11.5	33.8	12.9	3.26	2.24	1.46	2.69	65.8	2.50	1.02
30	3.83		9.24	33.8	11.5	3.07	2.24	1.46	2.69	81.8	2.50	1.02
31	3.64		9.24		11.1		2.11	1.46		42.9		66.8
SD1	15.8	3.36	4.36	19.6	22.6	7.05	3.07	1.52	1.34	4.71	8.65	1.72
SD2	8.04	4.15	10.6	82.5	24.7	5.53	3.05	1.11	5.44	2.63	21.9	1.13
SD3	5.83	5.02	12.4	30.0	17.6	3.64	2.50	1.32	5.19	20.0	3.15	7.02
MAX	93.5	11.1	19.0	400	33.8	10.3	3.26	2.11	27.1	151	79.6	66.8
DAT	5	18	27	12	1	1	17	1	20	30	11	31
SR	9.76	4.12	9.24	44.1	21.5	5.41	2.86	1.32	3.99	9.45	11.2	3.41
MIN	3.64	2.50	3.83	12.0	11.1	3.07	2.11	1.11	1.20	1.11	2.50	1.02
DAT	31	16	7	1	31	30	31	8	10	24	28	23
-----												
GMIN = 1.02				SRGOD= 10.5				GMAX = 400				
DATUM 23 12								DATUM 12 4				
-----												

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1995

Broj : 60113 Stanica : MEDJURECJE Kota "0" = 187.51  
Nacin osmat.: limnigraf Reka : MRTVICA km od usca = .20  
Pocetak rada: 1948 Sliv : MORACE Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	91.0	8.90	20.0	6.64	25.2	20.0	3.64	4.21	11.5	4.21	1.20	12.4
2	139	6.64	15.7	5.80	29.7	27.1	3.45	7.20	8.56	4.02	1.20	9.24
3	53.3	5.80	14.7	6.36	30.3	31.6	3.26	4.96	6.64	3.45	1.20	7.54
4	28.4	4.96	15.2	9.24	24.1	22.3	3.26	3.45	8.22	3.26	1.20	6.08
5	14.3	4.40	25.8	13.8	20.6	16.2	3.26	2.88	17.1	3.26	1.11	5.52
6	10.3	4.02	18.6	16.6	18.6	14.3	3.07	2.88	33.8	3.07	1.02	5.80
7	7.88	3.83	12.9	18.6	21.2	13.4	2.88	2.50	22.3	3.07	1.02	9.92
8	6.36	3.64	9.58	19.0	27.8	12.4	2.88	2.50	13.4	2.88	1.02	13.4
9	4.96	3.64	8.22	16.6	29.7	10.6	2.88	2.50	36.7	2.69	1.02	10.3
10	4.40	5.52	6.92	12.4	30.3	9.92	2.88	2.50	21.7	2.50	1.02	8.56
11	4.21	5.52	6.08	9.58	31.6	9.24	2.88	2.50	13.8	2.37	.930	6.92
12	4.21	4.68	5.52	7.88	40.5	8.90	2.69	2.37	9.58	2.24	.930	5.80
13	3.83	4.21	4.96	6.64	108	8.90	2.69	2.37	7.20	2.24	.840	8.22
14	3.64	4.02	4.68	5.52	139	8.56	2.50	2.24	6.08	2.24	1.85	8.90
15	3.64	3.83	4.40	4.68	68.9	7.54	2.50	2.24	39.7	2.24	8.90	9.92
16	3.45	3.64	4.21	4.68	44.5	6.92	2.50	2.24	42.1	2.11	6.92	8.56
17	3.45	3.64	4.02	4.68	29.7	6.36	2.50	2.11	20.6	1.98	19.5	6.92
18	3.45	3.64	3.83	4.40	26.4	6.08	3.45	1.98	12.9	1.98	55.2	7.88
19	3.26	27.1	3.83	4.96	27.1	4.96	4.68	1.98	10.3	1.98	33.8	17.1
20	3.26	16.2	6.08	6.64	27.1	4.96	3.45	1.98	19.0	1.85	15.7	15.2
21	3.07	9.92	15.7	11.5	28.4	4.40	3.07	1.85	35.3	1.85	10.3	10.6
22	2.88	8.22	9.92	18.1	27.1	4.21	2.88	1.72	20.0	1.72	7.54	8.56
23	2.88	7.20	7.20	25.2	23.5	4.21	2.50	1.72	17.1	1.59	5.80	16.2
24	4.68	14.3	6.08	27.1	22.9	4.21	2.50	1.59	14.3	1.59	4.68	114
25	6.64	29.0	5.24	37.5	25.2	4.02	2.50	1.46	10.3	1.46	4.40	94.8
26	4.68	31.0	4.96	47.7	25.2	4.02	2.37	9.92	8.22	1.46	4.21	140
27	29.7	60.0	4.96	33.0	25.2	3.83	2.37	30.3	6.92	1.33	6.36	304
28	22.3	35.3	31.0	22.3	25.2	3.83	2.37	13.4	6.08	1.33	29.7	145
29	12.0		17.6	18.1	24.1	3.64	2.37	29.7	5.52	1.33	33.0	75.3
30	8.22		12.0	20.0	24.6	3.64	3.07	25.8	4.68	1.20	18.1	53.3
31	9.92		8.56		22.3		3.64	13.8		1.20		36.7
SD1	36.0	5.13	14.8	12.5	25.8	17.8	3.15	3.56	18.0	3.24	1.10	8.88
SD2	3.64	7.65	4.76	5.97	54.3	7.24	2.98	2.20	18.1	2.12	14.5	9.54
SD3	9.72	24.4	11.2	26.0	24.9	4.00	2.69	11.9	12.8	1.46	12.4	90.8
MAX	270	76.3	49.6	53.3	204	34.5	5.52	61.0	80.7	4.21	62.9	460
DAT	2	27	28	26	14	2	19	29	9	1	18	27
SR	16.2	11.5	10.3	14.8	34.6	9.67	2.93	6.09	16.3	2.25	9.32	38.1
MIN	2.88	3.64	3.83	4.40	18.6	3.64	2.37	1.46	4.68	1.20	.840	5.52
DAT	22	8	18	18	6	29	26	25	30	30	13	5
-----												
GMIN = .840			SRGOD= 14.4					GMAX = 460				
DATUM 13 11								DATUM 27 12				
-----												



ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1996

Broj : 60113 Stanica : MEDJURECJE Kota "0" = 187.51  
Nacin osmat.: limnigraf Reka : MRTVICA km od usca = .20  
Pocetak rada: 1948 Sliv : MORACE Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	77.4	4.68	3.64	11.1	17.1	2.50	1.72	1.20	3.64	9.92	15.2	18.1
2	49.6	4.21	3.45	15.2	16.6	2.37	1.72	1.20	5.24	8.22	11.5	14.3
3	29.0	4.02	3.45	79.6	15.2	2.37	1.72	1.20	4.21	9.92	9.24	12.0
4	19.0	4.68	3.26	52.4	14.3	2.37	1.72	1.20	3.64	17.1	7.88	9.58
5	15.7	7.20	3.26	33.8	13.8	2.24	1.72	1.02	5.24	12.4	6.92	8.56
6	12.9	7.54	3.07	20.0	13.4	2.24	1.72	1.02	5.24	9.92	6.36	7.88
7	10.6	5.80	2.88	17.1	11.5	2.11	1.59	1.02	4.21	8.56	5.52	7.54
8	10.6	5.24	2.88	16.2	10.3	2.11	1.59	1.02	3.83	7.20	4.96	6.92
9	13.8	4.40	2.69	16.6	9.58	2.11	1.59	1.02	3.45	6.64	4.40	6.36
10	12.0	4.02	2.69	16.6	7.88	2.11	1.59	1.02	3.45	7.54	3.83	6.08
11	10.6	3.64	2.50	15.7	6.64	2.11	1.59	1.02	3.26	7.20	3.83	5.80
12	10.3	3.45	2.50	12.9	6.64	1.98	1.59	1.02	3.26	6.36	3.64	6.08
13	9.24	3.26	2.50	12.9	6.64	1.98	1.46	1.02	47.7	5.52	3.64	6.08
14	7.88	4.96	2.37	13.4	6.36	1.98	1.46	1.46	103	4.96	3.45	14.7
15	6.64	4.68	2.50	12.4	5.52	1.98	1.59	1.59	54.3	14.3	3.26	54.3
16	6.08	4.02	7.54	10.6	4.68	1.98	1.59	1.59	35.3	21.2	3.26	32.3
17	5.24	3.83	9.58	8.90	4.21	1.98	1.59	1.46	19.5	81.8	3.07	18.1
18	4.68	3.83	7.20	7.54	4.02	1.98	1.59	1.46	12.4	101	10.6	14.3
19	4.40	3.64	6.36	6.92	4.02	1.98	1.46	1.46	9.92	54.3	96.0	11.1
20	4.21	23.5	5.24	6.64	3.83	1.98	1.46	1.46	66.8	32.3	62.9	9.58
21	4.02	20.0	4.68	9.58	3.83	1.98	1.46	1.46	55.2	18.6	114	22.3
22	3.83	11.5	4.40	17.1	3.64	1.98	1.46	1.46	32.3	14.3	59.0	23.5
23	3.64	6.92	4.40	23.5	4.40	1.85	1.46	1.46	39.7	11.1	108	29.7
24	3.64	5.24	4.21	27.8	3.64	1.85	1.46	1.33	42.9	9.24	82.9	55.2
25	11.5	4.21	4.02	29.7	2.88	1.85	1.46	1.33	47.7	7.54	53.3	62.0
26	19.0	4.21	4.96	33.0	2.69	1.72	1.33	1.33	38.2	6.64	31.0	46.1
27	11.5	4.02	17.1	33.8	2.88	1.72	1.33	1.33	36.7	5.80	34.5	25.8
28	8.22	4.02	70.0	31.6	4.21	1.72	1.33	1.33	24.6	5.24	24.1	21.7
29	6.36	3.83	32.3	33.0	3.83	1.72	1.33	1.33	16.2	4.68	33.8	13.4
30	5.80		17.1	32.3	2.69	1.72	1.33	1.33	12.4	6.64	23.5	11.1
31	4.96		14.7		2.69		1.33	1.33		22.9		12.0
SD1	25.1	5.18	3.13	27.9	13.0	2.25	1.67	1.09	4.22	9.74	7.58	9.73
SD2	6.93	5.88	4.83	10.8	5.26	1.99	1.54	1.35	35.5	32.9	19.4	17.2
SD3	7.50	7.11	16.2	27.1	3.40	1.81	1.39	1.37	34.6	10.2	56.4	29.3
MAX	103	64.9	99.8	96.0	17.6	2.50	1.72	1.98	130	128	224	74.2
DAT	1	20	28	3	1	1	1	14	14	18	21	24
SR	13.0	6.02	8.30	21.9	7.08	2.02	1.53	1.27	24.8	17.4	27.8	19.1
MIN	3.64	3.26	2.37	6.64	2.69	1.72	1.33	1.02	3.26	4.68	3.07	5.80
DAT	23	13	14	20	26	26	26	5	11	29	17	11
GMIN =			1.02	SRGOD=			12.5	GMAX =			224	
DATUM			5 8					DATUM			21 11	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1997

Broj : 60113 Stanica : MEDJURECJE Kota "0" = 187.51  
Nacin osmat.: limnigraf Reka : MRTVICA km od usca = .20  
Pocetak rada: 1948 Sliv : MORACE Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	12.4	3.83	8.90	4.40	22.9	7.20	3.07	2.24	.930	.660	3.64	19.0
2	16.2	3.83	7.20	4.21	18.6	6.92	2.88	2.24	.930	.660	3.45	17.1
3	35.3	3.83	6.08	4.02	21.7	6.64	2.88	2.11	.930	.660	3.26	24.6
4	41.3	3.83	5.80	4.02	27.8	6.64	2.69	1.85	.930	.660	3.07	26.4
5	47.7	3.83	6.08	4.02	31.6	7.54	2.69	1.72	.930	.660	2.88	16.6
6	26.4	3.83	6.92	4.02	31.0	7.20	2.50	1.46	.930	.570	2.50	12.4
7	17.6	3.64	6.92	4.02	39.7	6.92	2.50	1.20	.930	.570	6.36	9.92
8	13.8	3.64	6.64	3.83	108	12.9	2.37	1.11	.840	.570	28.4	8.22
9	11.1	3.64	5.80	3.45	114	11.5	2.37	1.11	.840	.570	71.0	7.20
10	10.3	3.64	5.52	3.45	65.8	9.58	2.37	1.11	.840	.840	75.3	6.08
11	19.0	3.64	4.68	3.45	41.3	8.90	2.24	1.11	.840	1.02	84.1	5.52
12	20.0	3.64	4.21	3.64	33.0	7.54	2.24	1.11	.840	1.46	42.9	5.24
13	15.2	3.64	4.21	3.64	32.3	6.64	2.11	1.11	.840	2.69	31.6	15.2
14	12.0	3.83	4.40	3.64	31.0	6.36	2.11	1.11	.750	2.88	77.4	13.8
15	9.92	3.83	4.96	3.64	28.4	5.80	2.11	1.11	.750	29.0	44.5	10.3
16	8.90	18.1	5.24	3.64	25.2	5.52	1.98	1.11	.750	17.6	24.6	8.22
17	7.88	10.6	5.24	3.64	24.1	4.96	1.98	1.11	.750	11.1	16.2	6.92
18	7.20	7.54	4.96	3.64	21.7	4.40	3.07	1.11	.750	8.90	12.9	5.80
19	6.64	6.08	9.92	3.64	22.3	4.02	5.80	1.11	.750	7.54	10.3	5.24
20	6.36	5.24	33.0	3.64	21.7	3.83	5.24	1.11	.750	6.36	8.56	27.8
21	5.80	4.68	14.7	4.21	19.5	3.64	3.64	1.11	.750	5.24	7.20	75.3
22	5.52	4.21	9.92	92.3	19.5	3.45	3.45	1.11	.750	4.40	6.36	42.1
23	4.96	4.02	7.54	91.0	17.6	3.45	3.26	1.11	.750	4.21	19.0	21.7
24	4.96	4.02	6.36	46.1	14.7	3.45	3.26	1.11	.660	4.40	24.1	20.6
25	4.68	4.02	5.80	24.6	12.4	3.45	3.07	1.11	.660	7.54	15.7	12.0
26	4.68	4.96	4.96	15.7	11.1	3.26	2.88	1.11	.660	6.64	17.1	9.58
27	4.68	12.4	4.68	14.7	11.1	3.26	2.69	.930	.660	5.24	10.3	11.1
28	4.40	12.4	4.68	16.6	9.92	3.26	2.50	.930	.660	4.21	10.6	24.6
29	4.02		5.24	14.7	10.3	3.26	2.50	.930	.660	4.02	12.0	17.6
30	4.02		5.24	14.7	9.24	3.07	2.37	.930	.660	3.83	10.6	12.0
31	3.83		4.68		8.22		2.37	.930		3.64		9.58
SD1	23.2	3.75	6.59	3.94	48.1	8.30	2.63	1.62	.903	.642	20.0	14.8
SD2	11.3	6.61	8.08	3.62	28.1	5.80	2.89	1.11	.777	8.86	35.3	10.4
SD3	4.69	6.34	6.71	33.5	13.1	3.36	2.91	1.03	.687	4.85	13.3	23.3
MAX	74.2	28.4	62.9	163	192	14.3	9.92	2.24	.930	39.7	152	116
DAT	4	16	20	22	8	8	19	1	1	15	10	21
SR	12.8	5.51	7.11	13.7	29.2	5.82	2.81	1.24	.789	4.79	22.9	16.4
MIN	3.83	3.64	4.21	3.45	8.22	3.07	1.98	.930	.660	.570	2.50	5.24
DAT	31	7	12	9	31	30	16	27	24	6	6	12
GMIN =		.570		SRGOD=		10.3		GMAX =		192		
DATUM		6 10						DATUM		8 5		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1998

Broj               : 60113                    Stanica :   MEDJURECJE            Kota "0" = 187.51  
Nacin osmat.: limnigraf        Reka     :   MRTVICA                km od usca =   .20  
Pocetak rada: 1948            Sliv     :   MORACE                    Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII					
1	7.88	3.64	4.21	3.26	16.6	6.92	3.83	1.02	4.96	16.2	5.52	4.21					
2	6.92	3.64	4.21	3.26	16.6	6.92	3.64	1.02	3.83	38.2	6.08	5.24					
3	8.56	3.64	4.02	3.26	21.7	5.52	3.64	1.02	3.83	62.9	6.64	6.36					
4	9.92	4.96	4.02	3.45	71.0	4.96	3.26	.930	3.64	33.8	11.5	11.5					
5	12.9	5.52	4.02	5.52	151	5.24	3.26	.930	3.64	17.6	25.8	66.8					
6	12.4	3.83	4.21	10.6	73.2	6.08	3.26	.930	18.1	13.4	23.5	57.1					
7	12.9	3.45	4.21	13.4	47.7	5.52	3.26	.930	13.8	10.6	31.0	25.8					
8	10.6	3.45	4.21	14.7	31.6	4.96	4.40	.840	7.54	9.58	55.2	16.6					
9	9.24	3.45	5.52	18.6	23.5	4.40	4.21	.840	8.90	10.3	36.7	12.0					
10	7.88	3.45	5.80	44.5	21.2	4.68	3.83	.840	7.88	77.4	20.0	9.24					
11	6.92	3.45	4.96	66.8	18.6	4.40	3.26	.840	5.80	71.0	16.2	7.54					
12	6.08	3.45	4.21	84.1	17.1	66.8	3.26	.840	6.92	9.58	23.5	6.92					
13	5.80	3.64	3.83	56.2	15.2	66.8	3.07	.840	104	19.5	19.0	5.80					
14	5.52	3.64	3.83	28.4	13.8	41.3	2.88	.750	116	12.9	15.7	5.24					
15	5.24	4.40	3.64	17.6	12.0	22.3	2.50	.750	71.0	9.92	22.3	4.21					
16	4.96	4.68	3.64	14.7	9.92	14.7	2.37	.750	49.6	8.22	19.0	4.21					
17	7.54	5.80	3.64	22.9	8.22	11.5	2.37	.750	27.8	6.64	14.3	4.21					
18	10.3	5.80	3.45	42.1	6.92	8.90	2.24	.750	15.7	5.80	11.1	4.02					
19	8.90	5.24	3.45	32.3	6.08	7.20	1.98	.750	12.4	4.96	9.24	3.83					
20	11.5	4.96	3.45	19.5	6.08	30.3	1.72	.660	9.92	5.52	7.88	3.83					
21	11.5	4.68	3.26	16.6	5.80	5.52	1.46	.660	8.22	101	6.92	4.21					
22	7.20	4.68	3.26	15.7	7.54	4.68	1.20	.660	6.92	41.3	6.08	5.52					
23	6.08	4.68	3.26	17.6	7.54	4.21	1.20	.660	6.08	20.0	5.52	4.40					
24	5.24	4.68	3.26	19.0	7.20	4.02	1.20	.660	5.24	13.4	5.24	4.02					
25	4.68	4.40	3.26	19.5	6.64	3.83	1.11	.660	4.68	9.92	5.24	4.02					
26	4.21	4.40	3.26	18.6	12.0	3.83	1.11	.660	4.21	16.2	4.96	4.02					
27	4.02	4.40	3.26	19.0	16.6	3.83	1.11	.660	4.21	25.2	4.96	3.83					
28	4.02	4.40	3.26	18.1	13.8	3.83	1.11	1.72	106	15.2	4.68	3.83					
29	3.83		3.26	24.6	10.6	3.83	1.11	42.9	50.5	11.5	4.68	3.83					
30	3.64		3.26	24.6	8.90	3.64	1.11	11.5	28.4	9.24	4.40	3.83					
31	3.64		3.26		7.20		1.02	6.64		7.88		3.83					
SD1	9.92	3.90	4.44	12.1	47.4	5.52	3.66	.930	7.61	29.0	22.2	21.5					
SD2	7.28	4.51	3.81	38.5	11.4	27.4	2.56	.768	41.9	15.4	15.8	4.98					
SD3	5.28	4.54	3.26	19.3	9.44	4.12	1.16	6.13	22.4	24.6	5.27	4.12					
MAX	16.6	8.56	6.08	136	197	202	7.20	121	173	204	71.0	81.8					
DAT	20	3	10	11	5	12	8	29	28	21	8	5					
SR	7.42	4.30	3.82	23.3	22.3	12.4	2.42	2.72	24.0	23.1	14.4	10.00					
MIN	3.64	3.45	3.26	3.26	5.80	3.64	1.02	.660	3.64	4.96	4.40	3.83					
DAT	30	7	21	1	21	30	31	20	4	19	30	19					
-----																	
GMIN =			.660			SRGOD=			12.5			GMAX =			204		
DATUM			20 8									DATUM			21 10		
-----																	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1999

Broj               : 60113                    Stanica :   MEDJURECJE            Kota "0" = 187.51  
Nacin osmat.: limnigraf        Reka     :   MRTVICA                km od usca =   .20  
Pocetak rada: 1948            Sliv     :   MORACE                    Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII					
1	3.83	3.64	5.24	7.54	45.3	23.5	4.21	1.85	1.46	.930	3.07	6.08					
2	3.83	3.64	5.52	8.56	42.9	20.6	4.21	1.85	2.24	.930	2.88	5.52					
3	5.80	3.64	5.52	8.90	42.9	20.0	4.02	1.72	3.64	.930	2.88	4.96					
4	8.56	3.64	6.64	8.22	44.5	19.0	3.83	1.72	2.24	.930	2.88	4.96					
5	6.64	3.64	24.6	8.22	58.1	16.6	4.21	1.72	1.98	.930	2.88	22.3					
6	5.52	3.64	23.5	12.0	46.1	14.3	4.68	1.72	1.72	.930	2.88	33.0					
7	4.68	3.64	17.6	15.7	38.2	12.4	3.83	1.59	1.72	.930	2.88	16.6					
8	4.68	3.64	12.4	19.0	36.7	11.1	3.64	1.59	1.59	.930	2.88	12.0					
9	4.68	3.64	8.90	27.1	37.5	10.3	4.21	1.46	1.46	.930	2.88	9.24					
10	5.24	21.7	6.92	27.1	39.0	9.92	4.96	1.46	1.33	1.02	13.4	17.1					
11	5.80	27.1	6.64	22.3	40.5	9.24	4.02	1.46	1.33	1.02	24.1	50.5					
12	20.0	9.58	6.36	17.6	40.5	8.56	3.64	1.46	1.20	1.02	13.4	27.1					
13	17.1	6.36	7.54	21.2	41.3	7.88	3.45	1.46	1.20	1.02	8.56	22.3					
14	18.1	4.68	8.56	22.3	42.9	6.92	3.45	1.46	1.20	1.02	4.68	18.1					
15	13.4	3.83	9.58	17.1	47.7	6.36	3.26	1.46	1.02	1.02	4.68	88.5					
16	9.24	3.83	9.24	19.0	53.3	6.08	3.07	1.46	1.02	1.02	4.96	304					
17	6.92	3.64	8.22	62.9	51.5	6.36	3.07	1.46	1.02	1.02	24.6	328					
18	6.36	3.64	6.92	57.1	36.7	6.92	3.07	1.46	.930	1.02	49.6	122					
19	5.52	3.64	5.80	31.6	32.3	7.54	3.07	1.46	.930	11.5	63.9	77.4					
20	4.68	3.64	5.24	20.0	32.3	6.64	2.88	1.46	.930	19.0	75.3	62.0					
21	4.40	3.64	4.68	16.6	42.1	6.08	2.88	1.46	.930	8.56	46.1	44.5					
22	4.21	17.1	4.21	16.2	36.0	24.6	2.88	1.46	.930	6.08	172	29.7					
23	4.02	28.4	4.21	32.3	27.8	23.5	2.88	1.46	.930	4.96	88.5	20.0					
24	3.83	12.9	4.02	36.7	25.8	13.4	2.69	1.46	.930	15.2	47.7	14.7					
25	3.83	8.90	4.02	29.0	25.8	9.58	2.50	1.46	.930	17.6	26.4	12.9					
26	3.83	6.92	4.02	24.1	24.6	7.54	2.24	1.46	.930	11.1	15.2	15.2					
27	3.83	5.80	4.21	24.1	23.5	6.36	2.11	1.46	.930	7.20	12.0	51.5					
28	3.83	5.24	5.24	29.7	22.9	5.52	2.11	1.46	.930	5.52	9.24	88.5					
29	3.83		7.54	35.3	22.9	4.68	2.11	1.46	.930	3.83	7.54	55.2					
30	3.64		7.88	42.9	21.2	4.40	1.98	1.46	.930	3.26	6.64	27.1					
31	3.64		7.54		21.7		1.98	1.46		3.07		17.1					
SD1	5.35	5.45	11.7	14.2	43.1	15.8	4.18	1.67	1.94	.939	3.95	13.2					
SD2	10.7	6.99	7.41	29.1	41.9	7.25	3.30	1.46	1.08	3.87	27.4	110					
SD3	3.90	11.1	5.23	28.7	26.8	10.6	2.40	1.46	.930	7.85	43.1	34.2					
MAX	35.3	77.4	36.7	79.6	67.9	39.7	7.54	1.85	3.26	29.7	207	455					
DAT	12	10	5	17	16	22	5	1	3	19	22	17					
SR	6.56	7.62	8.02	24.0	36.9	11.2	3.26	1.53	1.32	4.34	24.8	51.9					
MIN	3.64	3.64	4.02	7.54	21.2	4.40	1.98	1.46	.930	.930	2.88	4.96					
DAT	30	1	24	1	30	30	30	9	18	1	2	3					
-----																	
GMIN =			.930			SRGOD=			15.2			GMAX =			455		
DATUM			18 9									DATUM			17 12		
-----																	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
2000

Broj               : 60113                    Stanica :   MEDJURECJE            Kota "0" = 187.51  
Nacin osmat.: limnigraf            Reka     :   MRTVICA                km od usca =   .20  
Pocetak rada: 1948                Sliv     :   MORACE                    Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	13.4	2.69	2.24	21.7	23.5	3.64	1.20	.750	166	3.64	23.5	9.58
2	10.6	2.50	7.88	21.2	19.5	3.45	1.20	.750	59.0	61.0	36.7	8.22
3	9.24	2.88	5.52	15.7	20.0	3.26	1.02	.750	31.0	77.4	19.0	6.92
4	7.88	3.26	3.83	47.7	19.0	2.88	1.02	.750	19.0	39.7	39.7	6.64
5	6.92	3.07	4.02	175	16.6	2.88	.930	.750	38.2	19.5	71.0	5.52
6	6.36	2.88	3.64	80.7	15.7	2.88	.930	.660	20.0	13.4	35.3	4.68
7	5.80	2.88	3.26	55.2	15.2	2.88	.840	.660	13.4	9.92	166	4.40
8	5.52	3.45	3.26	35.3	15.2	2.88	.840	.660	9.58	8.90	122	4.21
9	4.96	3.45	3.26	20.6	14.7	2.50	.840	.660	6.92	10.3	57.1	4.02
10	4.40	3.45	3.26	17.1	14.3	2.37	.840	.660	5.80	9.58	32.3	3.83
11	4.21	3.45	3.26	14.7	12.9	2.37	.840	.660	4.68	33.8	17.1	3.83
12	4.02	3.26	3.64	13.4	12.4	2.37	.840	.660	4.40	28.4	13.4	3.83
13	4.02	3.26	4.21	17.1	12.4	2.24	.840	.660	4.02	16.6	10.3	3.64
14	3.83	3.07	4.21	22.3	10.6	2.24	.930	.660	3.83	11.5	8.56	3.64
15	3.64	2.88	4.40	27.8	9.92	1.98	1.02	.660	3.64	9.24	7.20	3.45
16	3.64	2.88	4.40	27.8	8.90	1.98	2.50	.480	3.26	7.20	6.36	7.20
17	3.45	5.52	4.21	30.3	8.22	1.98	2.50	.480	3.26	6.36	5.80	7.20
18	3.45	4.68	3.83	32.3	6.92	1.85	1.98	.480	3.26	5.52	5.24	6.36
19	3.45	3.45	3.45	33.8	6.36	1.72	1.72	.660	4.21	4.96	17.1	5.52
20	3.45	3.26	3.26	34.5	5.80	1.72	1.33	.660	5.80	4.68	53.3	4.96
21	3.45	3.26	3.26	35.3	5.52	1.72	1.33	.660	5.24	4.40	33.0	4.40
22	3.45	3.07	3.26	36.0	5.24	1.59	1.20	.660	7.20	4.02	24.6	4.02
23	3.45	3.07	3.26	33.8	4.96	1.59	1.02	.660	5.80	4.02	18.1	3.83
24	3.26	2.88	3.07	31.0	4.68	1.46	.930	.660	4.68	3.83	14.7	3.83
25	3.26	2.69	3.45	25.8	4.21	1.46	.840	.660	4.21	3.83	28.4	3.83
26	3.26	2.50	4.40	20.6	4.02	1.46	.840	.660	4.02	3.83	45.3	61.0
27	3.07	2.50	7.20	20.6	3.83	1.46	.840	.660	3.64	3.83	37.5	312
28	2.88	2.50	7.88	20.0	3.83	1.33	.840	.840	3.45	3.83	22.3	373
29	2.88	2.24	8.90	21.2	3.83	1.20	.840	.840	3.26	3.64	16.2	136
30	2.69		16.2	25.8	3.83	1.20	.840	.840	3.26	3.64	12.4	96.0
31	2.69		16.6		3.64		.750	1.20		3.64		59.0
SD1	7.51	3.05	4.02	49.0	17.4	2.96	.966	.705	36.9	25.3	60.3	5.80
SD2	3.72	3.57	3.89	25.4	9.44	2.04	1.45	.606	4.04	12.8	14.4	4.96
SD3	3.12	2.75	7.04	27.0	4.33	1.45	.934	.758	4.48	3.86	25.2	96.1
MAX	15.2	8.90	20.6	207	25.8	3.64	2.88	1.33	274	107	238	318
DAT	1	17	30	5	1	1	16	31	1	2	7	28
SR	4.73	3.14	5.05	33.8	10.2	2.15	1.11	.692	15.1	13.7	33.3	37.6
MIN	2.69	2.24	2.24	13.4	3.64	1.20	.750	.480	3.26	3.64	5.24	3.45
DAT	30	29	1	12	31	29	31	16	16	1	18	15
-----												
GMIN =			.480	SRGOD=				13.4	GMAX =			318
DATUM			16 8						DATUM			28 12
-----												

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
2001

Broj           : 60113                      Stanica :   MEDJURECJE            Kota "0" = 187.51  
Nacin osmat.: limnigraf              Reka     :   MRTVICA              km od usca =   .20  
Pocetak rada: 1948                    Sliv     :   MORACE                 Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	36.7	21.2	10.6	13.8	29.0	5.80	2.37	1.33	.750	6.08	2.24	12.4
2	22.3	16.2	8.90	12.0	27.8	5.24	2.37	1.33	.750	5.24	2.11	9.24
3	15.7	12.4	41.3	10.6	25.8	9.24	2.11	1.33	.840	4.68	2.11	7.54
4	13.8	9.58	80.7	11.1	24.1	41.3	2.11	1.33	.840	4.40	1.98	6.36
5	12.4	8.90	65.8	12.4	21.7	24.6	2.11	1.33	.930	4.21	1.85	5.80
6	11.5	9.92	59.0	11.5	21.2	13.4	1.98	1.33	12.4	4.02	1.85	5.24
7	10.3	9.24	38.2	10.3	20.6	9.92	1.98	1.33	6.64	3.83	1.72	4.96
8	9.92	8.90	22.3	18.1	21.7	8.22	1.85	1.33	4.21	3.64	1.85	4.68
9	20.0	8.90	16.2	21.2	19.5	6.92	1.85	1.33	3.64	3.45	25.8	4.21
10	16.6	8.56	13.4	16.2	19.0	6.08	1.85	1.33	3.45	3.45	93.5	3.83
11	12.9	8.22	12.4	12.9	17.1	5.80	1.85	1.20	6.08	3.26	43.7	3.64
12	10.6	7.20	12.9	11.1	14.7	4.96	1.85	1.20	5.52	3.26	36.7	3.45
13	9.58	6.92	14.7	13.8	12.9	4.40	1.85	1.02	4.21	3.26	81.8	3.26
14	8.56	6.92	20.0	12.9	11.1	4.21	1.72	.930	3.83	2.88	106	3.07
15	7.54	6.36	20.6	10.3	11.1	4.02	1.72	.840	7.20	2.50	55.2	3.07
16	6.92	5.52	17.6	8.90	11.5	3.83	1.72	.750	23.5	2.24	32.3	2.69
17	6.36	5.24	17.6	20.0	12.0	3.64	1.85	.750	51.5	1.98	17.1	2.50
18	5.80	5.24	25.8	18.6	12.4	3.45	1.85	.750	51.5	1.98	12.9	2.50
19	5.24	4.96	27.8	18.1	12.0	3.45	1.72	.750	42.9	1.98	11.5	2.37
20	4.96	4.68	23.5	38.2	10.3	3.26	1.59	.750	22.3	1.98	13.8	2.24
21	4.68	4.40	18.1	92.3	9.92	3.26	1.59	.750	12.9	1.72	11.1	2.24
22	4.40	4.21	25.8	55.2	9.92	3.07	1.59	.750	9.24	1.98	9.24	2.11
23	4.40	4.21	36.7	33.8	9.58	3.07	1.59	.750	6.92	1.72	8.56	1.98
24	4.40	4.40	30.3	20.0	8.56	2.88	1.59	.750	6.08	1.72	8.90	1.98
25	4.96	7.88	31.0	19.0	12.9	2.69	1.59	.750	18.1	1.98	7.20	1.98
26	57.1	8.90	33.0	24.1	11.5	2.50	1.72	.750	13.8	3.64	6.36	1.85
27	101	7.54	29.7	27.1	9.58	2.50	1.72	.750	14.7	4.02	5.52	1.72
28	55.2	9.58	24.6	24.6	7.88	2.37	1.59	.750	12.0	3.83	47.7	1.72
29	61.0		18.6	22.9	6.92	2.37	1.46	.750	9.24	3.07	33.8	1.72
30	68.9		15.7	25.8	6.36	2.37	1.33	.750	6.92	2.50	18.1	7.20
31	38.2		14.7		6.08		1.33	.750		2.24		19.0
SD1	16.9	11.4	35.6	13.7	23.0	13.1	2.06	1.33	3.44	4.30	13.5	6.43
SD2	7.85	6.13	19.3	16.5	12.5	4.10	1.77	.894	21.9	2.53	41.1	2.88
SD3	36.7	6.39	25.3	34.5	9.02	2.71	1.55	.750	11.0	2.58	15.6	3.95
MAX	217	27.8	87.4	130	30.3	45.3	2.50	1.46	104	6.64	151	31.0
DAT	27	1	4	21	1	4	1	1	17	1	14	31
SR	21.0	8.08	26.7	21.6	14.7	6.63	1.79	.984	12.1	3.12	23.4	4.40
MIN	4.40	4.21	8.90	8.90	6.08	2.37	1.33	.750	.750	1.72	1.72	1.72
DAT	22	22	2	16	31	28	30	16	1	21	7	27
-----												
GMIN =			.750	SRGOD=				12.0	GMAX =			217
DATUM			16 8						DATUM			27 1
-----												

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
2002

Broj : 60113 Stanica : MEDJURECJE Kota "0" = 187.51  
Nacin osmat.: limnigraf Reka : MRTVICA km od usca = .20  
Pocetak rada: 1948 Sliv : MORACE Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	11.1	4.96	5.24	4.02	10.3	8.22	2.24	1.85	2.37	16.6	6.08	16.6
2	7.54	4.68	6.36	4.40	9.92	6.36	2.24	1.85	2.37	12.9	5.24	21.2
3	6.08	4.68	7.88	5.52	9.24	5.52	2.24	1.72	2.37	10.3	5.80	31.0
4	5.80	4.68	12.4	5.52	8.90	4.68	2.11	1.72	2.24	8.22	20.0	29.7
5	4.68	4.21	13.4	5.52	8.22	4.21	2.11	4.40	2.24	7.20	29.7	25.8
6	4.02	4.21	12.9	5.52	8.56	4.02	2.11	5.52	2.24	6.08	17.1	20.0
7	3.64	5.24	12.4	4.96	7.54	3.83	2.11	12.4	2.11	5.52	12.4	15.7
8	3.64	6.36	16.6	4.68	6.92	5.52	2.11	5.80	2.11	4.96	9.92	12.0
9	3.64	5.80	13.8	4.40	6.64	5.80	2.11	4.68	1.98	4.96	8.22	9.58
10	3.64	4.96	31.0	15.2	6.36	7.54	2.11	5.24	1.98	24.6	6.92	7.88
11	3.64	4.68	23.5	26.4	6.08	9.58	1.98	8.22	1.98	256	6.08	6.64
12	3.64	4.21	14.3	46.1	5.80	7.88	1.98	10.6	1.98	148	5.24	5.80
13	3.45	3.83	10.6	85.2	6.64	6.08	1.98	7.20	1.98	99.8	25.8	5.24
14	3.45	3.83	10.3	73.2	6.64	5.24	1.98	7.54	1.85	64.9	44.5	4.96
15	3.45	4.02	11.1	42.1	6.08	4.40	1.98	5.52	1.85	42.9	22.3	4.68
16	3.26	3.83	11.5	26.4	5.52	4.02	1.98	4.40	1.72	24.6	15.7	7.20
17	3.26	3.83	11.5	23.5	4.96	3.83	1.98	4.02	1.72	16.6	11.5	7.54
18	3.07	4.40	12.0	24.1	4.40	3.64	1.98	3.83	1.72	13.8	9.24	6.64
19	2.88	55.2	12.0	18.6	4.21	3.45	2.24	3.64	1.72	11.5	9.58	6.08
20	2.50	23.5	12.4	16.6	4.02	3.45	2.50	3.26	1.72	9.58	10.6	5.52
21	2.50	15.2	16.2	15.2	4.21	3.26	2.24	3.26	1.72	8.56	9.58	4.96
22	2.50	13.8	18.6	14.3	5.24	3.26	2.24	3.26	6.64	7.54	29.7	4.68
23	2.24	9.58	16.6	12.9	4.96	3.07	2.24	3.26	57.1	14.3	42.9	4.40
24	2.24	7.88	16.6	12.4	4.40	2.88	2.24	3.07	101	33.8	23.5	4.21
25	1.98	6.92	9.24	10.3	4.21	2.50	2.11	3.07	75.3	33.8	16.6	4.02
26	1.98	6.08	7.20	9.58	4.02	2.37	2.11	2.88	71.0	19.5	13.8	3.83
27	1.98	5.52	6.08	8.90	3.83	2.37	2.11	2.88	55.2	13.8	11.1	3.64
28	3.64	5.24	4.96	16.2	6.64	2.24	1.98	2.69	29.7	10.6	9.24	20.0
29	4.68		4.40	12.9	17.1	2.24	1.98	2.69	17.6	8.90	7.54	66.8
30	5.24		4.21	11.5	14.7	2.24	1.98	2.50	17.6	7.54	7.54	29.7
31	4.96		4.21		10.6		1.85	2.50		6.64		21.2
SD1	5.38	4.98	13.2	5.97	8.26	5.57	2.15	4.52	2.20	10.1	12.1	18.9
SD2	3.26	11.1	12.9	38.2	5.43	5.16	2.06	5.82	1.82	68.8	16.1	6.03
SD3	3.09	8.78	9.85	12.4	7.26	2.64	2.10	2.91	43.3	15.0	17.1	15.2
MAX	15.2	111	36.7	114	19.0	9.92	3.07	22.3	167	270	74.2	111
DAT	1	19	10	14	29	11	19	7	24	11	22	28
SR	3.88	8.26	11.9	18.9	7.00	4.46	2.10	4.37	15.8	30.8	15.1	13.5
MIN	1.98	3.83	4.21	4.02	3.83	2.24	1.85	1.72	1.72	4.96	5.24	3.64
DAT	25	13	30	1	27	28	31	3	16	8	2	27
GMIN =		1.72		SRGOD=		11.3		GMAX =		270		
DATUM		3 8						DATUM		11 10		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
2003

Broj : 60113 Stanica : MEDJURECJE Kota "0" = 187.51  
Nacin osmat.: limnigraf Reka : MRTVICA km od usca = .20  
Pocetak rada: 1948 Sliv : MORACE Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	29.7	4.40	2.69	9.92	38.2	5.52	2.69	1.12	.760	1.18	34.5	34.5
2	17.6	4.21	2.50	9.92	42.1	5.24	2.50	1.06	.700	1.18	172	20.6
3	21.2	4.02	2.50	9.92	41.3	4.68	2.38	1.06	.700	1.12	114	16.6
4	30.3	8.90	2.50	8.56	41.3	4.68	2.26	1.06	.700	1.06	57.1	13.8
5	25.2	24.6	2.38	8.90	42.1	4.40	2.26	1.06	.700	41.3	33.0	11.1
6	19.5	9.92	2.38	7.54	39.7	4.40	2.14	1.00	.700	61.0	18.1	9.58
7	51.5	6.36	2.38	6.36	39.0	4.21	2.14	1.00	.700	31.6	13.8	8.56
8	31.0	4.68	2.26	4.96	36.7	4.02	2.14	1.00	.700	41.3	10.3	7.54
9	47.7	4.02	2.26	4.21	35.3	4.02	2.02	1.00	.880	35.3	8.90	6.92
10	47.7	3.83	2.14	10.3	32.3	3.83	2.02	1.00	21.2	18.1	7.20	6.08
11	24.6	3.64	2.14	72.1	28.4	3.64	1.90	1.00	10.6	12.4	6.36	5.52
12	16.2	3.45	2.50	42.1	25.8	3.64	1.90	1.00	6.08	8.90	5.52	5.24
13	12.0	3.45	3.83	26.4	22.9	3.64	1.78	.940	7.20	6.92	4.68	6.08
14	9.58	3.26	3.45	18.6	19.5	3.64	1.66	.940	4.96	5.52	4.21	6.92
15	7.88	3.26	3.26	18.1	17.6	3.64	1.54	.940	3.64	4.21	4.02	6.92
16	7.20	3.26	3.26	22.9	16.6	3.64	1.30	.940	2.88	3.83	3.83	6.36
17	6.36	3.26	3.07	28.4	14.7	3.64	1.24	.940	2.69	3.45	3.64	5.52
18	6.08	3.26	3.07	26.4	12.4	3.64	1.24	.940	2.50	3.26	4.68	4.96
19	5.80	3.26	2.88	20.6	11.1	4.21	1.24	.880	2.50	3.83	5.24	4.68
20	5.52	3.26	2.88	19.5	11.5	3.64	1.24	.880	2.38	17.6	5.24	4.40
21	5.52	3.07	2.69	18.6	11.5	3.45	1.24	.880	2.38	132	4.96	4.21
22	6.08	3.07	2.50	16.6	13.8	3.45	1.18	.880	2.26	98.5	4.96	7.20
23	7.20	3.07	2.50	16.2	12.4	3.45	1.18	.820	2.26	163	4.68	10.6
24	6.36	2.88	2.50	14.7	12.0	3.26	1.18	.820	2.14	85.2	4.68	7.20
25	5.52	2.88	2.38	13.8	12.0	3.26	1.18	.820	2.02	43.7	17.1	6.08
26	4.96	2.88	2.26	14.3	10.6	3.26	1.12	.820	1.78	32.3	24.6	5.24
27	4.68	2.69	2.88	19.0	9.24	3.07	1.12	.820	1.54	37.5	57.1	4.68
28	4.40	2.69	4.40	21.2	8.90	3.07	1.12	.760	1.42	31.0	71.0	4.40
29	4.40		6.08	30.3	8.22	2.88	1.12	.760	1.30	20.0	86.3	4.40
30	4.96		8.22	33.8	7.54	2.69	1.12	.760	1.18	57.1	58.1	6.08
31	4.96		9.24		6.36		1.12	.760		51.5		8.56
SD1	32.1	7.49	2.40	8.06	38.8	4.50	2.26	1.04	2.77	23.3	46.9	13.5
SD2	10.1	3.34	3.03	29.5	18.0	3.70	1.50	.940	4.54	6.99	4.74	5.66
SD3	5.37	2.90	4.15	19.9	10.2	3.18	1.15	.809	1.83	68.3	33.3	6.24
MAX	99.8	46.1	9.24	89.8	46.1	6.08	2.69	1.12	59.0	266	248	46.1
DAT	9	5	30	11	4	1	1	1	10	23	2	1
SR	15.5	4.70	3.23	19.1	22.0	3.79	1.62	.925	3.05	34.0	28.3	8.40
MIN	4.40	2.69	2.14	4.21	6.36	2.69	1.12	.760	.700	1.06	3.64	4.21
DAT	28	27	10	9	31	30	26	28	2	4	17	21
GMIN =		.700		SRGOD=		12.1		GMAX =		266		
DATUM		2 9						DATUM		23 10		



## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
2004

Broj : 60113                      Stanica : MEDJURECJE      Kota "0" = 187.51  
 Nacin osmat.: limnigraf      Reka : MRTVICA              km od usca = .20  
 Pocetak rada: 1948              Sliv : MORACE              Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	8.22	5.24	19.0	19.5	33.0	20.6	4.40	1.78	1.12	2.02	1.06	111
2	6.92	4.96	14.3	19.5	33.8	27.8	4.40	1.66	1.12	1.42	1.06	204
3	5.80	4.68	11.1	21.2	35.3	27.1	4.21	1.54	1.12	1.18	1.06	160
4	5.24	4.21	9.24	27.8	66.8	31.6	4.02	1.54	1.12	1.06	1.06	128
5	4.68	3.83	7.88	27.1	102	31.6	4.02	1.42	1.06	1.00	1.00	86.3
6	4.40	4.68	6.64	62.9	130	30.3	3.83	1.42	1.06	.940	.940	61.0
7	4.21	5.24	6.08	68.9	80.7	29.7	3.64	1.30	1.06	1.00	1.00	44.5
8	4.02	5.52	9.24	54.3	66.8	25.8	3.45	1.30	1.06	1.06	2.50	29.7
9	3.64	5.80	7.54	103	42.9	22.3	3.26	1.30	1.06	1.06	5.80	19.0
10	3.64	5.52	6.64	73.2	31.0	20.0	3.07	1.30	1.06	1.06	4.96	15.2
11	3.64	5.24	6.08	62.9	24.1	18.6	3.07	1.30	1.06	1.18	4.02	12.9
12	3.64	4.68	5.80	77.4	25.8	17.6	2.88	1.30	1.00	2.69	12.9	10.3
13	3.45	4.21	5.80	60.0	20.6	16.6	3.26	1.30	1.00	2.14	41.3	8.90
14	4.96	4.21	6.36	38.2	31.0	14.7	2.88	1.30	1.00	3.83	104	7.88
15	33.8	4.02	7.88	27.8	27.8	13.4	2.50	2.02	1.00	15.2	50.5	6.92
16	24.6	3.64	9.92	29.0	21.7	12.0	2.50	1.78	1.00	31.6	27.8	6.36
17	14.3	3.45	12.0	29.7	21.2	11.1	2.38	1.78	.940	44.5	25.8	5.80
18	23.5	3.26	15.2	36.7	21.2	9.92	2.26	1.66	.940	55.2	11.5	25.8
19	81.8	3.26	17.6	46.1	21.7	8.90	2.14	1.54	.940	28.4	10.6	38.2
20	86.3	3.07	18.6	34.5	24.1	8.22	2.14	1.30	.940	19.5	9.92	18.1
21	36.7	2.88	20.0	30.3	25.8	7.88	2.02	1.30	.880	9.24	9.24	12.9
22	19.5	6.64	57.1	34.5	23.5	7.20	1.90	1.24	.880	6.36	8.56	9.92
23	13.8	22.9	88.5	33.0	23.5	6.64	1.90	1.24	.880	4.21	7.88	8.22
24	10.3	21.7	51.5	33.8	26.4	6.08	1.90	1.24	.880	3.07	7.20	6.92
25	8.56	18.1	28.4	33.8	20.0	5.80	1.78	1.18	20.0	2.38	6.64	6.08
26	6.92	142	23.5	33.0	20.0	5.52	1.78	1.18	29.7	1.90	5.52	5.24
27	6.36	96.0	19.0	34.5	21.2	4.96	2.02	1.18	21.7	1.54	4.68	53.3
28	10.6	58.1	16.6	32.3	21.7	4.68	2.14	1.18	10.3	1.42	4.96	71.0
29	9.92	31.0	15.2	34.5	32.3	4.68	1.90	1.12	4.96	1.30	5.24	44.5
30	7.20		15.7	34.5	35.3	4.40	1.78	1.12	2.88	1.24	18.6	24.6
31	5.80		18.1		25.8		1.78	1.12		1.18		16.6
SD1	5.08	4.97	9.77	47.7	62.2	26.7	3.83	1.46	1.08	1.18	2.04	85.9
SD2	28.0	3.90	10.5	44.2	23.9	13.1	2.60	1.53	.982	20.4	29.8	14.1
SD3	12.3	44.4	32.1	33.4	25.0	5.78	1.90	1.19	9.31	3.08	7.85	23.6
MAX	152	204	106	130	178	37.5	4.96	2.26	44.5	88.5	192	259
DAT	19	26	23	10	7	4	1	15	26	17	14	2
SR	15.0	16.8	18.0	41.8	36.7	15.2	2.75	1.39	3.79	8.06	13.2	40.6
MIN	3.45	2.88	5.80	19.5	20.0	4.40	1.78	1.12	.880	.940	.940	5.24
DAT	13	21	12	1	25	30	25	29	21	6	6	26
-----												
GMIN = .880			SRGOD= 17.8					GMAX = 259				
DATUM 21 9								DATUM 2 12				
-----												

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
2005

Broj : 60113 Stanica : MEDJURECJE Kota "0" = 187.51  
Nacin osmat.: limnigraf Reka : MRTVICA km od usca = .20  
Pocetak rada: 1948 Sliv : MORACE Pov.sliva = 207.7

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	13.8	3.07	3.64	31.6	31.6	15.7	4.21	1.57	2.80	35.3	4.96	66.8
2	9.58	3.07	3.45	24.1	34.5	12.9	4.21	1.51	4.21	21.7	4.40	53.3
3	8.22	3.07	3.26	19.0	44.5	11.5	3.83	1.44	3.83	14.7	4.40	33.0
4	6.92	3.07	7.88	17.6	52.4	11.1	3.64	1.51	3.83	10.3	4.21	47.7
5	6.08	3.07	23.5	17.1	50.5	9.92	3.45	1.44	3.45	8.90	4.02	40.5
6	5.52	3.07	10.6	18.1	47.7	17.1	3.26	1.31	3.26	9.92	3.83	130
7	5.24	3.07	6.08	20.6	45.3	36.7	3.26	1.31	3.26	5.52	3.64	73.2
8	4.68	3.07	4.40	24.1	36.7	21.7	3.26	1.98	3.26	4.96	3.64	44.5
9	4.40	3.07	3.83	24.1	31.6	19.5	3.26	2.26	3.07	4.68	3.45	27.1
10	4.21	3.07	3.64	27.8	33.8	16.6	3.45	2.54	3.07	4.40	3.07	20.0
11	4.21	2.88	3.26	33.8	36.0	13.4	3.64	1.70	2.88	4.21	3.07	16.2
12	4.02	2.88	3.26	43.7	36.0	10.6	3.45	1.57	2.88	3.83	3.07	14.3
13	4.02	3.26	4.02	45.3	36.7	9.58	3.26	1.44	2.50	3.64	2.88	12.9
14	4.02	9.24	4.68	38.2	34.5	8.56	3.26	1.44	2.50	3.45	2.88	12.0
15	4.02	6.36	4.40	27.8	35.3	8.22	3.26	1.37	2.38	3.26	51.5	10.6
16	3.64	4.02	4.96	24.6	32.3	7.54	2.38	1.44	2.38	3.26	36.7	8.90
17	3.64	3.83	6.64	27.8	34.5	7.20	4.40	1.57	2.14	3.07	21.7	8.90
18	3.45	3.26	9.24	35.3	36.0	6.92	19.0	1.57	64.9	3.07	15.2	9.24
19	3.26	3.26	12.4	28.4	40.5	6.64	11.5	1.70	66.8	2.88	12.0	7.54
20	3.07	3.07	14.7	31.0	35.3	6.08	7.20	2.26	31.0	2.69	10.6	6.08
21	3.07	4.40	13.4	45.3	25.8	5.80	5.52	2.26	18.1	2.69	12.0	6.08
22	3.07	10.6	12.4	32.3	25.2	5.24	4.21	5.21	13.4	9.24	10.6	5.52
23	3.07	9.92	14.7	21.2	26.4	4.96	4.02	21.1	10.3	65.8	8.90	4.68
24	3.07	7.88	16.2	17.6	27.1	4.68	4.02	18.1	8.56	31.0	8.90	3.45
25	3.07	9.92	17.1	16.6	27.1	4.68	3.83	10.4	5.80	16.2	8.90	3.07
26	3.07	8.90	20.0	18.1	29.7	4.40	3.45	6.27	5.80	9.92	15.7	3.45
27	3.07	6.08	28.4	27.8	27.8	4.40	3.26	4.77	5.24	8.22	75.3	21.2
28	3.07	4.40	80.7	35.3	24.6	4.21	3.26	3.53	4.68	6.92	55.2	71.0
29	3.07		66.8	36.7	22.3	4.21	3.26	3.11	4.40	6.08	31.0	64.9
30	3.07		46.9	34.5	19.5	4.02	3.26	2.54	12.4	5.24	34.5	60.0
31	3.07		36.7		17.1		2.50	2.26		4.96		48.6
SD1	6.87	3.07	7.03	22.4	40.9	17.3	3.58	1.69	3.40	12.0	3.96	53.6
SD2	3.73	4.21	6.76	33.6	35.7	8.47	6.14	1.61	18.0	3.34	16.0	10.7
SD3	3.07	7.76	32.1	28.5	24.8	4.66	3.69	7.23	8.87	15.1	26.1	26.5
MAX	16.2	22.3	81.8	45.3	55.2	36.7	19.0	38.2	126	73.2	85.2	130
DAT	1	26	28	21	4	7	18	23	19	23	27	6
SR	4.51	4.82	15.8	28.2	33.5	10.1	4.44	3.63	10.1	10.3	15.3	30.2
MIN	3.07	2.88	3.26	16.6	17.1	4.02	2.38	1.31	2.14	2.69	2.88	3.07
DAT	20	11	3	25	31	30	16	6	17	20	13	25
GMIN =		1.31		SRGOD=		14.3		GMAX =		130		
DATUM		6 8						DATUM		6 12		