

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1957

Broj : 45954 Stanica : CRNA POLJANA Kota "0" = 965.80
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 123.80
 Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	6.57	3.94	11.2	12.2	16.8	15.0	4.65	2.82	2.50	3.14	4.65	5.20	
2	6.85	3.94	10.3	11.7	19.1	15.0	4.65	2.82	2.50	2.98	4.65	4.65	
3	6.85	4.10	10.3	11.7	20.3	14.1	4.38	2.82	2.82	25.2	4.92	4.65	
4	6.57	4.10	9.95	12.2	24.0	13.1	4.38	2.82	2.82	15.0	4.65	4.10	
5	6.30	4.10	9.95	12.6	22.1	14.1	4.10	2.82	3.14	39.7	4.65	4.10	
6	6.03	4.10	9.61	12.6	19.7	11.2	3.94	2.82	3.30	20.3	5.20	4.10	
7	6.03	4.10	9.61	12.6	20.3	9.61	3.78	2.50	3.30	19.1	5.20	4.10	
8	5.75	4.10	8.92	12.6	21.5	9.61	3.78	2.50	3.30	17.4	8.57	4.10	
9	5.47	4.10	8.57	12.6	18.5	8.92	3.78	2.50	3.30	13.1	19.1	4.10	
10	5.47	4.92	8.57	14.1	16.8	8.92	3.62	2.37	2.50	11.2	15.0	5.20	
11	5.47	5.20	8.23	33.5	15.0	8.57	3.62	2.37	2.37	9.61	26.5	20.3	
12	5.47	5.47	8.23	39.7	14.1	8.23	3.78	2.24	2.66	8.57	24.0	27.7	
13	5.20	6.85	8.23	33.5	14.1	8.23	3.78	2.37	2.66	8.23	20.9	39.7	
14	4.92	12.6	8.23	31.6	15.6	7.54	3.62	1.98	2.66	7.19	9.61	155	
15	4.92	20.9	8.23	37.2	16.2	6.85	3.46	1.98	3.46	6.85	12.6	106	
16	4.65	206	8.92	29.7	16.8	6.85	3.30	1.98	3.46	6.30	12.6	67.0	
17	4.65	152	9.27	22.1	16.2	6.30	3.14	1.98	3.30	6.03	12.2	33.5	
18	4.38	99.5	9.61	19.1	16.8	6.30	2.98	2.24	3.14	6.03	9.61	27.1	
19	4.38	45.8	9.95	16.8	17.4	6.30	2.98	1.98	3.14	5.47	8.57	24.0	
20	4.10	36.0	11.2	15.6	16.2	6.30	3.62	2.11	2.82	5.20	8.57	20.9	
21	4.10	27.1	12.6	15.6	15.0	5.75	4.38	2.24	2.66	5.20	8.23	17.4	
22	4.10	23.4	15.0	14.5	15.6	5.47	3.94	2.24	2.66	6.30	7.54	12.6	
23	4.10	18.0	15.0	14.1	15.6	5.20	4.10	2.11	2.50	6.85	7.54	12.6	
24	4.38	16.2	16.8	13.1	14.5	5.20	4.65	2.11	2.82	5.75	6.85	6.85	
25	4.38	14.1	18.0	12.6	15.0	4.65	3.78	1.98	2.66	5.47	6.30	6.30	
26	4.10	13.6	16.2	12.2	15.0	4.65	3.46	2.50	2.66	5.47	6.03	6.30	
27	4.10	12.6	15.0	12.6	14.1	5.20	3.30	2.50	3.46	5.20	5.75	6.30	
28	4.10	12.2	14.1	12.6	14.1	5.20	2.98	2.50	3.78	5.20	5.75	8.57	
29	3.94		12.6	14.5	20.3	5.20	3.14	2.50	3.46	5.20	5.47	12.2	
30	3.94		12.2	15.0	31.6	4.65	2.98	2.50	3.14	5.20	5.47	14.1	
31	3.78		12.2		22.1		2.98	2.37		4.65		16.2	
SD1	6.19	4.15	9.70	12.5	19.9	12.0	4.11	2.68	2.95	16.7	7.66	4.43	
SD2	4.81	59.0	9.01	27.9	15.8	7.15	3.43	2.12	2.97	6.95	14.5	52.1	
SD3	4.09	17.1	14.5	13.7	17.5	5.12	3.61	2.32	2.98	5.50	6.49	10.9	
MAX	6.85	206	18.0	39.7	31.6	15.0	4.65	2.82	3.78	39.7	26.5	155	
DAT	2	16	25	12	30	1	1	1	28	5	11	14	
SR	5.00	27.5	11.2	18.0	17.8	8.07	3.71	2.37	2.96	9.58	9.56	22.1	
MIN	3.78	3.94	8.23	11.7	14.1	4.65	2.98	1.98	2.37	2.98	4.65	4.10	
DAT	31	1	11	2	12	25	18	14	11	2	1	4	
		GMIN = 1.98		SRGOD= 11.4		GMAX = 206				DATUM 16 2			
		DATUM 14 8											

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1958

Broj : 45954 Stanica : CRNA POLJANA Kota "0" = 965.80
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 123.80
 Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	14.1	6.57	19.7	30.3	24.0	13.6	5.47	2.50	1.72	1.46	2.37	4.65
2	14.1	6.57	16.2	26.5	20.3	12.2	5.47	2.50	1.72	1.59	2.50	4.65
3	13.1	6.57	15.0	23.4	20.9	11.7	4.65	2.50	1.85	4.65	22.1	3.94
4	10.3	6.30	6.85	22.1	19.1	10.3	4.92	2.24	1.72	3.78	12.6	3.78
5	9.95	5.75	6.85	29.7	24.0	10.3	4.65	2.24	1.72	2.82	15.6	3.78
6	9.61	6.57	6.57	59.0	25.9	10.3	4.10	2.24	1.72	2.24	12.6	3.78
7	10.3	6.57	6.85	44.6	32.2	9.27	3.94	2.11	1.72	2.24	10.8	3.78
8	10.3	6.85	10.3	28.4	38.4	8.57	3.94	2.24	1.72	2.11	10.3	3.62
9	10.3	6.85	11.2	27.1	45.8	7.89	3.78	2.82	1.72	1.98	8.92	3.62
10	10.3	7.54	9.61	20.3	55.2	7.54	3.78	2.50	1.72	1.98	11.7	3.78
11	10.3	7.89	9.61	14.1	58.7	12.6	4.10	2.50	1.72	1.98	14.5	14.5
12	10.3	7.89	9.61	13.1	59.6	9.61	3.94	2.37	1.72	1.85	12.2	14.1
13	14.1	7.54	9.61	11.7	57.5	8.57	3.78	2.37	1.72	1.85	13.1	18.0
14	13.1	6.85	6.30	12.6	38.4	8.57	3.46	2.37	1.72	1.85	13.1	22.1
15	10.3	8.57	5.20	17.4	55.2	8.57	3.14	2.37	1.59	1.85	13.6	32.9
16	9.95	8.57	4.10	43.3	45.8	7.89	2.82	2.37	1.72	1.72	12.6	36.0
17	9.61	10.3	4.10	38.4	36.0	6.85	2.50	2.37	1.72	1.72	11.2	36.0
18	9.61	15.0	5.47	32.2	37.2	6.57	3.30	2.24	1.72	2.50	9.95	58.7
19	8.92	63.1	6.30	27.1	30.9	6.30	3.78	1.98	1.59	2.24	9.27	29.7
20	8.23	39.7	6.30	19.7	33.5	6.30	3.14	1.98	1.46	2.11	8.23	48.1
21	8.57	27.1	6.30	18.0	38.4	6.03	3.14	1.98	1.46	1.98	7.54	38.4
22	10.3	20.9	5.75	18.5	30.3	5.75	2.98	1.98	1.46	1.98	6.85	30.9
23	12.2	14.1	5.75	20.3	27.7	5.75	2.82	1.98	1.46	3.30	6.85	29.0
24	11.2	15.0	5.75	36.0	27.1	6.30	2.50	1.98	1.59	3.30	6.30	29.7
25	10.3	14.1	5.47	48.1	24.0	6.03	2.50	1.85	1.46	3.30	5.75	36.0
26	9.61	12.6	5.75	33.5	23.4	5.75	2.50	1.85	1.46	2.82	5.47	37.2
27	8.57	18.0	6.30	29.7	22.8	5.20	2.82	1.72	1.46	2.82	5.20	27.1
28	8.23	18.0	19.7	30.3	20.9	6.57	2.66	1.72	1.59	2.50	5.20	19.7
29	6.85		24.0	32.2	18.5	6.57	2.50	1.72	1.59	2.50	4.65	16.2
30	6.30		20.3	27.7	16.8	6.03	2.37	1.72	1.59	2.50	4.65	6.30
31	5.47		27.1		14.5		2.24	1.72		2.37		5.47
SD1	11.2	6.61	10.9	31.1	30.6	10.2	4.47	2.39	1.73	2.49	10.9	3.94
SD2	10.4	17.5	6.66	23.0	45.3	8.18	3.40	2.29	1.67	1.97	11.8	31.0
SD3	8.87	17.5	12.0	29.4	24.0	6.00	2.64	1.84	1.51	2.67	5.85	25.1
MAX	14.1	63.1	27.1	59.0	59.6	13.6	5.47	2.82	1.85	4.65	22.1	58.7
DAT	1	19	31	6	12	1	1	9	3	3	3	18
SR	10.1	13.6	9.93	27.8	33.0	8.12	3.47	2.16	1.64	2.38	9.52	20.2
MIN	5.47	5.75	4.10	11.7	14.5	5.20	2.24	1.72	1.46	1.46	2.37	3.62
DAT	31	5	16	13	31	27	31	27	20	1	1	8
		GMIN = 1.46		SRGOD= 11.8		GMAX = 63.1						
		DATUM 20 9				DATUM 19 2						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1959

Broj : 45954 Stanica : CRNA POLJANA Kota "0" = 965.80
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 123.80
 Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	10.3	6.57	4.65	11.2	12.6	20.9	6.85	4.92	6.30	4.65	16.2	9.61
2	9.61	6.85	6.03	11.2	30.3	18.5	7.54	4.10	6.03	4.10	12.6	10.3
3	9.61	7.54	6.85	10.3	24.0	18.5	8.57	3.46	4.92	4.10	11.2	11.2
4	9.61	7.54	7.54	10.3	19.7	14.1	8.57	3.46	4.10	3.78	11.2	11.2
5	9.27	6.85	7.54	9.61	18.0	12.6	8.23	3.46	4.10	3.78	9.61	11.2
6	8.57	6.30	8.57	14.5	11.7	12.6	7.89	3.30	24.0	3.78	15.0	11.2
7	7.54	6.03	9.95	15.0	13.6	11.2	7.54	3.14	17.4	3.78	10.3	11.2
8	8.23	5.47	12.2	25.2	12.6	9.61	6.85	2.82	12.2	3.78	18.0	11.2
9	24.0	5.47	30.3	23.4	12.6	8.92	6.30	2.82	9.95	3.78	15.0	29.7
10	19.1	5.20	24.0	20.3	12.6	8.57	6.30	2.82	8.23	3.78	12.6	27.1
11	9.61	4.92	20.3	20.3	12.2	8.57	5.47	2.50	8.23	3.46	10.3	20.3
12	9.61	4.10	24.0	18.0	12.6	8.57	5.47	2.82	7.19	3.30	11.2	19.7
13	9.95	3.94	22.1	16.2	13.1	8.57	5.20	2.82	6.85	3.30	10.3	33.5
14	9.61	4.10	20.9	14.1	13.1	8.57	4.65	3.46	6.30	3.30	10.3	60.5
15	8.92	4.10	15.0	10.3	13.1	8.57	4.65	3.78	5.47	3.30	11.2	45.8
16	20.9	4.10	15.0	12.6	13.1	8.23	4.65	3.14	5.47	3.30	13.1	33.5
17	32.2	4.10	11.2	12.2	11.2	8.23	4.65	4.10	5.20	3.30	12.6	27.1
18	20.9	4.10	10.3	12.6	11.2	8.23	4.92	3.78	4.10	3.30	12.2	20.9
19	14.5	4.10	10.3	15.0	10.3	7.54	5.20	4.65	4.10	2.98	12.2	18.0
20	10.8	4.10	8.92	15.0	9.61	7.54	4.10	4.10	4.10	2.82	11.2	12.6
21	10.8	4.10	8.23	15.0	8.57	6.85	3.78	3.78	4.10	2.82	10.3	11.2
22	9.61	3.94	8.23	15.0	8.92	6.30	3.46	3.78	3.78	2.82	9.61	12.2
23	9.27	3.94	8.23	12.6	8.92	6.85	3.14	3.46	3.46	2.98	8.57	12.6
24	8.92	3.94	8.23	12.6	8.92	6.85	3.30	3.46	3.30	2.98	8.23	11.2
25	9.27	3.78	9.95	12.6	8.92	6.85	3.30	3.14	3.30	2.82	7.54	28.4
26	8.57	3.78	9.95	9.61	8.92	6.85	3.30	2.98	3.30	2.66	7.54	19.7
27	8.57	4.10	10.3	8.92	8.23	6.30	3.30	2.98	3.30	2.50	6.85	14.1
28	7.89	4.92	10.3	8.57	8.23	6.30	3.30	2.82	10.3	3.14	6.85	45.8
29	7.54		10.3	8.23	7.89	6.30	3.14	2.82	6.85	4.10	6.85	59.9
30	6.85		10.3	8.23	11.2	6.30	2.98	2.82	4.65	8.57	6.30	28.4
31	6.85		10.3		24.6		2.82	3.14		22.1		20.3
SD1	11.6	6.38	11.8	15.1	16.8	13.6	7.46	3.43	9.72	3.93	13.2	14.4
SD2	14.7	4.17	15.8	14.6	12.0	8.26	4.90	3.51	5.70	3.24	11.5	29.2
SD3	8.56	4.06	9.48	11.1	10.3	6.57	3.26	3.20	4.63	5.23	7.86	24.0
MAX	32.2	7.54	30.3	25.2	30.3	20.9	8.57	4.92	24.0	22.1	18.0	60.5
DAT	17	3	9	8	2	1	3	1	6	31	8	14
SR	11.5	4.93	12.3	13.6	12.9	9.46	5.14	3.38	6.69	4.17	10.8	22.6
MIN	6.85	3.78	4.65	8.23	7.89	6.30	2.82	2.50	3.30	2.50	6.30	9.61
DAT	30	25	1	29	29	22	31	11	24	27	30	1

GMIN = 2.50			SRGOD= 9.83					GMAX = 60.5				
DATUM 11 8								DATUM 14 12				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1960

Broj : 45954 Stanica : CRNA POLJANA Kota "0" = 965.80
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 123.80
 Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	16.1	10.3	16.9	35.6	14.0	11.6	5.20	1.72	1.18	5.90	15.7	11.1
2	15.1	9.54	16.9	28.8	15.1	11.6	4.10	1.72	1.18	4.54	13.4	10.3
3	11.0	8.81	15.7	22.2	17.9	11.1	5.75	1.72	1.16	4.15	11.9	9.80
4	10.3	8.07	15.7	19.4	17.3	11.1	6.30	1.72	1.16	3.77	10.7	9.35
5	9.54	8.07	11.5	16.9	16.2	10.7	5.20	1.59	1.16	3.38	9.90	8.91
6	8.81	8.07	10.7	15.1	17.9	10.3	4.65	1.59	1.16	3.19	16.3	8.54
7	7.03	8.07	10.3	14.0	21.3	10.3	3.94	1.46	3.14	4.34	174	8.19
8	6.74	7.33	10.3	13.0	21.3	9.80	3.62	1.46	1.98	4.92	92.9	7.84
9	6.74	5.85	10.3	13.4	19.3	9.35	3.30	1.33	1.59	4.54	63.4	10.7
10	6.45	5.85	9.88	14.6	18.6	9.35	3.94	4.38	1.46	4.15	50.5	75.9
11	6.45	5.85	10.3	15.1	19.3	9.80	3.46	2.98	1.46	43.2	78.8	38.6
12	6.45	5.85	10.3	18.7	19.3	11.6	3.14	2.50	1.33	19.4	49.1	28.7
13	6.74	5.56	9.88	19.4	20.0	9.35	2.98	3.30	1.33	20.2	32.5	24.8
14	7.03	13.5	9.88	22.9	23.3	8.54	3.30	3.30	1.20	37.1	31.8	22.6
15	7.03	55.3	9.05	23.6	28.3	8.19	2.98	2.82	1.18	22.2	70.4	19.5
16	7.03	68.9	9.05	22.2	29.0	7.84	2.82	2.50	1.33	39.5	43.2	19.5
17	7.03	63.1	16.9	21.6	32.7	7.48	2.66	2.37	1.20	69.0	31.8	18.3
18	7.03	71.7	20.2	19.4	32.7	7.11	2.66	2.24	1.18	41.6	23.6	17.0
19	6.74	143	17.4	17.4	30.5	6.05	2.50	2.11	1.16	25.8	19.4	46.8
20	6.74	128	15.1	18.0	29.8	6.40	2.50	2.24	1.16	18.0	53.5	39.4
21	6.74	71.7	14.0	16.9	29.8	6.40	2.37	1.98	1.46	14.6	30.2	36.0
22	6.15	67.5	12.4	15.1	26.2	6.05	2.24	1.72	1.33	18.7	23.6	41.9
23	5.56	78.6	11.5	14.0	21.3	5.69	2.24	1.72	1.98	15.7	20.2	46.8
24	5.56	67.5	10.7	13.0	18.6	5.33	2.11	1.59	1.59	13.0	16.9	32.8
25	4.98	35.8	10.3	17.4	16.7	5.12	2.50	1.46	1.46	11.5	15.1	24.8
26	4.98	25.7	12.4	12.4	15.1	4.91	2.50	1.46	1.33	10.7	13.0	20.3
27	5.56	19.3	34.1	11.5	13.5	4.71	2.37	1.33	1.20	22.9	11.9	17.0
28	5.85	16.1	40.2	5.90	11.4	4.71	2.24	1.33	1.20	13.0	11.1	15.2
29	7.33	16.1	56.4	17.4	10.7	4.71	2.24	1.20	2.98	11.1	10.3	13.4
30	9.17		70.8	15.1	10.7	4.71	2.11	1.20	7.92	13.0	11.1	12.1
31	7.33		52.0		10.7		1.98	1.18		16.3		10.7
SD1	9.78	8.00	12.8	19.3	17.9	10.5	4.60	1.87	1.52	4.29	45.9	16.1
SD2	6.83	56.1	12.8	19.8	26.5	8.24	2.90	2.64	1.25	33.6	43.4	27.5
SD3	6.29	44.3	29.5	13.9	16.8	5.23	2.26	1.47	2.25	14.6	16.3	24.6
MAX	16.1	143	70.8	35.6	32.7	11.6	6.30	4.38	7.92	69.0	174	75.9
DAT	1	19	30	1	17	1	4	10	30	17	7	10
SR	7.59	35.8	18.7	17.7	20.3	8.00	3.22	1.97	1.67	17.4	35.2	22.8
MIN	4.98	5.56	9.05	5.90	10.7	4.71	1.98	1.18	1.16	3.19	9.90	7.84
DAT	25	13	15	28	29	27	31	31	3	6	5	8
		GMIN =	1.16			SRGOD=	15.8			GMAX =	174	
		DATUM	3 9							DATUM	7 11	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1961

Broj : 45954 Stanica : CRNA POLJANA Kota "0" = 965.80
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 123.80
 Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	7.54	3.46	3.62	6.57	29.0	8.57	2.82	1.72	1.14	1.10	8.23	9.27
2	7.19	4.65	3.78	6.57	25.2	8.23	2.66	1.46	1.14	1.10	9.95	9.61
3	8.23	4.10	3.62	6.85	19.7	7.54	2.66	1.33	1.14	1.10	6.85	9.61
4	9.95	3.78	3.46	7.19	15.6	6.85	2.66	1.20	1.12	1.10	6.03	8.92
5	22.8	3.46	3.30	7.54	13.1	6.57	2.50	1.20	1.12	1.10	9.95	7.89
6	16.8	3.46	3.30	8.23	12.2	6.30	2.50	1.20	1.12	1.10	13.1	7.19
7	13.1	3.30	3.14	8.92	11.7	6.03	2.37	1.18	1.12	1.10	21.5	11.2
8	10.8	3.14	3.30	10.8	10.8	6.30	2.37	1.16	1.12	1.10	21.5	10.3
9	9.61	2.98	3.46	13.1	9.95	5.75	2.82	1.14	1.12	1.10	44.6	9.27
10	8.92	2.98	6.30	15.0	12.2	5.47	2.50	1.14	1.10	1.10	30.9	8.57
11	8.23	2.98	4.65	14.5	13.6	6.85	2.37	1.12	1.10	1.08	39.7	7.54
12	8.57	2.82	5.47	13.1	12.6	6.30	2.24	1.12	1.10	1.08	44.6	7.19
13	9.61	2.82	6.30	12.6	12.6	5.75	2.11	1.12	1.10	1.08	44.6	7.19
14	8.92	2.82	6.57	11.7	11.2	5.47	1.98	1.12	1.10	1.08	40.9	6.85
15	8.23	2.66	6.85	11.2	10.8	5.20	1.85	1.12	1.10	1.08	51.7	7.19
16	7.89	2.50	6.85	11.7	12.2	4.92	1.85	1.12	1.10	1.08	39.7	6.03
17	7.54	2.50	7.19	11.7	14.1	4.38	1.72	1.59	1.10	1.08	30.3	4.65
18	6.57	2.66	7.19	13.1	19.1	4.10	2.11	1.85	1.10	1.10	25.2	4.65
19	5.75	2.82	6.85	14.1	18.0	4.10	1.98	1.46	1.10	7.54	19.7	4.65
20	6.03	2.98	9.27	13.1	26.5	3.94	1.72	1.20	1.10	11.2	18.0	4.65
21	5.75	3.14	12.6	11.2	26.5	3.78	1.59	1.18	1.10	15.6	17.4	4.38
22	5.47	3.14	19.7	9.95	28.4	3.94	1.46	1.16	1.10	11.7	14.5	4.10
23	5.20	3.30	14.5	8.92	30.3	4.10	1.46	1.16	1.10	5.47	9.27	4.10
24	4.92	3.46	11.2	9.95	24.6	3.78	1.59	1.14	1.10	4.10	8.23	4.10
25	4.65	3.46	9.95	9.95	20.3	3.46	1.46	1.14	1.10	3.78	9.95	4.10
26	4.65	3.62	9.27	9.27	16.8	3.30	1.33	1.14	1.10	3.46	10.8	13.6
27	4.10	3.62	7.54	13.6	14.1	2.98	1.33	1.14	1.10	3.30	9.27	13.1
28	3.94	3.62	7.54	14.1	12.6	2.98	1.20	1.12	1.10	3.30	9.27	9.95
29	3.78		7.54	12.6	11.7	3.46	1.20	1.12	1.10	3.14	8.92	9.61
30	3.78		6.85	18.0	10.3	2.98	2.24	1.12	1.10	2.98	9.27	8.92
31	3.46		6.85		9.61		1.98	1.12		5.47		8.57
SD1	11.5	3.53	3.73	9.08	15.9	6.76	2.59	1.27	1.12	1.10	17.3	9.18
SD2	7.73	2.76	6.72	12.7	15.1	5.10	1.99	1.28	1.10	2.74	35.4	6.06
SD3	4.52	3.42	10.3	11.8	18.7	3.48	1.53	1.14	1.10	5.66	10.7	7.68
MAX	22.8	4.65	19.7	18.0	30.3	8.57	2.82	1.72	1.14	15.6	51.7	13.6
DAT	5	2	22	30	23	1	1	1	1	21	15	26
SR	7.81	3.22	7.03	11.2	16.6	5.11	2.02	1.23	1.11	3.25	21.1	7.64
MIN	3.46	2.50	3.14	6.57	9.61	2.98	1.20	1.12	1.10	1.08	6.03	4.10
DAT	31	16	7	1	31	27	28	11	10	11	4	22
GMIN =		1.08		SRGOD=		7.29		GMAX =		51.7		
DATUM		11 10						DATUM		15 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1962

Broj : 45954 Stanica : CRNA POLJANA Kota "0" = 965.80
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 123.80
 Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	7.89	4.38	6.03	73.5	18.0	8.23	3.14	1.20	1.12	1.18	2.37	12.6
2	7.54	4.10	6.30	59.3	15.0	7.89	2.98	1.18	1.12	1.18	3.94	11.2
3	7.19	3.94	5.47	49.3	13.6	7.54	2.82	1.18	1.12	1.18	3.78	10.3
4	6.57	3.78	14.5	32.2	14.1	6.57	2.66	1.18	1.12	1.16	3.30	9.27
5	6.57	3.78	32.2	58.4	17.4	6.30	2.66	1.16	1.12	1.16	2.98	8.92
6	6.30	3.62	122	50.5	22.8	5.75	2.66	1.16	1.12	1.16	2.98	7.54
7	5.47	3.46	94.3	30.3	26.5	5.47	2.50	1.16	1.10	1.14	2.82	7.19
8	5.20	3.30	54.0	22.1	29.7	4.65	2.50	1.16	1.10	1.12	2.50	6.30
9	4.92	3.62	29.0	18.0	33.5	4.38	2.37	1.14	1.10	1.12	2.50	5.75
10	5.20	4.38	20.3	16.2	40.9	4.38	2.24	1.14	1.10	1.12	3.78	5.47
11	14.1	4.38	17.4	16.8	38.4	5.20	2.11	1.16	1.08	1.12	3.94	5.20
12	23.4	4.65	22.1	16.2	32.9	5.20	2.11	1.16	1.08	1.10	4.38	4.92
13	22.8	5.75	19.7	16.2	30.3	4.65	1.98	1.16	1.08	1.10	4.10	4.92
14	19.7	27.1	17.4	15.6	31.6	4.38	1.98	1.14	1.08	1.10	4.10	9.61
15	18.0	15.0	14.1	15.0	47.0	3.94	1.85	1.14	1.08	1.10	4.38	9.61
16	23.4	9.95	12.6	14.5	31.6	3.94	1.85	1.14	1.08	1.18	8.92	19.1
17	16.2	8.23	10.8	14.1	24.6	3.62	1.98	1.12	1.08	2.98	9.27	40.9
18	13.1	7.19	9.61	14.5	20.9	3.78	2.11	1.12	1.08	2.37	8.23	20.3
19	11.2	6.57	8.57	16.2	19.1	3.78	2.50	1.12	1.08	2.11	12.2	14.1
20	9.95	5.75	7.89	19.1	19.1	3.62	2.37	1.12	1.10	1.98	44.6	11.7
21	8.92	5.20	8.23	21.5	19.1	3.46	2.11	1.12	1.14	1.72	45.8	9.61
22	8.23	4.92	11.2	22.1	16.2	3.46	1.85	1.12	1.16	1.59	24.6	8.57
23	7.89	4.38	13.6	20.9	14.1	3.30	1.72	1.12	1.16	1.46	20.9	7.54
24	7.19	4.10	16.2	21.5	13.1	3.14	1.59	1.12	1.14	1.46	43.3	6.30
25	6.57	3.94	28.4	21.5	12.2	3.14	1.59	1.12	1.14	1.46	32.2	6.03
26	6.30	3.78	38.4	22.1	11.2	3.30	1.46	1.12	1.14	1.33	19.7	5.75
27	5.75	3.78	25.2	22.8	10.3	3.30	1.46	1.12	1.14	1.20	14.5	6.03
28	5.20	3.78	19.7	24.0	9.95	3.30	1.33	1.12	1.16	1.20	13.1	5.47
29	5.20		15.0	22.8	9.61	3.14	1.20	1.12	1.16	1.33	12.6	5.47
30	4.65		13.1	22.1	8.92	2.98	1.20	1.12	1.18	1.59	13.1	24.0
31	4.65		19.7		8.57		1.20	1.12		1.46		73.5
SD1	6.29	3.84	38.4	41.0	23.1	6.12	2.65	1.17	1.11	1.15	3.10	8.45
SD2	17.2	9.46	14.0	15.8	29.6	4.21	2.08	1.14	1.08	1.61	10.4	14.0
SD3	6.41	4.24	19.0	22.1	12.1	3.25	1.52	1.12	1.15	1.44	24.0	14.4
MAX	23.4	27.1	122	73.5	40.9	8.23	3.14	1.20	1.18	2.98	45.8	73.5
DAT	12	14	6	1	10	1	1	1	30	17	21	31
SR	9.85	5.96	23.6	26.3	21.3	4.53	2.07	1.14	1.12	1.40	12.5	12.4
MIN	4.65	3.30	5.47	14.1	8.57	2.98	1.20	1.12	1.08	1.10	2.37	4.92
DAT	30	8	3	17	31	30	29	17	11	12	1	12

GMIN = 1.08			SRGOD= 10.2				GMAX = 122					
DATUM 11 9							DATUM 6 3					

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1963

Broj : 45954 Stanica :CRNA POLJANA Kota "0" = 965.80
Nacin osmat.: limnigraf Rijeka :TARA km od usca = 123.80
Pocetak rada: 1957 Sliv :DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	54.0	7.93	7.82	11.2	26.3	13.9	7.63	2.92	2.66	1.94	2.01	4.12
2	33.5	7.54	7.44	9.95	27.8	13.3	7.18	3.81	2.42	1.94	2.01	3.95
3	31.6	9.93	7.07	8.92	33.0	12.9	8.07	4.03	2.15	1.94	2.01	3.77
4	54.0	10.9	6.32	8.23	48.7	12.3	8.07	3.37	2.15	1.97	2.01	3.77
5	38.4	11.4	5.96	7.54	45.7	11.4	7.18	2.92	2.11	4.88	4.34	11.2
6	65.7	11.9	5.58	7.54	36.8	12.9	6.72	2.92	2.07	5.71	4.87	15.8
7	98.2	10.9	5.36	7.89	31.5	12.3	6.46	2.70	2.07	3.88	18.8	11.8
8	129	9.93	5.36	8.23	29.3	12.9	5.94	2.48	2.15	3.43	25.8	9.72
9	78.7	9.14	5.36	7.89	28.6	13.3	5.94	2.26	4.84	2.98	12.5	8.22
10	51.7	8.34	6.69	8.23	30.0	13.3	5.67	2.48	3.13	2.75	9.00	7.16
11	56.3	8.34	13.5	10.8	29.3	16.2	5.41	2.26	2.42	2.53	7.21	6.87
12	61.8	8.74	14.7	29.0	28.6	24.9	6.20	2.26	2.15	2.30	6.33	6.87
13	83.9	10.9	23.7	32.9	29.3	24.2	5.94	2.04	2.11	2.08	6.92	10.5
14	52.8	10.9	19.2	29.7	28.6	20.0	5.41	2.04	2.07	2.04	12.0	9.34
15	30.9	9.53	15.2	28.4	24.9	16.8	5.15	2.01	2.04	2.04	13.2	12.8
16	22.8	8.74	12.6	25.2	22.0	17.3	4.89	1.97	2.04	2.04	12.5	279
17	18.0	36.5	11.2	25.2	22.7	14.5	4.62	1.94	2.04	2.01	11.5	138
18	15.6	62.8	10.3	27.1	22.0	12.3	4.36	1.94	2.00	2.01	13.2	49.9
19	16.8	33.9	9.78	29.7	20.7	11.0	4.62	1.94	2.00	1.97	11.5	27.5
20	22.8	39.3	9.78	30.9	20.0	10.2	4.89	1.94	2.00	1.97	10.5	41.9
21	16.2	29.4	14.7	32.9	18.6	9.39	4.62	1.94	2.00	1.94	10.0	132
22	13.1	21.8	16.6	32.9	17.3	8.56	4.36	1.97	2.04	1.94	8.51	108
23	11.2	17.7	14.7	34.7	16.2	8.15	3.89	1.97	2.00	1.94	7.50	65.3
24	9.95	14.4	13.1	37.2	15.6	7.82	3.89	1.94	2.00	1.94	7.21	41.9
25	9.61	12.4	11.7	32.2	16.2	7.50	3.46	1.94	2.00	1.94	6.92	29.5
26	8.57	10.9	10.7	30.3	16.2	7.18	3.46	1.90	2.04	1.94	6.62	23.4
27	7.54	9.93	10.7	28.4	17.9	6.84	3.03	1.94	2.04	1.90	7.50	20.8
28	6.85	9.14	11.2	27.7	17.3	6.51	3.03	1.94	2.00	1.90	7.50	18.3
29	6.57		11.2	25.9	16.8	6.19	3.03	1.94	2.00	1.90	7.50	15.8
30	6.30		13.1	23.4	16.2	5.85	2.82	3.37	2.00	1.90	7.21	14.3
31	5.75		16.6		14.5		2.82	3.81		1.90		13.3
SD1	63.5	9.79	6.30	8.56	33.8	12.9	6.89	2.99	2.58	3.14	8.34	7.95
SD2	38.2	23.0	14.0	26.9	24.8	16.7	5.15	2.03	2.09	2.10	10.5	58.3
SD3	9.24	15.7	13.1	30.6	16.6	7.40	3.49	2.24	2.01	1.92	7.65	43.9
MAX	129	62.8	23.7	37.2	48.7	24.9	8.07	4.03	4.84	5.71	25.8	322
DAT	8	18	13	24	4	12	3	3	9	6	8	16
SR	36.1	16.2	11.2	22.0	24.8	12.3	5.12	2.42	2.22	2.37	8.82	36.9
MIN	5.75	7.54	5.36	7.54	14.5	5.85	2.82	1.90	2.00	1.90	2.01	3.77
DAT	31	2	7	5	31	30	30	26	18	27	1	3

GMIN = 1.90			SRGOD= 15.1					GMAX = 322				
DATUM 26 8								DATUM 16 12				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1964

Broj : 45954 Stanica : CRNA POLJANA Kota "0" = 965.80
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 123.80
Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	11.2	4.10	6.85	27.7	13.6	10.3	6.03	4.10	3.46	3.30	13.1	57.5
2	10.3	4.10	6.30	25.9	13.1	9.61	5.75	4.38	3.78	3.30	15.0	34.7
3	9.61	4.10	6.03	22.8	12.6	9.27	5.47	4.92	3.94	3.30	18.0	27.1
4	9.27	4.10	5.75	31.6	13.1	8.92	5.20	4.38	3.62	3.14	16.8	25.9
5	8.57	4.10	5.47	59.6	14.5	8.92	4.92	4.10	3.46	3.14	17.4	19.7
6	8.23	3.94	5.47	42.1	15.0	8.23	4.92	3.94	3.46	3.14	19.7	16.2
7	7.89	3.78	5.75	29.7	13.1	8.23	4.65	3.62	3.46	3.14	19.7	14.1
8	7.54	3.62	5.20	25.9	12.2	8.57	5.20	3.46	5.20	3.14	18.5	12.2
9	7.19	3.78	5.20	22.1	12.2	8.23	4.65	3.14	4.10	4.92	18.0	11.2
10	6.85	3.78	5.47	18.5	12.2	7.89	4.38	3.94	3.78	6.03	17.4	10.3
11	6.57	3.78	5.47	16.2	12.2	7.19	5.20	3.94	3.62	14.1	16.8	9.61
12	6.30	3.78	5.75	14.1	12.2	6.85	7.54	3.78	3.62	16.8	15.6	9.27
13	6.30	3.62	6.30	13.6	12.6	6.85	7.19	3.62	3.46	20.9	15.6	8.57
14	6.30	3.62	6.30	13.1	13.1	6.57	6.57	3.46	3.46	32.9	14.5	8.23
15	6.30	3.62	8.92	13.1	13.6	6.85	6.57	3.30	3.30	45.8	13.6	8.23
16	6.03	3.62	22.8	12.2	15.0	7.19	6.30	3.78	3.30	27.1	13.1	7.89
17	5.20	3.62	16.2	11.7	12.6	7.19	6.03	3.62	3.30	20.3	12.2	8.23
18	5.20	8.23	13.1	11.7	9.95	7.89	5.75	3.30	3.14	24.6	10.8	13.6
19	5.20	14.1	12.2	11.7	9.27	7.19	5.47	3.62	3.30	27.1	10.3	33.5
20	5.20	40.9	11.2	11.7	9.61	6.85	5.20	4.92	3.14	23.4	9.61	67.0
21	5.20	17.4	13.1	11.7	10.8	6.57	4.92	4.10	3.30	23.4	8.92	44.6
22	4.92	11.7	30.9	11.7	13.6	6.30	5.20	3.78	3.78	22.8	8.57	27.1
23	4.92	9.61	29.7	11.7	12.2	6.03	5.47	3.62	3.62	20.3	8.23	20.3
24	4.65	8.92	20.9	12.2	10.8	6.57	5.75	3.46	3.62	19.7	7.54	16.8
25	4.38	8.23	17.4	19.7	10.8	7.19	5.75	3.46	3.62	22.1	7.19	14.5
26	4.38	7.54	14.1	19.1	10.3	7.19	5.20	3.46	3.62	23.4	6.85	24.0
27	4.38	7.19	12.6	16.8	10.8	6.57	4.92	3.30	3.62	27.1	6.85	43.3
28	4.38	6.85	12.6	14.5	10.8	6.30	4.65	3.14	3.46	24.0	6.57	27.1
29	4.38	6.85	21.5	13.6	9.95	6.30	4.65	3.14	3.46	20.3	6.85	24.6
30	4.10		21.5	13.1	9.95	6.30	4.92	2.98	3.46	16.8	15.0	47.0
31	4.10		20.9		7.54		4.38	2.98		14.5		43.3
SD1	8.66	3.94	5.75	30.6	13.2	8.82	5.12	4.00	3.83	3.65	17.4	22.9
SD2	5.86	8.89	10.8	12.9	12.0	7.06	6.18	3.73	3.36	25.3	13.2	17.4
SD3	4.53	9.37	19.6	14.4	10.7	6.53	5.07	3.40	3.56	21.3	8.26	30.2
MAX	11.7	59.9	30.9	60.5	16.2	10.8	8.57	6.57	6.57	59.0	57.5	83.9
DAT	1	20	22	5	6	1	12	3	8	15	6	20
SR	6.29	7.33	12.3	19.3	11.9	7.47	5.45	3.70	3.58	16.9	12.9	23.7
MIN	4.10	3.62	5.20	11.7	7.54	6.03	4.38	2.98	3.14	3.14	6.57	7.89
DAT	30	8	8	17	31	23	10	30	18	4	28	16

GMIN = 2.98			SRGOD= 10.9					GMAX = 83.9				
DATUM 30 8								DATUM 20 12				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1965

Broj : 45954 Stanica :CRNA POLJANA Kota "0" = 965.80
Nacin osmat.: limnigraf Rijeka :TARA km od usca = 123.80
Pocetak rada: 1957 Sliv :DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	24.6	14.5	3.78	8.92	24.6	24.6	6.85	2.98	2.50	2.50	1.70	99.5
2	18.5	22.1	27.7	8.57	20.3	24.0	6.57	2.98	2.50	2.50	1.70	58.1
3	15.6	15.6	106	7.89	18.5	19.7	6.30	2.82	2.50	2.37	1.70	34.7
4	14.1	12.2	34.7	7.89	17.4	16.8	6.03	2.82	2.50	2.37	1.70	27.7
5	12.2	10.3	21.5	8.57	19.7	18.0	6.57	2.82	2.50	2.37	1.70	22.8
6	10.8	9.27	19.1	9.27	27.7	25.2	7.19	2.82	2.98	2.37	1.70	19.7
7	9.61	7.89	15.6	9.61	27.7	22.1	6.30	2.82	4.92	2.37	1.70	18.5
8	8.57	7.89	18.0	11.7	24.0	18.5	5.75	2.66	3.46	2.37	1.70	19.7
9	8.23	7.89	11.2	29.7	22.1	17.4	5.47	2.50	3.14	2.37	1.94	43.3
10	7.89	7.19	9.61	87.8	21.5	16.8	5.20	2.50	2.82	2.37	2.24	69.6
11	7.19	6.85	8.92	57.5	21.5	17.4	4.92	2.50	2.66	2.37	2.37	85.2
12	6.85	6.30	8.23	37.2	19.7	15.6	4.65	2.50	2.66	2.37	2.82	58.1
13	6.57	6.03	7.54	30.9	22.8	14.5	4.38	2.50	4.38	2.37	8.23	38.4
14	6.03	5.75	7.54	29.7	21.5	14.1	4.10	2.50	3.62	2.37	15.0	29.0
15	6.03	5.75	7.54	25.9	20.3	13.6	4.10	2.50	3.30	2.24	9.95	23.4
16	5.75	5.47	7.89	23.4	25.9	12.6	3.94	2.50	3.14	2.13	7.89	20.3
17	5.47	5.47	8.23	19.7	24.6	12.2	3.94	2.50	2.98	2.09	6.30	18.0
18	5.75	4.92	8.57	17.4	33.5	13.6	3.78	2.50	2.82	2.04	6.57	16.8
19	6.03	4.92	8.57	17.4	45.8	13.6	3.62	2.50	2.82	1.92	11.7	15.0
20	6.03	4.65	8.57	18.5	49.3	11.7	3.62	2.50	2.82	1.84	25.2	14.1
21	5.47	4.65	8.92	26.5	45.8	11.2	3.62	2.50	2.82	1.70	21.5	13.6
22	5.20	4.38	9.61	25.2	44.6	10.8	3.46	2.37	2.82	1.70	48.1	12.6
23	4.92	4.38	10.8	21.5	43.3	10.3	3.46	2.37	2.66	1.70	38.4	12.2
24	4.65	4.38	15.6	19.1	25.9	9.95	3.30	2.50	2.66	1.70	25.9	11.7
25	4.65	4.38	18.0	18.0	30.3	9.61	3.30	3.94	2.50	1.70	18.0	13.6
26	4.38	3.94	15.6	16.8	30.9	9.27	3.14	3.46	2.50	1.70	13.6	14.5
27	4.38	4.10	14.1	16.8	27.7	8.92	3.14	3.14	2.66	1.70	14.1	13.6
28	4.38	3.94	12.2	19.1	27.1	8.23	3.14	2.98	2.66	1.70	59.9	52.8
29	4.38		10.3	40.9	30.3	7.89	3.14	2.82	2.50	1.70	45.8	87.8
30	8.23		9.95	30.3	26.5	7.19	3.14	2.66	2.50	1.70	34.7	51.7
31	13.1		9.61		23.4		2.98	2.66		1.70		34.7
SD1	13.0	11.5	26.7	19.0	22.4	20.3	6.22	2.77	2.98	2.40	1.78	41.4
SD2	6.17	5.61	8.16	27.8	28.5	13.9	4.11	2.50	3.12	2.17	9.60	31.8
SD3	5.79	4.27	12.2	23.4	32.3	9.34	3.26	2.85	2.63	1.70	32.0	29.0
MAX	29.0	25.9	177	110	51.7	30.9	8.57	4.38	9.27	2.50	100	120
DAT	1	2	3	10	20	1	6	25	7	1	28	1
SR	8.24	7.32	15.6	23.4	27.9	14.5	4.49	2.71	2.91	2.08	14.5	33.9
MIN	4.38	3.94	3.78	7.89	17.4	7.19	2.98	2.37	2.50	1.70	1.70	11.7
DAT	26	26	1	3	4	30	31	22	1	21	1	24

GMIN = 1.70			SRGOD= 13.2					GMAX = 177				
DATUM 21 10								DATUM 3 3				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1966

Broj : 45954 Stanica :CRNA POLJANA Kota "0" = 965.80
Nacin osmat.: limnigraf Rijeka :TARA km od usca = 123.80
Pocetak rada: 1957 Sliv :DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	27.1	7.89	19.7	18.5	52.8	20.9	7.19	4.65	9.27	6.30	25.2	11.2
2	22.1	7.89	18.5	15.6	44.6	20.9	6.57	4.38	6.03	5.20	19.7	19.1
3	19.7	7.89	16.8	14.1	37.2	19.7	6.30	4.10	4.92	10.8	15.0	73.5
4	18.0	7.89	15.6	12.6	33.5	18.0	6.03	3.94	4.38	8.92	12.6	58.7
5	15.6	7.89	15.6	12.6	32.2	16.2	5.75	3.94	3.94	7.54	27.7	37.2
6	14.5	7.89	15.6	12.6	30.3	15.0	5.47	3.94	3.62	6.57	32.2	27.7
7	14.5	7.54	15.6	13.1	33.5	15.0	5.47	3.78	3.46	6.03	26.5	29.0
8	13.6	7.54	14.5	14.1	25.2	14.5	7.54	3.78	3.30	5.75	20.9	19.1
9	11.7	8.23	13.6	15.0	22.1	14.1	7.19	3.62	3.30	5.20	16.8	16.8
10	10.8	8.57	12.2	22.8	19.1	13.6	6.30	3.62	3.14	6.03	13.6	15.6
11	10.8	33.5	11.7	47.0	21.5	12.6	5.75	3.62	3.14	6.03	11.7	15.0
12	15.0	61.8	11.2	36.0	19.7	12.6	5.47	3.46	3.14	5.75	13.6	15.0
13	14.5	42.1	16.2	32.2	17.4	12.2	5.20	3.46	2.98	6.57	13.6	27.1
14	12.2	40.9	14.5	31.6	16.8	11.7	4.92	3.26	2.98	6.57	13.1	63.1
15	10.8	30.9	13.1	32.9	17.4	11.2	4.92	3.00	2.82	6.30	12.6	37.2
16	11.2	24.0	11.7	38.4	18.5	11.2	4.92	2.90	2.82	6.03	11.7	25.9
17	13.1	18.0	11.2	68.3	18.0	10.8	4.65	2.80	2.82	5.75	13.1	20.3
18	13.1	20.3	10.3	58.1	18.0	10.3	4.38	2.63	2.82	5.47	22.8	17.4
19	12.6	19.1	9.95	44.6	16.8	9.61	4.38	2.56	3.78	5.20	27.1	15.0
20	11.2	18.5	9.27	37.2	15.6	9.27	4.10	2.48	3.62	4.92	26.5	13.6
21	10.3	20.3	8.57	37.2	14.5	8.92	4.65	2.36	3.30	7.19	25.2	13.1
22	9.61	22.8	8.57	39.7	14.1	8.23	4.92	2.20	3.14	7.89	19.1	12.2
23	9.95	43.3	8.57	39.7	13.6	7.89	4.92	2.14	2.98	6.85	15.0	11.2
24	10.3	70.9	8.57	32.9	13.6	7.54	4.92	2.02	2.98	6.57	47.0	10.8
25	9.95	47.0	8.92	30.9	14.5	7.19	4.92	2.02	2.98	6.30	58.7	10.3
26	9.61	30.9	10.3	30.9	14.5	7.19	5.20	2.42	2.82	14.5	39.7	9.61
27	9.27	24.0	9.95	33.5	22.8	6.85	4.65	2.48	2.82	32.9	21.5	8.92
28	8.92	20.9	10.3	33.5	56.3	6.57	4.38	2.46	2.82	37.2	17.4	8.57
29	8.57		29.7	32.2	33.5	6.85	6.03	3.16	2.82	52.8	14.1	8.23
30	8.23		36.0	38.4	26.5	8.92	5.20	3.46	3.30	64.4	13.6	8.23
31	8.23		23.4		22.8		4.65	3.78		40.9		7.89
SD1	16.8	7.92	15.8	15.1	33.0	16.8	6.38	3.97	4.54	6.83	21.0	30.8
SD2	12.4	30.9	11.9	42.6	18.0	11.1	4.87	3.02	3.09	5.86	16.6	25.0
SD3	9.36	35.0	14.8	34.9	22.4	7.61	4.95	2.59	3.00	25.2	27.1	9.91
MAX	30.3	83.9	54.0	74.8	59.3	21.5	7.54	4.65	20.3	87.8	107	118
DAT	1	24	30	17	28	1	8	1	1	30	25	3
SR	12.7	23.9	14.2	30.9	24.4	11.9	5.39	3.17	3.54	13.0	21.6	21.5
MIN	8.23	7.54	8.57	12.6	13.6	6.57	4.10	2.02	2.82	4.92	11.7	7.89
DAT	30	7	21	4	23	28	20	24	15	20	11	31

GMIN = 2.02			SRGOD= 15.4					GMAX = 118				
DATUM 24 8								DATUM 3 12				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1967

Broj : 45954 Stanica : CRNA POLJANA Kota "0" = 965.80
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 123.80
 Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	7.54	6.30	6.85	59.0	26.5	16.8	8.23	4.65	2.52	2.80	1.94	6.85
2	7.19	6.30	8.57	36.0	29.0	14.5	8.23	4.65	2.45	2.80	1.90	6.85
3	7.54	6.30	9.61	25.9	32.9	12.6	8.23	4.38	2.38	2.80	1.90	6.85
4	7.54	6.30	9.27	20.9	45.8	11.7	8.23	4.38	2.28	2.80	1.93	6.85
5	7.19	5.47	8.92	17.4	43.3	11.7	8.57	4.38	2.20	4.38	1.90	6.85
6	8.23	6.57	8.92	15.6	36.0	11.7	7.89	4.38	2.15	5.75	1.90	6.85
7	8.92	6.30	9.27	19.7	36.0	10.8	7.54	3.94	2.13	5.47	5.14	6.57
8	8.23	6.03	9.61	25.9	38.4	10.8	7.54	3.94	2.10	4.92	10.1	6.85
9	8.23	6.03	9.95	28.4	39.7	10.8	7.54	3.78	2.10	4.65	4.14	6.85
10	7.89	5.75	11.7	30.9	43.3	10.3	7.54	3.78	2.10	4.65	3.82	6.57
11	7.19	5.75	13.6	32.9	43.3	10.3	7.54	3.78	2.46	4.38	3.14	7.19
12	6.85	5.47	15.6	38.4	39.7	9.95	7.54	3.78	2.50	4.38	3.14	7.19
13	6.85	4.92	16.8	45.8	39.7	9.61	7.54	3.78	2.54	4.10	3.94	7.54
14	6.57	5.20	18.5	60.5	33.5	9.95	7.54	3.62	2.54	3.90	3.94	7.54
15	6.57	5.20	16.2	65.7	32.2	11.2	7.54	3.62	3.14	3.54	3.94	7.54
16	6.30	4.38	13.6	56.3	31.6	10.3	7.54	3.62	3.61	3.12	3.94	7.54
17	6.03	4.38	12.2	44.6	29.7	9.95	7.54	3.46	3.46	3.12	3.94	7.19
18	6.03	4.65	10.8	37.2	27.7	9.61	7.54	3.46	3.26	2.82	3.94	6.85
19	6.03	5.20	9.95	33.5	25.9	9.27	7.54	3.46	3.26	2.82	3.94	6.85
20	6.03	4.92	9.27	29.0	22.8	9.27	7.19	3.30	3.06	2.82	3.94	6.85
21	6.03	4.92	8.92	25.2	22.1	9.27	7.19	3.78	3.00	2.62	3.94	6.57
22	6.03	5.20	8.23	26.5	29.0	9.27	7.19	3.62	3.00	2.62	3.94	6.57
23	5.75	5.47	7.89	29.7	25.9	8.92	7.19	3.62	4.35	2.56	3.78	6.30
24	6.30	5.47	7.89	25.9	26.5	8.92	5.75	3.46	4.10	2.43	3.78	6.30
25	8.23	5.47	7.54	22.1	24.0	8.57	5.47	3.46	3.78	2.30	3.78	11.7
26	7.89	5.75	7.54	19.1	20.9	8.57	5.47	3.30	3.62	2.30	3.78	64.4
27	7.19	5.75	7.89	16.8	18.5	8.23	5.47	3.30	3.36	2.23	3.46	86.5
28	6.85	5.75	7.89	16.2	18.0	8.23	5.47	2.98	3.00	2.18	3.46	51.7
29	6.57		9.61	22.1	17.4	8.23	5.47	2.98	3.00	2.13	3.78	38.4
30	6.30		60.2	27.1	16.8	8.23	5.47	2.98	3.00	2.10	3.78	24.6
31	6.30		113		16.8		4.65	2.80		2.04		45.8
SD1	7.85	6.13	9.27	28.0	37.1	12.2	7.95	4.23	2.24	4.10	3.47	6.79
SD2	6.44	5.01	13.7	44.4	32.6	9.94	7.51	3.59	2.98	3.50	3.78	7.23
SD3	6.68	5.47	22.4	23.1	21.4	8.64	5.89	3.30	3.42	2.32	3.75	31.7
MAX	9.27	6.30	132	80.0	48.1	17.4	8.92	4.65	5.75	5.75	3.94	102
DAT	7	1	31	14	4	1	5	1	23	6	13	27
SR	6.98	5.54	15.3	31.8	30.1	10.3	7.08	3.69	2.88	3.28	3.66	15.8
MIN	5.75	4.38	6.85	15.6	16.8	8.23	4.65	2.80	2.10	2.04	1.90	6.30
DAT	23	16	1	6	30	27	31	31	8	31	2	23
GMIN =			1.90	SRGOD=			11.4	GMAX =			132	
DATUM			2 11					DATUM			31 3	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1968

Broj : 45954 Stanica :CRNA POLJANA Kota "0" = 965.80
Nacin osmat.: limnigraf Rijeka :TARA km od usca = 123.80
Pocetak rada: 1957 Sliv :DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	48.1	5.47	15.6	26.5	34.7	8.92	6.03	3.14	9.95	8.92	3.94	9.61	
2	54.0	5.47	13.6	25.9	31.6	8.23	5.75	3.14	9.27	8.23	3.94	9.27	
3	30.3	5.47	12.2	25.2	28.4	7.54	5.47	3.14	8.57	8.23	3.94	8.92	
4	21.5	5.47	9.95	28.4	26.5	7.19	5.47	6.03	8.23	7.54	4.10	8.23	
5	17.4	5.20	9.61	32.2	26.5	6.85	5.47	4.10	9.27	6.85	4.10	8.23	
6	15.0	5.20	9.27	34.7	27.1	6.85	5.20	3.62	9.61	6.57	4.10	7.54	
7	16.8	5.20	9.27	38.4	27.7	6.85	4.65	3.46	9.27	6.30	4.10	7.54	
8	18.0	5.47	9.27	40.9	27.7	6.57	4.38	4.10	8.92	6.03	4.10	7.54	
9	14.5	6.85	8.92	44.6	25.2	6.57	4.38	3.94	8.23	6.03	4.65	8.92	
10	13.1	8.23	8.92	36.0	21.5	6.85	4.38	3.78	8.23	6.03	17.4	8.92	
11	11.7	10.8	9.27	28.4	19.7	10.8	4.38	3.78	7.89	5.47	15.6	8.23	
12	10.3	10.8	9.27	23.4	19.1	11.7	3.94	3.62	7.54	5.47	13.1	7.89	
13	9.61	9.95	8.23	20.3	19.7	10.8	3.94	5.47	7.89	5.47	11.2	7.54	
14	8.92	9.27	7.89	18.5	19.1	12.2	3.78	5.20	7.89	4.92	10.3	7.19	
15	8.57	10.3	7.54	18.0	18.0	12.6	3.78	5.75	7.19	4.92	9.95	6.85	
16	8.23	30.9	7.54	18.5	15.0	13.1	3.62	5.20	6.85	4.92	11.2	6.57	
17	7.89	38.4	7.19	19.7	14.5	12.2	3.46	4.92	6.57	5.20	20.3	9.95	
18	7.54	25.9	7.19	24.0	12.6	13.1	4.10	4.65	6.57	5.47	104	78.7	
19	7.54	18.0	8.92	27.1	12.2	12.6	4.92	7.89	10.3	4.92	76.1	177	
20	7.19	14.5	9.95	27.1	11.2	11.7	4.10	7.54	9.61	4.92	57.8	118	
21	7.19	12.6	15.6	26.5	10.8	10.8	3.94	6.57	9.27	4.38	37.2	50.5	
22	6.30	11.2	47.0	25.2	10.3	9.95	4.65	6.03	9.27	4.38	27.1	27.7	
23	6.30	10.8	70.9	25.2	10.3	9.27	4.38	5.75	16.8	4.38	21.5	20.9	
24	6.30	11.2	51.7	27.1	9.95	8.57	4.10	5.47	15.6	4.38	18.0	27.2	
25	6.30	14.1	33.5	30.9	9.61	8.57	3.78	5.20	13.6	4.38	15.6	23.3	
26	6.03	28.4	29.0	32.2	9.61	8.23	3.46	6.57	11.7	4.38	14.1	20.0	
27	6.03	34.7	26.5	31.6	9.27	7.89	3.46	7.89	10.8	4.38	12.6	17.8	
28	5.75	24.0	24.6	30.9	8.92	7.19	3.46	7.19	9.95	3.94	11.7	16.7	
29	5.47	19.7	24.0	30.9	8.92	6.57	3.14	6.57	9.27	3.94	10.8	15.6	
30	5.47		23.4	32.2	8.92	6.57	3.14	7.19	8.92	3.94	9.95	14.0	
31	5.47		24.6		9.27		3.14	9.27		3.94		13.0	
SD1	24.9	5.80	10.7	33.3	27.7	7.24	5.12	3.85	8.95	7.07	5.44	8.47	
SD2	8.75	17.9	8.30	22.5	16.1	12.1	4.00	5.40	7.83	5.17	33.0	42.8	
SD3	6.06	18.5	33.7	29.3	9.62	8.36	3.70	6.70	11.5	4.22	17.9	22.4	
MAX	59.9	48.1	80.0	45.8	36.0	13.1	6.03	10.8	18.0	8.92	132	225	
DAT	2	17	23	9	1	16	1	31	23	1	18	19	
SR	13.0	13.9	18.1	28.4	17.5	9.23	4.25	5.36	9.43	5.45	18.7	24.5	
MIN	5.47	5.20	7.19	18.0	8.92	6.57	3.14	3.14	6.57	3.94	3.94	6.57	
DAT	29	5	17	15	28	8	29	1	17	28	1	16	

GMIN =			3.14	SRGOD=				14.0	GMAX =			225	
DATUM			29 7						DATUM			19 12	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1969

Broj : 45954 Stanica :CRNA POLJANA Kota "0" = 965.80
Nacin osmat.: limnigraf Rijeka :TARA km od usca = 123.80
Pocetak rada: 1957 Sliv :DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	12.5	14.0	15.6	13.5	57.8	14.0	7.14	5.26	9.19	8.37	3.10	30.0
2	11.6	13.5	14.5	12.5	54.2	14.5	6.73	5.26	8.37	7.96	3.10	27.2
3	10.6	15.6	14.0	12.1	51.0	14.0	5.91	4.78	7.55	7.55	3.34	23.3
4	10.1	35.3	14.0	12.1	54.2	14.5	5.91	4.30	7.14	6.73	3.34	20.6
5	10.1	40.1	14.0	13.5	61.4	15.1	7.14	4.30	6.73	6.32	3.34	42.0
6	8.78	28.6	13.5	14.5	62.6	17.8	7.55	4.06	7.55	5.91	3.34	106
7	8.78	20.6	13.5	16.1	54.2	23.3	7.14	4.06	7.55	5.91	3.10	68.9
8	8.37	17.3	12.5	16.1	51.0	21.3	6.32	4.06	7.14	5.91	3.10	43.0
9	8.37	16.1	11.6	16.1	61.4	23.3	6.32	4.06	7.14	5.50	4.78	32.0
10	8.37	14.0	10.6	16.1	59.0	20.0	7.96	4.06	6.73	5.26	3.10	26.5
11	7.96	14.0	10.1	15.1	48.0	17.8	7.14	4.06	7.14	5.26	2.96	23.3
12	7.14	12.5	10.1	15.6	43.0	15.6	7.14	4.06	6.73	5.02	2.83	20.6
13	6.73	12.5	10.1	16.7	43.0	14.5	6.73	4.06	6.73	5.02	2.69	18.9
14	7.55	12.5	12.1	20.6	44.0	13.0	6.32	3.82	6.73	5.02	2.56	17.3
15	12.1	13.5	17.8	25.2	45.0	13.0	6.32	3.82	7.14	5.02	2.29	16.7
16	15.6	15.1	24.5	23.3	45.0	13.5	5.91	3.82	7.55	4.78	2.29	16.7
17	15.6	12.5	26.5	20.6	42.0	13.0	5.50	3.82	8.37	4.78	2.56	15.6
18	14.5	11.1	27.2	18.4	37.2	11.6	5.26	6.32	9.60	4.54	2.69	14.0
19	13.5	10.1	26.5	16.7	36.3	10.6	4.78	5.26	9.60	4.54	2.69	13.5
20	11.6	9.60	25.2	15.1	33.4	11.6	4.78	5.02	13.5	4.06	2.69	13.5
21	11.1	12.1	22.0	17.3	30.6	10.6	5.02	4.78	20.0	3.58	2.69	12.5
22	10.1	14.5	18.9	39.2	27.2	10.1	5.02	4.78	17.8	3.58	2.96	11.6
23	9.19	14.5	17.3	68.9	22.6	9.19	5.02	4.54	16.1	3.58	18.4	11.6
24	9.19	15.1	15.6	91.0	20.0	9.19	4.78	4.30	14.5	3.58	28.6	11.6
25	8.78	25.2	15.1	53.0	18.4	8.78	4.78	3.58	13.0	3.34	66.3	11.1
26	8.37	24.5	18.9	46.0	17.8	8.37	4.78	14.5	12.1	3.34	116	10.6
27	7.55	20.0	20.0	51.0	17.3	7.96	4.78	9.60	10.6	3.34	120	10.6
28	7.14	17.3	18.4	63.8	16.1	7.96	4.30	17.3	10.1	3.34	68.9	10.6
29	7.14		16.7	74.1	15.1	7.14	4.54	14.5	9.19	3.34	42.0	10.1
30	9.19		15.1	68.9	15.1	7.14	4.78	12.1	9.19	3.34	31.3	10.1
31	9.60		14.0		14.5		4.78	10.1		3.10		10.6
SD1	9.76	21.5	13.4	14.3	56.7	17.8	6.81	4.42	7.51	6.54	3.36	42.0
SD2	11.2	12.3	19.0	18.7	41.7	13.4	5.99	4.41	8.31	4.80	2.63	17.0
SD3	8.85	17.9	17.5	57.3	19.5	8.64	4.78	9.10	13.3	3.41	49.7	11.0
MAX	15.6	45.0	27.2	118	68.9	24.5	10.1	29.3	21.3	8.78	146	118
DAT	16	5	18	24	6	9	10	28	21	1	27	6
SR	9.91	17.2	16.6	30.1	38.7	13.3	5.83	6.08	9.69	4.87	18.6	22.9
MIN	6.73	9.60	10.1	12.1	14.5	7.14	4.30	3.58	6.73	3.10	2.29	10.1
DAT	13	20	11	3	31	29	28	25	5	31	15	29

GMIN = 2.29			SRGOD= 16.1					GMAX = 146				
DATUM 15 11								DATUM 27 11				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1970

Broj : 45954 Stanica :CRNA POLJANA Kota "0" = 965.80
Nacin osmat.: limnigraf Rijeka :TARA km od usca = 123.80
Pocetak rada: 1957 Sliv :DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	19.0	12.9	12.4	48.8	47.0	24.4	11.1	4.40	4.62	2.36	9.30	14.4
2	25.1	12.0	11.5	70.6	36.9	23.9	10.7	4.40	4.18	4.84	8.46	20.3
3	18.0	12.0	11.1	58.8	29.5	22.0	9.76	4.62	3.74	5.07	8.09	20.8
4	15.4	11.5	11.5	44.2	30.1	20.3	9.30	4.62	3.52	6.95	7.33	18.4
5	26.3	18.0	12.9	34.3	29.5	18.0	8.84	4.40	3.74	4.62	7.33	16.4
6	69.4	19.0	12.9	28.2	27.6	17.4	8.84	4.40	3.30	4.40	6.95	15.4
7	97.6	30.8	11.5	24.4	26.3	17.4	9.30	4.40	3.08	4.40	6.58	14.4
8	97.6	28.2	11.1	79.0	26.3	22.0	9.30	4.18	3.08	3.96	6.58	13.9
9	58.8	23.9	11.1	223	30.1	25.7	9.76	3.96	3.08	3.30	7.33	12.9
10	39.6	25.1	11.1	121	39.6	25.7	9.30	3.96	3.08	3.08	7.71	12.4
11	30.1	36.9	11.5	77.8	53.2	25.7	8.84	3.74	2.86	3.08	5.44	12.0
12	29.5	37.9	13.9	59.9	61.1	23.9	8.46	3.74	2.86	3.08	4.40	11.1
13	47.9	30.1	14.4	48.8	54.3	21.5	8.09	3.52	2.86	3.08	4.18	10.7
14	45.1	38.7	14.8	65.9	48.8	19.6	8.09	3.30	2.86	2.86	9.76	9.30
15	40.5	44.2	25.1	82.6	47.0	19.0	7.33	3.08	2.86	2.86	33.4	9.30
16	76.6	40.5	25.7	54.3	48.8	19.0	8.09	3.96	2.86	2.86	54.3	8.84
17	126	30.1	22.0	41.4	52.1	18.4	11.5	4.62	2.73	2.86	35.2	8.46
18	91.0	24.4	19.0	34.3	41.4	17.4	9.76	4.40	2.73	2.86	25.1	8.09
19	47.0	22.6	17.4	31.7	32.5	18.4	8.46	3.74	2.73	2.73	23.9	8.09
20	33.4	19.6	16.4	36.9	28.8	17.4	7.71	3.30	2.73	2.73	28.2	7.33
21	27.0	18.0	14.8	47.9	29.5	16.4	7.33	3.08	2.86	2.36	29.5	6.58
22	23.9	16.9	13.4	52.1	30.1	14.8	6.95	3.08	2.86	18.0	71.8	6.20
23	20.8	15.9	13.9	53.2	46.1	13.9	6.20	2.86	2.86	33.4	53.2	6.20
24	18.4	15.9	15.4	62.3	38.7	12.9	5.82	3.52	2.73	19.6	35.2	6.20
25	23.2	15.4	18.4	65.9	29.5	13.4	5.44	4.84	2.73	15.4	27.0	6.20
26	16.9	13.9	22.6	68.2	26.3	13.4	5.44	3.96	2.73	12.4	22.0	6.58
27	16.4	13.9	31.7	68.2	25.1	12.0	5.07	3.30	2.61	12.0	19.0	6.58
28	15.9	12.9	153	68.2	25.1	11.1	5.07	3.08	2.61	11.1	16.4	17.4
29	14.8		107	88.6	25.1	11.5	5.07	3.08	2.48	10.7	15.4	22.0
30	13.9		57.7	67.0	23.9	11.1	4.84	2.86	2.48	10.2	14.4	92.1
31	13.9		39.6		23.9		4.62	4.18		9.76		95.8
SD1	46.7	19.3	11.7	73.2	32.3	21.7	9.62	4.33	3.54	4.30	7.57	15.9
SD2	56.7	32.5	18.0	53.4	46.8	20.0	8.63	3.74	2.81	2.90	22.4	9.32
SD3	18.6	15.4	44.3	64.2	29.4	13.1	5.62	3.44	2.69	14.1	30.4	24.7
MAX	163	52.0	251	308	71.5	27.9	12.5	9.60	5.02	56.6	102	201
DAT	17	16	28	9	12	9	17	25	1	23	22	31
SR	40.0	22.9	25.3	63.6	35.9	18.3	7.88	3.83	3.02	7.32	20.1	16.9
MIN	13.9	11.5	11.1	24.4	23.9	11.1	4.62	2.86	2.48	2.36	4.18	6.20
DAT	30	4	3	7	30	28	31	23	29	1	13	22
		GMIN =	2.36			SRGOD=	22.0			GMAX =	308	
		DATUM	1 10							DATUM	9 4	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1971

Broj : 45954 Stanica :CRNA POLJANA Kota "0" = 965.80
Nacin osmat.: limnigraf Rijeka :TARA km od usca = 123.80
Pocetak rada: 1957 Sliv :DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	106	21.3	6.73	18.4	51.0	15.6	5.91	4.30	2.42	6.73	5.26	60.2
2	75.4	24.5	7.14	26.5	66.3	15.1	5.91	4.78	2.48	5.91	5.26	59.0
3	76.7	22.0	6.73	30.6	70.2	14.5	5.91	5.26	2.55	5.50	5.02	51.0
4	49.0	18.9	6.32	29.3	85.8	13.5	5.50	5.91	2.55	5.26	5.02	37.2
5	36.3	17.3	6.32	33.4	70.2	13.5	5.50	5.91	2.60	5.26	5.02	29.3
6	30.0	15.6	6.73	63.8	53.0	13.5	5.50	5.02	3.34	5.26	4.78	25.2
7	25.2	14.5	6.73	51.0	45.0	13.0	5.50	4.06	3.34	5.26	4.78	23.9
8	22.0	13.5	6.32	43.0	39.2	12.5	5.50	3.82	3.34	5.02	4.30	22.0
9	20.0	13.0	6.32	41.1	35.3	12.5	5.26	3.58	3.58	5.02	4.30	20.0
10	17.8	13.0	6.32	42.0	33.4	11.6	5.26	3.58	3.58	4.78	4.54	18.4
11	16.7	12.1	5.91	44.0	32.7	11.1	5.26	3.58	3.82	4.30	5.26	17.8
12	15.6	11.6	5.91	44.0	32.7	11.6	3.58	3.58	5.02	4.06	5.50	16.1
13	14.5	11.1	5.50	40.1	31.3	11.6	3.58	3.58	4.30	4.06	6.73	14.5
14	14.0	10.6	5.50	33.4	30.0	11.1	3.58	3.58	5.02	3.82	8.78	14.0
15	13.0	7.55	7.14	30.0	28.6	10.6	3.82	3.58	5.26	3.82	9.19	13.5
16	12.5	7.96	6.32	27.2	27.9	10.1	4.30	3.58	7.55	13.5	9.19	12.5
17	12.1	7.96	7.55	25.9	27.2	9.60	4.06	4.06	8.37	14.5	8.78	12.1
18	11.1	7.55	7.55	26.5	25.9	9.60	4.30	5.26	7.96	11.6	8.37	11.6
19	11.1	7.55	7.14	26.5	24.5	9.60	4.54	4.30	7.14	11.1	9.19	11.6
20	10.6	7.55	9.60	28.6	23.3	9.19	4.54	4.06	6.32	10.1	41.1	11.6
21	12.1	7.14	14.5	30.0	23.3	7.96	4.30	3.82	5.91	9.60	30.0	10.6
22	31.3	7.96	35.3	32.7	22.6	7.96	4.06	3.58	5.91	8.78	22.0	10.6
23	35.3	8.37	45.0	35.3	20.6	7.55	4.06	3.34	5.50	7.96	52.0	10.6
24	27.2	8.37	29.3	41.1	19.5	6.73	4.06	3.34	5.26	7.55	44.0	10.6
25	24.5	8.37	23.3	62.6	17.8	6.73	4.06	3.24	5.26	7.14	30.6	10.6
26	26.5	7.96	20.0	54.2	16.7	6.73	5.02	3.14	5.02	6.73	25.9	9.60
27	27.2	7.96	18.9	43.0	15.6	6.73	5.02	3.01	4.06	6.73	22.6	8.78
28	29.3	6.73	17.3	37.2	15.6	5.91	4.54	2.92	4.06	6.32	22.0	8.78
29	25.2		18.9	37.2	15.1	5.91	4.30	2.84	9.19	5.91	35.3	8.78
30	22.0		20.0	41.1	15.6	6.32	4.30	2.65	7.96	5.50	57.8	8.37
31	20.0		18.9		14.5		4.30	2.53		5.26		8.37
SD1	45.8	17.4	6.57	37.9	54.9	13.5	5.57	4.62	2.98	5.40	4.83	34.6
SD2	13.1	9.15	6.81	32.6	28.4	10.4	4.16	3.92	6.08	8.09	11.2	13.5
SD3	25.5	7.86	23.8	41.4	17.9	6.85	4.37	3.13	5.81	7.04	34.2	9.61
MAX	165	26.5	55.4	65.0	89.7	16.7	6.32	12.1	12.5	20.0	72.8	62.6
DAT	1	2	23	6	4	1	1	4	29	17	30	1
SR	28.1	11.7	12.7	37.3	33.2	10.3	4.69	3.86	4.96	6.85	16.8	18.9
MIN	10.6	6.73	5.50	18.4	14.5	5.91	3.58	2.53	2.42	3.82	4.30	8.37
DAT	20	28	13	1	31	28	12	31	1	14	8	30
GMIN =		2.42		SRGOD=		15.8		GMAX =		165		
DATUM		1 9						DATUM		1 1		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1972

Broj : 45954 Stanica : CRNA POLJANA Kota "0" = 965.80
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 123.80
 Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	8.37	7.55	17.8	17.3	23.9	11.6	4.54	4.30	7.14	23.9	10.6	23.3
2	9.19	6.73	17.3	19.5	22.0	11.6	4.54	4.30	5.91	20.6	10.1	22.6
3	9.19	6.73	16.1	19.5	21.3	11.6	4.30	4.54	5.50	18.4	9.60	21.3
4	9.60	5.50	15.6	20.0	23.3	11.6	4.30	5.02	5.50	17.3	9.19	19.5
5	14.5	5.50	14.5	20.6	22.0	11.1	4.30	4.78	5.50	15.1	8.78	18.9
6	17.3	5.50	14.5	22.6	21.3	10.6	4.06	4.54	6.32	13.5	8.37	17.3
7	15.1	5.50	14.5	22.6	21.3	10.1	3.82	4.30	5.91	12.5	7.96	16.1
8	14.5	5.50	15.1	21.3	20.6	9.60	4.54	4.30	5.26	12.1	7.96	15.1
9	14.5	5.26	16.1	21.3	21.3	9.19	3.82	4.06	5.26	11.1	7.55	14.0
10	14.5	7.96	17.8	22.0	20.6	9.19	3.10	3.58	5.26	11.6	7.14	13.5
11	14.5	11.1	19.5	22.6	21.3	8.78	3.10	3.10	5.02	11.6	6.73	12.1
12	13.5	11.6	20.6	23.3	22.6	7.96	3.10	2.96	5.02	12.5	30.0	12.1
13	12.5	12.1	20.6	24.5	20.6	7.96	3.10	2.96	5.02	13.5	25.2	11.1
14	11.6	11.6	18.9	24.5	19.5	7.55	3.10	2.96	4.78	13.5	20.0	11.1
15	11.1	11.1	17.3	24.5	18.9	7.14	6.73	2.96	6.32	14.0	18.4	10.1
16	9.60	9.60	17.3	25.2	18.9	6.73	9.19	2.96	63.8	13.5	26.5	9.60
17	9.60	9.19	15.6	24.5	19.5	6.32	6.32	2.96	44.0	13.0	24.5	9.60
18	9.60	8.37	15.1	23.9	19.5	6.32	5.26	2.96	27.9	12.5	22.6	8.37
19	9.60	7.96	14.5	22.0	20.0	6.32	5.02	3.10	21.3	12.1	44.0	8.37
20	9.19	9.19	14.5	20.6	23.3	6.32	4.78	5.26	17.3	11.1	33.4	8.37
21	8.37	13.5	14.5	20.6	20.0	5.50	4.54	9.60	14.5	14.0	70.2	7.96
22	8.37	15.1	15.1	22.0	18.4	5.02	4.54	6.32	12.5	20.0	72.8	7.14
23	7.55	15.1	15.1	22.6	17.3	5.02	4.78	5.26	11.6	17.8	59.0	6.73
24	6.73	15.1	15.1	22.6	16.7	5.02	5.02	5.02	10.6	16.7	56.6	6.32
25	6.73	15.1	15.6	29.3	15.1	5.02	5.02	4.78	10.6	15.6	76.7	6.32
26	6.73	15.1	15.6	61.4	13.5	4.54	4.78	4.54	10.1	14.5	55.4	6.32
27	6.32	15.6	15.6	60.2	14.0	4.54	4.78	4.30	47.0	13.5	42.0	6.32
28	6.32	17.8	15.6	38.2	15.1	4.54	4.54	4.30	83.2	12.5	32.7	6.32
29	6.32	17.8	15.6	30.6	14.5	4.54	4.78	4.30	44.0	12.1	21.3	5.50
30	6.73		16.1	26.5	13.0	4.54	4.54	4.78	30.6	12.1	24.5	5.50
31	7.55		16.7		12.5		4.30	8.37		11.1		5.26
SD1	12.7	6.17	15.9	20.7	21.8	10.6	4.13	4.37	5.76	15.6	8.73	18.2
SD2	11.1	10.2	17.4	23.6	20.4	7.14	4.97	3.22	20.0	12.7	25.1	10.1
SD3	7.07	15.6	15.5	33.4	15.5	4.83	4.69	5.60	27.5	14.5	51.1	6.34
MAX	17.3	17.8	20.6	65.0	25.2	11.6	11.6	9.60	111	26.5	83.2	23.9
DAT	6	29	12	26	1	1	16	21	28	1	25	1
SR	10.2	10.5	16.3	25.9	19.1	7.53	4.60	4.43	17.8	14.3	28.3	11.4
MIN	6.32	5.26	14.5	17.3	12.5	4.54	3.10	2.96	4.78	11.1	6.73	5.26
DAT	27	9	5	1	31	26	10	12	14	9	11	31

GMIN = 2.96			SRGOD= 14.1					GMAX = 111				
DATUM 12 8								DATUM 28 9				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1973

Broj : 45954 Stanica : CRNA POLJANA Kota "0" = 965.80
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 123.80
Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	5.26	6.32	5.26	17.3	35.3	12.1	4.06	6.73	2.96	7.55	9.19	12.1
2	5.26	10.1	5.26	18.9	47.0	11.6	4.06	6.32	2.83	7.14	7.96	10.6
3	5.26	9.19	5.26	20.6	55.4	11.1	4.54	5.26	2.83	6.73	7.55	11.6
4	5.26	7.96	5.02	21.3	63.8	9.60	4.54	5.26	2.83	6.32	7.55	12.1
5	5.26	7.96	4.78	17.8	72.8	9.60	4.06	5.26	2.83	5.26	6.73	8.78
6	5.26	7.14	4.78	15.6	80.6	8.78	4.06	5.26	2.83	5.26	6.73	7.96
7	5.26	7.14	4.54	14.0	80.6	8.78	4.06	4.78	2.83	4.54	26.5	51.0
8	4.54	7.14	4.54	14.5	71.5	8.78	4.30	4.30	2.56	4.54	71.5	25.2
9	4.54	7.14	4.54	17.8	62.6	8.78	3.58	4.30	2.56	5.02	37.2	30.0
10	4.54	7.14	4.54	22.0	56.6	8.78	4.78	4.30	2.56	5.02	27.9	30.0
11	4.54	27.9	4.54	91.0	38.2	7.96	4.30	3.82	2.56	4.30	23.9	22.6
12	4.54	16.7	4.54	44.0	30.0	7.96	4.30	3.10	2.56	4.30	20.6	18.4
13	4.54	13.0	4.30	30.0	28.6	7.14	4.06	3.10	2.56	4.30	19.5	16.1
14	3.10	11.1	4.30	23.9	25.9	8.78	3.10	2.96	2.56	4.30	17.8	14.5
15	3.10	30.6	4.30	20.0	25.9	9.60	3.10	2.96	2.56	4.30	17.3	13.5
16	3.58	23.3	4.30	17.3	25.9	7.96	3.10	2.96	2.56	17.3	16.7	13.5
17	4.30	17.3	4.30	16.1	25.9	7.14	3.10	2.96	2.42	18.9	16.1	11.1
18	4.30	14.5	4.30	15.1	25.9	7.14	3.10	2.96	2.29	15.6	15.1	11.6
19	40.1	12.1	4.30	14.5	23.9	5.50	3.10	2.83	8.78	14.0	12.5	12.5
20	22.6	11.6	4.30	14.5	25.2	5.50	3.10	2.83	7.96	12.1	11.6	14.0
21	16.7	10.1	4.30	17.3	26.5	5.50	3.10	2.69	5.26	11.1	11.6	17.3
22	14.5	9.19	4.30	15.6	25.2	4.78	3.10	2.69	4.54	17.3	10.6	23.3
23	13.5	8.78	4.54	13.5	23.9	4.78	3.10	2.69	11.6	43.0	9.19	33.4
24	11.6	7.96	5.50	13.5	23.3	4.78	3.10	2.56	7.55	27.9	9.19	29.3
25	10.1	7.14	5.91	26.5	23.3	4.78	20.0	2.56	7.14	23.3	8.78	24.5
26	8.37	6.73	6.32	26.5	20.0	4.78	16.7	2.56	6.32	18.9	8.78	23.9
27	8.37	5.50	9.60	23.3	16.7	4.78	13.0	2.56	5.50	16.7	30.0	61.4
28	7.96	5.50	12.5	23.3	15.1	4.30	11.1	2.83	14.5	13.0	20.6	38.2
29	7.14		12.5	27.2	14.0	4.30	9.60	2.96	10.6	11.6	18.4	28.6
30	6.32		14.5	26.5	13.0	4.06	7.96	2.96	8.78	10.6	14.5	23.3
31	6.32		15.6		12.1		7.96	2.96		9.60		19.5
SD1	5.04	7.72	4.85	18.0	62.6	9.79	4.20	5.18	2.76	5.74	20.9	19.9
SD2	9.47	17.8	4.35	28.6	27.5	7.47	3.44	3.05	3.68	9.94	17.1	14.8
SD3	10.1	7.61	8.69	21.3	19.4	4.68	8.97	2.73	8.18	18.5	14.2	29.3
MAX	40.1	30.6	15.6	91.0	80.6	12.1	20.0	6.73	14.5	43.0	71.5	61.4
DAT	19	11	31	11	7	1	25	1	28	23	8	27
SR	8.26	11.3	6.05	22.6	36.0	7.31	5.65	3.62	4.87	11.6	17.4	21.6
MIN	3.10	5.50	4.30	13.5	12.1	4.06	3.10	2.56	2.29	4.30	6.73	7.96
DAT	14	27	13	23	31	30	14	24	18	11	5	6

GMIN = 2.29			SRGOD= 13.0					GMAX = 91.0				
DATUM 18 9								DATUM 11 4				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1974

Broj : 45954 Stanica : CRNA POLJANA Kota "0" = 965.80
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 123.80
 Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	19.5	5.02	7.14	20.6	49.0	22.0	8.37	2.42	2.29	9.60	21.3	29.3
2	19.5	5.02	7.14	20.0	59.0	20.6	6.73	2.42	2.29	9.60	19.5	23.9
3	18.9	5.02	6.73	18.9	40.1	18.9	6.73	2.29	2.15	12.5	17.3	20.0
4	17.8	7.55	6.73	17.8	33.4	17.3	5.91	2.29	2.15	11.1	16.1	18.4
5	16.1	8.78	6.73	16.7	52.0	16.1	5.50	2.29	2.15	9.60	14.5	17.3
6	15.1	7.55	7.55	15.6	56.6	15.6	5.50	2.42	2.15	9.60	14.0	16.1
7	13.5	27.2	8.37	14.5	48.0	15.1	6.32	2.29	2.15	10.6	13.5	15.1
8	13.0	21.3	7.96	14.0	38.2	14.5	6.73	2.29	2.29	26.5	14.0	14.0
9	12.1	16.1	7.96	13.0	35.3	13.5	5.50	2.42	2.15	27.9	14.0	12.5
10	11.1	13.0	7.55	12.1	30.6	12.5	5.50	2.56	2.15	22.6	13.0	11.6
11	10.6	11.6	6.73	11.6	27.2	15.1	5.02	2.42	2.15	18.4	12.5	11.1
12	9.60	11.1	6.73	11.6	25.2	14.0	4.78	3.82	2.15	15.6	12.1	11.6
13	9.19	10.6	6.73	12.1	25.2	12.1	4.54	2.56	2.02	14.5	11.6	16.1
14	8.78	10.6	6.32	12.5	24.5	11.1	4.30	2.69	2.02	26.5	11.1	16.7
15	8.37	10.6	6.32	13.0	27.9	10.1	4.30	2.69	2.02	43.0	10.6	15.1
16	7.96	10.6	5.91	13.0	34.4	9.60	3.82	2.69	2.02	105	9.60	14.0
17	7.96	10.1	5.50	12.5	28.6	9.60	3.82	2.69	1.88	52.0	10.1	12.5
18	7.96	9.60	5.50	12.5	25.9	9.60	3.58	2.83	1.88	32.0	9.60	12.1
19	7.96	9.60	6.32	12.1	23.9	9.19	3.58	2.69	1.88	24.5	9.19	11.1
20	7.55	9.19	5.50	11.1	22.6	9.19	3.58	2.56	1.75	20.0	10.6	10.1
21	7.55	8.78	9.19	11.6	23.3	8.78	3.58	2.69	1.88	29.3	10.6	9.60
22	7.14	8.78	11.1	12.5	22.6	9.19	3.58	2.42	1.88	57.8	11.1	8.78
23	6.73	8.78	14.0	12.1	25.9	8.78	3.58	2.42	3.58	308	10.6	8.37
24	6.32	8.37	16.1	12.5	23.9	8.37	3.34	2.42	3.82	240	9.19	8.37
25	5.91	7.96	17.8	13.5	27.9	8.78	2.96	2.42	7.55	78.0	9.19	8.37
26	5.91	7.96	18.9	14.5	32.0	7.96	2.83	2.29	16.7	46.0	30.0	7.55
27	5.26	7.96	19.5	15.6	29.3	7.14	2.69	2.29	15.1	32.0	37.2	7.14
28	5.26	7.55	20.6	16.1	26.5	7.14	2.56	2.15	9.60	25.9	30.0	7.14
29	5.02		21.3	20.6	26.5	6.73	2.56	2.56	7.14	26.5	53.0	6.32
30	5.02		20.0	26.5	24.5	6.73	2.56	2.29	5.91	25.9	39.2	6.32
31	5.02		19.5		22.6		2.56	2.29		22.6		6.32
SD1	15.7	11.7	7.39	16.3	44.2	16.6	6.28	2.37	2.19	15.0	15.7	17.8
SD2	8.59	10.4	6.16	12.2	26.5	11.0	4.13	2.76	1.98	35.2	10.7	13.0
SD3	5.92	8.27	17.1	15.6	25.9	7.96	2.98	2.39	7.32	81.1	24.0	7.66
MAX	19.5	48.0	21.3	30.6	70.2	22.0	9.19	5.02	25.9	412	60.2	32.0
DAT	1	7	29	30	2	1	1	12	26	23	29	1
SR	9.92	10.2	10.4	14.7	32.0	11.8	4.42	2.50	3.83	44.9	16.8	12.7
MIN	5.02	5.02	5.50	11.1	22.6	6.73	2.56	2.15	1.75	9.60	9.19	6.32
DAT	29	1	17	20	20	29	28	28	20	1	19	29

GMIN = 1.75			SRGOD= 14.6				GMAX = 412					
DATUM 20 9									DATUM 23 10			

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1975

Broj : 45954 Stanica : CRNA POLJANA Kota "0" = 965.80
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 123.80
 Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	5.91	3.10	2.29	50.0	8.78	4.78	2.83	1.64	1.59	1.42	3.82	5.26
2	5.91	3.10	2.29	79.3	8.78	4.30	3.10	1.64	1.59	1.37	3.82	5.02
3	5.91	2.83	2.15	66.3	8.78	4.30	2.96	1.64	1.53	1.37	3.58	4.78
4	5.26	2.69	2.02	48.0	8.78	4.54	2.83	1.59	1.53	1.31	3.34	4.06
5	5.26	2.69	2.15	32.7	9.19	5.26	2.56	1.53	1.53	1.25	2.96	4.06
6	5.02	2.56	2.42	26.5	9.60	4.78	2.96	1.59	1.53	1.20	2.83	3.82
7	4.78	2.42	2.69	24.5	11.1	4.78	4.30	1.59	1.53	1.20	2.56	3.34
8	4.78	2.42	3.34	24.5	12.5	4.30	3.58	1.59	1.59	1.20	2.42	3.10
9	4.54	2.15	3.82	22.0	14.5	4.30	3.34	1.59	1.59	1.25	2.42	3.10
10	4.30	2.15	4.54	27.2	13.0	4.06	3.10	1.59	1.59	1.20	2.15	2.96
11	4.06	2.42	6.32	59.0	11.6	3.82	3.10	1.64	1.59	1.25	5.91	2.83
12	4.06	2.42	8.78	39.2	10.1	3.58	2.83	1.70	1.59	2.15	4.78	2.69
13	3.82	2.42	12.5	27.9	10.1	3.58	2.96	1.70	1.59	18.4	4.06	2.69
14	3.58	2.42	17.3	22.6	11.1	3.58	2.83	1.70	1.53	12.5	3.58	2.83
15	3.10	2.69	22.6	19.5	11.6	3.58	2.56	1.70	1.59	11.1	3.34	2.69
16	3.10	2.69	20.0	17.8	11.1	3.34	2.42	1.70	1.59	8.37	3.34	2.56
17	3.58	2.69	17.8	16.1	11.1	3.10	2.29	1.70	1.59	11.6	7.55	4.30
18	3.34	2.56	16.7	14.5	10.6	3.10	2.15	1.70	1.59	25.2	18.4	19.5
19	3.10	2.42	15.1	13.5	10.1	2.96	2.02	1.59	1.53	27.9	83.2	13.5
20	3.10	2.56	14.5	12.5	10.1	3.10	1.88	1.64	1.53	18.9	61.4	11.1
21	2.96	2.56	15.1	12.1	9.60	2.96	1.75	1.59	1.53	15.1	30.6	8.37
22	2.96	2.56	15.1	11.1	9.60	2.83	1.70	1.59	1.53	13.0	20.0	7.55
23	2.83	2.42	14.5	12.5	9.19	2.69	1.70	1.59	1.48	11.1	15.1	6.32
24	2.83	2.42	14.0	13.0	8.78	2.56	1.70	1.59	1.53	10.1	12.5	5.91
25	2.96	2.15	13.0	12.5	7.55	2.56	1.70	1.64	1.53	9.19	10.6	5.26
26	3.10	2.15	11.6	12.1	7.14	3.10	1.70	1.64	1.53	8.37	9.19	4.78
27	3.10	2.15	10.6	11.1	6.73	2.96	1.70	1.59	1.59	7.55	7.96	4.54
28	3.82	2.15	12.1	10.1	6.32	2.96	1.70	1.59	1.53	6.73	7.55	4.06
29	4.30		26.5	10.1	5.91	2.83	1.70	1.70	1.53	5.50	7.14	3.82
30	3.58		27.9	9.60	5.26	2.56	1.70	1.64	1.53	5.02	5.91	3.58
31	3.34		29.3		5.02		1.64	1.59		4.54		3.10
SD1	5.17	2.61	2.77	40.1	10.5	4.54	3.16	1.60	1.56	1.28	2.99	3.95
SD2	3.48	2.53	15.2	24.3	10.7	3.37	2.50	1.68	1.57	13.7	19.6	6.47
SD3	3.25	2.32	17.2	11.4	7.37	2.80	1.70	1.61	1.53	8.75	12.7	5.21
MAX	6.32	3.34	39.2	81.9	15.1	5.26	4.54	1.88	1.59	63.8	104	25.9
DAT	2	1	31	2	9	5	7	29	15	19	19	18
SR	3.94	2.50	11.9	25.3	9.47	3.57	2.43	1.63	1.55	7.95	11.7	5.21
MIN	2.83	2.15	2.02	9.60	5.02	2.56	1.64	1.53	1.48	1.20	2.15	2.56
DAT	23	9	4	30	31	24	31	5	23	6	10	16
GMIN =		1.20		SRGOD=		7.27		GMAX =		104		
DATUM		6 10						DATUM		19 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1976

Broj : 45954 Stanica :CRNA POLJANA Kota "0" = 965.80
Nacin osmat.: limnigraf Rijeka :TARA km od usca = 123.80
Pocetak rada: 1957 Sliv :DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	2.96	3.10	3.82	13.5	46.0	9.60	7.14	2.29	2.56	2.02	42.0	7.55
2	2.69	2.96	4.30	15.1	39.2	9.60	6.73	2.42	5.91	1.88	28.6	31.3
3	2.69	2.96	4.78	18.4	51.0	12.5	5.91	2.56	4.78	1.88	23.3	56.6
4	2.83	2.83	4.78	23.3	57.8	11.1	5.26	2.29	4.54	1.88	20.6	30.0
5	2.56	2.83	4.54	27.9	49.0	10.6	4.78	2.29	9.19	1.75	20.6	33.4
6	2.56	2.69	4.06	29.3	47.0	14.5	4.78	2.83	9.19	2.42	18.4	24.5
7	2.42	2.69	4.06	30.6	47.0	24.5	4.54	2.42	7.96	2.15	17.8	18.9
8	2.42	2.42	3.34	32.0	45.0	24.5	5.26	2.29	6.73	2.02	18.4	98.8
9	2.42	2.42	3.10	30.6	41.1	20.6	6.32	2.29	5.50	1.88	17.8	57.8
10	2.42	2.56	3.10	25.9	35.3	17.8	5.02	2.29	4.78	1.88	17.3	33.4
11	2.56	2.56	2.96	21.3	33.4	15.6	4.54	2.69	4.30	1.88	15.1	44.0
12	2.56	2.42	2.96	17.3	29.3	13.5	3.82	2.69	3.82	1.75	14.0	32.0
13	2.56	2.42	2.83	15.6	26.5	12.1	3.34	2.42	3.34	1.70	15.6	23.9
14	2.56	2.42	2.83	15.1	24.5	10.6	3.58	2.42	3.34	1.70	30.0	18.9
15	2.42	2.42	2.69	15.1	22.0	9.60	4.06	2.15	3.10	1.70	30.0	16.7
16	2.42	2.42	2.69	16.1	20.0	9.19	3.34	2.02	3.58	1.70	24.5	15.1
17	1.88	2.42	2.69	17.3	18.4	22.6	3.10	2.56	4.30	14.0	20.0	24.5
18	2.02	2.42	2.83	18.9	17.8	30.0	2.96	2.69	3.82	16.1	17.8	46.0
19	1.88	2.42	3.58	22.6	17.8	22.6	2.83	3.10	3.34	12.1	16.7	37.2
20	1.88	2.42	4.30	26.5	16.7	17.8	2.69	3.58	3.10	9.60	15.1	30.6
21	1.88	2.42	4.06	30.0	16.1	15.1	2.56	3.34	2.96	7.96	14.0	25.9
22	1.88	2.56	3.82	30.0	15.1	13.0	2.83	3.34	2.96	7.14	14.0	22.6
23	1.88	2.56	3.58	28.6	14.0	12.1	2.69	3.58	2.83	6.32	14.0	20.0
24	2.69	2.69	15.6	32.0	12.1	11.1	4.54	3.34	2.69	5.50	13.5	17.3
25	5.91	2.69	32.0	45.0	11.1	9.60	3.58	3.10	2.56	5.02	12.5	14.5
26	5.91	2.69	23.3	47.0	10.6	9.19	3.10	2.96	2.42	4.78	11.6	13.0
27	8.37	2.83	18.4	37.2	10.1	8.78	2.83	2.69	2.15	4.54	10.6	11.1
28	5.91	2.83	16.7	29.3	13.5	8.37	2.69	2.69	2.02	4.54	9.19	9.19
29	4.54	3.10	14.5	39.2	13.0	7.55	2.69	2.69	2.02	4.78	8.37	10.1
30	3.34		14.0	63.8	11.6	7.14	2.56	2.56	2.02	4.54	7.96	20.0
31	3.34		13.5		10.6		2.42	2.42		33.4		16.1
SD1	2.60	2.75	3.99	24.7	45.8	15.5	5.57	2.40	6.11	1.98	22.5	39.2
SD2	2.27	2.43	3.04	18.6	22.6	16.4	3.43	2.63	3.60	6.22	19.9	28.9
SD3	4.15	2.71	14.5	38.2	12.5	10.2	2.95	2.97	2.46	8.05	11.6	16.3
MAX	9.60	3.34	42.0	83.2	60.2	50.0	9.19	3.82	10.1	62.6	55.4	139
DAT	26	29	24	30	4	17	8	19	5	31	1	8
SR	3.04	2.63	7.41	27.1	26.5	14.0	3.95	2.68	4.06	5.50	18.0	27.8
MIN	1.88	2.42	2.69	13.5	10.1	7.14	2.42	2.02	2.02	1.70	7.96	7.55
DAT	17	8	15	1	27	30	31	16	28	13	30	1

GMIN = 1.70			SRGOD= 11.9					GMAX = 139				
DATUM 13 10								DATUM 8 12				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1977

Broj : 45954 Stanica : CRNA POLJANA Kota "0" = 965.80
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 123.80
 Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	13.5	30.6	23.3	152	27.9	9.19	3.82	5.26	2.56	7.14	4.78	22.6
2	11.6	33.4	20.0	144	28.6	8.37	3.82	4.54	2.96	7.14	6.73	25.2
3	9.60	28.6	17.8	107	27.9	10.6	3.82	3.82	3.10	23.9	5.26	24.5
4	9.19	23.9	16.1	79.3	27.9	10.6	3.58	3.10	2.56	21.3	5.02	20.6
5	8.78	20.0	14.5	60.2	27.9	9.60	3.34	2.83	2.29	17.8	4.78	17.8
6	7.55	17.8	12.5	52.0	25.9	8.78	3.34	2.96	2.29	15.6	4.54	16.7
7	5.91	14.5	11.6	41.1	23.9	8.78	3.10	3.10	2.29	14.0	4.54	19.5
8	5.91	13.0	11.1	34.4	22.0	7.96	3.10	2.69	2.29	12.5	4.30	19.5
9	5.50	11.1	11.1	35.3	18.4	7.55	2.96	3.10	2.29	10.6	4.06	17.8
10	4.78	10.6	11.1	34.4	20.0	7.96	2.83	2.83	2.42	14.0	4.06	18.9
11	5.26	42.0	11.6	30.0	17.3	9.19	2.69	2.83	2.42	18.9	4.06	18.9
12	25.2	142	12.5	26.5	15.6	11.1	2.56	2.69	2.42	25.2	4.06	17.3
13	30.0	100	31.3	22.6	14.5	9.60	2.69	2.42	2.42	23.9	4.06	16.1
14	22.0	53.0	32.0	20.0	14.0	9.19	2.56	2.29	2.15	20.6	5.02	15.1
15	17.8	39.2	25.9	19.5	15.1	7.96	2.56	2.29	2.15	17.3	5.02	14.5
16	20.0	30.6	22.0	18.4	16.7	7.55	2.56	2.29	2.15	15.6	8.37	13.5
17	17.8	26.5	20.0	16.7	16.1	6.73	2.96	2.29	2.29	13.5	18.4	12.5
18	15.1	22.0	16.7	15.6	15.1	6.32	3.82	2.15	16.7	12.5	44.0	11.1
19	12.5	19.5	16.1	16.7	16.1	5.50	2.83	2.15	18.9	11.1	34.4	9.60
20	10.6	17.8	16.7	17.8	17.8	5.26	2.69	2.15	15.6	10.6	28.6	9.60
21	9.19	17.8	23.3	17.8	18.4	5.02	2.56	2.02	19.5	9.60	23.9	8.78
22	8.37	30.0	25.9	16.7	17.8	4.78	2.56	2.15	16.1	8.78	27.2	8.37
23	7.55	40.1	27.2	16.1	16.1	5.02	2.56	2.83	15.1	8.37	66.3	7.96
24	7.14	38.2	29.3	16.7	14.5	5.91	2.83	3.10	15.1	7.55	63.8	7.55
25	7.14	34.4	31.3	19.5	13.0	5.50	2.69	4.06	13.0	7.14	46.0	7.14
26	6.32	33.4	31.3	18.4	12.1	4.78	2.69	3.10	11.6	6.73	63.8	6.73
27	9.60	32.0	32.0	17.3	11.6	4.78	3.34	2.96	11.1	6.73	61.4	6.73
28	22.0	27.2	30.6	16.7	14.0	4.54	2.96	2.69	9.60	6.32	41.1	5.91
29	25.2		30.6	19.5	12.5	4.30	2.69	2.56	9.19	5.50	30.0	21.3
30	52.0		36.3	24.5	11.1	4.06	2.56	2.56	7.96	5.50	25.2	134
31	34.4		105		9.60		2.42	2.56		5.50		65.0
SD1	8.23	20.4	14.9	74.0	25.0	8.94	3.37	3.42	2.51	14.4	4.81	20.3
SD2	17.6	49.3	20.5	20.4	15.8	7.84	2.79	2.35	6.72	16.9	15.6	13.8
SD3	17.2	31.6	36.6	18.3	13.7	4.87	2.71	2.78	12.8	7.07	44.9	25.4
MAX	61.4	218	144	165	29.3	12.5	5.91	6.73	39.2	30.0	81.9	163
DAT	30	12	31	1	2	12	17	1	18	3	23	30
SR	14.4	33.9	24.4	37.6	18.0	7.22	2.95	2.85	7.35	12.6	21.8	20.0
MIN	4.78	10.6	11.1	15.6	9.60	4.06	2.42	2.02	2.15	5.50	4.06	5.91
DAT	10	10	8	18	31	30	31	21	14	29	9	28
GMIN =		2.02		SRGOD=		16.8		GMAX =		218		
DATUM		21 8						DATUM		12 2		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1978

Broj : 45954 Stanica : CRNA POLJANA Kota "0" = 965.80
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 123.80
 Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	36.3	13.5	67.6	14.5	49.0	32.0	7.96	2.02	7.14	11.1	3.10	2.83
2	26.5	11.6	56.6	14.5	106	29.3	7.14	2.02	3.34	15.1	2.96	2.69
3	22.0	10.6	43.0	14.5	104	26.5	6.73	2.02	2.83	16.1	2.83	2.56
4	19.5	9.60	36.3	15.1	63.8	24.5	6.32	1.88	2.42	15.1	2.83	2.42
5	17.3	8.78	33.4	15.6	48.0	23.3	5.50	1.88	2.56	16.7	2.69	2.29
6	15.1	8.37	32.0	17.3	45.0	22.0	5.50	1.88	2.69	16.7	2.56	2.15
7	14.0	7.96	30.6	17.8	55.4	20.0	5.50	1.75	5.02	15.6	2.56	2.02
8	13.0	7.14	28.6	18.4	65.0	18.4	5.26	1.75	4.30	13.5	2.56	2.15
9	12.1	6.73	25.2	20.0	52.0	17.8	5.02	1.75	3.10	12.1	2.56	2.15
10	11.1	6.32	23.3	21.3	40.1	17.3	4.54	1.75	2.83	10.1	2.56	2.15
11	10.1	9.60	20.0	21.3	35.3	17.3	4.30	1.75	2.56	8.78	2.56	2.15
12	10.1	18.4	17.8	20.6	30.6	16.7	4.06	1.75	2.83	8.37	2.56	2.02
13	9.19	49.0	16.1	37.2	26.5	15.6	3.82	1.75	10.6	7.14	2.56	7.14
14	8.78	139	15.1	118	39.2	14.5	3.58	1.75	10.1	6.73	2.42	42.0
15	8.37	67.6	16.1	78.0	39.2	15.1	3.34	1.75	8.37	5.91	2.42	29.3
16	8.78	38.2	22.0	52.0	34.4	18.4	3.10	1.75	6.73	5.26	2.42	23.9
17	10.6	29.3	20.6	37.2	31.3	15.6	3.10	1.75	5.26	5.02	2.29	94.9
18	11.6	26.5	78.0	29.3	31.3	13.5	2.96	1.70	4.54	4.78	2.29	104
19	10.6	23.9	59.0	25.2	31.3	12.5	2.83	1.70	4.30	4.54	2.29	80.6
20	9.19	60.2	36.3	22.0	31.3	11.6	2.83	1.70	5.02	4.30	2.15	51.0
21	8.78	50.0	31.3	20.6	32.0	10.6	2.83	1.64	6.73	4.30	2.15	36.3
22	8.37	34.4	28.6	19.5	35.3	9.60	2.83	1.64	5.02	4.30	2.15	27.2
23	7.96	27.2	23.9	19.5	91.0	9.19	2.69	1.64	4.54	4.30	2.15	22.6
24	7.55	23.9	21.3	20.0	63.8	8.37	2.69	1.64	4.06	4.30	2.15	19.5
25	7.55	22.0	18.9	20.6	48.0	7.55	2.69	1.64	3.58	4.06	2.15	17.3
26	7.14	45.0	16.7	33.4	40.1	7.96	2.69	1.64	3.58	4.06	2.02	16.7
27	6.73	97.5	15.6	61.4	37.2	10.1	2.56	1.64	3.34	3.82	2.29	15.1
28	6.32	72.8	14.5	100	40.1	12.5	2.42	1.64	7.14	3.58	3.34	16.7
29	9.60		13.5	85.8	34.4	10.1	2.29	1.64	14.5	3.34	3.10	25.2
30	21.3		13.5	55.4	33.4	8.78	2.15	1.64	11.6	3.10	2.96	45.0
31	15.6		14.5		32.7		2.02	5.91		3.10		49.0
SD1	18.7	9.06	37.7	16.9	62.8	23.1	5.95	1.87	3.62	14.2	2.72	2.34
SD2	9.73	46.2	30.1	44.1	33.0	15.1	3.39	1.74	6.03	6.08	2.40	43.7
SD3	9.72	46.6	19.3	43.6	44.4	9.47	2.53	2.03	6.41	3.84	2.45	26.4
MAX	45.0	188	106	148	156	32.7	8.37	13.5	15.6	17.8	3.58	134
DAT	1	14	18	14	2	1	1	31	29	6	28	17
SR	12.6	33.0	28.7	34.9	46.7	15.9	3.91	1.88	5.35	7.91	2.52	24.2
MIN	6.32	6.32	13.5	14.5	26.5	7.55	2.02	1.64	2.42	3.10	2.02	2.02
DAT	28	10	29	1	13	25	31	21	4	30	26	7
GMIN =		1.64		SRGOD=		18.0		GMAX =		188		
DATUM		21 8						DATUM		14 2		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1979

Broj : 45954 Stanica :CRNA POLJANA Kota "0" = 965.80
Nacin osmat.: limnigraf Rijeka :TARA km od usca = 123.80
Pocetak rada: 1957 Sliv :DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	92.3	32.7	6.73	25.2	30.0	11.6	7.96	2.42	5.02	2.56	39.2	8.37
2	84.5	24.5	6.32	21.3	24.5	11.1	7.55	2.42	4.54	2.56	28.6	7.55
3	35.3	20.6	5.91	17.8	20.6	10.1	7.14	2.29	4.30	2.56	23.3	7.14
4	26.5	27.9	5.50	17.3	20.0	9.60	8.78	2.15	3.82	2.42	19.5	6.32
5	22.0	32.0	5.26	34.4	21.3	9.19	8.78	2.15	4.06	2.42	18.4	5.50
6	17.8	27.9	5.02	83.2	22.6	7.55	7.55	2.15	4.54	4.30	23.9	5.02
7	15.1	23.3	5.02	49.0	23.3	7.14	6.73	2.02	3.82	7.55	23.3	4.78
8	13.5	20.0	4.78	29.3	25.2	6.32	6.32	2.02	3.58	5.50	20.0	4.54
9	12.1	17.3	4.78	22.0	25.9	5.91	7.14	2.02	3.34	4.78	17.8	4.30
10	20.0	17.8	4.54	18.4	25.2	5.26	5.91	1.88	3.10	4.54	15.6	4.30
11	26.5	29.3	4.30	16.7	23.9	5.02	5.26	2.42	2.96	4.30	16.7	4.54
12	41.1	27.2	4.06	16.1	22.0	4.54	4.78	2.83	2.83	4.06	20.0	14.5
13	26.5	83.2	3.82	15.6	22.6	4.30	4.54	2.42	2.69	14.5	20.6	12.1
14	20.0	87.1	3.82	15.1	20.6	4.06	4.30	2.29	2.56	88.4	20.6	10.1
15	16.7	65.0	4.06	14.5	17.3	8.78	4.30	2.15	2.56	33.4	23.3	9.60
16	14.5	53.0	5.02	15.6	15.1	10.1	4.30	2.15	2.69	26.5	152	10.6
17	12.1	41.1	7.96	16.7	16.1	93.6	3.82	1.88	2.56	21.3	252	12.1
18	11.1	35.3	7.14	17.8	16.1	144	3.82	1.88	2.56	23.3	169	11.6
19	10.1	28.6	7.55	17.8	17.8	59.0	3.58	3.10	2.56	23.9	106	11.1
20	8.78	23.3	7.96	16.1	20.0	33.4	3.10	5.50	2.42	20.6	36.3	12.5
21	8.37	31.3	10.6	14.5	20.6	25.2	2.96	3.34	2.29	18.4	43.0	30.0
22	7.55	15.6	12.1	12.5	20.0	20.0	2.83	3.34	2.29	16.7	32.7	30.0
23	7.14	13.5	13.0	11.6	19.5	17.3	2.83	2.96	2.29	14.5	34.4	32.0
24	7.55	11.6	11.6	10.6	17.3	15.6	2.69	2.69	4.54	13.0	28.6	32.0
25	13.5	10.6	11.1	11.6	16.1	13.5	2.69	25.2	4.30	12.1	22.0	27.2
26	41.1	9.60	10.6	62.6	15.6	11.6	2.56	18.9	2.96	10.6	16.7	22.6
27	27.2	8.37	16.1	183	15.1	10.6	2.69	13.5	2.83	9.60	14.5	18.9
28	23.9	7.96	104	118	14.0	9.60	2.69	10.6	2.69	8.78	12.1	16.1
29	97.5		71.5	63.8	13.5	8.78	2.56	8.37	2.56	18.9	10.6	14.5
30	107		51.0	41.1	12.5	8.78	2.56	6.73	2.56	50.0	9.19	14.0
31	54.2		32.7		12.1		2.42	5.50		55.4		23.9
SD1	33.9	24.4	5.39	31.8	23.9	8.38	7.39	2.15	4.01	3.92	23.0	5.78
SD2	18.7	47.3	5.57	16.2	19.1	36.7	4.18	2.66	2.64	26.0	81.7	10.9
SD3	35.9	13.6	31.3	52.9	16.0	14.1	2.68	9.19	2.93	20.7	22.4	23.7
MAX	214	102	116	216	33.4	249	12.1	104	10.6	165	293	34.4
DAT	29	13	28	27	1	17	4	25	24	14	17	23
SR	29.7	29.5	14.6	33.6	19.6	19.7	4.68	4.82	3.19	17.0	42.3	13.8
MIN	7.14	7.96	3.82	10.6	12.1	4.06	2.42	1.88	2.29	2.42	9.19	4.30
DAT	23	28	13	24	31	14	31	10	21	4	30	9

GMIN = 1.88			SRGOD= 19.2					GMAX = 293				
DATUM 10 8								DATUM 17 11				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1980

Broj : 45954 Stanica : CRNA POLJANA Kota "0" = 965.80
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 123.80
 Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	29.3	17.3	3.10	18.9	13.0	27.2	4.78	2.02	1.37	1.20	6.73	30.6
2	22.6	36.3	3.10	17.3	17.3	22.6	4.30	2.02	1.64	1.20	6.32	23.3
3	18.9	27.9	3.10	18.9	20.0	20.0	5.50	1.75	1.53	1.20	6.32	18.9
4	15.1	22.0	3.34	18.4	22.0	18.4	5.50	1.75	1.42	1.20	7.14	17.3
5	12.1	17.3	2.96	15.6	26.5	17.3	4.30	1.75	1.37	1.20	8.37	15.6
6	11.6	17.8	2.96	13.5	52.0	17.3	4.06	1.75	1.31	1.20	9.60	12.1
7	10.6	17.3	3.34	12.1	67.6	17.3	3.82	1.75	1.31	1.16	53.0	26.5
8	8.78	18.9	5.02	10.6	55.4	16.7	3.58	1.75	1.31	1.16	30.6	23.3
9	7.96	18.4	6.73	10.1	47.0	17.3	3.58	1.75	1.31	1.42	22.0	20.0
10	7.14	16.7	6.32	8.78	43.0	17.8	3.10	1.75	1.31	12.1	30.6	18.9
11	6.73	15.6	5.50	7.96	41.1	22.6	3.10	1.75	1.31	9.19	36.3	17.3
12	5.91	13.5	5.02	7.55	37.2	22.0	3.10	1.75	1.31	16.1	27.2	14.5
13	5.50	12.1	4.78	6.73	33.4	18.9	3.10	1.70	1.31	53.0	84.5	12.1
14	5.26	10.1	4.54	6.73	31.3	17.3	3.10	1.70	1.31	50.0	170	9.60
15	5.91	9.19	4.30	6.73	31.3	16.7	2.83	1.64	1.31	29.3	102	8.78
16	6.73	8.78	4.30	7.14	50.0	16.1	2.69	1.64	1.20	16.7	53.0	7.96
17	6.32	7.96	4.30	7.55	70.2	14.0	2.69	1.59	1.20	12.5	34.4	7.55
18	5.50	7.14	4.06	9.19	56.6	12.5	2.56	1.59	1.20	18.4	22.6	7.55
19	5.26	6.32	3.82	11.1	40.1	12.5	2.42	1.53	1.18	22.6	22.6	7.55
20	4.78	5.50	4.06	12.5	33.4	11.6	2.42	1.53	1.18	20.0	17.8	7.55
21	4.30	5.02	11.6	18.9	30.0	10.1	2.29	1.48	1.16	16.7	15.1	7.55
22	4.30	4.78	25.2	27.9	27.2	9.19	2.29	1.48	1.16	14.0	13.0	8.78
23	4.30	4.54	45.0	23.3	25.9	8.78	2.29	1.42	1.16	11.6	11.6	9.60
24	5.26	4.30	31.3	18.9	28.6	8.78	2.29	1.42	1.16	10.1	10.6	8.78
25	20.6	4.06	27.2	16.1	29.3	8.37	2.29	1.37	1.16	9.60	9.60	7.96
26	35.3	3.82	25.2	15.1	22.6	7.96	2.15	1.37	1.16	11.6	9.60	7.55
27	23.9	3.82	20.6	14.0	24.5	7.14	2.02	1.31	1.16	10.6	33.4	7.55
28	16.7	3.58	18.9	13.5	26.5	7.55	2.02	1.31	1.16	9.60	47.0	7.55
29	13.0	3.34	17.8	13.5	31.3	5.91	2.02	1.25	1.20	9.60	33.4	7.14
30	11.1		18.9	13.0	30.6	5.50	2.02	1.25	1.20	8.78	39.2	6.32
31	9.60		20.0		30.6		2.02	1.25		7.96		5.50
SD1	14.4	21.0	4.00	14.4	36.4	19.2	4.25	1.80	1.39	2.30	18.1	20.6
SD2	5.79	9.62	4.47	8.32	42.5	16.4	2.80	1.64	1.25	24.8	57.0	10.0
SD3	13.5	4.14	23.8	17.4	27.9	7.93	2.15	1.36	1.17	10.9	22.2	7.66
MAX	46.0	45.0	45.0	31.3	75.4	29.3	5.50	2.02	1.64	63.8	198	30.6
DAT	25	2	23	22	17	1	3	1	2	13	14	1
SR	11.3	11.8	11.2	13.4	35.3	14.5	3.04	1.59	1.27	12.6	32.5	12.6
MIN	4.30	3.34	2.96	6.73	13.0	5.50	2.02	1.25	1.16	1.16	6.32	5.50
DAT	21	29	5	13	1	30	27	29	21	7	2	31
		GMIN = 1.16		SRGOD= 13.4		GMAX = 198						
		DATUM 21 9				DATUM 14 11						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1981

Broj : 45954 Stanica :CRNA POLJANA Kota "0" = 965.80
Nacin osmat.: limnigraf Rijeka :TARA km od usca = 123.80
Pocetak rada: 1957 Sliv :DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	5.02	2.56	3.10	57.8	25.9	17.3	2.56	1.37	1.20	1.37	14.5	3.10
2	4.54	2.56	2.96	50.0	23.3	16.1	2.56	1.31	1.20	1.42	12.5	6.73
3	4.30	2.42	28.6	43.0	23.3	15.6	2.42	1.31	1.20	13.5	10.6	5.50
4	3.82	2.42	104	35.3	41.1	15.1	2.29	1.31	1.25	8.78	8.78	4.78
5	4.54	4.30	45.0	30.6	76.7	15.1	2.15	1.25	1.25	5.02	7.96	4.30
6	4.30	6.32	25.2	27.2	50.0	13.0	2.02	1.31	1.31	3.82	7.14	3.82
7	4.30	5.02	18.9	26.5	33.4	11.1	2.02	1.37	1.31	2.83	5.91	13.0
8	3.82	4.54	15.6	26.5	27.9	9.60	2.02	1.31	1.31	2.42	5.26	62.6
9	3.58	4.30	14.5	27.9	25.2	8.78	1.88	1.25	1.31	2.15	5.02	93.6
10	3.10	3.82	14.0	29.3	25.2	8.37	1.88	1.25	1.31	1.88	4.54	81.9
11	3.10	4.30	17.3	28.6	27.9	7.96	1.75	1.25	1.37	1.75	4.06	84.5
12	3.10	24.5	17.8	25.2	40.1	7.55	1.88	1.25	1.42	1.75	3.82	145
13	3.10	20.0	23.9	22.6	35.3	7.55	2.42	1.25	1.37	2.42	3.58	179
14	5.50	12.5	29.3	22.6	29.3	6.73	2.29	1.31	1.31	2.42	3.34	104
15	4.54	9.19	25.2	25.2	25.9	6.32	2.15	1.31	2.02	2.15	3.34	51.0
16	4.30	8.37	23.9	26.5	27.9	5.50	2.15	1.31	1.64	1.88	3.10	34.4
17	4.30	7.55	24.5	27.9	28.6	5.02	2.02	1.31	1.48	1.75	3.10	27.2
18	4.30	6.73	25.9	34.4	27.9	5.91	2.02	1.31	1.37	1.70	2.83	22.0
19	4.06	5.91	30.6	39.2	29.3	6.32	2.15	1.25	1.37	1.64	2.69	47.0
20	4.06	5.50	26.5	27.2	30.6	5.91	2.29	1.25	1.37	1.64	2.69	44.0
21	4.06	4.54	21.3	23.3	29.3	4.54	2.15	1.25	1.37	1.59	2.83	30.6
22	3.82	5.50	19.5	23.3	28.6	4.30	2.02	1.31	1.37	1.70	2.96	24.5
23	3.58	4.54	20.0	25.2	27.9	3.82	1.88	1.31	1.31	27.9	3.58	20.6
24	3.10	4.06	19.5	29.3	24.5	3.58	1.75	1.31	1.31	50.0	3.82	17.3
25	2.83	3.82	18.9	50.0	23.3	3.34	1.75	1.31	1.25	32.0	4.06	26.5
26	2.83	3.58	22.6	52.0	23.9	3.10	1.70	1.25	1.25	21.3	4.54	22.6
27	2.83	3.34	29.3	83.2	23.3	2.96	1.64	1.25	1.20	19.5	4.30	18.4
28	2.69	3.10	36.3	63.8	21.3	2.83	1.64	1.25	1.20	30.6	3.82	16.1
29	2.69		44.0	41.1	18.9	2.83	1.53	1.31	1.53	27.9	3.82	15.1
30	2.69		52.0	30.0	17.8	2.69	1.48	1.25	1.53	22.0	3.58	26.5
31	2.56		57.8		17.3		1.42	1.20		17.3		23.9
SD1	4.13	3.83	27.2	35.4	35.2	13.0	2.18	1.30	1.26	4.32	8.22	27.9
SD2	4.04	10.5	24.5	27.9	30.3	6.48	2.11	1.28	1.47	1.91	3.25	73.8
SD3	3.06	4.06	31.0	42.1	23.3	3.40	1.72	1.27	1.33	22.9	3.73	22.0
MAX	5.50	30.0	125	89.7	84.5	22.0	2.83	1.37	2.69	55.4	15.6	228
DAT	14	12	4	27	5	18	12	1	15	24	1	13
SR	3.72	6.26	27.7	35.2	29.4	7.63	2.00	1.29	1.36	10.1	5.07	40.6
MIN	2.56	2.42	2.96	22.6	17.3	2.69	1.42	1.20	1.20	1.37	2.69	3.10
DAT	31	3	2	13	31	30	31	31	1	1	19	1

GMIN =			1.20	SRGOD=				14.3	GMAX =			228
DATUM			31 8						DATUM			13 12

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1982

Broj : 45954 Stanica : CRNA POLJANA Kota "0" = 965.80
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 123.80
 Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	20.6	3.82	2.42	50.0	7.55	7.96	2.69	1.31	1.16	1.06	1.16	1.59
2	28.6	3.58	2.42	33.4	6.73	7.14	2.56	1.31	1.14	1.06	1.16	1.59
3	25.2	3.34	2.42	30.6	6.73	6.73	2.42	1.31	1.12	1.06	1.14	1.53
4	20.6	3.10	2.42	27.2	6.32	5.91	2.29	1.25	1.12	1.06	1.14	1.48
5	17.8	2.96	2.42	23.9	6.32	5.02	2.15	1.25	1.12	1.06	1.14	1.42
6	15.6	2.96	2.56	22.0	7.14	4.78	2.15	1.20	1.10	1.08	1.12	1.42
7	17.3	2.83	2.56	20.6	8.78	4.54	2.83	1.18	1.10	1.75	1.12	1.42
8	14.5	2.83	2.56	20.0	12.5	4.30	2.56	1.18	1.10	1.75	1.12	1.48
9	14.0	2.83	2.56	21.3	17.8	3.82	2.29	1.16	1.10	1.53	1.12	1.59
10	14.0	2.83	2.56	22.0	21.3	3.58	2.15	1.16	1.10	1.48	1.10	1.75
11	14.0	2.83	2.56	22.0	21.3	3.34	2.02	1.16	1.10	1.48	1.10	2.02
12	31.3	2.83	2.69	21.3	23.9	3.10	1.75	1.16	1.10	1.48	1.08	2.29
13	30.0	2.69	2.56	18.9	21.3	8.78	2.56	1.16	1.10	1.53	1.08	2.69
14	22.6	2.69	2.56	20.6	18.9	15.1	2.15	1.16	1.10	1.42	1.12	26.5
15	18.4	2.69	2.69	34.4	16.1	12.5	2.02	1.16	1.10	1.37	4.78	17.3
16	16.1	2.69	2.69	41.1	15.1	9.60	1.75	1.16	1.08	1.48	2.56	11.1
17	14.0	2.69	2.83	43.0	14.5	7.96	1.70	1.16	1.08	1.75	5.91	8.78
18	12.5	2.69	3.34	50.0	14.5	6.73	1.64	1.16	1.08	1.64	7.14	16.1
19	11.1	2.69	4.30	42.0	13.5	5.50	1.53	1.16	1.08	1.59	4.30	33.4
20	10.1	2.56	4.54	32.0	13.5	5.02	1.53	1.16	1.08	1.48	3.10	22.0
21	8.78	2.42	3.82	26.5	12.5	4.54	1.53	1.16	1.08	1.48	2.69	16.1
22	7.96	2.42	3.58	21.3	12.1	4.30	1.53	1.20	1.08	1.42	2.56	22.6
23	7.14	2.42	2.96	18.4	11.6	4.06	1.53	1.31	1.08	1.37	2.29	41.1
24	6.32	2.42	2.69	16.1	11.6	3.58	1.48	1.31	1.06	1.37	2.02	30.0
25	5.50	2.42	2.56	14.0	12.5	3.10	1.48	1.25	1.06	1.37	1.75	21.3
26	5.26	2.42	2.42	12.1	12.5	2.96	1.48	1.25	1.06	1.31	1.70	16.1
27	5.02	2.42	2.42	11.1	11.6	2.83	1.48	1.25	1.06	1.25	1.70	13.5
28	4.78	2.42	2.69	10.1	11.1	2.83	1.42	1.20	1.06	1.20	1.64	11.1
29	4.54		3.58	8.78	10.1	2.83	1.42	1.20	1.06	1.18	1.64	9.60
30	4.30		16.1	8.37	9.60	2.83	1.37	1.20	1.06	1.16	1.64	7.96
31	4.06		92.3		8.78		1.37	1.18		1.16		6.73
SD1	18.8	3.11	2.49	27.1	10.1	5.38	2.41	1.23	1.12	1.29	1.13	1.53
SD2	18.0	2.71	3.08	32.5	17.3	7.76	1.87	1.16	1.09	1.52	3.22	14.2
SD3	5.79	2.42	12.3	14.7	11.3	3.39	1.46	1.23	1.07	1.30	1.96	17.8
MAX	38.2	3.82	104	52.0	25.2	20.0	3.82	1.31	1.16	3.58	10.6	45.0
DAT	12	1	31	18	12	14	7	1	1	7	17	23
SR	13.9	2.77	6.15	24.8	12.8	5.51	1.90	1.21	1.09	1.37	2.10	11.4
MIN	4.06	2.42	2.42	8.37	6.32	2.83	1.37	1.16	1.06	1.06	1.08	1.42
DAT	31	21	1	30	4	27	30	9	24	1	12	5
GMIN =		1.06		SRGOD=		7.11		GMAX =		104		
DATUM		24 9						DATUM		31 3		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1983

Broj : 45954 Stanica : CRNA POLJANA Kota "0" = 965.80
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 123.80
 Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	5.50	2.96	2.69	21.3	20.0	4.78	2.83	1.53	1.37	1.48	1.31	2.96
2	5.02	2.56	2.56	25.9	25.2	4.54	2.69	1.48	1.37	1.42	1.37	2.56
3	4.54	2.56	2.42	39.2	22.6	4.30	2.56	1.48	1.37	1.42	1.37	2.29
4	4.54	2.29	2.42	32.7	17.3	4.06	2.42	1.48	1.37	1.42	1.37	2.02
5	4.30	2.15	2.29	26.5	15.1	3.82	2.42	1.48	1.42	1.37	1.31	1.75
6	3.82	2.02	2.15	21.3	13.5	3.82	2.29	1.48	1.42	1.37	1.31	1.64
7	3.58	6.32	2.15	18.9	12.1	5.02	2.29	1.48	1.37	1.31	1.31	1.59
8	3.34	10.1	2.29	17.8	11.1	4.78	2.15	1.53	1.37	1.31	1.31	1.59
9	3.10	7.96	2.83	18.4	10.6	4.06	2.15	1.53	1.37	1.31	1.31	1.53
10	3.10	12.5	4.30	21.3	10.1	3.82	2.15	1.53	1.31	1.31	1.31	1.53
11	3.10	19.5	5.50	25.2	9.60	3.58	2.02	1.48	1.31	1.31	1.31	1.88
12	2.96	22.6	7.14	30.0	8.78	3.34	2.02	1.48	1.37	1.37	1.25	2.83
13	2.83	15.1	5.91	53.0	8.37	3.10	2.02	1.53	1.42	1.42	1.25	1.88
14	2.69	12.1	5.50	41.1	7.96	3.34	2.02	1.42	1.42	1.37	1.25	1.64
15	2.83	10.1	5.26	30.0	7.96	3.34	2.15	1.37	1.37	1.31	1.25	1.59
16	2.69	7.96	5.26	23.9	7.55	4.06	2.15	1.37	1.31	1.31	1.25	1.53
17	2.56	6.73	5.26	19.5	7.55	5.50	2.29	1.37	1.31	1.31	1.25	1.70
18	2.56	5.50	5.50	17.3	7.14	5.91	2.02	1.37	2.69	1.31	1.25	17.8
19	2.42	5.02	6.73	15.1	6.73	5.50	1.88	1.42	2.29	1.25	1.20	45.0
20	2.42	4.78	7.55	14.5	5.91	5.26	1.75	1.37	2.15	1.25	1.20	46.0
21	2.42	4.30	7.96	17.3	5.26	5.02	1.75	1.31	2.15	1.25	1.20	38.2
22	2.42	4.06	9.60	20.6	5.02	4.78	2.02	1.31	2.02	1.25	1.25	23.9
23	2.42	3.82	12.5	22.6	4.78	4.78	1.75	1.31	2.02	1.25	1.25	17.8
24	2.42	3.34	15.6	23.3	5.26	4.54	1.70	1.31	1.88	1.25	1.20	14.5
25	2.42	3.10	39.2	23.9	5.02	4.06	1.64	1.31	1.75	1.25	1.20	12.1
26	2.29	3.10	88.4	23.3	7.55	3.82	1.64	1.37	1.75	1.25	1.20	11.6
27	2.29	2.96	67.6	22.0	5.50	3.82	1.59	1.37	1.70	1.25	1.20	11.6
28	2.29	2.83	38.2	22.0	5.02	3.58	1.59	1.31	1.64	1.25	10.6	10.1
29	2.29		27.2	22.0	5.02	3.10	1.53	1.31	1.59	1.25	7.55	9.19
30	2.29		22.6	21.3	5.02	2.96	1.70	1.31	1.53	1.25	4.30	8.78
31	2.96		21.3		5.02		1.59	1.37		1.25		7.96
SD1	4.08	5.14	2.61	24.3	15.8	4.30	2.39	1.50	1.37	1.37	1.33	1.95
SD2	2.71	10.9	5.96	27.0	7.76	4.29	2.03	1.42	1.66	1.32	1.25	12.2
SD3	2.41	3.44	31.8	21.8	5.32	4.05	1.68	1.33	1.80	1.25	3.10	15.1
MAX	6.32	29.3	104	61.4	27.2	7.55	2.83	1.53	4.78	1.48	27.2	55.4
DAT	1	11	26	13	2	7	1	1	18	1	28	20
SR	3.05	6.73	14.1	24.4	9.47	4.21	2.02	1.41	1.61	1.31	1.89	9.90
MIN	2.29	2.02	2.15	14.5	4.78	2.96	1.53	1.31	1.31	1.25	1.20	1.53
DAT	26	6	6	20	23	30	29	21	10	19	19	9

GMIN = 1.20			SRGOD= 6.66					GMAX = 104				
DATUM 19 11								DATUM 26 3				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1984

Broj : 45954 Stanica : CRNA POLJANA Kota "0" = 965.80
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 123.80
 Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	7.55	7.96	6.73	18.9	17.3	23.3	3.10	1.25	1.31	7.14	2.69	8.37	
2	7.14	7.96	14.5	17.3	33.4	20.6	3.10	1.25	1.25	9.60	2.69	7.14	
3	5.91	7.55	13.0	37.2	47.0	20.0	3.10	1.20	1.20	15.6	2.69	7.14	
4	6.73	7.96	11.1	59.0	53.0	20.0	2.96	1.18	1.18	20.0	2.56	5.91	
5	14.5	9.19	8.78	38.2	57.8	17.8	2.96	1.18	1.18	16.1	2.56	5.50	
6	12.1	8.78	7.55	29.3	57.8	17.3	2.83	1.16	1.16	13.0	2.56	5.02	
7	10.6	8.37	6.32	27.9	50.0	17.3	2.83	1.16	1.16	16.7	3.34	4.54	
8	9.19	7.96	5.50	27.2	51.0	16.1	2.69	1.16	1.14	25.2	3.34	5.50	
9	14.0	7.14	5.02	25.2	47.0	13.5	2.56	1.18	1.14	24.5	2.96	4.30	
10	48.0	5.91	4.78	22.6	46.0	11.6	2.42	1.18	1.12	20.0	2.83	4.06	
11	22.6	5.26	4.54	22.0	51.0	10.6	2.42	1.20	1.12	16.1	2.83	3.58	
12	16.1	5.02	4.30	22.0	51.0	10.1	2.29	1.25	1.12	13.5	2.83	3.34	
13	13.0	4.54	4.06	22.6	46.0	8.78	2.02	1.25	1.12	11.6	2.69	2.96	
14	11.1	4.30	3.82	22.6	41.1	8.37	1.88	1.25	1.12	9.60	2.69	2.83	
15	10.6	4.30	3.34	22.0	32.7	7.55	1.75	1.25	1.12	8.37	2.56	2.83	
16	12.1	4.06	3.34	25.2	32.7	7.14	1.64	1.20	1.42	7.55	2.83	2.83	
17	9.19	3.58	3.10	26.5	40.1	6.73	1.64	1.20	4.78	6.73	3.82	4.06	
18	8.37	3.34	3.10	25.2	39.2	6.32	1.70	1.20	2.69	5.50	11.6	15.1	
19	7.96	3.10	3.58	22.6	33.4	5.50	1.70	1.20	2.15	5.02	17.3	16.1	
20	12.5	3.10	3.34	18.9	35.3	5.02	1.64	1.20	1.88	4.78	50.0	14.5	
21	14.0	3.10	3.34	17.3	91.0	4.78	1.64	1.20	4.54	4.54	55.4	12.5	
22	21.3	2.96	3.58	16.7	66.3	4.78	1.59	1.20	7.96	4.30	34.4	10.1	
23	38.2	2.96	3.82	16.1	45.0	4.78	1.59	1.20	14.5	4.06	24.5	8.37	
24	26.5	4.30	3.82	16.1	39.2	4.54	1.53	1.25	13.5	3.58	18.4	7.55	
25	18.9	4.30	4.06	16.7	30.6	5.26	1.53	1.48	32.0	3.34	15.6	6.73	
26	14.5	4.06	6.73	15.1	36.3	4.30	1.48	1.59	34.4	3.10	13.5	5.91	
27	12.1	4.30	46.0	14.5	39.2	4.06	1.48	1.64	20.6	3.10	12.1	5.26	
28	10.1	6.32	28.6	14.0	34.4	3.82	1.42	1.59	14.5	2.96	11.6	4.78	
29	9.19	6.32	21.3	13.5	30.6	3.58	1.37	1.53	11.1	2.83	10.1	4.54	
30	8.78		27.9	14.0	26.5	3.34	1.31	1.48	8.78	2.83	9.19	4.30	
31	8.37		25.2		23.3		1.31	1.37		2.83		4.06	
SD1	13.6	7.88	8.33	30.3	46.0	17.8	2.86	1.19	1.18	16.8	2.82	5.75	
SD2	12.4	4.06	3.65	23.0	40.3	7.61	1.87	1.22	1.85	8.88	9.91	6.81	
SD3	16.5	4.29	15.8	15.4	42.0	4.32	1.48	1.41	16.2	3.41	20.5	6.74	
MAX	68.9	9.19	56.6	70.2	101	25.9	3.10	1.64	62.6	26.5	70.2	17.8	
DAT	10	5	27	4	21	1	1	27	25	8	20	18	
SR	14.2	5.45	9.49	22.9	42.7	9.90	2.05	1.28	6.41	9.49	11.1	6.44	
MIN	5.91	2.96	3.10	13.5	17.3	3.34	1.31	1.16	1.12	2.83	2.56	2.83	
DAT	3	22	17	29	1	30	30	6	10	29	4	14	

GMIN =			1.12	SRGOD=			11.8	GMAX =			101		
DATUM			10 9					DATUM			21 5		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1985

Broj : 45954 Stanica : CRNA POLJANA Kota "0" = 965.80
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 123.80
Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	3.34	7.55	4.06	13.5	33.4	6.32	3.58	1.37	1.12	1.04	4.30	10.6
2	3.34	6.32	3.82	13.5	26.5	5.50	3.34	1.37	1.12	1.04	4.54	9.60
3	3.10	5.26	4.06	15.6	25.2	5.50	4.06	1.31	1.10	1.04	3.10	8.78
4	2.96	5.02	4.30	18.4	48.0	5.02	3.10	1.31	1.10	1.04	2.29	9.19
5	3.34	4.78	5.02	22.6	43.0	4.54	2.96	1.31	1.10	1.04	2.29	9.60
6	3.58	4.54	5.50	25.9	38.2	4.54	2.83	1.31	1.10	1.04	3.58	9.19
7	3.10	4.30	6.32	56.6	36.3	4.30	2.69	1.53	1.10	1.04	4.54	8.78
8	3.10	4.06	7.55	56.6	33.4	3.82	2.69	1.48	1.10	1.04	2.83	7.96
9	2.96	5.26	7.14	45.0	31.3	17.8	2.69	1.37	1.10	1.04	2.42	7.55
10	2.83	57.8	7.14	47.0	30.6	17.8	2.56	1.31	1.10	1.04	2.29	6.73
11	2.83	94.9	7.96	53.0	31.3	13.0	2.56	1.25	1.08	1.04	2.15	6.73
12	2.69	55.4	7.96	46.0	46.0	11.1	2.42	1.25	1.08	1.04	2.02	6.73
13	2.69	27.2	8.37	33.4	39.2	8.78	2.42	1.25	1.08	1.04	1.88	6.32
14	2.56	17.8	8.78	26.5	34.4	7.96	2.29	1.20	1.08	1.04	13.0	6.32
15	2.56	15.6	9.19	22.6	30.0	6.73	2.29	1.20	1.08	1.04	9.19	5.91
16	2.56	14.5	9.19	21.3	26.5	5.91	2.15	1.18	1.08	1.04	5.26	5.50
17	2.56	13.5	9.60	20.0	23.9	5.50	2.15	1.18	1.08	1.04	8.78	5.50
18	2.56	12.1	9.60	18.4	21.3	5.50	2.02	1.18	1.06	1.04	39.2	4.78
19	2.56	9.19	9.19	17.8	18.9	4.78	2.02	1.16	1.06	1.04	55.4	4.54
20	2.56	7.96	7.96	17.3	17.3	4.30	1.88	1.16	1.06	1.04	89.7	4.30
21	2.56	6.73	6.73	16.7	16.1	7.55	1.88	1.14	1.06	1.04	105	4.06
22	2.83	5.91	6.32	16.7	14.5	6.32	1.75	1.14	1.06	1.04	66.3	3.82
23	6.32	5.26	6.73	17.3	13.0	5.91	1.70	1.14	1.06	1.04	39.2	3.58
24	14.0	5.02	7.55	17.8	11.6	5.50	1.64	1.12	1.06	1.04	27.2	3.10
25	28.6	4.54	11.1	18.9	11.1	5.26	1.59	1.12	1.06	1.04	22.6	3.10
26	17.3	4.30	13.5	20.0	11.6	5.02	1.53	1.12	1.06	1.04	20.6	3.58
27	14.0	4.30	12.5	27.9	9.19	4.78	1.48	1.12	1.06	1.04	19.5	7.55
28	15.1	4.06	13.5	41.1	8.37	4.30	1.42	1.12	1.06	1.04	16.1	5.91
29	12.5		17.3	80.6	8.37	4.06	1.42	1.12	1.06	1.04	14.5	35.3
30	10.1		15.1	53.0	7.55	3.82	1.42	1.12	1.04	1.04	12.5	65.0
31	8.78		13.5		6.73		1.37	1.12		1.20		105
SD1	3.16	10.5	5.49	31.5	34.6	7.51	3.05	1.37	1.10	1.04	3.22	8.80
SD2	2.61	26.8	8.78	27.6	28.9	7.36	2.22	1.20	1.07	1.04	22.7	5.66
SD3	12.0	5.01	11.3	31.0	10.7	5.25	1.56	1.13	1.06	1.05	34.3	21.8
MAX	37.2	104	18.4	97.5	54.2	54.2	5.50	1.70	1.12	1.20	198	105
DAT	25	11	29	29	4	9	3	7	1	31	20	31
SR	6.12	14.8	8.60	30.0	24.3	6.71	2.25	1.23	1.08	1.05	20.1	12.4
MIN	2.56	4.06	3.82	13.5	6.73	3.82	1.37	1.12	1.04	1.04	1.88	3.10
DAT	14	8	2	1	31	8	31	24	30	1	13	24
		GMIN = 1.04		SRGOD= 10.6		GMAX = 198						
		DATUM 30 9				DATUM 20 11						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1986

Broj : 45954 Stanica : CRNA POLJANA Kota "0" = 965.80
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 123.80
 Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	104	9.19	14.5	28.6	24.5	12.5	6.73	2.15	1.25	1.16	1.64	1.31
2	57.8	10.1	30.0	26.5	28.6	11.1	5.91	2.02	1.25	1.16	1.59	1.31
3	44.0	9.60	87.1	25.2	26.5	7.96	5.50	1.88	1.25	1.16	1.53	1.31
4	113	8.78	56.6	24.5	24.5	7.14	5.50	1.88	1.25	1.14	1.48	1.31
5	94.9	7.96	44.0	23.9	22.6	8.37	5.26	1.88	1.25	1.14	1.42	1.31
6	55.4	7.14	25.2	24.5	21.3	29.3	4.78	1.75	1.25	1.14	1.42	1.31
7	36.3	6.32	27.9	26.5	20.0	53.0	4.30	1.75	1.20	1.14	1.42	1.31
8	26.5	5.91	23.9	28.6	20.0	40.1	4.06	1.75	1.20	1.16	1.42	1.31
9	21.3	5.26	22.0	28.6	19.5	31.3	3.82	1.70	1.20	1.16	1.42	1.25
10	16.1	5.02	21.3	29.3	18.9	25.2	3.58	1.70	1.20	1.18	1.42	1.25
11	14.5	4.78	21.3	25.2	16.7	20.0	3.34	1.70	1.20	1.18	1.37	1.20
12	14.0	4.54	21.3	21.3	15.6	17.8	3.34	1.64	1.20	1.16	1.31	1.20
13	11.6	4.06	21.3	23.3	15.1	17.3	3.10	1.64	1.20	1.16	1.25	1.18
14	10.6	4.06	20.6	24.5	14.5	15.6	3.10	1.59	1.18	1.16	1.25	1.18
15	11.1	3.82	20.0	21.3	16.1	17.3	2.96	1.59	1.18	1.14	1.25	1.18
16	9.60	3.82	19.5	19.5	17.3	14.5	2.83	1.53	1.18	1.14	1.25	1.25
17	7.96	3.58	18.9	17.8	16.1	13.5	3.58	1.53	1.16	1.14	1.25	1.70
18	7.14	33.4	16.7	17.3	15.6	12.5	4.78	1.48	1.16	1.12	1.20	1.53
19	6.32	156	14.5	54.2	15.1	14.0	3.58	1.48	1.18	1.12	1.20	1.48
20	5.91	93.6	13.0	74.1	14.5	13.5	3.34	1.42	1.18	1.16	1.18	2.56
21	5.91	49.0	11.6	43.0	14.0	12.1	3.82	1.42	1.16	1.37	1.18	2.42
22	6.32	32.0	10.6	31.3	14.0	11.1	5.50	1.37	1.16	1.37	1.20	1.88
23	18.4	25.2	9.19	26.5	13.5	11.1	3.34	1.37	1.16	1.37	1.70	1.75
24	34.4	25.9	8.78	23.9	12.5	12.1	3.34	1.37	1.16	2.42	2.15	1.70
25	45.0	31.3	11.1	23.9	12.1	10.1	2.96	1.37	1.16	2.69	1.88	1.70
26	23.9	24.5	27.9	24.5	11.6	9.19	2.69	1.37	1.16	2.15	1.75	1.64
27	17.3	19.5	40.1	27.2	10.6	7.55	2.69	1.31	1.16	1.88	1.64	1.59
28	14.0	16.7	33.4	25.9	10.1	7.14	2.56	1.31	1.16	1.75	1.53	1.53
29	11.6		33.4	23.9	10.6	6.32	2.56	1.31	1.16	1.64	1.48	1.48
30	10.1		34.4	22.6	9.60	7.55	2.42	1.25	1.16	1.64	1.37	1.42
31	9.19		32.0		10.1		2.29	1.25		1.64		1.37
SD1	56.9	7.53	35.3	26.6	22.6	22.6	4.94	1.85	1.23	1.15	1.48	1.30
SD2	9.87	31.2	18.7	29.9	15.7	15.6	3.39	1.56	1.18	1.15	1.25	1.45
SD3	17.8	28.0	23.0	27.3	11.7	9.43	3.11	1.34	1.16	1.81	1.59	1.68
MAX	165	191	100	96.2	29.3	62.6	8.78	2.15	1.25	7.55	2.96	2.56
DAT	4	19	3	19	3	7	17	1	1	24	24	20
SR	27.9	21.8	25.6	27.9	16.5	15.9	3.79	1.57	1.19	1.39	1.44	1.48
MIN	5.91	3.58	8.78	17.3	9.60	6.32	2.29	1.25	1.16	1.12	1.18	1.18
DAT	20	17	24	18	30	29	31	30	17	18	20	13
		GMIN =	1.12			SRGOD=	12.1			GMAX =	191	
		DATUM	18 10							DATUM	19 2	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1987

Broj : 45954 Stanica : CRNA POLJANA Kota "0" = 965.80
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 123.80
 Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.16	23.3	5.26	15.6	20.0	25.2	3.58	1.31	1.04	1.04	1.04	14.5
2	1.18	16.1	5.02	12.5	22.0	23.9	3.34	1.31	1.04	1.02	1.04	12.1
3	5.91	13.0	6.73	10.1	25.2	23.3	3.10	1.31	1.04	1.02	1.04	10.6
4	2.83	11.1	4.78	8.78	27.2	22.6	3.10	1.25	1.04	1.00	1.04	8.78
5	1.75	9.60	3.34	8.78	25.9	21.3	2.96	1.20	1.02	1.00	1.04	7.55
6	1.64	8.78	2.96	10.1	37.2	20.0	2.83	1.20	1.02	1.00	1.04	8.37
7	1.64	7.96	2.83	13.5	42.0	20.0	2.69	1.18	1.02	1.00	1.04	8.78
8	1.59	7.14	2.83	17.8	32.0	18.9	2.42	1.16	1.00	1.00	1.04	12.5
9	1.53	6.73	2.83	22.0	26.5	17.8	2.29	1.14	1.00	1.00	1.04	40.1
10	1.70	6.73	2.69	30.0	23.3	15.6	2.29	1.12	1.00	1.00	1.12	29.3
11	4.54	6.73	2.69	39.2	22.6	14.0	2.02	1.12	1.00	1.00	1.42	22.0
12	12.1	8.78	2.69	32.0	22.6	13.5	1.88	1.10	1.00	1.48	1.31	17.8
13	7.96	10.6	2.56	26.5	23.9	12.5	1.75	1.10	1.00	2.42	1.25	13.0
14	30.6	11.6	2.56	22.6	29.3	12.5	1.70	1.08	1.00	1.75	1.20	11.1
15	54.2	11.6	2.42	20.0	43.0	12.1	1.64	1.06	1.00	1.64	3.10	59.0
16	33.4	13.0	2.42	17.8	41.1	11.6	1.64	1.04	1.00	1.59	10.1	46.0
17	20.0	13.0	2.42	16.1	39.2	11.6	1.64	1.04	1.00	1.53	6.32	29.3
18	15.6	11.1	2.42	15.6	37.2	10.1	1.59	1.04	1.00	1.48	5.50	22.6
19	13.0	9.60	2.42	17.8	39.2	8.78	1.53	1.04	1.00	1.42	4.54	18.9
20	10.6	12.1	5.26	23.9	39.2	6.73	1.53	1.04	1.00	1.37	4.06	16.7
21	8.37	16.7	14.0	30.6	46.0	5.91	1.48	1.04	1.00	1.31	3.82	13.5
22	6.73	14.5	8.37	41.1	33.4	5.50	1.48	1.04	1.00	1.25	3.10	12.1
23	5.50	12.5	5.91	34.4	32.0	5.26	1.42	1.04	1.00	1.20	2.83	10.6
24	5.02	10.6	4.54	28.6	27.2	5.02	1.42	1.04	1.00	1.18	4.78	9.60
25	4.30	8.78	4.30	25.9	26.5	5.02	1.37	1.04	1.00	1.14	12.1	7.96
26	3.82	7.55	4.30	26.5	24.5	4.78	1.31	1.04	1.00	1.14	31.3	7.14
27	3.82	6.32	4.30	27.9	23.9	4.54	1.31	1.04	1.00	1.12	35.3	6.32
28	6.73	5.91	4.78	26.5	23.3	4.30	1.31	1.04	1.31	1.10	27.2	6.32
29	67.6		9.19	22.6	25.2	4.06	1.31	1.04	1.16	1.10	20.6	5.50
30	94.9		21.3	19.5	28.6	3.58	1.31	1.04	1.04	1.08	17.8	5.02
31	38.2		20.0		27.9		1.31	1.04		1.06		4.54
SD1	2.09	11.0	3.93	14.9	28.1	20.9	2.86	1.22	1.02	1.01	1.05	15.3
SD2	20.2	10.8	2.79	23.1	33.7	11.3	1.69	1.07	1.00	1.57	3.88	25.6
SD3	22.3	10.4	9.18	28.4	29.0	4.80	1.37	1.04	1.05	1.15	15.9	8.05
MAX	152	28.6	22.6	43.0	52.0	25.9	3.58	1.31	4.54	2.83	37.2	84.5
DAT	30	1	30	22	21	1	1	1	28	13	27	15
SR	15.1	10.8	5.42	22.1	30.2	12.3	1.95	1.11	1.02	1.24	6.94	16.1
MIN	1.16	5.91	2.42	8.78	20.0	3.58	1.31	1.04	1.00	1.00	1.04	4.54
DAT	1	28	15	4	1	30	26	16	8	4	1	31
GMIN =		1.00		SRGOD=		10.4		GMAX =		152		
DATUM		8 9						DATUM		30 1		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1988

Broj : 45954 Stanica : CRNA POLJANA Kota "0" = 965.80
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 123.80
 Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	4.06	20.6	3.58	20.6	29.3	7.55	2.83	1.16	1.10	1.88	1.59	5.02
2	3.82	15.6	3.10	18.4	26.5	13.5	2.56	1.16	1.10	1.88	1.59	48.0
3	3.58	13.0	2.96	16.7	26.5	12.5	2.42	1.16	1.10	1.88	1.53	125
4	3.34	11.1	2.96	15.1	25.9	10.6	2.29	1.18	1.10	1.75	1.53	81.9
5	3.10	27.9	2.96	17.8	27.2	9.19	2.29	1.18	1.12	1.75	1.53	50.0
6	3.10	37.2	2.83	26.5	28.6	8.37	2.15	1.18	1.10	1.70	1.53	42.0
7	2.96	23.9	2.69	35.3	30.6	7.96	2.02	1.16	1.10	1.70	1.53	45.0
8	2.96	30.6	2.69	44.0	29.3	7.14	2.02	1.16	1.10	2.02	1.48	32.7
9	2.96	79.3	2.69	43.0	26.5	5.91	1.75	1.16	1.10	4.30	1.48	25.2
10	2.83	43.0	2.69	36.3	25.2	5.50	1.70	1.16	1.10	2.83	1.42	20.0
11	2.69	28.6	2.69	32.7	23.3	5.02	1.64	1.16	1.10	2.42	1.37	16.1
12	2.56	22.6	2.56	32.0	21.3	4.54	1.59	1.14	1.10	2.15	1.37	12.5
13	2.42	18.4	2.56	34.4	20.0	7.14	1.53	1.14	1.10	2.02	1.42	10.1
14	2.29	15.1	2.56	43.0	18.9	7.96	1.53	1.14	1.31	1.88	1.48	8.78
15	2.02	12.5	2.69	33.4	18.9	6.73	1.53	1.14	4.30	1.75	1.48	7.14
16	2.02	11.1	3.58	26.5	17.3	5.91	1.53	1.14	9.60	1.75	1.48	6.32
17	2.02	9.60	16.7	22.0	15.1	5.50	1.53	1.16	4.30	1.75	1.42	5.50
18	2.02	8.37	15.6	18.4	13.5	5.26	1.53	1.16	8.37	1.70	1.42	5.50
19	1.88	7.55	10.6	16.1	12.5	5.26	1.48	1.16	5.26	1.70	1.42	5.02
20	1.88	6.73	7.96	15.1	12.1	4.54	1.48	1.14	3.58	1.70	1.64	4.54
21	1.75	5.91	6.32	15.6	11.1	4.30	1.42	1.14	2.83	1.75	2.83	4.06
22	1.75	4.78	5.91	17.3	10.6	3.82	1.37	1.12	3.10	1.88	100	3.58
23	1.75	4.78	32.0	19.5	9.60	3.58	1.37	1.14	3.34	1.75	54.2	3.34
24	1.70	4.78	31.3	22.6	8.37	3.34	1.31	1.16	2.83	1.75	25.2	3.34
25	1.64	5.26	23.9	35.3	7.55	3.82	1.25	1.16	2.56	1.75	16.1	2.96
26	5.26	4.54	21.3	41.1	7.14	4.06	1.25	1.16	2.29	1.75	11.1	2.83
27	5.26	4.54	27.2	36.3	6.73	3.58	1.20	1.16	2.02	1.75	8.37	2.56
28	3.82	4.06	25.2	32.7	6.32	3.34	1.18	1.14	1.88	1.70	7.14	2.56
29	3.82	3.82	19.5	31.3	9.19	3.10	1.18	1.14	1.88	1.70	7.14	2.83
30	20.6		16.1	31.3	8.37	2.96	1.18	1.12	1.88	1.70	5.50	2.83
31	34.4		16.7		7.14		1.18	1.12		1.64		2.69
SD1	3.27	30.2	2.92	27.4	27.6	8.82	2.20	1.17	1.10	2.17	1.52	47.5
SD2	2.18	14.1	6.75	27.4	17.3	5.79	1.54	1.15	4.00	1.88	1.45	8.15
SD3	7.43	4.72	20.5	28.3	8.37	3.59	1.26	1.14	2.46	1.74	23.8	3.05
MAX	55.4	104	50.0	48.0	30.6	14.5	2.83	1.18	25.2	7.55	100	125
DAT	30	9	23	8	7	2	1	4	15	8	22	3
SR	4.40	16.7	10.4	27.7	17.4	6.07	1.65	1.15	2.52	1.92	8.91	19.0
MIN	1.64	3.82	2.56	15.1	6.32	2.96	1.18	1.12	1.10	1.64	1.37	2.56
DAT	25	29	12	4	28	30	28	22	1	31	11	27
GMIN =		1.10		SRGOD=		9.77		GMAX =		125		
DATUM		1 9						DATUM		3 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1989

Broj : 45954 Stanica : CRNA POLJANA Kota "0" = 965.80
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 123.80
 Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	2.56	1.70	20.0	11.1	19.5	5.02	3.58	1.70	13.5	2.69	4.06	20.6
2	2.56	1.70	54.2	13.5	19.5	5.02	3.34	8.78	12.5	2.29	3.82	17.3
3	2.42	2.02	32.7	14.0	20.0	5.02	3.10	4.06	11.6	2.15	3.58	14.5
4	2.29	2.02	27.9	13.0	18.9	4.78	3.34	3.10	9.19	2.02	3.34	14.0
5	2.29	2.02	22.0	13.5	18.4	4.54	2.96	2.83	7.55	2.02	3.82	7.55
6	2.29	2.02	17.3	14.5	17.3	4.54	2.83	2.56	6.73	1.88	4.78	5.50
7	2.29	2.02	16.1	15.1	18.4	5.26	2.69	2.42	5.91	1.75	40.1	5.50
8	2.29	1.88	14.0	12.1	15.6	4.78	2.42	2.29	5.50	5.26	32.0	5.02
9	2.29	1.88	11.6	10.6	14.5	4.54	2.42	2.29	5.50	26.5	24.5	4.30
10	2.29	1.88	9.19	8.78	13.0	4.30	2.15	3.34	16.1	102	20.6	3.82
11	2.29	1.88	7.96	8.37	12.1	3.82	2.15	2.69	15.6	70.2	17.8	2.96
12	2.29	1.88	6.32	8.37	12.1	3.58	2.02	2.96	14.0	42.0	15.1	2.96
13	2.29	1.88	5.26	9.19	13.0	3.58	2.83	2.83	13.0	30.0	12.1	2.96
14	2.29	1.88	5.02	11.1	15.6	3.34	3.10	2.56	11.6	24.5	10.6	3.10
15	2.15	1.88	5.26	10.6	15.1	3.34	2.56	2.56	10.6	23.3	9.19	4.54
16	2.15	1.88	5.50	10.6	13.5	3.10	2.69	2.56	9.19	22.0	9.19	9.19
17	2.02	1.88	7.55	11.6	13.0	5.02	2.29	2.42	8.37	17.3	7.96	18.9
18	2.02	1.88	9.60	40.1	13.5	5.91	2.02	2.29	7.14	14.0	7.14	20.6
19	2.02	1.88	12.1	35.3	15.1	5.26	2.15	2.29	6.32	12.1	6.73	23.3
20	2.02	1.70	15.1	27.9	13.0	5.02	1.88	2.15	5.91	10.6	5.91	25.2
21	2.02	1.59	18.9	24.5	12.1	5.26	1.75	2.02	5.50	9.19	5.91	21.3
22	2.02	1.37	23.3	23.9	11.1	4.78	1.70	1.88	5.26	8.37	5.50	18.4
23	2.02	1.37	20.6	23.9	10.1	4.54	1.64	1.75	5.02	7.96	31.3	16.1
24	1.88	1.42	17.3	20.0	9.19	5.02	1.53	1.75	4.78	7.55	36.3	14.0
25	1.88	2.42	14.5	17.3	8.37	4.78	1.59	1.75	4.78	7.14	72.8	12.1
26	1.75	34.4	12.1	16.1	7.14	4.54	2.02	1.75	4.30	6.73	63.8	9.60
27	1.75	30.6	10.6	16.7	6.73	4.30	1.88	1.75	4.06	5.91	43.0	7.55
28	1.75	18.9	9.60	17.3	5.91	4.30	1.88	2.02	3.82	5.50	32.7	6.73
29	1.75		9.19	16.7	5.50	4.06	1.75	46.0	4.54	5.02	28.6	5.50
30	1.70		9.19	20.0	5.26	3.82	1.64	24.5	3.34	4.54	23.9	5.26
31	1.70		10.1		5.02		1.59	17.3		4.30		4.78
SD1	2.36	1.91	22.5	12.6	17.5	4.78	2.88	3.34	9.41	14.9	14.1	9.81
SD2	2.15	1.86	7.97	17.3	13.6	4.20	2.37	2.53	10.2	26.6	10.2	11.4
SD3	1.84	11.5	14.1	19.6	7.86	4.54	1.72	9.32	4.54	6.56	34.4	11.0
MAX	2.56	81.9	71.5	45.0	21.3	6.32	9.19	84.5	18.4	104	104	25.9
DAT	1	26	2	18	3	18	1	29	10	10	25	20
SR	2.11	4.64	14.8	16.5	12.8	4.51	2.31	5.20	8.04	15.7	19.5	10.7
MIN	1.70	1.37	5.02	8.37	5.02	3.10	1.53	1.70	3.34	1.75	3.34	2.96
DAT	30	22	14	11	31	16	24	1	30	7	4	11

GMIN = 1.37			SRGOD= 9.76					GMAX = 104				
DATUM 22 2								DATUM 10 10				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1990

Broj : 45954 Stanica : CRNA POLJANA Kota "0" = 965.80
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 123.80
 Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	4.30	3.10	3.58	2.96	14.5	3.34	1.59	1.20	1.18	1.00	9.19	15.6
2	4.30	2.83	5.50	2.83	12.1	3.10	1.48	1.20	1.16	1.00	6.32	12.5
3	3.82	2.56	5.50	2.83	10.1	3.10	1.48	1.20	1.14	1.00	9.60	9.60
4	3.82	2.42	4.78	2.69	8.78	3.10	1.48	1.20	1.14	1.00	7.14	8.37
5	3.34	2.29	4.06	2.69	7.55	2.96	1.48	1.20	1.14	1.00	5.91	7.14
6	2.83	2.15	3.82	2.56	6.73	2.83	1.42	1.20	1.12	1.00	5.26	5.91
7	2.69	2.02	3.82	2.96	6.32	2.69	1.42	1.20	1.12	1.00	5.02	5.50
8	2.02	2.02	3.82	15.6	5.50	2.69	1.31	1.20	1.12	1.10	4.54	5.02
9	1.88	1.88	4.06	17.8	5.02	2.69	1.25	1.18	1.12	1.25	3.82	4.54
10	1.88	1.88	4.30	26.5	5.02	2.69	1.20	1.18	1.10	1.08	3.34	26.5
11	1.75	1.75	4.30	27.9	5.02	2.56	1.20	1.18	1.08	1.04	2.96	40.1
12	1.75	1.70	4.54	22.0	4.78	2.42	1.20	1.18	1.08	1.04	2.69	25.2
13	1.75	1.75	4.54	18.4	4.78	2.29	1.20	1.18	1.08	1.04	2.56	19.5
14	1.75	1.70	4.78	15.6	4.06	2.29	1.20	1.18	1.08	1.04	2.69	16.7
15	1.70	1.75	4.78	15.1	3.58	2.29	1.20	1.18	1.06	1.04	3.34	15.6
16	1.70	5.02	4.54	14.0	3.58	2.56	1.20	1.18	1.04	1.04	2.96	12.1
17	1.59	3.82	4.30	11.6	3.82	2.42	1.20	1.18	1.02	1.02	2.15	9.60
18	1.42	3.10	3.82	9.60	3.58	2.15	1.20	1.18	1.00	1.02	2.15	7.96
19	1.42	2.83	3.58	10.6	3.34	2.02	1.20	1.18	1.00	1.02	2.15	6.73
20	1.42	2.83	3.34	10.1	3.34	2.02	1.20	1.18	1.00	1.02	2.02	5.91
21	1.37	2.69	3.34	21.3	3.10	1.88	1.20	1.18	1.00	1.02	2.02	5.26
22	1.31	2.69	3.10	71.5	3.10	1.75	1.20	1.18	1.00	1.02	1.88	5.02
23	1.25	2.56	3.10	91.0	4.06	1.70	1.20	1.18	1.00	1.02	2.15	4.54
24	1.25	2.56	3.10	87.1	4.30	1.64	1.20	1.18	1.00	1.02	30.6	4.06
25	1.25	2.56	3.10	51.0	4.06	1.59	1.20	1.18	1.00	1.04	26.5	3.58
26	1.25	2.42	3.10	32.0	4.06	1.53	1.20	1.18	1.00	1.04	18.4	3.58
27	2.02	2.42	3.34	30.6	4.06	1.53	1.20	1.18	1.00	1.04	28.6	3.58
28	1.70	4.54	4.30	19.5	4.06	1.53	1.20	1.18	1.00	1.10	33.4	4.54
29	2.56		4.06	18.4	4.30	1.53	1.20	1.18	1.00	1.37	30.0	4.06
30	4.54		3.58	16.7	4.30	1.59	1.20	1.18	1.00	10.1	20.6	4.06
31	4.06		3.34		3.58		1.20	1.18		10.1		3.82
SD1	3.09	2.32	4.32	7.94	8.16	2.92	1.41	1.20	1.13	1.04	6.01	10.1
SD2	1.63	2.63	4.25	15.5	3.99	2.30	1.20	1.18	1.04	1.03	2.57	15.9
SD3	2.05	2.80	3.41	43.9	3.91	1.63	1.20	1.18	1.00	2.72	19.4	4.19
MAX	5.02	6.73	7.14	113	15.6	3.58	1.88	1.20	1.18	10.1	33.4	40.1
DAT	30	16	2	23	1	1	1	1	1	31	28	11
SR	2.25	2.57	3.97	22.4	5.31	2.28	1.27	1.19	1.06	1.63	9.33	9.88
MIN	1.25	1.70	3.10	2.56	3.10	1.53	1.20	1.18	1.00	1.00	1.88	3.58
DAT	23	12	22	6	21	26	10	9	18	1	22	25

GMIN = 1.00			SRGOD= 5.25				GMAX = 113					
DATUM 18 9							DATUM 23 4					

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1991

Broj : 45954 Stanica : CRNA POLJANA Kota "0" = 965.80
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 123.80
 Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	4.06	1.53	3.82	11.6	17.8	11.6	2.96	1.88	1.12	1.06	1.70	11.6
2	5.50	1.42	4.30	10.6	16.7	12.5	3.34	2.42	1.12	1.12	1.59	8.37
3	5.26	1.42	5.02	8.78	16.7	9.19	3.82	2.02	1.12	1.08	1.53	6.73
4	5.02	1.42	5.50	8.37	39.2	16.1	3.34	1.88	1.10	1.08	1.48	5.26
5	4.78	1.42	5.26	7.14	40.1	17.3	3.58	1.70	1.10	1.08	4.78	4.54
6	4.78	1.42	5.02	7.14	30.6	17.8	3.82	1.64	1.10	1.08	23.9	3.82
7	4.54	1.42	7.96	7.14	28.6	17.3	3.10	1.59	1.10	1.08	13.5	2.96
8	4.30	1.42	13.5	6.73	29.3	25.2	2.69	1.53	1.08	1.08	9.19	2.69
9	4.30	5.02	15.1	6.73	25.9	42.0	2.56	1.48	1.08	1.08	6.32	2.42
10	4.30	4.30	15.6	6.73	24.5	25.9	2.42	1.42	1.08	1.06	5.91	2.42
11	4.30	7.14	15.6	6.73	30.0	21.3	2.15	1.37	1.08	1.08	7.14	2.15
12	4.30	23.3	15.6	6.73	30.6	18.4	2.15	1.31	1.08	1.06	5.02	2.15
13	4.30	19.5	14.5	6.32	25.2	16.1	2.02	1.25	1.08	1.06	4.30	2.02
14	4.30	13.5	13.0	6.32	21.3	14.5	1.88	1.31	1.06	1.48	4.30	1.70
15	4.30	9.19	12.1	6.32	20.0	12.5	2.02	1.37	1.06	1.25	36.3	1.70
16	3.82	6.32	11.6	6.32	19.5	11.1	2.29	1.31	1.06	1.31	84.5	1.59
17	3.58	5.50	11.6	6.32	37.2	9.60	2.02	1.31	1.06	1.37	138	1.59
18	3.34	4.78	9.60	12.1	34.4	9.19	1.75	1.25	1.06	1.25	78.0	1.53
19	3.10	4.30	9.19	18.9	27.2	8.78	1.88	1.20	1.06	1.16	42.0	1.53
20	2.96	4.06	8.37	18.9	21.3	7.96	1.70	1.18	1.06	8.37	32.0	1.53
21	2.83	4.06	8.37	18.9	17.8	6.73	1.64	1.18	1.06	22.0	32.7	1.53
22	2.69	3.82	10.1	18.4	16.1	5.50	1.53	1.18	1.06	30.6	40.1	1.48
23	2.56	3.82	12.1	18.4	16.1	5.02	1.59	1.16	1.06	14.0	32.7	1.37
24	2.42	3.82	14.0	18.4	20.0	4.54	1.53	1.14	1.06	8.37	28.6	1.37
25	2.29	3.58	15.1	16.7	18.4	4.06	1.48	1.14	1.06	5.26	27.2	1.25
26	2.15	3.58	15.6	14.5	16.1	3.82	1.48	1.14	1.06	4.06	25.9	1.20
27	2.15	3.58	15.6	15.6	14.5	3.58	2.02	1.14	1.06	3.10	22.0	1.20
28	2.02	3.82	15.6	17.3	14.0	3.34	3.10	1.12	1.06	2.56	18.4	1.20
29	2.02		15.1	17.8	12.5	3.34	2.42	1.12	1.06	2.29	16.1	1.18
30	1.88		15.1	17.8	12.1	3.34	2.42	1.12	1.06	2.02	14.0	1.16
31	1.75		13.5		11.6		2.02	1.12		1.88		1.16
SD1	4.68	2.08	8.11	8.10	26.9	19.5	3.16	1.76	1.10	1.08	6.99	5.08
SD2	3.83	9.76	12.1	9.50	26.7	12.9	1.99	1.29	1.07	1.94	43.2	1.75
SD3	2.25	3.76	13.7	17.4	15.4	4.33	1.93	1.14	1.06	8.74	25.8	1.28
MAX	5.91	27.2	17.3	18.9	51.0	55.4	7.14	2.56	1.12	54.2	170	13.0
DAT	2	12	10	19	5	9	3	2	1	22	17	1
SR	3.55	5.30	11.4	11.7	22.8	12.3	2.35	1.39	1.08	4.08	25.3	2.66
MIN	1.75	1.42	3.82	6.32	11.6	3.34	1.48	1.12	1.06	1.06	1.48	1.16
DAT	31	2	1	13	31	28	25	28	14	1	4	30

GMIN = 1.06			SRGOD= 8.63					GMAX = 170				
DATUM 14 9								DATUM 17 11				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1992

Broj : 45954 Stanica :CRNA POLJANA Kota "0" = 965.80
Nacin osmat.: limnigraf Rijeka :TARA km od usca = 123.80
Pocetak rada: 1957 Sliv :DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.44	1.25	1.33	13.9	29.9	3.73	5.46	1.42	1.02	1.29	27.2	7.84
2	1.36	1.25	1.35	18.9	25.0	3.39	5.46	1.42	1.02	1.26	21.3	6.52
3	1.39	1.25	1.40	19.5	22.3	2.89	4.85	1.42	1.02	1.26	18.4	5.93
4	1.36	1.25	1.40	20.9	18.1	2.89	4.55	1.42	1.02	1.34	15.6	6.52
5	1.36	1.25	1.43	21.6	15.6	2.71	3.94	1.37	1.02	1.46	14.0	5.63
6	1.34	1.25	1.45	23.0	13.9	2.37	3.59	1.37	1.02	6.22	12.5	18.0
7	1.34	1.25	1.48	30.6	12.6	2.21	3.59	1.42	1.02	170	11.1	18.7
8	1.34	1.25	1.48	29.9	11.0	2.55	4.55	1.42	1.02	45.0	9.19	18.0
9	1.34	1.25	1.45	25.8	9.44	2.71	3.42	1.42	1.02	20.0	7.14	20.0
10	1.34	1.25	1.45	25.0	8.93	2.55	4.55	1.37	1.04	16.7	5.50	20.0
11	1.36	1.25	1.43	22.3	8.41	2.14	3.76	1.42	1.04	10.9	4.78	18.7
12	1.39	1.25	1.43	18.1	7.39	6.33	3.42	1.37	1.04	91.9	6.73	16.7
13	1.36	1.25	1.43	15.1	6.58	12.7	3.42	1.42	1.04	55.8	12.5	15.5
14	1.34	1.25	1.43	12.6	5.98	16.4	3.07	1.42	1.02	43.8	10.1	13.1
15	1.34	1.25	1.91	10.5	5.38	13.4	3.07	1.42	1.02	38.8	9.19	10.9
16	1.31	1.25	1.91	10.0	4.78	10.0	2.91	1.42	1.02	37.9	8.37	9.36
17	1.29	1.88	1.71	15.6	4.18	12.7	2.57	1.42	1.02	38.8	39.2	7.33
18	1.29	2.02	1.56	25.0	3.70	12.7	2.57	1.31	1.02	308	167	6.22
19	1.29	1.61	1.50	22.3	3.54	12.1	2.39	1.25	1.02	98.3	98.8	5.63
20	1.26	1.43	1.50	18.9	3.54	11.1	2.16	1.18	1.02	41.4	49.0	4.74
21	1.26	1.38	1.48	18.9	3.36	11.1	2.16	1.14	1.02	35.5	30.6	4.44
22	1.26	1.35	1.48	17.5	3.20	7.96	2.08	1.12	1.02	45.0	23.9	4.14
23	1.26	1.33	1.56	18.1	3.03	6.93	2.02	1.10	1.02	38.8	20.6	3.84
24	1.26	1.28	6.88	19.5	2.86	6.93	2.02	1.08	1.02	45.0	19.5	3.67
25	1.26	1.28	20.9	20.9	2.69	6.93	1.94	1.08	1.02	48.6	17.3	3.34
26	1.26	1.25	22.3	23.6	2.53	7.96	1.88	1.06	1.02	46.1	15.1	3.34
27	1.26	1.28	34.9	28.3	2.35	6.93	1.80	1.04	1.02	55.8	13.0	3.34
28	1.26	1.28	27.5	30.6	2.35	6.02	1.80	1.04	1.02	37.9	10.6	3.17
29	1.26	1.30	22.3	29.9	2.53	5.72	1.80	1.04	1.02	39.7	9.19	3.00
30	1.26		19.5	28.3	2.86	5.42	1.80	1.04	1.04	42.7	7.96	3.00
31	1.26		15.6		3.20		1.80	1.02		35.5		2.84
SD1	1.36	1.25	1.42	22.9	16.7	2.80	4.40	1.40	1.02	26.5	14.2	12.7
SD2	1.32	1.44	1.58	17.0	5.35	11.0	2.93	1.36	1.03	76.6	40.6	10.8
SD3	1.26	1.30	15.9	23.6	2.81	7.19	1.92	1.07	1.02	42.8	16.8	3.47
MAX	1.44	2.96	38.5	32.6	31.9	17.8	6.32	1.42	1.04	468	211	23.4
DAT	1	18	27	7	1	14	1	1	10	18	18	9
SR	1.31	1.33	6.59	21.2	8.10	6.98	3.05	1.27	1.02	48.4	23.8	8.82
MIN	1.26	1.25	1.33	10.0	2.35	2.14	1.80	1.02	1.02	1.26	4.78	2.84
DAT	20	1	1	16	27	11	27	31	1	2	11	31

GMIN =			1.02	SRGOD=				11.0	GMAX =			468
DATUM			31 8						DATUM			18 10

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1993

Broj : 45954 Stanica :CRNA POLJANA Kota "0" = 965.80
Nacin osmat.: limnigraf Rijeka :TARA km od usca = 123.80
Pocetak rada: 1957 Sliv :DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	2.15	1.14	1.18	2.42	17.8	2.83	1.31	1.10	1.08	1.64	1.64	6.73
2	2.15	1.14	1.18	2.29	16.1	2.69	1.31	1.10	1.08	2.15	1.59	6.32
3	2.15	1.25	1.16	2.29	15.1	2.56	1.31	1.10	1.08	7.96	1.64	5.91
4	2.02	1.31	1.16	2.96	14.5	2.56	1.31	1.10	1.08	20.0	8.37	5.26
5	2.02	1.31	1.14	3.34	14.0	2.42	1.25	1.10	10.6	9.60	80.6	5.02
6	2.02	1.31	1.14	3.58	14.0	2.29	1.25	1.10	7.96	7.96	96.2	4.78
7	2.02	1.31	1.16	4.78	13.5	1.88	1.25	1.14	4.78	5.50	83.2	4.54
8	2.02	1.31	1.16	5.50	12.5	1.70	1.25	1.16	2.69	4.54	38.2	10.6
9	2.02	1.25	1.31	7.55	12.1	1.59	1.25	1.16	1.59	6.32	25.9	13.5
10	1.75	1.25	1.31	7.55	11.1	1.59	1.25	1.16	1.48	6.32	20.0	14.0
11	1.70	1.25	1.31	7.55	9.60	1.70	1.25	1.16	1.48	4.54	17.3	18.4
12	1.70	1.20	1.37	30.6	8.78	1.70	1.37	1.14	2.15	4.06	15.1	36.3
13	1.70	1.25	1.37	60.2	8.37	1.64	1.37	1.10	2.02	3.34	18.9	27.9
14	1.70	1.25	1.42	43.0	7.55	1.64	1.31	1.10	1.70	2.96	20.6	23.9
15	1.64	1.20	1.42	36.3	7.14	1.64	1.31	1.10	1.64	2.83	18.9	105
16	1.64	1.20	1.59	38.2	7.14	1.70	1.25	1.10	2.15	2.42	24.5	159
17	1.59	1.20	2.29	32.7	6.32	1.64	1.20	1.10	1.75	2.29	21.3	148
18	1.59	1.20	2.29	26.5	5.91	1.64	1.18	1.10	1.64	2.15	18.4	91.0
19	1.53	1.20	2.15	22.0	5.50	1.59	1.16	1.10	1.53	1.88	15.6	67.6
20	1.53	1.20	2.02	22.6	5.26	1.59	1.16	1.10	1.48	1.75	14.0	56.6
21	1.48	1.20	1.88	22.0	5.02	1.53	1.16	1.10	1.42	1.75	13.0	49.0
22	1.42	1.20	1.88	22.0	4.78	1.48	1.16	1.10	1.42	1.70	11.1	61.4
23	1.37	1.20	1.75	22.0	4.54	1.42	1.16	1.10	1.42	1.75	10.1	65.0
24	1.37	1.25	2.02	21.3	4.06	1.37	1.16	1.10	1.31	2.69	9.19	60.2
25	1.31	1.25	2.29	21.3	4.06	1.37	1.16	1.08	1.31	2.42	8.78	67.6
26	1.37	1.25	2.96	20.6	3.82	1.37	1.14	1.08	1.25	2.15	8.78	55.4
27	1.25	1.25	5.91	20.6	3.58	1.37	1.14	1.08	1.20	2.02	8.37	40.1
28	1.25	1.25	4.30	20.0	3.34	1.31	1.14	1.08	1.25	1.75	7.55	35.3
29	1.25		3.34	19.5	3.10	1.31	1.12	1.08	1.25	1.70	7.55	30.0
30	1.16		2.83	18.9	2.96	1.31	1.12	1.08	1.70	1.64	7.14	30.0
31	1.25		2.56		2.83		1.10	1.08		1.70		24.5
SD1	2.03	1.26	1.19	4.23	14.1	2.21	1.27	1.12	3.34	7.20	35.7	7.67
SD2	1.63	1.21	1.72	32.0	7.16	1.65	1.26	1.11	1.75	2.82	18.5	73.4
SD3	1.32	1.23	2.88	20.8	3.83	1.38	1.14	1.09	1.35	1.93	9.16	47.1
MAX	2.15	1.31	7.96	63.8	18.9	2.83	1.31	1.16	14.0	25.2	135	190
DAT	1	4	27	13	1	1	1	8	5	4	5	16
SR	1.65	1.24	1.96	19.0	8.21	1.75	1.22	1.11	2.15	3.92	21.1	42.9
MIN	1.16	1.14	1.14	2.29	2.83	1.31	1.10	1.08	1.08	1.64	1.59	4.54
DAT	30	1	5	2	31	28	31	25	1	1	2	7

GMIN = 1.08			SRGOD= 8.89				GMAX = 190					
DATUM 25 8									DATUM 16 12			

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1994

Broj : 45954 Stanica : CRNA POLJANA Kota "0" = 965.80
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 123.80
 Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII		
1	20.0	3.82	5.50	10.6	27.9	7.14	2.56	1.37	1.12	1.20	7.55	1.88		
2	18.9	3.82	5.50	14.5	25.2	5.91	2.42	1.37	1.12	1.20	5.02	1.88		
3	16.7	3.82	7.55	19.5	22.6	5.26	2.29	1.37	1.12	1.20	4.30	1.88		
4	14.5	4.06	12.1	19.5	18.9	5.02	2.15	1.37	1.12	1.59	3.58	1.75		
5	30.0	4.06	11.1	19.5	17.3	4.78	2.02	1.37	1.12	2.96	2.96	1.75		
6	40.1	4.06	9.19	22.6	17.8	4.54	2.02	1.37	1.12	1.59	2.83	1.75		
7	32.0	3.82	7.96	23.3	16.1	4.54	2.02	1.37	1.12	1.37	2.69	1.70		
8	30.6	3.82	7.14	22.0	13.5	4.30	2.02	1.31	1.12	1.25	2.69	1.64		
9	30.0	3.82	7.14	22.0	13.0	3.82	1.88	1.25	1.12	1.25	2.83	1.64		
10	27.9	3.82	6.73	26.5	11.1	3.58	1.75	1.20	1.12	1.20	2.83	1.64		
11	24.5	2.83	5.91	91.0	10.6	3.58	1.88	1.20	1.12	1.20	9.60	2.02		
12	22.6	2.83	5.91	144	10.6	3.58	1.88	1.18	1.08	1.18	11.1	1.75		
13	20.0	2.29	6.32	130	10.6	3.82	1.88	1.18	1.08	1.16	11.1	1.70		
14	17.3	2.29	8.78	84.5	10.6	14.5	1.70	1.18	1.08	1.16	8.78	1.64		
15	15.6	2.29	11.1	60.2	11.1	5.50	1.70	1.18	1.20	1.16	8.78	1.64		
16	15.1	2.02	12.5	47.0	13.0	5.26	1.64	1.18	2.15	1.16	8.78	1.64		
17	16.1	2.83	14.0	65.0	13.0	5.02	1.64	1.18	1.53	1.16	8.37	1.64		
18	16.1	6.32	13.0	98.8	12.5	4.54	1.59	1.18	1.53	1.16	8.37	1.64		
19	14.0	6.32	11.6	91.0	19.5	4.30	1.53	1.16	1.53	1.16	8.37	1.64		
20	13.5	6.32	10.6	65.0	17.8	4.06	1.53	1.16	1.88	1.16	6.73	1.64		
21	15.6	7.14	9.19	48.0	15.6	4.06	1.48	1.16	1.42	1.18	6.73	1.64		
22	14.0	6.32	8.37	41.1	14.5	3.82	1.42	1.16	1.25	1.18	6.73	1.64		
23	12.1	6.32	8.37	35.3	14.5	3.58	1.25	1.16	1.20	1.20	6.73	1.64		
24	10.6	6.32	8.37	32.0	14.0	3.10	1.16	1.16	1.20	1.20	5.50	1.64		
25	9.19	7.14	8.37	28.6	13.5	3.10	1.16	1.16	1.20	1.42	5.50	1.64		
26	5.50	5.50	9.19	27.9	13.0	2.96	1.18	1.16	1.20	1.20	5.26	1.64		
27	5.50	5.26	11.1	26.5	11.6	2.69	1.42	1.16	1.20	1.20	5.26	1.64		
28	4.78	5.26	10.6	27.9	10.6	2.83	1.42	1.16	1.20	1.20	4.06	1.64		
29	4.78		10.6	26.5	9.60	3.34	1.42	1.14	1.20	7.14	4.06	1.64		
30	4.78		10.6	27.9	8.37	3.10	1.42	1.14	1.20	25.2	4.06	1.59		
31	4.06		10.6		8.37		1.42	1.14		13.0		4.78		
SD1	26.1	3.89	7.99	20.0	18.3	4.89	2.11	1.33	1.12	1.48	3.73	1.75		
SD2	17.5	3.63	9.97	87.7	12.9	5.42	1.70	1.18	1.42	1.17	9.00	1.70		
SD3	8.26	6.16	9.58	32.2	12.1	3.26	1.34	1.15	1.23	5.01	5.39	1.92		
MAX	61.4	7.14	14.0	202	29.3	31.3	2.56	1.37	3.10	30.6	11.1	48.0		
DAT	6	25	17	12	1	14	1	1	16	30	12	31		
SR	17.0	4.45	9.19	46.6	14.4	4.52	1.70	1.22	1.26	2.63	6.04	1.79		
MIN	4.06	2.02	5.50	10.6	8.37	2.69	1.16	1.14	1.08	1.16	2.69	1.59		
DAT	31	16	1	1	30	27	24	29	12	13	7	30		

GMIN = 1.08			SRGOD= 9.21			GMAX = 202								
DATUM 12 9						DATUM 12 4								

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1995

Broj : 45954 Stanica : CRNA POLJANA Kota "0" = 965.80
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 123.80
 Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	17.3	14.0	33.4	13.5	25.2	11.6	1.75	1.48	4.54	6.32	1.70	20.0
2	130	11.6	24.5	11.1	26.5	12.1	1.70	1.37	3.58	5.26	1.70	17.8
3	40.1	9.19	20.6	10.1	30.0	9.19	1.70	1.37	2.83	4.78	1.64	15.1
4	22.0	7.55	18.9	12.5	26.5	6.73	1.70	1.31	5.02	4.54	1.64	13.0
5	15.6	7.55	19.5	17.3	23.3	5.02	1.70	1.31	5.91	4.30	1.64	11.6
6	12.5	6.73	18.9	19.5	20.6	4.30	1.64	1.31	22.6	3.82	1.59	11.6
7	10.6	6.73	17.8	23.3	19.5	3.82	1.64	1.31	22.6	3.58	1.59	12.1
8	9.19	5.91	15.6	23.9	20.6	3.58	1.59	1.31	15.6	3.10	1.53	10.6
9	7.55	5.26	13.0	23.3	24.5	2.96	1.59	1.31	22.0	2.96	1.53	10.1
10	5.91	10.1	11.1	18.9	26.5	2.56	1.59	1.31	16.7	2.83	1.53	9.60
11	5.26	10.6	9.19	15.6	29.3	2.29	1.59	1.31	13.0	2.83	1.53	9.19
12	4.54	7.96	7.55	13.0	37.2	2.02	1.59	1.31	10.6	2.83	1.53	8.78
13	3.82	6.73	6.32	12.1	105	2.15	1.59	1.31	7.96	2.83	1.53	8.78
14	3.34	6.73	5.91	10.6	167	2.02	1.53	1.31	7.55	2.69	1.53	8.78
15	3.10	6.73	4.54	9.19	104	1.75	1.53	1.31	22.6	2.69	1.53	10.6
16	2.96	5.91	4.06	8.37	74.1	1.75	1.53	1.31	25.2	2.56	1.53	10.6
17	2.83	5.91	3.82	8.37	48.0	1.75	1.53	1.31	20.6	2.56	1.59	10.6
18	2.69	5.26	3.58	7.55	37.2	1.75	1.53	1.31	16.7	2.42	15.6	12.1
19	2.69	18.4	3.34	7.55	32.7	1.75	1.48	1.31	13.0	2.42	20.6	17.8
20	2.69	20.6	3.58	8.37	31.3	1.75	1.48	1.31	20.0	2.29	14.5	21.3
21	2.56	15.6	9.19	10.1	29.3	1.75	1.42	1.31	27.9	2.29	12.1	20.6
22	2.56	12.5	7.96	12.1	27.9	1.75	1.42	1.31	26.5	2.29	10.1	18.4
23	2.56	12.5	6.73	16.7	25.9	1.75	1.37	1.31	25.9	2.15	8.78	18.9
24	3.10	19.5	5.91	20.6	24.5	1.75	1.37	1.31	22.6	2.02	7.55	96.2
25	5.91	34.4	5.26	52.0	23.9	1.75	1.37	1.31	19.5	2.02	7.14	111
26	5.02	30.6	5.02	56.6	22.0	1.75	1.37	2.02	16.1	1.88	6.32	144
27	27.9	60.2	5.26	61.4	19.5	1.75	1.42	4.30	12.5	1.75	7.55	225
28	32.7	53.0	25.2	42.0	17.8	1.75	1.37	2.29	9.60	1.75	14.0	214
29	18.4		25.2	31.3	16.1	1.75	1.37	7.55	8.78	1.75	23.3	105
30	16.1		18.9	27.9	16.1	1.75	1.48	6.73	7.55	1.70	22.6	81.9
31	16.1		15.6		14.5		1.59	5.02		1.70		70.2
SD1	27.1	8.46	19.3	17.3	24.3	6.19	1.66	1.34	12.1	4.15	1.61	13.1
SD2	3.39	9.48	5.19	10.1	66.6	1.90	1.54	1.31	15.7	2.61	6.15	11.9
SD3	12.1	29.8	11.8	33.1	21.6	1.75	1.41	3.13	17.7	1.94	11.9	100
MAX	187	72.8	42.0	67.6	209	13.0	2.83	9.60	32.0	6.73	30.6	272
DAT	2	27	1	27	14	2	27	29	20	1	18	27
SR	14.1	14.9	12.1	20.2	37.0	3.28	1.53	1.97	15.2	2.87	6.57	43.7
MIN	2.56	5.26	3.34	7.55	14.5	1.75	1.37	1.31	2.83	1.70	1.53	8.78
DAT	21	9	19	18	31	15	23	4	3	30	8	12
GMIN =		1.31		SRGOD=		14.5		GMAX =		272		
DATUM		4 8						DATUM		27 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1996

Broj : 45954 Stanica : CRNA POLJANA Kota "0" = 965.80
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 123.80
 Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	78.0	4.78	3.82	18.9	50.0	11.6	2.02	1.16	1.12	20.0	16.7	48.0
2	75.4	4.54	3.82	22.6	61.4	10.6	1.88	1.16	1.10	16.1	15.6	45.0
3	67.6	4.54	3.58	104	66.3	9.60	1.75	1.16	1.12	15.1	12.5	39.2
4	60.2	5.91	3.34	89.7	68.9	9.19	1.70	1.16	1.12	13.5	11.1	34.4
5	52.0	11.1	3.10	76.7	72.8	9.19	1.70	1.16	1.14	11.6	9.60	30.0
6	44.0	10.6	3.10	56.6	70.2	8.37	1.64	1.14	1.12	10.1	8.37	26.5
7	33.4	9.19	3.10	47.0	66.3	7.55	1.59	1.14	1.08	9.19	7.55	23.3
8	23.3	8.37	3.10	39.2	62.6	6.73	1.53	1.14	1.08	8.37	5.91	21.3
9	16.1	6.73	2.96	33.4	59.0	5.91	1.53	1.14	1.08	8.37	5.91	18.9
10	13.0	5.50	2.96	33.4	53.0	5.26	1.48	1.14	1.08	7.96	5.91	17.3
11	11.1	5.02	2.96	31.3	49.0	4.78	1.48	1.14	1.08	7.96	5.91	16.7
12	12.5	4.54	2.96	30.6	45.0	4.54	1.42	1.14	1.14	7.96	5.91	15.1
13	11.1	4.30	2.83	28.6	47.0	4.30	1.37	1.14	46.0	7.55	5.50	13.5
14	9.60	4.54	2.69	29.3	46.0	4.54	1.37	1.14	50.0	7.14	5.50	32.0
15	7.96	4.30	2.56	27.2	53.0	4.30	1.37	1.14	26.5	11.1	5.26	88.4
16	5.91	3.82	2.83	24.5	54.2	3.58	1.31	1.12	15.1	9.19	5.26	60.2
17	5.26	3.58	4.06	21.3	47.0	3.34	1.31	1.12	11.6	17.3	5.02	44.0
18	5.02	3.58	4.06	17.3	40.1	3.10	1.25	1.12	8.78	27.9	5.26	32.0
19	5.02	3.10	4.06	17.3	31.3	2.96	1.25	1.12	7.55	39.2	24.5	24.5
20	4.78	6.32	4.06	16.7	28.6	2.83	1.20	1.12	49.0	36.3	27.9	17.8
21	4.54	13.0	4.06	20.6	27.9	2.69	1.18	1.12	53.0	31.3	81.9	23.9
22	4.54	11.6	4.06	26.5	25.2	2.56	1.18	1.12	31.3	27.9	68.9	25.2
23	4.30	10.6	4.06	33.4	23.3	6.73	1.18	1.12	51.0	25.2	166	32.7
24	4.30	8.37	4.06	42.0	20.0	3.34	1.18	1.12	55.4	20.6	125	46.0
25	11.1	6.32	4.06	47.0	18.9	2.96	1.18	1.10	52.0	17.8	101	84.5
26	14.0	5.02	4.54	51.0	16.1	2.69	1.18	1.10	43.0	15.1	78.0	79.3
27	11.6	4.78	13.5	54.2	13.0	2.56	1.18	1.10	53.0	13.0	85.8	50.0
28	11.1	4.54	66.3	52.0	11.1	2.42	1.18	1.10	49.0	12.1	70.2	37.2
29	8.37	4.06	41.1	51.0	12.1	2.29	1.18	1.10	30.0	10.6	53.0	31.3
30	7.55		27.2	50.0	14.0	2.15	1.16	1.10	25.9	12.1	46.0	25.9
31	6.32		23.9		12.5		1.16	1.08		19.5		27.9
SD1	46.3	7.13	3.29	52.2	63.0	8.40	1.68	1.15	1.10	12.0	9.92	30.4
SD2	7.82	4.31	3.31	24.4	44.1	3.83	1.33	1.13	21.7	17.2	9.60	34.4
SD3	7.97	7.59	17.9	42.8	17.6	3.04	1.18	1.11	44.4	18.7	87.6	42.2
MAX	81.9	15.6	83.2	118	74.1	20.0	2.02	1.16	155	40.1	211	98.8
DAT	1	20	28	3	5	23	1	1	13	19	23	25
SR	20.3	6.30	8.48	39.8	40.8	5.09	1.39	1.13	22.4	16.0	35.7	35.9
MIN	4.30	3.10	2.56	16.7	11.1	2.15	1.16	1.08	1.08	7.14	5.02	13.5
DAT	23	19	15	20	28	30	30	31	7	14	17	13
		GMIN = 1.08		SRGOD= 19.4		GMAX = 211						
		DATUM 31 8				DATUM 23 11						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1997

Broj : 45954 Stanica : CRNA POLJANA Kota "0" = 965.80
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 123.80
 Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	27.9	3.82	12.5	5.26	17.8	7.14	2.02	1.37	1.14	1.08	2.96	5.91
2	35.3	3.82	10.6	5.02	17.8	7.14	1.88	1.37	1.14	1.08	2.69	5.50
3	42.0	3.10	9.60	4.78	19.5	6.73	1.75	1.31	1.14	1.08	2.56	12.5
4	47.0	2.96	8.78	4.78	22.6	6.32	1.70	1.31	1.14	1.08	2.42	27.9
5	84.5	2.83	8.37	5.02	27.9	6.32	1.64	1.31	1.14	1.08	2.42	21.3
6	40.1	2.83	7.96	5.02	34.4	6.32	1.64	1.31	1.14	1.08	2.42	14.5
7	29.3	2.83	6.73	4.78	57.8	6.32	1.64	1.31	1.14	1.08	2.42	11.1
8	24.5	2.69	6.32	4.78	118	6.32	1.64	1.31	1.14	1.06	2.69	9.60
9	22.6	2.56	5.91	5.50	159	5.91	1.64	1.31	1.14	1.04	3.58	8.37
10	22.6	2.56	5.91	5.50	101	5.26	1.53	1.31	1.14	1.04	4.06	7.55
11	22.0	2.42	6.32	5.50	76.7	5.02	1.53	1.31	1.14	1.04	32.0	6.32
12	20.6	2.42	6.32	5.91	62.6	5.02	1.53	1.31	1.14	1.37	25.9	5.50
13	19.5	2.42	6.32	6.32	54.2	4.78	1.53	1.31	1.14	4.30	18.9	13.0
14	16.7	2.83	6.32	6.32	50.0	4.30	1.53	1.25	1.14	5.50	57.8	11.6
15	14.5	3.10	5.91	5.91	47.0	4.06	1.53	1.25	1.14	15.1	40.1	10.1
16	13.0	18.9	5.91	5.91	44.0	3.82	1.53	1.20	1.14	7.96	25.2	8.78
17	11.6	13.5	5.91	5.91	38.2	3.58	1.53	1.18	1.14	5.02	18.4	7.96
18	10.6	13.5	5.91	5.91	31.3	3.34	1.64	1.18	1.14	4.30	15.1	7.14
19	9.19	11.6	9.60	5.91	25.9	3.10	7.96	1.25	1.14	3.82	12.5	6.32
20	8.78	10.1	31.3	5.91	22.0	2.96	2.69	1.53	1.12	3.10	10.6	9.19
21	7.96	8.78	18.9	6.73	20.0	2.83	2.02	1.42	1.12	2.83	9.19	33.4
22	7.55	7.96	15.1	43.0	18.4	2.83	1.88	1.37	1.10	2.69	8.37	35.3
23	6.32	7.14	14.0	96.2	16.7	2.83	1.75	1.37	1.10	2.42	9.19	30.0
24	5.26	7.14	13.0	57.8	15.6	2.83	1.70	1.25	1.10	3.34	9.19	25.2
25	5.02	7.14	11.6	36.3	15.1	2.83	1.64	1.20	1.10	5.91	8.37	20.0
26	4.54	7.14	10.6	27.9	14.0	2.69	1.53	1.20	1.10	4.78	7.96	16.1
27	4.06	15.1	9.60	23.9	12.5	2.56	1.53	1.16	1.10	4.30	7.14	17.3
28	3.82	15.6	8.37	20.0	10.6	2.42	1.48	1.14	1.08	3.82	7.14	22.6
29	3.82		7.55	18.4	9.60	2.29	1.37	1.14	1.08	3.34	6.32	22.0
30	3.58		6.73	17.8	9.19	2.15	1.31	1.14	1.08	2.96	5.91	18.9
31	3.82		5.50		8.37		1.31	1.14		2.96		15.1
SD1	37.6	3.00	8.27	5.04	57.6	6.38	1.71	1.32	1.14	1.07	2.82	12.4
SD2	14.6	8.08	8.98	5.95	45.2	4.00	2.30	1.28	1.14	5.15	25.6	8.59
SD3	5.07	9.50	11.0	34.8	13.6	2.63	1.59	1.23	1.10	3.58	7.88	23.3
MAX	98.8	27.9	40.1	106	187	7.14	18.9	2.15	1.14	25.2	68.9	37.2
DAT	5	16	20	23	9	1	19	2	1	15	14	21
SR	18.6	6.67	9.47	15.3	38.0	4.33	1.86	1.27	1.12	3.28	12.1	15.0
MIN	3.58	2.42	5.50	4.78	8.37	2.15	1.31	1.14	1.08	1.04	2.42	5.50
DAT	30	11	31	3	31	30	30	28	28	9	4	2
GMIN =		1.04		SRGOD=		10.6		GMAX =		187		
DATUM		9 10						DATUM		9 5		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1998

Broj : 45954 Stanica : CRNA POLJANA Kota "0" = 965.80
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 123.80
 Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	12.5	2.56	3.34	2.42	23.9	3.34	1.59	1.18	1.42	15.1	10.6	5.26
2	11.6	2.56	3.34	2.42	22.0	3.34	1.53	1.18	1.25	16.1	11.1	5.26
3	11.6	2.56	3.10	2.42	22.0	3.10	1.88	1.16	1.18	44.0	11.6	5.02
4	12.5	2.56	3.10	2.42	27.9	2.96	1.75	1.16	1.14	34.4	13.0	14.0
5	14.0	2.42	2.96	2.69	61.4	2.96	1.70	1.16	1.12	22.0	17.8	42.0
6	14.5	2.29	2.96	3.82	80.6	2.96	1.64	1.14	12.1	16.1	52.0	48.0
7	14.5	2.02	2.96	5.91	53.0	2.83	1.64	1.14	10.6	12.5	71.5	31.3
8	13.5	1.88	2.83	7.96	41.1	2.69	4.54	1.14	3.58	11.1	62.6	26.5
9	12.5	1.88	4.30	13.5	35.3	2.56	4.78	1.14	2.29	9.19	44.0	23.3
10	11.1	1.88	7.55	39.2	33.4	2.56	2.56	1.14	1.64	26.5	34.4	18.9
11	9.60	1.75	7.14	91.0	31.3	2.42	2.02	1.14	1.31	94.9	32.7	14.0
12	8.78	1.75	6.32	109	27.2	4.06	1.75	1.14	1.64	57.8	36.3	12.1
13	7.96	1.75	5.91	75.4	25.9	6.32	1.70	1.14	12.5	45.0	33.4	9.60
14	7.55	2.02	5.50	59.0	23.9	4.54	1.59	1.14	57.8	33.4	30.6	7.96
15	6.73	2.56	5.26	49.0	20.6	4.30	1.53	1.12	44.0	23.3	38.2	6.73
16	6.73	2.69	4.78	39.2	17.3	3.82	1.64	1.12	25.2	17.8	43.0	5.91
17	6.32	3.34	4.30	47.0	15.1	3.34	1.59	1.12	17.3	13.5	33.4	5.50
18	6.32	4.06	4.06	56.6	13.0	3.10	1.53	1.12	15.6	11.6	29.3	5.26
19	5.91	4.06	4.06	56.6	11.1	2.96	1.59	1.12	12.5	9.60	24.5	5.02
20	8.37	4.06	3.82	47.0	9.60	2.83	1.53	1.10	10.1	8.78	22.0	4.78
21	10.1	3.82	3.58	40.1	8.78	2.56	1.42	1.10	8.37	29.3	18.4	4.78
22	6.32	3.82	3.34	36.3	8.37	2.42	1.31	1.10	7.96	22.6	16.1	5.26
23	5.02	3.82	3.10	34.4	7.96	2.29	1.37	1.10	6.73	17.8	14.5	4.54
24	4.54	3.58	2.96	35.3	7.55	2.15	1.37	1.10	5.91	13.5	12.1	4.30
25	4.30	3.58	2.83	34.4	7.14	2.02	1.37	1.10	5.02	12.1	10.1	4.06
26	3.58	3.58	2.69	31.3	6.73	2.02	1.31	1.10	4.54	27.9	7.96	4.06
27	2.96	3.58	2.69	30.0	6.73	1.88	1.31	1.10	4.30	23.9	7.14	3.82
28	2.83	3.58	2.56	29.3	5.02	1.70	1.31	1.10	20.0	20.0	6.32	3.58
29	2.83		2.56	28.6	4.06	1.64	1.25	2.56	28.6	17.3	5.50	3.58
30	2.69		2.42	27.2	4.06	1.64	1.20	2.15	20.6	15.1	5.26	3.34
31	2.69		2.42		3.82		1.25	1.48		12.5		3.10
SD1	12.8	2.26	3.64	8.28	40.1	2.93	2.36	1.15	3.63	20.7	32.9	22.0
SD2	7.43	2.80	5.12	63.0	19.5	3.77	1.65	1.13	19.8	31.6	32.3	7.69
SD3	4.35	3.67	2.83	32.7	6.38	2.03	1.32	1.36	11.2	19.3	10.3	4.04
MAX	15.1	4.06	10.6	152	96.2	13.5	34.4	4.06	104	105	83.2	62.6
DAT	6	18	9	12	5	12	8	29	14	11	7	5
SR	8.08	2.86	3.83	34.6	21.5	2.91	1.76	1.22	11.5	23.7	25.2	11.0
MIN	2.69	1.75	2.42	2.42	3.82	1.64	1.20	1.10	1.12	8.78	5.26	3.10
DAT	30	11	30	1	31	29	30	20	5	20	30	31
GMIN =		1.10		SRGOD=		12.4		GMAX =		152		
DATUM		20 8						DATUM		12 4		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
1999

Broj : 45954 Stanica :CRNA POLJANA Kota "0" = 965.80
Nacin osmat.: limnigraf Rijeka :TARA km od usca = 123.80
Pocetak rada: 1957 Sliv :DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	2.79	3.22	8.26	10.4	42.2	7.52	2.17	1.28	1.12	1.02	1.57	5.68
2	2.79	3.00	7.89	11.7	42.2	7.52	2.17	1.28	1.12	1.02	1.53	4.94
3	2.79	3.00	7.52	12.1	40.4	7.15	1.93	1.28	1.12	1.01	1.47	4.51
4	2.79	2.79	8.63	12.1	41.3	6.42	1.93	1.28	1.12	1.01	1.37	4.30
5	2.66	2.79	19.1	12.1	44.9	6.05	1.82	1.18	1.12	1.01	1.37	8.26
6	2.42	2.79	26.3	13.0	42.2	5.68	1.82	1.18	1.12	1.01	1.37	15.5
7	2.30	2.66	22.6	14.5	36.0	4.94	1.82	1.18	1.12	1.01	1.28	12.6
8	2.30	2.66	19.1	17.5	26.3	4.51	1.69	1.18	1.12	1.01	1.28	10.9
9	2.54	2.66	15.5	20.3	25.1	4.30	1.69	1.18	1.08	1.01	1.23	9.08
10	4.73	5.31	14.0	24.4	25.1	4.30	1.57	1.12	1.08	1.01	1.43	9.53
11	6.78	17.0	13.6	25.1	23.3	4.08	1.57	1.12	1.08	.990	3.00	16.5
12	22.0	12.6	13.0	23.8	23.3	3.65	1.53	1.12	1.08	.990	2.42	18.0
13	20.9	8.63	14.5	23.8	21.5	3.43	1.53	1.12	1.08	.990	1.93	18.0
14	23.8	6.42	15.5	28.1	22.6	3.22	1.47	1.12	1.08	.990	1.69	18.0
15	19.8	4.94	16.0	26.3	23.3	2.79	1.47	1.12	1.08	.990	1.69	30.0
16	16.0	3.00	16.0	25.1	23.3	2.79	1.47	1.12	1.08	1.37	1.82	216
17	13.0	2.66	15.5	59.6	26.3	2.66	1.47	1.12	1.08	3.65	3.43	242
18	11.2	2.54	14.0	81.8	20.9	2.66	1.43	1.12	1.08	2.42	19.8	171
19	8.63	2.54	12.6	54.1	18.0	2.54	1.43	1.12	1.08	2.06	17.5	93.5
20	7.15	2.42	10.9	39.5	17.0	2.54	1.43	1.12	1.08	4.08	58.4	73.6
21	6.42	2.42	9.08	30.9	16.5	2.42	1.43	1.12	1.08	2.06	26.3	60.7
22	6.05	4.30	7.52	27.5	18.5	2.42	1.43	1.12	1.08	1.82	36.0	46.7
23	4.94	26.3	6.42	28.1	14.0	2.42	1.37	1.12	1.08	1.82	44.0	37.7
24	4.51	13.6	4.94	37.7	11.2	2.30	1.37	1.12	1.08	2.66	25.1	31.7
25	4.08	13.0	4.73	36.9	10.9	2.30	1.37	1.12	1.08	3.00	18.0	27.5
26	3.65	11.7	4.73	33.4	10.4	2.30	1.33	1.12	1.04	2.42	14.0	31.7
27	3.65	9.53	4.94	31.7	9.97	2.30	1.33	1.12	1.04	2.17	11.2	89.9
28	3.86	8.26	6.42	30.9	9.53	2.30	1.33	1.12	1.04	1.93	9.08	133
29	3.43		9.53	30.9	9.53	2.17	1.28	1.12	1.04	1.82	7.52	93.5
30	3.22		9.97	35.2	8.63	2.17	1.28	1.12	1.02	1.82	6.42	45.8
31	3.22		9.97		7.89		1.28	1.12		1.82		31.3
SD1	2.81	3.09	14.9	14.8	36.6	5.84	1.86	1.21	1.11	1.01	1.39	8.53
SD2	14.9	6.28	14.2	38.7	22.0	3.04	1.48	1.12	1.08	1.85	11.2	89.7
SD3	4.28	11.1	7.11	32.3	11.5	2.31	1.35	1.12	1.06	2.12	19.8	57.2
MAX	28.6	44.0	31.3	109	57.8	10.1	2.69	1.42	1.25	13.5	98.8	309
DAT	14	23	5	18	5	1	1	1	1	17	20	17
SR	7.24	6.53	11.9	28.6	23.0	3.73	1.56	1.15	1.08	1.68	10.8	52.0
MIN	2.30	2.42	4.73	10.4	7.89	2.17	1.28	1.12	1.02	.990	1.23	4.30
DAT	7	20	25	1	31	29	29	10	30	11	9	4

GMIN = .990			SRGOD= 12.5				GMAX = 309					
DATUM 11 10							DATUM 17 12					

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2000

Broj : 45954 Stanica :CRNA POLJANA Kota "0" = 965.80
Nacin osmat.: limnigraf Rijeka :TARA km od usca = 123.80
Pocetak rada: 1957 Sliv :DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	23.1	5.77	3.34	22.5	13.2	3.02	1.53	1.09	7.97	2.31	2.90	9.35
2	18.3	5.77	8.28	25.4	12.3	2.87	1.45	1.09	13.8	2.30	7.34	8.60
3	15.5	5.31	8.28	24.2	11.4	2.71	1.45	1.00	5.54	4.02	7.02	7.97
4	12.8	3.34	7.02	46.3	10.7	2.71	1.45	1.00	2.87	4.35	10.2	7.65
5	11.9	3.34	7.34	149	10.2	2.55	1.37	1.00	3.72	2.88	32.5	7.34
6	11.0	3.34	6.40	84.0	9.35	2.55	1.37	1.00	17.1	2.56	22.5	7.02
7	8.91	3.34	5.77	49.3	8.91	2.55	1.37	.920	11.9	2.39	29.8	6.40
8	8.60	3.34	5.31	34.8	8.28	2.55	1.29	.920	8.91	2.22	63.3	6.40
9	8.28	3.34	5.31	25.4	7.97	2.39	1.29	.920	7.02	2.13	35.5	6.08
10	7.97	3.95	5.54	20.1	7.65	2.55	1.29	.830	5.31	2.05	24.2	6.40
11	7.65	3.95	5.77	16.6	7.65	2.55	1.29	1.00	4.86	1.88	18.3	6.40
12	7.34	3.95	7.02	14.9	7.34	2.39	1.29	.920	4.63	2.77	14.3	5.54
13	7.02	3.72	7.34	15.5	7.34	2.24	1.45	.920	3.95	2.79	11.9	5.31
14	6.71	3.72	7.65	17.7	7.02	2.08	1.45	.830	3.72	2.39	10.7	5.31
15	6.71	3.72	7.65	20.1	6.40	1.92	2.24	.920	3.72	2.31	9.79	5.31
16	6.40	3.49	7.97	21.8	5.77	1.92	3.02	1.00	3.34	2.01	8.60	7.02
17	6.40	7.97	7.34	23.6	5.54	2.08	1.92	1.00	3.18	2.08	7.97	6.71
18	6.08	7.34	7.02	25.4	5.31	1.84	1.76	1.00	3.02	1.86	7.65	6.40
19	6.08	5.77	6.40	26.0	4.86	1.84	1.61	1.00	10.2	1.86	8.28	6.08
20	6.08	5.31	5.54	27.3	4.86	1.76	1.45	.920	11.0	1.82	14.3	5.77
21	6.08	4.63	5.31	26.6	4.63	1.76	1.45	.920	7.97	1.65	13.8	5.77
22	6.08	4.40	5.08	24.8	4.40	1.69	1.45	.920	7.02	1.58	12.3	5.31
23	6.08	3.95	4.86	23.1	4.18	1.61	1.37	.920	6.71	1.43	11.4	5.31
24	6.08	3.72	4.86	21.2	3.95	1.61	1.37	.830	6.40	1.36	10.7	5.31
25	5.77	3.34	5.08	19.5	3.72	1.53	1.37	.830	6.08	1.24	9.79	5.54
26	5.77	3.34	6.40	16.1	3.49	1.53	1.29	.830	5.54	1.21	10.2	11.9
27	5.77	3.34	10.2	14.3	3.34	1.53	1.29	.740	4.83	1.18	12.3	97.0
28	5.77	3.34	13.8	13.2	3.18	1.53	1.14	.740	3.78	1.23	11.9	198
29	5.77	3.34	14.9	13.2	3.34	1.53	1.14	.830	3.39	1.23	10.7	102
30	5.77		19.5	13.8	3.34	1.53	1.14	.830	2.85	1.23	9.79	57.7
31	5.77		22.5		3.34		1.09	.830		1.28		38.4
SD1	12.6	4.08	6.26	48.1	10.00	2.64	1.39	.977	8.41	2.72	23.5	7.32
SD2	6.65	4.89	6.97	20.9	6.21	2.06	1.75	.951	5.16	2.18	11.2	5.99
SD3	5.88	3.71	10.2	18.6	3.72	1.58	1.28	.838	5.46	1.33	11.3	48.4
MAX	29.8	11.7	27.0	215	16.4	3.64	4.26	1.25	56.4	11.2	106	269
DAT	1	17	31	5	1	1	16	1	1	3	7	28
SR	8.31	4.25	7.90	29.2	6.55	2.10	1.47	.919	6.34	2.05	15.3	21.5
MIN	5.77	3.34	3.34	13.2	3.18	1.53	1.09	.740	2.85	1.18	2.90	5.31
DAT	25	4	1	28	28	25	31	27	30	27	1	13

GMIN = .740			SRGOD= 8.80					GMAX = 269				
DATUM 27 8								DATUM 28 12				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2001

Broj : 45954 Stanica : CRNA POLJANA Kota "0" = 965.80
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 123.80
 Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	30.5	30.5	8.76	11.7	19.6	6.60	2.74	1.39	1.05	6.08	1.66	17.7	
2	23.6	23.0	8.76	10.7	19.0	6.34	2.74	1.39	1.00	5.56	1.66	13.6	
3	20.3	18.4	33.4	9.84	18.4	10.2	2.74	1.39	1.00	4.78	1.66	11.2	
4	17.1	15.1	43.2	9.12	16.4	32.7	2.56	1.39	.950	4.26	1.57	9.84	
5	14.6	14.1	45.0	8.76	15.1	23.0	2.38	1.39	1.93	4.00	1.57	8.76	
6	13.1	13.1	45.0	8.40	14.1	17.1	2.38	1.39	2.11	3.64	1.57	8.04	
7	11.7	12.2	33.4	8.04	14.1	14.1	2.20	1.39	1.75	3.46	1.57	7.32	
8	11.2	11.2	25.7	8.76	14.1	12.2	2.11	1.30	1.57	3.28	1.66	6.08	
9	16.4	10.7	21.0	9.48	14.1	10.2	2.11	1.30	1.48	3.28	2.20	5.56	
10	14.1	9.84	18.4	9.12	13.6	9.12	2.02	1.30	3.10	2.92	10.2	5.30	
11	12.6	9.12	15.8	8.76	12.6	8.40	2.02	1.30	5.82	2.92	10.2	5.04	
12	11.7	8.76	15.1	8.76	11.7	7.68	2.02	1.30	3.28	2.74	17.7	4.78	
13	11.2	8.04	15.8	9.84	10.2	6.96	1.93	1.25	2.38	2.56	42.3	4.78	
14	10.2	7.68	18.4	9.48	9.12	6.60	1.93	1.25	2.11	2.56	76.4	4.52	
15	9.12	7.32	18.4	9.12	8.76	6.08	1.84	1.20	2.02	2.38	40.6	4.52	
16	8.76	6.60	17.1	8.76	8.40	5.56	1.84	1.20	2.92	2.38	27.0	4.52	
17	8.40	6.34	16.4	18.4	8.04	5.04	1.75	1.20	7.68	2.20	19.0	4.26	
18	8.04	6.08	18.4	29.8	8.04	4.78	1.66	1.20	21.6	2.20	15.1	4.00	
19	7.32	5.82	19.0	27.7	8.04	4.78	1.57	1.20	14.1	2.11	15.1	3.46	
20	6.34	5.56	19.0	31.2	7.68	4.78	1.57	1.20	8.76	2.11	14.1	3.28	
21	6.08	5.30	17.7	47.0	6.96	4.52	1.57	1.20	6.60	2.11	12.2	3.10	
22	6.08	5.04	19.0	43.2	6.60	4.26	1.57	1.20	5.56	2.11	11.2	2.92	
23	5.82	5.04	25.7	34.8	6.60	3.82	1.57	1.15	4.78	2.11	11.7	3.46	
24	5.56	6.60	23.6	28.4	6.34	3.64	1.57	1.15	4.78	2.02	11.2	3.46	
25	5.82	10.2	23.0	25.7	8.04	3.46	1.93	1.15	6.34	2.02	9.48	3.28	
26	11.7	10.7	25.0	23.6	7.32	3.28	2.20	1.15	8.76	2.02	9.12	3.28	
27	38.0	9.48	23.6	23.0	6.60	3.10	1.93	1.10	13.1	2.02	8.76	3.28	
28	47.0	8.76	20.3	22.3	6.08	2.92	1.75	1.10	9.48	1.93	33.4	3.28	
29	66.0		17.7	21.0	5.56	2.92	1.66	1.10	7.68	1.93	34.8	3.28	
30	58.8		15.1	20.3	6.60	2.92	1.57	1.10	6.34	1.84	23.6	4.78	
31	42.3		12.6		7.32		1.48	1.05		1.66		14.1	
SD1	17.3	15.8	28.3	9.39	15.9	14.2	2.40	1.36	1.59	4.13	2.53	9.34	
SD2	9.37	7.13	17.3	16.2	9.26	6.07	1.81	1.23	7.07	2.42	27.8	4.32	
SD3	26.7	7.64	20.3	28.9	6.73	3.48	1.71	1.13	7.34	1.98	16.5	4.38	
MAX	71.2	35.5	50.0	52.0	20.3	42.3	3.10	1.39	39.8	6.96	89.4	25.7	
DAT	29	1	6	21	1	4	25	1	18	1	14	31	
SR	18.0	10.4	21.9	18.2	10.5	7.90	1.96	1.24	5.33	2.81	15.6	5.96	
MIN	5.56	5.04	8.76	8.04	5.56	2.92	1.48	1.05	.950	1.66	1.57	2.92	
DAT	24	22	1	7	29	28	31	31	4	31	4	22	
GMIN =			.950	SRGOD=			9.96	GMAX =			89.4		
DATUM			4 9					DATUM			14 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2002

Broj : 45954 Stanica : CRNA POLJANA Kota "0" = 965.80
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 123.80
 Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	15.1	5.82	9.48	6.08	8.04	4.52	2.11	2.02	1.84	12.6	7.32	8.76
2	9.84	6.08	10.2	5.82	8.04	4.26	2.02	1.93	1.84	11.2	6.60	8.76
3	7.68	6.08	10.2	5.82	7.68	4.26	2.02	1.84	1.84	9.84	6.96	8.76
4	6.34	6.08	12.2	5.82	7.68	4.00	1.93	1.84	1.84	8.76	9.12	8.76
5	5.82	6.08	12.2	5.82	7.32	3.82	1.84	1.84	1.84	7.68	13.6	8.76
6	5.56	6.08	12.2	5.82	7.32	3.64	1.84	1.84	1.75	7.32	11.7	8.76
7	5.56	6.34	13.1	5.82	6.60	4.00	1.84	5.82	1.75	6.60	10.2	8.40
8	5.30	6.60	14.1	5.56	6.34	5.30	1.84	4.78	1.66	6.34	9.48	8.04
9	5.04	6.60	14.1	5.56	6.08	4.26	1.84	3.46	1.66	5.82	8.76	7.32
10	5.04	6.60	14.6	5.56	6.08	5.30	1.84	3.64	2.02	6.60	8.04	6.96
11	4.78	6.34	14.6	5.82	5.56	5.04	1.84	3.10	2.20	31.2	7.32	6.60
12	4.52	6.08	13.1	14.1	5.82	4.78	1.84	3.10	1.93	82.9	6.96	6.34
13	4.52	6.08	11.7	38.9	6.34	4.52	1.84	2.74	1.84	57.6	17.1	6.08
14	4.26	6.08	10.7	38.0	5.56	4.26	1.84	2.56	1.75	38.9	30.5	5.82
15	4.26	6.08	9.84	30.5	5.04	4.00	1.84	2.38	1.66	27.7	23.6	5.56
16	4.26	6.08	9.12	25.0	5.04	3.64	1.84	2.20	1.57	21.0	18.4	6.08
17	3.64	6.08	8.76	23.0	4.52	3.64	1.75	2.20	1.57	16.4	15.1	6.34
18	3.28	6.60	8.76	21.0	4.52	3.46	1.84	2.11	1.48	13.6	13.1	6.34
19	3.28	20.3	8.76	18.4	4.26	3.28	1.84	2.02	1.48	11.7	12.2	6.34
20	3.28	19.6	8.76	16.4	4.26	3.10	1.84	2.02	1.48	10.2	10.7	6.34
21	3.28	16.4	8.76	14.6	4.26	2.92	1.84	1.93	1.48	8.76	9.84	6.34
22	3.10	14.6	9.48	13.6	4.26	2.74	1.84	1.84	1.75	8.04	9.84	5.82
23	3.10	12.2	12.2	12.6	4.00	2.56	1.84	1.84	3.46	9.48	12.2	5.30
24	3.10	12.2	12.2	11.2	3.64	2.38	1.84	1.84	7.68	15.8	10.7	5.30
25	3.10	11.2	11.2	10.2	3.64	3.28	1.93	1.84	9.48	20.3	10.2	5.04
26	3.10	9.84	9.84	9.48	3.64	3.10	2.02	1.84	15.1	15.8	9.48	4.78
27	3.28	9.48	8.76	9.12	3.46	2.56	2.02	1.84	21.6	12.6	8.76	4.52
28	3.46	9.48	8.04	10.2	4.00	2.38	2.02	1.84	14.6	11.2	8.40	6.34
29	4.26		7.32	8.76	5.04	2.20	2.02	1.84	13.6	9.48	7.68	23.6
30	5.04		6.60	8.40	5.30	2.11	2.02	1.84	13.6	8.76	8.04	18.4
31	5.04		6.34		4.78		2.11	1.84		8.04		16.4
SD1	7.13	6.24	12.2	5.77	7.12	4.34	1.91	2.90	1.80	8.28	9.18	8.33
SD2	4.01	8.93	10.4	23.1	5.09	3.97	1.83	2.44	1.70	31.1	15.5	6.18
SD3	3.62	11.9	9.16	10.8	4.18	2.62	1.95	1.85	10.2	11.7	9.51	9.26
MAX	23.0	29.1	15.1	40.6	8.04	5.82	2.20	14.1	25.0	97.6	35.5	25.0
DAT	1	19	10	13	1	10	30	7	7	12	13	29
SR	4.88	8.82	10.6	13.2	5.42	3.64	1.90	2.38	4.58	16.8	11.4	7.97
MIN	3.10	5.82	6.34	5.56	3.46	2.11	1.75	1.84	1.48	5.82	6.60	4.52
DAT	22	1	31	8	27	30	17	3	18	9	2	27
GMIN =		1.48		SRGOD=		7.62		GMAX =		97.6		
DATUM		18 9						DATUM		12 10		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2003

Broj : 45954 Stanica : CRNA POLJANA Kota "0" = 965.80
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 123.80
 Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	16.4	5.04	4.52	9.84	29.1	5.56	1.93	1.30	1.05	1.39	53.0	33.4
2	14.1	5.56	4.52	10.2	33.4	5.04	1.84	1.30	1.05	1.39	113	25.0
3	18.4	4.78	4.26	10.2	33.4	4.78	1.75	1.25	1.05	1.30	132	20.3
4	21.6	5.56	3.64	10.2	31.2	4.78	1.75	1.25	1.00	1.30	71.2	17.1
5	25.7	18.4	3.64	9.84	30.5	4.52	1.84	1.25	1.00	17.7	47.0	14.6
6	23.0	13.6	3.46	7.68	28.4	4.00	2.11	1.25	1.00	49.0	34.8	13.1
7	43.2	9.12	3.64	6.96	26.4	3.82	1.93	1.25	.950	20.3	27.7	12.2
8	39.8	8.04	3.64	6.60	25.0	3.64	1.75	1.25	.950	20.3	22.3	11.2
9	51.0	6.60	3.64	6.34	22.3	3.46	1.66	1.25	.900	23.0	18.4	10.2
10	60.0	6.08	3.64	6.60	19.6	3.46	1.57	1.25	5.30	17.1	15.8	9.48
11	38.0	5.82	3.82	16.4	17.1	3.28	1.57	1.25	3.64	12.6	13.6	8.76
12	25.7	5.82	4.00	38.0	15.1	3.10	1.57	1.20	2.56	9.84	12.2	8.40
13	19.0	5.56	4.52	30.5	13.6	3.10	1.57	1.20	2.38	8.40	11.2	8.76
14	12.6	5.30	4.52	26.4	12.2	2.92	1.57	1.20	2.11	7.32	10.2	8.76
15	11.2	5.30	4.26	21.0	10.7	2.74	1.57	1.20	1.93	6.60	9.48	8.40
16	9.48	5.04	4.00	21.6	9.48	2.74	1.48	1.20	1.75	5.82	8.76	8.04
17	8.40	5.04	3.82	23.0	8.40	2.56	1.39	1.20	1.66	5.30	8.40	7.68
18	7.32	5.04	3.64	23.6	7.68	2.38	1.39	1.20	1.57	5.04	9.12	7.32
19	6.96	5.04	3.64	21.0	6.96	3.64	1.39	1.20	1.57	5.56	8.40	6.60
20	6.34	4.78	3.46	18.4	6.34	3.28	1.39	1.20	1.57	6.08	7.68	6.60
21	5.82	4.78	3.28	17.1	6.08	2.74	1.30	1.15	1.57	56.4	7.32	6.60
22	5.56	4.78	3.10	17.7	7.32	2.56	1.30	1.15	1.57	64.8	6.96	6.60
23	6.08	4.78	2.92	17.7	8.04	2.38	1.30	1.15	1.48	164	6.60	11.7
24	5.82	4.78	2.92	16.4	9.12	2.11	1.30	1.15	1.48	106	6.34	11.2
25	5.56	4.78	2.92	16.4	8.40	2.11	1.30	1.15	1.48	56.4	6.34	9.84
26	5.30	4.52	3.10	14.6	8.40	2.02	1.30	1.15	1.48	37.2	6.60	9.12
27	5.04	4.52	3.64	14.6	8.04	2.20	1.30	1.15	1.48	45.0	11.2	8.76
28	5.04	4.52	4.52	16.4	6.96	2.11	1.30	1.15	1.48	49.0	17.7	8.40
29	4.78		6.08	19.6	6.60	2.02	1.30	1.10	1.48	35.5	32.7	8.04
30	4.78		7.68	24.3	6.34	2.02	1.30	1.10	1.48	71.2	41.5	7.68
31	4.78		8.76		6.08		1.30	1.10		93.4		7.68
SD1	31.3	8.28	3.86	8.45	27.9	4.31	1.81	1.26	1.42	15.3	53.5	16.7
SD2	14.5	5.27	3.97	24.0	10.8	2.97	1.49	1.20	2.07	7.26	9.90	7.93
SD3	5.32	4.68	4.45	17.5	7.40	2.23	1.30	1.14	1.50	70.8	14.3	8.69
MAX	73.8	26.4	9.48	44.0	34.8	5.82	2.38	1.30	19.6	270	234	38.0
DAT	9	5	31	11	3	1	6	1	10	23	2	1
SR	16.7	6.18	4.10	16.6	15.1	3.17	1.53	1.20	1.67	32.4	25.9	11.0
MIN	4.78	4.52	2.92	6.34	6.08	2.02	1.30	1.10	.900	1.30	6.34	6.60
DAT	29	26	23	9	21	26	21	29	9	3	24	19
		GMIN =	.900			SRGOD=	11.3			GMAX =	270	
		DATUM	9 9							DATUM	23 10	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2004

Broj : 45954 Stanica : CRNA POLJANA Kota "0" = 965.80
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 123.80
 Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	7.68	9.84	40.6	25.7	22.3	11.2	3.82	2.11	1.48	1.93	3.28	45.0
2	7.32	9.12	29.1	25.0	22.3	10.7	3.82	2.02	1.48	1.84	3.10	218
3	6.96	8.40	23.0	25.0	21.6	10.2	3.82	1.93	1.48	1.75	2.92	162
4	6.60	7.68	19.0	25.7	22.3	9.48	3.64	1.93	1.48	1.75	2.92	115
5	6.60	7.32	15.8	32.0	38.9	9.84	3.46	1.93	1.48	1.66	2.74	71.2
6	6.34	7.68	13.6	34.1	52.0	10.7	3.28	1.93	1.48	1.57	2.56	46.0
7	5.82	7.68	12.2	47.0	94.8	14.1	3.10	1.93	1.39	1.57	3.46	33.4
8	5.30	8.76	12.2	75.1	72.5	14.1	2.92	1.84	1.39	1.57	3.64	32.0
9	5.30	9.84	11.2	66.0	58.8	13.6	2.92	1.84	1.39	1.48	4.78	32.0
10	5.30	9.84	9.84	79.0	44.0	12.6	2.74	2.02	1.30	1.48	4.26	15.8
11	5.30	9.48	9.12	77.7	34.1	12.2	2.74	1.84	1.30	4.00	4.52	13.1
12	5.30	8.76	8.76	68.6	27.7	11.2	2.74	1.75	1.30	3.28	8.04	10.2
13	5.30	7.68	8.40	72.5	25.0	10.2	4.00	1.66	1.25	2.74	34.1	8.76
14	5.56	7.68	8.76	63.6	22.3	9.48	3.10	1.75	1.25	2.56	61.2	8.04
15	14.1	7.32	9.48	47.0	19.6	9.12	2.74	1.93	1.25	5.04	31.2	6.96
16	29.8	6.96	11.7	36.3	17.7	8.04	2.56	1.75	1.25	13.1	20.3	6.34
17	20.3	6.60	15.1	32.0	15.8	7.32	2.38	1.66	1.25	15.1	16.4	6.08
18	23.0	6.34	17.7	30.5	14.1	6.96	2.20	1.57	1.25	12.6	13.1	5.82
19	38.9	5.82	21.6	32.7	12.6	6.60	2.20	1.57	1.21	11.2	14.1	11.2
20	88.1	5.30	25.0	34.1	12.2	6.08	2.20	1.57	1.21	12.2	24.3	9.48
21	57.6	4.26	26.4	30.5	12.2	5.82	2.11	1.57	1.21	9.48	17.7	8.04
22	35.5	5.56	28.4	26.4	12.6	6.08	2.02	1.57	1.21	8.04	14.1	7.32
23	25.0	13.1	34.8	25.0	12.6	5.30	2.02	1.57	1.21	6.96	12.2	6.34
24	19.0	21.6	45.0	24.3	14.6	5.04	1.93	1.57	1.21	6.08	10.7	5.82
25	15.8	22.3	38.9	25.7	13.1	4.52	2.02	1.57	3.28	5.56	9.12	5.56
26	14.1	36.3	31.2	25.0	11.2	4.26	2.20	1.57	3.10	5.04	8.40	15.1
27	13.6	148	29.8	24.3	10.2	4.00	3.10	1.57	2.74	4.52	7.68	41.5
28	14.1	101	27.7	23.0	10.2	3.82	3.28	1.57	2.38	4.26	7.68	28.4
29	20.3	60.0	25.0	21.6	10.7	3.64	2.74	1.57	2.11	3.82	7.32	21.0
30	14.1		23.6	22.3	12.6	3.64	2.38	1.48	2.02	3.64	13.1	15.1
31	11.7		24.3		11.7		2.20	1.48		3.46		12.2
SD1	6.32	8.62	18.7	43.5	45.0	11.7	3.35	1.95	1.44	1.66	3.37	77.0
SD2	23.6	7.19	13.6	49.5	20.1	8.72	2.69	1.70	1.25	8.18	22.7	8.60
SD3	21.9	45.8	30.5	24.8	12.0	4.61	2.36	1.55	2.05	5.53	10.8	15.1
MAX	113	176	48.0	86.8	108	14.6	5.30	2.20	8.40	21.6	90.7	332
DAT	20	27	1	10	7	8	13	1	25	16	13	2
SR	17.4	19.7	21.2	39.3	25.2	8.33	2.79	1.73	1.58	5.14	12.3	33.0
MIN	5.30	4.26	8.40	21.6	10.2	3.64	1.93	1.48	1.21	1.48	2.56	5.56
DAT	8	21	13	29	27	29	24	30	19	9	6	25
GMIN =		1.21		SRGOD=		15.6		GMAX =		332		
DATUM		19 9						DATUM		2 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A
2005

Broj : 45954 Stanica : CRNA POLJANA Kota "0" = 965.80
 Nacin osmat.: limnigraf Rijeka : TARA km od usca = 123.80
 Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 247.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	14.0	2.56	5.02	54.2	25.2	7.55	4.54	2.96	2.96	36.3	6.73	93.6
2	12.1	2.42	4.78	45.0	23.9	6.73	4.54	2.96	2.96	24.5	5.91	85.8
3	10.6	2.42	4.78	35.3	28.6	5.91	4.30	2.96	2.96	17.3	5.50	50.0
4	9.19	2.42	4.54	30.0	36.3	5.26	4.30	2.96	2.96	9.19	5.91	66.3
5	8.37	2.42	6.32	27.2	39.2	5.02	4.30	2.96	2.96	7.14	5.50	50.0
6	7.55	2.42	29.3	25.2	38.2	5.91	4.06	2.96	2.96	7.14	5.50	101
7	6.73	2.42	22.6	25.2	42.0	13.0	4.06	2.96	2.96	6.32	5.02	75.4
8	6.32	2.42	16.1	26.5	32.7	9.19	3.82	7.55	2.96	5.02	4.78	51.0
9	5.91	2.42	13.0	28.6	26.5	10.1	3.58	3.58	2.96	4.54	4.54	38.2
10	5.50	2.42	10.1	30.6	23.9	9.19	3.34	2.96	1.88	4.78	4.30	22.6
11	5.26	2.42	9.60	32.7	23.9	8.37	3.58	2.96	1.88	4.54	4.06	23.3
12	5.02	2.42	9.19	47.0	24.5	7.55	3.34	2.96	1.88	4.54	4.06	18.9
13	4.78	3.82	8.37	66.3	22.6	6.73	3.10	2.96	1.75	3.82	3.82	16.7
14	4.54	7.96	9.19	67.6	20.6	6.32	3.34	2.96	1.75	3.82	3.82	15.1
15	4.30	5.50	8.78	50.0	20.6	5.91	3.10	2.96	1.88	3.82	3.58	13.5
16	4.06	6.73	9.19	39.2	20.0	5.50	2.96	3.34	1.88	3.58	17.3	12.5
17	3.82	5.50	9.19	35.3	19.5	5.50	3.34	2.96	1.75	3.58	46.0	13.0
18	3.82	8.37	10.1	39.2	19.5	5.02	3.82	2.96	7.96	3.10	28.6	11.6
19	3.82	4.30	13.0	37.2	20.0	4.78	3.10	2.96	27.9	2.83	22.0	10.1
20	3.58	4.30	15.6	32.7	17.8	4.54	2.96	2.96	17.3	2.96	17.3	9.19
21	3.58	4.30	18.9	45.0	15.1	4.30	2.96	2.96	10.6	2.83	14.5	9.19
22	3.34	5.26	20.0	52.0	12.5	4.06	2.96	2.96	9.60	17.3	13.0	8.37
23	3.10	5.50	20.0	37.2	11.6	3.82	2.96	6.73	11.1	142	12.1	7.55
24	3.34	5.50	22.6	28.6	11.6	3.58	2.96	4.54	8.78	74.1	11.1	7.14
25	3.34	5.26	25.2	23.9	11.6	3.34	2.96	3.82	7.14	30.6	10.1	6.73
26	3.34	6.73	28.6	23.3	11.6	3.10	2.96	3.34	5.02	18.9	12.1	7.55
27	3.10	7.55	34.4	25.2	11.6	4.06	2.96	3.10	4.54	14.5	36.3	30.0
28	2.96	6.32	67.6	28.6	11.1	3.10	2.96	2.96	4.06	12.5	52.0	97.5
29	2.83		114	30.6	10.1	2.96	2.96	2.96	3.82	9.60	32.7	67.6
30	2.69		85.8	28.6	9.60	3.34	2.96	2.96	4.06	9.60	50.0	45.0
31	2.56		66.3		8.37		2.96	2.96		8.78		30.0
SD1	8.63	2.43	11.7	32.8	31.6	7.79	4.08	3.48	2.85	12.2	5.37	63.4
SD2	4.30	5.13	10.2	44.7	20.9	6.02	3.26	3.00	6.59	3.66	15.1	14.4
SD3	3.11	5.80	45.8	32.3	11.3	3.57	2.96	3.57	6.87	31.0	24.4	28.8
MAX	14.0	8.37	114	67.6	42.0	13.0	4.54	7.55	27.9	142	52.0	101
DAT	1	18	29	14	7	7	1	8	19	23	28	6
SR	5.27	4.36	23.3	36.6	21.0	5.79	3.42	3.36	5.44	16.1	14.9	35.3
MIN	2.56	2.42	4.54	23.3	8.37	2.96	2.96	2.96	1.75	2.83	3.58	6.73
DAT	31	2	4	26	31	29	16	1	13	19	15	25

GMIN = 1.75			SRGOD= 14.6					GMAX = 142				
DATUM 13 9								DATUM 23 10				
