

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1959

Broj : 45960 Stanica : TREBALJEVO Kota "0" = 894.08  
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 106.00  
Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	28.3	15.3	12.2	32.5	17.2	45.0	15.3	7.12	14.7	8.57	40.7	21.3
2	24.0	16.0	14.1	34.6	63.9	40.7	16.6	8.57	11.0	7.61	28.3	49.5
3	24.0	17.2	16.0	30.8	59.0	33.5	24.0	8.09	10.5	7.61	27.4	47.3
4	24.0	16.0	16.0	27.4	47.3	30.0	23.3	8.09	10.0	7.12	24.0	36.6
5	22.6	14.7	17.2	25.7	42.8	27.4	22.6	8.09	9.55	7.12	21.3	34.6
6	21.3	13.5	17.2	24.9	36.6	23.3	19.9	7.12	11.0	7.12	24.0	32.5
7	19.9	12.9	21.3	24.9	32.5	21.3	18.6	7.12	32.5	6.64	42.8	30.8
8	19.2	12.2	36.6	38.7	30.8	19.2	17.2	6.64	25.7	6.64	49.5	30.8
9	66.4	11.6	60.2	42.8	30.8	18.6	16.0	6.15	21.3	6.64	38.7	68.9
10	34.6	11.0	56.5	45.0	30.8	18.6	14.7	5.84	17.9	6.15	32.5	74.0
11	30.8	11.0	49.5	63.9	29.1	19.9	13.5	5.84	17.2	6.15	29.1	59.0
12	24.0	11.0	54.0	54.0	29.1	22.0	12.9	5.52	16.6	5.84	28.3	71.4
13	24.0	11.0	51.8	34.6	28.3	22.6	12.2	9.06	16.0	5.84	30.0	82.9
14	18.6	10.0	45.0	30.8	29.1	21.3	11.6	9.06	13.5	5.84	30.0	131
15	18.6	10.0	38.7	29.1	29.1	19.9	11.0	8.09	12.9	5.52	31.6	131
16	25.7	10.0	32.5	28.3	27.4	19.2	10.0	8.09	11.6	5.52	33.5	97.2
17	89.4	10.0	29.1	28.3	25.7	18.6	10.0	9.06	11.0	5.52	59.0	71.4
18	54.0	9.55	25.7	30.8	24.0	19.9	9.06	8.57	10.5	5.52	41.8	54.0
19	36.6	9.55	24.0	32.5	22.6	20.6	10.0	9.55	10.0	5.52	36.6	39.7
20	27.4	9.06	22.6	36.6	21.3	19.9	9.55	11.0	10.0	5.20	32.5	32.5
21	27.4	9.06	22.6	34.6	22.0	18.6	9.06	10.0	9.06	4.89	29.1	29.1
22	25.7	9.06	22.0	32.5	21.3	17.2	8.57	10.0	8.09	4.89	25.7	27.4
23	22.6	9.06	21.3	30.8	20.6	16.6	8.09	8.09	8.09	4.57	22.6	34.6
24	21.3	9.06	21.3	26.5	19.9	16.6	7.61	8.09	8.09	5.20	21.3	24.0
25	21.3	9.06	21.3	24.0	18.6	16.0	6.64	7.61	8.09	4.89	19.9	56.5
26	20.6	8.57	22.0	21.3	18.6	15.3	6.64	7.12	7.61	4.89	17.9	63.9
27	18.6	9.06	23.3	21.3	17.2	14.7	6.64	6.64	7.12	4.89	16.0	42.8
28	17.2	11.0	23.3	19.9	16.6	14.7	6.15	6.15	25.7	5.52	15.3	92.0
29	17.2		23.3	19.2	16.0	14.1	7.12	6.15	10.0	7.12	14.7	123
30	16.6		24.0	18.6	18.6	12.9	7.61	6.64	9.06	17.2	16.0	76.5
31	15.3		28.3		55.2		6.64	10.0		56.5		56.5
SD1	28.4	14.0	26.7	32.7	39.2	27.8	18.8	7.28	16.4	7.12	32.9	42.6
SD2	34.9	10.1	37.3	36.9	26.6	20.4	11.0	8.38	12.9	5.65	35.2	77.0
SD3	20.3	9.24	23.0	24.9	22.2	15.7	7.34	7.86	10.1	11.0	19.9	56.9
MAX	89.4	17.2	60.2	63.9	63.9	45.0	24.0	11.0	32.5	56.5	59.0	131
DAT	17	3	9	11	2	1	3	20	7	31	17	14
SR	27.7	11.3	28.8	31.5	29.1	21.3	12.2	7.84	13.1	8.01	29.3	58.8
MIN	15.3	8.57	12.2	18.6	16.0	12.9	6.15	5.52	7.12	4.57	14.7	21.3
DAT	31	26	1	30	29	30	28	12	27	23	29	1
		GMIN = 4.57			SRGOD= 23.3			GMAX = 131				
		DATUM 23 10						DATUM 14 12				

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1960

Broj : 45960      Stanica : TREBALJEVO      Kota "0" = 894.08  
 Nacin osmat.: limnigraf      Rijeka : TARA      km od usca = 106.00  
 Pocetak rada: 1957      Sliv : DRINE      Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	41.8	25.7	34.6	85.5	38.7	18.6	11.6	4.89	3.63	11.0	59.0	20.6
2	30.0	21.3	31.6	70.2	45.0	18.6	10.0	4.57	3.32	10.5	40.7	19.2
3	22.0	17.9	29.1	61.4	51.8	18.6	9.55	4.57	3.32	7.61	31.6	17.9
4	24.0	16.0	25.7	49.5	49.5	17.2	10.0	4.57	3.00	6.64	24.9	17.2
5	22.0	14.1	22.6	38.7	43.9	16.6	10.0	4.57	3.00	6.15	20.6	16.0
6	18.6	11.6	20.6	33.5	38.7	16.0	9.06	4.57	3.32	6.15	86.8	16.0
7	16.6	10.0	21.3	30.0	33.5	15.3	9.06	4.26	3.63	6.15	259	14.7
8	14.1	8.09	19.9	27.4	45.0	16.6	8.57	4.26	4.26	6.64	211	15.3
9	12.2	7.61	17.9	26.5	42.8	20.6	8.57	4.26	4.26	8.09	129	24.0
10	11.6	6.15	16.0	26.5	41.8	19.9	8.57	6.15	4.26	10.0	110	92.0
11	9.06	5.52	14.7	34.6	41.8	20.6	8.57	8.09	4.26	35.6	165	90.7
12	8.09	4.89	15.3	34.6	41.8	23.3	8.57	7.12	3.94	54.0	116	63.9
13	9.55	17.9	18.6	34.6	40.7	19.2	8.09	6.64	3.94	60.2	84.2	52.9
14	10.5	33.5	19.2	34.6	43.9	17.2	8.09	7.12	3.94	70.2	89.4	46.2
15	8.57	110	18.6	34.6	48.4	15.3	8.09	6.64	3.94	50.6	127	39.7
16	7.12	134	18.6	33.5	55.2	14.7	8.09	6.15	3.94	66.4	94.6	38.7
17	6.15	92.0	25.7	33.5	59.0	13.5	7.61	7.12	3.63	111	71.4	36.6
18	6.15	118	42.8	30.8	62.7	12.9	6.64	7.61	3.63	114	56.5	40.7
19	4.89	244	62.7	27.4	63.9	11.6	7.61	6.64	3.00	68.9	43.9	82.9
20	4.57	232	35.6	27.4	60.2	13.5	7.61	5.52	2.70	45.0	71.4	76.5
21	3.94	140	30.8	24.9	59.0	13.5	6.64	4.57	3.63	30.0	72.7	72.7
22	3.63	127	27.4	22.0	54.0	13.5	6.15	4.57	3.63	31.6	55.2	99.8
23	3.00	102	23.3	19.9	46.2	12.2	6.15	4.26	4.26	31.6	45.0	108
24	2.85	98.5	20.6	17.9	38.7	11.0	6.15	4.26	4.26	25.7	38.7	82.9
25	3.00	80.3	18.6	27.4	33.5	11.0	6.15	4.26	4.26	22.0	32.5	63.9
26	3.32	66.4	17.9	28.3	30.0	10.5	6.64	3.63	3.63	16.6	28.3	49.5
27	4.26	55.2	36.6	24.9	27.4	10.0	6.64	3.94	3.63	30.8	24.9	39.7
28	8.57	46.2	85.5	24.9	22.6	10.0	6.15	3.32	3.63	30.0	22.0	32.5
29	16.6	38.7	101	37.7	19.2	10.0	5.84	3.63	4.89	23.3	22.0	29.1
30	23.3		116	39.7	18.6	10.5	5.52	3.63	8.09	34.6	23.3	26.5
31	26.5		101		19.2		5.52	3.63		62.7		23.3
SD1	21.3	13.8	23.9	44.9	43.1	17.8	9.50	4.67	3.60	7.89	97.3	25.3
SD2	7.47	99.2	27.2	32.6	51.8	16.2	7.90	6.87	3.69	67.6	91.9	56.9
SD3	9.00	83.8	52.6	26.8	33.5	11.2	6.14	3.97	4.39	30.8	36.5	57.1
MAX	41.8	301	119	85.5	63.9	23.3	11.6	8.09	8.09	125	324	124
DAT	1	19	30	1	19	12	1	11	30	18	7	23
SR	12.5	65.0	35.2	34.7	42.5	15.1	7.79	5.13	3.89	35.3	75.2	46.8
MIN	2.85	4.89	14.7	17.9	18.6	10.0	5.52	3.32	2.70	6.15	20.6	14.7
DAT	24	12	11	24	30	27	30	28	20	5	5	7
GMIN =		2.70		SRGOD=		31.4		GMAX =		324		
DATUM		20 9						DATUM		7 11		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1961

Broj : 45960                      Stanica : TREBALJEVO                      Kota "0" = 894.08  
 Nacin osmat.: limnigraf        Rijeka : TARA                                      km od usca = 106.00  
 Pocetak rada: 1957                Sliv : DRINE                                        Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	21.3	11.0	12.2	17.2	59.0	23.3	8.09	5.52	2.85	2.40	9.55	38.7	
2	18.6	13.5	11.0	17.2	50.6	21.3	8.09	5.20	2.70	2.40	8.57	31.6	
3	20.6	12.2	10.5	18.6	41.8	19.9	8.09	4.89	2.70	2.40	8.09	27.4	
4	24.0	11.0	10.0	19.9	34.6	18.6	8.09	4.57	2.70	2.40	8.57	21.3	
5	56.5	11.0	9.55	20.6	30.0	17.2	8.09	4.26	2.55	2.40	11.0	18.6	
6	54.0	10.0	9.06	22.6	27.4	17.2	8.09	4.26	2.55	2.40	26.5	17.2	
7	40.7	9.06	9.06	24.9	25.7	16.6	7.12	4.26	2.40	2.40	21.3	27.4	
8	33.5	8.57	9.55	28.3	25.7	16.6	6.64	4.26	2.40	2.40	23.3	29.1	
9	28.3	8.09	10.0	31.6	24.0	16.0	6.64	3.94	3.00	2.40	30.0	23.3	
10	25.7	8.57	10.5	34.6	25.7	14.7	7.61	3.63	3.94	2.40	27.4	22.0	
11	22.6	8.57	12.2	32.5	29.1	16.6	7.12	3.63	3.63	2.40	66.4	22.6	
12	21.3	8.57	14.1	30.0	28.3	17.2	7.12	3.63	3.32	2.40	128	20.6	
13	24.9	7.61	16.0	30.0	26.5	16.6	5.84	3.32	3.00	2.55	63.9	19.2	
14	23.3	7.61	17.2	30.0	24.9	15.3	5.84	3.32	3.00	2.55	62.7	17.9	
15	22.0	7.12	17.9	29.1	24.9	14.7	5.52	3.32	2.85	2.40	56.5	16.6	
16	20.6	6.64	17.9	28.3	25.7	12.9	5.52	3.00	2.85	2.40	47.3	14.7	
17	19.9	6.64	17.9	27.4	27.4	12.2	5.52	4.26	2.70	2.55	34.6	13.5	
18	17.9	6.64	17.9	30.0	37.7	13.5	5.52	5.20	2.70	2.85	27.4	14.7	
19	14.7	7.12	18.6	31.6	38.7	12.2	5.52	4.89	2.55	22.6	22.6	14.1	
20	14.7	8.09	21.3	31.6	52.9	12.2	5.52	4.57	2.55	42.8	23.3	14.1	
21	14.1	8.09	26.5	26.5	55.2	11.6	5.52	4.26	2.55	32.5	16.0	14.7	
22	14.1	8.09	37.7	23.3	55.2	11.0	5.52	3.94	2.55	19.9	14.7	14.1	
23	13.5	8.09	31.6	22.0	59.0	11.0	5.52	3.63	2.55	13.5	14.7	13.5	
24	13.5	9.06	25.7	22.6	51.8	10.5	4.89	3.63	2.55	12.2	14.1	14.1	
25	14.1	9.06	24.0	23.3	45.0	10.0	4.89	3.63	2.40	9.06	14.7	14.1	
26	14.1	8.57	22.6	22.0	38.7	9.06	4.57	3.32	2.40	8.09	19.9	12.9	
27	13.5	11.0	20.6	25.7	32.5	9.06	4.57	3.32	2.40	7.61	19.9	20.6	
28	12.9	11.6	20.6	28.3	30.0	8.57	4.26	3.00	2.40	7.12	59.0	57.7	
29	10.5		19.9	27.4	27.4	9.55	3.94	3.00	2.40	6.64	63.9	61.4	
30	11.0		18.6	41.8	26.5	9.06	6.64	3.00	2.40	6.15	45.0	30.8	
31	11.0		17.2		24.9		6.15	2.85		8.57		25.7	
SD1	32.3	10.3	10.1	23.5	34.5	18.1	7.66	4.48	2.78	2.40	17.4	25.7	
SD2	20.2	7.46	17.1	30.0	31.6	14.3	5.90	3.91	2.91	8.55	53.3	16.8	
SD3	12.9	9.20	24.1	26.3	40.6	9.94	5.13	3.42	2.46	11.9	28.2	25.4	
MAX	56.5	13.5	37.7	41.8	59.0	23.3	8.09	5.52	3.94	42.8	128	61.4	
DAT	5	2	22	30	1	5	1	1	10	20	12	29	
SR	21.5	8.97	17.3	26.6	35.7	14.1	6.20	3.92	2.72	7.77	33.0	22.7	
MIN	10.5	6.64	9.06	17.2	24.0	8.57	3.94	2.85	2.40	2.40	8.09	12.9	
DAT	29	16	6	1	9	28	29	31	7	1	3	26	
		GMIN = 2.40		SRGOD= 16.8		GMAX = 128							
		DATUM 7 9				DATUM 12 11							

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1962

Broj : 45960      Stanica : TREBALJEVO      Kota "0" = 894.08  
 Nacin osmat.: limnigraf      Rijeka : TARA      km od usca = 106.00  
 Pocetak rada: 1957      Sliv : DRINE      Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	23.3	13.5	17.9	98.5	24.0	22.0	9.06	4.57	2.25	2.85	5.20	22.0
2	22.0	12.9	22.0	105	28.3	21.3	9.06	4.26	2.40	3.00	10.5	19.2
3	21.3	12.2	22.0	75.2	25.7	20.6	8.09	4.26	2.40	2.85	10.5	17.9
4	20.6	12.2	45.0	55.2	28.3	19.2	8.09	3.94	2.40	2.85	10.0	15.3
5	19.2	12.9	101	108	35.6	17.9	9.06	3.94	2.40	2.85	8.57	14.7
6	17.2	12.9	233	101	49.5	17.2	9.06	3.94	2.40	2.70	7.12	13.5
7	16.0	12.9	160	68.9	55.2	16.6	8.09	3.63	2.25	2.70	7.12	12.2
8	15.3	12.2	99.8	49.5	61.4	16.0	8.09	3.63	2.25	2.70	7.12	11.6
9	14.1	12.2	57.7	36.6	71.4	14.7	7.12	3.32	2.25	2.55	7.61	10.5
10	12.9	13.5	36.6	31.6	77.7	14.1	6.64	3.32	2.40	2.55	11.0	10.0
11	11.6	14.7	27.4	32.5	76.5	15.3	6.15	3.63	2.40	2.55	14.7	10.0
12	14.1	14.7	38.7	32.5	68.9	14.1	5.84	3.63	2.40	2.40	16.6	9.06
13	15.3	15.3	37.7	30.8	61.4	13.5	5.52	3.63	2.25	2.40	16.0	10.0
14	16.6	56.5	31.6	30.0	62.7	12.9	5.20	3.63	2.25	2.55	15.3	16.0
15	30.8	70.2	25.7	28.3	84.2	12.2	5.20	3.32	2.25	2.55	16.6	32.5
16	60.2	48.4	22.6	27.4	70.2	11.0	4.89	3.32	2.25	3.94	19.2	28.3
17	48.4	35.6	20.6	26.5	52.9	10.0	5.20	3.00	2.25	7.61	17.2	102
18	42.8	28.3	17.9	25.7	46.2	10.0	5.52	3.00	2.10	7.61	16.0	49.5
19	37.7	23.3	16.0	28.3	42.8	10.0	5.52	2.85	2.25	5.20	45.0	32.5
20	31.6	20.6	14.1	31.6	42.8	10.5	5.52	2.85	2.55	4.57	107	23.3
21	29.1	17.2	12.9	35.6	43.9	10.5	5.52	2.85	2.85	4.57	131	19.2
22	27.4	15.3	26.5	37.7	37.7	10.0	5.52	2.85	2.85	4.26	81.6	17.2
23	24.9	14.1	32.5	38.7	32.5	10.0	5.20	2.70	2.85	4.26	63.9	14.7
24	23.3	12.9	43.9	39.7	30.0	10.0	5.52	2.70	2.70	4.26	99.8	14.7
25	21.3	11.6	85.5	38.7	28.3	9.06	5.52	2.55	2.70	4.26	105	12.9
26	19.2	11.0	98.5	38.7	26.5	9.55	5.20	2.55	2.85	3.63	59.0	13.5
27	17.9	11.6	68.9	41.8	25.7	8.57	5.20	2.55	2.70	3.32	38.7	14.1
28	16.6	12.2	50.6	39.7	24.9	8.09	4.89	2.40	2.70	3.00	30.0	13.5
29	14.7		37.7	38.7	24.0	8.09	4.57	2.40	2.85	3.94	24.9	12.9
30	13.5		28.3	38.7	23.3	8.57	4.57	2.40	2.85	3.94	24.0	21.3
31	13.5		32.5		22.6		4.57	2.25		3.94		124
SD1	18.2	12.7	79.5	72.9	45.7	18.0	8.24	3.88	2.34	2.76	8.47	14.7
SD2	30.9	32.8	25.2	29.4	60.9	11.9	5.46	3.29	2.29	4.14	28.4	31.3
SD3	20.1	13.2	47.1	38.8	29.0	9.24	5.12	2.56	2.79	3.94	65.8	25.3
MAX	60.2	70.2	233	108	84.2	22.0	9.06	4.57	2.85	7.61	166	124
DAT	16	15	6	5	15	1	1	1	21	17	21	31
SR	23.0	20.0	50.5	47.0	44.7	13.1	6.23	3.22	2.47	3.62	34.2	23.8
MIN	11.6	11.0	12.9	25.7	22.6	8.09	4.57	2.25	2.10	2.40	5.20	9.06
DAT	11	26	21	18	31	28	29	31	18	12	1	12
GMIN =			2.10	SRGOD=			22.7	GMAX =			233	
DATUM			18 9					DATUM			6 3	

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1963

Broj : 45960                      Stanica : TREBALJEVO                      Kota "0" = 894.08  
Nacin osmat.: limnigraf      Rijeka : TARA                      km od usca = 106.00  
Pocetak rada: 1957              Sliv : DRINE                      Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	99.8	12.2	17.2	34.6	49.5	31.6	12.2	5.52	4.89	3.00	3.00	16.6	
2	75.2	11.6	16.6	30.8	48.4	30.8	12.2	5.84	4.57	3.00	3.32	16.0	
3	63.9	17.2	16.0	27.4	59.0	27.4	12.2	5.84	4.26	3.00	3.32	16.0	
4	94.6	22.0	14.7	24.9	89.4	21.3	12.9	5.84	3.94	4.57	3.32	16.0	
5	76.5	22.6	14.1	23.3	92.0	19.9	12.2	5.52	3.94	8.09	14.7	32.5	
6	118	24.0	13.5	22.0	81.6	19.9	11.6	5.52	3.63	10.5	27.4	52.9	
7	180	22.0	12.9	22.0	68.9	30.0	11.0	5.84	3.32	9.06	60.2	45.0	
8	245	19.9	12.2	24.0	63.9	30.8	11.0	5.52	3.32	8.09	67.7	36.6	
9	158	18.6	12.2	23.3	62.7	27.4	11.0	4.89	5.84	7.12	30.8	27.4	
10	94.6	16.6	13.5	24.0	61.4	22.6	11.0	4.89	5.84	7.12	17.2	21.3	
11	89.4	16.0	24.9	28.3	59.0	25.7	10.5	4.89	4.89	7.12	14.1	17.9	
12	99.8	17.2	30.8	66.4	60.2	37.7	11.6	4.57	4.89	6.15	12.9	17.9	
13	133	22.0	59.0	79.0	61.4	43.9	11.6	4.57	4.57	5.52	12.2	26.5	
14	92.0	23.3	46.2	74.0	60.2	45.0	11.0	4.57	4.26	4.89	14.7	29.1	
15	63.9	19.2	35.6	70.2	54.0	33.5	10.5	4.26	4.26	4.89	19.9	32.5	
16	47.3	16.6	30.0	62.7	50.6	30.8	10.5	3.94	3.63	4.89	22.0	403	
17	35.6	63.9	25.7	59.0	50.6	28.3	9.55	3.94	3.63	4.57	21.3	434	
18	30.0	127	23.3	62.7	50.6	25.7	9.06	3.63	3.63	4.57	26.5	158	
19	26.5	79.0	22.6	67.7	48.4	23.3	9.06	3.63	3.32	4.26	26.5	86.8	
20	34.6	93.3	22.0	70.2	47.3	21.3	9.55	3.63	3.32	3.94	21.3	120	
21	29.1	74.0	31.6	77.7	46.2	19.9	9.06	3.32	3.32	3.63	18.6	259	
22	23.3	54.0	35.6	74.0	41.8	18.6	8.09	3.32	3.32	3.63	16.6	220	
23	18.6	40.7	33.5	74.0	37.7	17.2	7.61	3.32	3.32	3.94	16.0	144	
24	16.6	31.6	29.1	76.5	36.6	17.2	7.12	3.32	3.00	3.94	15.3	90.7	
25	15.3	27.4	25.7	72.7	35.6	16.6	7.12	3.32	3.00	3.94	14.7	63.9	
26	14.7	24.0	23.3	68.9	36.6	16.0	6.64	3.00	3.00	3.63	14.7	49.5	
27	13.5	22.0	22.6	66.4	40.7	14.7	6.15	3.00	3.32	3.63	17.9	40.7	
28	12.9	18.6	24.0	65.2	39.7	13.5	6.15	3.00	3.32	3.32	22.6	36.6	
29	14.1		26.5	60.2	36.6	12.9	6.15	3.32	3.00	3.32	20.6	30.8	
30	13.5		28.3	54.0	36.6	12.9	5.84	4.89	3.00	3.32	17.9	28.3	
31	12.9		36.6		33.5		5.52	6.15		3.00		25.7	
SD1	121	18.7	14.3	25.6	67.7	26.2	11.7	5.52	4.36	6.36	23.1	28.0	
SD2	65.2	47.8	32.0	64.0	54.2	31.5	10.3	4.16	4.04	5.08	19.1	133	
SD3	16.8	36.5	28.8	69.0	38.3	15.9	6.86	3.63	3.16	3.57	17.5	89.9	
MAX	245	127	59.0	79.0	92.0	45.0	12.9	6.15	5.84	10.5	67.7	491	
DAT	8	18	13	13	5	14	4	31	9	6	8	17	
SR	65.9	34.2	25.2	52.9	52.9	24.5	9.54	4.41	3.85	4.96	19.9	83.7	
MIN	12.9	11.6	12.2	22.0	33.5	12.9	5.52	3.00	3.00	3.00	3.00	16.0	
DAT	28	2	8	6	31	29	31	26	24	1	1	2	
GMIN =			3.00	SRGOD=			31.9	GMAX =			491		
DATUM			26 8					DATUM			17 12		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1964

Broj : 45960                      Stanica : TREBALJEVO                      Kota "0" = 894.08  
Nacin osmat.: limnigraf        Rijeka : TARA                                      km od usca = 106.00  
Pocetak rada: 1957                Sliv : DRINE                                        Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	22.6	6.15	13.5	62.7	25.7	20.6	9.55	6.64	4.89	4.89	28.3	125
2	20.6	6.15	12.9	66.4	24.9	19.2	9.55	7.12	5.84	4.89	32.5	85.5
3	17.2	5.84	12.2	60.2	23.3	19.9	8.57	7.61	5.84	4.57	51.8	67.7
4	16.6	5.84	11.6	81.6	24.0	19.9	8.09	6.64	5.52	4.26	51.8	67.7
5	14.7	5.84	11.6	110	25.7	17.9	8.09	5.84	5.20	4.26	46.2	52.9
6	14.7	5.52	11.6	80.3	27.4	14.7	7.61	5.52	4.89	4.26	49.5	39.7
7	14.7	5.52	11.0	60.2	27.4	14.1	7.61	5.20	4.89	4.26	48.4	23.3
8	13.5	5.52	11.0	49.5	24.9	14.7	7.61	4.89	6.64	3.94	43.9	18.6
9	12.9	5.52	10.5	42.8	24.9	13.5	7.12	4.89	6.15	14.1	40.7	16.0
10	12.2	5.52	10.5	36.6	24.9	12.9	7.12	5.52	5.52	22.0	39.7	19.9
11	12.2	5.52	10.5	31.6	24.9	12.2	6.64	5.84	5.20	61.4	36.6	19.2
12	12.2	5.52	11.6	27.4	25.7	12.2	7.12	5.84	4.89	84.2	33.5	17.2
13	11.6	5.20	15.3	24.0	25.7	12.2	11.6	5.20	4.57	74.0	32.5	16.6
14	11.0	5.20	13.5	24.9	26.5	11.6	11.0	4.89	4.57	99.8	30.8	15.3
15	11.0	5.20	17.2	24.0	27.4	11.0	10.0	4.89	4.26	114	28.3	14.7
16	10.5	5.20	60.2	22.0	29.1	11.0	10.0	5.20	4.26	75.2	24.9	14.7
17	10.0	5.52	50.6	19.9	25.7	11.6	10.0	5.20	4.26	48.4	15.3	16.0
18	9.55	13.5	31.6	19.9	22.6	11.6	9.55	4.89	4.26	42.8	20.6	35.6
19	9.55	26.5	27.4	19.9	20.6	11.6	8.57	4.89	4.26	43.9	18.6	80.3
20	9.06	98.5	24.9	19.2	19.2	11.0	8.09	6.64	3.94	49.5	17.2	170
21	9.06	45.0	27.4	18.6	22.0	10.5	8.09	5.84	4.26	48.4	16.0	108
22	8.57	26.5	101	19.2	30.0	10.0	7.61	5.52	5.84	45.0	14.7	70.2
23	8.09	20.6	80.3	19.2	26.5	9.55	7.61	5.20	5.20	40.7	14.1	48.4
24	8.09	17.9	54.0	20.6	23.3	10.0	8.09	4.89	5.20	40.7	14.1	34.6
25	7.61	16.0	40.7	34.6	22.0	10.5	8.09	4.89	5.84	46.2	14.1	28.3
26	7.61	15.3	32.5	39.7	20.6	10.5	8.09	4.57	5.84	49.5	13.5	62.7
27	7.12	14.1	26.5	34.6	22.0	10.0	7.61	4.26	5.84	55.2	13.5	99.8
28	7.12	14.1	24.0	30.0	20.6	10.0	7.12	4.26	5.52	55.2	13.5	71.4
29	6.64	12.2	50.6	27.4	19.2	9.55	7.12	4.26	5.52	48.4	14.1	72.7
30	6.64		50.6	26.5	20.6	9.55	7.61	3.94	5.20	38.7	72.7	131
31	6.15		48.4		21.3		7.12	3.94		32.5		90.7
SD1	16.0	5.74	11.6	65.0	25.3	16.7	8.09	5.99	5.54	7.14	43.3	51.6
SD2	10.7	17.6	26.3	23.3	24.7	11.6	9.26	5.35	4.45	69.3	25.8	40.0
SD3	7.52	20.2	48.7	27.0	22.6	10.0	7.65	4.69	5.43	45.5	20.0	74.3
MAX	24.0	123	129	133	31.6	24.0	12.2	8.09	8.09	138	177	186
DAT	1	20	22	5	22	1	13	3	8	15	30	20
SR	11.3	14.3	29.5	38.5	24.1	12.8	8.31	5.32	5.14	40.8	29.7	55.9
MIN	6.15	5.20	10.5	18.6	19.2	9.55	6.64	3.94	3.94	3.94	13.5	14.7
DAT	31	13	9	21	20	23	11	30	20	8	26	15
		GMIN = 3.94			SRGOD= 23.0			GMAX = 186				
		DATUM 30 8						DATUM 20 12				

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1965

Broj : 45960                      Stanica : TREBALJEVO                      Kota "0" = 894.08  
Nacin osmat.: limnigraf        Rijeka : TARA                                      km od usca = 106.00  
Pocetak rada: 1957                Sliv : DRINE                                        Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII					
1	54.0	36.6	7.61	21.3	52.9	60.2	14.7	4.57	3.32	3.00	2.40	177					
2	35.6	56.5	60.2	20.6	42.8	61.4	13.5	4.26	3.00	3.00	2.40	121					
3	28.3	37.7	221	19.9	37.7	51.8	14.1	4.26	3.00	2.85	2.40	77.7					
4	24.0	28.3	108	19.2	34.6	42.8	14.1	4.26	3.00	2.85	2.40	68.9					
5	22.0	24.9	70.2	19.9	35.6	43.9	14.7	3.94	3.32	2.85	2.40	42.8					
6	17.9	21.3	60.2	20.6	49.5	55.2	14.1	3.94	3.32	2.85	2.40	33.5					
7	16.0	17.2	47.3	22.6	50.6	55.2	12.2	3.63	5.84	2.70	2.40	28.3					
8	16.6	16.6	35.6	29.1	43.9	47.3	11.6	3.63	4.89	2.70	2.40	32.5					
9	15.3	16.0	28.3	56.5	39.7	42.8	11.0	3.32	4.26	2.70	2.40	89.4					
10	14.1	15.3	23.3	166	39.7	42.8	9.55	3.00	3.94	2.70	2.40	118					
11	13.5	14.7	19.9	120	39.7	40.7	9.06	3.32	3.63	2.70	2.85	169					
12	14.7	15.3	17.9	76.5	37.7	39.7	9.06	3.63	3.63	2.70	4.89	118					
13	14.7	15.3	16.0	63.9	52.9	36.6	9.06	3.63	4.89	2.70	16.0	71.4					
14	14.1	16.0	14.7	60.2	55.2	33.5	8.57	3.63	5.20	2.70	19.9	50.6					
15	13.5	14.1	14.1	54.0	52.9	31.6	8.09	3.63	4.57	2.55	24.0	35.6					
16	12.9	12.9	14.1	47.3	51.8	29.1	8.57	3.63	3.94	2.55	22.0	29.1					
17	12.2	12.2	14.1	41.8	56.5	28.3	7.61	3.63	3.63	2.55	19.9	24.9					
18	12.2	11.0	15.3	35.6	66.4	29.1	7.61	3.63	3.63	2.55	18.6	21.3					
19	12.9	10.5	15.3	33.5	81.6	27.4	7.61	3.63	3.32	2.55	24.0	18.6					
20	12.9	10.0	14.1	38.7	88.1	27.4	8.09	3.63	3.32	2.40	72.7	17.2					
21	12.2	9.55	14.7	65.2	84.2	25.7	7.12	3.63	3.63	2.40	84.2	15.3					
22	11.6	9.06	19.9	68.9	77.7	24.9	6.64	3.32	3.32	2.40	116	17.2					
23	11.0	8.57	20.6	54.0	77.7	24.0	6.64	3.00	3.00	2.40	110	17.2					
24	10.5	8.57	30.0	46.2	66.4	23.3	6.15	3.00	3.00	2.40	65.2	17.2					
25	10.0	8.57	34.6	40.7	61.4	22.0	6.15	5.84	3.00	2.40	42.8	19.9					
26	10.0	8.09	33.5	36.6	62.7	22.0	5.84	5.52	3.00	2.40	29.1	25.7					
27	9.55	8.09	29.1	34.6	59.0	21.3	5.84	4.89	3.32	2.40	26.5	23.3					
28	9.06	7.61	25.7	38.7	57.7	19.9	5.84	4.26	3.63	2.40	115	131					
29	10.0		25.7	84.2	67.7	18.6	5.84	3.94	3.63	2.40	81.6	160					
30	17.2		24.0	68.9	62.7	17.2	5.20	3.63	3.00	2.40	60.2	84.2					
31	27.4		23.3		55.2		4.57	3.32		2.40		55.2					
SD1	24.4	27.0	66.2	39.6	42.7	50.3	13.0	3.88	3.79	2.82	2.40	78.9					
SD2	13.4	13.2	15.6	57.2	58.3	32.3	8.33	3.60	3.98	2.59	22.5	55.6					
SD3	12.6	8.51	25.6	53.8	66.6	21.9	5.98	4.03	3.25	2.40	73.1	51.5					
MAX	70.2	61.4	290	183	89.4	63.9	16.0	6.15	7.61	3.00	181	209					
DAT	1	2	3	10	20	2	1	25	7	1	22	1					
SR	16.6	16.8	35.4	50.2	56.2	34.9	8.99	3.84	3.67	2.60	32.6	61.6					
MIN	9.06	7.61	7.61	19.2	34.6	17.2	4.57	3.00	3.00	2.40	2.40	15.3					
DAT	28	28	1	4	4	30	31	10	2	20	1	21					
GMIN =			2.40			SRGOD=			27.0			GMAX =			290		
DATUM			20 10									DATUM			3 3		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1966

Broj : 45960 Stanica : TREBALJEVO Kota "0" = 894.08  
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 106.00  
Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	39.7	10.5	32.5	34.6	82.9	39.7	13.5	6.15	15.3	12.9	52.9	27.4	
2	35.6	10.5	30.0	28.3	77.7	36.6	12.2	5.84	10.0	10.0	39.7	42.8	
3	30.8	10.0	27.4	24.0	68.9	35.6	11.0	5.52	6.64	20.6	32.5	163	
4	26.5	10.0	26.5	22.0	63.9	31.6	10.0	5.52	5.52	17.9	29.1	121	
5	22.6	10.0	26.5	22.0	60.2	29.1	9.55	5.20	4.89	13.5	54.0	76.5	
6	19.2	10.0	25.7	22.0	56.5	26.5	9.55	4.89	4.57	11.6	72.7	55.2	
7	17.2	9.55	24.0	22.6	51.8	29.1	9.06	4.89	4.57	10.5	59.0	43.9	
8	15.3	9.55	22.0	24.0	47.3	29.1	11.0	4.57	4.26	9.06	47.3	36.6	
9	15.3	10.5	19.2	24.9	40.7	22.6	11.0	4.26	3.94	8.57	38.7	30.0	
10	15.3	20.6	17.9	30.0	38.7	22.0	10.0	4.26	3.63	9.55	31.6	26.5	
11	14.7	82.9	17.9	68.9	50.6	20.6	9.55	4.26	3.63	10.0	31.6	24.0	
12	20.6	128	17.2	62.7	47.3	21.3	8.57	3.94	3.63	9.55	33.5	24.0	
13	21.3	77.7	28.3	60.2	39.7	22.0	8.09	3.94	3.63	11.0	37.7	40.7	
14	15.3	79.0	25.7	56.5	36.6	23.3	7.61	3.63	3.63	12.2	35.6	106	
15	11.6	76.5	23.3	57.7	37.7	22.6	7.12	3.63	3.32	11.6	32.5	65.2	
16	11.6	51.8	22.6	62.7	38.7	22.6	7.12	3.63	3.32	11.0	30.0	45.0	
17	19.9	37.7	21.3	106	38.7	23.3	6.64	3.63	3.00	10.0	29.1	36.6	
18	25.7	34.6	19.2	93.3	37.7	22.6	6.15	3.32	3.00	9.55	43.9	27.4	
19	24.0	32.5	17.9	71.4	35.6	19.2	6.15	3.32	3.94	9.06	77.7	24.9	
20	17.2	34.6	17.2	61.4	33.5	17.2	5.84	3.00	4.26	8.57	72.7	21.3	
21	14.1	36.6	16.0	60.2	30.8	16.0	6.15	3.00	3.94	12.2	62.7	20.6	
22	12.2	43.9	15.3	61.4	29.1	14.7	6.15	3.00	3.94	17.2	47.3	19.2	
23	12.2	71.4	15.3	62.7	28.3	13.5	6.15	3.00	3.94	14.7	37.7	17.2	
24	14.1	127	15.3	55.2	27.4	12.2	6.15	2.85	3.63	12.9	99.8	16.0	
25	13.5	84.2	16.0	50.6	27.4	11.6	6.64	2.85	3.63	11.6	112	14.7	
26	12.9	56.5	18.6	51.8	28.3	11.0	8.09	3.00	3.32	32.5	66.4	14.1	
27	12.2	42.8	17.2	54.0	41.8	10.5	7.61	3.63	3.32	95.9	47.3	12.9	
28	12.2	35.6	17.9	57.7	67.7	10.0	7.12	3.32	3.32	85.5	37.7	12.2	
29	11.6		33.5	56.5	54.0	11.0	7.12	3.63	3.32	82.9	30.0	12.9	
30	11.0		63.9	65.2	43.9	17.9	7.61	3.63	3.94	105	32.5	12.2	
31	11.0		47.3		40.7		6.64	4.26		77.7		11.6	
SD1	23.8	11.1	25.2	25.4	58.9	30.2	10.7	5.11	6.33	12.4	45.8	62.3	
SD2	18.2	63.5	21.1	70.1	39.6	21.5	7.28	3.63	3.54	10.3	42.4	41.5	
SD3	12.5	62.2	25.1	57.5	38.1	12.8	6.86	3.29	3.63	49.8	57.3	14.9	
MAX	42.8	160	70.2	120	86.8	40.7	15.3	6.15	23.3	112	179	239	
DAT	1	12	30	17	1	1	1	1	1	27	25	3	
SR	17.9	44.4	23.8	51.0	45.3	21.5	8.23	3.99	4.50	25.0	48.5	38.8	
MIN	11.0	9.55	15.3	22.0	27.4	10.0	5.84	2.85	3.00	8.57	29.1	11.6	
DAT	30	7	22	4	24	28	20	24	17	9	4	31	
		GMIN = 2.85			SRGOD= 27.6			GMAX = 239					
		DATUM 24 8						DATUM 3 12					



## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1967

Broj : 45960                      Stanica : TREBALJEVO                      Kota "0" = 894.08  
 Nacin osmat.: limnigraf        Rijeka : TARA                                      km od usca = 106.00  
 Pocetak rada: 1957                Sliv : DRINE                                        Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	11.0	8.09	15.3	128	63.9	42.8	16.0	6.64	3.00	3.00	2.85	28.3	
2	10.5	8.57	20.6	86.8	68.9	36.6	15.3	6.15	3.32	3.00	2.70	20.6	
3	11.0	8.57	22.6	65.2	80.3	31.6	15.3	6.15	3.32	3.00	2.70	18.6	
4	11.6	8.57	21.3	52.9	93.3	29.1	16.0	6.15	3.32	3.00	2.85	14.1	
5	10.5	10.0	20.6	43.9	88.1	27.4	14.7	5.84	3.32	6.64	2.70	12.9	
6	11.6	10.0	20.6	37.7	79.0	26.5	15.3	5.52	3.00	14.1	2.70	12.2	
7	15.3	10.0	20.6	60.2	79.0	25.7	13.5	5.20	3.00	9.06	9.06	12.9	
8	14.1	9.55	22.0	74.0	79.0	24.9	12.9	5.20	2.85	8.09	14.7	14.1	
9	12.9	9.06	23.3	74.0	79.0	24.9	11.6	4.89	2.85	6.64	8.57	17.2	
10	11.6	9.06	28.3	76.5	82.9	23.3	17.2	4.89	2.85	5.52	7.12	17.2	
11	10.5	8.57	33.5	79.0	82.9	22.0	19.9	4.57	3.00	4.89	6.15	16.6	
12	10.5	7.61	38.7	80.3	76.5	20.6	19.2	4.26	3.32	4.57	5.52	24.9	
13	10.0	6.64	40.7	88.1	77.7	18.6	17.2	4.26	3.63	4.26	5.52	25.7	
14	9.55	7.61	46.2	110	71.4	18.6	16.0	4.57	3.32	4.26	5.52	22.0	
15	9.06	7.12	41.8	124	66.4	21.3	15.3	4.57	4.26	3.94	5.20	18.6	
16	9.06	5.84	34.6	103	66.4	21.3	14.1	4.57	4.57	3.63	5.20	16.6	
17	8.09	5.84	30.0	86.8	60.2	19.2	13.5	4.57	4.26	3.63	4.89	15.3	
18	7.12	6.15	25.7	79.0	61.4	17.9	12.2	4.26	3.63	3.32	4.89	13.5	
19	7.12	7.61	24.0	75.2	60.2	17.2	15.3	4.26	3.63	3.32	4.89	12.9	
20	7.12	7.12	22.6	63.9	52.9	17.2	12.2	3.94	3.32	3.32	4.89	12.2	
21	7.61	7.12	21.3	62.7	50.6	17.9	11.0	4.26	3.32	3.00	4.57	9.55	
22	7.12	7.61	19.2	67.7	76.5	19.2	10.0	4.26	3.32	3.00	4.26	8.09	
23	7.61	8.09	18.6	74.0	70.2	17.2	9.55	4.26	4.89	3.00	4.26	8.09	
24	14.7	8.09	18.6	60.2	70.2	16.6	9.06	3.94	4.57	3.00	4.26	8.09	
25	12.2	8.09	17.9	48.4	70.2	15.3	8.57	3.63	4.26	2.85	4.26	23.3	
26	11.0	8.57	17.2	40.7	57.7	14.7	8.57	3.63	3.94	2.85	4.26	160	
27	10.0	9.06	17.2	41.8	51.8	14.7	8.57	3.63	3.63	2.85	4.26	198	
28	9.06	10.0	17.2	39.7	48.4	14.1	8.57	3.32	3.32	3.00	4.57	119	
29	8.57		22.0	60.2	46.2	13.5	8.09	3.32	3.32	3.00	11.0	70.2	
30	8.57		121	66.4	43.9	16.0	7.61	3.00	3.32	3.00	47.3	55.2	
31	7.12		205		43.9		7.12	3.00		2.85		103	
SD1	12.0	9.15	21.5	69.9	79.3	29.3	14.8	5.66	3.08	6.20	5.60	16.8	
SD2	8.81	7.01	33.8	88.9	67.6	19.4	15.5	4.38	3.69	3.91	5.27	17.8	
SD3	9.41	8.33	45.0	56.2	57.2	15.9	8.79	3.66	3.79	2.95	9.30	69.3	
MAX	15.3	10.0	226	163	93.3	45.0	19.9	6.64	4.89	16.0	47.3	253	
DAT	7	5	31	1	4	1	11	1	23	6	30	27	
SR	10.1	8.15	33.8	71.7	67.7	21.5	12.9	4.54	3.52	4.31	6.72	35.8	
MIN	7.12	5.84	15.3	37.7	43.9	13.5	7.12	3.00	2.85	2.85	2.70	8.09	
DAT	18	16	1	6	30	29	31	30	8	25	2	22	
GMIN =			2.70	SRGOD=			23.5	GMAX =			253		
DATUM			2 11					DATUM			27 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1968

Broj : 45960 Stanica : TREBALJEVO Kota "0" = 894.08  
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 106.00  
Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	121	8.57	35.6	59.0	75.2	15.3	9.06	3.94	12.9	14.1	4.89	16.0	
2	119	8.09	29.1	56.5	67.7	14.1	8.57	3.94	14.1	14.1	4.89	15.3	
3	79.0	8.09	24.0	61.4	60.2	14.1	8.57	4.26	13.5	11.6	4.89	13.5	
4	55.2	9.06	21.3	72.7	56.5	14.1	8.09	6.15	13.5	11.6	7.12	12.2	
5	42.8	9.06	19.9	77.7	56.5	13.5	7.12	5.20	15.3	10.0	7.61	12.9	
6	35.6	9.55	18.6	77.7	61.4	12.2	7.12	4.57	15.3	9.55	6.64	12.9	
7	36.6	9.06	19.2	76.5	61.4	12.2	6.64	3.94	16.0	9.06	6.15	12.9	
8	39.7	9.55	19.2	80.3	60.2	11.0	6.64	4.57	15.3	8.57	6.15	12.2	
9	32.5	13.5	17.9	82.9	54.0	10.5	6.15	4.89	14.1	8.57	6.64	14.7	
10	27.4	17.2	19.2	72.7	45.0	12.2	5.84	4.89	12.2	8.09	30.8	15.3	
11	23.3	28.3	20.6	59.0	42.8	19.2	5.52	4.89	12.2	7.61	30.8	14.7	
12	19.9	25.7	20.6	49.5	40.7	21.3	4.89	4.89	11.0	7.12	24.0	14.1	
13	17.2	23.3	18.6	43.9	42.8	17.9	4.57	6.64	11.0	7.12	21.3	13.5	
14	16.0	21.3	17.2	39.7	40.7	21.3	4.57	6.15	11.6	6.64	19.9	12.2	
15	16.0	21.3	16.0	41.8	38.7	22.6	4.89	7.12	11.0	6.64	19.9	11.6	
16	14.7	59.0	16.0	45.0	34.6	23.3	4.57	6.64	10.0	6.15	32.5	12.2	
17	13.5	84.2	16.6	46.2	32.5	20.6	4.89	5.84	9.55	6.64	51.8	19.9	
18	13.5	57.7	16.6	52.9	30.0	24.0	4.89	5.52	9.55	7.12	242	146	
19	14.1	47.3	19.2	60.2	28.3	23.3	6.15	8.57	19.2	6.15	172	393	
20	13.5	36.6	21.3	57.7	25.7	19.9	5.84	8.57	20.6	6.15	123	310	
21	12.2	28.3	32.5	56.5	24.0	17.9	6.15	7.12	16.6	5.52	103	148	
22	11.6	24.0	105	56.5	24.0	16.0	6.64	6.64	15.3	5.52	63.9	93.3	
23	11.0	30.8	152	56.5	24.0	15.3	5.84	6.15	22.6	5.52	47.3	65.2	
24	10.5	25.7	105	60.2	22.0	14.7	10.0	6.15	22.0	5.20	40.7	49.5	
25	11.0	37.7	79.0	66.4	19.9	16.0	5.20	6.15	21.3	5.20	33.5	41.6	
26	10.5	63.9	66.4	70.2	19.9	14.1	4.89	7.61	19.9	5.20	27.4	35.2	
27	10.5	74.0	59.0	70.2	17.9	13.5	4.89	10.0	18.6	5.20	31.6	32.3	
28	10.0	55.2	52.9	68.9	15.3	12.9	5.20	9.06	17.2	5.20	28.3	29.6	
29	9.06	43.9	50.6	75.2	14.1	11.0	4.57	8.57	16.6	5.20	24.9	27.9	
30	9.06		54.0	77.7	14.7	10.5	4.26	9.06	14.1	4.89	24.0	26.1	
31	8.57		57.7		15.3		4.26	6.64		4.89		23.9	
SD1	58.9	10.2	22.4	71.7	59.8	12.9	7.38	4.63	14.2	10.5	8.58	13.8	
SD2	16.2	40.5	18.3	49.6	35.7	21.3	5.08	6.48	12.6	6.73	73.7	94.7	
SD3	10.4	42.6	74.0	65.8	19.2	14.2	5.63	7.56	18.4	5.23	42.5	52.1	
MAX	142	102	166	84.2	75.2	24.0	10.0	48.0	24.0	14.1	304	486	
DAT	1	17	23	9	1	18	1	38	23	1	18	19	
SR	27.9	30.7	39.4	62.4	37.6	16.1	6.02	6.27	15.1	7.42	41.6	53.5	
MIN	8.57	8.09	16.0	39.7	14.1	10.5	4.26	3.94	9.55	4.89	4.89	11.6	
DAT	31	2	15	14	29	9	30	1	17	30	1	15	
		GMIN = 3.94		SRGOD= 28.6		GMAX = 486							
		DATUM 1 8				DATUM 19 12							

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1969

Broj : 45960      Stanica : TREBALJEVO      Kota "0" = 894.08  
 Nacin osmat.: limnigraf      Rijeka : TARA      km od usca = 106.00  
 Pocetak rada: 1957      Sliv : DRINE      Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	21.2	16.7	31.4	24.5	94.3	27.9	12.0	8.34	14.3	14.3	5.65	59.4
2	18.5	15.5	26.1	23.2	87.8	26.1	11.5	9.90	13.1	13.7	5.65	50.3
3	17.3	21.2	17.9	21.9	81.3	26.1	11.5	7.30	12.0	13.1	4.99	42.7
4	16.7	87.8	17.3	21.9	85.2	23.9	9.38	6.64	10.4	12.5	4.99	37.3
5	16.7	129	16.1	21.9	93.0	26.1	9.90	6.31	9.90	12.0	4.33	90.4
6	16.7	68.8	13.1	25.2	95.6	31.4	13.7	6.31	11.5	10.9	3.49	231
7	16.1	47.0	16.7	27.0	89.1	45.9	12.0	5.98	12.5	10.9	3.66	119
8	16.1	34.1	21.2	27.9	85.2	45.9	12.0	4.99	12.0	10.4	6.31	75.0
9	14.9	30.5	19.8	28.8	103	40.5	9.90	4.00	11.5	9.90	12.0	55.9
10	14.3	27.0	19.8	27.9	99.5	37.3	12.0	5.32	10.4	9.90	10.4	47.0
11	14.3	23.9	19.2	28.8	81.3	30.5	12.5	4.99	11.5	9.38	8.86	41.6
12	13.1	21.2	19.2	29.6	72.6	28.8	12.5	4.99	12.0	8.86	7.82	33.2
13	13.1	21.2	19.2	32.3	71.3	26.1	13.1	4.33	10.9	8.34	7.30	29.6
14	14.3	28.8	27.0	51.5	72.6	22.5	11.5	3.66	10.9	8.34	6.97	27.9
15	31.4	33.2	44.8	67.6	75.0	22.5	10.9	3.49	14.9	7.82	6.64	25.2
16	48.1	40.5	71.3	54.8	73.8	22.5	10.4	3.15	32.3	7.82	6.64	24.5
17	50.3	34.1	68.8	48.1	72.6	22.5	9.90	2.98	28.8	7.30	6.97	23.2
18	38.4	26.1	65.3	42.7	66.4	19.8	9.38	9.90	32.3	7.30	7.30	20.5
19	30.5	21.9	60.6	38.4	64.1	17.9	8.86	7.30	27.9	7.30	7.82	19.8
20	25.2	17.9	55.9	35.2	60.6	20.5	8.34	6.64	27.9	6.97	7.82	19.2
21	21.9	20.5	47.0	36.2	57.1	18.5	8.86	6.31	37.3	6.97	6.97	17.9
22	19.2	33.2	39.4	75.0	52.6	18.5	8.34	5.98	34.1	6.97	8.86	17.3
23	17.3	33.2	34.1	132	43.7	16.7	7.82	5.65	32.3	6.64	25.2	16.1
24	17.3	35.2	31.4	173	39.4	16.1	7.30	4.99	28.8	6.31	35.2	16.1
25	16.7	71.3	29.6	107	34.1	16.1	6.97	5.65	22.5	5.98	111	15.5
26	15.5	61.8	39.4	85.2	33.2	14.9	6.64	26.1	20.5	5.98	266	14.9
27	14.9	48.1	42.7	82.6	31.4	14.9	5.98	16.7	19.8	5.98	233	14.3
28	14.3	38.4	36.2	98.2	29.6	13.7	6.64	26.1	18.5	5.98	119	13.7
29	14.9		33.2	109	27.9	13.1	7.30	21.9	16.7	7.82	87.8	14.3
30	17.3		29.6	107	27.9	12.0	7.30	17.9	15.5	6.64	70.1	14.3
31	17.3		27.0		27.9		7.30	16.1		5.65		16.7
SD1	16.8	47.8	19.9	25.0	91.4	33.1	11.4	6.51	11.8	11.8	6.15	80.8
SD2	27.9	26.9	45.1	42.9	71.0	23.4	10.7	5.14	20.9	7.94	7.41	26.5
SD3	17.0	42.7	35.4	101	36.8	15.5	7.31	13.9	24.6	6.45	96.3	15.6
MAX	57.1	147	75.0	233	113	47.0	13.7	31.4	38.4	14.9	311	237
DAT	17	5	16	24	9	7	13	26	21	1	27	6
SR	20.4	38.9	33.6	56.1	65.5	24.0	9.73	8.71	19.1	8.64	36.6	40.1
MIN	13.1	15.5	13.1	21.9	27.9	12.0	5.98	2.98	9.90	5.65	3.49	13.7
DAT	12	2	6	3	29	30	27	17	5	31	6	28
		GMIN = 2.98			SRGOD= 30.0			GMAX = 311				
		DATUM 17 8						DATUM 27 11				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1970

Broj : 45960 Stanica : TREBALJEVO Kota "0" = 894.08  
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 106.00  
Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	72.6	17.3	16.1	99.5	91.7	50.3	18.5	8.34	5.65	3.49	12.5	26.1	
2	94.3	17.3	15.5	133	66.4	48.1	17.9	8.34	5.65	3.49	13.7	30.5	
3	51.5	16.1	14.9	109	58.2	42.7	16.1	7.82	5.65	5.98	12.5	32.3	
4	32.3	16.7	16.1	86.5	51.5	38.4	15.5	7.82	5.65	5.98	11.5	29.6	
5	49.2	34.1	17.3	68.8	44.8	33.2	14.9	7.82	5.32	6.64	10.4	27.0	
6	64.1	67.6	23.9	120	38.4	32.3	14.3	7.82	5.32	6.64	10.4	24.5	
7	201	76.3	23.9	109	35.2	31.4	14.3	6.31	4.99	6.64	10.4	23.2	
8	201	67.6	21.9	150	36.2	41.6	14.9	6.31	4.66	6.64	10.4	21.2	
9	125	51.5	17.3	411	43.7	50.3	14.3	6.31	4.66	4.66	10.4	19.2	
10	78.8	50.3	15.5	233	54.8	51.5	14.9	5.98	4.66	4.66	12.0	17.3	
11	60.6	66.4	16.1	135	76.3	53.7	14.3	6.31	4.33	4.66	13.7	16.7	
12	64.1	67.6	22.5	103	91.7	50.3	13.7	6.31	4.33	4.33	14.9	15.5	
13	109	58.2	23.2	83.9	86.5	44.8	13.7	5.98	4.33	4.33	14.9	14.3	
14	96.9	73.8	23.2	116	75.0	40.5	13.1	5.65	3.83	4.00	13.7	13.7	
15	82.6	95.6	45.9	146	71.3	37.3	12.5	5.32	3.83	4.00	22.5	12.5	
16	134	77.5	50.3	99.5	73.8	35.2	12.0	5.65	3.83	4.00	137	12.5	
17	206	55.9	39.4	76.3	76.3	33.2	21.9	6.64	3.83	3.83	115	12.5	
18	175	43.7	29.6	61.8	71.3	32.3	19.2	6.64	3.83	3.83	53.7	12.0	
19	89.1	37.3	26.1	57.1	61.8	35.2	14.9	5.65	3.66	3.66	44.8	11.5	
20	66.4	31.4	23.2	64.1	58.2	35.2	13.1	5.65	3.66	3.83	62.9	10.9	
21	52.6	26.1	19.8	80.0	59.4	32.3	12.0	5.65	3.83	3.83	57.1	10.9	
22	41.6	21.9	18.5	85.2	62.9	29.6	11.5	4.99	3.83	25.2	159	10.9	
23	37.3	24.5	19.8	86.5	91.7	27.0	10.4	4.99	3.83	68.8	115	10.9	
24	34.1	23.2	22.5	95.6	80.0	24.5	9.90	4.99	3.83	38.4	76.3	10.9	
25	30.5	21.2	29.6	102	62.9	23.2	9.90	4.99	3.66	22.5	55.9	10.4	
26	27.9	18.5	41.6	104	53.7	23.2	9.90	5.65	3.66	18.5	42.7	10.9	
27	24.5	17.9	62.9	107	51.5	22.5	8.86	5.32	3.66	16.7	34.1	10.9	
28	22.5	17.3	254	108	51.5	21.9	8.86	5.32	3.49	15.5	29.6	62.9	
29	21.2		206	152	51.5	20.5	8.86	4.66	3.32	14.9	27.0	60.6	
30	20.5		103	120	49.2	19.8	8.34	4.66	3.49	13.1	25.2	195	
31	20.5		70.1		49.2		8.34	5.65		12.5		170	
SD1	97.0	41.5	18.2	152	52.1	42.0	15.6	7.29	5.22	5.48	11.4	25.1	
SD2	108	60.7	30.0	94.3	74.2	39.8	14.8	5.98	3.95	4.05	49.3	13.2	
SD3	30.3	21.3	77.1	104	60.3	24.5	9.71	5.17	3.66	22.7	62.2	51.3	
MAX	267	102	391	486	104	53.7	23.9	8.34	5.65	73.8	203	308	
DAT	17	15	28	9	1	11	17	1	1	23	22	30	
SR	77.0	42.6	42.9	117	62.1	35.4	13.3	6.11	4.28	11.1	41.0	30.6	
MIN	20.5	16.1	14.9	57.1	35.2	19.8	8.34	4.66	3.32	3.49	10.4	10.4	
DAT	30	3	3	19	7	30	30	29	29	1	5	25	
		GMIN = 3.32			SRGOD= 40.1			GMAX = 486					
		DATUM 29 9						DATUM 9 4					

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1971

Broj : 45960                      Stanica : TREBALJEVO                      Kota "0" = 894.08  
Nacin osmat.: limnigraf        Rijeka : TARA                                      km od usca = 106.00  
Pocetak rada: 1957                Sliv : DRINE                                        Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	196	42.7	9.90	25.2	75.0	21.2	8.34	4.66	3.32	9.38	7.30	124	
2	134	51.5	10.4	34.1	93.0	22.5	8.34	5.32	3.66	9.38	7.30	112	
3	134	43.7	9.90	52.6	106	21.2	8.34	4.99	3.66	7.82	6.64	85.2	
4	91.7	35.2	9.38	53.7	117	19.8	8.34	5.32	3.66	7.82	6.64	60.6	
5	68.8	29.6	8.86	54.8	109	19.2	7.82	6.64	3.66	6.97	6.64	49.2	
6	57.1	25.2	9.38	94.3	87.8	19.2	7.30	5.32	3.49	6.97	6.31	40.5	
7	45.9	21.9	9.38	95.6	70.1	18.5	7.82	5.32	3.49	6.97	6.31	34.1	
8	36.2	19.8	9.90	67.6	59.4	17.9	7.30	5.32	3.49	6.31	6.31	30.5	
9	31.4	19.8	9.90	64.1	52.6	17.3	6.97	4.33	3.32	6.31	6.31	25.2	
10	25.2	18.5	8.86	62.9	49.2	16.1	6.64	4.33	3.32	6.31	6.31	25.2	
11	24.5	17.3	8.86	65.3	48.1	15.5	6.64	4.33	4.33	5.65	13.7	21.9	
12	21.9	16.1	8.34	67.6	50.3	14.9	6.31	4.33	4.99	5.65	14.9	20.5	
13	21.2	15.5	7.82	62.9	50.3	14.3	5.98	4.33	4.99	5.98	16.1	19.8	
14	19.2	14.9	7.82	53.7	47.0	13.1	5.98	4.33	5.32	5.98	21.9	19.2	
15	18.5	14.3	7.82	43.7	43.7	13.1	5.98	4.33	7.30	5.98	20.5	18.5	
16	17.9	14.3	13.1	39.4	43.7	12.5	5.32	3.83	10.4	22.5	19.2	17.3	
17	15.5	15.5	16.7	38.4	41.6	12.5	5.32	3.83	10.9	27.9	15.5	16.7	
18	15.5	15.5	15.5	40.5	41.6	12.5	5.32	3.83	10.9	19.8	13.1	16.1	
19	14.9	15.5	16.7	40.5	38.4	12.5	4.66	4.99	10.9	18.5	16.7	16.1	
20	14.3	15.5	22.5	41.6	36.2	12.0	5.32	4.99	9.38	16.1	126	14.3	
21	20.5	15.5	32.3	44.8	36.2	10.9	5.32	4.00	8.86	14.9	126	14.3	
22	75.0	14.3	65.3	55.9	34.1	10.9	5.32	3.83	8.34	14.3	47.0	14.3	
23	82.6	14.3	99.5	61.8	32.3	10.9	4.99	3.83	7.82	12.5	100	14.3	
24	55.9	13.7	67.6	68.8	30.5	10.4	4.99	3.49	7.30	12.0	68.8	14.3	
25	49.2	12.5	50.3	122	28.8	10.4	4.99	3.66	6.64	10.9	48.1	13.7	
26	61.8	12.0	39.4	96.9	27.0	9.38	4.33	3.66	6.64	10.9	38.4	13.7	
27	61.8	11.5	35.2	71.3	23.9	8.86	4.33	3.49	5.98	9.90	31.4	13.1	
28	65.3	9.90	30.5	60.6	22.5	8.34	4.66	3.49	5.65	8.86	27.9	12.0	
29	53.7		32.3	60.6	21.9	8.34	4.33	3.49	7.30	8.34	75.0	12.0	
30	43.7		30.5	62.9	21.2	8.34	4.66	3.49	7.82	7.82	132	11.5	
31	35.2		27.0		21.2		4.66	3.49		7.30		11.5	
SD1	82.0	30.8	9.59	60.5	81.9	19.3	7.72	5.16	3.51	7.42	6.61	58.7	
SD2	18.3	15.4	12.5	49.4	44.1	13.3	5.68	4.31	7.94	13.4	27.8	18.0	
SD3	55.0	13.0	46.4	70.6	27.2	9.68	4.78	3.63	7.23	10.7	69.5	13.2	
MAX	239	53.7	125	128	117	22.5	8.34	6.97	11.5	28.8	173	134	
DAT	1	2	23	25	4	2	1	5	17	17	30	1	
SR	51.9	20.2	23.6	60.1	50.3	14.1	6.02	4.34	6.23	10.5	34.6	29.4	
MIN	14.3	9.90	7.82	25.2	21.2	8.34	4.33	3.49	3.32	5.65	6.31	11.5	
DAT	20	28	13	1	30	28	26	24	1	11	6	30	
GMIN =			3.32	SRGOD=			26.0	GMAX =			239		
DATUM			1 9					DATUM			1 1		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1972

Broj : 45960      Stanica : TREBALJEVO      Kota "0" = 894.08  
 Nacin osmat.: limnigraf      Rijeka : TARA      km od usca = 106.00  
 Pocetak rada: 1957      Sliv : DRINE      Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII		
1	12.5	12.5	30.5	29.6	40.5	18.5	6.64	6.64	9.90	43.7	17.9	34.1		
2	13.7	11.5	28.8	31.4	37.3	17.9	6.31	6.64	8.86	36.2	16.1	36.2		
3	13.7	10.9	27.0	32.3	35.2	18.5	6.31	7.30	8.34	31.4	16.1	34.1		
4	13.1	10.4	25.2	32.3	39.4	18.5	5.98	9.38	8.34	29.6	16.1	33.2		
5	18.5	9.90	25.2	34.1	36.2	17.3	5.98	8.86	8.34	27.0	14.3	30.5		
6	23.9	9.90	25.2	37.3	35.2	16.1	5.65	7.82	8.34	24.5	13.1	26.1		
7	22.5	8.86	25.2	37.3	35.2	15.5	5.65	7.30	8.34	22.5	13.1	23.9		
8	21.2	9.38	24.5	35.2	35.2	14.3	5.98	6.64	7.82	20.5	12.5	23.9		
9	23.2	9.38	27.0	35.2	35.2	14.3	5.65	6.31	8.34	19.8	12.5	21.9		
10	23.9	13.1	30.5	38.4	34.1	13.7	5.32	5.98	12.5	20.5	12.5	20.5		
11	22.5	11.5	34.1	39.4	34.1	13.1	4.99	5.65	10.9	20.5	11.5	19.8		
12	21.2	21.9	35.2	40.5	38.4	12.5	4.99	5.32	10.4	21.2	36.2	19.2		
13	20.5	27.9	34.1	43.7	36.2	12.0	5.32	5.32	9.90	21.2	31.4	17.9		
14	19.2	22.5	32.3	45.9	31.4	12.0	5.32	5.32	9.38	21.2	28.8	16.7		
15	17.9	17.9	29.6	44.8	31.4	11.5	8.86	5.32	11.5	21.9	27.9	14.9		
16	15.5	16.1	27.9	47.0	32.3	10.9	13.1	4.99	120	20.5	49.2	13.7		
17	15.5	13.7	27.0	49.2	32.3	10.4	10.9	4.99	93.0	19.8	47.0	13.1		
18	14.9	12.5	24.5	51.5	31.4	9.90	8.86	4.66	54.8	18.5	41.6	12.5		
19	14.3	12.5	24.5	47.0	30.5	9.90	7.82	4.99	39.4	18.5	82.6	13.1		
20	14.3	16.1	24.5	40.5	37.3	9.38	7.30	6.97	32.3	17.3	67.6	12.5		
21	13.1	27.9	23.9	42.7	34.1	8.86	6.97	14.3	27.0	20.5	132	11.5		
22	12.5	31.4	25.2	45.9	30.5	8.34	6.97	11.5	23.2	34.1	115	11.5		
23	12.0	30.5	25.2	47.0	27.9	7.82	7.30	9.38	21.2	28.8	86.5	10.4		
24	11.5	29.6	25.2	45.9	26.1	7.82	7.30	8.86	19.2	27.0	98.2	10.4		
25	10.9	28.8	26.1	62.9	25.2	7.30	7.30	8.34	18.5	25.2	128	9.38		
26	10.9	28.8	26.1	91.7	24.5	7.30	7.30	7.30	17.9	23.2	91.7	9.90		
27	10.4	28.8	27.0	82.6	23.2	6.97	7.82	7.30	66.4	21.2	67.6	9.90		
28	10.4	30.5	27.0	66.4	24.5	6.64	7.30	6.97	137	19.8	54.8	9.90		
29	10.4	32.3	27.0	53.7	24.5	6.97	7.30	6.97	82.6	19.8	45.9	8.86		
30	12.0		27.0	44.8	20.5	6.64	6.97	6.97	57.1	19.2	35.2	8.86		
31	12.5		28.8		19.2		6.64	10.4		18.5		8.34		
SD1	18.6	10.6	26.9	34.3	36.4	16.5	5.95	7.29	8.91	27.6	14.4	28.4		
SD2	17.6	17.3	29.4	45.0	33.5	11.2	7.75	5.35	39.2	20.1	42.4	15.3		
SD3	11.5	29.8	26.2	58.4	25.5	7.47	7.20	8.94	47.0	23.4	85.5	9.90		
MAX	23.9	32.3	35.2	93.0	42.7	18.5	13.1	15.5	188	49.2	161	36.2		
DAT	6	29	21	26	1	1	16	21	28	1	21	2		
SR	15.8	18.9	27.5	45.9	31.6	11.7	6.97	7.25	31.7	23.7	47.4	17.6		
MIN	10.4	8.86	23.9	29.6	19.2	6.64	4.99	4.66	7.82	17.3	11.5	8.34		
DAT	27	7	21	1	31	28	11	18	8	20	11	31		
GMIN = 4.66			SRGOD= 23.7					GMAX = 188						
DATUM 18 8									DATUM 28 9					

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1973

Broj : 45960                      Stanica : TREBALJEVO                      Kota "0" = 894.08  
Nacin osmat.: limnigraf        Rijeka : TARA                                      km od usca = 106.00  
Pocetak rada: 1957                Sliv : DRINE                                        Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	8.86	13.7	11.5	30.5	70.1	19.8	7.30	10.4	4.66	13.1	16.1	21.2
2	8.34	19.2	10.9	32.3	80.0	18.5	6.97	9.38	4.66	11.5	14.9	19.8
3	8.34	17.3	10.4	35.2	91.7	17.3	7.82	8.86	4.33	10.9	13.7	19.2
4	8.34	15.5	9.90	39.4	104	16.7	7.30	8.86	4.33	10.4	12.5	19.8
5	8.34	13.7	9.38	33.2	116	16.7	6.97	8.86	4.33	9.38	12.0	20.5
6	7.82	13.7	8.86	27.9	129	16.1	6.64	8.34	4.00	8.86	12.0	19.8
7	7.30	12.5	8.86	25.2	124	15.5	6.97	7.30	3.83	7.82	15.3	19.2
8	7.30	12.5	9.38	26.1	111	14.9	7.82	6.97	3.83	7.82	12.4	17.9
9	6.97	12.5	9.90	30.5	99.5	16.1	7.30	6.64	3.66	8.34	67.6	39.4
10	6.97	13.7	9.38	41.6	89.1	15.5	7.30	6.64	3.66	7.82	49.2	49.2
11	6.64	33.2	8.86	113	66.4	13.7	7.82	6.31	3.49	7.30	39.4	36.2
12	6.64	26.1	8.86	81.3	52.6	12.5	6.97	5.98	3.66	6.97	33.2	31.4
13	6.31	21.2	8.34	57.1	51.5	13.1	6.97	5.65	3.66	6.64	28.8	26.1
14	6.31	20.5	7.82	45.9	47.0	16.7	6.97	5.32	3.49	6.64	26.1	23.9
15	5.98	55.9	7.82	37.3	45.9	15.5	6.31	5.32	3.49	13.1	24.5	23.9
16	6.31	50.3	7.82	31.4	45.9	13.1	5.98	5.32	3.49	20.5	24.5	22.5
17	7.30	36.2	7.30	27.0	47.0	13.7	5.98	4.99	3.32	18.5	23.9	20.5
18	16.7	27.9	7.30	25.2	43.7	10.9	5.98	4.66	3.66	21.2	22.5	21.2
19	71.3	23.2	7.82	26.1	39.4	10.4	5.65	4.66	8.34	18.5	21.9	21.9
20	40.5	20.5	7.30	27.9	44.8	9.90	5.32	4.66	12.5	16.7	20.5	29.6
21	27.9	18.5	7.30	32.3	50.3	9.38	5.32	4.33	8.86	15.5	19.2	44.8
22	26.1	17.3	7.30	30.5	47.0	9.38	4.99	4.00	8.34	47.0	17.9	89.1
23	23.2	16.1	7.82	27.9	44.8	7.82	4.99	4.33	14.9	67.6	16.7	87.8
24	20.5	14.9	9.90	29.6	42.7	9.38	5.98	4.66	12.0	45.9	16.7	72.6
25	18.5	14.9	10.4	43.7	40.5	8.86	13.1	4.66	9.90	33.2	15.5	60.6
26	16.7	13.7	12.5	41.6	34.1	8.86	17.9	4.66	8.86	26.1	18.5	87.8
27	15.5	12.5	17.3	34.1	28.8	8.34	15.5	4.99	13.1	23.2	43.7	119
28	14.3	12.0	21.9	40.5	24.5	7.82	14.3	5.65	23.2	21.2	30.5	82.6
29	13.7		21.9	52.6	22.5	7.30	13.1	5.32	19.2	19.8	25.2	62.9
30	13.1		26.1	53.7	21.2	7.30	12.5	5.32	16.7	18.5	23.2	52.6
31	12.0		28.8		20.5		11.5	4.99		17.3		39.4
SD1	7.86	14.4	9.85	32.2	101	16.7	7.24	8.23	4.13	9.59	47.5	24.6
SD2	17.4	31.5	7.92	47.2	48.4	12.9	6.39	5.29	4.91	13.6	26.5	25.7
SD3	18.3	15.0	15.6	38.7	34.3	8.44	10.8	4.81	13.5	30.5	22.7	72.7
MAX	90.4	75.0	30.5	141	181	57.1	19.2	10.9	83.0	72.6	311	135
DAT	19	15	31	11	6	17	26	1	47	23	7	26
SR	14.6	20.7	11.3	39.4	60.5	12.7	8.24	6.07	7.52	18.3	32.2	42.0
MIN	5.98	12.0	7.30	25.2	20.5	7.30	4.99	4.00	3.32	6.64	12.0	17.9
DAT	15	28	17	7	31	29	22	22	17	13	5	8
GMIN =			3.32	SRGOD=			22.8	GMAX =			311	
DATUM			17 9					DATUM			7 11	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1974

Broj : 45960      Stanica : TREBALJEVO      Kota "0" = 894.08  
Nacin osmat.: limnigraf      Rijeka : TARA      km od usca = 106.00  
Pocetak rada: 1957      Sliv : DRINE      Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	39.4	8.86	13.7	35.2	81.3	41.6	14.9	4.99	3.66	21.9	52.6	57.1
2	40.5	8.34	13.1	34.1	106	39.4	13.7	4.99	3.32	21.2	44.8	47.0
3	37.3	8.34	12.5	31.4	77.5	35.2	13.1	4.99	3.32	34.1	38.4	38.4
4	35.2	17.3	12.5	28.8	65.3	31.4	12.0	4.99	3.15	26.1	32.3	36.2
5	31.4	18.5	13.7	27.9	94.3	30.5	11.5	4.99	3.15	21.9	30.5	33.2
6	29.6	17.9	15.5	25.2	96.9	29.6	10.9	4.66	3.15	21.9	28.8	29.6
7	27.0	64.1	15.5	25.2	87.8	28.8	11.5	4.99	3.49	27.9	29.6	27.0
8	26.1	45.9	14.9	24.5	72.6	25.2	12.0	4.66	3.66	68.8	30.5	24.5
9	23.9	32.3	14.9	23.2	70.1	23.9	10.9	4.66	3.66	71.3	29.6	23.2
10	21.9	26.1	14.3	21.9	61.8	22.5	10.4	4.33	3.66	54.8	27.9	22.5
11	20.5	22.5	13.7	21.2	54.8	27.0	9.90	4.33	3.66	42.7	26.1	20.5
12	19.8	21.2	12.5	20.5	51.5	24.5	9.90	6.31	3.66	34.1	25.2	23.2
13	17.9	19.2	12.5	21.2	50.3	21.9	8.86	5.32	3.66	35.2	25.2	37.3
14	16.7	19.8	12.5	22.5	48.1	19.2	8.86	4.99	3.32	66.4	23.9	36.2
15	16.1	19.8	12.5	23.9	52.6	17.9	7.82	4.33	3.32	103	23.9	29.6
16	15.5	18.5	12.5	23.9	59.4	17.3	7.30	4.00	3.15	216	23.9	26.1
17	14.3	18.5	12.0	23.2	51.5	17.3	6.97	3.83	3.15	124	22.5	24.5
18	13.7	17.9	10.9	21.9	45.9	16.1	6.97	3.83	3.15	80.0	21.9	23.2
19	13.1	18.5	12.0	20.5	40.5	15.5	6.97	3.66	3.15	58.2	21.2	21.9
20	13.1	19.2	14.3	20.5	37.3	15.5	6.64	3.66	2.98	47.0	21.2	17.3
21	12.5	17.9	16.1	21.9	38.4	15.5	6.97	3.66	3.15	60.6	22.5	16.7
22	12.0	17.3	18.5	23.2	43.7	17.9	6.97	3.66	4.66	122	22.5	16.1
23	11.5	16.1	22.5	23.2	52.6	16.7	7.30	3.66	6.97	445	21.9	14.9
24	11.5	16.1	24.5	23.2	49.2	14.9	7.30	3.66	7.30	380	21.2	14.3
25	10.9	15.5	27.9	24.5	70.1	14.9	6.97	4.00	26.1	184	20.5	13.7
26	10.4	14.9	30.5	25.2	76.3	14.3	6.31	4.00	42.7	112	65.3	13.1
27	9.38	14.3	32.3	27.9	64.1	13.1	6.31	4.00	35.2	75.0	72.6	12.5
28	8.86	13.7	34.1	29.6	55.9	13.1	5.98	4.66	22.5	61.8	62.9	12.5
29	8.86		33.2	38.4	53.7	12.0	5.65	5.32	17.3	66.4	106	12.5
30	8.86		32.3	49.2	48.1	18.5	5.32	4.33	15.5	64.1	75.0	12.5
31	8.34		31.4		44.8		5.32	3.83		55.9		12.5
SD1	31.2	24.8	14.1	27.7	81.4	30.8	12.1	4.82	3.42	37.0	34.5	33.9
SD2	16.1	19.5	12.5	21.9	49.2	19.2	8.02	4.43	3.32	80.7	23.5	26.0
SD3	10.3	15.7	27.6	28.6	54.3	15.1	6.40	4.07	18.1	148	49.0	13.8
MAX	40.5	89.1	35.2	51.5	117	42.7	16.1	6.97	52.6	663	117	61.8
DAT	2	7	28	30	2	1	1	12	26	23	29	1
SR	18.9	20.3	18.4	26.1	61.4	21.7	8.76	4.43	8.29	90.4	35.7	24.2
MIN	8.34	8.34	10.9	20.5	37.3	12.0	5.32	3.66	2.98	21.2	20.5	12.5
DAT	31	2	18	12	20	29	30	19	20	2	25	27
GMIN = 2.98				SRGOD= 28.3				GMAX = 663				
DATUM 20 9								DATUM 23 10				



## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1975

Broj : 45960                      Stanica : TREBALJEVO                      Kota "0" = 894.08  
Nacin osmat.: limnigraf        Rijeka : TARA                                      km od usca = 106.00  
Pocetak rada: 1957                Sliv : DRINE                                        Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	12.5	7.82	4.66	98.2	19.8	12.5	6.97	3.83	4.00	2.64	14.3	20.5	
2	12.0	7.30	4.66	150	20.5	11.5	8.34	3.66	3.83	2.64	13.1	19.8	
3	10.9	7.30	4.66	126	21.2	10.9	8.86	3.49	3.66	2.81	13.1	19.2	
4	10.9	6.97	4.99	93.0	21.9	11.5	8.34	3.32	3.66	2.81	12.0	17.3	
5	10.4	6.64	5.98	71.3	21.9	12.5	7.30	3.49	3.66	2.98	11.5	16.7	
6	9.90	6.64	6.64	61.8	22.5	13.1	8.86	3.66	3.66	2.81	10.9	16.1	
7	9.38	6.31	6.97	59.4	26.1	12.5	9.90	3.49	3.66	2.64	10.4	15.5	
8	9.90	6.31	8.86	58.2	29.6	12.0	9.90	3.49	3.49	2.47	9.90	14.9	
9	9.90	5.98	10.9	51.5	33.2	12.5	9.38	3.66	3.49	2.64	9.90	14.3	
10	9.38	5.65	12.0	51.5	31.4	12.0	8.86	3.83	3.49	2.98	9.90	13.7	
11	8.86	5.65	13.7	103	27.0	11.5	7.82	3.83	3.32	3.15	14.9	13.1	
12	8.34	5.65	16.1	73.8	26.1	10.9	8.34	3.83	3.32	8.86	14.3	12.5	
13	8.34	5.65	32.3	53.7	26.1	10.4	7.30	3.66	3.66	76.3	12.5	12.5	
14	8.34	5.98	33.2	44.8	28.8	9.90	7.30	3.83	3.32	42.7	12.0	13.1	
15	8.86	6.64	45.9	38.4	29.6	9.38	6.64	3.83	3.32	35.2	12.0	12.0	
16	9.38	6.97	40.5	35.2	26.1	9.38	6.31	3.49	3.15	27.0	11.5	11.5	
17	9.38	6.31	31.4	33.2	24.5	9.38	6.31	3.32	3.32	34.1	17.9	18.5	
18	8.34	6.31	26.1	28.8	23.9	8.86	5.65	3.15	3.15	71.3	67.6	62.9	
19	7.82	6.31	22.5	28.8	24.5	8.34	5.32	3.15	3.15	78.8	203	45.9	
20	6.97	6.31	22.5	27.0	23.9	8.34	4.66	3.15	3.15	53.7	138	35.2	
21	6.97	5.98	23.2	27.0	23.2	7.82	4.66	3.15	3.15	44.8	90.4	29.6	
22	6.64	5.65	24.5	27.0	21.9	7.30	4.66	3.15	3.15	40.5	65.3	24.5	
23	6.31	4.99	22.5	30.5	20.5	7.30	4.66	2.98	3.15	33.2	48.1	22.5	
24	7.30	5.32	21.2	30.5	19.8	7.30	4.66	3.15	3.15	28.8	37.3	20.5	
25	7.30	4.99	19.2	29.6	18.5	7.30	4.66	3.32	2.98	25.2	30.5	19.2	
26	6.97	4.99	16.7	27.9	17.9	9.38	4.99	3.49	2.98	25.2	27.0	17.3	
27	6.64	4.99	15.5	25.2	16.7	8.86	4.66	3.66	2.81	21.2	24.5	16.7	
28	6.97	4.66	21.2	23.9	16.1	8.34	4.99	4.66	2.81	19.2	23.9	16.1	
29	6.97		51.5	21.2	15.5	7.82	4.66	4.99	2.81	18.5	22.5	15.5	
30	6.97		59.4	19.8	14.3	6.97	4.33	4.99	2.64	17.3	21.2	14.9	
31	7.30		54.8		13.1		4.00	4.66		15.5		14.3	
SD1	10.5	6.69	7.03	82.1	24.8	12.1	8.67	3.59	3.66	2.74	11.5	16.8	
SD2	8.46	6.18	28.4	46.7	26.0	9.64	6.57	3.52	3.29	43.1	50.4	23.7	
SD3	6.94	5.20	30.0	26.3	18.0	7.84	4.63	3.84	2.96	26.3	39.1	19.2	
MAX	13.1	7.82	70.1	154	34.1	13.1	10.4	5.32	4.33	210	233	71.3	
DAT	1	1	31	2	9	6	7	30	1	13	19	18	
SR	8.58	6.08	22.1	51.7	22.8	9.86	6.56	3.66	3.30	24.1	33.6	19.9	
MIN	6.31	4.66	4.66	19.8	13.1	6.97	4.00	2.98	2.64	2.47	9.90	11.5	
DAT	23	28	1	30	31	30	31	23	30	8	8	16	
		GMIN = 2.47		SRGOD= 17.7		GMAX = 233							
		DATUM 8 10				DATUM 19 11							

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1976

Broj : 45960 Stanica : TREBALJEVO Kota "0" = 894.08  
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 106.00  
Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	13.1	10.9	12.0	26.1	86.5	23.2	14.3	5.98	5.98	5.65	91.7	17.3	
2	12.5	10.4	13.1	29.6	71.3	21.9	14.3	6.31	13.1	5.32	62.9	104	
3	12.0	10.4	14.9	37.3	89.1	27.0	13.1	6.31	12.0	5.32	48.1	152	
4	12.0	9.38	14.3	44.8	107	25.2	12.0	5.98	12.5	4.99	42.7	89.1	
5	12.0	8.86	13.7	50.3	94.3	23.9	10.9	5.98	27.9	4.66	52.6	90.4	
6	10.9	8.86	12.5	53.7	87.8	34.1	10.9	8.34	23.2	5.65	47.0	68.8	
7	9.90	8.86	12.0	54.8	87.8	54.8	10.9	7.30	19.8	5.65	42.7	57.1	
8	9.90	7.82	10.4	54.8	87.8	51.5	10.9	6.64	17.3	5.32	67.6	177	
9	9.38	7.82	9.90	53.7	82.6	44.8	13.1	5.98	15.5	4.99	61.8	115	
10	8.86	8.34	9.90	44.8	77.5	37.3	10.9	5.32	13.7	4.66	47.0	78.8	
11	8.86	7.82	9.38	37.3	73.8	31.4	10.4	6.31	13.1	4.66	39.4	95.6	
12	8.34	7.82	9.38	32.3	68.8	26.1	9.38	6.97	12.5	4.66	33.2	77.5	
13	8.34	8.34	8.86	29.6	61.8	25.2	8.86	6.31	11.5	4.66	35.2	60.6	
14	8.34	7.82	8.86	27.9	57.1	24.5	8.86	6.31	10.4	5.65	71.3	49.2	
15	7.82	7.82	8.34	27.9	51.5	21.9	9.38	5.98	9.90	4.99	66.4	42.7	
16	7.30	8.86	8.86	30.5	48.1	21.2	8.34	5.65	9.90	4.99	55.9	37.3	
17	6.64	8.86	9.38	32.3	45.9	27.9	7.82	5.98	10.9	30.5	44.8	73.8	
18	6.97	8.34	10.4	37.3	43.7	43.7	7.30	7.30	10.4	42.7	38.4	124	
19	6.97	8.34	12.0	44.8	39.4	36.2	6.97	7.30	9.38	28.8	36.2	83.9	
20	6.97	8.34	13.7	52.6	37.3	31.4	6.64	8.34	8.34	23.2	32.3	64.1	
21	6.64	8.34	13.1	54.8	34.1	27.0	6.64	8.34	8.34	20.5	28.8	52.6	
22	6.64	8.34	12.0	55.9	31.4	23.2	6.97	7.82	7.82	17.9	29.6	44.8	
23	6.31	8.86	11.5	53.7	28.8	20.5	6.64	8.86	7.82	16.7	29.6	37.3	
24	9.90	8.86	45.9	65.3	27.0	18.5	9.90	8.86	7.30	16.1	27.9	34.1	
25	17.3	8.86	61.8	95.6	26.1	17.9	8.86	8.34	6.97	14.9	26.1	30.5	
26	17.9	8.34	40.5	90.4	26.1	17.3	6.97	7.82	6.64	13.7	23.9	27.0	
27	19.2	8.34	32.3	71.3	23.9	16.7	6.64	7.30	6.31	12.5	21.9	24.5	
28	14.9	9.38	28.8	55.9	27.0	15.5	6.64	6.97	5.98	11.5	21.2	21.2	
29	13.1	10.4	27.9	75.0	24.5	14.3	6.31	6.31	5.98	12.0	19.2	23.2	
30	11.5		26.1	122	24.5	14.3	6.31	5.98	5.98	12.0	17.9	37.3	
31	10.9		24.5		23.9		5.98	5.65		59.4		29.6	
SD1	11.1	9.16	12.3	45.0	87.2	34.4	12.1	6.41	16.1	5.22	56.4	94.9	
SD2	7.66	8.24	9.92	35.3	52.7	28.9	8.40	6.64	10.6	15.5	45.3	70.9	
SD3	12.2	8.86	29.5	74.0	27.0	18.5	7.08	7.48	6.91	18.8	24.6	32.9	
MAX	22.5	10.9	81.3	146	109	55.9	14.3	8.86	31.4	108	99.5	257	
DAT	26	1	24	30	4	7	1	23	5	31	1	3	
SR	10.4	8.75	17.6	51.4	54.7	27.3	9.13	6.87	11.2	13.4	42.1	65.2	
MIN	6.31	7.82	8.34	26.1	23.9	14.3	5.98	5.32	5.98	4.66	17.9	17.3	
DAT	23	8	15	1	27	29	31	10	1	5	30	1	
GMIN =			4.66	SRGOD=			26.5	GMAX =			257		
DATUM			5 10					DATUM			3 12		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1977

Broj : 45960                      Stanica : TREBALJEVO                      Kota "0" = 894.08  
Nacin osmat.: limnigraf        Rijeka : TARA                                      km od usca = 106.00  
Pocetak rada: 1957                Sliv : DRINE                                        Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	25.2	70.1	45.9	260	49.2	16.1	7.30	6.97	8.86	14.3	9.38	38.4	
2	22.5	75.0	39.4	242	50.3	16.1	6.97	6.64	8.86	14.3	12.0	51.5	
3	21.2	64.1	34.1	184	50.3	16.1	6.64	5.98	9.90	57.1	10.4	44.8	
4	19.2	49.2	30.5	130	48.1	16.1	6.64	5.32	8.86	47.0	9.90	40.5	
5	18.5	39.4	27.0	106	47.0	15.5	6.31	4.99	7.82	34.1	9.90	34.1	
6	17.9	33.2	25.2	91.7	43.7	14.9	6.31	4.99	6.97	29.6	8.86	30.5	
7	17.3	29.6	23.9	75.0	39.4	14.3	5.98	5.65	6.64	25.2	8.34	37.3	
8	16.1	26.1	23.9	68.8	35.2	13.7	5.65	4.66	6.31	22.5	8.34	34.1	
9	15.5	23.9	23.2	72.6	31.4	13.7	5.32	5.65	6.31	20.5	7.82	32.3	
10	14.3	23.2	22.5	71.3	32.3	13.1	5.32	4.66	5.98	25.2	7.82	38.4	
11	16.7	50.3	22.5	60.6	27.9	12.5	5.32	4.66	5.98	39.4	7.30	34.1	
12	57.1	175	24.5	49.2	25.2	14.3	4.99	4.33	5.65	59.4	7.30	32.3	
13	65.3	209	62.9	42.7	23.9	13.7	4.99	4.33	5.32	44.8	6.97	27.9	
14	44.8	112	73.8	37.3	24.5	14.9	4.99	4.00	5.32	34.1	11.5	25.2	
15	31.4	82.6	55.9	37.3	24.5	13.7	4.66	4.00	4.99	29.6	13.7	23.2	
16	38.4	80.0	44.8	34.1	25.2	13.1	4.66	4.00	4.66	26.1	18.5	21.9	
17	32.3	55.9	37.3	30.5	25.2	12.0	4.66	4.00	4.66	23.9	41.6	19.8	
18	27.9	47.0	33.2	28.8	23.9	11.5	6.31	3.83	19.2	21.9	71.3	18.5	
19	23.9	39.4	30.5	29.6	25.2	10.9	5.32	3.83	27.0	19.8	62.9	17.3	
20	21.2	36.2	35.2	31.4	27.9	10.4	4.99	3.83	25.2	18.5	45.9	16.1	
21	19.8	37.3	73.8	30.5	27.9	9.90	4.66	3.66	45.9	17.3	34.1	15.5	
22	17.9	61.8	75.0	29.6	27.0	9.38	4.66	32.3	32.3	16.1	44.8	14.9	
23	17.9	83.9	67.6	28.8	25.2	9.38	4.33	47.0	27.9	14.9	103	13.7	
24	17.3	76.3	65.3	29.6	23.2	9.90	4.99	32.3	28.8	14.3	102	13.1	
25	16.7	70.1	65.3	34.1	21.2	9.38	4.66	24.5	26.1	13.1	73.8	12.5	
26	16.1	68.8	62.9	31.4	19.8	9.38	4.33	17.3	23.9	12.5	82.6	13.1	
27	23.9	62.9	64.1	29.6	19.2	8.34	4.99	14.3	21.2	12.0	98.2	12.0	
28	45.9	55.9	60.6	30.5	19.8	7.82	5.32	12.0	19.8	11.5	73.8	11.5	
29	52.6		60.6	32.3	19.2	7.82	4.66	10.9	17.9	10.4	55.9	17.3	
30	102		72.6	42.7	17.3	7.30	4.33	9.90	15.5	9.90	44.8	175	
31	73.8		191		16.1		4.00	9.38		9.90		95.6	
SD1	18.8	43.4	29.6	130	42.7	15.0	6.24	5.55	7.65	29.0	9.28	38.2	
SD2	35.9	88.7	42.1	38.2	25.3	12.7	5.09	4.08	10.8	31.8	28.7	23.6	
SD3	36.7	64.6	78.1	31.9	21.4	8.86	4.63	19.4	25.9	12.9	71.3	35.8	
MAX	111	209	275	278	51.5	16.1	7.30	98.2	51.5	75.0	111	182	
DAT	30	13	31	1	2	3	18	22	21	3	23	30	
SR	30.7	65.7	50.8	66.7	29.6	12.2	5.30	10.00	14.8	24.2	36.4	32.7	
MIN	14.3	23.2	22.5	28.8	16.1	7.30	4.00	3.66	4.66	9.90	6.97	11.5	
DAT	10	10	10	18	31	30	31	21	16	30	13	28	
		GMIN = 3.66			SRGOD= 31.3			GMAX = 278					
		DATUM 21 8						DATUM 1 4					

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1978

Broj : 45960                      Stanica : TREBALJEVO                      Kota "0" = 894.08  
Nacin osmat.: limnigraf        Rijeka : TARA                                      km od usca = 106.00  
Pocetak rada: 1957                Sliv : DRINE                                        Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	59.4	24.5	115	19.8	83.9	44.8	14.9	3.83	16.1	49.2	6.97	6.64
2	42.7	21.2	98.2	21.2	170	40.5	13.7	3.83	9.90	76.3	6.64	5.98
3	34.1	19.2	78.8	19.8	173	38.4	13.1	3.49	8.34	65.3	6.64	5.98
4	30.5	17.3	66.4	20.5	117	35.2	13.1	3.32	6.97	49.2	6.64	5.65
5	27.0	16.1	59.4	21.2	91.7	34.1	12.5	3.49	6.97	42.7	6.31	5.65
6	23.9	14.9	55.9	21.9	80.0	31.4	12.0	3.32	7.82	39.4	5.98	5.65
7	21.9	13.7	54.8	21.9	94.3	29.6	11.5	3.15	17.3	34.1	5.98	5.32
8	20.5	13.1	50.3	23.9	106	27.9	11.5	3.49	14.9	30.5	5.98	4.99
9	18.5	12.5	42.7	29.6	90.4	25.2	10.9	3.66	12.0	27.9	5.65	4.66
10	17.3	12.0	35.2	30.5	73.8	23.9	10.4	3.32	10.4	23.9	5.65	4.99
11	16.7	19.8	28.8	31.4	67.6	23.2	10.4	3.32	9.38	22.5	5.32	4.66
12	16.1	41.6	26.1	31.4	58.2	21.9	9.90	3.32	10.9	20.5	5.32	4.99
13	15.5	103	22.5	66.4	48.1	21.2	9.38	3.15	22.5	18.5	5.32	12.5
14	15.5	230	19.8	202	111	20.5	9.38	2.98	19.8	17.3	5.32	61.8
15	14.3	115	19.8	138	93.0	19.8	8.86	2.98	17.3	16.1	4.99	55.9
16	14.9	68.8	24.5	106	72.6	25.2	9.38	2.81	16.7	14.9	4.99	37.3
17	17.3	50.3	26.1	78.8	61.8	23.2	7.82	2.64	16.1	13.7	4.66	177
18	20.5	43.7	142	61.8	57.1	19.2	6.31	2.47	15.5	13.1	4.33	167
19	19.2	38.4	106	48.1	54.8	18.5	5.65	2.30	14.3	12.5	4.00	167
20	17.3	104	67.6	45.9	52.6	17.9	5.32	2.30	14.9	12.0	4.00	116
21	16.1	87.8	57.1	28.8	52.6	17.3	4.99	2.30	16.1	12.5	4.00	90.4
22	14.9	60.6	49.2	25.2	52.6	16.7	5.32	2.30	14.3	11.5	4.00	68.8
23	14.3	47.0	37.3	23.9	138	16.1	4.66	2.30	13.1	10.4	4.00	55.9
24	13.7	37.3	30.5	25.2	115	14.9	4.99	2.30	12.5	9.90	4.00	43.7
25	13.7	32.3	25.2	27.0	94.3	14.3	4.99	2.30	11.5	9.38	3.83	35.2
26	13.7	67.6	22.5	41.6	73.8	13.7	5.32	2.24	11.5	8.86	3.83	29.6
27	13.1	164	21.2	95.6	66.4	16.1	4.99	2.24	10.9	8.34	4.99	27.9
28	12.0	122	18.5	163	71.3	19.2	4.66	2.18	9.90	8.34	7.82	27.0
29	19.8		17.3	135	66.4	17.3	4.33	2.24	44.8	7.82	7.30	43.7
30	45.9		16.7	100	55.9	15.5	4.33	2.30	31.4	7.30	6.64	85.2
31	29.6		18.5		49.2		4.00	10.4		6.97		89.1
SD1	29.6	16.5	65.7	23.0	108	33.1	12.4	3.49	11.1	43.8	6.24	5.55
SD2	16.7	81.5	48.3	81.0	67.7	21.1	8.24	2.83	15.7	16.1	4.82	80.4
SD3	18.8	77.3	28.5	66.5	76.0	16.1	4.78	3.01	17.6	9.21	5.04	54.2
MAX	64.1	290	209	269	236	47.0	14.9	21.2	54.8	77.5	7.82	296
DAT	29	14	18	14	2	1	1	31	29	2	28	17
SR	21.6	57.1	46.9	56.8	83.6	23.4	8.34	3.11	14.8	22.6	5.37	47.0
MIN	12.0	12.0	16.7	19.8	48.1	13.7	4.00	2.18	6.97	6.97	3.83	4.66
DAT	28	10	30	1	13	26	31	28	4	31	25	9
		GMIN = 2.18			SRGOD= 32.4			GMAX = 296				
		DATUM 28 8						DATUM 17 12				

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1979

Broj : 45960                      Stanica : TREBALJEVO                      Kota "0" = 894.08  
Nacin osmat.: limnigraf        Rijeka : TARA                                      km od usca = 106.00  
Pocetak rada: 1957                Sliv : DRINE                                        Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	138	90.4	18.5	62.9	75.0	25.2	17.3	5.98	11.5	6.31	73.8	18.5	
2	100	64.1	17.3	53.7	59.4	25.2	16.1	5.65	10.4	6.31	54.8	19.2	
3	72.6	53.7	16.1	45.9	51.5	23.9	16.1	5.32	9.38	6.31	43.7	19.8	
4	55.9	66.4	15.5	42.7	49.2	23.9	17.9	4.99	8.86	5.98	35.2	18.5	
5	45.9	70.1	15.5	77.5	51.5	23.2	19.8	4.66	8.86	5.98	30.5	16.7	
6	35.2	61.8	14.9	175	54.8	21.9	17.3	4.66	9.90	12.0	49.2	16.1	
7	28.8	54.8	14.9	111	54.8	20.5	16.1	4.66	8.34	32.3	44.8	15.5	
8	25.2	47.0	14.9	72.6	62.9	17.3	14.9	4.66	7.30	21.2	38.4	14.9	
9	23.9	39.4	14.9	54.8	60.6	16.1	14.9	4.33	7.30	16.7	33.2	14.3	
10	33.2	38.4	14.3	47.0	57.1	14.3	15.5	4.33	6.97	14.9	30.5	13.7	
11	53.7	64.1	13.7	41.6	53.7	13.7	18.5	4.99	6.97	13.7	36.2	13.7	
12	91.7	59.4	13.1	39.4	47.0	13.7	18.5	6.64	6.64	13.1	45.9	34.1	
13	58.2	132	13.1	37.3	55.9	13.7	16.7	5.65	6.64	14.3	44.8	27.0	
14	43.7	164	13.1	34.1	51.5	13.1	14.9	4.99	6.31	85.2	39.4	23.2	
15	34.1	128	13.7	34.1	41.6	14.3	12.5	4.66	5.98	55.9	58.2	22.5	
16	28.8	119	16.7	35.2	39.4	14.3	10.9	4.66	5.98	39.4	273	23.9	
17	24.5	93.0	23.2	39.4	38.4	58.2	10.9	4.33	5.98	29.6	489	23.2	
18	22.5	81.3	20.5	39.4	37.3	215	10.4	4.33	5.98	30.5	321	21.9	
19	19.8	66.4	19.8	41.6	39.4	98.2	9.38	7.82	5.65	38.4	215	20.5	
20	17.9	52.6	21.2	38.4	44.8	64.1	8.86	17.9	5.65	36.2	141	25.2	
21	16.7	44.8	28.8	34.1	47.0	47.0	8.34	15.5	5.65	30.5	100	77.5	
22	16.1	37.3	31.4	29.6	45.9	36.2	7.82	14.3	5.32	27.0	76.3	67.6	
23	15.5	31.4	31.4	27.0	43.7	30.5	7.30	12.0	5.98	23.9	58.2	65.3	
24	16.1	27.0	30.5	25.2	41.6	27.0	7.30	10.9	8.86	22.5	47.0	60.6	
25	30.5	23.9	27.0	27.9	37.3	25.2	7.30	14.9	13.7	19.8	36.2	48.1	
26	95.6	22.5	23.9	152	34.1	22.5	6.97	27.9	8.86	17.9	28.8	38.4	
27	67.6	20.5	38.4	396	32.3	24.5	6.97	19.2	7.82	16.7	23.2	32.3	
28	58.2	20.5	170	267	30.5	20.5	7.30	17.9	7.30	17.9	21.2	30.5	
29	167		134	143	29.6	18.5	6.64	14.3	6.97	27.9	18.5	28.8	
30	263		108	100	28.8	17.9	6.31	13.1	6.64	82.6	17.3	26.1	
31	134		80.0		27.0		6.31	12.0		119		34.1	
SD1	55.9	58.6	15.7	74.3	57.7	21.2	16.6	4.92	8.88	12.8	43.4	16.7	
SD2	39.5	96.0	16.8	38.0	44.9	51.8	13.2	6.60	6.18	35.6	166	23.5	
SD3	80.0	28.5	63.9	120	36.2	27.0	7.14	15.6	7.71	36.9	42.7	46.3	
MAX	321	198	196	470	85.2	254	20.5	50.3	16.1	132	544	93.0	
DAT	29	14	28	27	1	18	5	25	25	31	17	21	
SR	59.2	63.4	33.2	77.5	45.9	33.3	12.1	9.26	7.59	28.7	84.1	29.4	
MIN	15.5	20.5	13.1	25.2	27.0	13.1	6.31	4.33	5.32	5.98	17.3	13.7	
DAT	23	27	12	24	31	14	30	9	22	4	30	10	
		GMIN =	4.33			SRGOD=	40.0			GMAX =	544		
		DATUM	9 8							DATUM	17 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1980

Broj : 45960 Stanica : TREBALJEVO Kota "0" = 894.08  
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 106.00  
Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	50.3	31.4	10.9	40.5	30.5	55.9	12.0	4.66	3.83	2.64	19.8	62.9
2	38.4	60.6	10.9	37.3	37.3	49.2	12.0	4.66	4.00	2.47	18.5	50.3
3	32.3	42.7	10.4	40.5	42.7	43.7	13.7	4.33	3.66	2.47	18.5	42.7
4	26.1	34.1	9.90	37.3	44.8	39.4	12.0	4.00	3.49	2.47	25.2	36.2
5	21.2	28.8	9.38	34.1	50.3	36.2	11.5	4.00	3.32	2.47	40.5	32.3
6	19.8	31.4	9.38	29.6	91.7	37.3	10.4	4.00	3.32	2.30	64.1	27.9
7	18.5	28.8	10.9	27.0	104	36.2	9.90	3.83	3.32	2.30	95.6	44.8
8	17.3	33.2	13.7	24.5	93.0	34.1	9.38	3.83	3.15	2.30	61.8	45.9
9	16.1	31.4	17.3	23.2	81.3	34.1	9.38	3.83	3.15	2.30	44.8	32.3
10	15.5	28.8	16.1	21.9	80.0	36.2	8.86	3.66	3.15	35.2	58.2	28.8
11	14.9	26.1	15.5	20.5	78.8	40.5	8.86	3.66	2.98	49.2	67.6	25.2
12	13.7	24.5	14.9	19.2	72.6	41.6	8.34	3.66	2.98	47.0	54.8	23.2
13	12.0	23.9	14.3	18.5	65.3	36.2	7.82	3.83	2.98	175	133	21.9
14	10.9	21.9	13.7	17.9	62.9	33.2	7.82	4.33	2.98	170	311	19.8
15	12.5	19.8	13.1	17.9	61.8	32.3	7.30	4.00	2.81	108	177	18.5
16	14.9	18.5	12.5	19.2	93.0	29.6	6.97	3.83	2.81	65.3	108	18.5
17	14.3	17.3	12.0	21.2	116	26.1	6.97	3.83	2.81	49.2	78.8	17.9
18	12.5	16.1	12.0	24.5	96.9	23.2	6.64	4.33	2.81	75.0	61.8	17.3
19	12.5	15.5	11.5	27.9	73.8	21.9	6.31	4.00	2.64	77.5	53.7	17.3
20	12.0	14.9	12.5	30.5	66.4	23.2	5.98	4.00	2.64	55.9	42.7	16.7
21	11.5	14.3	23.9	47.0	62.9	21.2	5.98	3.83	2.64	44.8	36.2	17.9
22	12.0	13.7	54.8	68.8	55.9	19.2	7.30	3.66	2.47	36.2	30.5	19.2
23	10.9	12.5	102	54.8	53.7	18.5	7.30	3.49	2.47	32.3	27.0	18.5
24	14.3	12.0	87.8	43.7	58.2	17.9	6.97	3.49	2.64	28.8	23.9	16.1
25	39.4	11.5	55.9	36.2	61.8	17.3	6.64	3.49	2.81	26.1	22.5	15.5
26	60.6	11.5	43.7	32.3	55.9	16.7	5.98	3.32	2.98	33.2	21.2	14.9
27	38.4	11.5	38.4	31.4	51.5	15.5	5.65	3.32	2.81	30.5	29.6	14.3
28	27.9	11.5	36.2	30.5	53.7	15.5	5.32	3.32	2.81	25.2	95.6	14.3
29	23.9	10.9	35.2	31.4	62.9	14.3	5.32	3.49	2.64	23.9	108	13.7
30	21.2		40.5	30.5	61.8	13.1	4.99	3.49	2.64	22.5	86.5	13.1
31	18.5		43.7		64.1		4.99	3.32		20.5		12.5
SD1	25.6	35.1	11.9	31.6	65.6	40.2	10.9	4.08	3.44	5.69	44.7	40.4
SD2	13.0	19.9	13.2	21.7	78.8	30.8	7.30	3.95	2.84	87.2	109	19.6
SD3	25.3	12.2	51.1	40.7	58.4	16.9	6.04	3.47	2.69	29.5	48.1	15.5
MAX	72.6	68.8	111	71.3	119	62.9	13.7	4.66	4.00	175	311	73.8
DAT	25	2	23	22	17	1	3	1	2	13	14	1
SR	21.4	22.7	26.2	31.3	67.3	29.3	8.02	3.82	2.99	40.4	67.2	24.9
MIN	10.9	10.9	9.38	17.9	30.5	13.1	4.99	3.32	2.47	2.30	18.5	12.5
DAT	14	29	5	14	1	30	30	26	22	6	2	31
GMIN =			2.30	SRGOD=			28.8	GMAX =			311	
DATUM			6 10					DATUM			14 11	

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1981

Broj : 45960      Stanica : TREBALJEVO      Kota "0" = 894.08  
 Nacin osmat.: limnigraf      Rijeka : TARA      km od usca = 106.00  
 Pocetak rada: 1957      Sliv : DRINE      Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	12.5	7.82	9.90	104	53.7	34.1	8.34	3.83	3.15	5.32	29.6	10.9	
2	12.5	7.82	9.38	93.0	50.3	32.3	7.82	3.66	2.98	4.99	26.1	17.3	
3	12.0	7.82	28.8	80.0	49.2	30.5	7.30	3.66	2.98	32.3	22.5	15.5	
4	12.5	7.82	163	70.1	68.8	29.6	6.97	3.66	2.98	23.9	19.8	13.7	
5	20.5	12.5	91.7	61.8	113	27.9	6.64	3.49	3.15	14.9	19.2	12.5	
6	17.9	12.5	57.1	55.9	96.9	25.2	6.64	3.83	3.32	12.5	16.7	12.0	
7	14.9	10.9	42.7	55.9	68.8	23.2	6.64	4.33	3.32	10.4	15.5	25.2	
8	13.7	10.4	35.2	54.8	57.1	21.2	6.31	4.00	3.32	9.38	14.3	94.3	
9	12.0	9.90	31.4	55.9	53.7	19.8	5.98	3.83	3.32	8.34	13.1	128	
10	11.5	10.4	30.5	57.1	52.6	18.5	5.65	4.00	3.15	7.82	12.5	137	
11	11.5	14.3	34.1	58.2	57.1	18.5	5.65	3.49	3.15	7.30	12.0	150	
12	11.5	67.6	41.6	53.7	75.0	18.5	6.31	3.32	3.83	6.97	11.5	177	
13	12.5	58.2	55.9	47.0	70.1	17.3	7.30	3.32	3.66	7.82	10.9	300	
14	17.9	27.9	68.8	44.8	61.8	16.1	6.64	3.66	3.32	8.34	10.9	192	
15	16.7	26.1	59.4	48.1	55.9	14.9	5.98	3.49	5.98	7.30	10.4	111	
16	14.9	21.9	55.9	55.9	58.2	14.3	5.98	3.49	5.65	6.97	10.4	78.8	
17	12.5	19.2	57.1	55.9	60.6	14.3	5.65	3.49	4.99	6.64	9.90	64.1	
18	11.5	17.3	60.6	53.7	57.1	14.9	5.32	3.15	4.33	6.31	9.90	51.5	
19	11.5	16.1	70.1	60.6	58.2	24.5	6.31	3.32	4.00	5.98	9.38	102	
20	10.9	14.9	61.8	47.0	59.4	16.1	7.30	3.32	3.83	5.65	9.38	102	
21	10.4	14.3	49.2	41.6	58.2	14.3	6.31	3.15	3.66	5.65	9.38	70.1	
22	9.90	13.7	43.7	41.6	57.1	12.5	5.65	3.32	3.49	9.38	9.90	54.8	
23	9.38	13.1	41.6	45.9	55.9	11.5	5.32	3.66	3.49	50.3	10.4	47.0	
24	9.38	12.5	41.6	53.7	51.5	11.5	4.99	3.49	3.32	86.5	12.0	38.4	
25	8.86	12.0	40.5	93.0	47.0	10.9	4.66	3.49	3.32	67.6	13.1	64.1	
26	8.34	12.0	44.8	106	47.0	9.90	4.33	3.32	3.15	44.8	13.7	55.9	
27	8.34	11.5	60.6	135	45.9	9.38	4.33	3.32	3.15	40.5	13.1	44.8	
28	8.34	10.9	71.3	112	42.7	9.38	4.33	3.32	3.15	67.6	12.5	36.2	
29	8.34		83.9	82.6	40.5	9.38	4.33	3.32	5.32	62.9	12.0	33.2	
30	8.34		93.0	64.1	37.3	9.38	4.00	3.15	5.98	47.0	11.5	73.8	
31	8.34		102		35.2		4.00	3.15		38.4		59.4	
SD1	14.0	9.79	50.0	68.8	66.4	26.2	6.83	3.83	3.17	13.0	18.9	46.6	
SD2	13.1	28.4	56.5	52.5	61.3	16.9	6.24	3.40	4.27	6.93	10.5	133	
SD3	8.91	12.5	61.1	77.5	47.1	10.8	4.75	3.34	3.80	47.3	11.8	52.5	
MAX	20.5	85.2	189	145	124	36.2	8.34	4.33	7.30	96.9	33.2	364	
DAT	5	12	5	27	5	1	1	7	15	24	1	13	
SR	11.9	17.2	56.0	66.3	57.9	18.0	5.90	3.52	3.75	23.2	13.7	76.5	
MIN	8.34	7.82	9.38	41.6	35.2	9.38	4.00	3.15	2.98	4.99	9.38	10.9	
DAT	26	1	2	21	31	27	30	18	2	2	19	1	
		GMIN =		2.98		SRGOD=		29.6		GMAX =		364	
		DATUM		2 9						DATUM		13 12	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1982

Broj : 45960 Stanica : TREBALJEVO Kota "0" = 894.08  
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 106.00  
Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	49.2	11.5	6.31	104	19.2	17.3	6.97	3.66	2.24	2.12	4.00	7.30	
2	67.6	10.9	6.31	75.0	18.5	16.7	6.64	3.49	2.18	2.18	4.00	6.97	
3	60.6	10.4	6.64	66.4	17.3	15.5	6.64	3.49	2.18	2.24	4.00	6.64	
4	49.2	9.90	5.98	58.2	17.9	14.3	6.31	3.32	2.18	2.24	3.83	6.64	
5	40.5	9.38	6.31	51.5	19.8	13.7	5.98	3.32	2.18	2.30	3.83	6.31	
6	35.2	8.86	6.31	45.9	21.2	12.5	5.65	3.49	2.18	2.98	3.66	5.98	
7	39.4	8.86	6.97	43.7	23.9	12.0	7.30	3.32	2.12	15.5	3.66	5.65	
8	29.6	8.34	7.82	43.7	27.9	11.5	6.97	3.15	2.12	17.9	3.49	5.65	
9	27.9	8.34	7.82	44.8	36.2	10.9	5.98	3.15	2.12	10.9	3.49	5.32	
10	28.8	8.34	7.82	45.9	41.6	10.9	5.65	3.15	2.18	9.90	3.32	5.98	
11	27.0	7.82	8.86	45.9	44.8	10.4	5.32	3.32	2.18	8.34	3.32	10.9	
12	67.6	7.82	9.90	44.8	47.0	9.38	5.32	3.15	2.18	6.97	3.15	16.1	
13	68.8	7.30	8.34	41.6	41.6	10.4	6.64	3.15	2.18	7.30	2.98	16.7	
14	49.2	7.30	8.34	43.7	38.4	24.5	5.98	2.98	2.18	6.64	5.65	53.7	
15	39.4	6.97	8.34	80.0	32.3	24.5	5.65	2.81	2.18	10.9	31.4	38.4	
16	34.1	6.97	7.82	89.1	30.5	18.5	5.32	2.81	2.12	10.9	20.5	27.9	
17	29.6	6.97	7.30	89.1	29.6	16.1	4.66	2.98	2.12	10.4	25.2	24.5	
18	27.0	6.97	7.82	94.3	28.8	15.5	4.66	2.98	2.12	8.86	29.6	55.9	
19	24.5	6.64	16.1	81.3	27.9	13.1	4.66	2.98	2.12	7.30	21.9	103	
20	22.5	6.64	16.1	66.4	27.9	12.5	4.66	2.81	2.12	6.97	16.7	52.6	
21	21.2	6.31	13.1	54.8	27.0	12.0	4.33	2.81	2.12	6.31	14.3	44.8	
22	19.2	6.31	11.5	45.9	26.1	11.5	4.00	3.15	2.12	5.98	12.5	83.9	
23	18.5	6.64	10.4	38.4	25.2	10.9	4.00	3.66	2.18	5.65	11.5	135	
24	17.3	6.64	9.90	33.2	25.2	9.90	4.00	3.32	2.18	5.65	10.4	93.0	
25	16.1	6.64	9.38	28.8	24.5	9.38	3.83	3.15	2.12	5.65	9.90	65.3	
26	14.9	6.31	8.86	26.1	24.5	8.86	3.66	2.81	2.12	5.32	8.86	48.1	
27	13.7	6.31	8.86	23.9	23.2	8.34	3.66	2.64	2.12	5.32	8.34	39.4	
28	13.1	6.31	9.90	21.9	21.9	9.38	4.00	2.30	2.12	4.99	8.34	32.3	
29	12.5		12.0	20.5	21.2	7.82	4.00	2.18	2.12	4.66	8.34	27.9	
30	12.5		38.4	21.2	19.8	7.30	3.83	2.18	2.12	4.33	7.82	24.5	
31	12.0		159		19.2		3.66	2.24		4.00		21.9	
SD1	42.8	9.48	6.83	57.9	24.3	13.5	6.41	3.35	2.17	6.83	3.73	6.24	
SD2	39.0	7.14	9.89	67.6	34.9	15.5	5.29	3.00	2.15	8.46	16.0	40.0	
SD3	15.5	6.43	26.5	31.5	23.4	9.54	3.91	2.77	2.13	5.26	10.0	56.0	
MAX	89.1	11.5	177	132	50.3	31.4	9.38	3.66	2.24	23.2	38.4	156	
DAT	12	1	31	1	12	14	7	1	1	7	15	23	
SR	31.9	7.77	14.8	52.3	27.4	12.9	5.16	3.03	2.15	6.80	9.93	34.8	
MIN	12.0	6.31	5.98	20.5	17.3	7.30	3.66	2.18	2.12	2.12	2.98	5.32	
DAT	31	21	4	29	3	30	26	29	7	1	13	9	
GMIN =			2.12	SRGOD=			17.5	GMAX =			177		
DATUM			7 9					DATUM			31 3		



ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1983

Broj               : 45960                                Stanica :TREBALJEVO                                Kota "0" = 894.08  
Nacin osmat.: limnigraf                                Rijeka :TARA    km od usca = 106.00  
Pocetak rada: 1957                                        Sliv :DRINE    Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	19.8	11.5	8.86	44.8	42.7	12.5	8.34	3.83	3.32	3.83	3.15	14.3
2	18.5	10.9	8.34	55.9	57.1	12.0	8.34	3.66	3.32	3.66	3.32	12.0
3	17.3	10.4	7.82	89.1	47.0	11.5	7.82	3.49	3.32	3.66	3.49	9.90
4	15.5	9.38	7.82	75.0	37.3	10.9	7.30	3.49	3.15	3.66	3.66	9.38
5	14.3	8.86	7.30	59.4	32.3	10.4	7.30	3.49	3.49	3.49	3.66	8.34
6	13.7	8.86	7.30	48.1	28.8	9.90	6.97	3.49	3.49	3.49	3.66	7.82
7	13.1	20.5	7.30	40.5	26.1	12.0	6.97	3.32	3.32	3.32	3.49	7.30
8	12.5	26.1	8.34	35.2	23.9	12.5	6.64	3.49	3.32	3.32	3.49	6.97
9	12.0	23.9	9.90	36.2	22.5	11.5	6.97	3.49	3.15	3.32	3.32	6.97
10	10.9	41.6	13.1	39.4	23.2	10.4	6.31	3.49	2.98	3.32	3.32	6.64
11	10.4	55.9	16.7	48.1	22.5	9.90	5.98	3.32	2.98	3.32	3.32	7.30
12	9.90	60.6	17.9	59.4	21.9	9.38	5.65	3.32	3.32	3.49	3.32	12.0
13	9.38	39.4	16.7	98.2	21.2	9.38	5.65	3.66	3.83	3.66	3.15	10.4
14	8.86	28.8	14.9	78.8	20.5	9.90	5.32	3.49	3.49	3.49	3.15	8.34
15	9.90	22.5	14.3	60.6	19.8	10.4	5.98	3.32	3.32	3.49	3.15	7.30
16	9.38	20.5	14.3	47.0	19.8	11.5	5.98	3.15	3.15	3.32	2.98	6.97
17	8.86	18.5	14.3	37.3	19.2	13.7	6.31	2.98	3.15	3.32	2.98	8.86
18	8.34	16.1	14.9	35.2	18.5	14.3	5.65	3.15	8.34	3.32	2.98	77.5
19	8.34	14.9	16.7	31.4	17.3	13.7	5.32	3.49	9.38	3.15	2.98	117
20	8.86	13.7	17.9	29.6	16.7	12.5	5.32	3.32	7.82	3.15	2.81	113
21	8.34	12.5	19.2	34.1	14.9	12.0	4.99	3.15	6.97	2.98	2.64	94.3
22	7.82	12.5	21.9	40.5	14.3	11.5	5.32	3.15	6.31	2.98	2.98	59.4
23	7.30	11.5	27.0	47.0	13.1	11.5	4.66	3.15	5.65	2.98	2.98	41.6
24	6.97	10.9	34.1	45.9	13.7	12.5	4.33	3.15	4.99	2.98	2.81	34.1
25	6.97	10.4	73.8	48.1	13.7	11.5	4.00	3.15	4.66	2.98	2.81	27.9
26	6.64	9.38	135	47.0	16.1	10.9	4.00	3.66	4.33	2.98	2.81	25.2
27	6.31	8.86	135	48.1	15.5	10.4	4.00	3.49	4.66	2.98	2.98	24.5
28	6.31	8.86	86.5	48.1	13.7	9.38	3.83	3.32	4.33	2.81	22.5	22.5
29	6.31		62.9	48.1	13.1	9.38	3.83	3.15	4.00	2.81	26.1	20.5
30	6.64		50.3	43.7	13.1	8.86	4.66	3.15	4.00	2.81	17.3	18.5
31	10.9		45.9		12.5		4.00	3.32		2.98		17.9
SD1	14.8	17.2	8.61	52.4	34.1	11.4	7.30	3.52	3.29	3.51	3.46	8.96
SD2	9.22	29.1	15.9	52.6	19.7	11.5	5.72	3.32	4.88	3.37	3.08	36.9
SD3	7.32	10.6	62.9	45.1	14.0	10.8	4.33	3.26	4.99	2.93	8.59	35.1
MAX	20.5	72.6	167	106	72.6	14.9	8.34	3.83	13.1	3.83	43.7	121
DAT	1	11	26	13	2	18	1	1	18	1	28	20
SR	10.3	19.6	30.2	50.0	22.3	11.2	5.73	3.36	4.38	3.26	5.04	27.2
MIN	6.31	8.86	7.30	29.6	12.5	8.86	3.83	2.98	2.98	2.81	2.64	6.64
DAT	27	5	5	20	31	30	28	17	10	28	21	10
GMIN = 2.64			SRGOD= 16.0			GMAX = 167						
DATUM 21 11						DATUM 26 3						

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1984

Broj : 45960      Stanica : TREBALJEVO      Kota "0" = 894.08  
Nacin osmat.: limnigraf      Rijeka : TARA      km od usca = 106.00  
Pocetak rada: 1957      Sliv : DRINE      Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	16.7	18.5	18.5	42.7	32.3	44.8	8.34	3.32	2.98	21.2	7.82	20.5
2	16.1	19.2	30.5	37.3	64.1	42.7	7.82	3.15	2.98	27.0	7.82	18.5
3	14.9	18.5	28.8	83.9	78.8	40.5	7.30	3.15	2.81	44.8	7.30	17.3
4	16.1	19.2	24.5	113	87.8	38.4	7.30	3.15	2.64	58.2	6.97	16.1
5	28.8	21.2	21.2	78.8	94.3	34.1	7.30	2.98	2.64	31.4	6.97	15.5
6	23.9	20.5	19.2	61.8	99.5	33.2	6.97	3.15	2.47	35.2	6.64	13.7
7	22.5	19.8	17.3	55.9	86.5	32.3	6.64	3.15	2.47	49.2	9.90	13.1
8	19.8	19.2	15.5	53.7	87.8	31.4	6.31	3.32	2.30	60.6	11.5	12.5
9	30.5	17.9	14.3	50.3	83.9	27.0	6.31	3.32	2.30	58.2	9.90	12.0
10	76.3	16.7	13.1	44.8	82.6	23.9	5.98	3.32	2.30	44.8	9.38	11.5
11	45.9	14.9	12.5	42.7	99.5	21.9	5.65	3.15	2.47	35.2	8.86	10.4
12	32.3	13.1	12.0	42.7	102	20.5	5.32	3.32	2.47	29.6	8.34	9.90
13	24.5	12.0	11.5	42.7	94.3	19.2	4.99	3.32	2.30	26.1	7.82	9.38
14	21.9	11.5	10.4	43.7	82.6	18.5	4.66	3.66	2.30	23.9	7.30	9.38
15	21.2	10.9	10.4	42.7	68.8	17.9	4.66	3.49	2.30	21.9	8.34	9.38
16	22.5	10.9	9.90	47.0	70.1	17.3	4.66	3.49	5.32	19.8	9.38	8.86
17	20.5	10.4	9.90	51.5	82.6	16.1	4.99	3.32	17.9	17.9	16.1	12.0
18	18.5	9.90	9.90	48.1	78.8	14.9	4.99	3.15	11.5	16.1	38.4	30.5
19	16.1	9.38	10.4	43.7	68.8	14.3	4.66	2.98	7.30	14.9	49.2	44.8
20	24.5	8.86	10.4	37.3	70.1	13.7	4.66	2.98	5.65	14.3	126	38.4
21	29.6	8.86	10.4	33.2	142	13.1	4.33	2.98	9.90	14.3	116	29.6
22	53.7	8.34	10.4	32.3	121	12.5	4.33	2.81	17.3	13.7	72.6	25.2
23	89.1	8.34	10.4	30.5	94.3	12.5	4.00	2.64	28.8	12.5	51.5	22.5
24	62.9	12.0	10.4	31.4	81.3	12.0	4.00	2.47	38.4	12.5	40.5	19.8
25	44.8	12.5	10.4	32.3	66.4	12.5	3.83	3.15	116	11.5	34.1	18.5
26	32.3	12.0	15.5	30.5	67.6	11.5	3.83	3.66	99.5	9.90	30.5	17.3
27	25.2	14.3	85.2	28.8	68.8	10.4	3.66	3.83	61.8	9.38	28.8	15.5
28	22.5	19.8	60.6	27.0	62.9	9.90	3.49	3.66	41.6	8.86	27.0	14.3
29	21.2	17.9	45.9	26.1	58.2	9.38	3.32	3.49	30.5	8.34	24.5	13.1
30	20.5		61.8	27.0	52.6	8.86	3.32	3.32	24.5	8.34	22.5	12.5
31	19.2		53.7		45.9		3.32	3.15		8.34		12.0
SD1	26.6	19.1	20.3	62.2	79.8	34.8	7.03	3.20	2.59	43.1	8.42	15.1
SD2	24.8	11.2	10.7	44.2	81.8	17.4	4.92	3.29	5.95	22.0	28.0	18.3
SD3	38.3	12.7	34.1	29.9	78.3	11.3	3.77	3.20	46.8	10.7	44.8	18.2
MAX	102	21.2	95.6	132	157	48.1	8.34	3.83	150	68.8	175	49.2
DAT	22	5	27	3	21	1	1	27	25	4	20	19
SR	30.1	14.4	22.1	45.4	79.9	21.2	5.19	3.23	18.5	24.8	27.1	17.2
MIN	14.9	8.34	9.90	26.1	32.3	8.86	3.32	2.47	2.30	8.34	6.64	8.86
DAT	3	22	16	29	1	30	29	24	8	29	6	16
GMIN =			2.30	SRGOD=			25.8	GMAX =			175	
DATUM			8 9					DATUM			20 11	

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1985

Broj : 45960                      Stanica : TREBALJEVO                      Kota "0" = 894.08  
Nacin osmat.: limnigraf        Rijeka : TARA                                      km od usca = 106.00  
Pocetak rada: 1957                Sliv : DRINE                                        Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	11.5	19.2	10.9	25.2	73.8	14.9	9.90	3.32	2.30	2.06	18.5	26.1
2	11.5	17.3	10.9	25.2	59.4	14.3	9.38	3.32	2.30	2.06	19.8	23.9
3	10.9	16.1	12.0	27.0	55.9	13.7	8.34	3.32	2.30	2.12	21.2	23.2
4	9.90	14.9	12.5	30.5	90.4	13.1	8.34	3.32	2.30	2.06	12.5	23.2
5	10.4	14.3	13.1	34.1	82.6	12.5	8.34	3.15	2.30	2.00	10.4	22.5
6	9.38	13.7	14.9	40.5	73.8	12.0	7.82	3.32	2.30	2.06	13.7	21.9
7	8.86	13.1	16.1	80.0	71.3	11.5	7.30	3.83	2.30	2.06	21.9	21.2
8	8.34	12.5	17.3	90.4	72.6	10.9	6.97	4.33	2.30	2.00	16.1	20.5
9	9.38	16.1	16.7	76.3	71.3	21.9	6.64	3.66	2.30	2.00	12.0	19.8
10	7.82	104	16.7	80.0	70.1	24.5	6.64	3.49	2.30	1.94	9.90	19.2
11	7.82	167	17.9	87.8	65.3	20.5	6.31	3.32	2.64	1.94	8.86	18.5
12	7.30	113	18.5	81.3	82.6	19.2	5.98	3.15	2.64	2.18	7.82	17.9
13	6.97	70.1	19.2	66.4	75.0	16.7	5.98	2.98	2.47	2.12	16.7	17.3
14	6.64	50.3	19.8	53.7	67.6	14.9	5.32	2.81	2.30	2.12	137	16.7
15	7.30	39.4	20.5	42.7	61.8	13.7	5.32	2.81	2.30	2.12	72.6	16.7
16	6.97	31.4	20.5	39.4	52.6	12.5	4.99	2.64	2.24	2.18	30.5	16.1
17	6.97	26.1	21.9	39.4	45.9	12.0	4.99	2.64	2.24	2.18	32.3	15.5
18	6.64	24.5	23.9	37.3	42.7	12.0	4.66	2.47	2.24	2.18	73.8	14.3
19	6.31	21.9	21.9	34.1	38.4	10.9	4.66	2.47	2.24	2.18	254	13.7
20	6.31	19.8	19.2	32.3	35.2	10.4	4.33	2.30	2.18	2.18	278	13.1
21	5.98	18.5	18.5	30.5	32.3	13.7	4.33	2.30	2.18	2.18	202	12.5
22	6.64	17.3	17.9	29.6	30.5	13.7	4.00	2.30	2.18	2.18	138	12.5
23	17.9	15.5	17.9	32.3	27.9	13.7	4.00	2.24	2.18	2.18	94.3	11.5
24	34.1	14.3	19.2	34.1	25.2	14.9	3.83	2.24	2.18	2.18	71.3	10.9
25	64.1	13.1	23.2	36.2	23.2	13.1	3.83	2.18	2.18	2.18	57.1	10.9
26	40.5	12.5	26.1	38.4	23.9	12.5	3.83	2.18	2.12	2.18	50.3	11.5
27	32.3	12.0	23.9	48.1	20.5	12.0	3.83	2.18	2.12	2.18	47.0	17.3
28	33.2	11.5	25.2	70.1	18.5	11.5	3.66	2.30	2.12	2.18	40.5	16.1
29	28.8		29.6	121	17.9	10.4	3.49	2.30	2.12	2.18	34.1	67.6
30	23.9		27.0	102	16.7	9.90	3.32	2.30	2.06	2.18	29.6	163
31	21.9		25.2		16.1		3.32	2.18		2.81		231
SD1	9.80	24.1	14.1	50.9	72.1	14.9	7.97	3.51	2.30	2.04	15.6	22.1
SD2	6.92	56.3	20.3	51.4	56.7	14.3	5.25	2.76	2.35	2.14	91.2	16.0
SD3	28.1	14.3	23.1	54.2	23.0	12.5	3.77	2.25	2.14	2.24	76.4	51.3
MAX	76.3	175	31.4	137	106	49.2	9.90	4.33	2.64	2.81	335	254
DAT	25	11	29	29	4	9	1	8	11	31	20	31
SR	15.4	32.8	19.3	52.2	49.7	13.9	5.60	2.82	2.26	2.14	61.1	30.5
MIN	5.98	11.5	10.9	25.2	16.1	9.90	3.32	2.18	2.06	1.94	7.82	10.9
DAT	21	28	1	1	31	30	30	25	30	10	12	24
		GMIN = 1.94			SRGOD= 23.8			GMAX = 335				
		DATUM 10 10						DATUM 20 11				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1986

Broj               : 45960                                Stanica :TREBALJEVO                                Kota "0" = 894.08  
Nacin osmat.: limnigraf                                Rijeka :TARA    km od usca = 106.00  
Pocetak rada: 1957                                        Sliv :DRINE    Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	201	21.9	29.6	62.9	52.6	27.0	17.3	5.98	2.98	2.30	4.00	3.32	
2	122	27.9	51.5	58.2	60.6	23.9	15.5	5.65	2.98	2.30	3.83	3.32	
3	98.2	22.5	134	55.9	55.9	19.2	14.9	5.32	2.98	2.30	3.66	3.32	
4	178	19.8	94.3	53.7	52.6	17.9	14.9	5.32	2.98	2.30	3.66	3.32	
5	150	21.9	71.3	52.6	49.2	19.8	14.3	5.32	2.98	2.30	3.66	3.32	
6	99.5	17.3	66.4	52.6	45.9	62.9	13.1	4.99	2.98	2.24	3.49	3.32	
7	73.8	16.1	59.4	55.9	42.7	102	12.0	4.99	2.81	2.24	3.49	3.15	
8	58.2	15.5	51.5	62.9	42.7	82.6	11.5	4.99	2.81	2.24	3.32	3.15	
9	45.9	14.3	45.9	65.3	41.6	66.4	10.9	4.66	2.64	2.24	3.32	3.15	
10	37.3	13.7	44.8	65.3	40.5	53.7	10.4	4.66	2.64	2.18	3.32	2.98	
11	31.4	13.7	43.7	57.1	35.2	43.7	9.90	4.66	2.64	2.18	3.32	2.98	
12	27.9	12.5	44.8	50.3	33.2	38.4	9.90	4.33	2.64	2.18	3.15	2.98	
13	24.5	11.5	45.9	55.9	32.3	36.2	9.38	4.33	2.64	2.18	3.15	2.81	
14	22.5	11.5	44.8	53.7	31.4	33.2	8.86	4.00	2.47	2.18	3.15	2.64	
15	21.9	10.9	43.7	47.0	34.1	36.2	8.34	4.00	2.47	2.18	3.15	2.81	
16	21.2	11.5	42.7	40.5	36.2	30.5	7.82	3.83	2.30	2.18	2.98	3.66	
17	19.8	10.9	38.4	37.3	34.1	28.8	9.90	3.83	2.30	2.18	2.81	5.32	
18	17.9	41.6	34.1	36.2	33.2	27.0	13.1	3.66	2.30	2.18	2.81	3.66	
19	16.1	308	30.5	96.9	32.3	29.6	10.4	3.66	2.30	2.18	2.64	3.66	
20	16.1	182	27.9	120	31.4	28.8	9.38	3.49	2.30	2.24	2.64	6.97	
21	15.5	103	25.2	83.9	30.5	25.2	10.9	3.49	2.30	2.64	2.47	6.64	
22	16.1	72.6	23.9	65.3	30.5	24.5	14.9	3.32	2.30	3.32	2.47	5.32	
23	34.1	55.9	22.5	54.8	28.8	24.5	9.90	3.32	2.30	2.98	3.15	4.99	
24	62.9	55.9	21.2	51.5	27.0	25.2	9.38	3.32	2.30	9.38	6.97	4.66	
25	91.7	59.4	27.0	50.3	26.1	22.5	8.34	3.32	2.30	10.9	7.30	4.66	
26	40.5	48.1	94.3	54.8	24.5	21.2	7.30	3.32	2.30	6.64	6.31	4.33	
27	37.3	38.4	111	59.4	23.2	18.5	7.30	3.15	2.30	6.97	4.99	4.00	
28	29.6	32.3	91.7	54.8	22.5	17.9	6.97	3.15	2.30	7.30	4.33	3.83	
29	25.2		81.3	50.3	23.2	16.7	6.97	3.15	2.30	6.31	4.00	3.66	
30	22.5		75.0	48.1	21.9	17.9	6.64	2.98	2.30	5.32	3.66	3.49	
31	21.2		71.3		22.5		6.31	2.98		4.66		3.32	
SD1	106	19.1	64.9	58.5	48.4	47.5	13.5	5.19	2.88	2.26	3.58	3.23	
SD2	21.9	61.4	39.7	59.5	33.3	33.2	9.70	3.98	2.44	2.19	2.98	3.75	
SD3	36.1	58.2	58.6	57.3	25.5	21.4	8.63	3.23	2.30	6.04	4.56	4.45	
MAX	242	365	150	156	61.8	115	20.5	5.98	2.98	18.5	8.34	7.30	
DAT	1	19	3	19	3	7	17	1	1	24	24	20	
SR	54.2	45.4	54.5	58.4	35.4	34.1	10.5	4.10	2.54	3.58	3.71	3.83	
MIN	15.5	10.9	21.2	36.2	21.9	16.7	6.31	2.98	2.30	2.18	2.47	2.64	
DAT	21	15	24	18	30	29	31	30	16	10	21	14	
		GMIN = 2.18			SRGOD= 25.7			GMAX = 365					
		DATUM 10 10						DATUM 19 2					

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1987

Broj : 45960      Stanica : TREBALJEVO      Kota "0" = 894.08  
 Nacin osmat.: limnigraf      Rijeka : TARA      km od usca = 106.00  
 Pocetak rada: 1957      Sliv : DRINE      Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	3.66	45.9	16.1	38.4	36.2	49.2	9.90	3.32	2.24	2.64	2.24	37.3
2	3.83	34.1	14.9	29.6	39.4	43.7	9.38	3.32	2.24	2.30	2.24	29.6
3	19.8	27.9	16.1	25.2	47.0	40.5	8.86	3.32	2.24	2.24	2.24	23.9
4	13.7	25.2	15.5	22.5	61.8	38.4	11.5	3.32	2.24	2.12	2.24	22.5
5	9.90	21.9	14.3	23.9	59.4	40.5	9.38	3.32	2.24	2.00	2.24	19.8
6	8.34	19.8	13.1	27.0	70.1	40.5	8.86	3.32	2.24	1.94	2.24	19.8
7	7.30	17.9	12.0	34.1	75.0	37.3	7.82	3.32	2.24	1.88	2.18	21.9
8	6.64	17.3	11.5	39.4	65.3	34.1	7.30	3.15	2.24	2.30	2.12	27.9
9	3.32	16.1	9.90	44.8	50.3	33.2	6.97	2.98	2.24	2.64	2.12	71.3
10	3.15	14.9	9.38	61.8	42.7	31.4	6.64	2.98	2.24	2.47	4.66	52.6
11	25.2	14.9	9.38	89.1	40.5	29.6	6.64	2.98	2.24	2.47	5.32	39.4
12	31.4	18.5	9.38	70.1	41.6	28.8	5.98	2.98	2.24	3.15	4.66	30.5
13	23.2	23.9	8.34	53.7	44.8	27.0	5.65	2.98	2.18	5.98	4.33	24.5
14	95.6	25.2	8.34	44.8	65.3	24.5	5.32	2.98	2.12	4.99	5.98	33.2
15	117	26.1	8.34	38.4	102	23.2	5.32	2.98	2.00	3.66	23.2	141
16	83.9	27.9	8.34	34.1	94.3	21.9	5.32	3.15	1.94	3.32	33.2	87.8
17	50.3	31.4	7.82	30.5	98.2	19.8	4.99	2.98	1.88	2.98	21.2	58.2
18	36.2	27.9	7.30	29.6	78.8	18.5	4.66	2.64	1.88	2.98	16.1	45.9
19	29.6	26.1	7.82	30.5	78.8	17.9	4.33	2.64	1.88	3.32	14.9	39.4
20	25.2	27.9	25.2	42.7	76.3	16.1	4.33	2.64	1.82	3.15	13.1	35.2
21	21.2	34.1	27.9	58.2	77.5	15.5	4.00	2.64	1.82	2.98	12.0	29.6
22	18.5	31.4	20.5	68.8	76.3	14.3	4.00	2.64	1.82	2.98	11.5	27.0
23	16.7	28.8	17.3	62.9	62.9	14.3	4.00	2.64	1.82	2.81	10.9	24.5
24	15.5	24.5	16.1	49.2	55.9	13.1	3.83	2.64	1.82	2.81	17.9	22.5
25	13.7	21.9	13.1	44.8	50.3	12.5	3.83	2.47	1.82	2.81	43.7	19.8
26	12.5	19.2	13.1	49.2	45.9	11.5	3.66	2.47	1.82	2.64	103	18.5
27	12.5	17.9	12.5	51.5	45.9	10.9	3.66	2.47	1.82	2.47	98.2	17.3
28	15.5	17.3	13.7	49.2	50.3	10.9	3.66	2.30	2.30	2.47	80.0	15.5
29	94.3		22.5	43.7	59.4	10.4	3.49	2.30	4.99	2.30	60.6	14.9
30	146		55.9	38.4	57.1	10.4	3.49	2.30	2.98	2.30	44.8	13.7
31	68.8		51.5		55.9		3.49	2.30		2.30		13.1
SD1	7.96	24.1	13.3	34.7	54.7	38.9	8.66	3.23	2.24	2.25	2.45	32.7
SD2	51.8	25.0	10.0	46.3	72.1	22.7	5.25	2.89	2.02	3.60	14.2	53.5
SD3	39.6	24.4	24.0	51.6	57.9	12.4	3.74	2.47	2.30	2.62	48.3	19.7
MAX	187	53.7	62.9	93.0	107	53.7	12.5	3.66	8.34	6.97	119	174
DAT	30	1	30	11	14	1	4	1	29	13	26	15
SR	33.3	24.5	16.0	44.2	61.5	24.7	5.81	2.85	2.19	2.82	21.6	34.8
MIN	3.15	14.9	7.30	22.5	36.2	10.4	3.49	2.30	1.82	1.88	2.12	13.1
DAT	10	10	18	4	1	29	29	28	20	7	8	31
		GMIN = 1.82			SRGOD= 22.8			GMAX = 187				
		DATUM 20 9						DATUM 30 1				

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1988

Broj : 45960                      Stanica : TREBALJEVO                      Kota "0" = 894.08  
Nacin osmat.: limnigraf        Rijeka : TARA                                      km od usca = 106.00  
Pocetak rada: 1957                Sliv : DRINE                                        Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	12.5	50.3	12.5	43.7	58.2	17.3	7.82	2.64	2.30	6.97	4.00	16.1
2	12.0	33.2	10.9	41.6	53.7	27.0	7.30	2.64	2.30	6.64	4.00	90.4
3	11.5	25.2	10.4	39.4	53.7	25.2	7.30	2.64	2.30	6.31	4.00	181
4	10.9	22.5	9.38	33.2	52.6	20.5	6.97	2.81	2.30	6.64	4.00	133
5	10.9	49.2	8.86	42.7	54.8	18.5	6.64	2.81	2.24	6.31	4.00	94.3
6	10.4	70.1	8.34	54.8	55.9	18.5	6.31	2.81	2.24	5.98	4.00	81.3
7	10.4	50.3	7.82	68.8	59.4	17.3	5.98	2.81	2.24	5.98	3.83	86.5
8	10.4	66.4	8.34	80.0	59.4	17.9	5.65	2.64	2.24	7.30	3.83	68.8
9	10.4	139	8.34	85.2	52.6	17.3	5.32	2.64	2.24	13.1	3.66	54.8
10	9.90	91.7	7.82	76.3	51.5	17.3	4.99	2.64	2.24	9.90	3.66	44.8
11	9.38	60.6	7.82	68.8	48.1	17.3	4.66	2.64	2.24	8.86	3.66	37.3
12	8.86	45.9	7.82	65.3	42.7	17.3	4.66	2.64	2.24	8.34	3.66	30.5
13	8.34	37.3	7.82	65.3	39.4	15.5	4.33	2.64	2.24	7.82	3.49	25.2
14	7.82	30.5	7.82	81.3	37.3	16.1	4.33	2.47	2.81	6.97	3.66	22.5
15	7.82	27.0	8.86	75.0	37.3	14.9	4.00	2.47	49.2	6.64	3.83	20.5
16	7.30	23.9	10.4	61.8	36.2	13.7	4.00	2.47	72.6	6.31	4.00	19.2
17	7.30	21.9	52.6	50.3	31.4	12.5	4.00	2.47	39.4	5.98	3.83	17.9
18	6.97	19.8	45.9	42.7	27.9	13.7	4.00	2.47	28.8	5.98	3.83	17.3
19	6.97	18.5	27.9	38.4	26.1	13.7	4.00	2.47	23.9	5.65	3.83	16.1
20	6.97	16.7	21.2	32.3	25.2	15.5	3.83	2.47	20.5	5.65	4.66	14.9
21	6.97	15.5	17.9	28.8	23.9	13.1	3.66	2.47	17.9	6.31	7.82	13.1
22	5.98	13.7	16.7	31.4	23.2	12.0	3.66	2.30	16.7	5.98	147	12.0
23	5.98	14.3	64.1	38.4	21.9	10.9	3.49	2.64	16.1	5.65	102	11.5
24	6.31	13.1	73.8	44.8	19.2	10.4	3.49	2.81	14.9	5.32	51.5	10.9
25	6.31	16.7	53.7	59.4	18.5	10.4	3.32	2.64	12.5	5.32	35.2	10.4
26	14.3	14.3	49.2	71.3	17.3	10.4	3.32	2.64	10.4	4.99	26.1	9.38
27	15.5	13.7	52.6	66.4	17.9	9.90	3.15	2.64	9.90	4.99	21.9	8.86
28	13.1	12.0	54.8	62.9	17.3	9.90	2.98	2.47	8.86	4.66	19.2	8.86
29	12.5	11.5	42.7	58.2	20.5	9.38	2.98	2.30	8.34	4.33	17.3	8.34
30	59.4		34.1	60.6	19.8	8.86	2.81	2.30	7.82	4.00	16.1	8.34
31	96.9		31.4		17.9		2.64	2.30		4.00		10.9
SD1	10.9	59.8	9.27	56.6	55.2	19.7	6.43	2.71	2.26	7.51	3.90	85.1
SD2	7.77	30.2	19.8	58.1	35.2	15.0	4.18	2.52	24.4	6.82	3.85	22.1
SD3	22.1	13.9	44.6	52.2	19.8	10.5	3.23	2.50	12.3	5.05	44.4	10.2
MAX	126	164	96.9	87.8	60.6	27.0	7.82	2.81	100	14.9	198	218
DAT	31	9	23	9	8	2	1	4	16	9	22	3
SR	13.9	35.3	25.2	55.6	36.2	15.1	4.57	2.57	13.0	6.42	17.4	38.2
MIN	5.98	11.5	7.82	28.8	17.3	8.86	2.64	2.30	2.24	4.00	3.49	8.34
DAT	22	29	7	21	26	30	31	22	5	30	13	29
GMIN =			2.24	SRGOD=			21.8	GMAX =			218	
DATUM			5 9					DATUM			3 12	

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1989

Broj : 45960 Stanica : TREBALJEVO Kota "0" = 894.08  
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 106.00  
Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	6.31	3.83	42.7	29.6	29.6	13.1	10.4	5.32	23.9	10.4	9.90	20.5
2	6.31	3.83	108	31.4	27.9	12.5	9.90	14.3	20.5	8.34	8.86	17.9
3	5.98	3.83	76.3	33.2	27.9	12.0	9.38	9.90	23.9	8.34	8.86	16.1
4	5.65	3.83	53.7	31.4	27.0	11.5	8.86	7.82	19.8	8.34	8.34	14.9
5	5.65	3.83	39.4	33.2	27.0	12.0	8.86	7.30	20.5	7.82	9.90	14.3
6	5.65	3.83	32.3	33.2	27.0	12.0	8.34	6.97	14.3	6.97	13.1	13.1
7	5.65	3.83	26.1	31.4	27.0	12.0	7.82	6.31	12.5	6.64	42.7	13.1
8	5.65	3.83	24.5	28.8	27.0	12.0	7.82	5.98	12.0	8.34	41.6	13.1
9	5.32	3.83	23.2	25.2	23.9	11.5	7.30	5.65	13.1	62.9	27.9	13.1
10	5.32	3.83	21.9	23.9	23.9	10.9	6.97	7.82	18.5	153	20.5	12.5
11	5.32	3.83	20.5	23.2	21.9	10.4	6.64	6.64	23.2	111	15.5	11.5
12	5.32	3.66	19.2	23.2	22.5	10.4	6.31	7.30	21.9	76.3	13.1	10.9
13	5.32	3.66	17.9	23.9	23.2	9.38	6.64	6.64	20.5	52.6	10.9	10.9
14	5.32	3.66	17.9	27.0	27.0	9.38	6.64	6.31	13.1	41.6	9.90	12.0
15	4.99	3.66	18.5	26.1	24.5	9.90	6.31	5.98	17.9	33.2	9.38	14.3
16	4.99	3.66	18.5	25.2	22.5	10.4	6.31	5.65	17.3	27.9	16.1	24.5
17	4.66	3.66	20.5	27.0	23.2	12.5	5.98	5.65	16.1	24.5	15.5	27.0
18	4.66	3.66	25.2	78.8	23.9	14.3	5.98	4.99	14.9	22.5	14.3	26.1
19	4.66	3.66	29.6	67.6	24.5	18.5	5.98	4.66	13.1	20.5	13.7	25.2
20	4.66	3.49	34.1	51.5	23.2	14.9	5.32	4.33	12.0	19.2	13.1	31.4
21	4.66	3.66	42.7	43.7	22.5	13.1	4.99	4.33	10.9	17.3	12.5	36.2
22	4.66	3.83	49.2	42.7	21.2	13.1	4.99	4.33	10.9	16.1	14.3	33.2
23	4.66	3.83	45.9	41.6	20.5	13.1	4.66	4.00	10.4	14.9	30.5	33.2
24	4.33	4.33	39.4	27.9	20.5	13.1	4.33	4.00	9.90	14.3	41.6	29.6
25	4.33	6.31	33.2	33.2	19.8	12.5	4.33	4.00	8.86	13.7	77.5	26.1
26	4.00	55.9	29.6	29.6	18.5	12.5	5.98	3.83	8.34	13.1	87.8	24.5
27	4.00	81.3	27.0	28.8	18.5	12.5	6.31	3.66	7.82	12.5	57.1	23.2
28	4.00	47.0	26.1	27.9	17.3	12.5	5.98	6.31	7.30	12.0	40.5	22.5
29	4.00		26.1	28.8	16.7	12.5	5.65	78.8	9.90	11.5	29.6	21.9
30	3.83		27.0	30.5	16.1	12.0	5.32	37.3	11.5	10.4	23.2	21.2
31	3.83		27.9		15.5		4.66	24.5		10.4		20.5
SD1	5.75	3.83	44.8	30.1	26.8	11.9	8.57	7.74	17.9	28.1	19.2	14.9
SD2	4.99	3.66	22.2	37.3	23.6	12.0	6.21	5.82	17.0	42.9	13.1	19.4
SD3	4.21	25.8	34.0	33.5	18.8	12.7	5.20	15.9	9.58	13.3	41.5	26.6
MAX	6.64	128	135	86.5	30.5	19.2	10.9	157	24.5	180	116	36.2
DAT	1	27	2	18	1	1	1	29	1	10	26	21
SR	4.96	10.0	33.7	33.7	23.0	12.2	6.61	10.0	14.8	27.6	24.6	20.5
MIN	3.83	3.49	17.9	23.2	15.5	9.38	4.33	3.66	7.30	6.64	8.34	10.9
DAT	30	20	13	11	31	13	24	27	28	7	4	12
		GMIN = 3.49			SRGOD= 18.5			GMAX = 180				
		DATUM 20 2						DATUM 10 10				

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1990

Broj : 45960      Stanica : TREBALJEVO      Kota "0" = 894.08  
 Nacin osmat.: limnigraf      Rijeka : TARA      km od usca = 106.00  
 Pocetak rada: 1957      Sliv : DRINE      Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII					
1	13.1	21.2	12.5	11.5	23.9	9.90	4.66	2.30	2.18	2.24	17.9	42.7					
2	12.0	19.2	13.7	10.9	24.5	9.38	3.83	2.30	2.12	2.18	22.5	37.3					
3	11.5	16.1	13.1	10.9	23.9	9.38	3.66	2.30	2.12	2.18	19.2	31.4					
4	10.4	14.3	12.5	10.9	21.9	8.34	3.66	2.30	2.12	2.18	15.5	23.9					
5	9.38	13.1	11.5	10.4	21.2	7.82	3.66	2.30	2.06	2.18	13.7	21.2					
6	8.86	12.0	10.9	9.90	19.8	7.82	3.49	2.24	2.18	2.18	12.5	19.8					
7	7.82	11.5	10.4	10.9	19.2	7.82	3.32	2.24	2.18	2.24	12.0	18.5					
8	7.30	10.9	10.9	22.5	17.9	7.30	3.32	2.24	2.18	10.4	10.9	18.5					
9	7.30	9.90	12.5	27.9	17.3	6.97	3.15	3.32	2.18	16.1	9.90	17.9					
10	7.30	9.38	12.5	40.5	16.7	6.64	3.15	3.15	2.24	9.38	9.38	62.9					
11	6.97	8.86	12.5	39.4	15.5	6.31	3.15	2.81	2.30	5.98	8.86	103					
12	6.97	8.34	12.5	32.3	14.9	6.31	3.15	2.64	2.24	5.32	8.34	76.3					
13	6.64	7.82	13.7	27.9	14.9	6.31	3.15	2.64	2.24	4.66	7.82	47.0					
14	6.64	7.82	13.7	26.1	14.3	5.98	3.49	2.47	2.18	4.33	6.97	37.3					
15	6.31	9.90	13.7	23.9	13.7	5.98	3.32	2.47	2.18	4.00	7.82	29.6					
16	5.98	17.9	13.1	23.2	13.1	5.98	3.15	2.30	2.18	3.83	9.90	26.1					
17	5.98	16.1	13.1	22.5	13.1	5.98	2.98	2.30	2.18	3.66	9.38	23.2					
18	5.98	13.7	12.0	23.9	13.1	5.98	2.98	2.30	2.18	3.49	8.34	21.2					
19	5.98	12.5	10.9	23.9	13.1	5.98	3.15	2.30	2.18	3.49	8.34	19.2					
20	5.98	12.0	10.9	23.9	12.5	5.65	3.32	2.24	2.12	3.32	8.34	18.5					
21	5.98	11.5	10.4	40.5	11.5	5.65	3.15	2.24	2.18	6.31	7.82	16.7					
22	5.98	10.4	10.4	115	9.90	4.99	2.98	2.18	2.18	6.31	7.82	15.5					
23	5.98	10.4	10.4	145	9.38	4.66	2.98	2.18	2.18	5.65	11.5	14.3					
24	5.98	9.90	10.4	134	9.38	4.66	2.81	2.18	2.24	4.99	198	13.1					
25	6.31	9.38	10.9	98.2	9.90	4.66	2.64	2.18	2.47	4.99	67.6	11.5					
26	7.30	9.38	10.9	65.3	9.90	4.66	2.64	2.18	2.64	4.66	51.5	11.5					
27	14.9	9.90	11.5	53.7	10.4	4.33	2.81	2.18	2.47	4.99	73.8	11.5					
28	14.3	14.3	13.1	44.8	10.4	4.33	2.98	2.18	2.47	5.98	86.5	12.0					
29	27.0		13.1	36.2	9.90	4.00	2.81	2.18	2.30	9.38	67.6	11.5					
30	26.1		12.5	34.1	10.4	4.00	2.64	2.12	2.30	27.0	54.8	11.5					
31	23.9		12.0		10.4		2.47	2.12		25.2		10.9					
SD1	9.50	13.8	12.1	16.6	20.6	8.14	3.59	2.47	2.16	5.13	14.3	29.4					
SD2	6.34	11.5	12.6	26.7	13.8	6.05	3.18	2.45	2.20	4.21	8.41	40.1					
SD3	13.1	10.6	11.4	76.7	10.1	4.59	2.81	2.17	2.34	9.59	62.7	12.7					
MAX	55.9	21.2	13.7	191	24.5	9.90	4.99	4.00	2.81	33.2	233	125					
DAT	30	1	2	22	2	1	1	9	25	31	24	11					
SR	9.75	12.1	12.0	40.0	14.7	6.26	3.18	2.36	2.23	6.41	28.5	27.0					
MIN	5.98	7.82	10.4	9.90	9.38	4.00	2.47	2.12	2.06	2.18	6.97	10.9					
DAT	16	13	7	6	23	29	31	30	5	2	14	31					
GMIN =			2.06			SRGOD=			13.7			GMAX =			233		
DATUM			5 9									DATUM			24 11		



## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1991

Broj : 45960                      Stanica : TREBALJEVO                      Kota "0" = 894.08  
Nacin osmat.: limnigraf        Rijeka : TARA                                      km od usca = 106.00  
Pocetak rada: 1957                Sliv : DRINE                                        Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	10.9	4.99	12.0	25.2	36.2	26.1	9.38	5.98	2.81	2.24	9.38	27.0
2	13.7	4.99	13.7	21.9	35.2	27.9	10.9	6.64	2.64	2.64	8.86	25.2
3	13.1	4.66	15.5	21.9	36.2	29.6	11.5	6.31	2.64	3.15	8.34	23.2
4	12.5	4.66	16.7	21.2	72.6	31.4	10.4	5.65	2.64	2.81	9.38	20.5
5	12.0	4.99	16.1	20.5	77.5	33.2	10.9	5.32	2.64	2.47	21.2	19.2
6	12.0	4.66	16.1	20.5	62.9	33.2	12.0	5.32	2.47	2.30	50.3	17.9
7	11.5	4.99	18.5	21.2	58.2	32.3	10.9	4.99	2.47	2.30	38.4	16.7
8	11.5	5.32	25.2	21.9	59.4	48.1	9.90	4.66	2.47	2.47	29.6	16.1
9	11.5	21.2	27.9	21.2	53.7	77.5	8.86	4.33	2.47	2.81	26.1	14.3
10	11.5	14.3	28.8	20.5	50.3	55.9	8.34	4.33	2.47	2.64	24.5	13.1
11	12.0	27.0	29.6	19.8	60.6	43.7	7.30	3.66	2.47	2.47	25.2	12.0
12	12.0	75.0	29.6	19.2	64.1	38.4	6.97	3.83	2.30	2.47	23.9	10.9
13	12.5	49.2	27.9	18.5	52.6	33.2	6.64	3.83	2.30	2.98	23.2	9.90
14	12.0	27.9	25.2	17.9	45.9	30.5	6.31	4.00	2.30	6.97	25.2	9.90
15	12.0	22.5	24.5	16.7	42.7	27.9	6.64	3.83	2.30	6.97	147	9.38
16	11.5	18.5	23.9	16.7	41.6	25.2	6.97	3.83	2.24	6.64	168	8.86
17	10.4	16.7	23.2	17.9	81.3	23.2	6.31	3.66	2.24	6.97	242	8.34
18	9.90	14.3	21.9	23.2	73.8	21.9	5.98	3.66	2.30	5.98	182	8.34
19	9.90	12.5	20.5	65.3	58.2	20.5	5.65	3.49	2.47	5.65	102	8.86
20	9.38	12.0	19.8	59.4	47.0	18.5	5.32	3.32	2.47	19.2	70.1	7.82
21	8.34	12.0	20.5	51.5	39.4	17.3	4.99	3.32	2.30	49.2	77.5	7.30
22	8.34	11.5	23.9	41.6	36.2	15.5	4.99	3.32	2.30	67.6	93.0	6.97
23	7.82	11.5	28.8	37.3	37.3	14.3	4.99	3.15	2.24	39.4	77.5	6.97
24	7.30	10.9	33.2	35.2	43.7	12.5	4.66	3.15	2.24	28.8	62.9	6.64
25	7.30	10.4	37.3	31.4	39.4	12.0	4.33	3.15	2.24	24.5	59.4	6.64
26	6.97	10.4	41.6	28.8	34.1	10.9	4.33	2.98	2.24	22.5	57.1	6.64
27	6.64	10.9	40.5	29.6	31.4	10.4	6.31	2.98	2.30	21.9	47.0	6.31
28	6.64	11.5	35.2	35.2	29.6	13.1	8.34	2.98	2.98	20.5	37.3	5.98
29	6.31		33.2	37.3	27.9	10.9	6.64	2.81	2.81	20.5	29.6	5.65
30	5.98		30.5	36.2	26.1	10.4	6.31	2.81	2.64	19.8	23.2	5.32
31	5.98		28.8		25.2		5.65	2.81		19.2		5.32
SD1	12.0	7.48	19.0	21.6	54.2	39.5	10.3	5.35	2.57	2.58	22.6	19.3
SD2	11.2	27.6	24.6	27.5	56.8	28.3	6.41	3.71	2.34	6.63	101	9.43
SD3	7.06	11.1	32.1	36.4	33.7	12.7	5.59	3.04	2.43	30.4	56.5	6.34
MAX	14.3	89.1	42.7	68.8	90.4	87.8	12.5	6.97	2.98	81.3	281	27.0
DAT	2	12	26	19	17	9	6	2	28	22	17	1
SR	9.98	15.7	25.5	28.5	47.8	26.9	7.38	4.00	2.45	13.7	60.0	11.5
MIN	5.98	4.66	12.0	16.7	25.2	10.4	4.33	2.81	2.24	2.24	8.34	5.32
DAT	30	3	1	15	31	27	25	29	16	1	3	30
		GMIN = 2.24			SRGOD= 21.1			GMAX = 281				
		DATUM 16 9						DATUM 17 11				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1992

Broj               : 45960                                Stanica :TREBALJEVO                                Kota "0" = 894.08  
Nacin osmat.: limnigraf                                Rijeka :TARA    km od usca = 106.00  
Pocetak rada: 1957                                        Sliv :DRINE    Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII		
1	5.32	3.32	4.66	27.9	57.1	11.5	10.9	3.32	2.24	2.47	59.4	17.9		
2	4.66	3.15	4.99	36.2	51.5	11.5	10.4	3.32	2.18	2.30	51.5	16.1		
3	4.33	3.32	5.32	36.2	45.9	10.9	10.4	3.15	2.18	2.30	41.6	15.5		
4	4.33	3.32	5.65	39.4	40.5	9.90	9.90	3.15	2.18	3.32	34.1	15.5		
5	4.33	3.15	5.98	41.6	36.2	8.86	8.86	2.98	2.64	4.99	31.4	20.5		
6	4.66	3.15	6.31	42.7	33.2	8.86	8.34	2.98	2.47	37.3	27.0	64.1		
7	4.66	3.15	6.64	57.1	31.4	7.82	7.82	2.98	2.30	266	23.9	70.1		
8	4.66	3.15	6.64	55.9	28.8	8.34	8.34	2.81	2.30	132	23.2	40.5		
9	4.66	3.15	6.64	49.2	27.0	8.34	8.86	2.81	2.24	87.8	18.5	42.7		
10	4.66	3.15	6.64	49.2	25.2	7.82	8.34	2.64	2.24	55.9	17.3	41.6		
11	4.99	2.98	6.64	44.8	23.9	7.30	9.38	2.64	2.18	53.7	18.5	37.3		
12	5.32	2.98	6.64	38.4	22.5	17.3	7.82	2.64	2.18	108	20.5	31.4		
13	5.32	3.15	6.64	32.3	21.2	23.2	7.82	2.64	2.18	111	28.8	27.9		
14	14.3	3.15	6.64	28.8	19.8	26.1	6.97	2.64	2.18	73.8	25.2	23.9		
15	4.33	3.15	7.30	26.1	17.9	23.2	6.97	2.64	2.18	54.8	21.2	21.9		
16	4.00	3.32	9.38	26.1	16.7	22.5	6.64	2.64	2.18	50.3	21.2	19.8		
17	4.00	7.30	8.86	36.2	15.5	22.5	6.31	2.64	2.18	93.0	98.2	19.2		
18	3.83	9.38	8.34	55.9	14.9	25.2	5.98	2.64	2.18	435	293	18.5		
19	3.66	6.97	7.82	47.0	13.7	27.0	5.98	2.64	2.18	201	135	18.5		
20	3.66	5.98	7.30	42.7	12.5	22.5	5.65	2.64	2.18	113	103	17.3		
21	3.66	5.65	7.30	42.7	12.0	23.2	5.32	2.47	2.12	73.8	68.8	15.5		
22	3.66	5.32	6.97	38.4	11.5	21.9	4.99	2.47	2.12	100	52.6	13.7		
23	3.66	4.66	6.97	35.2	10.9	19.8	4.66	2.30	2.06	81.3	42.7	13.7		
24	3.66	4.66	23.2	36.2	10.4	17.3	4.66	2.30	2.00	77.5	34.1	12.5		
25	3.66	4.33	58.2	38.4	9.90	16.1	4.33	2.30	2.00	73.8	32.3	11.5		
26	3.49	4.33	61.8	42.7	9.38	16.7	4.00	2.30	2.00	62.9	27.0	10.9		
27	3.49	4.00	78.8	51.5	8.86	15.5	4.00	2.24	2.06	72.6	27.0	10.4		
28	3.32	4.00	61.8	54.8	8.86	14.3	3.83	2.24	2.00	60.6	23.2	9.90		
29	3.32	4.33	47.0	54.8	8.86	13.1	3.66	2.24	2.06	62.9	19.8	9.90		
30	3.32		35.2	54.8	8.86	12.0	3.66	2.30	2.18	75.0	20.5	9.90		
31	3.32		30.5		10.4		3.49	2.30		66.4		8.86		
SD1	4.63	3.20	5.95	43.5	37.7	9.38	9.22	3.01	2.30	59.4	32.8	34.5		
SD2	5.34	4.84	7.56	37.8	17.9	21.7	6.95	2.64	2.18	129	76.5	23.6		
SD3	3.51	4.59	38.0	44.9	9.99	17.0	4.24	2.31	2.06	73.3	34.8	11.5		
MAX	5.32	12.5	86.5	60.6	59.4	27.0	11.5	3.49	2.81	701	340	82.6		
DAT	1	18	27	7	1	19	1	1	5	18	18	7		
SR	4.46	4.19	17.8	42.1	21.5	16.0	6.72	2.65	2.18	86.9	48.0	22.8		
MIN	3.32	2.98	4.66	26.1	8.86	7.30	3.49	2.24	2.00	2.30	17.3	8.86		
DAT	28	11	1	15	27	11	31	27	24	2	10	31		
GMIN = 2.00			SRGOD= 23.0					GMAX = 701						
DATUM 24 9									DATUM 18 10					

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1993

Broj : 45960                      Stanica : TREBALJEVO                      Kota "0" = 894.08  
Nacin osmat.: limnigraf        Rijeka : TARA                                      km od usca = 106.00  
Pocetak rada: 1957                Sliv : DRINE                                        Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	8.34	5.32	2.64	8.86	27.0	6.64	3.32	2.18	2.12	3.83	4.99	12.5
2	8.34	4.99	2.64	8.86	24.5	6.31	3.32	2.18	2.12	4.99	4.99	12.5
3	8.34	4.66	2.47	10.4	24.5	6.31	3.32	2.18	2.12	17.3	4.99	12.0
4	7.30	4.33	2.47	12.5	23.9	5.98	3.32	2.18	2.12	36.2	12.5	11.5
5	6.97	4.33	2.47	13.1	23.2	5.65	3.15	2.18	20.5	23.2	60.6	11.5
6	6.97	4.33	2.30	13.7	23.2	5.65	2.98	2.18	15.5	16.7	145	11.5
7	6.64	4.33	2.47	16.7	21.9	5.32	2.98	2.24	10.4	13.1	147	10.9
8	6.64	4.00	2.64	18.5	19.8	4.99	2.98	2.30	6.31	11.5	83.9	16.7
9	6.64	4.00	2.98	21.9	18.5	4.99	2.98	2.30	4.33	13.1	60.6	21.2
10	6.64	4.00	2.98	21.9	17.9	4.66	2.98	2.30	3.32	13.7	41.6	20.5
11	5.98	4.00	2.98	21.9	17.3	4.33	2.98	2.30	3.32	11.5	34.1	20.5
12	5.98	4.00	3.15	51.5	16.1	4.33	3.15	2.24	5.98	9.90	27.0	53.7
13	5.98	4.00	3.15	83.9	14.9	4.00	3.32	2.18	4.99	8.86	30.5	34.1
14	5.98	4.00	3.32	66.4	14.3	4.00	3.15	2.18	4.00	7.82	34.1	30.5
15	5.98	4.00	3.32	58.2	13.7	4.00	3.15	2.18	3.66	6.97	34.1	175
16	5.98	3.66	3.83	60.6	13.1	4.33	2.98	2.18	5.32	6.97	41.6	260
17	5.98	3.49	5.32	53.7	12.5	4.00	2.81	2.18	4.33	6.64	36.2	224
18	5.98	3.32	5.65	45.9	12.0	4.00	2.64	2.18	4.33	5.98	30.5	119
19	5.98	3.15	6.31	37.3	10.9	3.83	2.47	2.18	3.83	5.65	25.2	80.0
20	5.98	2.98	8.34	39.4	10.9	3.83	2.47	2.18	3.49	5.32	21.9	58.2
21	5.98	2.98	6.97	38.4	10.9	3.66	2.30	2.18	3.32	4.99	19.8	49.2
22	5.98	2.81	8.34	38.4	10.4	3.49	2.47	2.18	3.32	4.99	18.5	67.6
23	5.98	2.81	8.86	38.4	10.4	3.49	2.47	2.18	3.32	5.65	18.5	77.5
24	5.98	2.81	9.90	40.5	9.90	3.32	2.47	2.18	3.15	9.38	17.9	66.4
25	5.98	2.81	10.9	39.4	9.90	3.32	2.47	2.12	3.15	7.30	17.3	68.8
26	5.98	2.81	15.5	38.4	9.38	3.32	2.30	2.12	2.98	6.64	15.5	75.0
27	5.98	2.81	15.5	37.3	8.34	3.32	2.30	2.12	2.81	5.98	14.9	67.6
28	5.98	2.64	13.1	34.1	7.82	3.32	2.30	2.12	2.98	5.65	14.3	51.5
29	5.65		10.9	31.4	7.30	3.32	2.24	2.12	2.98	5.65	13.7	44.8
30	5.65		10.4	30.5	6.97	3.32	2.24	2.12	4.33	5.65	13.1	36.2
31	5.65		9.90		6.64		2.18	2.12		5.32		30.5
SD1	7.28	4.43	2.61	14.6	22.4	5.65	3.13	2.22	6.88	15.4	56.6	14.1
SD2	5.98	3.66	4.54	51.9	13.6	4.07	2.91	2.20	4.33	7.56	31.5	106
SD3	5.89	2.81	10.9	36.7	8.90	3.39	2.34	2.14	3.23	6.11	16.4	57.7
MAX	8.34	5.32	17.3	83.9	27.9	6.64	3.32	2.30	33.2	43.7	222	275
DAT	1	1	26	13	1	1	1	8	5	4	6	16
SR	6.37	3.69	6.18	34.4	14.8	4.37	2.78	2.19	4.81	9.56	34.8	59.1
MIN	5.65	2.64	2.30	8.86	6.64	3.32	2.18	2.12	2.12	3.83	4.99	10.9
DAT	29	28	6	1	31	24	31	25	1	1	1	7
GMIN =			2.12	SRGOD=			15.3	GMAX =			275	
DATUM			25 8					DATUM			16 12	

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1994

Broj : 45960                      Stanica : TREBALJEVO                      Kota "0" = 894.08  
Nacin osmat.: limnigraf        Rijeka : TARA                                      km od usca = 106.00  
Pocetak rada: 1957                Sliv : DRINE                                        Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	28.8	13.7	21.2	21.2	41.6	14.3	8.86	3.49	2.64	2.98	19.8	5.98
2	25.2	13.7	21.2	27.0	40.5	13.7	7.82	3.32	2.64	2.47	18.5	5.98
3	22.5	13.7	23.9	23.2	36.2	12.5	6.97	3.32	2.64	2.30	15.5	5.65
4	21.2	13.7	23.2	23.9	28.8	12.0	6.31	3.32	2.47	2.98	13.7	5.32
5	44.8	13.7	21.2	28.8	24.5	10.9	6.31	3.32	2.64	4.66	11.5	5.32
6	60.6	13.1	18.5	34.1	27.0	10.9	5.98	3.15	2.47	4.99	10.4	5.32
7	48.1	13.1	17.3	34.1	27.0	10.9	5.32	3.15	2.47	3.83	9.90	4.33
8	42.7	12.5	17.3	33.2	26.1	9.90	4.99	3.15	2.30	3.66	9.38	4.33
9	40.5	12.5	17.3	34.1	24.5	9.38	4.99	2.98	2.30	3.49	9.90	4.33
10	32.3	12.0	17.9	49.2	24.5	8.34	4.66	2.98	2.30	3.49	10.4	4.33
11	30.5	11.5	17.9	156	25.2	8.34	4.99	2.98	2.30	3.32	20.5	4.33
12	27.9	11.5	18.5	308	25.2	8.86	5.65	2.98	2.24	3.32	34.1	4.66
13	24.5	10.9	19.2	242	25.2	8.86	5.65	2.98	2.24	3.15	30.5	4.66
14	23.2	14.3	23.2	132	25.2	16.1	5.32	2.81	2.30	3.15	23.2	4.33
15	22.5	13.7	25.2	83.9	23.2	14.9	5.32	2.81	2.30	3.15	20.5	4.00
16	21.2	12.0	26.1	73.8	21.2	12.5	4.99	2.81	4.00	2.98	16.1	4.00
17	21.9	10.9	26.1	93.0	23.2	11.5	4.66	2.81	3.49	2.98	12.5	4.00
18	23.9	11.5	26.1	159	23.9	10.9	4.66	2.81	3.49	2.98	12.5	3.83
19	23.2	11.5	24.5	119	30.5	10.4	4.33	2.64	3.32	2.81	12.0	3.66
20	23.2	11.5	23.2	85.2	33.2	9.38	3.49	2.64	4.99	2.81	12.0	3.66
21	21.9	14.3	21.9	67.6	32.3	9.38	3.32	2.64	5.32	2.81	10.9	3.66
22	20.5	15.5	21.9	62.9	29.6	8.86	3.49	2.64	4.00	2.64	9.38	3.66
23	19.2	16.7	22.5	57.1	27.0	8.34	3.66	2.47	3.66	2.64	9.38	3.66
24	17.3	17.3	22.5	53.7	23.9	7.82	3.83	2.47	3.49	2.64	8.86	3.66
25	17.3	17.9	23.9	50.3	23.9	7.30	2.64	2.64	3.49	3.66	8.34	3.66
26	16.1	17.9	27.0	49.2	22.5	7.30	2.81	3.49	3.32	4.00	7.82	3.66
27	15.5	17.3	28.8	48.1	21.2	6.31	3.66	3.15	3.32	3.83	7.82	3.66
28	14.9	17.3	25.2	48.1	19.2	6.31	3.83	2.98	3.15	3.83	7.30	3.66
29	14.3		23.2	45.9	17.3	9.38	3.83	2.98	2.98	18.5	6.97	3.66
30	13.7		21.2	44.8	16.1	11.5	3.49	2.81	2.98	77.5	6.64	3.49
31	13.1		20.5		15.5		3.49	2.64		38.4		6.31
SD1	36.7	13.2	19.9	30.9	30.1	11.3	6.22	3.22	2.49	3.48	12.9	5.09
SD2	24.2	11.9	23.0	145	25.6	11.2	4.91	2.83	3.07	3.06	19.4	4.11
SD3	16.7	16.8	23.5	52.8	22.6	8.25	3.46	2.81	3.57	14.6	8.34	3.89
MAX	68.8	17.9	28.8	391	42.7	16.7	9.38	3.49	5.65	86.5	34.1	12.5
DAT	6	25	27	12	1	14	1	1	21	30	12	31
SR	25.6	13.8	22.2	76.3	26.0	10.2	4.82	2.95	3.04	7.29	13.5	4.35
MIN	13.1	10.9	17.3	21.2	15.5	6.31	2.64	2.47	2.24	2.30	6.64	3.49
DAT	31	13	7	1	31	27	25	23	12	3	30	30
GMIN = 2.24				SRGOD= 17.4				GMAX = 391				
DATUM 12 9								DATUM 12 4				

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1995

Broj : 45960      Stanica : TREBALJEVO      Kota "0" = 894.08  
 Nacin osmat.: limnigraf      Rijeka : TARA      km od usca = 106.00  
 Pocetak rada: 1957      Sliv : DRINE      Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	38.4	31.4	71.3	27.9	53.7	27.9	6.64	7.82	12.5	16.7	4.66	27.0
2	184	27.0	55.9	25.2	55.9	27.9	5.98	6.31	10.9	14.9	4.66	23.9
3	77.5	23.2	47.0	23.2	52.6	24.5	5.65	4.99	9.38	13.7	4.66	21.9
4	48.1	20.5	43.7	25.2	44.8	22.5	5.32	4.00	12.0	13.1	4.66	20.5
5	35.2	19.8	48.1	37.3	39.4	21.2	5.32	3.66	19.2	12.0	4.66	19.2
6	28.8	18.5	44.8	42.7	36.2	18.5	4.99	3.66	45.9	12.0	4.33	18.5
7	25.2	17.9	38.4	50.3	34.1	18.5	5.32	3.66	38.4	10.9	4.00	19.8
8	22.5	17.3	32.3	51.5	37.3	17.9	5.98	3.66	27.9	9.90	4.00	19.2
9	19.8	16.1	28.8	50.3	40.5	16.7	5.65	3.66	40.5	9.38	4.00	18.5
10	17.3	23.9	25.2	41.6	44.8	16.1	4.99	3.66	32.3	9.38	3.83	17.3
11	16.1	25.2	23.2	35.2	48.1	14.9	4.66	3.66	27.0	8.86	3.83	16.7
12	13.7	20.5	21.2	29.6	55.9	14.3	4.66	3.66	22.5	8.34	3.83	16.1
13	12.0	18.5	19.8	27.9	134	13.7	4.66	3.66	19.2	7.82	4.00	17.9
14	10.9	17.9	18.5	25.2	230	13.1	4.66	3.66	18.5	7.82	4.66	18.5
15	10.4	17.9	17.9	23.2	145	12.0	4.33	3.66	34.1	7.30	5.32	21.9
16	9.90	17.3	16.7	22.5	102	11.5	4.33	3.66	28.8	6.64	5.32	21.2
17	9.38	16.7	16.1	21.9	80.0	11.5	4.33	3.66	27.9	6.64	6.97	19.2
18	8.86	16.1	15.5	20.5	68.8	10.4	4.33	3.66	25.2	6.64	25.2	21.2
19	8.86	40.5	14.9	20.5	64.1	9.38	4.00	3.49	21.9	6.31	29.6	27.9
20	8.86	44.8	14.9	21.2	58.2	8.86	4.00	3.49	35.2	6.31	21.2	29.6
21	8.34	34.1	23.9	23.9	54.8	8.34	3.83	3.49	50.3	5.98	17.9	27.9
22	8.34	28.8	22.5	27.0	51.5	8.34	3.83	3.49	43.7	5.98	15.5	24.5
23	8.34	26.1	20.5	36.2	45.9	7.82	3.66	3.49	37.3	5.65	14.3	28.8
24	10.4	36.2	17.9	44.8	42.7	7.30	3.66	3.49	32.3	5.65	12.5	150
25	17.3	66.4	16.7	80.0	41.6	6.97	3.66	3.49	27.9	5.32	12.0	170
26	15.5	73.8	16.1	100	40.5	6.97	3.66	4.99	25.2	5.32	12.0	203
27	58.2	115	16.1	106	38.4	6.64	3.83	11.5	22.5	5.32	13.7	411
28	67.6	100	53.7	81.3	36.2	6.64	3.66	6.97	20.5	4.99	21.2	327
29	40.5		52.6	65.3	32.3	6.31	3.83	17.3	19.8	4.99	34.1	178
30	36.2		38.4	58.2	28.8	6.31	4.33	14.3	17.9	4.66	31.4	111
31	35.2		31.4		28.8		5.98	13.1		4.66		80.0
SD1	49.7	21.6	43.5	37.5	43.9	21.2	5.58	4.51	24.9	12.2	4.35	20.6
SD2	10.9	23.5	17.9	24.8	98.6	12.0	4.40	3.63	26.0	7.27	11.0	21.0
SD3	27.8	60.1	28.2	62.3	40.1	7.16	3.99	7.78	29.7	5.32	18.5	156
MAX	257	128	86.5	113	273	28.8	7.82	21.2	57.1	17.3	37.3	515
DAT	2	27	1	27	14	1	1	29	21	1	29	27
SR	29.4	33.3	29.8	41.5	60.2	13.4	4.64	5.39	26.9	8.17	11.3	68.6
MIN	8.34	16.1	14.9	20.5	28.8	6.31	3.66	3.49	9.38	4.66	3.83	16.1
DAT	21	9	19	18	30	29	23	19	3	30	10	12
GMIN = 3.49			SRGOD= 27.7			GMAX = 515						
DATUM 19 8						DATUM 27 12						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1996

Broj : 45960      Stanica : TREBALJEVO      Kota "0" = 894.08  
Nacin osmat.: limnigraf      Rijeka : TARA      km od usca = 106.00  
Pocetak rada: 1957      Sliv : DRINE      Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	111	16.1	13.7	40.5	67.6	17.9	5.98	2.98	2.64	31.4	23.2	82.6
2	95.6	15.5	13.7	42.7	80.0	17.3	5.98	2.98	2.64	27.9	21.9	66.4
3	72.6	14.3	12.5	178	87.8	16.7	5.98	2.98	2.64	25.2	20.5	54.8
4	58.2	16.1	12.0	160	100	16.1	5.98	2.98	2.64	23.9	19.2	44.8
5	47.0	21.2	12.0	133	117	15.5	5.98	2.98	2.64	23.2	18.5	38.4
6	40.5	21.9	12.0	102	115	14.3	5.98	2.98	2.64	20.5	17.9	34.1
7	34.1	21.2	12.0	86.5	108	13.7	5.65	2.98	2.64	19.8	16.7	29.6
8	31.4	20.5	12.0	77.5	100	13.1	5.65	2.98	2.64	19.2	16.1	27.0
9	27.9	19.2	11.5	71.3	94.3	12.5	5.65	2.98	2.64	18.5	15.5	24.5
10	26.1	17.3	11.5	64.1	86.5	11.5	5.32	2.98	2.64	18.5	14.9	22.5
11	23.9	16.7	11.5	59.4	72.6	10.9	5.32	3.15	2.64	17.9	14.3	21.9
12	22.5	16.1	10.9	52.6	62.9	10.4	5.32	3.15	4.66	17.3	12.5	21.2
13	20.5	14.9	10.9	48.1	57.1	9.90	5.32	3.15	85.2	16.7	12.0	19.8
14	18.5	14.3	10.9	47.0	55.9	9.38	5.32	3.15	87.8	16.1	10.9	30.5
15	16.7	13.7	10.9	43.7	70.1	9.38	5.32	3.15	54.8	17.9	10.4	113
16	15.5	13.1	12.0	38.4	93.0	9.38	5.65	3.15	39.4	17.9	9.90	99.5
17	14.3	12.5	14.3	33.2	77.5	8.86	5.65	3.15	32.3	29.6	9.90	72.6
18	12.5	12.5	14.3	29.6	67.6	8.34	5.65	3.15	28.8	44.8	9.90	55.9
19	12.5	12.0	14.3	27.9	65.3	7.82	5.65	3.15	27.9	57.1	38.4	41.6
20	12.0	19.8	13.7	27.0	57.1	7.82	5.65	2.98	106	48.1	44.8	33.2
21	11.5	45.9	13.1	30.5	48.1	7.30	5.98	2.98	103	48.1	129	40.5
22	10.9	42.7	13.1	37.3	40.5	6.97	5.32	2.98	55.9	40.5	124	44.8
23	10.4	33.2	13.1	44.8	33.2	21.2	4.99	2.98	51.5	35.2	230	45.9
24	11.5	26.1	13.1	54.8	30.5	12.0	4.66	2.98	66.4	29.6	201	87.8
25	28.8	21.9	13.1	61.8	27.9	6.97	4.33	2.98	96.9	25.2	168	142
26	34.1	18.5	14.3	66.4	25.2	6.31	4.00	2.98	78.8	23.2	130	139
27	27.9	16.7	23.9	72.6	24.5	6.31	3.83	2.98	85.2	21.2	128	103
28	23.2	15.5	132	68.8	23.9	5.98	3.66	2.98	78.8	19.2	106	76.3
29	19.2	14.3	80.0	67.6	23.9	5.98	3.49	2.98	53.7	18.5	112	59.4
30	17.3		59.4	67.6	21.9	5.98	3.15	2.81	38.4	16.7	98.2	50.3
31	16.7		48.1		19.2		2.98	2.81		17.3		45.9
SD1	54.4	18.3	12.3	95.6	95.6	14.9	5.82	2.98	2.64	22.8	18.4	42.5
SD2	16.9	14.6	12.4	40.7	67.9	9.22	5.49	3.13	46.9	28.3	17.3	50.9
SD3	19.2	26.1	38.5	57.2	29.0	8.50	4.22	2.95	70.9	26.8	143	75.9
MAX	121	47.0	161	219	119	34.1	5.98	3.15	154	58.2	263	161
DAT	1	21	28	3	5	23	1	11	13	19	23	25
SR	29.8	19.4	21.6	64.5	63.0	10.9	5.14	3.02	40.2	26.0	59.5	57.1
MIN	10.4	12.0	10.9	27.0	19.2	5.98	2.98	2.81	2.64	16.1	9.90	19.8
DAT	23	19	12	20	31	28	31	30	1	14	16	13
		GMIN = 2.64		SRGOD= 33.3		GMAX = 263						
		DATUM 1 9				DATUM 23 11						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1997

Broj : 45960 Stanica : TREBALJEVO Kota "0" = 894.08  
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 106.00  
Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	48.1	9.90	24.5	14.9	37.3	13.7	5.98	3.49	2.64	2.24	7.82	16.7
2	61.8	9.38	21.2	13.7	37.3	13.7	5.65	3.49	2.64	2.24	6.97	17.3
3	72.6	9.38	19.8	13.1	41.6	13.7	4.99	3.32	2.64	2.24	6.64	23.9
4	80.0	9.38	17.9	14.3	49.2	13.1	4.66	3.32	2.64	2.24	6.64	48.1
5	111	8.86	17.9	15.5	64.1	14.3	4.33	3.32	2.64	2.24	6.97	37.3
6	76.3	8.34	17.9	15.5	71.3	13.1	4.33	3.32	2.64	2.24	7.82	26.1
7	67.6	8.34	18.5	14.9	87.8	14.3	4.33	3.32	2.64	2.24	8.86	23.2
8	48.1	8.34	19.2	13.7	149	14.3	4.33	3.32	2.64	2.18	18.5	21.9
9	41.6	7.82	17.9	13.1	246	13.7	4.33	3.32	2.64	2.12	27.0	21.2
10	36.2	7.82	16.7	12.5	137	13.1	4.00	3.32	2.64	2.12	91.7	20.5
11	48.1	7.30	15.5	12.5	94.3	13.1	4.00	3.32	2.64	2.12	94.3	17.9
12	39.4	6.97	13.7	13.1	75.0	12.0	4.00	3.32	2.64	3.49	55.9	16.7
13	31.4	6.97	12.5	13.7	70.1	11.5	4.00	3.32	2.64	27.0	117	27.0
14	27.9	12.0	13.1	12.5	68.8	9.90	4.00	3.15	2.64	23.2	89.1	29.6
15	26.1	13.7	13.1	12.0	65.3	8.86	4.00	3.15	2.64	38.4	42.7	27.9
16	25.2	34.1	13.1	12.0	59.4	8.86	3.83	2.98	2.64	22.5	30.5	24.5
17	23.2	23.2	12.5	12.0	51.5	8.34	3.83	2.81	2.64	12.5	22.5	22.5
18	21.9	17.3	12.5	12.0	47.0	7.82	4.33	2.81	2.64	10.9	18.5	21.2
19	20.5	15.5	21.9	12.0	43.7	7.30	17.9	3.15	2.64	8.86	15.5	20.5
20	19.2	13.7	52.6	12.0	41.6	7.30	18.5	3.83	2.47	8.34	20.5	27.0
21	17.9	12.5	33.2	18.5	38.4	7.30	5.65	3.66	2.47	7.30	26.1	81.3
22	16.7	12.0	26.1	85.2	34.1	7.30	5.32	3.49	2.30	7.30	41.6	73.8
23	16.7	12.0	23.2	150	30.5	7.30	4.99	3.49	2.30	7.30	34.1	59.4
24	15.5	11.5	22.5	80.0	26.1	7.30	4.66	3.15	2.30	8.86	25.2	44.8
25	14.9	11.5	21.2	50.3	23.2	8.34	4.33	2.98	2.30	17.9	19.8	34.1
26	14.3	12.5	19.2	43.7	21.9	9.90	4.00	2.98	2.30	14.3	17.3	25.2
27	13.1	28.8	18.5	39.4	20.5	8.86	3.83	2.81	2.30	12.0	17.3	33.2
28	12.5	35.2	17.3	37.3	23.2	7.30	3.66	2.64	2.24	10.4	17.3	45.9
29	11.5		17.3	36.2	24.5	6.97	3.49	2.64	2.24	9.38	17.3	44.8
30	10.9		17.3	36.2	16.7	6.31	3.32	2.64	2.24	8.34	17.3	37.3
31	10.4		16.7		15.5		3.32	2.64		7.82		28.8
SD1	64.3	8.76	19.1	14.1	92.1	13.7	4.69	3.35	2.64	2.21	18.9	25.6
SD2	28.3	15.1	18.0	12.4	61.7	9.50	6.84	3.18	2.62	15.7	50.7	23.5
SD3	14.0	17.0	21.1	57.7	25.0	7.69	4.23	3.01	2.30	10.1	23.3	46.2
MAX	124	43.7	60.6	170	276	14.9	19.2	4.00	2.64	65.3	134	86.5
DAT	5	27	20	23	9	8	19	2	1	14	14	21
SR	34.9	13.4	19.5	28.1	58.4	10.3	5.22	3.18	2.52	9.36	31.0	32.2
MIN	10.4	6.97	12.5	12.0	15.5	6.31	3.32	2.64	2.24	2.12	6.64	16.7
DAT	31	12	13	15	31	30	30	28	28	9	3	1
		GMIN = 2.12			SRGOD= 20.8			GMAX = 276				
		DATUM 9 10						DATUM 9 5				





ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1999

Broj               : 45960                                Stanica :TREBALJEVO                                Kota "0" = 894.08  
Nacin osmat.: limnigraf                                Rijeka :TARA    km od usca = 106.00  
Pocetak rada: 1957                                        Sliv :DRINE    Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	4.35	4.49	12.8	12.8	69.0	11.0	3.93	2.67	2.98	2.76	2.83	24.5	
2	4.35	4.49	12.3	13.3	69.0	11.0	3.93	2.67	2.98	2.76	2.57	23.2	
3	4.35	4.49	12.3	14.1	66.0	10.3	3.71	2.67	2.98	2.64	2.50	21.9	
4	4.35	4.49	13.6	14.1	66.9	9.92	3.71	2.67	2.98	2.64	2.43	21.2	
5	4.35	4.49	37.0	14.6	71.1	9.21	3.50	2.53	2.98	2.64	2.43	28.8	
6	4.35	4.49	60.5	16.5	69.0	8.85	3.50	2.53	2.98	2.64	2.40	40.5	
7	4.35	4.49	54.3	30.9	58.8	8.14	3.50	2.53	2.98	2.64	2.55	38.4	
8	4.35	4.49	44.2	35.5	43.4	7.43	3.28	2.53	2.98	2.34	2.55	36.2	
9	4.35	4.49	36.2	41.8	40.2	7.13	3.28	2.53	2.81	2.24	2.66	33.2	
10	5.11	6.28	31.6	45.8	40.2	7.13	3.06	2.39	2.81	2.24	2.92	35.2	
11	5.89	22.7	28.7	47.5	37.0	6.83	3.06	2.39	2.81	2.39	4.17	48.1	
12	22.0	15.8	27.9	45.1	37.0	6.18	2.84	2.39	2.81	2.39	3.32	55.9	
13	27.5	9.32	29.4	45.1	35.5	5.88	2.84	2.39	2.81	2.39	2.83	52.6	
14	33.2	6.75	30.9	62.4	21.7	5.26	2.63	2.39	2.81	2.39	2.50	52.6	
15	26.9	6.05	32.4	49.2	37.8	4.95	2.63	2.39	2.81	2.39	2.50	72.6	
16	21.0	5.34	32.4	47.5	37.8	4.95	2.63	2.39	2.81	2.61	2.66	337	
17	15.4	5.11	30.1	76.6	43.4	4.65	2.63	2.39	2.81	7.40	7.45	421	
18	12.0	4.88	22.3	103	34.0	4.65	2.52	2.39	2.81	4.73	15.3	296	
19	10.1	4.49	16.5	86.9	28.7	4.34	2.52	2.39	2.81	4.26	17.0	195	
20	8.20	4.49	14.6	68.7	27.2	4.34	2.52	2.39	2.81	4.02	56.5	132	
21	7.32	4.68	12.8	63.3	26.5	4.14	2.52	2.39	2.81	3.55	33.8	104	
22	6.43	6.75	11.5	44.2	29.5	4.14	2.52	2.39	2.81	3.32	51.5	77.5	
23	5.89	33.2	10.7	46.6	21.7	4.14	2.40	2.39	2.81	3.55	64.5	61.8	
24	5.89	21.8	9.85	62.4	17.4	3.94	2.40	2.39	2.81	4.96	43.9	49.2	
25	5.89	15.4	9.44	60.6	16.9	3.94	2.40	2.39	2.81	6.31	30.3	39.4	
26	5.89	11.2	9.44	55.2	16.5	3.94	2.29	2.39	2.64	5.20	22.4	39.4	
27	5.89	9.05	9.44	52.7	16.0	3.75	2.29	2.39	2.64	4.73	19.2	119	
28	5.89	7.72	10.3	50.9	15.5	3.75	2.29	2.39	2.64	4.26	16.6	181	
29	5.89		11.9	50.9	15.1	3.55	2.28	2.39	2.64	4.02	14.8	164	
30	5.65		12.8	57.0	14.1	3.55	2.28	2.39	2.64	3.79	13.5	159	
31	5.65		12.8		13.3		2.28	2.39		3.32		145	
SD1	4.43	4.67	31.5	24.0	59.3	9.01	3.54	2.57	2.95	2.55	2.58	30.3	
SD2	18.2	8.49	26.5	63.2	34.0	5.20	2.68	2.39	2.81	3.50	11.4	166	
SD3	6.03	13.7	11.0	54.4	18.4	3.88	2.36	2.39	2.72	4.27	31.0	104	
MAX	35.0	41.3	64.1	106	81.8	12.6	4.36	2.67	2.98	11.7	76.5	489	
DAT	14	23	5	18	5	1	1	1	1	17	20	17	
SR	9.44	8.62	22.6	47.2	36.6	6.03	2.84	2.45	2.83	3.47	15.0	100	
MIN	4.35	4.49	9.44	12.8	13.3	3.55	2.28	2.39	2.64	2.24	2.40	21.2	
DAT	1	1	25	1	31	29	29	10	26	9	6	4	
GMIN =			2.24	SRGOD=			21.6	GMAX =			489		
DATUM			9 10					DATUM			17 12		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
2000

Broj : 45960      Stanica : TREBALJEVO      Kota "0" = 894.08  
 Nacin osmat.: limnigraf      Rijeka : TARA      km od usca = 106.00  
 Pocetak rada: 1957      Sliv : DRINE      Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	38.5	6.79	3.54	47.3	23.3	6.10	3.83	2.81	14.3	3.01	3.31	16.4
2	29.5	6.79	7.26	57.6	22.0	5.69	3.49	2.81	26.3	3.16	10.4	15.0
3	23.6	6.22	11.4	51.8	20.0	5.44	3.49	2.64	9.64	6.23	14.5	13.6
4	18.8	3.61	9.40	66.5	18.7	5.18	3.49	2.64	4.36	6.84	13.3	12.7
5	17.8	3.61	10.1	175	17.7	5.18	3.32	2.64	5.63	6.02	47.5	11.4
6	16.2	3.61	9.40	163	17.2	4.92	3.15	2.64	34.5	5.26	48.9	10.1
7	12.7	3.61	8.48	111	16.3	4.92	3.15	2.47	22.8	4.89	50.3	9.27
8	12.3	3.61	8.18	82.7	15.7	4.92	3.15	2.47	16.4	4.53	108	8.50
9	11.9	3.61	7.57	64.4	15.7	4.92	3.15	2.47	12.9	4.35	72.7	8.14
10	11.5	4.32	7.87	50.9	14.7	4.66	3.15	2.50	9.25	4.16	55.1	7.36
11	10.7	4.32	8.48	43.6	14.7	4.66	3.15	2.64	8.40	3.80	44.8	7.72
12	10.4	4.32	9.75	37.5	13.7	4.66	3.15	2.57	7.63	5.44	43.6	7.01
13	10.0	4.05	11.1	35.8	12.8	4.41	2.64	2.57	6.83	5.62	31.0	6.64
14	9.30	4.05	11.8	38.4	12.4	4.15	3.49	2.50	6.43	4.89	27.1	6.27
15	8.94	4.05	12.1	41.9	12.4	3.89	3.49	2.67	5.63	4.53	23.4	7.36
16	8.94	4.59	12.8	34.9	11.9	3.89	5.98	2.64	5.37	4.16	20.3	7.72
17	8.58	7.72	12.1	47.3	11.5	4.15	4.33	2.64	5.12	4.16	17.2	9.27
18	8.58	9.58	11.4	48.2	10.6	3.89	4.33	2.64	4.87	3.80	16.2	8.85
19	8.58	8.03	10.1	48.2	9.28	3.63	4.00	2.64	18.4	3.80	16.2	8.14
20	8.58	7.41	9.09	49.1	9.28	3.63	4.00	2.57	20.8	3.65	26.5	7.72
21	8.58	6.48	8.18	50.0	9.28	3.38	4.00	2.57	14.3	3.31	29.9	7.01
22	8.58	5.65	7.57	48.2	9.28	3.38	3.49	2.57	12.9	3.16	28.2	6.64
23	8.58	5.13	6.96	44.5	8.53	3.12	3.49	2.57	12.4	2.85	23.4	6.27
24	8.58	5.13	6.65	41.0	7.72	3.12	3.32	2.50	11.9	2.69	19.2	6.27
25	7.86	4.86	6.65	37.5	7.35	2.99	3.15	2.50	11.5	2.38	15.3	6.27
26	7.86	4.59	7.87	31.6	6.96	2.99	3.15	2.50	10.6	2.38	14.1	11.0
27	7.86	4.32	10.8	30.0	6.57	2.99	3.15	2.30	10.1	2.32	15.3	178
28	7.86	4.05	19.0	27.5	6.57	2.99	2.98	2.30	9.64	2.42	17.7	336
29	7.86	3.78	20.6	26.6	6.19	2.99	2.98	2.30	9.25	2.42	15.8	186
30	7.86		25.5	25.2	6.57	2.99	2.98	2.30	8.87	2.42	12.8	118
31	7.86		32.6		6.19		2.81	2.30		2.52		82.1
SD1	19.3	4.58	8.32	87.0	18.1	5.19	3.34	2.61	15.6	4.84	42.4	11.2
SD2	9.26	5.81	10.9	42.5	11.9	4.10	3.86	2.61	8.95	4.38	26.6	7.67
SD3	8.12	4.89	13.8	36.2	7.38	3.09	3.23	2.43	11.1	2.62	19.2	85.9
MAX	42.8	12.4	33.2	226	24.0	6.91	7.30	2.81	112	7.27	125	560
DAT	1	17	31	5	1	1	16	1	1	3	8	28
SR	12.1	5.10	11.1	55.2	12.3	4.13	3.47	2.54	11.9	3.91	29.4	36.6
MIN	7.86	3.61	3.54	25.2	6.19	2.99	2.64	2.30	4.36	2.32	3.31	6.27
DAT	25	4	1	30	29	25	13	27	4	27	1	14
GMIN =		2.30		SRGOD=		15.6		GMAX =		560		
DATUM		27 8						DATUM		28 12		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
2001

Broj : 45960 Stanica : TREBALJEVO Kota "0" = 894.08  
Nacin osmat.: limnigraf Rijeka : TARA km od usca = 106.00  
Pocetak rada: 1957 Sliv : DRINE Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	53.6	50.4	15.6	22.9	38.1	10.9	5.65	2.98	2.30	14.3	4.00	37.2
2	41.4	38.2	15.6	20.4	37.2	10.5	5.65	2.98	2.20	13.7	4.00	28.3
3	35.2	31.0	62.3	18.4	36.4	17.8	5.65	2.98	2.18	12.5	4.00	22.4
4	30.8	25.5	79.5	16.9	33.2	58.8	4.99	2.98	2.30	11.5	3.83	19.8
5	26.4	24.2	80.2	16.4	30.8	41.2	4.66	2.98	2.91	10.4	3.83	17.0
6	22.9	21.5	80.2	15.5	28.4	31.2	4.66	2.98	3.29	9.90	3.83	15.9
7	20.4	20.4	62.3	14.4	28.4	26.1	4.33	2.98	2.65	8.86	3.83	14.4
8	19.3	18.1	48.0	16.4	28.4	21.4	4.33	2.81	2.52	8.34	3.83	13.4
9	29.3	17.6	39.7	17.5	28.4	17.8	4.33	2.81	2.39	7.82	6.64	12.4
10	25.7	15.9	34.9	16.9	26.8	15.8	4.00	2.81	4.04	7.30	29.6	11.4
11	22.2	14.6	29.5	16.4	24.6	14.4	4.00	2.81	8.28	6.97	29.6	9.96
12	20.4	13.8	28.8	16.4	22.6	13.1	4.00	2.81	5.94	6.64	49.2	9.96
13	19.3	12.9	29.5	18.4	20.0	11.8	3.83	2.64	2.52	6.31	109	9.55
14	18.1	12.1	34.9	17.5	17.2	10.9	3.83	2.64	3.79	6.31	170	8.22
15	15.5	11.7	34.9	16.9	16.2	9.72	3.66	2.47	3.54	5.98	106	8.63
16	15.1	10.5	32.6	16.4	15.7	8.50	3.66	2.47	5.94	5.65	72.6	8.22
17	14.2	9.77	31.0	35.9	15.2	7.41	3.49	2.47	14.6	5.32	51.5	8.22
18	13.7	9.39	34.9	57.5	15.2	7.07	3.49	2.47	39.1	5.32	37.3	7.35
19	12.9	8.63	35.7	53.9	15.2	7.07	3.32	2.47	29.2	4.99	28.8	7.35
20	10.8	8.25	35.7	60.3	14.2	7.07	3.32	2.47	17.6	4.99	27.9	6.92
21	9.58	7.56	33.4	87.6	12.8	6.38	3.32	2.47	14.1	4.66	23.2	6.92
22	9.58	7.25	35.7	81.8	11.9	5.67	3.32	2.47	11.8	5.32	19.8	6.49
23	9.58	7.25	48.0	67.9	11.9	5.32	3.32	2.30	9.96	4.99	19.2	7.35
24	8.78	10.1	44.7	54.8	11.5	4.96	3.32	2.30	9.50	4.66	18.5	7.79
25	8.78	16.4	43.0	49.3	14.6	4.74	3.66	2.30	11.3	4.66	16.1	6.92
26	20.4	17.6	47.1	46.8	13.7	4.29	4.66	2.30	12.2	4.66	14.9	6.49
27	67.0	15.4	44.7	44.2	12.4	4.07	3.66	2.30	19.1	4.66	16.1	6.06
28	80.4	14.2	38.9	43.4	11.0	4.07	3.49	2.30	16.6	4.66	90.4	6.06
29	103		33.4	40.8	9.69	4.07	3.49	2.30	14.1	4.33	93.0	5.79
30	94.5		28.8	39.2	11.9	4.07	3.32	2.30	12.2	4.33	64.1	9.55
31	73.0		23.6		13.3		3.15	2.24		4.00		17.0
SD1	30.5	26.3	51.8	17.6	31.6	25.1	4.82	2.93	2.68	10.5	6.74	19.2
SD2	16.2	11.2	32.8	31.0	17.6	9.70	3.66	2.57	13.1	5.85	68.2	8.44
SD3	44.0	12.0	38.3	55.6	12.2	4.76	3.52	2.33	13.1	4.63	37.5	7.86
MAX	108	59.4	88.8	94.2	40.5	74.1	5.65	2.98	55.2	15.5	194	42.8
DAT	29	1	6	21	1	4	1	1	18	1	14	1
SR	30.7	16.8	40.9	34.7	20.2	13.2	3.99	2.60	9.61	6.90	37.5	11.7
MIN	8.78	7.25	15.6	14.4	9.69	4.07	3.15	2.24	2.18	4.00	3.83	5.79
DAT	24	22	1	7	29	27	31	31	3	31	4	29
GMIN =			2.18	SRGOD=				19.0	GMAX =			194
DATUM			3 9						DATUM			14 11

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
2002

Broj : 45960      Stanica : TREBALJEVO      Kota "0" = 894.08  
 Nacin osmat.: limnigraf      Rijeka : TARA      km od usca = 106.00  
 Pocetak rada: 1957      Sliv : DRINE      Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	13.1	8.76	17.6	12.5	17.3	7.74	4.36	3.83	3.15	23.9	12.5	16.1
2	9.24	10.0	18.1	12.1	18.3	7.38	4.36	3.49	3.15	22.5	11.5	18.5
3	7.75	9.13	18.1	12.1	17.3	7.03	4.09	3.32	3.15	21.9	11.5	21.2
4	5.82	9.13	18.8	12.1	15.1	6.66	3.82	3.15	3.15	21.2	12.0	16.7
5	4.85	9.56	19.4	12.1	13.9	6.29	3.82	3.15	3.15	20.5	25.2	18.5
6	4.12	10.0	19.4	12.1	13.1	6.29	3.82	3.15	3.32	19.2	22.5	17.9
7	4.53	11.3	19.4	12.1	11.9	5.92	3.55	5.98	3.32	17.9	19.2	16.1
8	4.85	12.6	21.3	11.7	11.9	7.74	3.55	6.64	3.15	17.3	17.3	16.1
9	4.53	13.1	21.3	11.7	11.5	7.38	3.55	4.99	3.15	16.1	15.5	14.3
10	4.53	13.1	22.6	12.1	10.7	8.17	3.28	5.32	3.32	19.2	14.3	14.3
11	4.53	13.1	23.3	16.9	10.4	8.52	3.28	4.99	3.66	80.0	12.0	13.7
12	4.32	12.6	19.4	34.5	10.0	7.74	3.14	4.99	3.49	184	10.4	14.9
13	4.53	12.2	16.2	69.5	9.30	7.38	3.14	4.66	3.32	137	13.1	15.5
14	4.53	12.2	15.3	66.7	8.94	7.03	3.28	4.33	3.15	98.2	47.0	13.1
15	4.53	11.8	15.3	60.4	8.22	6.29	3.14	4.33	2.98	68.8	43.7	13.7
16	4.53	11.8	15.3	48.6	7.50	5.92	3.00	4.00	2.98	47.0	34.1	13.7
17	4.53	11.8	15.3	41.4	6.54	5.55	3.00	4.00	2.98	40.5	31.4	12.5
18	4.53	12.2	15.3	38.5	6.54	5.18	3.14	3.83	2.81	31.4	25.2	14.3
19	4.53	28.8	15.3	33.9	6.24	4.71	3.14	3.83	2.98	27.0	25.2	14.3
20	4.32	28.8	15.3	30.6	6.24	4.48	3.00	3.66	2.98	22.5	23.9	14.9
21	4.32	22.9	16.2	28.7	5.94	4.01	3.00	3.66	2.98	19.8	21.9	12.0
22	4.12	22.3	19.4	26.8	5.94	4.01	2.86	3.66	3.32	18.5	20.5	11.5
23	4.12	21.0	20.1	23.7	5.63	3.78	2.82	3.49	16.1	22.5	27.0	12.0
24	4.12	19.0	17.6	21.3	5.63	3.78	2.81	3.15	17.3	29.6	23.9	12.5
25	4.32	17.9	15.8	19.4	5.32	4.71	3.00	3.15	18.5	39.4	21.2	11.5
26	4.53	17.5	15.3	19.4	5.00	5.18	3.00	3.15	32.3	31.4	20.5	10.9
27	4.53	17.5	15.3	18.4	5.00	4.71	3.00	3.15	44.8	27.0	20.5	7.30
28	4.85	17.5	15.3	17.9	5.63	4.25	3.00	2.98	35.2	21.9	16.7	5.32
29	5.17		15.3	16.4	6.90	4.01	3.14	3.32	30.5	18.5	15.5	16.1
30	5.82		15.8	15.9	7.20	3.78	3.00	3.15	28.8	16.1	14.9	38.4
31	6.76		15.8		6.90		3.14	3.15		14.3		30.5
SD1	6.34	10.7	19.6	12.0	14.1	7.06	3.82	4.30	3.20	20.0	16.1	17.0
SD2	4.49	15.5	16.6	44.1	7.99	6.28	3.13	4.26	3.13	73.6	26.6	14.1
SD3	4.79	19.4	16.5	20.8	5.92	4.22	2.98	3.27	23.0	23.5	20.3	15.3
MAX	14.8	44.2	23.3	76.9	18.8	8.52	4.63	13.1	51.5	203	58.2	39.4
DAT	1	19	11	13	2	11	1	7	27	12	14	31
SR	5.19	14.9	17.5	25.6	9.23	5.85	3.30	3.92	9.77	38.6	21.0	15.4
MIN	4.12	8.76	15.3	11.7	5.00	3.78	2.81	2.98	2.81	14.3	10.4	5.32
DAT	6	1	14	8	26	23	24	28	18	31	12	28
GMIN = 2.81			SRGOD= 14.2			GMAX = 203						
DATUM 24 7						DATUM 12 10						

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
2003

Broj : 45960      Stanica : TREBALJEVO      Kota "0" = 894.08  
 Nacin osmat.: limnigraf      Rijeka : TARA      km od usca = 106.00  
 Pocetak rada: 1957      Sliv : DRINE      Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	31.4	9.90	6.64	25.2	47.0	10.4	4.66	2.81	2.18	2.64	117	72.6	
2	30.5	10.9	6.97	21.9	55.9	10.4	4.00	2.81	2.18	2.64	194	55.9	
3	29.6	8.86	7.30	21.9	57.1	9.90	4.00	2.81	2.18	2.64	212	45.9	
4	40.5	10.9	7.82	21.9	55.9	9.38	4.00	2.81	2.18	2.47	142	37.3	
5	47.0	42.7	8.34	21.9	57.1	9.38	3.83	2.64	2.18	18.5	104	32.3	
6	52.6	31.4	9.38	21.2	61.8	8.86	4.33	2.64	2.18	93.0	80.0	27.9	
7	53.7	21.2	10.4	19.2	62.9	8.86	4.00	2.47	2.18	47.0	62.9	24.5	
8	106	17.3	10.9	17.3	66.4	8.86	3.83	2.47	2.18	28.8	51.5	21.9	
9	86.5	14.3	11.5	16.7	55.9	8.34	3.66	2.47	2.24	67.6	41.6	19.2	
10	153	13.1	12.5	18.5	51.5	8.86	3.66	2.30	8.34	51.5	35.2	17.9	
11	119	11.5	14.3	59.4	47.0	7.82	3.49	2.30	7.82	37.3	29.6	16.1	
12	80.0	9.90	16.7	87.8	37.3	6.97	3.49	2.24	4.99	27.9	27.0	14.9	
13	58.2	12.5	17.3	70.1	27.0	6.64	3.32	2.24	4.66	23.9	25.2	14.9	
14	45.9	11.5	17.3	60.6	23.2	6.31	3.49	2.24	4.33	19.8	22.5	14.3	
15	37.3	10.4	16.7	49.2	20.5	5.98	3.32	2.24	4.00	16.1	21.2	13.7	
16	29.6	9.90	16.1	45.9	21.2	6.31	3.32	2.24	3.83	13.1	19.2	13.1	
17	24.5	9.38	14.9	47.0	21.2	5.98	3.32	2.24	3.49	12.5	16.7	12.0	
18	21.2	8.86	14.3	50.3	18.5	5.65	3.15	2.24	3.32	12.0	17.9	10.9	
19	19.2	8.34	14.3	47.0	16.7	6.64	3.15	2.24	3.32	10.9	16.1	10.9	
20	16.7	7.82	13.7	42.7	15.5	7.30	2.98	2.24	3.15	13.7	15.5	10.4	
21	14.9	7.82	13.1	38.4	14.9	6.31	2.98	2.18	2.98	119	14.3	9.90	
22	13.7	7.30	13.1	37.3	14.3	5.98	2.98	2.18	2.98	133	13.7	12.5	
23	15.5	6.97	12.0	36.2	15.5	5.65	2.81	2.18	2.81	230	12.5	25.2	
24	14.9	6.97	12.0	35.2	16.7	5.32	2.81	2.18	2.81	209	11.5	21.9	
25	13.7	6.97	12.0	33.2	15.5	4.99	2.81	2.18	2.64	122	12.0	18.5	
26	12.0	6.97	12.5	29.6	14.9	4.66	2.81	2.18	2.64	98.2	16.7	17.3	
27	10.9	6.97	13.7	29.6	13.7	4.99	2.64	2.18	2.64	102	40.5	16.7	
28	10.4	6.64	15.5	32.3	12.5	4.99	2.64	2.18	2.64	108	62.9	16.1	
29	9.90		18.5	36.2	12.0	4.66	2.64	2.18	2.47	82.6	103	15.5	
30	9.38		22.5	40.5	11.5	4.66	2.64	2.18	2.64	142	95.6	18.5	
31	9.38		25.2		10.9		2.64	2.18		173		21.2	
SD1	63.1	18.1	9.18	20.6	57.2	9.32	4.00	2.62	2.80	31.7	104	35.5	
SD2	45.2	10.0	15.6	56.0	24.8	6.56	3.30	2.25	4.29	18.7	21.1	13.1	
SD3	12.2	7.08	15.5	34.8	13.9	5.22	2.76	2.18	2.72	138	38.3	17.6	
MAX	178	58.2	25.2	100	65.3	10.9	4.99	2.81	22.5	365	321	82.6	
DAT	10	5	31	11	7	1	1	1	10	23	2	1	
SR	39.3	12.0	13.5	37.1	31.4	7.04	3.34	2.34	3.27	65.3	54.5	21.9	
MIN	9.38	6.64	6.64	16.7	10.9	4.66	2.64	2.18	2.18	2.47	11.5	9.90	
DAT	30	28	1	9	31	26	27	21	1	4	24	21	
		GMIN = 2.18			SRGOD= 24.3			GMAX = 365					
		DATUM 21 8						DATUM 23 10					

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
2004

Broj : 45960      Stanica : TREBALJEVO      Kota "0" = 894.08  
 Nacin osmat.: limnigraf      Rijeka : TARA      km od usca = 106.00  
 Pocetak rada: 1957      Sliv : DRINE      Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	17.9	25.2	95.6	61.8	43.7	25.2	5.98	3.66	2.24	3.49	8.34	86.5
2	17.9	23.2	68.8	59.4	42.7	25.2	5.65	3.66	2.24	3.15	7.82	296
3	17.3	21.2	48.1	59.4	42.7	23.9	5.32	3.32	2.24	2.81	7.30	346
4	17.9	17.3	47.0	61.8	41.6	22.5	5.32	3.32	2.24	2.81	6.97	267
5	17.9	16.1	42.7	76.3	67.6	23.9	5.32	2.98	2.24	2.64	6.64	181
6	16.7	16.1	34.1	82.6	103	28.8	5.32	2.98	2.24	2.47	6.31	138
7	14.3	16.1	30.5	107	206	31.4	5.32	2.98	2.18	2.47	6.97	115
8	13.1	17.3	30.5	150	170	32.3	5.32	2.98	2.18	2.47	7.82	94.3
9	13.1	20.5	28.8	137	142	29.6	5.32	2.98	2.18	2.30	8.34	76.3
10	13.1	21.2	25.2	156	113	27.0	5.32	2.98	2.12	2.30	8.86	60.6
11	13.1	19.8	23.2	152	90.4	23.9	4.99	2.98	2.12	8.86	8.34	47.0
12	13.1	18.5	28.8	141	75.0	22.5	4.66	2.98	2.12	6.64	10.4	34.1
13	13.1	16.1	29.6	146	66.4	21.2	4.66	2.98	2.06	4.99	25.2	27.9
14	13.7	14.9	21.9	134	60.6	18.5	4.33	2.98	2.06	5.65	106	26.1
15	37.3	14.3	24.5	107	53.7	17.3	4.33	2.98	2.06	9.38	85.2	23.2
16	71.3	13.1	21.9	86.5	47.0	16.1	4.33	2.98	2.06	23.9	51.5	21.9
17	51.5	12.0	39.4	76.3	36.2	13.7	4.33	2.98	2.06	31.4	34.1	19.2
18	55.9	10.9	44.8	72.6	36.2	11.5	4.33	2.98	2.06	49.2	27.0	35.2
19	93.0	10.4	52.6	78.8	31.4	11.5	4.33	2.98	2.00	29.6	24.5	44.8
20	167	10.4	59.4	81.3	28.8	11.5	4.33	2.81	2.00	25.2	38.4	34.1
21	125	14.3	64.1	73.8	29.6	10.4	4.33	2.81	2.00	21.9	34.1	29.6
22	86.5	15.5	67.6	64.1	37.3	9.38	4.33	2.81	2.00	17.9	27.9	25.2
23	60.6	19.8	83.9	60.6	34.1	8.86	4.33	2.81	2.00	17.3	23.9	22.5
24	47.0	38.4	104	59.4	38.4	8.34	4.00	2.81	2.00	16.1	23.2	20.5
25	42.7	38.4	93.0	62.9	30.5	7.82	3.66	2.81	6.97	14.9	19.8	19.2
26	35.2	93.0	75.0	60.6	26.1	7.30	3.49	2.81	6.31	13.1	15.5	20.5
27	35.2	302	71.3	62.9	23.2	6.97	4.66	2.81	5.65	9.38	14.3	102
28	35.2	198	67.6	55.9	21.9	6.64	4.99	2.81	4.66	11.5	14.3	95.6
29	50.3	133	60.6	53.7	22.5	6.64	5.32	2.81	4.00	10.4	14.9	76.3
30	35.2		54.8	47.0	23.9	6.31	4.66	2.81	3.83	9.38	19.2	59.4
31	29.6		60.6		24.5		4.00	2.81		8.86		49.2
SD1	15.9	19.4	45.1	95.1	97.2	27.0	5.42	3.18	2.21	2.69	7.54	166
SD2	52.9	14.0	34.6	108	52.6	16.8	4.46	2.96	2.06	19.5	41.1	31.4
SD3	53.0	94.7	73.0	60.1	28.4	7.87	4.34	2.81	3.94	13.7	20.7	47.3
MAX	201	357	109	166	233	33.2	6.31	3.66	21.2	52.6	139	517
DAT	20	27	1	10	7	7	1	1	25	18	14	2
SR	41.0	40.9	51.6	87.6	58.4	17.2	4.73	2.98	2.74	12.0	23.1	80.5
MIN	13.1	10.4	21.9	47.0	21.9	6.31	3.49	2.81	2.00	2.30	6.31	19.2
DAT	8	19	14	30	28	30	26	20	19	9	6	17
		GMIN = 2.00			SRGOD= 35.2			GMAX = 517				
		DATUM 19 9						DATUM 2 12				

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
2005

Broj : 45960                      Stanica : TREBALJEVO                      Kota "0" = 894.08  
 Nacin osmat.: limnigraf        Rijeka : TARA                                      km od usca = 106.00  
 Pocetak rada: 1957                Sliv : DRINE                                        Pov.sliva = 506.0

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	40.5	8.86	11.5	99.5	50.3	28.8	5.65	4.00	4.00	60.6	11.5	142	
2	32.3	8.34	10.9	85.2	47.0	26.1	5.65	3.83	4.00	42.7	10.4	154	
3	28.8	7.82	10.9	70.1	51.5	23.9	5.32	3.83	3.83	30.5	9.90	107	
4	24.5	7.82	9.38	59.4	64.1	23.2	4.99	3.83	3.83	18.5	9.90	112	
5	21.2	7.82	20.5	53.7	68.8	22.5	4.99	3.83	3.66	14.9	9.38	99.5	
6	19.2	6.97	58.2	50.3	65.3	26.1	4.99	3.66	3.83	14.9	9.38	133	
7	17.3	6.64	44.8	50.3	80.0	39.4	4.99	3.66	3.83	13.7	9.38	154	
8	15.5	8.34	31.4	52.6	65.3	34.1	4.99	6.97	3.66	11.5	9.38	112	
9	14.9	8.34	25.2	57.1	52.6	35.2	4.66	5.98	3.66	10.4	8.86	82.6	
10	13.7	7.82	20.5	60.6	47.0	34.1	4.66	4.66	3.49	10.4	8.34	39.4	
11	13.1	7.82	19.8	64.1	47.0	31.4	4.66	4.33	3.49	9.90	7.82	49.2	
12	12.0	8.34	18.5	87.8	48.1	27.9	4.66	4.00	3.49	9.90	7.30	38.4	
13	11.5	7.82	16.7	113	44.8	27.0	4.66	3.83	3.32	8.34	7.30	31.4	
14	11.5	13.1	18.5	115	40.5	25.2	4.66	3.83	3.32	8.34	6.97	29.6	
15	10.4	17.3	17.9	94.3	40.5	24.5	4.66	3.66	3.49	7.82	6.64	27.0	
16	10.4	14.9	18.5	76.3	39.4	23.2	4.66	4.00	3.49	7.30	38.4	24.5	
17	9.90	12.0	18.5	70.1	38.4	22.5	5.32	4.66	3.32	7.30	130	25.2	
18	9.38	10.9	20.5	75.0	38.4	17.3	5.65	4.33	16.7	6.64	86.5	23.2	
19	10.4	9.38	24.5	72.6	39.4	16.1	5.32	4.00	57.1	5.98	54.8	19.8	
20	10.9	9.38	31.4	65.3	35.2	13.7	4.99	4.00	34.1	5.98	37.3	19.2	
21	9.90	8.86	37.3	85.2	29.6	12.5	4.66	3.83	21.2	5.65	27.9	19.2	
22	9.90	10.9	39.4	104	23.9	10.9	4.66	4.00	20.5	27.0	22.5	17.3	
23	9.38	12.0	39.4	78.8	22.5	9.38	4.33	6.97	22.5	167	19.2	15.5	
24	10.9	12.0	44.8	62.9	39.4	8.86	4.33	7.82	19.2	98.2	16.7	14.9	
25	10.4	11.5	50.3	52.6	39.4	7.82	4.33	6.31	16.1	47.0	15.5	14.3	
26	10.9	14.3	58.2	47.0	39.4	7.30	4.00	5.65	12.5	28.8	17.9	15.5	
27	10.9	15.5	67.6	49.2	38.4	6.97	4.00	5.32	11.5	22.5	82.6	59.4	
28	11.5	13.7	116	53.7	36.2	6.64	4.00	4.99	10.4	19.8	124	152	
29	10.4		175	59.4	34.1	6.31	4.00	4.66	9.90	16.1	83.9	115	
30	9.38		137	58.2	31.4	5.98	4.00	4.33	9.90	15.5	86.5	83.9	
31	8.34		113		30.5		4.00	4.00		14.3		59.4	
SD1	22.8	7.88	24.3	63.9	59.2	29.3	5.09	4.43	3.78	22.8	9.64	114	
SD2	10.9	11.1	20.5	83.3	41.2	22.9	4.92	4.06	13.2	7.75	38.3	28.8	
SD3	10.2	12.3	79.8	65.1	33.2	8.27	4.21	5.26	15.4	42.0	49.7	51.5	
MAX	44.8	19.2	188	121	86.5	39.4	10.4	23.9	159	224	206	178	
DAT	1	15	29	13	7	7	3	8	19	23	17	28	
SR	14.5	10.3	42.8	70.8	44.1	20.2	4.72	4.61	10.8	24.8	32.5	64.2	
MIN	8.34	6.64	9.38	47.0	22.5	5.98	4.00	3.66	3.32	5.65	6.64	14.3	
DAT	31	7	4	26	23	30	26	6	13	21	15	25	
GMIN =			3.32	SRGOD=			28.8	GMAX =			224		
DATUM			13 9					DATUM			23 10		