

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1985

Broj : 45825 Stanica :ANDRIJEVICA Kota "0" = 742.00  
Nacin osmat.: letva Rijeka :ZLORECICA km od usca = 1.60  
Pocetak rada: 1985 Sliv :LIMA Pov.sliva = 169.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	1.75	4.40	3.20	7.10	19.5	9.66	3.92	1.38	1.13	.750	4.40	8.70
2	1.75	4.16	2.96	7.10	16.8	9.34	3.92	1.38	1.00	.750	4.67	8.06
3	1.63	3.92	2.96	6.83	16.4	9.02	3.92	1.50	1.00	.715	4.94	7.74
4	1.63	3.44	3.44	7.42	22.8	9.02	3.68	1.38	1.00	.715	3.20	7.74
5	1.75	3.20	3.68	9.02	22.8	8.38	3.68	1.38	1.00	.715	2.72	8.38
6	2.00	3.20	4.16	10.6	20.6	8.06	3.44	1.38	1.00	.715	3.68	8.38
7	1.88	2.96	4.94	13.9	20.6	7.74	3.44	1.50	.875	.680	7.74	8.38
8	1.75	2.72	5.21	16.8	20.6	7.10	2.96	1.50	.875	.680	4.67	8.06
9	1.75	3.68	5.21	16.1	19.5	7.10	2.96	1.50	.875	.680	3.44	7.42
10	1.75	15.4	5.21	19.5	18.7	8.70	2.96	1.38	1.00	.680	2.72	7.10
11	2.00	29.2	5.21	22.4	19.8	6.83	2.96	1.38	1.00	.680	2.24	6.83
12	1.63	19.1	5.21	21.0	24.1	6.29	2.96	1.25	1.00	.680	2.00	6.56
13	1.50	13.6	5.21	17.2	23.7	6.02	2.72	1.25	1.00	.680	1.75	6.56
14	1.75	11.2	5.48	14.3	22.8	6.02	2.48	1.25	1.00	.680	8.38	6.29
15	1.63	10.3	5.48	12.3	21.9	6.29	2.48	1.25	1.00	.680	10.3	6.29
16	1.63	8.06	5.48	11.5	21.0	6.29	2.24	1.25	.875	.680	5.75	5.75
17	1.63	7.42	5.75	11.2	19.5	5.75	2.00	1.25	.875	.680	4.94	5.48
18	1.50	6.56	6.29	11.2	18.7	5.75	2.00	1.25	.875	.680	8.38	5.48
19	1.50	6.29	6.02	10.9	17.9	5.21	2.00	1.13	.875	.680	26.9	5.21
20	1.50	6.02	5.75	10.6	16.8	4.94	2.00	1.13	.875	.680	45.7	5.21
21	1.50	5.21	5.75	10.3	16.4	5.75	2.00	1.13	.875	.680	42.7	5.21
22	1.38	4.94	5.75	9.66	15.4	5.48	1.88	1.13	.875	.680	27.8	4.94
23	3.92	4.40	5.75	10.3	14.3	5.48	1.88	1.00	.875	.680	20.2	4.67
24	6.29	3.92	5.75	10.9	13.6	5.21	1.75	1.00	.750	.680	16.4	4.67
25	14.6	3.68	6.02	12.0	12.9	4.94	1.63	1.00	.750	.680	13.9	4.40
26	11.5	3.44	6.29	12.0	13.6	4.94	1.63	1.00	.750	.680	13.2	4.67
27	9.02	3.44	6.29	14.3	12.6	4.67	1.88	1.00	.750	.680	12.9	5.48
28	7.10	3.20	6.56	17.6	11.8	4.67	1.63	1.13	.750	.680	11.8	5.48
29	6.02		7.74	30.9	11.2	4.40	1.50	1.13	.750	.680	10.6	3.92
30	5.48		7.74	27.4	10.9	4.16	1.38	1.13	.750	.680	9.66	25.5
31	4.94		7.74		9.98		1.38	1.13		.715		36.2
SD1	1.76	4.71	4.10	11.4	19.8	8.41	3.49	1.43	.975	.708	4.22	8.00
SD2	1.63	11.8	5.59	14.3	20.6	5.94	2.38	1.24	.938	.680	11.6	5.97
SD3	6.52	4.03	6.49	15.5	13.0	4.97	1.69	1.07	.788	.683	17.9	9.56
MAX	14.6	32.6	7.74	39.4	25.0	9.66	3.92	1.63	1.13	1.25	52.8	40.0
DAT	25	11	29	29	12	1	1	3	1	1	20	31
SR	3.41	7.04	5.43	13.7	17.7	6.44	2.49	1.24	.900	.690	11.3	7.90
MIN	1.38	2.72	2.96	6.83	9.98	4.16	1.38	1.00	.750	.680	1.75	3.92
DAT	22	8	2	3	31	30	30	23	24	7	13	29
		GMIN = .680		SRGOD= 6.49		GMAX = 52.8						
		DATUM 7 10				DATUM 20 11						

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1986

Broj           : 45825                      Stanica :ANDRIJEVICA                      Kota "0" = 742.00  
Nacin osmat.: letva                      Rijeka :ZLORECICA                      km od usca = 1.60  
Pocetak rada: 1985                      Sliv :LIMA                                      Pov.sliva = 169.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	67.3	8.06	10.3	14.6	17.9	19.1	10.3	3.44	1.63	1.13	1.75	.875	
2	22.4	8.38	10.3	14.3	20.6	16.1	9.98	3.44	1.63	1.13	1.63	.875	
3	21.5	8.70	22.8	13.9	21.5	13.9	9.98	2.96	1.63	1.13	1.50	.875	
4	28.8	8.38	21.5	14.6	21.0	12.9	9.98	2.72	1.50	1.00	1.50	.875	
5	29.7	8.38	19.1	14.6	21.0	12.3	9.66	2.72	1.50	1.00	1.50	.875	
6	22.4	7.42	15.0	15.4	19.8	21.5	9.02	2.72	1.50	1.00	1.50	.875	
7	19.8	7.10	13.2	16.4	18.3	30.3	8.70	2.72	1.50	1.00	1.38	.875	
8	18.7	6.83	13.2	18.3	17.9	24.1	8.06	2.72	1.38	1.00	1.38	.875	
9	13.9	6.29	12.6	19.1	18.3	20.2	7.74	2.48	1.38	1.00	1.38	.875	
10	12.0	6.02	11.8	19.5	18.7	18.7	7.10	2.24	1.38	1.00	1.25	.875	
11	10.9	4.67	11.8	17.9	17.2	17.6	6.29	2.00	1.38	1.00	1.25	.875	
12	10.9	5.48	11.5	15.0	15.4	16.1	5.75	2.00	1.38	1.00	1.25	.875	
13	10.3	5.21	11.2	15.0	15.0	15.0	5.48	2.00	1.38	.875	1.25	.875	
14	9.66	4.94	10.9	13.9	16.4	15.4	5.21	2.24	1.25	.875	1.13	.875	
15	9.02	4.94	10.9	12.6	17.2	14.3	4.94	2.48	1.25	.875	1.13	.750	
16	9.02	4.94	10.9	11.8	17.9	13.2	4.94	2.48	1.25	.875	1.13	1.00	
17	8.70	4.67	10.3	11.5	18.3	12.6	5.21	2.24	1.25	.875	1.00	1.50	
18	7.74	7.74	9.66	11.2	18.3	12.0	5.75	2.24	1.25	.875	1.00	1.50	
19	7.10	59.7	9.02	21.0	18.3	11.8	5.48	2.00	1.25	.875	1.00	1.38	
20	7.10	31.4	8.38	30.3	18.3	11.8	5.48	2.00	1.25	1.00	1.00	1.88	
21	6.56	22.4	8.06	22.4	20.2	11.8	5.21	2.00	1.25	1.25	1.00	1.75	
22	6.56	16.8	7.74	17.9	20.2	11.2	4.94	2.00	1.13	1.25	1.00	1.63	
23	9.34	14.6	7.42	16.1	20.2	11.5	4.67	1.88	1.13	1.13	1.00	1.50	
24	12.0	12.6	6.83	15.7	19.5	11.2	4.67	1.88	1.13	2.48	1.00	1.38	
25	22.4	13.9	6.56	16.4	19.1	10.9	4.40	1.88	1.13	3.92	1.00	1.25	
26	16.8	12.3	9.02	18.3	18.3	10.3	4.40	1.88	1.13	2.48	1.00	1.25	
27	12.6	11.5	13.6	20.6	16.8	9.98	4.16	1.75	1.25	2.24	1.00	1.25	
28	11.5	10.9	12.9	20.2	16.1	9.66	3.92	1.75	1.25	2.48	1.00	1.25	
29	9.98		13.2	19.1	15.7	10.3	3.92	1.75	1.25	2.48	1.00	1.25	
30	9.02		14.6	17.9	15.7	10.3	3.68	1.75	1.13	2.00	1.00	1.25	
31	8.70		14.6		15.7		3.68	1.75		1.88		1.25	
SD1	25.6	7.56	15.0	16.1	19.5	18.9	9.05	2.82	1.50	1.04	1.48	.875	
SD2	9.04	13.4	10.5	16.0	17.2	14.0	5.45	2.17	1.29	.913	1.11	1.15	
SD3	11.4	14.4	10.4	18.5	18.0	10.7	4.33	1.84	1.18	2.14	1.00	1.36	
MAX	107	59.7	22.8	34.3	21.9	33.2	10.9	3.92	1.63	6.29	1.88	2.00	
DAT	1	19	3	20	3	7	1	1	1	25	1	20	
SR	15.2	11.6	11.9	16.9	18.2	14.5	6.22	2.26	1.32	1.39	1.20	1.14	
MIN	6.56	4.67	6.56	11.2	15.0	9.66	3.68	1.75	1.13	.875	1.00	.750	
DAT	21	11	25	18	13	28	30	27	22	13	17	15	
		GMIN = .750			SRGOD= 8.46			GMAX = 107					
		DATUM 15 12						DATUM 1 1					

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1987

Broj : 45825                      Stanica :ANDRIJEVICA                      Kota "0" = 742.00  
 Nacin osmat.: letva              Rijeka :ZLORECICA                      km od usca = 1.60  
 Pocetak rada: 1985              Sliv :LIMA                      Pov.sliva = 169.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	1.00	11.5	5.48	9.66	10.9	18.7	7.42	2.72	1.13	1.00	.750	9.98	
2	1.00	9.66	5.21	8.38	12.0	17.2	7.10	2.48	1.13	1.00	.750	8.70	
3	3.92	8.70	4.94	7.10	15.0	16.4	7.10	2.48	1.13	1.00	.750	8.06	
4	2.24	7.10	4.67	6.29	18.3	17.2	7.10	2.48	1.13	1.00	.750	7.10	
5	2.24	6.29	4.40	6.02	17.9	18.3	6.83	2.24	1.13	.875	.750	6.56	
6	1.88	6.02	4.40	6.02	20.6	18.3	6.56	2.00	1.13	.875	.750	7.10	
7	1.75	5.48	4.16	7.42	20.6	17.2	6.56	2.00	1.13	.875	.750	7.74	
8	1.75	5.21	3.92	8.38	17.6	17.9	6.29	2.00	1.00	.875	.715	8.70	
9	1.63	4.94	3.92	9.66	14.6	19.1	6.02	2.00	1.00	.875	.715	17.9	
10	1.63	4.94	3.68	12.0	12.3	19.5	5.48	1.75	1.00	.875	1.88	14.6	
11	3.44	4.94	3.44	15.4	12.0	19.1	5.21	1.75	1.00	.750	4.94	11.8	
12	10.3	5.48	3.44	15.0	13.2	17.9	4.94	1.75	1.00	1.38	3.92	9.98	
13	5.48	6.56	3.44	12.9	15.0	16.4	4.67	1.75	1.00	1.63	2.96	9.02	
14	17.6	6.83	2.96	11.5	16.4	15.7	4.40	1.63	.875	1.50	2.72	10.3	
15	22.8	6.83	2.48	10.3	22.4	15.0	4.40	1.63	.875	1.38	5.21	19.8	
16	19.1	7.10	2.24	9.02	22.8	15.0	4.40	1.63	.875	1.25	9.66	16.4	
17	13.2	7.10	2.48	8.06	22.4	14.3	3.92	1.50	.875	1.13	7.42	13.2	
18	10.6	7.10	2.72	7.74	22.4	12.0	3.92	1.50	.875	1.13	6.02	11.8	
19	8.70	6.83	2.24	7.42	23.2	11.5	3.68	1.50	.875	1.00	5.48	10.6	
20	7.74	7.74	3.20	8.38	24.6	10.6	3.44	1.50	.875	1.00	4.94	10.3	
21	6.29	9.02	5.48	10.6	24.6	9.98	3.44	1.50	.750	1.00	4.67	9.66	
22	5.75	8.70	4.94	12.6	22.8	9.66	3.20	1.50	.750	1.00	4.40	9.02	
23	4.94	8.38	4.67	13.6	19.5	9.02	2.96	1.38	.750	.875	3.92	8.38	
24	3.92	7.74	4.40	12.9	16.8	8.38	2.96	1.38	.750	.875	4.94	8.38	
25	3.92	7.10	3.92	12.3	16.1	8.38	2.96	1.38	.750	.875	7.74	7.42	
26	3.92	6.56	3.92	12.0	15.4	8.38	2.72	1.38	.750	.875	17.6	6.83	
27	3.68	5.75	4.16	12.6	15.7	8.06	2.96	1.38	.750	.875	21.0	6.56	
28	4.16	5.48	4.67	12.3	16.8	7.74	2.96	1.25	1.75	.875	17.6	6.56	
29	14.6		6.02	11.2	18.3	7.74	2.96	1.25	1.75	.875	15.0	6.02	
30	18.3		9.34	10.6	20.2	7.74	2.72	1.25	1.38	.875	11.8	5.75	
31	14.6		10.3		22.4		2.48	1.25		.750		5.75	
SD1	1.90	6.98	4.48	8.09	16.0	18.0	6.65	2.21	1.09	.925	.856	9.64	
SD2	11.9	6.65	2.86	10.6	19.4	14.8	4.30	1.61	.913	1.22	5.33	12.3	
SD3	7.64	7.34	5.62	12.1	19.0	8.51	2.94	1.35	1.01	.886	10.9	7.30	
MAX	22.8	12.9	10.3	16.1	35.5	20.6	7.74	2.96	3.92	1.88	22.4	21.5	
DAT	15	1	31	11	21	10	1	1	28	12	27	15	
SR	7.16	6.97	4.36	10.2	18.2	13.7	4.57	1.72	1.01	1.00	5.68	9.68	
MIN	1.00	4.94	2.24	6.02	10.9	7.74	2.48	1.25	.750	.750	.715	5.75	
DAT	1	9	16	5	1	28	31	28	21	11	8	30	
		GMIN =	.715			SRGOD=	7.02			GMAX =	35.5		
		DATUM	8 11							DATUM	21 5		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1988

Broj : 45825                      Stanica :ANDRIJEVICA                      Kota "0" = 742.00  
 Nacin osmat.: letva              Rijeka :ZLORECICA                      km od usca = 1.60  
 Pocetak rada: 1985              Sliv :LIMA                      Pov.sliva = 169.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	6.02	10.6	4.67	9.66	17.2	12.0	4.67	1.63	1.00	2.00	1.50	7.10
2	5.75	8.70	4.67	9.34	16.8	14.6	4.67	1.63	1.00	1.88	1.50	21.9
3	5.48	7.74	4.16	8.70	17.6	13.2	4.40	1.63	1.00	1.75	1.50	30.3
4	5.21	7.42	4.16	8.06	17.9	11.8	4.16	1.63	1.00	1.75	1.50	23.7
5	4.94	10.3	3.92	8.38	20.2	11.5	3.92	1.63	1.00	1.75	1.50	18.7
6	4.67	12.9	3.92	10.9	22.4	11.5	3.68	1.50	1.00	1.75	1.50	16.4
7	4.67	11.5	3.92	13.6	23.7	10.9	3.68	1.50	1.00	1.88	1.50	17.2
8	4.67	10.9	3.92	15.7	23.7	9.98	3.44	1.38	1.00	2.24	1.50	14.3
9	4.67	14.6	3.92	15.7	21.5	9.66	3.44	1.38	1.00	4.40	1.50	12.9
10	4.67	12.9	3.68	15.0	22.4	8.38	3.20	1.38	1.00	3.44	1.50	11.8
11	4.40	11.5	3.44	14.3	21.0	8.38	2.96	1.38	.875	2.96	1.50	10.6
12	4.16	10.3	3.44	14.6	19.8	8.70	2.96	1.38	.875	2.72	1.50	8.74
13	4.16	9.34	3.44	15.7	19.1	8.70	2.72	1.38	.875	2.48	1.50	8.18
14	3.92	8.38	3.44	16.4	19.1	8.06	2.72	1.25	1.00	2.24	1.50	7.62
15	3.92	7.74	3.92	15.0	20.2	8.06	2.72	1.25	4.40	2.00	1.63	7.34
16	3.44	7.10	4.67	13.2	19.1	7.42	2.48	1.25	9.98	2.00	1.63	7.34
17	3.44	6.83	9.66	12.0	17.2	6.83	2.48	1.25	4.94	1.88	1.63	6.78
18	3.20	6.29	10.3	10.9	16.1	6.56	2.24	1.25	7.74	1.88	1.50	6.50
19	3.20	6.02	8.06	9.98	16.1	6.56	2.24	1.25	5.48	1.75	1.63	5.99
20	3.20	6.02	7.10	9.66	15.7	6.29	2.24	1.13	3.92	1.75	2.00	5.74
21	3.20	5.48	6.02	9.66	15.0	6.02	2.00	1.13	3.20	1.88	3.92	5.48
22	3.20	5.21	5.75	9.98	14.3	5.75	1.88	1.13	3.20	1.88	25.5	5.22
23	3.20	4.94	10.9	12.3	13.9	5.48	1.88	1.13	4.94	1.88	16.4	4.97
24	2.96	4.94	13.2	13.6	12.6	5.21	1.88	1.13	3.68	1.75	11.8	4.97
25	2.96	5.48	11.5	15.0	12.3	5.21	1.75	1.13	3.44	1.75	9.66	4.97
26	4.40	5.21	10.6	16.8	12.9	5.21	1.75	1.13	2.96	1.75	8.38	4.46
27	4.67	4.94	10.9	16.8	12.3	4.94	1.75	1.13	2.48	1.63	7.42	4.46
28	5.48	4.67	10.6	16.8	12.0	4.94	1.75	1.13	2.24	1.63	6.56	4.20
29	5.21	4.67	9.66	17.2	12.3	4.94	1.75	1.00	2.24	1.25	6.02	4.20
30	9.66		8.70	17.6	12.0	4.94	1.75	1.00	2.00	1.63	5.75	3.95
31	13.9		8.38		11.8		1.75	1.00		1.50		3.95
SD1	5.07	10.8	4.09	11.5	20.3	11.4	3.93	1.53	1.00	2.28	1.50	17.4
SD2	3.70	7.95	5.75	13.2	18.3	7.56	2.58	1.28	4.01	2.17	1.60	7.48
SD3	5.35	5.06	9.66	14.6	12.9	5.26	1.81	1.09	3.04	1.68	10.1	4.62
MAX	16.8	15.4	14.6	17.9	25.0	15.7	4.67	1.63	12.3	4.67	31.4	40.0
DAT	30	9	23	30	8	2	1	1	16	9	22	2
SR	4.73	8.02	6.60	13.1	17.0	8.06	2.74	1.29	2.68	2.03	4.41	9.68
MIN	2.96	4.67	3.44	8.06	11.8	4.94	1.75	1.00	.875	1.25	1.50	3.95
DAT	24	28	11	4	31	27	25	29	11	29	1	30
GMIN =		.875		SRGOD=		6.69		GMAX =		40.0		
DATUM		11 9						DATUM		2 12		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1989

Broj : 45825                      Stanica :ANDRIJEVICA                      Kota "0" = 742.00  
Nacin osmat.: letva              Rijeka :ZLORECICA                      km od usca = 1.60  
Pocetak rada: 1985              Sliv :LIMA                      Pov.sliva = 169.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	3.56	2.19	9.86	11.5	12.1	9.30	5.22	3.17	5.74	3.17	4.72	9.86
2	3.37	2.00	14.3	11.8	11.3	9.30	4.97	3.95	4.97	2.97	4.72	9.30
3	3.17	2.00	12.1	11.5	10.4	9.02	4.72	3.95	4.46	2.78	4.72	8.74
4	3.17	2.00	11.5	11.8	10.4	8.74	4.72	3.95	4.46	2.78	4.46	8.18
5	3.17	2.00	10.1	12.5	12.1	8.74	4.72	3.56	4.46	2.78	4.46	7.62
6	3.17	1.88	8.74	13.5	13.2	8.74	4.46	3.56	4.20	2.78	6.24	7.06
7	2.97	1.88	7.90	13.5	14.3	8.74	4.46	3.37	3.95	2.78	13.2	7.06
8	2.97	1.88	7.06	12.5	12.1	8.74	4.46	3.37	3.95	3.37	11.3	6.78
9	2.78	2.00	6.24	10.4	11.5	8.18	4.20	3.17	3.95	11.5	9.30	6.78
10	2.78	2.00	5.48	10.1	11.3	7.90	4.20	3.95	5.74	24.7	8.74	6.50
11	2.78	2.00	5.48	10.7	11.5	7.34	4.20	4.46	6.50	21.2	8.18	5.99
12	2.78	2.00	4.97	11.0	13.2	7.06	4.46	4.20	5.99	18.0	7.62	5.74
13	2.78	1.88	4.72	11.3	14.6	6.78	4.46	3.95	5.48	13.9	7.06	5.48
14	2.59	1.88	4.46	11.3	17.2	6.78	4.46	3.56	4.97	11.5	6.78	6.24
15	2.59	1.88	4.46	11.0	17.6	6.78	4.46	3.37	4.72	10.4	6.50	7.06
16	2.39	1.88	4.46	10.4	16.1	6.78	4.46	3.17	4.72	9.86	6.50	11.8
17	2.39	1.88	4.72	9.58	15.7	7.06	4.20	3.17	4.46	9.02	6.24	13.5
18	2.39	1.88	5.74	13.9	15.7	8.74	4.20	3.17	4.20	8.46	5.99	12.8
19	2.39	1.75	6.50	13.5	15.7	10.1	3.95	2.97	3.95	7.90	5.74	13.2
20	2.39	1.75	7.62	12.1	15.0	9.58	3.95	2.97	3.76	7.62	5.48	13.9
21	2.39	1.75	9.86	11.8	13.5	9.30	3.95	2.97	3.76	7.34	5.22	13.5
22	2.39	2.19	11.3	13.5	12.8	8.74	3.76	2.78	3.56	7.06	5.22	11.8
23	2.39	2.39	10.7	14.3	12.5	8.18	3.76	2.59	3.37	6.50	11.0	10.7
24	2.39	2.39	10.1	12.8	11.8	7.90	3.56	2.59	3.37	5.99	13.5	9.86
25	2.39	3.17	9.30	11.8	11.0	7.62	3.56	2.59	3.17	5.74	18.4	9.02
26	2.39	8.18	8.74	11.5	10.4	7.06	3.56	2.39	3.17	5.74	18.7	8.74
27	2.39	12.1	8.18	12.1	10.1	6.78	3.56	2.19	3.17	5.74	15.0	8.46
28	2.39	9.86	8.18	13.9	9.58	6.50	3.56	2.19	3.17	5.74	12.8	7.90
29	2.39		8.74	13.2	9.30	6.24	3.56	5.99	3.17	5.48	11.5	7.62
30	2.19		9.86	13.2	9.30	5.74	3.37	7.90	3.37	4.97	10.1	7.34
31	2.19		10.4		9.30		3.37	6.78		4.72		6.78
SD1	3.11	1.98	9.33	11.9	11.9	8.74	4.61	3.60	4.59	5.96	7.19	7.79
SD2	2.55	1.88	5.31	11.5	15.2	7.70	4.28	3.50	4.87	11.8	6.61	9.57
SD3	2.35	5.25	9.58	12.8	10.9	7.41	3.60	3.72	3.33	5.91	12.1	9.25
MAX	3.56	14.3	18.0	15.0	18.4	10.4	5.48	7.90	7.06	32.3	22.5	14.3
DAT	1	27	2	18	15	19	1	30	11	10	25	20
SR	2.66	2.88	8.12	12.1	12.6	7.95	4.15	3.61	4.26	7.82	8.65	8.88
MIN	2.19	1.75	4.46	9.58	9.30	5.74	3.37	2.19	3.17	2.78	4.46	5.48
DAT	30	19	14	17	29	30	30	27	25	3	4	13
GMIN = 1.75			SRGOD= 6.99					GMAX = 32.3				
DATUM 19 2								DATUM 10 10				

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1990

Broj : 45825                      Stanica :ANDRIJEVICA                      Kota "0" = 742.00  
Nacin osmat.: letva              Rijeka :ZLORECICA                      km od usca = 1.60  
Pocetak rada: 1985              Sliv :LIMA                      Pov.sliva = 169.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	7.90	5.99	5.99	4.46	12.8	6.78	3.56	2.00	1.63	1.50	9.30	11.0
2	7.62	5.99	6.50	4.46	11.5	6.50	3.56	2.00	1.63	1.50	8.18	9.30
3	7.62	5.48	6.24	4.46	11.5	6.50	3.56	2.00	2.00	1.50	7.06	9.30
4	7.34	5.48	5.99	4.46	11.5	6.50	3.37	2.00	1.75	1.50	6.50	8.18
5	6.78	5.22	5.48	4.46	11.5	6.50	3.17	2.00	1.63	1.50	5.99	7.62
6	6.50	5.22	5.22	4.46	11.5	6.24	3.17	2.00	1.63	1.50	5.74	7.06
7	6.24	5.22	4.97	4.72	11.5	6.24	3.17	2.00	1.63	1.50	5.22	7.06
8	5.99	5.22	5.22	5.99	11.5	6.24	2.97	1.88	1.63	1.75	4.97	6.78
9	5.99	5.22	5.48	7.06	11.5	6.24	2.78	1.88	1.63	2.00	4.46	6.50
10	5.99	5.22	5.74	8.18	11.5	5.99	2.78	2.39	1.63	2.78	4.20	12.1
11	5.99	4.97	5.74	7.62	11.0	5.74	2.78	2.00	1.50	2.00	3.95	23.8
12	5.48	4.72	5.48	7.34	11.0	5.74	2.59	2.00	1.75	2.00	3.95	15.0
13	5.48	4.72	5.99	7.06	11.0	5.48	2.59	1.88	1.75	1.88	3.76	12.8
14	5.48	4.72	5.99	7.62	10.7	5.22	2.78	1.88	1.63	1.88	3.56	11.5
15	5.48	5.22	6.24	7.62	10.4	4.97	2.59	1.88	1.63	1.88	3.56	10.4
16	5.22	5.99	5.99	7.90	9.86	4.97	2.78	1.88	1.63	1.75	3.95	9.30
17	5.22	5.99	5.99	8.18	9.86	4.97	2.59	1.88	1.63	1.75	3.95	8.74
18	4.97	5.99	5.48	8.18	9.86	4.72	2.59	1.88	1.50	1.63	3.76	8.18
19	4.46	5.74	5.48	8.74	9.58	4.46	3.17	1.75	1.50	1.63	3.76	7.62
20	4.46	5.48	5.48	8.46	9.58	4.46	2.78	1.75	1.50	1.63	3.76	7.62
21	4.46	5.48	5.48	9.02	9.30	4.46	2.59	1.75	1.50	2.19	3.56	7.06
22	4.20	5.48	5.74	24.7	9.02	4.46	2.59	1.75	1.50	3.17	3.37	7.06
23	4.20	5.48	5.74	51.3	8.74	4.46	2.39	1.75	1.50	2.19	3.37	6.78
24	4.20	5.48	6.24	45.1	8.46	3.95	2.39	1.75	1.50	2.19	8.74	6.50
25	4.20	5.48	6.50	32.3	8.18	3.95	2.39	1.75	1.50	2.19	7.06	3.95
26	4.46	5.48	5.22	23.8	7.62	3.76	2.39	1.75	1.50	2.00	9.30	5.99
27	5.22	5.48	5.22	20.8	8.18	3.76	2.39	1.75	1.50	2.00	14.3	5.99
28	5.22	5.99	5.22	18.4	7.62	3.76	2.39	1.75	1.50	2.00	22.1	6.50
29	5.22		5.22	17.2	7.06	3.76	2.39	1.63	1.50	3.17	15.0	5.99
30	5.99		5.99	14.3	6.78	3.56	2.19	1.63	1.50	6.50	12.1	5.99
31	4.46		5.74		6.78		2.19	1.63		9.86		5.99
SD1	6.80	5.43	5.68	5.27	11.6	6.37	3.21	2.01	1.68	1.70	6.16	8.49
SD2	5.22	5.35	5.79	7.87	10.3	5.07	2.72	1.88	1.60	1.80	3.80	11.5
SD3	4.71	5.54	5.66	25.7	7.98	3.99	2.39	1.72	1.50	3.41	9.89	6.16
MAX	7.90	5.99	6.50	83.1	12.8	6.78	3.56	2.39	2.00	9.86	22.1	23.8
DAT	1	1	2	23	1	1	1	10	3	31	28	11
SR	5.55	5.43	5.71	12.9	9.90	5.14	2.76	1.87	1.59	2.34	6.62	8.63
MIN	4.20	4.72	4.97	4.46	6.78	3.56	2.19	1.63	1.50	1.50	3.37	3.95
DAT	22	12	7	1	30	30	30	29	11	1	22	25
GMIN =		1.50		SRGOD=		5.70		GMAX =		83.1		
DATUM		11 9						DATUM		23 4		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1991

Broj : 45825                      Stanica :ANDRIJEVICA                      Kota "0" = 742.00  
Nacin osmat.: letva              Rijeka :ZLORECICA                      km od usca = 1.60  
Pocetak rada: 1985              Sliv :LIMA                      Pov.sliva = 169.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	5.99	3.76	4.97	9.30	9.30	11.8	7.62	4.97	2.59	2.19	4.46	10.1	
2	6.24	3.76	5.48	8.74	9.30	13.9	8.46	4.97	2.59	2.19	4.20	9.30	
3	6.50	3.76	5.74	8.18	10.1	14.6	9.30	4.72	2.39	2.19	4.20	8.74	
4	6.50	3.76	5.99	7.62	21.6	16.1	9.30	4.46	2.39	2.19	4.20	8.18	
5	6.50	3.56	6.24	7.62	23.4	17.2	9.02	4.20	2.39	2.19	7.06	7.90	
6	6.50	3.56	6.24	7.34	19.5	18.4	8.46	3.95	2.19	2.19	15.0	7.62	
7	6.50	3.56	6.24	7.34	16.8	18.4	8.46	3.95	2.19	2.00	12.1	7.34	
8	6.50	3.95	6.78	7.06	15.7	26.6	7.90	3.95	2.19	2.00	9.30	7.06	
9	6.50	6.78	7.06	7.06	14.6	28.5	7.62	3.76	2.00	2.00	8.74	6.50	
10	6.50	5.99	7.62	7.06	14.3	22.9	7.34	3.76	2.00	2.00	8.18	6.24	
11	6.24	7.34	8.18	7.06	16.1	20.8	7.06	3.76	2.00	1.88	7.62	6.24	
12	6.24	9.30	7.90	7.06	18.4	15.7	6.78	3.56	2.00	1.88	7.06	5.99	
13	5.99	9.58	7.62	7.06	16.5	18.4	6.50	3.56	2.00	1.88	6.78	5.99	
14	5.99	8.74	7.62	7.06	15.3	17.2	6.24	3.56	2.00	2.39	6.78	5.99	
15	5.99	7.62	7.34	7.06	14.3	16.5	6.24	3.56	1.88	3.95	14.6	5.99	
16	5.99	6.78	7.06	7.06	14.3	15.7	6.24	3.56	1.88	3.37	36.3	5.99	
17	5.74	6.50	7.06	7.06	17.6	15.0	5.99	3.56	1.88	3.37	83.1	5.99	
18	5.48	5.99	7.34	9.30	16.5	14.3	5.99	3.37	1.88	3.17	43.6	5.22	
19	5.22	5.74	7.06	16.1	14.3	13.5	5.74	3.17	1.88	3.17	23.8	5.22	
20	5.22	5.48	7.06	14.6	12.8	12.1	5.74	3.17	1.88	5.22	18.4	4.97	
21	5.22	5.48	7.06	13.5	12.1	11.8	5.22	2.97	1.88	8.18	21.6	4.97	
22	5.22	5.22	7.06	12.1	11.5	11.5	5.48	2.97	1.88	10.1	24.7	4.72	
23	4.97	5.22	8.18	11.5	12.5	11.0	5.48	2.97	1.88	8.74	22.5	4.46	
24	4.97	4.97	9.30	10.7	15.7	10.1	5.22	2.78	1.88	7.06	19.9	4.46	
25	4.72	4.97	10.4	10.1	14.6	9.30	5.22	2.78	1.88	6.50	20.4	4.46	
26	4.72	4.97	11.0	9.30	13.2	8.74	5.22	2.59	1.88	6.24	17.6	4.20	
27	4.46	4.97	11.0	9.30	12.1	8.18	5.22	2.59	2.19	5.74	15.7	3.95	
28	4.20	4.97	11.3	9.58	12.1	7.90	5.22	2.59	2.59	5.48	13.9	3.95	
29	4.20		11.3	9.30	11.8	7.90	5.22	2.59	2.59	4.97	12.1	3.76	
30	3.95		10.4	9.30	11.5	7.62	4.97	2.59	2.39	4.72	11.0	3.56	
31	3.95		9.86		11.5		4.97	2.59		4.72		3.56	
SD1	6.42	4.24	6.24	7.73	15.5	18.8	8.35	4.27	2.29	2.11	7.74	7.90	
SD2	5.81	7.31	7.42	8.94	15.6	15.9	6.25	3.48	1.93	3.03	24.8	5.76	
SD3	4.60	5.10	9.71	10.5	12.6	9.40	5.22	2.73	2.10	6.59	17.9	4.19	
MAX	6.50	10.1	11.5	17.2	27.1	33.9	9.30	4.97	2.78	10.4	101	10.7	
DAT	3	13	29	19	4	8	3	1	29	22	17	1	
SR	5.58	5.58	7.85	9.05	14.5	14.7	6.56	3.47	2.11	4.00	16.8	5.89	
MIN	3.95	3.56	4.97	7.06	9.30	7.62	4.97	2.59	1.88	1.88	4.20	3.56	
DAT	30	5	1	8	1	30	30	26	15	11	2	30	
		GMIN = 1.88			SRGOD= 8.00			GMAX = 101					
		DATUM 15 9						DATUM 17 11					

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1992

Broj : 45825                      Stanica :ANDRIJEVICA                      Kota "0" = 742.00  
Nacin osmat.: letva              Rijeka :ZLORECICA                      km od usca = 1.60  
Pocetak rada: 1985              Sliv :LIMA                      Pov.sliva = 169.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	3.56	2.59	2.19	6.78	19.1	6.78	4.97	2.19	1.25	1.38	12.8	7.10
2	3.56	2.59	2.39	7.06	18.4	6.78	4.97	2.19	1.25	1.38	11.3	6.83
3	3.37	2.39	2.59	7.06	17.2	6.50	4.72	2.19	1.25	1.25	10.7	6.29
4	3.37	2.39	2.78	7.06	15.3	6.50	4.46	2.39	1.25	2.00	9.86	6.02
5	3.37	2.39	2.78	7.34	14.6	5.48	4.20	2.59	1.50	2.39	8.46	6.02
6	3.17	2.39	2.97	7.90	13.9	5.22	3.95	2.39	1.50	3.17	8.18	9.02
7	3.17	2.39	2.97	10.7	13.5	4.97	3.95	2.19	1.38	8.18	7.90	9.34
8	3.17	2.19	2.97	11.0	13.2	4.97	3.95	2.19	1.38	7.06	7.34	8.38
9	3.17	2.19	2.97	10.1	12.8	4.97	3.76	2.19	1.38	3.95	6.78	8.06
10	3.17	2.19	2.97	10.7	12.5	4.72	3.56	2.00	1.25	3.56	6.50	8.06
11	3.17	2.00	2.97	10.7	12.8	4.72	3.56	1.88	1.25	2.78	6.24	7.74
12	2.97	2.00	2.97	10.1	12.1	5.99	3.56	1.88	1.25	6.50	6.50	7.42
13	2.78	2.00	2.97	9.58	11.3	7.34	3.56	1.88	1.25	10.4	9.02	6.83
14	2.78	2.00	2.97	9.02	11.0	8.46	3.37	2.00	1.25	8.46	8.18	6.56
15	2.78	2.00	3.17	8.74	11.0	7.62	3.17	2.00	1.25	6.78	7.62	6.29
16	2.78	2.00	3.37	8.46	10.7	6.78	3.17	1.88	1.25	7.06	7.06	6.29
17	2.78	2.78	3.37	9.02	10.1	6.78	3.17	1.88	1.25	8.46	17.6	6.02
18	2.78	2.78	3.37	11.0	9.30	7.62	2.97	1.88	1.25	14.3	58.3	5.75
19	2.78	2.59	3.37	11.0	7.62	8.46	2.97	1.75	1.25	18.4	33.9	5.75
20	2.78	2.39	3.37	10.7	7.34	8.18	2.78	1.75	1.25	13.9	19.5	5.21
21	2.78	2.19	3.37	11.0	7.06	7.90	2.78	1.75	1.25	9.86	13.9	4.94
22	2.78	2.19	3.17	10.7	7.06	6.78	2.78	1.63	1.25	9.02	11.8	4.94
23	2.59	2.19	3.17	10.4	7.06	6.24	2.59	1.63	1.25	9.86	10.4	4.67
24	2.59	2.19	4.46	10.4	7.34	5.74	2.59	1.63	1.25	9.30	10.3	4.40
25	2.59	2.19	7.06	11.0	7.34	5.74	2.59	1.50	1.25	10.7	9.98	4.16
26	2.59	2.19	8.74	12.1	7.06	5.48	2.39	1.50	1.25	9.86	9.34	4.16
27	2.59	2.19	11.5	15.0	7.06	5.22	2.19	1.38	1.25	14.3	9.02	4.16
28	2.59	2.19	10.4	16.8	6.50	4.97	2.19	1.38	1.13	11.8	8.38	3.92
29	2.59	2.19	9.30	17.2	6.24	4.97	2.19	1.38	1.13	12.1	7.74	3.92
30	2.59		8.18	18.0	6.24	4.97	2.39	1.38	1.50	16.5	7.10	3.68
31	2.59		7.34		6.78		2.39	1.25		16.1		3.68
SD1	3.31	2.37	2.76	8.57	15.1	5.69	4.25	2.25	1.34	3.43	8.98	7.51
SD2	2.84	2.25	3.19	9.83	10.3	7.19	3.23	1.88	1.25	9.70	17.4	6.39
SD3	2.62	2.19	6.97	13.3	6.89	5.80	2.46	1.49	1.25	11.8	9.80	4.24
MAX	3.56	3.17	12.1	18.7	19.1	8.74	4.97	2.97	1.63	21.2	74.5	10.6
DAT	1	17	27	30	1	14	1	6	5	19	18	6
SR	2.91	2.27	4.39	10.6	10.6	6.23	3.29	1.86	1.28	8.41	12.1	5.99
MIN	2.59	2.00	2.19	6.78	6.24	4.72	2.19	1.25	1.13	1.25	6.24	3.68
DAT	23	11	1	1	29	10	27	31	28	3	11	30
GMIN = 1.13			SRGOD= 5.82			GMAX = 74.5						
DATUM 28 9						DATUM 18 11						



## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1993

Broj : 45825                      Stanica :ANDRIJEVICA                      Kota "0" = 742.00  
Nacin osmat.: letva              Rijeka :ZLORECICA                      km od usca = 1.60  
Pocetak rada: 1985              Sliv :LIMA                      Pov.sliva = 169.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	3.44	1.88	1.38	4.94	12.6	4.67	1.75	1.00	.715	1.25	1.88	4.40
2	3.44	1.88	1.38	4.40	12.0	4.40	1.75	1.00	.680	1.75	1.75	4.40
3	3.44	1.88	1.50	5.48	12.0	4.16	1.63	1.00	.680	3.92	1.75	3.92
4	3.20	1.88	1.50	6.29	12.6	3.92	1.63	1.00	.645	13.2	2.00	3.68
5	3.20	1.75	1.50	6.56	13.2	3.92	1.50	.875	3.92	7.10	14.6	3.68
6	3.20	1.88	1.50	7.74	14.6	3.68	1.50	.875	3.44	5.48	33.2	3.68
7	3.20	1.88	1.50	8.38	13.9	3.44	1.88	.875	2.00	4.40	29.7	3.44
8	2.96	1.88	1.38	8.70	12.6	3.20	1.75	.875	1.50	3.68	17.6	4.94
9	2.96	1.75	1.38	9.02	12.0	2.96	1.50	.875	1.38	4.40	12.0	4.94
10	2.72	1.75	1.38	9.34	11.5	2.72	1.50	1.38	1.25	3.92	10.3	6.02
11	2.72	1.75	1.38	9.66	11.5	2.72	1.50	1.00	1.13	3.68	9.02	6.02
12	2.48	1.75	1.38	13.2	11.2	2.48	1.50	1.00	1.63	3.44	8.38	9.66
13	2.48	1.63	1.38	16.8	10.9	2.48	1.50	1.00	1.50	3.44	9.66	8.70
14	2.48	1.63	1.38	16.8	10.6	2.48	1.50	1.00	1.50	2.96	9.66	9.02
15	2.48	1.63	1.50	16.1	10.3	2.48	1.50	.875	1.38	2.48	9.98	34.3
16	2.48	1.50	1.50	16.8	10.3	2.48	1.38	.875	1.88	2.24	10.3	43.5
17	2.48	1.50	1.50	13.2	10.3	2.48	1.38	.875	1.75	2.24	9.02	26.9
18	2.48	1.50	1.88	12.0	10.6	2.48	1.38	.875	1.50	2.24	8.38	21.5
19	2.24	1.50	2.48	10.9	9.66	2.48	1.38	.750	1.38	2.00	7.10	14.6
20	2.24	1.50	2.48	10.9	9.02	2.24	1.38	.750	1.38	2.00	6.56	10.9
21	2.24	1.50	2.96	12.0	9.02	2.00	1.38	.750	1.25	2.00	6.29	15.0
22	2.24	1.50	3.44	13.2	8.70	2.00	1.38	.750	1.25	1.88	6.02	16.8
23	2.24	1.50	3.68	13.9	7.74	1.88	1.25	.750	1.25	1.88	6.02	13.2
24	2.24	1.50	3.92	15.0	6.83	1.75	1.25	.750	1.25	2.48	5.75	16.8
25	2.24	1.50	4.94	16.1	6.56	1.75	1.25	.750	1.13	2.24	5.48	13.2
26	2.00	1.50	7.10	15.4	6.56	1.75	1.25	.715	1.00	2.24	5.21	13.2
27	2.00	1.50	6.83	16.8	6.29	1.75	1.25	.715	1.00	2.00	4.94	12.6
28	2.00	1.38	6.56	16.1	5.75	1.75	1.13	.715	1.00	2.00	4.94	11.5
29	2.00		5.48	14.6	5.48	2.00	1.13	.715	1.50	2.00	4.67	12.6
30	2.00		4.94	13.2	4.94	1.88	1.00	.715	1.38	2.00	4.67	10.3
31	1.88		4.40		4.94		1.00	.715		2.00		9.66
SD1	3.18	1.84	1.44	7.09	12.7	3.71	1.64	.975	1.62	4.91	12.5	4.31
SD2	2.46	1.59	1.69	13.6	10.4	2.48	1.44	.900	1.50	2.67	8.81	18.5
SD3	2.10	1.49	4.93	14.6	6.62	1.85	1.21	.731	1.20	2.07	5.40	13.2
MAX	3.44	1.88	7.10	16.8	14.6	4.67	1.88	1.38	3.92	13.2	33.2	47.9
DAT	1	1	26	14	6	1	7	10	5	4	6	15
SR	2.56	1.65	2.76	11.8	9.81	2.68	1.42	.864	1.44	3.18	8.89	12.0
MIN	1.88	1.38	1.38	4.40	4.94	1.75	1.00	.715	.645	1.25	1.75	3.44
DAT	31	28	1	2	30	24	30	26	4	1	2	7
GMIN =			.645	SRGOD=			4.94	GMAX =			47.9	
DATUM			4 9					DATUM			15 12	

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1994

Broj : 45825                      Stanica :ANDRIJEVICA                      Kota "0" = 742.00  
Nacin osmat.: letva              Rijeka :ZLORECICA                      km od usca = 1.60  
Pocetak rada: 1985              Sliv :LIMA                      Pov.sliva = 169.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	8.38	4.67	6.56	6.02	16.1	9.66	4.67	1.75	.750	.715	2.72	1.25
2	8.38	4.40	6.02	7.10	16.8	9.02	4.40	1.75	.750	.715	2.00	1.25
3	7.74	4.40	7.10	8.38	15.4	8.70	4.16	1.75	.750	.715	1.75	1.25
4	7.10	4.40	6.83	8.70	12.9	9.02	3.92	1.63	.750	1.13	1.75	1.00
5	7.74	4.40	6.56	9.02	12.6	9.34	3.68	1.50	.750	1.25	1.50	1.00
6	12.6	4.16	6.29	9.98	13.2	9.66	3.44	1.63	.715	1.50	1.38	.875
7	10.3	4.16	6.02	10.3	12.9	7.74	3.20	1.50	.715	1.13	1.38	1.00
8	10.3	4.40	5.75	9.66	11.8	7.10	2.96	1.38	.715	1.00	1.25	1.00
9	9.98	4.40	5.48	8.70	12.6	7.10	2.96	1.38	.680	1.00	1.25	1.00
10	9.66	4.40	5.21	8.38	10.9	7.10	2.72	1.25	.680	1.00	1.25	1.00
11	9.34	4.40	4.94	29.7	11.5	6.83	2.72	1.25	.680	.875	2.24	1.00
12	8.38	4.16	4.67	32.0	12.0	6.56	2.96	1.13	.680	.875	5.48	.875
13	7.74	3.92	4.94	36.8	12.6	7.10	2.96	1.50	.680	.750	6.02	.875
14	7.42	3.68	6.02	25.9	13.2	7.10	2.72	1.25	.680	.750	4.40	.875
15	7.10	3.44	6.56	17.6	15.4	7.74	2.96	1.13	.680	.750	3.44	.875
16	6.56	3.44	7.10	13.6	18.3	7.10	2.72	1.00	1.25	.750	2.96	.750
17	6.56	3.92	7.10	19.1	19.1	6.83	2.48	1.00	1.00	.750	2.48	.875
18	7.10	4.40	6.83	26.9	19.8	6.56	2.48	1.25	1.00	.750	2.24	.750
19	6.56	4.40	6.56	22.4	23.2	6.02	2.48	1.13	.875	.750	2.24	.750
20	6.29	4.16	6.29	18.7	16.1	6.02	2.24	1.13	1.00	.750	2.24	.750
21	6.02	4.16	6.02	16.4	16.4	5.75	2.24	1.00	1.38	.715	1.75	.750
22	6.02	3.92	6.02	16.8	15.4	5.48	2.00	1.00	1.13	.715	1.63	.750
23	5.75	3.92	6.56	15.4	16.1	5.21	3.44	1.00	1.00	.715	1.63	.750
24	5.75	4.40	6.56	13.9	15.7	5.21	3.20	1.00	.875	.680	1.50	.750
25	5.48	7.74	7.10	14.6	15.4	4.94	2.96	.875	.750	1.00	1.50	.750
26	5.48	7.10	8.06	15.4	15.4	4.67	2.48	.875	.750	.875	1.50	.750
27	5.48	6.56	7.74	16.8	14.6	4.40	2.24	1.00	.750	.875	1.50	.750
28	5.21	6.56	7.42	18.3	13.2	6.02	2.00	1.00	.750	.750	1.38	.750
29	4.94		7.10	16.1	10.9	4.40	2.00	.875	.715	.750	1.38	.750
30	4.94		6.56	16.8	10.3	4.40	2.00	.750	.715	7.74	1.38	.715
31	4.94		6.29		10.9		1.88	.750		4.16		.715
SD1	9.22	4.38	6.18	8.62	13.5	8.44	3.61	1.55	.725	1.02	1.62	1.06
SD2	7.31	3.99	6.10	24.3	16.1	6.79	2.67	1.18	.852	.775	3.37	.837
SD3	5.46	5.55	6.86	16.1	14.0	5.05	2.40	.920	.882	1.72	1.52	.744
MAX	12.6	7.74	8.06	51.1	23.2	9.66	4.67	1.75	1.38	7.74	6.02	1.25
DAT	6	25	26	13	19	1	1	3	16	30	13	3
SR	7.27	4.57	6.40	16.3	14.5	6.76	2.88	1.21	.820	1.19	2.17	.877
MIN	4.94	3.44	4.67	6.02	10.3	4.40	1.88	.750	.680	.680	1.25	.715
DAT	29	15	12	1	30	27	31	30	9	24	8	30
GMIN =			.680	SRGOD=			5.41	GMAX =			51.1	
DATUM			9 9					DATUM			13 4	

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1995

Broj : 45825                      Stanica :ANDRIJEVICA                      Kota "0" = 742.00  
Nacin osmat.: letva              Rijeka :ZLORECICA                      km od usca = 1.60  
Pocetak rada: 1985              Sliv :LIMA                      Pov.sliva = 169.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	7.74	6.02	12.9	6.56	14.6	18.3	4.67	2.48	5.48	4.94	1.63	4.40
2	39.4	5.48	11.8	6.02	15.4	19.8	4.40	2.48	4.94	4.67	1.63	4.40
3	22.4	5.21	10.9	5.75	14.6	16.1	4.16	2.48	4.40	4.40	1.63	4.16
4	10.3	4.94	10.9	6.56	12.6	13.2	3.92	2.00	5.21	3.92	1.63	4.16
5	7.74	4.40	9.66	9.02	10.9	12.0	3.44	1.88	8.38	3.92	1.50	3.92
6	6.56	4.40	9.02	10.9	10.3	11.5	3.20	1.75	13.2	3.68	1.50	3.68
7	6.02	4.16	8.70	12.0	9.66	10.9	3.44	1.75	11.5	3.44	1.50	3.44
8	4.94	3.92	7.74	12.6	12.0	10.6	3.92	1.63	9.02	3.44	1.50	3.44
9	4.40	3.68	6.83	12.9	15.4	10.3	3.44	1.50	9.66	3.20	1.50	3.44
10	4.40	4.94	5.48	10.9	16.4	10.3	3.20	1.50	9.02	3.20	1.50	3.44
11	3.92	4.67	5.21	10.3	17.6	9.98	2.96	1.50	7.74	2.96	1.50	3.20
12	3.44	4.40	4.94	9.02	27.8	10.3	2.72	1.38	7.10	2.96	1.50	3.44
13	3.44	4.16	4.67	8.70	72.7	10.3	2.48	1.25	6.29	2.72	1.63	3.20
14	3.20	3.92	4.40	8.38	103	9.98	2.48	1.25	5.48	2.48	1.63	3.20
15	2.96	4.16	4.16	7.74	40.7	9.34	2.96	1.13	7.10	2.48	1.75	2.96
16	2.72	4.16	4.16	8.38	28.8	9.34	2.96	1.25	7.74	2.48	1.63	2.72
17	2.48	4.40	4.40	7.74	24.1	9.02	2.96	1.38	7.10	2.48	3.44	2.72
18	2.48	4.16	3.92	7.10	21.9	8.70	2.72	1.50	6.56	2.48	10.9	3.44
19	2.48	7.74	3.44	7.10	22.8	8.38	2.24	1.38	5.48	2.24	7.10	4.16
20	2.24	7.10	3.44	7.10	19.8	7.42	2.00	1.38	5.21	2.24	5.75	4.16
21	2.24	6.56	3.92	7.74	21.5	7.42	2.00	1.25	7.74	2.00	4.94	3.92
22	2.00	6.29	4.40	9.34	19.1	7.10	1.88	1.13	7.10	2.00	4.40	3.92
23	2.00	6.29	3.92	10.9	16.1	7.10	1.75	1.25	7.10	2.00	4.16	3.92
24	3.44	6.56	3.92	12.6	13.9	6.02	1.75	1.25	6.83	2.00	3.92	25.9
25	3.92	7.74	4.40	15.4	16.1	5.75	1.63	1.25	6.56	2.00	3.44	29.2
26	3.44	7.74	4.16	19.8	17.6	5.48	1.75	2.00	6.02	1.88	3.44	46.4
27	9.98	15.7	3.92	19.1	19.8	4.94	1.75	4.94	6.02	1.75	3.44	174
28	10.6	15.4	4.16	16.1	20.6	4.67	1.75	6.83	5.48	1.75	3.68	122
29	8.70		6.02	14.6	19.8	4.40	2.48	8.38	6.02	1.75	4.94	32.6
30	7.10		7.10	13.9	19.1	4.94	2.48	6.56	5.48	1.75	4.67	28.3
31	6.56		6.83		19.8		2.48	6.29		1.75		25.9
SD1	11.4	4.71	9.39	9.32	13.2	13.3	3.78	1.95	8.08	3.88	1.55	3.85
SD2	2.94	4.89	4.27	8.16	37.9	9.28	2.65	1.34	6.58	2.55	3.68	3.32
SD3	5.45	9.03	4.80	13.9	18.5	5.78	1.97	3.74	6.44	1.88	4.10	45.1
MAX	39.4	15.7	12.9	19.8	103	19.8	4.67	8.38	13.2	4.94	4.67	198
DAT	2	27	1	26	14	2	1	29	6	1	18	27
SR	6.56	6.01	6.11	10.5	23.0	9.45	2.77	2.39	7.03	2.74	3.11	18.3
MIN	2.00	3.68	3.44	5.75	9.66	4.40	1.63	1.13	4.40	1.75	1.50	2.72
DAT	22	9	19	3	7	29	25	15	3	27	5	16
		GMIN = 1.13			SRGOD= 8.19			GMAX = 198				
		DATUM 15 8						DATUM 27 12				

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1996

Broj : 45825 Stanica :ANDRIJEVICA Kota "0" = 742.00  
Nacin osmat.: letva Rijeka :ZLORECICA km od usca = 1.60  
Pocetak rada: 1985 Sliv :LIMA Pov.sliva = 169.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	22.1	8.46	9.86	14.3	18.7	16.8	10.1	1.63	.540	7.90	4.97	19.9
2	21.2	8.46	9.30	14.6	19.1	16.5	10.1	1.50	.540	6.24	4.46	19.9
3	20.4	8.46	9.30	23.8	19.5	16.1	10.1	1.38	.540	5.99	4.72	15.3
4	16.5	8.74	9.58	22.1	21.2	15.7	9.86	1.25	.540	6.50	4.72	10.7
5	11.0	9.02	9.86	21.2	23.8	15.3	9.86	1.13	.680	5.74	3.95	10.1
6	10.4	9.30	9.58	19.5	22.9	15.0	9.86	1.00	.715	5.22	3.76	9.86
7	9.86	9.58	9.30	17.6	22.5	14.6	9.86	.875	.680	4.46	3.56	9.30
8	8.74	9.86	9.30	18.0	22.1	14.3	9.58	.750	.645	3.95	3.56	9.02
9	8.74	10.1	9.02	18.0	21.6	13.9	9.58	.715	.610	5.22	3.37	9.02
10	7.62	10.1	9.02	17.6	22.1	13.9	9.58	.715	.610	5.48	2.78	8.74
11	7.06	10.4	8.74	17.6	22.9	13.5	9.58	.680	.610	4.72	2.59	8.18
12	6.78	10.4	9.02	17.2	18.7	13.2	9.30	.680	1.63	4.46	2.78	7.62
13	6.50	10.7	9.30	16.8	19.1	12.8	9.30	.645	11.0	3.95	2.59	7.34
14	6.24	11.0	9.58	17.6	18.7	12.8	9.30	.645	10.1	3.76	2.39	9.86
15	5.99	10.7	9.86	18.0	22.1	12.5	6.24	.610	7.06	3.76	2.39	18.7
16	5.48	11.0	9.86	18.0	21.2	12.1	6.24	.645	3.56	8.74	2.19	15.7
17	5.22	10.7	10.1	17.6	20.8	12.1	5.74	.610	2.78	10.1	2.59	12.1
18	4.97	10.7	10.4	16.5	20.4	11.8	5.22	.610	2.39	9.86	2.59	9.02
19	4.72	10.7	10.4	16.1	19.9	11.8	4.72	.575	2.39	11.3	12.8	8.46
20	4.46	11.0	10.4	15.7	19.5	11.5	4.20	.575	12.8	10.1	13.2	7.90
21	4.46	11.8	10.7	16.5	19.1	11.5	3.76	.575	9.30	9.02	22.9	9.30
22	4.46	12.1	10.7	17.2	18.7	11.3	3.37	.575	7.34	8.18	18.0	8.46
23	4.46	11.8	10.4	17.6	18.4	11.3	3.17	.610	9.02	7.34	39.3	8.46
24	3.95	11.5	10.4	17.6	18.0	11.0	2.97	.610	13.5	6.78	35.7	15.7
25	5.99	11.3	11.0	18.0	17.6	11.0	2.78	.610	11.5	6.24	23.8	23.8
26	6.50	11.0	11.8	18.0	17.2	10.7	2.59	.645	9.86	5.74	21.6	22.9
27	8.74	10.7	11.8	18.4	16.8	10.7	2.39	.610	17.6	5.22	21.2	15.7
28	8.46	10.4	12.1	18.4	17.2	10.4	2.19	.575	14.6	4.72	21.2	12.8
29	8.46	10.1	12.5	18.7	18.0	10.4	2.00	.575	11.0	4.72	20.8	10.4
30	9.02		13.2	18.7	18.0	10.1	1.88	.540	9.30	5.22	20.4	9.30
31	8.74		13.9		17.2		1.75	.540		5.48		9.30
SD1	13.7	9.21	9.41	18.7	21.4	15.2	9.85	1.09	.610	5.67	3.98	12.2
SD2	5.74	10.7	9.77	17.1	20.3	12.4	6.98	.627	5.43	7.07	4.61	10.5
SD3	6.66	11.2	11.7	17.9	17.8	10.8	2.62	.588	11.3	6.24	24.5	13.3
MAX	22.1	12.1	13.9	23.8	23.8	16.8	10.1	1.63	17.6	11.3	54.5	23.8
DAT	1	22	31	3	5	1	3	1	27	19	23	25
SR	8.62	10.3	10.3	17.9	19.8	12.8	6.36	.764	5.78	6.33	11.0	12.0
MIN	3.95	8.46	8.74	14.3	16.8	10.1	1.75	.540	.540	3.76	2.19	7.34
DAT	24	1	11	1	27	30	31	30	1	14	16	13
GMIN =		.540		SRGOD=		10.2		GMAX =		54.5		
DATUM		30 8						DATUM		23 11		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1997

Broj           : 45825                      Stanica :ANDRIJEVICA                      Kota "0" = 742.00  
Nacin osmat.: letva                      Rijeka :ZLORECICA                      km od usca = 1.60  
Pocetak rada: 1985                      Sliv :LIMA                                      Pov.sliva = 169.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	10.3	1.13	1.63	1.75	9.02	6.83	1.00	.355	.325	.310	1.13	2.72
2	11.8	1.13	1.50	1.63	8.70	6.56	1.00	.400	.325	.310	1.13	2.72
3	12.9	1.13	1.38	1.75	10.3	6.29	.875	.400	.325	.325	1.00	3.68
4	12.6	1.00	1.38	1.63	12.0	6.29	.750	.385	.310	.310	.750	5.21
5	16.1	1.00	1.75	1.63	16.1	6.56	.715	.385	.310	.310	.750	4.16
6	13.2	1.00	1.88	1.50	18.3	8.06	.680	.370	.310	.325	.715	3.20
7	11.8	.875	1.75	1.50	23.2	7.74	.680	.370	.310	.310	2.96	2.72
8	10.3	.750	1.75	1.38	42.0	6.83	.645	.385	.310	.310	2.48	2.48
9	9.34	.715	1.63	1.38	63.5	6.83	.645	.385	.310	.325	2.48	2.00
10	7.74	.715	1.50	1.25	34.3	6.56	.610	.370	.310	.310	4.40	1.88
11	7.10	.680	1.38	1.50	21.5	6.56	.610	.370	.310	.310	16.1	1.75
12	6.02	.680	1.25	2.24	19.8	6.29	.575	.355	.310	.540	11.8	1.50
13	4.94	.680	1.13	2.00	22.8	6.29	.575	.340	.310	2.00	8.38	3.92
14	4.40	.750	1.13	1.75	24.6	6.02	.540	.340	.310	3.20	18.7	3.44
15	3.44	.715	1.13	1.75	25.0	5.75	.505	.340	.310	6.02	13.9	3.20
16	3.20	2.96	1.00	1.88	24.1	5.75	.505	.340	.310	3.44	10.3	2.48
17	3.20	1.38	1.00	1.63	18.7	5.48	.470	.325	.325	1.75	7.10	2.48
18	2.96	1.13	1.13	1.50	18.3	4.67	.505	.325	.310	1.63	6.02	2.00
19	2.00	1.13	1.00	1.38	18.3	4.16	.505	.325	.325	1.38	4.94	1.75
20	2.00	1.00	6.29	1.50	19.1	3.68	.470	.340	.310	1.13	4.67	1.63
21	1.88	.875	4.94	1.88	18.7	3.20	.435	.340	.325	1.00	6.56	2.48
22	1.75	.750	4.40	10.3	18.3	2.48	.435	.340	.310	.750	3.44	10.3
23	1.63	.750	3.44	20.6	16.8	2.00	.400	.325	.325	.750	2.48	9.34
24	1.63	.715	2.96	12.9	13.9	1.75	.400	.325	.310	4.40	3.44	7.10
25	1.50	.715	2.72	10.6	12.0	1.50	.385	.325	.310	3.92	2.48	5.75
26	1.50	.750	2.24	9.02	9.66	1.38	.385	.325	.310	3.20	3.44	5.21
27	1.38	1.50	2.00	7.10	7.74	1.25	.385	.310	.310	1.75	3.20	5.48
28	1.38	1.63	1.88	9.66	7.10	1.25	.370	.310	.310	1.75	3.20	5.75
29	1.25		2.48	8.70	6.56	1.13	.370	.310	.310	1.50	2.96	5.48
30	1.13		2.24	9.98	8.38	1.13	.370	.310	.310	1.38	2.96	4.94
31	1.13		2.00		7.42		.355	.310		1.25		4.67
SD1	11.6	.944	1.62	1.54	23.7	6.86	.760	.380	.314	.315	1.78	3.08
SD2	3.93	1.11	1.64	1.71	21.2	5.46	.526	.340	.313	2.14	10.2	2.41
SD3	1.47	.961	2.85	10.1	11.5	1.71	.390	.321	.313	1.97	3.42	6.05
MAX	16.1	2.96	6.29	20.6	79.3	8.06	1.00	.400	.295	6.02	18.7	10.3
DAT	5	16	20	23	9	6	1	2	1	15	14	22
SR	5.53	1.01	2.06	4.44	18.6	4.68	.553	.346	.314	1.49	5.13	3.92
MIN	1.13	.680	1.00	1.25	6.56	1.13	.355	.310	.310	.310	.715	1.50
DAT	30	11	16	10	29	29	31	27	4	1	6	12
GMIN =		.310		SRGOD=		4.03		GMAX =		79.3		
DATUM		27 8						DATUM		9 5		

ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I P R E G L E D P R O T I C A J A  
1998

Broj : 45825 Stanica :ANDRIJEVICA Kota "0" = 742.00  
Nacin osmat.: letva Rijeka :ZLORECICA km od usca = 1.60  
Pocetak rada: 1985 Sliv :LIMA Pov.sliva = 169.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	4.40	.680	.875	.610	11.5	5.75	4.16	1.25	.610	9.34	9.02	3.92
2	3.68	.680	.875	.610	11.5	5.75	4.16	.750	.400	9.98	7.42	3.68
3	3.44	.645	.875	.575	11.5	5.75	4.16	.750	.400	9.98	6.83	3.44
4	2.96	.645	.750	.610	18.7	5.48	3.92	.750	.400	12.0	6.83	11.5
5	2.96	.645	.750	1.00	39.4	5.48	3.92	.750	.540	11.5	6.56	12.3
6	2.72	.610	.750	3.20	25.0	5.48	3.92	1.25	.540	10.6	6.56	13.9
7	2.72	.610	.750	3.92	20.6	5.21	.875	1.25	.400	9.98	16.8	12.9
8	2.24	.610	.715	6.29	19.5	5.21	.875	1.25	.400	8.38	15.7	12.9
9	2.00	.610	2.00	9.66	18.7	5.21	2.00	1.25	.610	7.10	13.6	13.2
10	1.75	.575	2.48	18.7	16.8	4.94	1.50	.750	.610	14.6	13.2	8.06
11	1.75	.575	2.00	62.6	15.0	4.94	1.38	.750	.750	16.8	12.6	7.10
12	1.63	.610	1.63	97.6	13.2	5.21	1.25	.750	.715	16.1	12.6	7.10
13	1.50	.575	1.50	33.2	11.8	5.21	1.00	.750	2.00	13.2	12.6	7.10
14	1.38	.610	1.38	20.6	11.5	4.94	1.00	.750	20.6	14.6	10.3	4.94
15	1.38	.610	1.25	20.6	11.5	4.94	1.00	.715	16.8	13.2	10.3	4.40
16	1.25	.680	1.25	20.2	10.9	4.94	1.00	.715	13.2	6.83	10.3	3.68
17	1.25	1.50	1.25	20.2	10.9	4.94	1.00	.575	12.9	8.06	12.9	3.44
18	1.25	1.38	1.13	19.8	10.3	4.67	.875	.575	10.3	7.74	12.0	3.44
19	1.13	1.38	1.13	19.8	9.66	4.67	.750	.575	7.10	7.74	11.5	3.44
20	1.50	1.38	1.00	19.5	9.66	4.67	.750	.575	7.10	7.74	12.0	2.96
21	1.38	1.25	1.00	18.3	6.83	4.40	.750	.575	7.10	10.3	9.66	2.72
22	1.25	1.13	.875	17.2	6.83	4.40	.750	.575	9.34	10.3	7.74	2.72
23	1.13	1.13	.875	15.7	6.56	4.40	.715	.575	8.06	10.3	7.74	2.48
24	1.00	1.00	.750	14.3	6.56	4.40	.680	.540	6.29	9.98	9.02	2.24
25	.750	1.00	.715	13.2	6.56	4.40	.680	.540	7.10	9.98	5.75	2.24
26	.750	1.00	.715	12.0	6.29	4.40	.610	.540	7.74	10.9	7.10	2.24
27	.750	1.00	.680	12.0	6.29	4.40	.610	.505	7.10	8.38	4.94	1.88
28	.715	.875	.680	11.8	6.29	4.16	.610	.505	7.10	7.10	4.94	1.88
29	.715		.645	11.8	6.02	4.16	.610	.750	12.9	7.10	4.40	1.63
30	.715		.645	11.8	6.02	4.16	1.25	.645	12.9	7.42	4.40	.680
31	.680		.610		5.75		1.25	.610		7.42		.645
SD1	2.89	.631	1.08	4.52	19.3	5.43	2.95	1.00	.491	10.3	10.3	9.58
SD2	1.40	.930	1.35	33.4	11.4	4.91	1.00	.673	9.15	11.2	11.7	4.76
SD3	.894	1.05	.745	13.8	6.36	4.33	.774	.578	8.56	9.02	6.57	1.94
MAX	4.40	1.50	2.00	146	39.4	5.75	4.16	1.25	20.6	16.8	16.8	13.9
DAT	1	17	9	12	5	1	1	1	14	11	7	6
SR	1.70	.857	1.05	17.2	12.2	4.89	1.55	.745	6.07	10.2	9.51	5.31
MIN	.680	.575	.610	.575	5.75	4.16	.610	.505	.400	6.83	4.40	.645
DAT	31	10	31	3	31	28	26	27	2	16	29	31
GMIN =		.400		SRGOD=		5.94		GMAX =		146		
DATUM		2 9						DATUM		12 4		

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
1999

Broj : 45825                      Stanica :ANDRIJEVICA                      Kota "0" = 742.00  
Nacin osmat.: letva              Rijeka :ZLORECICA                      km od usca = 1.60  
Pocetak rada: 1985              Sliv :LIMA                      Pov.sliva = 169.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	.750	5.75	8.06	9.34	22.4	19.1	8.38	1.75	.610	.470	.750	4.40
2	1.75	5.75	8.06	9.02	23.2	18.7	8.06	1.63	.645	.470	.750	3.92
3	3.44	5.48	7.74	9.34	25.5	18.7	8.06	1.38	.875	.470	.750	3.44
4	4.40	5.21	7.74	9.02	26.9	17.2	7.74	1.25	.715	.470	.715	3.20
5	4.40	5.21	14.3	9.02	25.9	16.1	7.10	1.25	.680	.505	.715	3.44
6	4.94	5.21	15.0	8.70	23.2	15.0	6.83	1.13	.645	.540	.715	5.75
7	5.21	5.48	16.8	8.70	21.0	13.2	6.56	1.13	.645	.540	.680	5.48
8	5.21	5.48	15.7	10.3	16.8	12.9	5.75	1.00	.610	.575	.680	4.40
9	4.94	5.75	12.0	13.2	20.6	12.6	6.02	1.00	.610	.575	.680	3.92
10	4.94	10.3	11.8	15.0	21.0	11.8	6.29	.875	.610	.575	.715	4.40
11	5.21	12.9	10.9	15.0	20.6	11.5	6.02	.750	.575	.575	.715	7.10
12	13.2	11.8	11.2	15.4	20.2	10.9	5.75	.750	.575	.575	.715	7.10
13	13.2	10.3	10.9	15.4	21.9	10.6	5.48	.715	.575	.575	.715	8.70
14	13.9	8.70	10.9	16.1	22.8	10.3	5.21	.715	.540	.540	.715	12.0
15	13.2	8.06	10.9	14.6	23.2	9.98	4.94	.680	.540	.505	.715	16.4
16	12.0	6.83	11.2	15.0	25.0	9.98	4.94	.680	.540	.505	.750	42.0
17	10.9	6.56	11.2	25.5	22.8	9.98	4.67	.680	.505	.505	1.50	78.0
18	10.3	6.29	10.6	30.9	20.6	9.02	4.40	.645	.505	.575	1.50	57.8
19	9.66	6.02	9.98	20.6	20.6	9.02	4.40	.645	.505	.750	6.56	29.7
20	8.70	6.02	9.34	20.2	20.2	8.70	4.16	.645	.505	1.00	12.0	30.9
21	8.38	6.02	9.02	19.8	21.5	8.70	4.16	.610	.610	1.00	12.6	30.9
22	7.10	6.83	8.38	19.5	21.5	15.0	3.92	.610	.575	1.00	16.1	21.0
23	6.83	15.0	7.74	21.5	21.0	14.6	3.68	.610	.540	.750	16.1	16.8
24	6.56	14.6	7.42	20.6	21.0	12.0	3.68	.610	.505	1.25	13.2	13.2
25	6.02	10.3	7.42	20.6	20.6	10.6	4.16	.575	.505	1.88	10.3	11.8
26	6.29	9.66	7.10	21.9	20.6	9.98	4.67	.575	.505	1.63	8.70	10.3
27	6.29	9.02	7.10	20.6	20.2	9.34	1.88	.575	.540	1.25	7.10	25.0
28	6.56	8.38	8.06	20.6	19.8	9.02	1.38	.575	.505	1.13	6.02	57.8
29	6.56		8.70	21.0	19.5	8.70	3.20	.540	.505	1.00	5.48	35.5
30	6.29		9.02	21.5	19.5	8.70	1.88	.540	.505	.875	4.94	25.0
31	6.02		9.02		19.1		1.75	.575		.750		20.6
SD1	4.00	5.96	11.7	10.2	22.7	15.5	7.08	1.24	.665	.519	.715	4.23
SD2	11.0	8.35	10.7	18.9	21.8	10.00	5.00	.690	.537	.610	2.59	29.0
SD3	6.63	9.98	8.09	20.8	20.4	10.7	3.12	.581	.530	1.14	10.1	24.4
MAX	13.9	15.0	16.8	30.9	26.9	19.1	8.38	1.75	.715	1.88	16.1	113
DAT	14	23	7	18	4	1	1	1	4	25	22	17
SR	7.20	7.96	10.1	16.6	21.6	12.1	5.00	.829	.577	.768	4.45	19.4
MIN	.750	5.21	7.10	8.70	16.8	8.70	1.38	.540	.505	.470	.680	3.20
DAT	1	4	26	6	8	20	28	29	17	1	7	4
		GMIN = .470		SRGOD= 8.89		GMAX = 113						
		DATUM 1 10				DATUM 17 12						

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
2000

Broj : 45825                      Stanica :ANDRIJEVICA                      Kota "0" = 742.00  
Nacin osmat.: letva              Rijeka :ZLORECICA                      km od usca = 1.60  
Pocetak rada: 1985              Sliv :LIMA                      Pov.sliva = 169.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	13.2	1.50	1.25	9.66	25.0	2.96	.610	.355	4.40	.400	.575	2.00
2	10.3	1.50	2.00	9.66	25.0	2.00	.540	.355	.750	.575	.575	2.00
3	10.3	1.50	2.00	10.3	16.8	2.00	.540	.355	.400	1.38	.575	2.00
4	10.3	1.38	2.00	15.0	13.2	2.00	.540	.355	.400	1.00	.610	2.00
5	10.3	1.38	2.00	51.9	13.2	1.75	.540	.340	3.92	.750	.750	2.00
6	7.10	1.38	2.00	42.0	13.2	1.75	.470	.340	3.92	.680	.750	1.75
7	5.48	1.38	2.00	25.0	13.2	1.75	.470	.340	1.00	.680	2.00	1.75
8	5.48	1.38	1.75	18.7	13.2	1.75	.470	.340	.680	.680	25.0	1.50
9	5.48	1.50	1.75	13.2	11.8	1.75	.400	.325	.400	.610	20.6	1.50
10	4.40	1.75	1.75	12.6	10.3	1.50	.400	.325	.400	.610	11.8	1.50
11	4.40	1.75	2.48	11.8	10.3	1.25	.400	.325	.400	.610	7.10	1.50
12	4.40	1.75	3.44	12.0	10.3	1.25	.400	.325	.400	.610	5.48	1.50
13	4.40	1.75	3.44	12.0	10.3	1.25	.400	.325	.400	.610	4.40	1.38
14	3.20	1.75	3.44	12.0	8.70	1.25	.400	.325	.385	.575	3.44	1.38
15	3.20	1.50	3.44	12.6	8.70	1.25	.400	.325	.385	.575	3.20	1.25
16	2.96	1.50	3.44	13.2	8.70	1.25	.750	.325	.385	.575	3.20	2.96
17	2.96	6.02	2.96	13.2	7.74	1.00	.680	.325	.385	.575	2.00	2.00
18	2.48	3.92	2.96	16.8	7.10	.750	.610	.325	.385	.575	2.00	2.00
19	2.48	3.44	2.48	18.7	6.56	.750	.610	.325	.470	.575	7.10	1.25
20	2.00	2.96	2.00	19.8	6.02	.750	.610	.325	1.38	.575	4.40	1.25
21	2.00	2.00	2.00	19.8	5.75	.715	.400	.325	.750	.540	4.40	1.25
22	2.00	1.75	2.00	22.8	5.75	.715	.400	.325	.575	.540	3.92	1.25
23	2.00	1.75	1.75	22.4	4.94	.680	.385	.325	.680	.540	2.96	1.25
24	1.88	1.50	1.50	20.6	4.94	.680	.385	.310	.680	.540	2.96	1.25
25	1.88	1.50	1.50	20.6	4.40	.680	.385	.310	.680	.470	2.96	.750
26	1.88	1.50	2.00	15.0	4.40	.680	.370	.310	.575	.470	2.96	3.92
27	1.88	1.50	3.92	15.0	3.92	.680	.370	.310	.400	.470	4.40	25.0
28	1.38	1.50	6.02	15.0	2.96	.680	.355	.310	.400	.470	3.44	91.4
29	1.38	1.25	6.02	22.8	2.96	.610	.355	.310	.400	.470	2.96	49.4
30	1.38		8.38	22.8	2.96	.610	.355	.340	.400	.575	2.96	29.7
31	1.38		10.3		2.48		.355	.340		.575		25.0
SD1	8.23	1.47	1.85	20.8	15.5	1.92	.498	.343	1.63	.736	6.32	1.80
SD2	3.25	2.63	3.01	14.2	8.44	1.08	.526	.325	.498	.585	4.23	1.65
SD3	1.73	1.58	4.13	19.7	4.13	.673	.374	.320	.554	.515	3.39	20.9
MAX	13.2	6.02	10.3	51.9	25.0	2.96	.750	.355	4.40	1.38	25.0	132
DAT	1	17	31	5	1	1	16	1	1	3	8	28
SR	4.32	1.90	3.03	18.2	9.19	1.22	.463	.329	.893	.609	4.65	8.54
MIN	1.38	1.25	1.25	9.66	2.48	.610	.355	.310	.385	.400	.575	.750
DAT	28	29	1	1	31	29	28	24	14	1	1	25
GMIN =		.310		SRGOD=		4.44		GMAX =		132		
DATUM		24 8						DATUM		28 12		



## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
2001

Broj : 45825                      Stanica :ANDRIJEVICA                      Kota "0" = 742.00  
 Nacin osmat.: letva              Rijeka :ZLORECICA                      km od usca = 1.60  
 Pocetak rada: 1985              Sliv :LIMA                      Pov.sliva = 169.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	20.6	13.9	1.75	7.74	13.9	5.48	1.00	.400	.325	.750	.370	3.92
2	20.6	12.3	2.48	6.56	13.9	4.94	1.00	.400	.340	.680	.370	2.96
3	16.8	10.9	7.10	5.48	13.9	3.92	.750	.370	.340	.680	.370	2.00
4	11.8	7.74	15.4	5.48	13.9	10.3	.750	.370	.340	.610	.370	2.00
5	7.10	7.74	16.8	4.94	13.2	7.10	.750	.370	.340	.610	.370	1.75
6	7.10	7.74	16.8	4.94	12.6	6.56	.680	.370	.370	.610	.340	1.50
7	7.10	4.94	13.2	4.40	12.6	6.02	.680	.370	.370	.540	.340	1.25
8	4.94	4.94	10.3	5.75	15.0	4.94	.680	.370	.370	.540	.340	1.25
9	13.2	4.40	8.70	5.75	15.0	3.92	.610	.370	.680	.470	.340	.750
10	10.3	4.40	6.56	5.75	13.2	3.92	.610	.370	2.00	.470	2.00	.750
11	8.70	3.92	6.56	5.48	13.2	3.92	.610	.370	3.44	.470	1.50	.750
12	7.10	3.44	6.02	5.48	11.8	3.44	.610	.370	.750	.400	.750	.680
13	5.75	2.96	6.02	6.02	10.3	3.44	.610	.370	.610	.400	4.40	.680
14	4.40	2.96	6.02	6.02	8.70	2.96	.540	.370	.540	.400	18.7	.680
15	4.40	2.96	6.02	6.02	8.38	2.96	.540	.370	.470	.400	9.66	.680
16	3.92	2.00	6.56	6.02	8.70	2.00	.540	.370	.610	.370	6.56	.610
17	3.92	2.00	6.56	6.02	8.70	2.00	.540	.340	1.75	.370	3.92	.610
18	3.92	2.00	6.56	9.66	8.70	2.00	.540	.340	10.3	.370	3.44	.610
19	3.20	2.00	6.56	9.66	8.70	2.00	.540	.340	5.75	.370	3.44	.610
20	3.20	2.00	9.02	10.3	8.70	2.00	.505	.340	3.92	.370	3.44	.610
21	3.20	2.00	7.10	16.8	8.70	2.00	.470	.340	2.00	.370	2.48	.610
22	2.00	1.75	8.70	25.0	8.70	1.75	.470	.340	1.50	.370	2.48	.610
23	2.00	1.75	13.9	25.0	9.02	1.75	.470	.340	1.25	.370	2.72	.540
24	2.00	1.75	11.8	13.2	7.10	1.50	.470	.340	.750	.370	2.00	.540
25	2.00	1.75	13.2	11.8	7.10	1.50	.470	.340	1.25	.400	2.00	.540
26	2.00	1.75	13.2	11.8	7.10	1.25	.470	.340	.750	.400	1.75	.540
27	7.10	1.75	13.2	12.6	6.56	1.25	.470	.340	1.25	.400	1.50	.540
28	9.66	1.75	13.9	12.6	6.02	1.00	.470	.340	1.25	.370	3.92	.540
29	22.8		10.9	12.0	6.02	1.00	.400	.340	1.00	.370	6.56	.540
30	25.0		10.3	12.0	5.48	1.00	.400	.325	.750	.370	4.40	.540
31	25.0		8.70		5.48		.400	.325		.370		.540
SD1	12.0	7.90	9.91	5.68	13.7	5.71	.751	.376	.548	.596	.521	1.81
SD2	4.85	2.62	6.59	7.07	9.59	2.67	.558	.358	2.81	.392	5.58	.652
SD3	9.34	1.78	11.4	15.3	7.03	1.40	.451	.337	1.17	.378	2.98	.553
MAX	25.0	13.9	16.8	38.8	13.9	10.3	1.00	.400	10.3	.750	18.7	3.92
DAT	30	1	5	22	1	4	1	1	18	1	14	1
SR	8.74	4.27	9.35	9.34	10.0	3.26	.582	.356	1.51	.453	3.03	.991
MIN	2.00	1.75	1.75	4.40	5.48	1.00	.400	.325	.325	.370	.340	.540
DAT	22	22	1	7	30	28	29	30	1	16	6	23
		GMIN = .325		SRGOD= 4.33		GMAX = 38.8						
		DATUM 30 8				DATUM 22 4						

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
2002

Broj : 45825                      Stanica :ANDRIJEVICA                      Kota "0" = 742.00  
Nacin osmat.: letva              Rijeka :ZLORECICA                      km od usca = 1.60  
Pocetak rada: 1985              Sliv :LIMA                      Pov.sliva = 169.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	.610	1.25	2.00	2.00	6.02	1.50	.400	.370	.385	6.56	1.50	2.48	
2	.610	1.25	2.00	2.00	6.02	1.25	.370	.370	.385	6.02	1.50	3.92	
3	.610	1.25	2.48	2.00	7.10	1.25	.370	.370	.385	6.02	1.50	4.40	
4	.610	1.25	3.44	2.48	7.74	1.25	.370	.370	.400	5.21	2.96	4.40	
5	.610	1.25	3.92	2.96	7.74	1.25	.370	.370	.400	4.40	4.94	4.40	
6	.610	1.25	3.92	2.96	6.56	1.00	.370	.370	.400	4.40	3.92	3.92	
7	.610	1.50	3.92	2.96	6.02	.750	.355	2.00	.400	3.92	3.44	3.92	
8	.610	1.50	5.48	2.00	5.48	.750	.355	.750	.400	3.92	2.48	3.44	
9	.610	1.50	5.48	2.00	5.48	.750	.340	.610	.400	3.44	2.00	3.20	
10	.610	1.50	5.48	2.00	5.48	.750	.340	.575	.400	2.72	2.00	2.48	
11	.540	1.50	6.02	2.48	4.94	.750	.340	.540	.400	10.3	1.75	2.00	
12	.540	1.50	4.94	3.44	4.94	.715	.355	.540	.400	42.0	1.50	2.00	
13	.540	1.50	3.92	25.0	4.94	.680	.355	.540	.370	29.7	5.75	2.00	
14	.540	1.25	3.44	25.0	3.92	.680	.340	.540	.370	20.6	10.3	1.75	
15	.540	1.25	3.44	16.8	3.92	.680	.340	.540	.370	16.1	6.56	1.75	
16	.540	1.25	3.44	15.4	3.92	.610	.340	.470	.370	12.0	6.02	1.75	
17	.540	1.25	3.92	13.2	3.44	.610	.340	.470	.370	9.66	4.94	1.75	
18	.540	1.25	3.92	12.0	2.96	.540	.370	.470	.370	7.10	4.40	1.75	
19	.540	6.02	3.92	10.3	2.96	.540	.370	.400	.370	6.02	4.40	1.75	
20	.540	6.02	4.40	9.66	2.96	.540	.340	.400	.370	5.48	3.44	1.75	
21	.540	4.94	4.94	9.02	2.00	.470	.340	.370	.370	4.67	3.44	1.75	
22	.540	4.40	6.56	8.38	2.00	.470	.340	.370	.370	4.40	2.96	1.75	
23	.540	3.92	6.02	7.74	2.00	.470	.340	.370	.470	3.92	3.92	1.50	
24	.505	3.44	5.48	7.10	2.00	.610	.400	.370	2.00	3.92	3.44	1.50	
25	.505	2.96	4.40	7.10	1.75	.540	.400	.370	3.92	4.94	3.44	1.50	
26	.505	2.96	3.44	6.02	1.50	.470	.470	.370	6.56	4.40	2.48	1.25	
27	.505	2.48	2.96	6.02	1.50	.470	.470	.370	7.10	3.92	2.48	1.25	
28	.610	2.48	2.48	6.56	1.50	.470	.470	.370	4.40	2.96	2.00	1.25	
29	.610		2.48	6.02	1.75	.470	.470	.370	4.40	2.00	2.00	6.02	
30	.680		2.00	6.02	1.75	.470	.400	.370	5.48	2.00	1.75	4.94	
31	.875		2.00		1.75		.370	.370		2.00		4.40	
SD1	.610	1.35	3.81	2.34	6.36	1.05	.364	.616	.396	4.66	2.62	3.66	
SD2	.540	2.28	4.14	13.3	3.89	.635	.349	.491	.376	15.9	4.91	1.83	
SD3	.583	3.45	3.89	7.00	1.77	.491	.406	.370	3.51	3.56	2.79	2.46	
MAX	.875	6.02	6.56	25.0	7.74	1.50	.470	2.00	7.10	69.4	10.3	6.02	
DAT	31	19	22	13	4	1	26	7	27	12	14	29	
SR	.578	2.28	3.94	7.55	3.94	.725	.374	.488	1.43	7.89	3.44	2.64	
MIN	.505	1.25	2.00	2.00	1.50	.470	.340	.370	.370	2.00	1.50	1.25	
DAT	24	1	1	1	26	21	9	1	13	29	1	26	
		GMIN =		.340		SRGOD=		2.94		GMAX =		69.4	
		DATUM		9 7						DATUM		12 10	

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
2003

Broj : 45825                      Stanica :ANDRIJEVICA                      Kota "0" = 742.00  
Nacin osmat.: letva              Rijeka :ZLORECICA                      km od usca = 1.60  
Pocetak rada: 1985              Sliv :LIMA                      Pov.sliva = 169.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	4.40	12.6	.610	6.56	7.10	4.94	.680	.370	.370	.370	42.0	4.67
2	4.94	12.0	.540	7.10	7.10	4.16	.680	.370	.370	.385	49.4	2.96
3	4.40	11.5	.400	7.74	8.38	3.92	.680	.370	.370	.385	114	2.00
4	6.56	10.9	.435	7.10	9.02	3.44	.680	.370	.370	.435	38.8	1.88
5	6.02	10.3	.470	7.10	9.02	3.20	.610	.370	.355	.505	22.8	1.38
6	6.02	10.3	.470	7.42	8.70	2.96	.610	.370	.355	25.0	13.2	1.25
7	6.02	9.02	.540	7.42	8.38	2.96	.610	.355	.355	10.9	10.9	1.38
8	5.48	8.38	.540	7.74	7.74	2.48	.610	.355	.355	4.94	8.38	1.25
9	5.48	6.56	.540	7.74	7.74	2.24	.610	.355	.385	7.10	7.10	.875
10	4.94	6.56	.540	8.06	7.74	2.00	.610	.355	1.50	6.02	5.75	.875
11	4.94	6.02	.505	8.06	7.10	1.88	.575	.355	.400	3.92	3.92	.750
12	4.40	5.75	.470	7.10	7.10	1.75	.575	.355	.400	3.20	3.20	.715
13	3.92	5.48	.540	8.06	7.10	1.50	.575	.370	.540	2.96	2.96	.680
14	3.92	3.68	.575	7.74	6.56	1.50	.575	.370	.540	2.72	2.00	.680
15	3.68	3.68	.575	7.10	6.02	1.63	.540	.355	.470	1.50	2.00	.680
16	3.44	3.44	.610	7.10	6.02	1.50	.540	.355	.385	1.50	1.75	.680
17	2.00	2.00	.610	6.56	5.48	1.25	.540	.355	.370	1.25	1.38	.680
18	2.00	1.75	.575	7.10	5.48	1.25	.505	.355	.370	1.25	1.00	.680
19	1.88	1.75	.575	8.38	6.02	2.96	.470	.355	.370	1.50	.750	.680
20	1.88	1.75	.540	9.66	5.75	1.75	.470	.355	.355	2.48	.750	.750
21	1.88	2.00	.470	10.9	5.75	1.13	.470	.355	.355	19.1	.715	1.75
22	1.75	2.00	.400	11.5	6.02	1.00	.400	.355	.355	20.6	.680	2.00
23	1.75	1.63	.400	12.0	6.29	.750	.385	.355	.355	73.7	.680	2.48
24	1.63	1.38	.470	9.66	6.56	.750	.385	.355	.355	38.8	.875	2.48
25	1.63	1.50	.540	9.34	6.83	1.00	.385	.355	.355	27.4	.875	2.00
26	4.16	.750	.610	9.02	6.83	1.00	.385	.355	.355	16.8	1.00	1.63
27	11.5	.750	1.00	8.38	6.02	1.00	.370	.355	.355	12.9	1.50	1.50
28	12.6	.680	1.25	7.74	6.56	.875	.370	.355	.355	18.7	2.00	1.38
29	16.4		1.75	7.10	6.56	.750	.370	.355	.355	13.2	5.48	1.25
30	15.4		3.68	7.10	6.56	.680	.370	.370	.370	35.5	5.75	1.13
31	12.0		6.56		5.48		.370	.370		45.7		1.00
SD1	5.43	9.81	.508	7.40	8.09	3.23	.638	.364	.478	5.60	31.2	1.85
SD2	3.21	3.53	.558	7.69	6.26	1.70	.536	.358	.420	2.23	1.97	.697
SD3	7.34	1.34	1.56	9.27	6.31	.894	.387	.358	.356	29.3	1.96	1.69
MAX	16.4	12.6	6.56	12.0	9.02	4.94	.680	.370	1.50	73.7	168	4.67
DAT	29	1	31	23	5	1	1	1	10	23	3	1
SR	5.39	5.15	.896	8.12	6.87	1.94	.516	.360	.418	12.9	11.7	1.42
MIN	1.63	.680	.400	6.56	5.48	.680	.370	.355	.355	.370	.680	.680
DAT	24	28	3	1	17	30	27	7	5	1	22	13
GMIN =			.355	SRGOD=			4.63	GMAX =			168	
DATUM			7 8					DATUM			3 11	

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
2004

Broj : 45825                      Stanica :ANDRIJEVICA                      Kota "0" = 742.00  
Nacin osmat.: letva              Rijeka :ZLORECICA                      km od usca = 1.60  
Pocetak rada: 1985              Sliv :LIMA                      Pov.sliva = 169.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII
1	2.10	3.20	5.75	6.29	12.4	12.7	2.70	1.28	1.32	1.28	1.36	8.30
2	2.10	2.90	6.02	6.02	14.1	12.4	2.70	1.24	1.32	1.28	1.32	29.7
3	1.90	2.80	5.75	6.02	14.1	12.1	2.40	1.36	1.28	1.24	1.28	54.4
4	1.85	2.60	5.75	6.29	15.1	12.1	1.85	1.24	1.28	1.24	1.24	49.4
5	1.80	2.40	8.00	8.00	15.1	11.4	1.75	1.24	1.28	1.24	1.24	35.5
6	1.75	2.10	9.20	8.90	16.5	11.4	1.70	1.24	1.28	1.24	1.28	22.8
7	1.75	2.60	9.50	10.8	23.2	11.4	1.65	1.24	1.28	1.24	1.40	18.3
8	1.65	2.60	6.29	17.6	37.5	11.1	1.60	1.24	1.28	1.24	1.50	15.4
9	1.65	2.50	3.95	23.2	36.8	10.8	1.55	1.24	1.32	1.24	1.50	10.8
10	1.60	2.50	3.35	19.5	30.3	10.8	1.50	1.24	1.28	1.24	1.50	8.60
11	1.60	2.70	3.05	27.8	23.2	9.80	1.36	1.28	1.28	1.24	1.60	7.10
12	1.60	2.80	3.05	33.8	15.4	9.20	1.36	1.28	1.28	1.28	6.29	6.02
13	1.75	2.80	2.80	30.9	13.4	7.70	1.32	1.28	1.24	1.28	20.6	4.67
14	4.94	2.80	3.20	29.7	12.7	8.60	1.28	1.28	1.24	1.32	12.1	4.10
15	6.29	2.90	3.35	22.4	12.1	4.94	1.24	1.28	1.24	1.70	7.10	3.80
16	4.25	2.80	3.95	20.6	11.8	4.40	1.24	1.32	1.24	4.94	5.48	3.80
17	4.10	2.70	4.25	13.4	10.1	4.40	1.28	1.32	1.24	4.25	4.40	3.80
18	8.00	2.80	4.67	12.7	8.90	4.10	1.24	1.32	1.24	3.80	3.50	6.56
19	15.1	2.70	5.48	13.1	8.60	4.25	1.24	1.32	1.24	2.90	7.10	4.40
20	12.4	2.70	7.10	13.4	8.30	4.25	1.24	1.32	1.24	3.20	5.48	4.10
21	8.30	2.70	8.60	13.1	8.00	4.10	1.24	1.32	1.24	2.80	3.80	3.50
22	6.29	2.40	11.1	12.4	8.00	4.10	1.24	1.32	1.24	2.30	3.80	3.20
23	5.48	2.80	11.1	10.1	7.70	3.95	1.24	1.32	1.24	1.90	3.20	2.90
24	4.10	2.80	11.1	10.1	7.70	3.95	1.24	1.28	1.24	1.75	2.90	2.90
25	3.65	2.90	10.8	11.1	7.70	3.80	1.24	1.28	1.28	1.70	2.50	2.60
26	3.50	2.80	10.4	11.8	8.30	3.80	1.24	1.28	1.40	1.65	2.50	2.40
27	4.10	2.80	7.70	11.8	8.60	3.20	1.24	1.28	1.50	1.55	2.50	15.4
28	7.70	3.35	6.29	11.8	8.60	2.90	1.24	1.28	1.50	1.55	2.50	10.1
29	5.21	4.94	5.48	11.1	8.90	2.90	1.24	1.28	1.32	1.40	2.50	9.20
30	4.25		5.48	11.4	13.4	2.80	1.24	1.28	1.24	1.40	2.50	6.56
31	3.50		5.75		13.1		1.24	1.28		1.40		5.48
SD1	1.81	2.62	6.36	11.3	21.5	11.6	1.94	1.26	1.29	1.25	1.36	25.3
SD2	6.00	2.77	4.09	21.8	12.4	6.16	1.28	1.30	1.25	2.59	7.37	4.84
SD3	5.10	3.05	8.53	11.5	9.09	3.55	1.24	1.29	1.32	1.76	2.87	5.84
MAX	15.1	4.94	11.1	33.8	37.5	12.7	2.70	1.36	1.50	4.94	25.0	73.7
DAT	19	29	22	12	8	1	1	3	27	16	13	3
SR	4.33	2.81	6.40	14.8	14.2	7.11	1.48	1.28	1.29	1.86	3.87	11.8
MIN	1.60	2.10	2.80	6.02	7.70	2.80	1.24	1.24	1.24	1.24	1.24	2.40
DAT	10	6	13	2	23	30	15	2	13	3	4	26
		GMIN = 1.24			SRGOD= 5.94			GMAX = 73.7				
		DATUM 15 7						DATUM 3 12				

## ZAVOD ZA HIDROMETEOROLOGIJU I SEIZMOLOGIJU CRNE GORE

G O D I S N J I      P R E G L E D      P R O T I C A J A  
2005

Broj : 45825                      Stanica :ANDRIJEVICA                      Kota "0" = 742.00  
Nacin osmat.: letva              Rijeka :ZLORECICA                      km od usca = 1.60  
Pocetak rada: 1985              Sliv :LIMA                      Pov.sliva = 169.1

DAN	I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII	
1	3.65	1.36	1.55	12.7	10.1	6.56	1.80	1.16	1.20	2.70	1.40	21.5	
2	3.65	1.36	1.55	8.90	10.1	5.48	1.80	1.12	1.20	2.60	1.40	25.0	
3	3.80	1.32	1.55	8.30	13.4	4.40	1.80	1.12	1.16	2.50	1.40	13.4	
4	3.20	1.32	1.55	7.10	18.7	4.10	1.80	1.12	1.12	2.40	1.36	16.1	
5	2.90	1.32	12.1	6.56	19.5	4.10	1.70	1.12	1.12	1.90	1.36	15.4	
6	2.80	1.32	10.1	6.56	19.5	4.40	1.65	1.12	1.16	1.90	1.36	15.8	
7	2.50	1.32	6.02	6.56	25.0	7.70	1.60	1.12	1.16	1.90	1.32	19.8	
8	2.30	1.28	3.65	7.10	16.8	7.70	1.60	1.75	1.08	1.80	1.32	16.1	
9	2.10	1.28	3.20	8.30	14.8	6.29	1.50	1.40	1.00	1.75	1.32	12.1	
10	2.10	1.28	2.50	8.90	14.1	4.94	1.50	1.32	1.00	1.70	1.32	9.80	
11	2.10	1.24	2.10	8.90	14.1	4.94	1.40	1.20	1.00	1.50	1.28	7.10	
12	1.90	1.24	1.90	13.4	15.1	4.10	1.40	1.20	1.00	1.50	1.28	6.02	
13	1.90	1.24	1.90	16.8	13.4	4.10	1.36	1.16	1.00	1.40	1.24	4.40	
14	1.80	1.24	1.80	15.4	12.7	3.80	1.36	1.16	1.00	1.40	1.24	4.25	
15	1.80	1.40	1.70	12.1	12.7	3.50	1.36	1.16	1.00	1.40	1.24	4.25	
16	1.80	1.65	1.70	12.1	13.4	3.50	1.32	1.16	1.00	1.40	1.28	3.80	
17	1.70	1.70	2.10	12.7	14.4	3.20	1.32	1.20	1.00	1.36	3.20	3.65	
18	1.70	1.40	2.40	13.4	14.4	2.90	1.32	1.20	1.70	1.36	2.60	3.20	
19	1.70	1.40	2.90	13.4	15.1	2.90	1.32	1.20	2.40	1.36	2.70	2.90	
20	1.65	1.40	4.40	13.4	14.1	2.80	1.32	1.20	2.70	1.32	1.85	2.60	
21	1.60	1.50	4.67	18.7	10.1	2.70	1.32	1.16	2.20	1.28	1.80	2.50	
22	1.65	1.70	4.67	16.8	8.90	2.50	1.32	1.24	1.90	1.40	1.75	2.10	
23	1.60	1.65	4.94	12.7	8.60	2.50	1.32	1.70	1.75	6.02	1.75	2.10	
24	1.60	1.65	5.48	10.1	8.60	2.40	1.32	1.65	1.70	2.70	1.70	1.90	
25	1.45	1.80	6.56	8.90	10.1	2.10	1.28	1.40	1.65	2.10	1.60	1.90	
26	1.45	1.80	10.1	8.90	10.4	2.00	1.28	1.36	1.40	1.90	1.85	2.00	
27	1.40	1.70	12.1	10.1	10.4	1.90	1.24	1.32	1.40	1.85	8.90	4.40	
28	1.40	1.70	29.7	11.4	10.1	1.90	1.20	1.28	1.36	1.80	12.7	7.10	
29	1.40		25.0	12.7	10.1	1.90	1.20	1.24	1.32	1.65	7.10	22.8	
30	1.40		19.1	12.7	9.50	1.90	1.20	1.24	1.40	1.60	6.02	16.1	
31	1.40		15.1		7.70		1.20	1.24		1.50		14.1	
SD1	2.90	1.32	4.38	8.10	16.2	5.57	1.67	1.23	1.12	2.12	1.36	16.5	
SD2	1.80	1.39	2.29	13.2	13.9	3.57	1.35	1.18	1.38	1.40	1.79	4.22	
SD3	1.49	1.69	12.5	12.3	9.50	2.18	1.26	1.35	1.61	2.16	4.52	7.00	
MAX	3.80	1.80	29.7	18.7	25.0	7.70	1.80	1.75	2.70	2.70	12.7	25.0	
DAT	3	25	28	21	7	7	1	8	20	1	28	2	
SR	2.05	1.45	6.58	11.2	13.1	3.77	1.42	1.26	1.37	1.90	2.55	9.17	
MIN	1.40	1.24	1.55	6.56	7.70	1.90	1.20	1.12	1.00	1.28	1.24	1.90	
DAT	27	11	1	5	31	27	28	2	9	21	13	24	
GMIN =			1.00	SRGOD=			4.68	GMAX =			29.7		
DATUM			9 9					DATUM			28 3		